

PHASE II ENVIRONMENTAL SITE ASSESSMENT

Former Pillsbury Plant
1525 East Phillips Street
Springfield, Illinois 62702

Project No.: 22-521 PH01

August 11, 2022



200 Prairie Street

Suite 208

Rockford, Illinois 61107

Prepared for:

Moving Pillsbury Forward

P.O. Box 404

Springfield, Illinois 62705

www.fehr-graham.com

Insight. Experience. Results.

Table of Contents

1.0	INTRODUCTION	1-1
1.1	Objective	1-1
1.2	Site Description	1-1
1.3	Background	1-1
1.4	Scope of Work.....	1-3
2.0	FIELD ACTIVITIES	2-1
2.1	Utility Locate and GPR Scan	2-1
2.2	Soil Investigation.....	2-1
2.3	Groundwater Investigation.....	2-2
2.4	Soil Gas Investigation.....	2-2
3.0	RESULTS	3-3
3.1	Site Geology and Hydrogeology.....	3-3
3.2	Analytical Results	3-3
4.0	DISCUSSION.....	4-1
4.1	Tier 1 Exceedances.....	4-1
4.2	Data Assessment Report/Data Validation	4-2
5.0	CONCLUSIONS.....	5-1
5.1	Findings	5-1
5.2	Reporting and Continuing Obligations.....	5-2
6.0	DISCLAIMER	6-1

Table of Contents

Figures

Figure 1 – Site Vicinity Map

Figure 2 – Site Layout Map

Figure 3 – Sample Location Map

Tables

Table 1 – Soil Analytical Results Table

Table 1A – Volatile Organic Compounds Results

Table 1B – Semi-Volatile Results

Table 1C – Inorganic Results

Table 1D – Pesticides and PCB Results

Table 2 – Groundwater Analytical Results Table

Table 2A – Volatile Organic Compounds Results

Table 2B – Semi-Volatile Results

Table 2C – Inorganic Results

Table 2D – Pesticides and PCB Results

Appendices

Appendix 1 - Soil Boring Logs/Well Construction Diagrams

Appendix 2 - Laboratory Analytical Report

1.0 INTRODUCTION

At the request and authorization of Moving Pillsbury Forward, NFP; Fehr-Graham & Associates, LLC (Fehr Graham) has completed a Phase II Environmental Site Assessment (ESA) on the former Pillsbury Plant located at 1525 East Phillips Street in Springfield, Illinois 62702.

1.1 Objective

The purpose of the Phase II ESA was to evaluate the presence of impacts to soil and groundwater associated with the recognized environmental conditions (RECs) and significant data gaps identified during the Phase I ESA dated March 17, 2022, and to determine how potential contamination may impact future redevelopment efforts on the Subject Property.

1.2 Site Description

The Property consists of 16 parcels of land encompassing approximately 20 acres, including one (1) 18.6-acre parcel (main parcel) and several smaller parcels located to the southeast and west of the main parcel. The Property is located at the northeast corner of the intersection of East Phillips Street and North 15th Street and is identified by common address 1525 East Phillips Street, Springfield, Illinois 62702. The grounds consist of a conglomerate of interconnecting structures formerly used for grain milling, manufacturing, warehousing, and offices (Subject Property buildings), as well as silos for grain storage. Several buildings have been demolished since the time of facility operations. A Site Vicinity Map depicting the regional location of the Property is provided as Figure 1, and a Site Layout Map is included as Figure 2.

1.3 Background

A Phase I ESA, dated March 17, 2022, was completed by Fehr Graham on behalf of Moving Pillsbury Forward, NFP. The Phase I ESA identified the following REC associated with the Property:

- The storage and handling of hazardous materials and petroleum products for large scale manufacturing operations with a history of violations and over 40 years of operation prior to robust environmental regulation presents the potential for historical releases to the environment through undocumented spills and leaks and/or improper disposal of wastes.
- Based on the findings of prior assessments which were completed during the time of facility operations and included detailed site reconnaissance, there was historical discharge of oils and/or other hazardous materials or petroleum products to drains within the facility. Given the age of the facility and unknown integrity of piping, it is possible that discharges of hazardous materials and/or petroleum products to the sanitary network resulted in releases to the environment.

- Four (4) USTs were abandoned in place in 1990; however, UST investigation sampling did not include all potential contaminants of concern applicable for the historical tank contents, and the piping may not have been properly removed or abandoned. Therefore, historical operation of the USTs may have resulted in previously unidentified releases of petroleum products to the environment through tank or piping leaks or tank overfills.
- There is a potential for past releases of hazardous materials and/or petroleum products to have occurred from the long-term use of railroad spurs on the Property through leaching of chemicals from railroad spurs and ties, treatment of track areas with pesticides/herbicides, engine emissions, and/or leaks and spills during loading/unloading or idling of damaged locomotives.

Adjoining and Surrounding Sites

- There is a potential for past releases of hazardous materials and/or petroleum products from railyard operations on the northeast adjoining site to have migrated onto the Property and negatively impacted underlying soil, soil gas, and/or groundwater.

In addition, the following significant data gaps were encountered that have the potential to lead to the identification of additional RECs:

- The site reconnaissance could not be completed due site access not being permitted. There is potential for storage tanks, drums, waste dumping, or other evidence of releases of hazardous materials and/or petroleum products to the environment which cannot be adequately assessed without Property access for reconnaissance.
- Two (2) buried fuel oil tanks are depicted on the 1950, 1952, and 1972 historical Sanborn Maps near the corner of East Phillips Street and North 16th Street. It is likely that these tanks are the same as the three (3) abandoned fuel oil tanks reportedly located at the south end of Warehouse 3. However, since the tanks are depicted in a slightly different location and the number of tanks is inconsistent, it is possible that the Sanborn Maps depicted additional USTs on the Property which have no record of removal or abandonment.

The following Business Environmental Risks (BERs) that exist beyond CERCLA liability may be associated with the Property:

- Asbestos containing building materials have been documented on the Property. Significant asbestos removal efforts were completed by US EPA; however, asbestos containing materials are anticipated to remain in portions of the facility and may exist in shallow soils as a result of documented improper building demolition activities.
- Based on the construction date of the Property buildings and silos, there is a potential for painted surfaces to contain lead above regulatory levels.

Due to the identified RECs and significant data gap, further investigation was recommended to evaluate the potential for contaminated soil, groundwater, and/or soil gas to be present on the Property, which could impact future redevelopment efforts and/or construction. Moving Pillsbury Forward, NFP elected

to investigate potential environmental impacts related to the former use of the USTs, historical industrial operations, and the long-term use of railroad tracks and spurs on the Subject Property, as well as the adjoining sites.

1.4 Scope of Work

The planned scope of work for this Phase II ESA included the following tasks:

- Ground penetrating radar (GPR) scan to identify potential orphaned USTs or indications of UST excavations.
- 70 soil borings to facilitate the collection of soil samples for laboratory analysis.
 - 15 of the 70 locations to be sampled for asbestos within the first six (6) inches below ground surface.
- Installation of 15 monitoring wells to facilitate the collection of groundwater samples for laboratory analysis.

The completed Phase II ESA field activities and findings are presented in the following sections.

2.0 FIELD ACTIVITIES

From May 2 to May 6, 2022, and May 9 to May 13, 2022, Mr. Tony Guajardo and Ms. Hannah Insko of Fehr Graham were on site to oversee Phase II ESA activities. Fehr Graham staff were accompanied by GeoServe of Woodstock, Illinois, the procured drilling contractor. All field and sampling activities were performed in accordance with the Illinois Environmental Protection Agency (IEPA) voluntary cleanup program known as the Site Remediation Program (SRP)

2.1 Utility Locate and GPR Scan

Prior to the drilling activities, a Joint Utility Locating Information for Excavators (J.U.L.I.E.) locate was ordered by GeoServe to identify the location of subsurface public utilities leading into the Property. A private utility location and boring clearance was also conducted to clear individual boring locations and to identify potential USTs and/or former backfilled excavations utilizing GPR technology. The GPR scan did identify one UST near SB-48.

2.2 Soil Investigation

A total of 70 soil borings (SB-01 through SB-70) were advanced to assess the presence of soil contamination on the Subject Property. Soil borings were advanced until 16, 20, or 24 feet below ground surface (bgs), depending on location, and at least five (5) feet below the field-interpreted groundwater table from observation of soil cores. A Sample Location Map depicting the locations of the soil borings is included as Figure 3.

GeoServe utilized a track-mounted GeoProbe[®] Model 7822 DT for advancing the soil borings. Soil cores generated using the GeoProbe[®] were extracted using dual tube sampling systems, equipped with four (4)-foot long, disposable polyethylene sample liners. The soil cores were field-screened for volatile organic compounds (VOCs) at half (0.5)-foot intervals by Fehr Graham staff with a RAE[®] Systems MiniRae 3000 photoionization detector (PID) equipped with a 10.6 eV lamp. The PID was calibrated to background air and 100 parts per million (ppm) isobutylene prior to the commencement of daily activities. The soil cores, as extracted, were visually examined and the observations were logged by Fehr Graham staff on soil boring logs.

Two (2) soil samples were collected from each soil boring. Since evidence of contamination (i.e. elevated PID readings, odor, staining) was identified in only one (1) soil core, the soil sample intervals were generally selected from the upper three (3) feet of the ground surface and the three (3) feet above

groundwater saturation. However, the soil core exhibiting slightly elevated PID readings (SB-08) was sampled at a depth interval consistent with the evidence of impact. Samples were submitted for laboratory analysis of the following analytical suites:

- Volatile Organic Compounds (VOCs)
- Semi-volatile Organic Compounds (SVOCs)
- Pesticides
- Polychlorinated Biphenyls (PCBs)
- Target Analyte List (TAL) Metals
- Cyanide
- pH
- Asbestos (collected from 18 locations)
- Total Petroleum Hydrocarbons (TPH) (only collected at SB-08)

Soil samples were collected into pre-cleaned laboratory-provided containers, stored in a cooler on ice for the duration of the day's activities, and relinquished to the laboratory under standard chain-of-custody procedures at the earliest opportunity.

2.3 Groundwater Investigation

Groundwater was generally encountered during drilling activities at approximately 6-10 feet below ground surface (bgs). The investigation included the installation of 15 two (2)-inch monitoring wells for the purpose of groundwater sample analysis for VOCs, SVOCs, TCL Metals, Cyanide, PCBs, and Pesticides. Ten (10) of the monitoring wells were installed to approximately 15 feet bgs and five (5) were installed to approximately 20 feet bgs, with 10 feet of machine-slotted PVC screen and a flush mount level with the ground surface. Fehr-Graham personnel developed the wells June 13, 14 & 15, 2022 by removing at least 10 well volumes of water (based on the measured static water level immediately following installation) or purging until the water was visibly clear. Groundwater samples were collected using low-flow methodology on June 22 & 23, 2022. Samples were submitted for laboratory analysis of VOCs, SVOCs, TAL Metals, Cyanide, PCBs, and Pesticides. During the sampling activities free phase petroleum was discovered in MW-13.

Groundwater samples were collected into pre-cleaned laboratory-provided containers, stored in a cooler on ice for the duration of the day's activities, and relinquished to the laboratory under standard chain-of-custody procedures at the earliest opportunity.

2.4 Soil Gas Investigation

No soil gas sampling occurred at the Property as part of the focused Phase II ESA.

3.0 RESULTS

3.1 Site Geology and Hydrogeology

The prevalent subsurface geology encountered consisted of one (1) to four (4) feet of surficial fill materials underlain by clay followed by sands from approximately 14 to 16 feet below ground surface (bgs) to the terminus of boring. Bedrock refusal was not encountered. Soil boring logs detailing the specific geological conditions encountered at each soil boring location are included in Attachment 1. Groundwater was observed in the soil borings at approximately 15 feet bgs with a static water level measured at approximately 10 feet bgs in temporary wells following drilling.

3.2 Analytical Results

Samples were submitted to PACE Analytical Laboratories in Green Bay, Wisconsin for laboratory analysis. Results were compared to the Tier 1 remediation objectives for residential and industrial/commercial properties, as established in Title 35 of the Illinois Administrative Code (35 IAC) Part 742, Tiered Approach to Corrective Action Objectives (TACO). The TACO Tier 1 remediation objectives (ROs) are a series of risk-based chemical concentrations derived for potential human exposure pathways (i.e., ingestion, inhalation) that are utilized by Illinois Environmental Protection Agency (Illinois EPA) cleanup programs.

3.2.1 Soil Analytical Results

Analytical results indicated select parameters were detected in soil above laboratory reporting limits, as presented in *Table A*. Parameters presented in **bold** font indicate the detected concentration exceeds one or more TACO Tier 1 RO for residential and/or industrial/commercial properties. Concentrations that were estimated by the laboratory are detections but are not counted as exceedances. For the inorganic parameters we had numerous detections that are too numerous to summarize in the table below so only detections that exceed Tier 1 ROs are summarized.

Table A – Detected Parameters in Soil

Boring ID No.	Sample Depth (feet bgs)	Detected Parameters
SB-11	1-2'	1,1,1-Trichloroethane
SB-11	4-5'	1,1-Dichloroethane, 1,1,1-Trichloroethane
SB-38	5.5-6.5'	Tetrachloroethene

Boring ID No.	Sample Depth (feet bgs)	Detected Parameters
SB-38	8.5-9.5'	Tetrachloroethene
SB-43	5.2.-6.2'	Carbon Disulfide
SB-50	1.3-2.3'	Carbon Disulfide
SB-51	1.2-2.2'	2-Butanone
SB-54	1.5-2.5'	Ethylbenzene
SB-4	4-5'	Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(g,h,i)perylene, Dibenzo(a,h)anthracene, Indeno(1,2,3-c,d)pyrene
SB-5	2-2.5'	Flourathene, 2-Methylnaphthalene, 3 & 4 Methylphenol, Phenanthrene
SB-6	2-2.7'	Benzo(b)fluoranthene, Flourene, 3&4-Methylphenol, Phenanthrene
SB-10	1.8-2.8'	Flouranthene, Phenanthrene
SB-11	1-2'	Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(g,h,i)perylene, Chrysene, Fluranthene, Phenanthrene, Pyrene
SB-24	5.5-6.5'	Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(g,h,i)perylene, Chrysene, Flouranthene, Indeno(1,2,3-c,d)pyrene, Phenanthrene, Pyrene
SB-24	8-9'	Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(g,h,i)perylene, Chrysene, Flouranthene, Indeno(1,2,3-c,d)pyrene, Phenanthrene, Pyrene
SB-25	5.5-6.6'	Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(g,h,i)perylene, Chrysene, Fluoranthene, Indeno(1,2,3-c,d)pyrene, Phenanthrene, Pyrene
SB-25	8.5.-9.5'	Benzo(a)anthracene, Benzo(b)fluoranthene, Fluoranthene, Phenanthrene
SB-33	1.2-2.2'	Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Chrysene, Phenanthrene, Pyrene
SB-34	1-2'	Fluoranthene
SB-41	4.7-5.7	Benzo(a)pyrene, Benzo(b)fluoranthene, Chrysene

Boring ID No.	Sample Depth (feet bgs)	Detected Parameters
SB-42	5-6'	Benzo(b)fluoranthene, Chrysene, Fluoranthene, Phenanthrene
SB-42	8.5-9.5'	Acenaphthene, Anthracene, Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(g,h,i)perylene, Benzo(k)fluoranthene, Chrysene, Dibenzofuran, Fluoranthene, Fluorene, Indeno(1,2,3-c,d)pyrene, Phenanthrene, Pyrene
SB-45	1.3-2.3'	3&4-Methylphenol
SB-47	1.5-2.5'	Phenanthrene, Pyrene
SB-47	4-5'	Fluoranthene, Phenanthrene
SB-48	0.8-1.8'	Benzo(g,h,i)perylene, Chrysene, 2-Methylnaphthalene, Phenanthrene, Pyrene
SB-50	1.3-2.3'	Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Chrysene, Phenanthrene
SB-52	1.4-2.4'	Phenanthrene
SB-54	1.5-2.5'	Acenaphthene, Anthracene, Carbazole , Dibenzofuran, Fluoranthene, Fluorene, 2-Methylnaphthalene, Naphthalene , Phenanthrene, Pyrene
SB-56	1.5-2.5'	Benzo(a)anthracene, Benzo(b)fluoranthene, Chrysene, Fluoranthene, 2-Methylnaphthalene, Phenanthrene, Pyrene
SB-58	1-2'	Anthracene, Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(g,h,i)perylene, Benzo(k)fluoranthene, Chrysene, Dibenzofuran, Fluoranthene, Fluorene, Indeno(1,2,3-c,d)pyrene, Phenanthrene, Pyrene
SB-59	1-2'	Benzo(a)anthracene, Fluoranthene, 2-Methylphenol, Phenanthrene, Pyrene
SB-61	1-1.5'	2-Chloronaphthalene
SB-62	1-2'	Benzo(a)anthracene, Chrysene, Dibenzofuran, Fluoranthene, 2-Methylnaphthalene, Naphthalene, Phenanthrene, Pyrene
SB-63	1.3-2.3'	Chrysene, Dibenzofuran, Fluoranthene, 2-Methylnaphthalene, Naphthalene, Phenanthrene, Pyrene

Boring ID No.	Sample Depth (feet bgs)	Detected Parameters
SB-65	1.5-2.5'	Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Chrysene, Fluoranthene, Phenanthrene, Pyrene
SB-11, 19	1 - 2	Mercury*
	2-3'	Mercury*
SB-02, 4, 7 – 9, 11-13, 15, 16, 19, 21, 22, 24, 28, 32,33,37-39, 41-43, 46, 53, 55, 59, 61, 64, 65, 67, 68, 70	1 – 3'	Arsenic*
	4 – 9'	Arsenic*
SB-7, 16, 29, 33, 38, 55, 59, 61, 64, 65, 68, 69, 70	0.5 – 2.5	Manganese*
	4.5 -9.5	Manganese*
SB-70	1.8 – 2.8'	Lead
SB-11	1 – 2	DDD, DDE, DDT
	15.5 – 16.5	
SB-20	4-5'	DDD
SB-21	1.5-2.5'	DDT
SB-24	5.5-6.5'	Beta-BHC, DDD, DDE, DDT
SB-24	8-9'	Beta-BHC, DDD, DDE, DDT
SB-25	5.5-6.5'	Beta-BHC, DDD, DDE, DDT
SB-31	1.5-2.5'	Alpha-Chlordane, Heptachlor epoxide
SB-31	4-5'	Alpha-Chlordane
SB-33	1.2-2.2'	Chlordane , alpha-Chlordane, gamma-Chlordane, DDD, DDE,DDT, Dieldrin , Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin aldehyde, Endrin ketone, Heptachlor, Heptachlor epoxide, Methoxychlor

Boring ID No.	Sample Depth (feet bgs)	Detected Parameters
SB-34	1-2'	Alpha-Chlordane, gamma-Chlordane, DDE, Heptachlor epoxide
SB-34	4-5'	Alpha-Chlordane, gamma-Chlordane, DDE, Heptachlor epoxide
SB-41	4.7-5.7'	DDD, DDE, DDT
SB-42	5-6'	Endrin
SB-43	5.2.-6.2'	DDD, DDE, DDT
Basement-01	Below floor	Alpha-Chlordane, Dieldrin, Methoxychlor

*Detected and exceed at Tier 1 RO. Other inorganic detections are not listed.

A complete listing of sample results for soil, tabulated and compared to their respective residential and industrial/commercial TACO Tier 1 ROs, are included in Table 1.

3.2.2 Groundwater Analytical Results

Analytical results indicated select parameters were detected in groundwater above laboratory reporting limits, as presented in *Table B*. Parameters presented in **bold** font indicate the detected concentration exceeds one or more TACO Tier 1 RO for residential and/or industrial/commercial properties. Concentrations that were estimated by the laboratory are detections but are not counted as exceedances. For the inorganic parameters we had numerous detections that are too numerous to summarize in the table below so only detections that exceed Tier 1 ROs are summarized.

Table B – Detected Parameters in Groundwater

Boring ID No.	Detected Parameters	General Notes
MW-02	1,1,1-Trichloroethane	No odors or sheen observed
MW-03	Acetone, Benzo(b)fluoranthene, Chrysene	
MW-04	Acenaphthene, Benzo(b)fluoranthene, Chrysene, Di-n-butyl phthalate, fluoranthene, Pyrene, Manganese	

Boring ID No.	Detected Parameters	General Notes
MW-05	Anthracene, Fluoranthene, Phenanthrene, Pyrene, Manganese	
MW-07	Manganese	
MW-08	Anthracene, Fluoranthene	
MW-09	Manganese	
MW-12	Acenaphthene, Anthracene, Benzo(b)fluoranthene, Chrysene, Fluoranthene, Phenanthene, Pyrene,	
MW-13	Acenaphthene, Acenaphthylene, Benzo (a)pyrene, Benzo (b)fluoranthene, Benzo(g,h,i)perylene, Chrysene, Flourene, Naphthalene, Pyrene, Manganese	
MW-14	Naphthalene	
MW-15	2-Methylnaphthalene, Naphthalene	

A complete listing of sample results for groundwater, tabulated and compared to their respective residential and industrial/commercial TACO Tier 1 ROs, are included in Table 2.

3.2.3 Soil Gas Analytical Results

As noted in *Section 2.4*, no soil gas samples were collected for laboratory analysis during this Focused Phase II ESA.

4.0 DISCUSSION

4.1 Tier 1 Exceedances

None of the analyzed constituents were detected at concentrations exceeding their respective Tier 1 Ros, with the exception of the following:

- Two constituents were detected above a Tier I RO. **Carbazole** was detected at concentrations of 0.91 milligrams per kilogram (mg/kg) in SB-54 (1.5-2.5'), exceeding the Class I soil component to groundwater ingestion exposure route RO of 0.6 mg/kg. In addition, **Naphthalene** was detected at a concentration of 2.4 mg/kg in in the same boring, exceeding the construction worker inhalation exposure route RO of 1.8 mg/kg.
- Three different inorganic contaminants were found to exceed a Tier I RO. **Arsenic** was found to exceed the 13 mg/kg *soil ingestion exposure route* standard in multiple locations listed in Table B below. Levels range from 13.4 to 31.7 mg/kg. In addition, at one location the level of arsenic exceeds the soil component to *groundwater ingestion exposure route*.

Lead exceeded the Tier I RO for Soil Component to Groundwater Ingestion Exposure route at SB-70 with a level of 172 mg/kg that exceeds the soil pH based Tier I RO level of 107 mg/kg.

Manganese exceeded the 1600 mg/kg soil residential *ingestion exposure route* standard in multiple locations listed in Table B. Levels ranged from 1890 to 2240 mg/kg. In one location (SB-55) the manganese level was 4900 mg/kg that not only exceeds the *soil residential ingestion exposure route* objective, but also the *Soil Construction Worker Ingestion Exposure Route* standard.

- Two organic pesticides were found to exceed a Tier I RO. **Chlordane** was found at the SB33 location at a level of 7.1 mg/kg which exceeded the Tier I RO of 1.8 mg/kg for the *Residential Ingestion Exposure Route*. **Dieldrin** was also found at SB33 at a level of 0.0072 mg/kg that is above the 0.004 mg/kg Tier I RO for the *Soil Component to Groundwater Ingestion Exposure Route*.

Table B summarizes the constituents detected in soil exceeding an exposure route and the specific exposure route(s) exceeded:

Table B – Summary of Exceeded TACO Exposure Pathways

Location (depth)	Constituent	Exceeded TACO Exposure Route
SB-54 (1.5-2.5')	Carbazole	Class I Soil Component to Groundwater Ingestion
SB-54 (1.5-2.5')	Naphthalene	Construction Worker Ingestion
SB-02 (4-5'), SB-4 (4-5'), SB-7, SB-8, SB-9, SB-11 to 13, SB-15, SB-16, SB-19, SB-21, SB-22, SB-24, SB-28, SB-32, SB-33, SB-37 to 39, SB-41 to 43, SB-46, SB-53, SB-55, SB-59, SB-61, SB-64, SB-65, SB-67, SB-68 and SB-70.	Arsenic	Residential & Industrial- Commercial Ingestion
SB-70 (1.8-2.8')	Lead	Soil Component to Groundwater Ingestion
SB-07(4.5-5.5'), SB-16 (1.5-2.5'), SB-29 (8.5-9.5'), SB-33 (4.5-5.5'), SB-38 (5.5-6.5'), SB-55 (5-6'), SB-59(4.5-5.5'), SB-61(5-5.5'), SB-64 (4.5-5.5'), SB-65(4.5-5.5'), SB-68(4.5-5.5'), SB-69(4.5-5.5'), SB-70(5-6')	Manganese	Residential Ingestion
SB33 (1.2-2.2')	Chlordane	Residential Ingestion
	Dieldrin	Class I Soil Component to Groundwater Ingestion

4.2 Data Assessment Report/Data Validation

Soil, groundwater, and quality assurance/quality control (QA/QC) samples were received by PACE Analytical Laboratories of Green Bay, Wisconsin on wet ice and at 4 degrees Celsius +/- 2. Submitted QA/QC samples for soil sampling included the following: field duplicates collected from SB-10 (1.8'-2.8'), SB-35 (0.5'-1.5'), SB-64 (4.5'-5.5') and SB-45 (1.3'-2.3') and eight (8) VOC trip blanks.

Analysis of the trip blanks indicated constituent concentrations were below laboratory quantitation limits.

All samples were analyzed within the respective analytical methods' maximum holding times. It was determined that the data validation results are acceptable, the analytical data is considered usable, and the project data quality needs were met for this assessment.

QA/QC sample results, including trip blanks analytical results are included in laboratory analytical reports which are included in Appendix 2.

5.0 CONCLUSIONS

5.1 Findings and Recommendations

Fehr Graham evaluated the Subject Property for potential contamination associated with the RECs and significant data gap identified in the Phase I ESA. There were 70 soil samples and 15 groundwater samples collected from the Subject Property and analyzed for VOCs, SVOCS, Inorganics, Cyanide, PCBs and Pesticides. Free product was discovered at MW-13 during the groundwater sampling activities. The GPR scan did locate a UST near MW-13.

Arsenic was discovered at the site that will require cleanup. This will be total removal and disposal, aggregation into a berm on the far east side of the site with an approved cap or use of an engineered barrier. The cleanup is needed regardless of end use.

The Manganese impacts would be cleaned up in the same fashion as the Arsenic, but only if the end use will be residential.

The one Lead impact will likely not require active cleanup, but confirmation sampling using SPLP analysis and exposure modeling under the Site Remediation Program using the Tiered Approach to Corrective Action Objectives (TACO) to address exposure.

The Chlorodane impact would require on-site treatment or excavation and disposal if the end use is residential. If the end use is commercial or industrial cleanup would not be required.

The Dieldrin will likely also require removal to eliminate the impact. In our experience using the TACO models for Dieldrin often do not help.

The Manganese in the groundwater should be addressed by collecting filtered samples to remove turbidity. In our experience turbidity leads to false positives with inorganics.

Overall, we recommend enrollment of the site into the Illinois Environmental Protection Agency (IEPA) voluntary Site Remediation Program (SRP). The SRP provides a structured path to receiving a No Further Remediation (NFR) letter that will be recorded in the deed to the property.

5.2 Reporting and Continuing Obligations

At this time, it appears contamination is not extensive other than the arsenic for soil ingestion. This exposure would only occur with active handling of the soil. As the site sits presently this exposure is not of concern.

If a federal cleanup action were to be required at the Property, the completed Phase I ESA on the Property, along with an issued reliance letter, would allow an authorized user to seek defense under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) as a bona fide prospective purchaser. A person or entity may qualify as a bona fide prospective purchaser if, among other requirements, such person made “all appropriate inquiries into the previous ownership and uses of the facility in accordance with generally accepted good commercial and customary standards and practices.” Knowledge of contamination resulting from all appropriate inquiries (AAI) (Phase I and Phase II ESAs) would not generally preclude this liability protection. A person or entity must make AAIs on or before the date of purchase and maintain compliance with the expiration dates of the Phase I ESA and certain Phase I ESA components as presented in ASTM E1527-21. A bona fide prospective purchaser must also comply with the following continuing obligations after taking title to the property:

1. Provide all legally required notices with respect to the discovery or release of any hazardous substances at the facility.
2. Exercise appropriate care with respect to hazardous substances by taking reasonable steps to stop any continuing release; prevent any threatened future releases; and prevent or limit human, environmental, or natural resource exposure to any previously released hazardous substance.
3. Provide full cooperation, assistance, and access to persons who are authorized to conduct response actions or natural resource restoration (including the cooperation and access necessary for the installation, integrity, and maintenance of any complete or partial response actions or natural resource restoration.
4. Comply with any land use restrictions established or relied on in connection with a response action, and not impede the effectiveness or integrity of any institutional control employed at the vessel or facility in connection with a response action.
5. Comply with any request for information or administrative subpoena issued under CERCLA.


6.0 DISCLAIMER

This Phase II ESA was limited to the scope in our original proposal to identify potential environmental challenges associated with the RECs and significant data gaps identified in the Phase I ESA. This assessment included soil borings advanced to 16 or 20 feet bgs in specific portions of the Subject Property based on the identified RECs, data gaps and to provide a good distribution of sample points across the site. Sample locations were selected based upon accessibility and presumed areas where soil contamination would most likely be encountered, if present. Evaluation of groundwater was performed utilizing monitoring wells. Furthermore, the investigation did not involve sampling or analysis of soil gas, however based on the soil and groundwater results, it does not appear to be warranted. Soil and groundwater sample analysis was performed for only the noted parameters (VOCs, SVOCs, PCBs, Pesticides, CN, TAL Metals, and soil pH). Analytical results were compared to the Tier 1 soil ROs for residential, industrial/commercial, and construction worker receptors and Class I groundwater.

O:\Moving Pillsbury Forward\22-521 Phase II ESA\PA Final\22-521 - PH01 - Pillsbury 2022-08-10 Phase II ESA Report.docx

Figures

Figure 1
Site Vicinity Map





SOURCE: USGS 1976

PINs:

- | | |
|-------------|-------------|
| 14270282001 | 14260152009 |
| 14260152002 | 14260152010 |
| 14260152003 | 14260152011 |
| 14260152004 | 14260152001 |
| 14260152005 | 14260152012 |
| 14260152006 | 14260101001 |
| 14260152007 | 14270278001 |
| 14260152008 | 14270235001 |

FIGURE 1
SITE VICINITY MAP
1525 E. PHILLIPS ST.
SPRINGFIELD, IL 62702




8/11/22

FEHR GRAHAM
 ENGINEERING & ENVIRONMENTAL

ILLINOIS
 IOWA
 WISCONSIN

Figure 2
Site Layout Map



SOURCE: GOOGLE EARTH

BUILDING IDENTIFICATION

- | | |
|---------------------------------|------------------|
| A. BULK STORAGE | M. WAREHOUSE 1 |
| B. GRAIN STORAGE | N. WAREHOUSE 4 |
| C. HEAD HOUSE | O. WAREHOUSE 5 |
| D. STORAGE ANNEX | P. WAREHOUSE 10 |
| E. TURBO BUILDING | Q. WAREHOUSE 9 |
| F. A & B MILL
(WAREHOUSE 2) | R. WAREHOUSE 7 |
| G. GRAIN DRYER | S. WAREHOUSE 8 |
| H. GROCERY MIX
(WAREHOUSE 3) | T. WAREHOUSE 9B |
| I. C-MILL (WAREHOUSE 6) | U. CHLORINE SHED |
| J. 8180 BUILDING DRYER | V. LOCKER ROOM |
| K. BAKERY MIX | W. BOILER STACK |
| L. BAKERY MIX TOWER | X. BOILER ROOM |
| | Y. FORKLIFT SHOP |
| | Z. OFFICE |

■ BUILDING HAS BEEN DEMOLISHED






FIGURE 2
SITE LAYOUT
 1525 E. PHILLIPS ST.
 SPRINGFIELD, IL 62702

8/11/22

FEHR GRAHAM
 ENGINEERING & ENVIRONMENTAL

ILLINOIS
 IOWA
 WISCONSIN

Figure 3
Sample Location Map



LEGEND

- SOIL BORING
- MONITORING WELL



60 0 60 120 180 FEET

APPROXIMATE PROPERTY BOUNDARY

Imagery ©2021 Technologies Google

Imagery ©2021

FEHR GRAHAM

ENGINEERING & ENVIRONMENTAL

ILLINOIS DESIGN FIRM NO. 194-003525

ILLINOIS
IOWA
WISCONSIN

OWNER/DEVELOPER:
FORMER PILLSBURY PLANT
1525 E. PHILLIPS ST.
SPRINGFIELD, IL 62702

DRAWING:
FIGURE 3
SAMPLE LOCATION MAP

JOB NUMBER:
22-521

SHEET NUMBER:
1 of 1

Table 1

Soil Analytical Results Tables

Table 1A – Volatile Organic Compound Results

Table 1B – Semi-Volatile Results

Table 1C – Inorganic Results

Table 1D – Pesticides and PCB Results

Table 1A

Volatile Organic Compound Results

Tier 1 Exposure Route-Specific Values for Soils (mg/kg)									40244262001	40244262002	40244262003	40244262004	40244262005	40244262006	40244262007	40244262008	40244262009	40244262010	40244350001	40244350002	40244350003	40244350004	40244350005																			
Analytical Parameter	Residential		Industrial- Commercial		Construction Worker		Soil Component to Groundwater Ingestion		SB-01 (1.0-2.0')	SB-01 (4.0-5.0')	SB-02 (1.5-2.5')	SB-02 (4.0-5.0')	SB-03 (2.0-3.0')	SB-03 (4.0-5.0')	SB-4 (1.0-2.0')	SB-4 (4.0-5.0')	SB-05 (2.0-2.5')	SB-05 (4.5-5.5')	SB-06 (2-2.7')	SB-06 (5.0-6.0')	SB-07 (1.3-2.3')	SB-07 (4.5-5.5')	SB-08 (2.0-2.5')																			
	Ingestion	Inhalation	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022																		
Acetone	70,000	100,000	---	100,00	---	100,00	25	25	U	0.048	U	0.047	U	0.047	U	0.050	U	0.050	U	0.053	U	0.054	U	0.052	U	0.050	U	0.049	U	0.051	U	0.053	U	0.052	U	0.050	U	0.050	U	0.053		
Benzene	12	0.8	100	1.6	2,300	2.2	0.03	0.17	U	0.00072	U	0.00071	U	0.00071	U	0.00076	U	0.00075	U	0.00080	U	0.00081	U	0.00078	U	0.00075	U	0.00073	U	0.00076	U	0.00079	U	0.00078	U	0.00076	U	0.00076	U	0.00079		
Bromodichloromethane	10	3,000	92	3,000	2,000	3,000	0.6	0.6	U	0.00069	U	0.00068	U	0.00068	U	0.00073	U	0.00072	U	0.00077	U	0.00078	U	0.00074	U	0.00072	U	0.00070	U	0.00073	U	0.00076	U	0.00075	U	0.00073	U	0.00076	U	0.00076		
Bromoform	81	53	720	100	16,000	140	0.8	0.8	U	0.0082	U	0.0081	U	0.0082	U	0.0087	U	0.0086	U	0.0092	U	0.0093	U	0.0089	U	0.0086	U	0.0084	U	0.0087	U	0.0090	U	0.0090	U	0.0087	U	0.0087	U	0.0091		
Bromomethane	110	10	2,900	15	1,000	3.9	0.2	1.2	U	0.0045	U	0.0045	U	0.0045	U	0.0048	U	0.0047	U	0.0050	U	0.0051	U	0.0049	U	0.0047	U	0.0046	U	0.0048	U	0.0050	U	0.0049	U	0.0048	U	0.0048	U	0.0050		
2-Butanone	---	---	---	---	---	---	---	---	U	0.016	U	0.016	U	0.016	U	0.017	U	0.017	U	0.018	U	0.018	U	0.017	U	0.017	U	0.016	U	0.017	U	0.017	U	0.017	U	0.017	U	0.017	U	0.018		
Carbon disulfide	7,800	720	200,000	720	20,000	9	32	160	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0013	U	0.0013	U	0.0012	U	0.0012	U	0.0011	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012
Carbon tetrachloride	5	0.3	44	0.64	410	0.9	0.07	0.7	U	0.0032	U	0.0032	U	0.0032	U	0.0034	U	0.0033	U	0.0036	U	0.0036	U	0.0035	U	0.0033	U	0.0033	U	0.0033	U	0.0034	U	0.0035	U	0.0034	U	0.0034	U	0.0035		
Chlorobenzene	1,600	130	41,000	210	4,100	1.3	1	6.5	U	0.00093	U	0.00092	U	0.00093	U	0.00099	U	0.00098	U	0.0010	U	0.0011	U	0.0010	U	0.00098	U	0.00095	U	0.00099	U	0.0010	U	0.0010	U	0.00098	U	0.00098	U	0.0010		
Chloroethane	---	---	---	---	---	---	---	---	U	0.0037	U	0.0036	U	0.0036	U	0.0039	U	0.0038	U	0.0041	U	0.0042	U	0.0040	U	0.0038	U	0.0038	U	0.0039	U	0.0040	U	0.0040	U	0.0039	U	0.0039	U	0.0041		
Chloroform	100	0.3	940	0.54	2,000	0.76	0.6	2.9	U	0.00085	U	0.00085	U	0.00085	U	0.00090	U	0.00089	U	0.00095	U	0.00097	U	0.00092	U	0.00090	U	0.00087	U	0.00091	U	0.00094	U	0.00093	U	0.00090	U	0.00094	U	0.00094		
Chloromethane	---	---	---	---	---	---	---	---	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0011	U	0.0012	U	0.0012	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0012	U	0.0011	U	0.0011	U	0.0012		
Dibromochloromethane	1,600	1,300	41,000	1,300	41,000	1,300	0.4	0.4	U	0.0010	U	0.0010	U	0.0010	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0010	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011		
1,1-Dichloroethane	7,800	1,300	200,000	1,700	200,000	130	23	110	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0011	U	0.0012	U	0.0012		
1,2-Dichloroethane	7	0.4	63	0.7	1,400	0.99	0.02	0.1	U	0.00083	U	0.00082	U	0.00083	U	0.00088	U	0.00087	U	0.00093	U	0.00095	U	0.00090	U	0.00087	U	0.00085	U	0.00088	U	0.00092	U	0.00091	U	0.00088	U	0.00092	U	0.00092		
1,1-Dichloroethene	3,900	290	100,000	470	10,000	3	0.06	0.3	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0011	U	0.0012	U	0.0012		
cis-1,2-Dichloroethene	780	1,200	20,000	1,200	20,000	1,200	0.4	1.1	U	0.00089	U	0.00088	U	0.00089	U	0.00094	U	0.00093	U	0.0010	U	0.0010	U	0.00097	U	0.00093	U	0.00091	U	0.00094	U	0.00098	U	0.00097	U	0.00094	U	0.00094	U	0.00098		
trans-1,2-Dichloroethene	1,600	3,100	41,000	3,100	41,000	3,100	0.7	3.4	U	0.00073	U	0.00072	U	0.00072	U	0.00077	U	0.00076	U	0.00081	U	0.00082	U	0.00079	U	0.00076	U	0.00074	U	0.00077	U	0.00080	U	0.00079	U	0.00077	U	0.00080	U	0.00080		
1,2-Dichloropropane	9	15	84	23	1,800	0.5	0.03	0.15	U	0.0010	U	0.0010	U	0.0010	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0010	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011		
cis-1,3-Dichloropropene	6.4	1.1	57	2.1	1,200	0.39	0.004	0.02	U	0.0010	U	0.0010	U	0.0010	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011		
trans-1,3-Dichloropropene	6.4	1.1	57	2.1	1,200	0.39	0.004	0.02	U	0.0010	U	0.0010	U	0.0010	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0011	U	0.0011	U	0.0010	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011		
Ethylbenzene	7,800	400	200,000	400	20,000	58	13	19	U	0.00090	U	0.00089	U	0.00090	U	0.00096	U	0.00094	U	0.0010	U	0.0010	U	0.00098	U	0.00095	U	0.00092	U	0.00096	U	0.0010	U	0.00099	U	0.00095	U	0.00095	U	0.0010		
2-Hexanone	---	---	---	---	---	---	---	---	U	0.011	U	0.011	U	0.011	U	0.012	U	0.012	U	0.013	U	0.013	U	0.012	U	0.012	U	0.012	U	0.012	U	0.013	U	0.012	U	0.012	U	0.012	U	0.013		
Methylene chloride	85	13	760	24	12,000	34	0.02	0.2	U	0.0040	U	0.0040	U	0.0040	U	0.0042	U	0.0042	U	0.0045	U	0.0045	U	0.0043	U	0.0042	U	0.0041	U	0.0042	U	0.0044	U	0.0044	U	0.0044	U	0.0044	U	0.0044		
4-Methyl-2-pentanone	---	---	---	---	---	---	---	---	U	0.020	U	0.020	U	0.020	U	0.021	U	0.021	U	0.022	U	0.023	U	0.022	U	0.022	U	0.021	U	0.021	U	0.021	U	0.022	U	0.022	U	0.021	U	0.022		
Methyl tertiary-butyl ether	780	8,800	20,000	8,800	2,000	140	0.32	0.32	U	0.0021	U	0.0021	U	0.0021	U	0.0022	U	0.0022	U	0.0023	U	0.0024	U	0.0022	U	0.0022	U	0.0021	U	0.0022	U	0.0023	U	0.0023	U	0.0022	U	0.0023	U	0.0023		
Styrene	16,000	1,500	410,000	1,500	41,000	430	4	18	U	0.00072	U	0.00071	U	0.00071	U	0.00076	U	0.00075	U	0.00080	U	0.00082	U	0.00078	U	0.00075	U	0.00073	U	0.00076	U	0.00079	U	0.00078	U	0.00076	U	0.00079	U	0.00079		
1,1,2,2-Tetrachloroethane	---	---	---	---	---	---	---	---	U	0.0026	U	0.0026	U	0.0026	U	0.0027	U	0.0027	U	0.0029	U	0.0029	U	0.0028	U	0.0027	U	0.0027	U	0.0027	U	0.0029	U	0.0028	U	0.0027	U	0.0029	U	0.0029		
Tetrachloroethane	12	11	110	20	2,400	28	0.06	0.3	U	0.00090	U	0.00089	U	0.00089	U	0.00095	U	0.00094	U	0.0010	U	0.0010	U	0.00097	U	0.00094	U	0.00092	U	0.00095	U	0.00099	U	0.00098	U	0.00095	U	0.00099	U	0.00099		
Toluene	16,000	650	410,000	650	410,000	42	12	29	U	0.00089	U	0.00088	U	0.00089	U	0.00094	U	0.00093	U	0.0010	U	0.0010	U	0.00097	U	0.00093	U	0.00091	U	0.00094	U	0.00098	U	0.00097	U	0.00094	U	0.00098	U	0.00098		
1,1,1-Trichloroethane	---	1,200	---	1,200	---	1,200	2	9.6	U	0.0015	U	0.0015	U	0.0015	U	0.0016	U	0.0016	U	0.0017	U	0.0017	U	0.0017	U	0.0016	U	0.0016	U	0.0016	U	0.0017	U	0.0017	U	0.0016	U	0.0017	U	0.0017		
1,1,2-Trichloroethane	310	1,800	8,200	1,800	8,200	1,800	0.02	0.3	U	0.0015	U	0.0015	U	0.0015	U	0.0016	U	0.0016	U	0.0017	U	0.0017	U	0.0017	U	0.0016	U	0.0016	U	0.0016	U	0.										

		Tier 1 Exposure Route-Specific Values for Soils (mg/kg)							40244350006	40244350007	40244350008	40244350015	40244350022	40244350016	40244350013	40244350014	40244350011	40244350012	40244350019	40244350020	40244350009	40244350010														
		Residential		Industrial- Commercial		Construction Worker		Soil Component to Groundwater Ingestion		SB-08 (4.5-5.5')	SB-09 (1.5-2.5')	SB-09 (4.5-5.5')	SB-10 (1.8-2.8')	05032022 DUP 01 [Duplicate SB-10 (1.8-2.8')]	SB-10 (4.0-5.0')	SB-11 (1.0-2.0')	SB-11 (4.0-5.0')	SB-12 (2.0-2.8')	SB-12 (4.3-5.3')	SB-13 (2.6-3.6')	SB-13 (4.5-5.5')	SB-14 (2.0-3.0')	SB-14 (5.0-6.0')													
Analytical Parameter	Ingestion	Inhalation	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022													
Acetone	70,000	100,000	---	100,00	---	100,00	25	25	U	0.050	U	0.053	U	0.049	U	0.050	U	0.049	U	0.053	U	0.048	U	0.052	U	0.050	U	0.053	U	0.052	U	0.046	U	0.049	U	0.048
Benzene	12	0.8	100	1.6	2,300	2.2	0.03	0.17	U	0.00075	U	0.0008	U	0.00074	U	0.00074	U	0.00080	U	0.00072	U	0.00078	U	0.00075	U	0.00080	U	0.00078	U	0.00075	U	0.00069	U	0.00072		
Bromodichloromethane	10	3,000	92	3,000	2,000	3,000	0.6	0.6	U	0.00072	U	0.00077	U	0.00071	U	0.00071	U	0.00077	U	0.00069	U	0.00075	U	0.00072	U	0.00077	U	0.00075	U	0.00066	U	0.00070	U	0.00069		
Bromoform	81	53	720	100	16,000	140	0.8	0.8	U	0.0086	U	0.0091	U	0.0085	U	0.0085	U	0.0091	U	0.0083	U	0.0089	U	0.0086	U	0.0091	U	0.0090	U	0.0079	U	0.0084	U	0.0082		
Bromomethane	110	10	2,900	15	1,000	3.9	0.2	1.2	U	0.0047	U	0.0050	U	0.0047	U	0.0046	U	0.0050	U	0.0045	U	0.0049	U	0.0047	U	0.0050	U	0.0049	U	0.0044	U	0.0046	U	0.0045		
2-Butanone	---	---	---	---	---	---	---	---	U	0.017	U	0.018	U	0.016	U	0.016	U	0.018	U	0.016	U	0.017	U	0.017	U	0.018	U	0.017	U	0.015	U	0.016	U	0.016		
Carbon disulfide	7,800	720	200,000	720	20,000	9	32	160	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0013	U	0.0011	U	0.0012	U	0.0012	U	0.0013	U	0.0012	U	0.0011	U	0.0011	U	0.0011		
Carbon tetrachloride	5	0.3	44	0.64	410	0.9	0.07	0.7	U	0.0034	U	0.0036	U	0.0033	U	0.0033	U	0.0036	U	0.0032	U	0.0035	U	0.0034	U	0.0036	U	0.0035	U	0.0031	U	0.0033	U	0.0032		
Chlorobenzene	1,600	130	41,000	210	4,100	1.3	1	6.5	U	0.00098	U	0.0010	U	0.00097	U	0.00096	U	0.001	U	0.00094	U	0.0010	U	0.00098	U	0.0010	U	0.00090	U	0.00095	U	0.00094				
Chloroethane	---	---	---	---	---	---	---	---	U	0.0039	U	0.0041	U	0.0038	U	0.0038	U	0.0041	U	0.0037	U	0.0040	U	0.0039	U	0.0041	U	0.0040	U	0.0035	U	0.0037	U	0.0037		
Chloroform	100	0.3	940	0.54	2,000	0.76	0.6	2.9	U	0.00090	U	0.00095	U	0.00088	U	0.00088	U	0.00095	U	0.00086	U	0.00093	U	0.00090	U	0.00095	U	0.00094	U	0.00083	U	0.00087	U	0.00086		
Chloromethane	---	---	---	---	---	---	---	---	U	0.0011	U	0.0012	U	0.0011	U	0.0011	U	0.0012	U	0.0011	U	0.0012	U	0.0011	U	0.0012	U	0.0012	U	0.0011	U	0.0011	U	0.0011		
Dibromochloromethane	1,600	1,300	41,000	1,300	41,000	1,300	0.4	0.4	U	0.0011	U	0.0011	U	0.0011	U	0.0010	U	0.0011	U	0.0010	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.00098	U	0.0010	U	0.0010		
1,1-Dichloroethane	7,800	1,300	200,000	1,700	200,000	130	23	110	U	0.0011	U	0.0012	U	0.0011	U	0.0011	U	0.0012	U	0.0011	U	0.012	U	0.0011	U	0.0012	U	0.0012	U	0.0010	U	0.0011	U	0.0011		
1,2-Dichloroethane	7	0.4	63	0.7	1,400	0.99	0.02	0.1	U	0.00088	U	0.00093	U	0.00086	U	0.00086	U	0.00093	U	0.00084	U	0.00091	U	0.00088	U	0.00093	U	0.00091	U	0.00081	U	0.00085	U	0.00084		
1,1-Dichloroethene	3,900	290	100,000	470	10,000	3	0.06	0.3	U	0.0011	U	0.0012	U	0.0011	U	0.0011	U	0.0012	U	0.0011	U	0.0012	U	0.0011	U	0.0012	U	0.0012	U	0.0010	U	0.0011	U	0.0011		
cis-1,2-Dichloroethene	780	1,200	20,000	1,200	20,000	1,200	0.4	1.1	U	0.00094	U	0.00099	U	0.00092	U	0.00093	U	0.00099	U	0.00090	U	0.00097	U	0.00094	U	0.00099	U	0.00098	U	0.00086	U	0.00091	U	0.00089		
trans-1,2-Dichloroethene	1,600	3,100	41,000	3,100	41,000	3,100	0.7	3.4	U	0.00076	U	0.00081	U	0.00075	U	0.00075	U	0.00081	U	0.00073	U	0.00079	U	0.00076	U	0.00081	U	0.00079	U	0.00070	U	0.00074	U	0.00073		
1,2-Dichloropropane	9	15	84	23	1,800	0.5	0.03	0.15	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0010	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.00099	U	0.0010	U	0.0010		
cis-1,3-Dichloropropene	6.4	1.1	57	2.1	1,200	0.39	0.004	0.02	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0010	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0010	U	0.0011	U	0.0010		
trans-1,3-Dichloropropene	6.4	1.1	57	2.1	1,200	0.39	0.004	0.02	U	0.0011	U	0.0011	U	0.0010	U	0.0010	U	0.0011	U	0.0010	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.00098	U	0.0010	U	0.0010		
Ethylbenzene	7,800	400	200,000	400	20,000	58	13	19	U	0.00095	U	0.001	U	0.00094	U	0.00094	U	0.00093	U	0.001	U	0.00091	U	0.00098	U	0.00095	U	0.0010	U	0.00099	U	0.00087	U	0.00092	U	0.00091
2-Hexanone	---	---	---	---	---	---	---	---	U	0.012	U	0.013	U	0.012	U	0.012	U	0.013	U	0.012	U	0.012	U	0.012	U	0.012	U	0.013	U	0.011	U	0.012	U	0.011		
Methylene chloride	85	13	760	24	12,000	34	0.02	0.2	U	0.0042	U	0.0045	U	0.0041	U	0.0041	U	0.0045	U	0.0040	U	0.0044	U	0.0042	U	0.0045	U	0.0044	U	0.0039	U	0.0041	U	0.0040		
4-Methyl-2-pentanone	---	---	---	---	---	---	---	---	U	0.021	U	0.022	U	0.021	U	0.021	U	0.022	U	0.020	U	0.022	U	0.022	U	0.021	U	0.022	U	0.019	U	0.020	U	0.020		
Methyl tertiary-butyl ether	780	8,800	20,000	8,800	2,000	140	0.32	0.32	U	0.0022	U	0.0023	U	0.0021	U	0.0021	U	0.0023	U	0.0021	U	0.0023	U	0.0023	U	0.0022	U	0.0023	U	0.0020	U	0.0021	U	0.0021		
Styrene	16,000	1,500	410,000	1,500	41,000	430	4	18	U	0.00075	U	0.00080	U	0.00074	U	0.00074	U	0.00080	U	0.00072	U	0.00078	U	0.00075	U	0.00080	U	0.00079	U	0.00069	U	0.00073	U	0.00072		
1,1,2,2-Tetrachloroethane	---	---	---	---	---	---	---	---	U	0.0027	U	0.0029	U	0.0027	U	0.0027	U	0.0029	U	0.0026	U	0.0028	U	0.0027	U	0.0029	U	0.0028	U	0.0025	U	0.0026	U	0.0026		
Tetrachloroethene	12	11	110	20	2,400	28	0.06	0.3	U	0.00094	U	0.0010	U	0.00093	U	0.00093	U	0.0010	U	0.00090	U	0.00098	U	0.00094	U	0.0010	U	0.00098	U	0.00087	U	0.00091	U	0.00090		
Toluene	16,000	650	410,000	650	410,000	42	12	29	U	0.00094	U	0.00099	U	0.00092	U	0.00092	U	0.00099	U	0.00090	U	0.00097	U	0.00094	U	0.00099	U	0.00098	U	0.00086	U	0.00091	U	0.00089		
1,1,1-Trichloroethane	---	1,200	---	1,200	---	1,200	2	9.6	U	0.0016	U	0.0017	U	0.0016	U	0.0016	U	0.0017	U	0.017	U	0.16	U	0.0016	U	0.0017	U	0.0017	U	0.0015	U	0.0016	U	0.0015		
1,1,2-Trichloroethane	310	1,800	8,200	1,800	8,200	1,800	0.02	0.3	U	0.0016	U	0.0017	U	0.0016	U	0.0016	U	0.0017	U	0.0015	U	0.0017	U	0.0016	U	0.0017	U	0.0017	U	0.0015	U	0.0016	U	0.0015		
Trichloroethene	58	5	520	8.9	1,200	12	0.06	0.3	U	0.00076	U	0.00081	U	0.00075	U	0.00074	U	0.00081	U	0.00073	U	0.00079	U	0.00076	U	0.00081	U	0.00079	U	0.00070	U	0.00074	U	0.00073		
Vinyl chloride	0.46	0.28	7.9	1.1	170	1.1	0.01	0.07	U	0.0014	U	0.0015	U	0.0014	U	0.0014	U	0.0015	U	0.0013	U	0.0014	U	0.0014	U	0.0015	U	0.0014	U	0.0013	U	0.0013	U	0.0013		
Xylenes (Total)	16,000	320	410,000	320	41,000	5.6	150	150	U	0.0036	U	0.0039	U	0.0036	U	0.0036	U	0.0039	U	0.0035	U	0.0038	U	0.0036	U	0.0039	U	0.0038	U	0.0033	U	0.0035	U	0.0035		

Tier 1 Soil Remediation Objectives (SROs) taken from TACO Appendix B, Table A and Table B
 Sample results and SROs presented in milligrams per kilogram (mg/kg)
 --- Remediation Objective not established
 U Qualifier indicates analyte not detected (less than Reporting Limit or Minimum Detection Limit)
 J Qualifier indicates estimated concentration above the method detection limit and below the reporting limit
bold Analytical results in bold indicate detected parameter
ital. Italicized analytical results indicate reporting limit for parameter is greater than a Tier 1 SRO
 Sample result exceeds one or more SRO
 SRO has been exceeded in one or more sample

Analytical Parameter	Tier 1 Exposure Route-Specific Values for Soils (mg/kg)								40244350017	40244350018	40244446001	40244446002	40244446003	40244446004	40244446005	40244446006	40244446007	40244446008	40244446009	40244446010	40244446011	40244446012						
	Residential		Industrial- Commercial		Construction Worker		Soil Component to Groundwater Ingestion		SB-15 (2.0-3.0')	SB-15 (4.5-5.5')	SB-16 (1.5-2.5')	SB-16 (4.0-5.0')	SB-17 (1.6-2.3)	SB-17 (4.5-5.5')	SB-18 (1.5-2.0')	SB-18 (4.5-5.5')	SB-19 (2.0-3.0')	SB-19 (4.0-5.0')	SB-20 (2.0-3.0')	SB-20 (4.0-5.0')	SB-21 (1.5-2.5')	SB-21 (4.5-5.5')						
	Ingestion	Inhalation	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II	5/3/2022	5/3/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022					
Acetone	70,000	100,000	---	100,00	---	100,00	25	25	U	0.044	U	0.049	U	0.049	U	0.047	U	0.051	U	0.051	U	0.051	U	0.051	U	0.051	U	0.050
Benzene	12	0.8	100	1.6	2,300	2.2	0.03	0.17	U	0.00066	U	0.00074	U	0.00074	U	0.00070	U	0.00077	U	0.00076	U	0.00077	U	0.00083	U	0.00082	U	0.00082
Bromodichloromethane	10	3,000	92	3,000	2,000	3,000	0.6	0.6	U	0.00063	U	0.00070	U	0.00071	U	0.00067	U	0.00074	U	0.00073	U	0.00074	U	0.00080	U	0.00078	U	0.00079
Bromoform	81	53	720	100	16,000	140	0.8	0.8	U	0.0075	U	0.0084	U	0.0085	U	0.0080	U	0.0088	U	0.0087	U	0.0088	U	0.0095	U	0.0094	U	0.0094
Bromomethane	110	10	2,900	15	1,000	3.9	0.2	1.2	U	0.0041	U	0.0046	U	0.0047	U	0.0044	U	0.0048	U	0.0048	U	0.0048	U	0.0052	U	0.0051	U	0.0052
2-Butanone	---	---	---	---	---	---	---	---	U	0.015	U	0.016	U	0.016	U	0.015	U	0.017	U	0.017	U	0.017	U	0.018	U	0.018	U	0.018
Carbon disulfide	7,800	720	200,000	720	20,000	9	32	160	U	0.0010	U	0.0011	U	0.0012	U	0.0011	U	0.0012	U	0.0012	U	0.0012	U	0.0013	U	0.0013	U	0.0013
Carbon tetrachloride	5	0.3	44	0.64	410	0.9	0.07	0.7	U	0.0029	U	0.0033	U	0.0033	U	0.0031	U	0.0034	U	0.0034	U	0.0034	U	0.0037	U	0.0036	U	0.0037
Chlorobenzene	1,600	130	41,000	210	4,100	1.3	1	6.5	U	0.00085	U	0.00096	U	0.00097	U	0.00091	U	0.0010	U	0.00099	U	0.0010	U	0.0011	U	0.0011	U	0.0011
Chloroethane	---	---	---	---	---	---	---	---	U	0.0034	U	0.0038	U	0.0038	U	0.0036	U	0.0039	U	0.0039	U	0.0039	U	0.0042	U	0.0042	U	0.0042
Chloroform	100	0.3	940	0.54	2,000	0.76	0.6	2.9	U	0.0078	U	0.0088	U	0.0089	U	0.0083	U	0.0092	U	0.0091	U	0.0092	U	0.0099	U	0.0098	U	0.0099
Chloromethane	---	---	---	---	---	---	---	---	U	0.0010	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0012	U	0.0013	U	0.0012	U	0.0012
Dibromochloromethane	1,600	1,300	41,000	1,300	41,000	1,300	0.4	0.4	U	0.00093	U	0.0010	U	0.0011	U	0.00099	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0012
1,1-Dichloroethane	7,800	1,300	200,000	1,700	200,000	130	23	110	U	0.00099	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0012	U	0.0013	U	0.0012	U	0.0012
1,2-Dichloroethane	7	0.4	63	0.7	1,400	0.99	0.02	0.1	U	0.00076	U	0.00085	U	0.00086	U	0.00081	U	0.00089	U	0.00089	U	0.00089	U	0.00096	U	0.00095	U	0.00095
1,1-Dichloroethene	3,900	290	100,000	470	10,000	3	0.06	0.3	U	0.00098	U	0.0011	U	0.0011	U	0.0010	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0012
cis-1,2-Dichloroethene	780	1,200	20,000	1,200	20,000	1,200	0.4	1.1	U	0.00082	U	0.00091	U	0.00092	U	0.00087	U	0.00096	U	0.00095	U	0.00096	U	0.0010	U	0.0010	U	0.0010
trans-1,2-Dichloroethene	1,600	3,100	41,000	3,100	41,000	3,100	0.7	3.4	U	0.00067	U	0.00074	U	0.00075	U	0.00071	U	0.00078	U	0.00077	U	0.00078	U	0.00084	U	0.00083	U	0.00083
1,2-Dichloropropane	9	15	84	23	1,800	0.5	0.03	0.15	U	0.00094	U	0.0010	U	0.0011	U	0.0010	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0012
cis-1,3-Dichloropropene	6.4	1.1	57	2.1	1,200	0.39	0.004	0.02	U	0.00094	U	0.0011	U	0.0011	U	0.0010	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0012
trans-1,3-Dichloropropene	6.4	1.1	57	2.1	1,200	0.39	0.004	0.02	U	0.00093	U	0.0010	U	0.0011	U	0.0010	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0012	U	0.0012
Ethylbenzene	7,800	400	200,000	400	20,000	58	13	19	U	0.00083	U	0.00093	U	0.00094	U	0.00088	U	0.00097	U	0.00096	U	0.00097	U	0.0010	U	0.0010	U	0.0010
2-Hexanone	---	---	---	---	---	---	---	---	U	0.010	U	0.012	U	0.012	U	0.011	U	0.012	U	0.012	U	0.012	U	0.013	U	0.013	U	0.013
Methylene chloride	85	13	760	24	12,000	34	0.02	0.2	U	0.0037	U	0.0041	U	0.0041	U	0.0039	U	0.0043	U	0.0043	U	0.0043	U	0.0046	U	0.0046	U	0.0046
4-Methyl-2-pentanone	---	---	---	---	---	---	---	---	U	0.018	U	0.021	U	0.021	U	0.020	U	0.022	U	0.021	U	0.022	U	0.023	U	0.023	U	0.023
Methyl tertiary-butyl ether	780	8,800	20,000	8,800	2,000	140	0.32	0.32	U	0.0019	U	0.0021	U	0.0021	U	0.0020	U	0.0022	U	0.0022	U	0.0022	U	0.0024	U	0.0024	U	0.0024
Styrene	16,000	1,500	410,000	1,500	41,000	430	4	18	U	0.00066	U	0.00074	U	0.00074	U	0.00070	U	0.00077	U	0.00076	U	0.00077	U	0.00083	U	0.00082	U	0.00082
1,1,2,2-Tetrachloroethane	---	---	---	---	---	---	---	---	U	0.0024	U	0.0027	U	0.0027	U	0.0025	U	0.0028	U	0.0028	U	0.0028	U	0.0030	U	0.0030	U	0.0030
Tetrachloroethene	12	11	110	20	2,400	28	0.06	0.3	U	0.00082	U	0.00092	U	0.00093	U	0.00088	U	0.00096	U	0.00095	U	0.00096	U	0.0010	U	0.0010	U	0.0010
Toluene	16,000	650	410,000	650	410,000	42	12	29	U	0.00082	U	0.00091	U	0.00092	U	0.00087	U	0.00096	U	0.00095	U	0.00096	U	0.0010	U	0.0010	U	0.0010
1,1,1-Trichloroethane	---	1,200	---	1,200	---	1,200	2	9.6	U	0.0014	U	0.0016	U	0.0016	U	0.0015	U	0.0016	U	0.0016	U	0.0016	U	0.0018	U	0.0017	U	0.0018
1,1,2-Trichloroethane	310	1,800	8,200	1,800	8,200	1,800	0.02	0.3	U	0.0014	U	0.0016	U	0.0016	U	0.0015	U	0.0016	U	0.0016	U	0.0016	U	0.0018	U	0.0017	U	0.0018
Trichloroethene	58	5	520	8.9	1,200	12	0.06	0.3	U	0.00066	U	0.00074	U	0.00075	U	0.00071	U	0.00077	U	0.00077	U	0.00077	U	0.00084	U	0.00083	U	0.00083
Vinyl chloride	0.46	0.28	7.9	1.1	170	1.1	0.01	0.07	U	0.0012	U	0.0013	U	0.0014	U	0.0013	U	0.0014	U	0.0014	U	0.0014	U	0.0015	U	0.0015	U	0.0015
Xylenes (Total)	16,000	320	410,000	320	41,000	5.6	150	150	U	0.0032	U	0.0035	U	0.0036	U	0.0034	U	0.0037	U	0.0037	U	0.0037	U	0.0040	U	0.0039	U	0.0040

Tier 1 Soil Remediation Objectives (SROs) taken from TACO Appendix B, Table A and Table B
Sample results and SROs presented in milligrams per kilogram (mg/kg)
--- Remediation Objective not established
U Qualifier indicates analyte not detected (less than Reporting Limit or Minimum Detection Limit)
J Qualifier indicates estimated concentration above the method detection limit and below the reporting limit
bold Analytical results in bold indicate detected parameter
ital. Italicized analytical results indicate reporting limit for parameter is greater than a Tier 1 SRO
Sample result exceeds one or more SRO
SRO has been exceeded in one or more sample

Table 1B

Semi-Volatile Results

Analytical Parameter		Tier 1 Exposure Route-Specific Values for Soils (mg/kg)								40244577005		40244577006		40244577007		40244577008		40244640009	
		Residential		Industrial- Commercial		Construction Worker		Soil Component to Groundwater Ingestion		SB-60 (0.8-1.8')		SB-60 (4.5-5.5')		SB-61 (1-1.5')		SB-61 (5.0-5.5')		SB-62 (1.0-2.0')	
		Ingestion	Inhalation	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II	5/6/2022		5/6/2022		5/6/2022		5/6/2022		5/9/2022	
Acetone	70,000	100,000	---	100,00	---	100,00	25	25	U	0.040	U	0.056	U	0.046	U	0.050	U	0.051	
Benzene	12	0.8	100	1.6	2,300	2.2	0.03	0.17	U	0.00061	U	0.00084	U	0.00070	U	0.00075	U	0.00077	
Bromodichloromethane	10	3,000	92	3,000	2,000	3,000	0.6	0.6	U	0.00058	U	0.00080	U	0.00067	U	0.00072	U	0.00074	
Bromoform	81	53	720	100	16,000	140	0.8	0.8	U	0.0069	U	0.0096	U	0.0080	U	0.0086	U	0.0089	
Bromomethane	110	10	2,900	15	1,000	3.9	0.2	1.2	U	0.0038	U	0.0053	U	0.0044	U	0.0047	U	0.0049	
2-Butanone	---	---	---	---	---	---	---	---	U	0.013	U	0.018	U	0.015	U	0.017	U	0.017	
Carbon disulfide	7,800	720	200,000	720	20,000	9	32	160	U	0.00095	U	0.0013	U	0.0011	U	0.0012	U	0.0012	
Carbon tetrachloride	5	0.3	44	0.64	410	0.9	0.07	0.7	U	0.0027	U	0.0037	U	0.0031	U	0.0034	U	0.0034	
Chlorobenzene	1,600	130	41,00	210	4,100	1.3	1	6.5	U	0.00079	U	0.0011	U	0.00091	U	0.00098	U	0.0010	
Chloroethane	---	---	---	---	---	---	---	---	U	0.0031	U	0.0043	U	0.0036	U	0.0039	U	0.0040	
Chloroform	100	0.3	940	0.54	2,000	0.76	0.6	2.9	U	0.00072	U	0.001	U	0.00083	U	0.00090	U	0.00092	
Chloromethane	---	---	---	---	---	---	---	---	U	0.00092	U	0.0013	U	0.0011	U	0.0011	U	0.0012	
Dibromochloromethane	1,600	1,300	41,000	1,300	41,000	1,300	0.4	0.4	U	0.00086	U	0.0012	U	0.00099	U	0.0011	U	0.0011	
1,1-Dichloroethane	7,800	1,300	200,000	1,700	200,000	130	23	110	U	0.00091	U	0.0013	U	0.0011	U	0.0011	U	0.0012	
1,2-Dichloroethane	7	0.4	63	0.7	1,400	0.99	0.02	0.1	U	0.00070	U	0.00097	U	0.00081	U	0.00088	U	0.00090	
1,1-Dichloroethene	3,900	290	100,000	470	10,000	3	0.06	0.3	U	0.00090	U	0.0012	U	0.0010	U	0.0011	U	0.0011	
cis-1,2-Dichloroethene	780	1,200	20,000	1,200	20,000	1,200	0.4	1.1	U	0.00075	U	0.0010	U	0.00087	U	0.00094	U	0.00096	
trans-1,2-Dichloroethene	1,600	3,100	41,000	3,100	41,000	3,100	0.7	3.4	U	0.00061	U	0.00085	U	0.00071	U	0.00076	U	0.00078	
1,2-Dichloropropane	9	15	84	23	1,800	0.5	0.03	0.15	U	0.00086	U	0.0012	U	0.0010	U	0.0011	U	0.0011	
cis-1,3-Dichloropropene	6.4	1.1	57	2.1	1,200	0.39	0.004	0.02	U	0.00087	U	0.0012	U	0.0010	U	0.0011	U	0.0011	
trans-1,3-Dichloropropene	6.4	1.1	57	2.1	1,200	0.39	0.004	0.02	U	0.00086	U	0.0012	U	0.00099	U	0.0011	U	0.0011	
Ethylbenzene	7,800	400	200,000	400	20,000	58	13	19	U	0.00076	U	0.0011	U	0.00088	U	0.00095	U	0.00098	
2-Hexanone	---	---	---	---	---	---	---	---	U	0.0097	U	0.013	U	0.011	U	0.012	U	0.012	
Methylene chloride	85	13	760	24	12,000	34	0.02	0.2	U	0.0034	U	0.0047	U	0.0039	U	0.0042	U	0.0043	
4-Methyl-2-pentanone	---	---	---	---	---	---	---	---	U	0.017	U	0.023	U	0.020	U	0.021	U	0.022	
Methyl tertiary-butyl ether	780	8,800	20,000	8,800	2,000	140	0.32	0.32	U	0.0018	U	0.0024	U	0.0020	U	0.0022	U	0.0022	
Styrene	16,000	1,500	410,000	1,500	41,000	430	4	18	U	0.00061	U	0.00084	U	0.00070	U	0.00076	U	0.00077	
1,1,2,2-Tetrachloroethane	---	---	---	---	---	---	---	---	U	0.0022	U	0.0030	U	0.0025	U	0.0027	U	0.0028	
Tetrachloroethene	12	11	110	20	2,400	28	0.06	0.3	U	0.00076	U	0.0010	U	0.00087	U	0.00094	U	0.00097	
Toluene	16,000	650	410,000	650	410,000	42	12	29	U	0.00075	U	0.0010	U	0.00087	U	0.00094	U	0.00096	
1,1,1-Trichloroethane	---	1,200	---	1,200	---	1,200	2	9.6	U	0.0013	U	0.0018	U	0.0015	U	0.0016	U	0.0017	
1,1,2-Trichloroethane	310	1,800	8,200	1,800	8,200	1,800	0.02	0.3	U	0.0013	U	0.0018	U	0.0015	U	0.0016	U	0.0017	
Trichloroethene	58	5	520	8.9	1,200	12	0.06	0.3	U	0.00061	U	0.00084	U	0.00070	U	0.00076	U	0.00078	
Vinyl chloride	0.46	0.28	7.9	1.1	170	1.1	0.01	0.07	U	0.0011	U	0.0015	U	0.0013	U	0.0014	U	0.0014	
Xylenes (Total)	16,000	320	410,000	320	41,000	5.6	150	150	U	0.0029	U	0.0040	U	0.0034	U	0.0036	U	0.0037	

TARGET COMPOUND LIST - VOLATILE ORGANIC PARAMETERS

Tier 1 Soil Remediation Objectives (SROs) taken from TACO Appendix B, Table A and Table B

Sample results and SROs presented in milligrams per kilogram (mg/kg)

--- Remediation Objective not established

U Qualifier indicates analyte not detected (less than Reporting Limit or Minimum Detection Limit)

J Qualifier indicates estimated concentration above the method detection limit and below the reporting limit

bold Analytical results in bold indicate detected parameter

ital. Italicized analytical results indicate reporting limit for parameter is greater than a Tier 1 SRO

Sample result exceeds one or more SRO

SRO has been exceeded in one or more sample

40244640010	40244640007	40244640008	40244735011	40244735012	40244735019	40244735013	40244735014	40244735003	40244735004	40244735001	40244735002	40244640001													
SB-62 (4.5-5.5')	SB-63 (1.3-2.3')	SB-63 (4.5-5.5')	SB-64 (1.4-2.4')	SB-64 (4.5-5.5')	05102022 DUP-03 [Duplicate of SB-64 (4.5-5.5')]	SB-65 (1.5-2.5')	SB-65 (4.5-5.5')	SB-66 (1.0-2.0')	SB-66 (4.0-5.0')	SB-67 (1.2-2.2')	SB-67 (4.5-5.5')	SB-68 (1.5-2.5')													
5/9/2022	5/9/2022	5/9/2022	5/10/2022	5/10/2022	5/10/2022	5/10/2022	5/10/2022	5/10/2022	5/10/2022	5/10/2022	5/10/2022	5/9/2022													
U	0.048	U	0.051	U	0.048	U	0.056	U	0.050	U	0.051	U	0.037	U	0.050	U	0.047	U	0.048	U	0.054	U	0.049	U	0.05
U	0.00071	U	0.00076	U	0.00072	U	0.00085	U	0.00076	U	0.00076	U	0.00056	U	0.00075	U	0.00070	U	0.00072	U	0.00081	U	0.00073	U	0.00076
U	0.00068	U	0.00073	U	0.00069	U	0.00081	U	0.00073	U	0.00073	U	0.00053	U	0.00072	U	0.00068	U	0.00069	U	0.00077	U	0.00070	U	0.00072
U	0.0082	U	0.0087	U	0.0083	U	0.0097	U	0.0087	U	0.0087	U	0.0064	U	0.0086	U	0.0081	U	0.0083	U	0.0092	U	0.0083	U	0.0087
U	0.0045	U	0.0048	U	0.0046	U	0.0053	U	0.0048	U	0.0048	U	0.0035	U	0.0047	U	0.0044	U	0.0046	U	0.0051	U	0.0046	U	0.0048
U	0.016	U	0.017	U	0.016	U	0.019	U	0.017	U	0.017	U	0.012	U	0.017	U	0.016	U	0.016	U	0.018	U	0.016	U	0.017
U	0.0011	U	0.0012	U	0.0011	U	0.0013	U	0.0012	U	0.0012	U	0.00087	U	0.0012	U	0.0011	U	0.0011	U	0.0013	U	0.0011	U	0.0012
U	0.0032	U	0.0034	U	0.0032	U	0.0038	U	0.0034	U	0.0034	U	0.0025	U	0.0034	U	0.0031	U	0.0032	U	0.0036	U	0.0032	U	0.0034
U	0.00093	U	0.0010	U	0.00094	U	0.0011	U	0.00099	U	0.00099	U	0.00072	U	0.00098	U	0.00092	U	0.00094	U	0.0011	U	0.00095	U	0.00098
U	0.0037	U	0.0039	U	0.0037	U	0.0043	U	0.0039	U	0.0039	U	0.0028	U	0.0039	U	0.0036	U	0.0037	U	0.0041	U	0.0037	U	0.0039
U	0.00085	U	0.00091	U	0.00086	U	0.0010	U	0.00090	U	0.00091	U	0.00066	U	0.00090	U	0.00084	U	0.00086	U	0.00096	U	0.00087	U	0.00090
U	0.0011	U	0.0012	U	0.0011	U	0.0013	U	0.0011	U	0.0012	U	0.00084	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0011	U	0.0011
U	0.0010	U	0.0011	U	0.0010	U	0.0012	U	0.0011	U	0.0011	U	0.00079	U	0.0011	U	0.0010	U	0.0010	U	0.0011	U	0.0010	U	0.0011
U	0.0011	U	0.0012	U	0.0011	U	0.0013	U	0.0011	U	0.0011	U	0.00084	U	0.0011	U	0.0011	U	0.0011	U	0.0012	U	0.0011	U	0.0011
U	0.00083	U	0.00089	U	0.00084	U	0.00098	U	0.00088	U	0.00088	U	0.00065	U	0.00088	U	0.00082	U	0.00084	U	0.00094	U	0.00085	U	0.00088
U	0.0011	U	0.0011	U	0.0011	U	0.0013	U	0.0011	U	0.0011	U	0.00083	U	0.0011	U	0.0010	U	0.0011	U	0.0012	U	0.0011	U	0.0011
U	0.00089	U	0.00095	U	0.00090	U	0.0011	U	0.00094	U	0.00095	U	0.00069	U	0.00094	U	0.00088	U	0.00090	U	0.0010	U	0.00091	U	0.00094
U	0.00072	U	0.00077	U	0.00073	U	0.00086	U	0.00077	U	0.00077	U	0.00056	U	0.00076	U	0.00071	U	0.00073	U	0.00082	U	0.00074	U	0.00077
U	0.0010	U	0.0011	U	0.0010	U	0.0012	U	0.0011	U	0.0011	U	0.00079	U	0.0011	U	0.0010	U	0.0010	U	0.0012	U	0.0010	U	0.0011
U	0.0010	U	0.0011	U	0.0010	U	0.0012	U	0.0011	U	0.0011	U	0.00080	U	0.0011	U	0.0010	U	0.0010	U	0.0012	U	0.0010	U	0.0011
U	0.0010	U	0.0011	U	0.0010	U	0.0012	U	0.0011	U	0.0011	U	0.00079	U	0.0011	U	0.0010	U	0.0010	U	0.0011	U	0.0010	U	0.0011
U	0.00090	U	0.00096	U	0.00091	U	0.0011	U	0.00096	U	0.00096	U	0.00070	U	0.00095	U	0.00089	U	0.00091	U	0.0010	U	0.00092	U	0.00095
U	0.011	U	0.012	U	0.012	U	0.013	U	0.012	U	0.012	U	0.0089	U	0.012	U	0.011	U	0.012	U	0.013	U	0.012	U	0.012
U	0.0040	U	0.0043	U	0.0040	U	0.0047	U	0.0042	U	0.0042	U	0.0031	U	0.0042	U	0.0039	U	0.0040	U	0.0045	U	0.0041	U	0.0042
U	0.020	U	0.021	U	0.020	U	0.024	U	0.021	U	0.021	U	0.016	U	0.021	U	0.020	U	0.020	U	0.023	U	0.020	U	0.021
U	0.0021	U	0.0022	U	0.0021	U	0.0024	U	0.0022	U	0.0022	U	0.0016	U	0.0022	U	0.0020	U	0.0021	U	0.0023	U	0.0021	U	0.0022
U	0.00071	U	0.00077	U	0.00072	U	0.00085	U	0.00076	U	0.00076	U	0.00056	U	0.00075	U	0.00071	U	0.00073	U	0.00081	U	0.00073	U	0.00076
U	0.0026	U	0.0028	U	0.0026	U	0.0031	U	0.0027	U	0.0028	U	0.0020	U	0.0027	U	0.0025	U	0.0026	U	0.0029	U	0.0026	U	0.0027
U	0.00089	U	0.00096	U	0.00091	U	0.0011	U	0.00095	U	0.00095	U	0.00070	U	0.00094	U	0.00088	U	0.00091	U	0.0010	U	0.00091	U	0.00095
U	0.00089	U	0.00095	U	0.00090	U	0.0011	U	0.00094	U	0.00095	U	0.00069	U	0.00094	U	0.00088	U	0.00090	U	0.0010	U	0.00091	U	0.00094
U	0.0015	U	0.0016	U	0.0015	U	0.0018	U	0.0016	U	0.0016	U	0.0012	U	0.0016	U	0.0015	U	0.0015	U	0.0017	U	0.0016	U	0.0016
U	0.0015	U	0.0016	U	0.0015	U	0.0018	U	0.0016	U	0.0016	U	0.0012	U	0.0016	U	0.0015	U	0.0015	U	0.0017	U	0.0016	U	0.0016
U	0.00072	U	0.00077	U	0.00073	U	0.00085	U	0.00076	U	0.00077	U	0.00056	U	0.00076	U	0.00071	U	0.00073	U	0.00081	U	0.00073	U	0.00076
U	0.0013	U	0.0014	U	0.0013	U	0.0015	U	0.0014	U	0.0014	U	0.0010	U	0.0014	U	0.0013	U	0.0013	U	0.0015	U	0.0013	U	0.0014
U	0.0034	U	0.0037	U	0.0035	U	0.0041	U	0.0037	U	0.0037	U	0.0027	U	0.0036	U	0.0034	U	0.0035	U	0.0039	U	0.0035	U	0.0036

Table 1C

Inorganic Results

Analytical Parameter	Tier 1 Exposure Route-Specific Values for Soils (mg/kg)														40244262001	40244262002	40244262003	40244262004	40244262005	40244262006	40244262007	40244262008	40244262009	40244262010	40244350001	40244350002	40244350003	40244350004	40244350005	40244350006		
	Residential		Industrial- Commercial		Construction Worker		pH-specific Soil Component to Groundwater Ingestion - Class I								SB-01 (1.0-2.0')	SB-01 (4.0-5.0')	SB-02 (1.5-2.5')	SB-02 (4.0-5.0')	SB-03 (2.0-3.0')	SB-03 (4.0-5.0')	SB-4 (1.0-2.0')	SB-4 (4.0-5.0')	SB-05 (2.0-2.5')	SB-05 (4.5-5.5')	SB-06 (2-2.7')	SB-06 (5-6')	SB-07 (1.3-2.3')	SB-07 (4.5-5.5')	SB-08 (2-2.5')	SB-08 (4.5-5.5')		
	Ingestion	Inhalation	Ingestion	Inhalation	Ingestion	Inhalation	5.75 - 6.24	6.25 - 6.64	6.65 - 6.89	6.9 - 7.24	7.25 - 7.74	7.75 - 8.24	8.25 - 8.74	8.75 - 9.0	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022		
Aluminum	---	---	---	---	---	---	---	---	---	---	---	---	---	13,600	12,700	11,700	15,900	14,800	16,700	11,600	18,800	13,900	14,200	9,990	14,600	12,400	16,700	8,760	2,350			
Antimony	31	---	820	---	82	---	5	5	5	5	5	5	5	J 0.2	J 0.24	J 0.12	J 0.25	J 0.12	J 0.16	U 0.12	J 0.25	U 0.13	J 0.18	J 0.13	J 0.19	J 0.19	J 0.35	J 0.25	0.82			
Arsenic	13	750	13	1,200	61	25,000	28	29	29	29	30	31	32	7.4	12.2	7.4	17.8	6.6	9.1	4.2	19.4	7.2	10.9	4.1	11.2	8.4	17.7	24.6	17.1			
Barium	5,500	690,000	140,000	910,000	14,000	870,000	1,200	1,500	1,600	1,700	1,800	2,100	---	156	138	138	251	174	235	138	199	227	179	154	207	148	304	118	27.7			
Beryllium	160	1,300	4,100	2,100	410	44,000	6.6	22	63	140	1,000	8,000	---	0.81	0.76	0.69	1.1	0.81	0.88	0.73	1.1	0.83	0.87	0.77	1	0.82	1.1	0.64	0.27			
Cadmium	78	1,800	2,000	2,800	200	59,000	3.7	5.2	7.5	11	59	430	---	0.12	0.21	0.14	0.65	0.11	0.18	0.12	0.34	0.20	0.28	0.21	0.12	0.12	0.48	0.40	0.31			
Calcium	---	---	---	---	---	---	---	---	---	---	---	---	---	5,120	3,880	5,050	3,950	4,120	3,970	3,670	3,920	5,890	12,700	7,890	3,590	3,870	3,350	11,700	55,300			
Chromium (total)*	230	270	6,100	420	4,100	690	46	40	38	36	32	28	24	17.3	19.5	15.3	21.1	18.9	22.0	15.0	23.4	17.8	19.7	13.1	18.6	15.3	21.2	11.8	5.5			
Chromium (trivalent)	120,000	---	1,000,000	---	310,000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
Chromium (hexavalent)	230	270	6,100	420	4,100	690	46	40	38	36	32	28	24	21	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
Cobalt	4,700	---	120,000	---	12,000	---	---	---	---	---	---	---	---	4.1	6.7	5.1	17.5	8.9	14.6	4.6	16.9	5.1	15.3	4.2	6.9	7.0	19.9	4.1	3.3			
Copper	2,900	---	82,000	---	8,200	---	11,000	59,000	130,000	200,000	330,000	330,000	---	15.0	16.8	13.9	23.7	15.0	18.2	13.0	21.4	17.9	25.1	15.8	19.9	13.1	23.8	12.9	8.8			
Cyanide	1,600	---	41,000	---	4,100	---	40	40	40	40	40	40	40	U 0.37	U 0.31	U 0.31	U 0.27	U 0.34	U 0.30	U 0.30	U 0.27	U 0.39	U 0.30	U 0.36	U 0.26	U 0.29	U 0.33	U 0.30	U 0.39			
Iron	---	---	---	---	---	---	---	---	---	---	---	---	---	18,700	25,700	17,900	34,100	20,500	26,300	14,600	31,100	20,000	22,600	12,700	22,400	20,600	29,900	11,600	7,220			
Lead	400	---	800	---	700	---	23	107	107	107	107	107	282	11.2	11.2	24.6	19.1	10.5	8.6	9.5	25.1	11.8	17.0	12.6	12.0	11.6	18.0	15.6	14.6			
Magnesium	325,000	---	---	---	730,000	---	---	---	---	---	---	---	---	2,800	3,530	2,590	4,080	2,690	3,410	2,240	3,840	3,200	5,370	4,140	3,600	2,530	3,910	5,190	27,200			
Manganese	1,600	69,000	41,000	91,000	4,100	8,700	---	---	---	---	---	---	---	182	182	211	1,420	384	1,160	230	1,280	443	551	416	111	744	2,110	229	1,160			
Mercury**	23	10	610	16	61	0.1	0.15	0.89	2.1	3.3	6.4	8	---	J 0.026	0.051	J 0.028	0.047	J 0.033	0.047	J 0.032	0.047	J 0.030	0.049	0.053	0.062	J 0.031	0.057	J 0.030	0.048			
Nickel	1,600	13,000	41,000	91,000	4,100	8,700	76	100	130	180	700	3,800	---	12.1	19.1	12.2	47.1	16.3	30.8	11.4	27.9	13.9	27.3	10.6	15.7	13.6	34.7	11.3	8.7			
Potassium	---	---	---	---	---	---	---	---	---	---	---	---	---	1,140	743	997	783	1,140	965	1,010	929	1,260	723	954	628	988	783	991	476			
Selenium	390	---	10,000	---	1,000	---	8.8	6.3	5.2	4.5	3.3	2.4	1.8	J 0.58	J 0.27	0.84	J 0.53	1.0	0.63	0.73	0.93	0.88	J 0.36	J 0.59	J 0.31	0.74	J 0.44	0.73	J 0.26			
Silver	390	---	10,000	---	1,000	---	1.5	4.4	8.5	13	39	110	---	J 0.30	J 0.30	U 0.16	U 0.18	U 0.18	U 0.18	U 0.18	U 0.18	U 0.19	U 0.18	J 0.32	J 0.42	U 0.18	U 0.18	U 0.18	U 0.19			
Sodium	---	---	---	---	---	---	---	---	---	---	---	---	---	J 37.0	J 52.2	40.3	J 58.9	J 55.1	61.7	J 43.8	J 55.0	J 41.2	J 54.9	J 38.8	J 56.4	66.6	98.5	J 51.1	142			
Thallium	6.3	---	160	---	160	---	2.4	2.6	2.8	3	3.4	3.8	4.4	0.17	0.18	0.16	0.24	0.19	0.24	0.16	0.24	0.18	0.21	0.19	0.20	0.18	0.24	0.22	J 0.10			
Vanadium	550	---	14,000	---	1,400	---	980	980	980	980	980	980	980	32.8	32.9	30.0	42.8	34.8	38.3	27.4	50.8	33.7	39.2	25.00	34.3	31.0	42.3	24.3	8.8			
Zinc	23,000	---	610,000	---	61,000	---	3,600	5,100	6,200	7,500	16,000	53,000	---	46.1	57.1	41.5	59.1	46.0	54.1	41.0	58.8	55.4	55.0	47.2	54.9	59.0	64.4	83.1	41.6			
pH	2.0 < pH < 12.5 [per 35 IAC Section 742.305 (d)]														7.6	7.6	7.85	7.5	7.4	7.7	7.6	7.5	7.7	7.4	7.9	7.4	7.9	8.0	7.4	6.7	7.4	7.8

Tier 1 Soil Remediation Objectives (SROs) taken from TACO Appendix B, Table A, Table B, and Table C
 Concentrations of Inorganic Chemicals in Background Soils taken from TACO Appendix A, Table G
 Sample results and SROs presented in milligrams per kilogram (mg/kg)
 --- Remediation Objective not established
 * Soil component to groundwater ingestion SROs apply for hexavalent chromium
 ** Inhalation Remediation Objectives for Mercury only applies at sites where elemental mercury is a contaminant of concern
 U Qualifier indicates analyte not detected (less than Reporting Limit)
 J Qualifier indicates estimated concentration above the method detection limit and below the reporting limit
bold Analytical results in bold indicate detected parameter
ital. Italicized analytical results indicate reporting limit for parameter is greater than a Tier 1 SRO
 Sample result exceeds one or more SRO
 SRO has been exceeded in one or more sample

Analytical Parameter	Tier 1 Exposure Route-Specific Values for Soils (mg/kg)														40244350007	40244350008	40244350015	40244350022	40244350016	40244350013	40244350014	40244350011	40244350012	40244350019	40244350020	40244350009	40244350010	40244350017
	Residential		Industrial- Commercial		Construction Worker		pH-specific Soil Component to Groundwater Ingestion - Class I								SB-09 (1.5-2.5')	SB-09 (4.5-5.5')	SB-10 (1.8-2.8')	05032022 DUP 01 [Duplicate of SB-10 (1.8-2.8')]	SB-10 (4-5')	SB-11 (1-2')	SB-11 (4-5')	SB-12 (2-2.8')	SB-12 (4.3-5.3')	SB-13 (2.6-3.6')	SB-13 (4.5-5.5')	SB-14 (2-3')	SB-14 (5-6')	SB-15 (2-3')
	Ingestion	Inhalation	Ingestion	Inhalation	Ingestion	Inhalation	5.75 - 6.24	6.25 - 6.64	6.65 - 6.89	6.9 - 7.24	7.25 - 7.74	7.75 - 8.24	8.25 - 8.74	8.75 - 9.0	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022		
Aluminum	---	---	---	---	---	---	---	---	---	---	---	---	---	11,600	16,400	10,600	16,800	19,900	11,800	15,700	12,500	14,300	10,500	14,000	12,500	15,500	16,100	
Antimony	31	---	820	---	82	---	5	5	5	5	5	5	5	U 0.13	J 0.39	J 0.13	U 0.12	U 0.12	J 0.36	J 0.41	J 0.19	J 0.30	J 0.13	J 0.27	J 0.13	J 0.18	J 0.12	
Arsenic	13	750	13	1,200	61	25,000	28	29	29	29	30	31	32	4.3	24.7	4.7	3.6	5.6	15.5	28.3	7.3	19.3	3.9	13.7	3.9	7.2	7.3	
Barium	5,500	690,000	140,000	910,000	14,000	870,000	1,200	1,500	1,600	1,700	1,800	2,100	---	134	170	146	178	208	147	177	198	129	175	225	170	179	184	
Beryllium	160	1,300	4,100	2,100	410	44,000	6.6	22	63	140	1,000	8,000	---	0.77	1.1	0.71	0.85	0.88	0.82	1	0.83	0.83	0.7	0.87	0.78	0.88	0.91	
Cadmium	78	1,800	2,000	2,800	200	59,000	3.7	5.2	7.5	11	59	430	---	J 0.080	0.20	0.29	J 0.083	J 0.085	0.32	0.74	0.13	0.12	0.15	0.41	0.16	0.14	0.22	
Calcium	---	---	---	---	---	---	---	---	---	---	---	---	---	3,820	4,280	8,440	5,270	4,690	24,000	24,500	4,840	3,560	17,100	3,900	5,660	5,460	4,670	
Chromium (total)*	230	270	6,100	420	4,100	690	46	40	38	36	32	28	24	14.4	23.0	14.6	19.4	22.9	19.4	23.1	15.7	19.5	17.4	18.5	15.7	20.9	19.2	
Chromium (trivalent)	120,000	---	1,000,000	---	310,000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Chromium (hexavalent)	230	270	6,100	420	4,100	690	46	40	38	36	32	28	24	14.4	23.0	14.6	19.4	22.9	19.4	23.1	15.7	19.5	17.4	18.5	15.7	20.9	19.2	
Cobalt	4,700	---	120,000	---	12,000	---	---	---	---	---	---	---	---	4.2	6.6	4.4	5.8	10.1	8.3	5.5	4.9	3.8	6.7	11.4	4.9	5	9.4	
Copper	2,900	---	82,000	---	8,200	---	11,000	59,000	130,000	200,000	330,000	330,000	---	13.6	28.0	17.7	17.6	17.0	31.0	43.0	14.6	20.3	17.2	24.1	17.4	22.6	17.5	
Cyanide	1,600	---	41,000	---	4,100	---	40	40	40	40	40	40	40	U 0.35	U 0.40	U 0.28	U 0.34	U 0.39	U 0.25	U 0.30	U 0.38	U 0.29	U 0.33	U 0.27	U 0.28	U 0.3	U 0.30	
Iron	---	---	---	---	---	---	---	---	---	---	---	---	---	14,400	35,500	15,200	17,300	23,200	24,300	37,900	18,600	30,000	16,600	26,900	14,400	22,800	20,200	
Lead	400	---	800	---	700	---	23	107	107	107	107	107	107	9.2	14.2	26.0	11.6	10.5	24.6	40.1	10.3	9.0	11.2	14.3	16.1	10.1	19.0	
Magnesium	325,000	---	---	---	730,000	---	---	---	---	---	---	---	---	2,500	4,600	4,380	3,280	3,990	11,900	4,460	2,410	3,250	11,100	4,130	2,920	4,680	3,410	
Manganese	1,600	69,000	41,000	91,000	4,100	8,700	---	---	---	---	---	---	---	213	126	289	332	267	667	169	392	73.4	349	999	266	123	375	
Mercury**	23	10	610	16	61	0.1	0.15	0.89	2.1	3.3	6.4	8	---	J 0.022	0.055	0.067	0.064	0.047	0.27	J 0.045	J 0.027	0.050	J 0.024	U 0.012	J 0.024	0.053	J 0.026	
Nickel	1,600	13,000	41,000	91,000	4,100	8,700	76	100	130	180	700	3,800	---	10.2	24.4	11.8	14.1	18.5	23.1	19.5	12.8	22.1	17.1	26.4	11.9	19.1	15.9	
Potassium	---	---	---	---	---	---	---	---	---	---	---	---	---	959	798	1,180	1,580	1,080	1,030	740	1,060	766	845	925	1,010	660	1,110	
Selenium	390	---	10,000	---	1,000	---	8.8	6.3	5.2	4.5	3.3	2.4	1.8	0.66	J 0.30	0.72	0.89	J 0.63	J 0.52	J 0.37	0.69	J 0.39	J 0.22	J 0.33	0.76	J 0.23	0.85	
Silver	390	---	10,000	---	1,000	---	1.5	4.4	8.5	13	39	110	---	U 0.19	U 0.18	U 0.18	U 0.18	U 0.19	U 0.18	U 0.18	U 0.17	U 0.18	U 0.17	U 0.18	U 0.18	J 0.18	U 0.17	
Sodium	---	---	---	---	---	---	---	---	---	---	---	---	---	J 47.8	75.8	J 61.5	63.1	66.1	73.8	69.1	J 23.6	34.0	59.6	81.8	148	129	83.7	
Thallium	6.3	---	160	---	160	---	2.4	2.6	2.8	3	3.4	3.8	4.4	0.14	0.19	0.22	0.21	0.24	0.20	0.16	0.16	0.14	0.15	0.18	0.16	0.18	0.20	
Vanadium	550	---	14,000	---	1,400	---	980	980	980	980	980	980	980	24.4	49.1	24.5	30.6	34.5	31.8	42.5	30.8	32.8	23.6	35.6	28.1	32.6	34.7	
Zinc	23,000	---	610,000	---	61,000	---	3,600	5,100	6,200	7,500	16,000	53,000	---	42.2	74.1	64.2	62.1	67.0	70.4	95.0	47.5	58.3	55.9	65.3	51.2	64.9	58.0	
pH	2.0 < pH < 12.5 [per 35 IAC Section 742.305 (d)]														7.8	7.8	7.6	7.5	7.7	7.94	7.7	7.7	7.6	8.0	8.03	7.1	7.3	7.8

Tier 1 Soil Remediation Objectives (SROs) taken from TACO Appendix B, Table A, Table B, and Table C
 Concentrations of Inorganic Chemicals in Background Soils taken from TACO Appendix A, Table G
 Sample results and SROs presented in milligrams per kilogram (mg/kg)
 --- Remediation Objective not established
 * Soil component to groundwater ingestion SROs apply for hexavalent chromium
 ** Inhalation Remediation Objectives for Mercury only applies at sites where elemental mercury is a contaminant of concern
 U Qualifier indicates analyte not detected (less than Reporting Limit)
 J Qualifier indicates estimated concentration above the method detection limit and below the reporting limit
bold Analytical results in bold indicate detected parameter
ital. Italicized analytical results indicate reporting limit for parameter is greater than a Tier 1 SRO
 Sample result exceeds one or more SRO
 SRO has been exceeded in one or more sample

Analytical Parameter	Tier 1 Exposure Route-Specific Values for Soils (mg/kg)														40244350018	40244446001	40244446002	40244446003	40244446004	40244446005	40244446006	40244446007	40244446008	40244446009	40244446010	40244446011	40244446012	40244803009	40244803010
	Residential		Industrial- Commercial		Construction Worker		pH-specific Soil Component to Groundwater Ingestion - Class I								SB-15 (4.5-5.5')	SB-16 (1.5-2.5')	SB-16 (4.0-5.0')	SB-17 (1.6-2.3)	SB-17 (4.5-5.5')	SB-18 (1.5-2.0')	SB-18 (4.5-5.5')	SB-19 (2-3')	SB-19 (4.0-5.0')	SB-20 (2.0-3.0')	SB-20 (4.0-5.0')	SB-21 (1.5-2.5')	SB-21 (4.5-5.5')	SB-22 (4.5-5.5')	SB-22 (8.0-9.0')
	Ingestion	Inhalation	Ingestion	Inhalation	Ingestion	Inhalation	5.75 - 6.24	6.25 - 6.64	6.65 - 6.89	6.9 - 7.24	7.25 - 7.74	7.75 - 8.24	8.25 - 8.74	8.75 - 9.0	5/3/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/11/2022	5/11/2022	
Aluminum	---	---	---	---	---	---	---	---	---	---	---	---	---	14,300	16,600	5,330	10,700	16,400	11,800	15,400	13,600	16,800	12,600	16,800	10,200	15,100	16,500	17,900	
Antimony	31	---	820	---	82	---	5	5	5	5	5	5	5	J 0.26	J 0.17	J 0.23	U 0.12	J 0.15	J 0.13	J 0.18	J 0.17	J 0.29	U 0.12	J 0.16	J 0.15	J 0.21	J 0.12	J 0.22	
Arsenic	13	750	13	1,200	61	25,000	28	29	29	29	30	31	32	15.1	9.7	16.6	11.4	4.7	11.6	8.9	26.0	5.5	8.8	5.2	15.4	5.9	15.7		
Barium	5,500	690,000	140,000	910,000	14,000	870,000	1,200	1,500	1,600	1,700	1,800	2,100	---	118	218	46.7	144	210	170	166	147	163	129	159	111	215	155	228	
Beryllium	160	1,300	4,100	2,100	410	44,000	6.6	22	63	140	1,000	8,000	---	0.86	1.0	0.51	0.67	0.92	0.71	0.87	0.70	1.1	0.68	0.83	0.66	0.96	0.92	0.98	
Cadmium	78	1,800	2,000	2,800	200	59,000	3.7	5.2	7.5	11	59	430	---	0.30	0.61	0.28	0.11	0.19	J 0.094	0.14	J 0.083	0.43	J 0.079	0.12	0.40	0.42	0.24	0.29	
Calcium	---	---	---	---	---	---	---	---	---	---	---	---	---	3,780	3,660	40,200	4,410	4,240	10,300	3,780	3,580	3,130	4,140	3,690	5,670	3,870	6,080	4,290	
Chromium (total)*	230	270	6,100	420	4,100	690	46	40	38	36	32	28	24	20.7	20.9	11.5	13.8	22.0	15.6	20.8	16.4	20.8	15.4	20.4	13.4	19.8	20.1	24.0	
Chromium (trivalent)	120,000	---	1,000,000	---	310,000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Chromium (hexavalent)	230	270	6,100	420	4,100	690	46	40	38	36	32	28	24	21	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cobalt	4,700	---	120,000	---	12,000	---	---	---	---	---	---	---	---	9.2	15.5	5.9	4.5	10.2	4.7	9.4	8.6	12.1	6.1	10.3	4.5	15.9	5.1	10.4	
Copper	2,900	---	82,000	---	8,200	---	11,000	59,000	130,000	200,000	330,000	330,000	---	25.2	19.7	18.1	12.5	21.4	14.6	21.9	15.2	29.0	13.7	17.3	15.0	25.0	20.8	23.8	
Cyanide	1,600	---	41,000	---	4,100	---	40	40	40	40	40	40	40	U 0.35	U 0.32	U 0.29	U 0.25	U 0.34	U 0.33	U 0.37	U 0.34	U 0.31	U 0.34	U 0.32	U 0.34	U 0.33	U 0.36	U 0.37	
Iron	---	---	---	---	---	---	---	---	---	---	---	---	---	27,900	24,000	16,500	13,500	22,100	14,500	23,500	23,300	38,300	16,900	24,200	13,800	27,200	20,200	34,600	
Lead	400	---	800	---	700	---	23	107	107	107	107	107	282	12.7	16.5	11.2	10.1	11.9	11.0	22.4	11.4	32.3	10.3	8.7	21.1	22.4	16.2	21.0	
Magnesium	325,000	---	---	---	730,000	---	---	---	---	---	---	---	---	3,950	3,550	22,400	2,120	3,670	2,500	3,460	2,450	3,050	2,180	2,980	3,210	3,810	3,480	4,740	
Manganese	1,600	69,000	41,000	91,000	4,100	8,700	---	---	---	---	---	---	---	463	2,020	270	268	315	268	240	497	674	249	540	142	1,220	172	821	
Mercury**	23	10	610	16	61	0.1	0.15	0.89	2.1	3.3	6.4	8	---	J 0.016	J 0.019	J 0.012	J 0.013	J 0.040	J 0.020	0.047	1.1	J 0.040	J 0.014	0.052	J 0.023	J 0.038	J 0.036	0.050	
Nickel	1,600	13,000	41,000	91,000	4,100	8,700	76	100	130	180	700	3,800	---	23.2	36.1	15.7	10.2	22.5	11.8	20.5	15.8	28.8	11.7	23.4	10.9	32.8	14.5	25.3	
Potassium	---	---	---	---	---	---	---	---	---	---	---	---	---	785	925	429	1,490	1,450	1,750	976	1,230	1,000	1,320	1,160	1,110	763	1,950	1,060	
Selenium	390	---	10,000	---	1,000	---	8.8	6.3	5.2	4.5	3.3	2.4	1.8	J 0.27	J 0.60	J 0.22	0.78	J 0.37	0.69	J 0.36	0.73	1.0	0.74	0.72	0.62	J 0.42	1.0	J 0.40	
Silver	390	---	10,000	---	1,000	---	1.5	4.4	8.5	13	39	110	---	U 0.17	U 0.18	U 0.17	U 0.18	U 0.18	U 0.18	U 0.18	U 0.19	U 0.19	U 0.18	U 0.19	U 0.18	U 0.17	U 0.18	U 0.17	
Sodium	---	---	---	---	---	---	---	---	---	---	---	---	---	80.9	53.7	67.7	J 23.0	J 51.8	J 43.6	J 45.6	J 37.1	J 44.9	J 29.0	J 43.3	J 40.1	J 49.7	62.4	67.7	
Thallium	6.3	---	160	---	160	---	2.4	2.6	2.8	3	3.4	3.8	4.4	0.19	0.31	0.17	0.18	0.19	0.17	0.17	0.18	0.24	0.17	0.22	0.24	0.18	0.25	0.16	
Vanadium	550	---	14,000	---	1,400	---	980	980	980	980	980	980	980	39.7	39.3	26.7	26.7	37.6	29.5	38.5	32.2	47.6	29.6	37.5	25.0	42.5	34.1	41.4	
Zinc	23,000	---	610,000	---	61,000	---	3,600	5,100	6,200	7,500	16,000	53,000	---	71.3	58.1	46.0	41.4	62.3	45.8	59.9	43.6	57.6	43.7	54.1	62.7	59.8	73.0	67.6	
pH	2.0 < pH < 12.5 [per 35 IAC Section 742.305 (d)]														7.7	7.9	8.19	7.5	7.9	7.7	7.6	7.7	7.7	7.6	7.7	8.1	8.0	7.8	7.7

Tier 1 Soil Remediation Objectives (SROs) taken from TACO Appendix B, Table A, Table B, and Table C
 Concentrations of Inorganic Chemicals in Background Soils taken from TACO Appendix A, Table G
 Sample results and SROs presented in milligrams per kilogram (mg/kg)
 --- Remediation Objective not established
 * Soil component to groundwater ingestion SROs apply for hexavalent chromium
 ** Inhalation Remediation Objectives for Mercury only applies at sites where elemental mercury is a contaminant of concern
 U Qualifier indicates analyte not detected (less than Reporting Limit)
 J Qualifier indicates estimated concentration above the method detection limit and below the reporting limit
bold Analytical results in bold indicate detected parameter
ital. Italicized analytical results indicate reporting limit for parameter is greater than a Tier 1 SRO
 Sample result exceeds one or more SRO
 SRO has been exceeded in one or more sample

Analytical Parameter	Tier 1 Exposure Route-Specific Values for Soils (mg/kg)														40244803011	40244803012	40244803013	40244803014	40244803016	40244803017	40244491003	40244491004	40244491005	40244491006	40244491007	40244491008	40244803018	4024803019	40244491011	40244491012
	Residential		Industrial- Commercial		Construction Worker		pH-specific Soil Component to Groundwater Ingestion - Class I								SB-23 (4.8-5.8')	SB-23 (8.1-9.1')	SB-24 (5.5-6.5')	SB-24 (8.0-9.0')	SB-25 (5.5-6.5')	SB-25 (8.5-9.5')	SB-26 (1.5-2.5')	SB-26 (4.0-5.0')	SB-27 (1.0-2.0')	SB-27 (4.0-5.0')	SB-28 (1.0-2.0')	SB-28 (4.0-5.0')	SB-29 (4.5-5.5')	SB-29 (8.5-9.5')	SB-30 (1.5-2.5')	SB-30 (4.0-5.0')
	Ingestion	Inhalation	Ingestion	Inhalation	Ingestion	Inhalation	5.75 - 6.24	6.25 - 6.64	6.65 - 6.89	6.9 - 7.24	7.25 - 7.74	7.75 - 8.24	8.25 - 8.74	8.75 - 9.0	5/11/2022	5/11/2022	5/11/2022	5/11/2022	5/11/2022	5/11/2022	5/5/2022	5/5/2022	5/5/2022	5/5/2022	5/5/2022	5/5/2022	5/11/2022	5/11/2022	5/5/2022	5/5/2022
Aluminum	---	---	---	---	---	---	---	---	---	---	---	---	---	18,100	18,100	8,800	11,300	7,150	8,120	15,800	14,200	15,500	9,930	14,700	12,500	17,500	11,000	19,800	7,820	
Antimony	31	---	820	---	82	---	5	5	5	5	5	5	5	U 0.11	J 0.14	J 0.34	J 0.53	J 0.53	J 0.18	J 0.18	J 0.24	J 0.26	J 0.16	J 0.29	J 0.17	J 0.15	J 0.32	J 0.13	J 0.17	
Arsenic	13	750	13	1,200	61	25,000	28	29	29	29	30	31	32	4.5	5.3	10.3	14.3	10.5	7.9	11.2	8.8	9.7	7.6	14.6	8.5	6.6	10.2	8.0	9.4	
Barium	5,500	690,000	140,000	910,000	14,000	870,000	1,200	1,500	1,600	1,700	1,800	2,100	---	248	119	79.6	128	55.3	88.3	180	155	170	97.8	170	101	172	244	214	83.2	
Beryllium	160	1,300	4,100	2,100	410	44,000	6.6	22	63	140	1,000	8,000	---	0.89	0.96	0.59	0.72	0.73	0.51	0.88	0.79	0.79	0.63	0.98	0.73	0.85	0.71	0.92	0.52	
Cadmium	78	1,800	2,000	2,800	200	59,000	3.7	5.2	7.5	11	59	430	---	J 0.046	0.14	0.26	0.33	0.41	0.25	0.10	0.11	0.13	0.16	0.17	0.14	J 0.063	0.86	J 0.072	0.20	
Calcium	---	---	---	---	---	---	---	---	---	---	---	---	---	4,830	4,800	37,000	18,200	34,900	33,700	3,500	2,670	2,910	16,800	3,640	3,100	3,710	45,900	5,290	27,500	
Chromium (total)*	230	270	6,100	420	4,100	690	46	40	38	36	32	28	24	21	20.7	24.0	17.8	15.8	13.8	11.8	18.9	19.4	21.1	14.3	18.1	19.4	19.5	17.0	23.7	
Chromium (trivalent)	120,000	---	1,000,000	---	310,000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Chromium (hexavalent)	230	270	6,100	420	4,100	690	46	40	38	36	32	28	24	21	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cobalt	4,700	---	120,000	---	12,000	---	---	---	---	---	---	---	---	4.6	4.4	4.7	5.4	5.3	6.1	10.1	4.2	4.6	5.8	15.3	5.3	6.2	11.9	6.9	8.2	
Copper	2,900	---	82,000	---	8,200	---	11,000	59,000	130,000	200,000	330,000	330,000	---	17.0	19.8	17.1	26.4	31.6	13.2	14.9	19.5	21.2	15.8	18.3	19.9	16.5	19.0	18.0	19.3	
Cyanide	1,600	---	41,000	---	4,100	---	40	40	40	40	40	40	40	U 0.38	J 0.33	U 0.31	U 0.25	U 0.21	U 0.24	U 0.27	U 0.27	U 0.28	U 0.33	U 0.36	U 0.37	U 0.29	U 0.36	U 0.31	U 0.31	
Iron	---	---	---	---	---	---	---	---	---	---	---	---	---	17,400	18,700	22,700	24,500	29,100	25,100	24,500	28,500	31,200	17,600	27,300	21,400	19,900	45,300	24,300	15,800	
Lead	400	---	800	---	700	---	23	107	107	107	107	107	107	14.9	13.9	24.5	19.0	28.8	20.3	14.6	8.0	8.7	12.2	21.9	8.9	13.0	14.4	18.1	13.2	
Magnesium	325,000	---	---	---	730,000	---	---	---	---	---	---	---	---	3,370	4,840	19,700	8,890	11,600	8,400	2,900	3,060	3,350	9,980	2,840	3,480	3,110	29,000	3,400	16,900	
Manganese	1,600	69,000	41,000	91,000	4,100	8,700	---	---	---	---	---	---	---	113	101	311	362	373	621	706	87.8	95.4	348	1,490	147	284	2,240	345	245	
Mercury**	23	10	610	16	61	0.1	0.15	0.89	2.1	3.3	6.4	8	---	J 0.028	0.051	J 0.033	0.042	J 0.039	J 0.019	0.053	J 0.030	J 0.019	J 0.018	0.058	J 0.035	J 0.029	J 0.029	0.049	J 0.022	
Nickel	1,600	13,000	41,000	91,000	4,100	8,700	76	100	130	180	700	3,800	---	11.5	17.3	12.9	16.2	16.8	16.4	18.6	21.1	22.7	15.3	20.2	19.8	14.5	32.3	16.9	18.4	
Potassium	---	---	---	---	---	---	---	---	---	---	---	---	---	1,490	929	1,190	1,240	948	816	1,050	790	862	757	939	818	1,310	819	1,260	649	
Selenium	390	---	10,000	---	1,000	---	8.8	6.3	5.2	4.5	3.3	2.4	1.8	0.93	J 0.25	J 0.34	0.60	J 0.35	J 0.22	0.98	J 0.40	J 0.42	J 0.33	1.1	J 0.25	0.75	J 0.33	0.98	J 0.22	
Silver	390	---	10,000	---	1,000	---	1.5	4.4	8.5	13	39	110	---	U 0.17	U 0.18	U 0.16	U 0.16	U 0.16	U 0.18	J 0.20	U 0.17	U 0.17	U 0.18	U 0.18	U 0.18	U 0.18	U 0.18	U 0.18	U 0.18	
Sodium	---	---	---	---	---	---	---	---	---	---	---	---	---	82.8	139	213	134	277	52.7	J 47.0	J 40.6	J 35.9	78.0	64.8	64.7	99.0	116	J 49.9	98.5	
Thallium	6.3	---	160	---	160	---	2.4	2.6	2.8	3	3.4	3.8	4.4	0.19	0.20	0.24	0.21	0.22	0.16	0.24	0.21	0.23	0.2	0.23	0.20	0.21	0.32	0.24	0.22	
Vanadium	550	---	14,000	---	1,400	---	980	980	980	980	980	980	980	41.2	35.5	30.6	29.3	19.6	22.3	38.9	35.3	38.2	26.4	40.6	33.2	39.5	43.3	40.5	27.1	
Zinc	23,000	---	610,000	---	61,000	---	3,600	5,100	6,200	7,500	16,000	53,000	---	58.1	69.9	71.1	82.8	112	47.4	53.2	57.3	62.3	48.4	51.8	57.5	52.9	52.4	64.9	56.2	
pH	2.0 < pH < 12.5 [per 35 IAC Section 742.305 (d)]														8.17	7.6	8.2	8.08	8.22	8.25	7.9	7.89	7.85	7.8	7.7	7.8	7.2	7.4	8.0	7.6

Tier 1 Soil Remediation Objectives (SROs) taken from TACO Appendix B, Table A, Table B, and Table C
 Concentrations of Inorganic Chemicals in Background Soils taken from TACO Appendix A, Table G
 Sample results and SROs presented in milligrams per kilogram (mg/kg)
 --- Remediation Objective not established
 * Soil component to groundwater ingestion SROs apply for hexavalent chromium
 ** Inhalation Remediation Objectives for Mercury only applies at sites where elemental mercury is a contaminant of concern
 U Qualifier indicates analyte not detected (less than Reporting Limit)
 J Qualifier indicates estimated concentration above the method detection limit and below the reporting limit
bold Analytical results in bold indicate detected parameter
ital. Italicized analytical results indicate reporting limit for parameter is greater than a Tier 1 SRO
 Sample result exceeds one or more SRO
 SRO has been exceeded in one or more sample

Analytical Parameter	Tier 1 Exposure Route-Specific Values for Soils (mg/kg)														40244491013	40244491014	40244491015	40244491016	40244577001	40244577002	40244491017	40244491018	40244577003	40244577010	40244577004	40244803020	40244893003	40244893004	40244803001	40244803002
	Residential		Industrial- Commercial		Construction Worker		pH-specific Soil Component to Groundwater Ingestion - Class I								SB-31 (1.5-2.5')	SB-31 (4.0-5.0')	SB-32 (0.5-1.5')	SB-32 (4.0-5.0')	SB-33 (1.2-2.2')	SB-33 (4.5-5.5')	SB-34 (1.0-2.0')	SB-34 (4.0-5.0')	SB-35 (0.5-1.5')	05062022 DUP-02 [Duplicate of SB-35 (0.5-1.5')]	SB-35 (5.0-6.0')	SB-36 (4.8-5.8')	SB-37 (5.4-6.4')	SB-37 (8.0-9.0')	SB-38 (5.5-6.5')	SB-38 (8.5-9.5')
	Ingestion	Inhalation	Ingestion	Inhalation	Ingestion	Inhalation	5.75 - 6.24	6.25 - 6.64	6.65 - 6.89	6.9 - 7.24	7.25 - 7.74	7.75 - 8.24	8.25 - 8.74	8.75 - 9.0	5/5/2022	5/5/2022	5/5/2022	5/5/2022	5/6/2022	5/6/2022	5/5/2022	5/5/2022	5/6/2022	5/6/2022	5/6/2022	5/11/2022	5/12/2022	5/12/2022	5/11/2022	5/11/2022
Aluminum	---	---	---	---	---	---	---	---	---	---	---	---	---	15,100	6,820	10,100	14,600	11,300	16,100	9,260	7,910	10,600	1,490	15,400	18,200	15,700	14,600	20,900	11,200	
Antimony	31	---	820	---	82	---	5	5	5	5	5	5	5	J 0.17	U 0.12	J 0.19	J 0.22	J 0.19	J 0.43	J 0.14	U 0.097	J 0.15	U 0.10	J 0.17	J 0.18	U 0.12	J 0.19	J 0.30	J 0.21	
Arsenic	13	750	13	1,200	61	25,000	28	29	29	29	30	31	32	8.7	3.2	6.3	15.1	7.2	15.4	7.4	3.8	7.2	2.0	7.0	6.4	5.9	15.3	13.4	13.7	
Barium	5,500	690,000	140,000	910,000	14,000	870,000	1,200	1,500	1,600	1,700	1,800	2,100	---	154	63.9	147	222	121	300	110	96.3	118	14.0	162	193	154	161	296	123	
Beryllium	160	1,300	4,100	2,100	410	44,000	6.6	22	63	140	1,000	8,000	---	0.76	0.37	0.65	0.82	0.72	0.88	0.56	0.49	0.66	J 0.15	0.84	0.92	0.75	0.79	1.2	0.78	
Cadmium	78	1,800	2,000	2,800	200	59,000	3.7	5.2	7.5	11	59	430	---	J 0.085	J 0.092	0.48	0.64	0.19	0.92	0.23	0.10	0.24	J 0.057	0.10	J 0.085	J 0.090	0.46	0.36	0.21	
Calcium	---	---	---	---	---	---	---	---	---	---	---	---	---	4,050	47,700	16,000	3,740	5,250	6,480	19,600	5,700	5,380	14,700	4,400	4,630	4,450	12,500	5,620	41,900	
Chromium (total)*	230	270	6,100	420	4,100	690	46	40	38	36	32	28	24	18.3	12.6	15.4	20.5	14.0	21.9	15.3	10.5	13.6	3.9	20.5	20.7	19.0	20.4	24.0	17.2	
Chromium (trivalent)	120,000	---	1,000,000	---	310,000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Chromium (hexavalent)	230	270	6,100	420	4,100	690	46	40	38	36	32	28	24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cobalt	4,700	---	120,000	---	12,000	---	---	---	---	---	---	---	---	12.2	3.5	6.6	19.9	5.0	14.5	7.5	3.1	5.2	3.2	3.6	7.2	5.0	13.6	27.1	5.5	
Copper	2,900	---	82,000	---	8,200	---	11,000	59,000	130,000	200,000	330,000	330,000	---	15.9	11.7	18.0	22.0	16.8	28.4	14.0	10.7	15.7	3.6	19.0	17.5	16.3	21.1	18.4	17.8	
Cyanide	1,600	---	41,000	---	4,100	---	40	40	40	40	40	40	40	U 0.37	U 0.27	U 0.29	U 0.36	U 0.33	U 0.36	U 0.28	U 0.32	U 0.3	U 0.35	U 0.32	U 0.32	U 0.29	U 0.26	U 0.32	U 0.38	
Iron	---	---	---	---	---	---	---	---	---	---	---	---	---	23,300	9,560	17,700	23,500	16,300	32,500	16,300	10,500	16,100	4,680	19,100	22,000	19,900	27,000	32,200	21,300	
Lead	400	---	800	---	700	---	23	107	107	107	107	107	282	16.8	8.3	28.8	21.7	14.1	20.2	14.8	8.1	16.3	3.5	10.3	12.3	12.5	16.7	28.3	11.8	
Magnesium	325,000	---	---	---	730,000	---	---	---	---	---	---	---	---	2,880	27,200	9,430	3,800	2,680	5,310	10,200	2,510	2,690	5,510	3,580	3,350	3,400	6,160	4,300	14,900	
Manganese	1,600	69,000	41,000	91,000	4,100	8,700	---	---	---	---	---	---	---	615	152	704	1,470	427	1,890	439	204	500	279	110	391	151	866	2,130	109	
Mercury**	23	10	610	16	61	0.1	0.15	0.89	2.1	3.3	6.4	8	---	J 0.026	U 0.011	J 0.029	J 0.039	J 0.015	J 0.035	J 0.027	U 0.010	U 0.011	U 0.010	J 0.021	J 0.026	U 0.012	J 0.025	J 0.038	0.056	
Nickel	1,600	13,000	41,000	91,000	4,100	8,700	76	100	130	180	700	3,800	---	17.2	10.4	15.8	37.7	12.9	50.5	14.4	8.8	13.0	4.9	21.1	15.7	12.3	25.7	27.1	15.4	
Potassium	---	---	---	---	---	---	---	---	---	---	---	---	---	1,010	625	924	814	1,110	853	671	672	1,070	224	786	1,390	1,100	789	1,320	729	
Selenium	390	---	10,000	---	1,000	---	8.8	6.3	5.2	4.5	3.3	2.4	1.8	0.69	J 0.11	J 0.37	J 0.30	0.62	J 0.52	J 0.34	J 0.42	0.55	J 0.10	J 0.30	0.76	0.93	J 0.30	1.4	J 0.30	
Silver	390	---	10,000	---	1,000	---	1.5	4.4	8.5	13	39	110	---	U 0.18	U 0.18	U 0.18	U 0.18	J 0.25	U 0.18	U 0.17	U 0.15	U 0.15	J 0.23	U 0.18	U 0.18	U 0.18	J 0.59	J 0.41		
Sodium	---	---	---	---	---	---	---	---	---	---	---	---	---	J 26.3	67.0	44.8	36.4	J 32.7	J 50.6	J 32.3	J 15.4	J 28.6	J 35.0	J 53.8	70.8	68.2	67.0	73.9	85.2	
Thallium	6.3	---	160	---	160	---	2.4	2.6	2.8	3	3.4	3.8	4.4	0.22	0.23	0.28	0.24	0.22	0.31	0.18	0.13	0.21	J 0.048	0.14	0.21	0.17	0.21	0.25	0.24	
Vanadium	550	---	14,000	---	1,400	---	980	980	980	980	980	980	980	36.1	18.2	27.8	39.4	26.4	43.2	25.4	18.9	26.1	6.3	31.3	41.5	35.4	38.9	54.2	35.0	
Zinc	23,000	---	610,000	---	61,000	---	3,600	5,100	6,200	7,500	16,000	53,000	---	49.2	41.1	72.2	62.7	46.4	71.7	51.0	33.1	48.8	14.4	67.3	53.4	52.5	64.6	66.0	61.9	
pH	2.0 < pH < 12.5 [per 35 IAC Section 742.305 (d)]														7.8	7.9	8.0	7.9	8.08	8.3	7.9	8.28	8.26	8.91	8.3	7.6	7.2	7.5	7.7	7.8

Tier 1 Soil Remediation Objectives (SROs) taken from TACO Appendix B, Table A, Table B, and Table C
 Concentrations of Inorganic Chemicals in Background Soils taken from TACO Appendix A, Table G
 Sample results and SROs presented in milligrams per kilogram (mg/kg)
 --- Remediation Objective not established
 * Soil component to groundwater ingestion SROs apply for hexavalent chromium
 ** Inhalation Remediation Objectives for Mercury only applies at sites where elemental mercury is a contaminant of concern
 U Qualifier indicates analyte not detected (less than Reporting Limit)
 J Qualifier indicates estimated concentration above the method detection limit and below the reporting limit
bold Analytical results in bold indicate detected parameter
ital. Italicized analytical results indicate reporting limit for parameter is greater than a Tier 1 SRO
 Sample result exceeds one or more SRO
 SRO has been exceeded in one or more sample

Analytical Parameter	Tier 1 Exposure Route-Specific Values for Soils (mg/kg)														40244735017	40244735018	40244491009	40244491010	40244803007	40244803008	40244803005	40244803006	40244803003	40244803004	40244735015	40244735016	40244893005	40244893001	40244893006
	Residential		Industrial- Commercial		Construction Worker		pH-specific Soil Component to Groundwater Ingestion - Class I								SB-39 (5.0-6.0')	SB-39 (8.5-9.0')	SB-40 (1.5-2.5')	SB-40 (4.0-5.0')	SB-41 (4.7-5.7')	SB-41 (8.3-9.3')	SB-42 (5.0-6.0')	SB-42 (8.5-9.5')	SB-43 (5.2-6.2')	SB-43 (8.0-9.0')	SB-44 (5.0-6.0')	SB-44 (8.5-9.5')	SB-45 (1.3-2.3')	SB-45 (1.3-2.3') [Duplicate of SB-45 (1.3-2.3')]	SB-45 (4.5-5.5')
	Ingestion	Inhalation	Ingestion	Inhalation	Ingestion	Inhalation	5.75 - 6.24	6.25 - 6.64	6.65 - 6.89	6.9 - 7.24	7.25 - 7.74	7.75 - 8.24	8.25 - 8.74	8.75 - 9.0	5/10/2022	5/10/2022	5/5/2022	5/5/2022	5/11/2022	5/11/2022	5/11/2022	5/11/2022	5/11/2022	5/11/2022	5/10/2022	5/10/2022	5/12/2022	5/12/2022	5/12/2022
Aluminum	---	---	---	---	---	---	---	---	---	---	---	---	---	15,400	16,200	12,100	13,700	8,740	20,700	18,300	20,500	15,200	19,200	13,900	17,400	11,400	10,700	16,000	
Antimony	31	---	820	---	82	---	5	5	5	5	5	5	5	J 0.12	J 0.53	U 0.12	J 0.20	0.84	J 0.23	J 0.27	J 0.32	J 0.29	J 0.27	U 0.12	J 0.28	J 0.16	J 0.19	J 0.15	
Arsenic	13	750	13	1,200	61	25,000	28	29	29	29	30	31	32	7.5	31.7	7.1	11.4	26.2	9.0	8.4	14.8	10.6	14.3	5.3	12.5	5.8	6.7	8.4	
Barium	5,500	690,000	140,000	910,000	14,000	870,000	1,200	1,500	1,600	1,700	1,800	2,100	---	222	190	126	134	106	230	242	183	115	214	99.1	138	157	147	190	
Beryllium	160	1,300	4,100	2,100	410	44,000	6.6	22	63	140	1,000	8,000	---	0.90	1.1	0.71	0.69	0.65	1.1	1.0	1.1	1.0	1.2	0.90	0.89	0.60	0.65	0.77	
Cadmium	78	1,800	2,000	2,800	200	59,000	3.7	5.2	7.5	11	59	430	---	0.22	0.45	J 0.089	0.24	0.75	0.16	0.27	0.29	0.95	0.27	0.22	0.17	0.23	0.29	0.29	
Calcium	---	---	---	---	---	---	---	---	---	---	---	---	---	6,960	4,740	3,960	20,700	49,800	6,420	7,280	4,830	6,270	5,310	6,020	6,500	19,500	13,500	4,270	
Chromium (total)*	230	270	6,100	420	4,100	690	46	40	38	36	32	28	24	21	18.5	23.3	15.2	20.0	14.9	26.0	22.7	27.5	19.0	24.0	17.1	23.5	16.3	14.8	20.6
Chromium (trivalent)	120,000	---	1,000,000	---	310,000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Chromium (hexavalent)	230	270	6,100	420	4,100	690	46	40	38	36	32	28	24	21	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cobalt	4,700	---	120,000	---	12,000	---	---	---	---	---	---	---	---	6.5	20.0	5.5	6.1	5.7	7.8	7.4	8.4	7.5	11.6	6.2	6.3	6.2	8.2	11.2	
Copper	2,900	---	82,000	---	8,200	---	11,000	59,000	130,000	200,000	330,000	330,000	---	17.7	34.7	13.6	17.6	28.9	23.2	22.8	26.6	19.6	24.8	19.0	21.2	14.4	16.7	19.0	
Cyanide	1,600	---	41,000	---	4,100	---	40	40	40	40	40	40	40	U 0.28	U 0.38	U 0.28	U 0.34	U 0.23	U 0.33	U 0.35	J 0.49	U 0.35	U 0.28	U 0.40	U 0.29	U 0.40	J 0.47	U 0.30	
Iron	---	---	---	---	---	---	---	---	---	---	---	---	---	20,100	50,800	17,400	24,800	20,100	565,000	27,300	34,600	25,200	34,600	15,500	34,100	18,700	19,300	23,300	
Lead	400	---	800	---	700	---	23	107	107	107	107	107	107	12.8	21.4	11.8	10.7	61.3	14.8	19.8	14.8	33.7	28.0	17.8	12.4	22.2	19.3	12.9	
Magnesium	325,000	---	---	---	730,000	---	---	---	---	---	---	---	---	3,010	4,340	2,480	9,590	27,800	5,790	4,770	5,590	4,240	4,570	2,960	5,010	7,660	6,390	3,830	
Manganese	1,600	69,000	41,000	91,000	4,100	8,700	---	---	---	---	---	---	---	453	499	203	147	443	243	787	556	243	556	253	120	485	489	881	
Mercury**	23	10	610	16	61	0.1	0.15	0.89	2.1	3.3	6.4	8	---	0.046	J 0.024	J 0.031	J 0.030	J 0.031	J 0.040	0.05	0.059	J 0.025	0.057	J 0.021	0.047	J 0.022	J 0.015	J 0.033	
Nickel	1,600	13,000	41,000	91,000	4,100	8,700	76	100	130	180	700	3,800	---	17.1	36.4	11.0	18.8	14.8	20.4	18.2	24.4	19.7	21.2	14.0	21.4	15.7	15.8	22.2	
Potassium	---	---	---	---	---	---	---	---	---	---	---	---	---	1,480	842	970	810	917	1,040	1,420	1,100	1,640	1,310	1,410	847	1,000	942	801	
Selenium	390	---	10,000	---	1,000	---	8.8	6.3	5.2	4.5	3.3	2.4	1.8	1.2	J 0.49	0.93	J 0.26	J 0.38	J 0.35	0.88	J 0.35	J 0.51	0.66	0.88	J 0.33	J 0.46	J 0.59	J 0.36	
Silver	390	---	10,000	---	1,000	---	1.5	4.4	8.5	13	39	110	---	U 0.18	U 0.19	U 0.18	U 0.18	U 0.17	U 0.17	U 0.18	U 0.17	J 0.21	J 0.22	U 0.18	U 0.18	U 0.19	J 0.27	U 0.16	
Sodium	---	---	---	---	---	---	---	---	---	---	---	---	---	116	95.2	73.1	64.7	310	J 59.7	202	144	103	152	114	113	92.0	118	111	
Thallium	6.3	---	160	---	160	---	2.4	2.6	2.8	3	3.4	3.8	4.4	0.20	0.18	0.15	0.18	0.19	0.16	0.24	0.22	0.34	0.18	0.19	0.18	0.16	0.24	0.15	
Vanadium	550	---	14,000	---	1,400	---	980	980	980	980	980	980	980	34.6	55.5	30.9	33.7	21.6	49.3	47.0	49.9	31.1	48.2	26.4	40.5	28.3	28.7	37.2	
Zinc	23,000	---	610,000	---	61,000	---	3,600	5,100	6,200	7,500	16,000	53,000	---	62.4	95.3	42.9	60.0	206	67.9	71.3	66.4	168	67.9	65.5	74.8	52.4	57.4	55.8	
pH	2.0 < pH < 12.5 [per 35 IAC Section 742.305 (d)]														7.0	7.3	7.5	7.8	8.23	7.6	7.8	7.5	7.9	7.6	7.2	6.5	6.8	6.7	7.71

Tier 1 Soil Remediation Objectives (SROs) taken from TACO Appendix B, Table A, Table B, and Table C
 Concentrations of Inorganic Chemicals in Background Soils taken from TACO Appendix A, Table G
 Sample results and SROs presented in milligrams per kilogram (mg/kg)
 --- Remediation Objective not established
 * Soil component to groundwater ingestion SROs apply for hexavalent chromium
 ** Inhalation Remediation Objectives for Mercury only applies at sites where elemental mercury is a contaminant of concern
 U Qualifier indicates analyte not detected (less than Reporting Limit)
 J Qualifier indicates estimated concentration above the method detection limit and below the reporting limit
bold Analytical results in bold indicate detected parameter
ital. Italicized analytical results indicate reporting limit for parameter is greater than a Tier 1 SRO
 Sample result exceeds one or more SRO
 SRO has been exceeded in one or more sample

Analytical Parameter	Tier 1 Exposure Route-Specific Values for Soils (mg/kg)														40244735005	40244735006	40244735007	40244735008	4244893007	40244893008	40244446013	40244446014	40244446015	40244446016	40244446017	40244446018	40244446019	40244446020	40244446021	
	Residential		Industrial- Commercial		Construction Worker		pH-specific Soil Component to Groundwater Ingestion - Class I								SB-46 (1.0-2.0')	SB-46 (4.0-5.0')	SB-47 (1.5-2.5')	SB-47 (4.0-5.0')	SB-48 (0.8-1.8')	SB-48 (4.2-5.2)	SB-50 (1.3-2.3')	SB-50 (4.5-5.5')	SB-51 (1.2-2.2')	SB-51 (4.4-5.4')	SB-52 (1.4-2.4')	SB-52 (4.5-5.5')	SB-53 (1.8-2.8')	SB-53 (4.4-5.4')	SB-54 (1.5-2.5')	
	Ingestion	Inhalation	Ingestion	Inhalation	Ingestion	Inhalation	5.75 - 6.24	6.25 - 6.64	6.65 - 6.89	6.9 - 7.24	7.25 - 7.74	7.75 - 8.24	8.25 - 8.74	8.75 - 9.0	5/10/2022	5/10/2022	5/10/2022	5/10/2022	5/12/2022	5/12/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	
Aluminum	---	---	---	---	---	---	---	---	---	---	---	---	---	19,500	18,800	11,000	14,800	11,600	17,600	5,750	14,000	12,200	14,000	11,900	14,600	8,360	11,000	14,100		
Antimony	31	---	820	---	82	---	5	5	5	5	5	5	5	J 0.21	J 0.36	J 0.28	J 0.21	J 0.17	J 0.20	J 0.25	J 0.18	J 0.14	U 0.11	U 0.12	J 0.19	U 0.12	J 0.18	J 0.18		
Arsenic	13	750	13	1,200	61	25,000	28	29	29	29	30	31	32	10.7	16.8	9.0	12.2	5.8	11.7	5.1	12.6	5.1	7.2	3.6	9.3	5.8	13.9	9.2		
Barium	5,500	690,000	140,000	910,000	14,000	870,000	1,200	1,500	1,600	1,700	1,800	2,100	---	208	222	120	160	131	215	133	246	139	172	166	139	82.4	113	169		
Beryllium	160	1,300	4,100	2,100	410	44,000	6.6	22	63	140	1,000	8,000	---	1.0	1.1	0.65	0.85	0.71	0.98	0.60	0.97	0.77	0.75	0.81	0.86	0.50	0.71	0.89		
Cadmium	78	1,800	2,000	2,800	200	59,000	3.7	5.2	7.5	11	59	430	---	0.099	0.32	0.46	0.37	0.32	0.46	0.42	0.35	0.36	0.17	0.21	0.2	0.17	0.18	0.30		
Calcium	---	---	---	---	---	---	---	---	---	---	---	---	---	3,840	3,620	21,200	9,650	10,300	4,350	4,240	3,260	5,440	4,630	5,960	5,500	22,900	3,750	5,490		
Chromium (total)*	230	270	6,100	420	4,100	690	46	40	38	36	32	28	24	21.8	23.6	16.9	19.7	17.6	23.2	9.1	17.4	15.5	18.9	15.4	20.4	13.2	14.8	20.0		
Chromium (trivalent)	120,000	---	1,000,000	---	310,000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
Chromium (hexavalent)	230	270	6,100	420	4,100	690	46	40	38	36	32	28	24	21	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
Cobalt	4,700	---	120,000	---	12,000	---	---	---	---	---	---	---	---	13.7	12.2	10.5	9.5	6.8	12.5	2.7	13.8	5.8	4.9	3.6	9.0	5.8	10	8.9		
Copper	2,900	---	82,000	---	8,200	---	11,000	59,000	130,000	200,000	330,000	330,000	---	18.4	27.1	19.4	24.1	24.0	25.1	14.2	21.9	15.4	16.4	18.0	23.4	13.5	15.1	19.4		
Cyanide	1,600	---	41,000	---	4,100	---	40	40	40	40	40	40	40	U 0.30	U 0.38	J 0.38	U 0.38	U 0.30	U 0.35	U 0.32	U 0.35	U 0.40	U 0.33	U 0.34	U 0.35	U 0.26	U 0.35	U 0.40		
Iron	---	---	---	---	---	---	---	---	---	---	---	---	---	27,200	42,900	20,900	28,400	22,300	30,500	23,800	22,800	18,800	20,900	13,800	22,700	13,400	22,200	25,300		
Lead	400	---	800	---	700	---	23	107	107	107	107	107	282	16.3	11.6	17.2	16.2	16.3	17.9	20.7	23.1	11.9	9.4	13.5	15.8	9.6	11.6	14.4		
Magnesium	325,000	---	---	---	730,000	---	---	---	---	---	---	---	---	3,500	4,090	13,400	6,660	6,040	4,060	1,110	3,300	2,320	3,490	2,180	4,310	13,000	2,860	3,840		
Manganese	1,600	69,000	41,000	91,000	4,100	8,700	---	---	---	---	---	---	---	440	354	1,110	530	334	470	129	1,510	606	364	134	254	264	275	1,290		
Mercury**	23	10	610	16	61	0.1	0.15	0.89	2.1	3.3	6.4	8	---	J 0.025	J 0.030	J 0.039	J 0.023	J 0.028	J 0.039	0.062	0.049	J 0.030	0.051	J 0.035	0.054	J 0.031	J 0.041	J 0.038		
Nickel	1,600	13,000	41,000	91,000	4,100	8,700	76	100	130	180	700	3,800	---	20.1	33.2	180	24.1	17.4	27.6	7.6	25.2	14.6	16.6	10.9	21.8	14.2	15.7	23.2		
Potassium	---	---	---	---	---	---	---	---	---	---	---	---	---	1,420	1,130	1,020	952	1,090	823	710	646	1,290	755	1,500	1,210	1,120	579	1,040		
Selenium	390	---	10,000	---	1,000	---	8.8	6.3	5.2	4.5	3.3	2.4	1.8	1.2	J 0.53	J 0.30	J 0.54	J 0.55	J 0.45	1.1	J 0.31	0.70	J 0.22	0.89	J 0.23	J 0.27	J 0.38	J 0.48		
Silver	390	---	10,000	---	1,000	---	1.5	4.4	8.5	13	39	110	---	U 0.18	U 0.18	U 0.17	U 0.18	U 0.17	J 0.32	U 0.18	U 0.18	U 0.20	U 0.17	U 0.18	U 0.18	U 0.18	U 0.17	J 0.19		
Sodium	---	---	---	---	---	---	---	---	---	---	---	---	---	132	163	82.9	93.0	148	169	76.3	J 49.5	J 22.9	J 32.3	J 38.4	J 41.1	67.4	90.0	79.7		
Thallium	6.3	---	160	---	160	---	2.4	2.6	2.8	3	3.4	3.8	4.4	0.22	0.19	0.22	0.22	0.18	0.26	0.43	0.18	0.25	0.13	0.18	0.13	J 0.12	0.12	0.23		
Vanadium	550	---	14,000	---	1,400	---	980	980	980	980	980	980	980	42.2	47.1	30.7	36.4	34.0	43.5	15.8	35.4	25.9	28.1	24.9	39.4	23.4	31.4	35.0		
Zinc	23,000	---	610,000	---	61,000	---	3,600	5,100	6,200	7,500	16,000	53,000	---	60.7	71.9	65.0	67.1	62.4	68.6	66.6	51.9	78.3	57.7	60.7	62.6	42.9	45.3	65.0		
pH	2.0 < pH < 12.5 [per 35 IAC Section 742.305 (d)]														7.4	7.6	7.7	7.6	7.6	7.9	8.0	8.2	8.0	7.6	7.9	8.0	8.32	8.0	8.0	8.0

Tier 1 Soil Remediation Objectives (SROs) taken from TACO Appendix B, Table A, Table B, and Table C
 Concentrations of Inorganic Chemicals in Background Soils taken from TACO Appendix A, Table G
 Sample results and SROs presented in milligrams per kilogram (mg/kg)
 --- Remediation Objective not established
 * Soil component to groundwater ingestion SROs apply for hexavalent chromium
 ** Inhalation Remediation Objectives for Mercury only applies at sites where elemental mercury is a contaminant of concern
 U Qualifier indicates analyte not detected (less than Reporting Limit)
 J Qualifier indicates estimated concentration above the method detection limit and below the reporting limit
bold Analytical results in bold indicate detected parameter
ital. Italicized analytical results indicate reporting limit for parameter is greater than a Tier 1 SRO
 Sample result exceeds one or more SRO
 SRO has been exceeded in one or more sample

Analytical Parameter	Tier 1 Exposure Route-Specific Values for Soils (mg/kg)														4024446022	40244491001	40244491002	40244735009	40244735010					
	Residential		Industrial- Commercial		Construction Worker		pH-specific Soil Component to Groundwater Ingestion - Class I								SB-54 (4.5-5.5')	SB-55 (1.0-2.0')	SB-55 (5.0-6.0')	SB-56 (1.5-2.5')	SB-56 (5.0-6.0')					
	Ingestion	Inhalation	Ingestion	Inhalation	Ingestion	Inhalation	5.75 - 6.24	6.25 - 6.64	6.65 - 6.89	6.9 - 7.24	7.25 - 7.74	7.75 - 8.24	8.25 - 8.74	8.75 - 9.0	5/4/2022	5/5/2022	5/5/2022	5/10/2022	5/10/2022					
Aluminum	---	---	---	---	---	---	---	---	---	---	---	---	---	---	13,100	10,300	16,200	13,500	13,500					
Antimony	31	---	820	---	82	---	5	5	5	5	5	5	5	U	0.12	J	0.13	J	0.30	J	0.25	J	0.15	
Arsenic	13	750	13	1,200	61	25,000	28	29	29	29	30	31	32	33	10.7	6.5	18.7	5.6	10					
Barium	5,500	690,000	140,000	910,000	14,000	870,000	1,200	1,500	1,600	1,700	1,800	2,100	---	---	176	106	245	119	259					
Beryllium	160	1,300	4,100	2,100	410	44,000	6.6	22	63	140	1,000	8,000	---	---	0.91	0.65	1.1	0.82	0.89					
Cadmium	78	1,800	2,000	2,800	200	59,000	3.7	5.2	7.5	11	59	430	---	---	0.16	0.28	1.7	0.30	0.53					
Calcium	---	---	---	---	---	---	---	---	---	---	---	---	---	---	3,030	22,200	5,070	13,100	4,720					
Chromium (total)*	230	270	6,100	420	4,100	690	46	40	38	36	32	28	24	21	16.3	15.3	21.1	17.7	17.0					
Chromium (trivalent)	120,000	---	1,000,000	---	310,000	---	---	---	---	---	---	---	---	---	---	---	---	---	---					
Chromium (hexavalent)	230	270	6,100	420	4,100	690	46	40	38	36	32	28	24	21	---	---	---	---	---					
Cobalt	4,700	---	120,000	---	12,000	---	---	---	---	---	---	---	---	---	9.9	6.7	22.7	6.8	16.0					
Copper	2,900	---	82,000	---	8,200	---	11,000	59,000	130,000	200,000	330,000	330,000	---	---	16.4	20.1	28.0	21.0	24.6					
Cyanide	1,600	---	41,000	---	4,100	---	40	40	40	40	40	40	40	U	0.32	U	0.36	U	0.36	U	0.37			
Iron	---	---	---	---	---	---	---	---	---	---	---	---	---	---	19,500	16,800	32,600	18,500	19,900					
Lead	400	---	800	---	700	---	23	107	107	107	107	107	107	282	17.1	19.5	19.1	25.7	13.8					
Magnesium	325,000	---	---	---	730,000	---	---	---	---	---	---	---	---	---	2,820	12,000	3,860	7,780	3,940					
Manganese	1,600	69,000	41,000	91,000	4,100	8,700	---	---	---	---	---	---	---	---	522	739	4,900	328	1,510					
Mercury**	23	10	610	16	61	0.1	0.15	0.89	2.1	3.3	6.4	8	---	---	0.050	J	0.035	0.055	0.071	0.045				
Nickel	1,600	13,000	41,000	91,000	4,100	8,700	76	100	130	180	700	3,800	---	---	16.1	16.5	48.2	15.7	32.2					
Potassium	---	---	---	---	---	---	---	---	---	---	---	---	---	---	674	985	871	1,240	554					
Selenium	390	---	10,000	---	1,000	---	8.8	6.3	5.2	4.5	3.3	2.4	1.8	1.3	J	0.42	J	0.39	J	0.49	0.74	J	0.31	
Silver	390	---	10,000	---	1,000	---	1.5	4.4	8.5	13	39	110	---	---	U	0.19	U	0.18	U	0.18	U	0.18	J	0.26
Sodium	---	---	---	---	---	---	---	---	---	---	---	---	---	---	71.6	95.1	170	119	120					
Thallium	6.3	---	160	---	160	---	2.4	2.6	2.8	3	3.4	3.8	4.4	4.9	0.17	0.18	0.39	0.24	0.13					
Vanadium	550	---	14,000	---	1,400	---	980	980	980	980	980	980	980	980	31.5	26.3	53.2	31.2	28.9					
Zinc	23,000	---	610,000	---	61,000	---	3,600	5,100	6,200	7,500	16,000	53,000	---	---	46.2	51.2	67.2	74.7	58.1					
pH	2.0 < pH < 12.5 [per 35 IAC Section 742.305 (d)]														7.9	8.2	8.3	7.2	7.5					

Tier 1 Soil Remediation Objectives (SROs) taken from TACO Appendix B, Table A, Table B, and Table C
 Concentrations of Inorganic Chemicals in Background Soils taken from TACO Appendix A, Table G
 Sample results and SROs presented in milligrams per kilogram (mg/kg)
 --- Remediation Objective not established
 * Soil component to groundwater ingestion SROs apply for hexavalent chromium
 ** Inhalation Remediation Objectives for Mercury only applies at sites where elemental mercury is a contaminant of concern
 U Qualifier indicates analyte not detected (less than Reporting Limit)
 J Qualifier indicates estimated concentration above the method detection limit and below the reporting limit
bold Analytical results in bold indicate detected parameter
ital. Italicized analytical results indicate reporting limit for parameter is greater than a Tier 1 SRO
 Sample result exceeds one or more SRO
 SRO has been exceeded in one or more sample

Table 1D
Pesticides and PCB Results

Analytical Parameter	Tier 1 Exposure Route-Specific Values for Soils (mg/kg)								40244262001	40244262002	40244262003	40244262004	40244262005	40244262006	40244262007	40244262008	40244262009	40244262010	40244350001	40244350002	40244350003	40244350004	40244350005	40244350006	40244350007	40244350008	40244350015	
	Residential		Industrial- Commercial		Construction Worker		Soil Component to Groundwater Ingestion		SB-01 (1.0-2.0')	SB-01 (4.0-5.0')	SB-02 (1.5-2.5')	SB-02 (4.0-5.0')	SB-03 (2.0-3.0')	SB-03 (4.0-5.0')	SB-4 (1.0-2.0')	SB-4 (4.0-5.0')	SB-05 (2.0-2.5')	SB-05 (4.5-5.5')	SB-06 (2-2.7')	SB-06 (5-6')	SB-07 (1.3-2.3')	SB-07 (4.5-5.5')	SB-08 (2-2.5')	SB-08 (4.5-5.5')	SB-09 (1.5-2.5')	SB-09 (4.5-5.5')	SB-10 (1.8-2.8')	
	Ingestion	Inhalation	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/2/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	5/3/2022	
Aldrin	0.04	3	0.3	6	6.1	9.3	0.5	2.5	U	0.00053	U	0.00051	U	0.0025	U	0.00052	U	0.00053	U	0.00053	U	0.00053	U	0.00053	U	0.00053		
alpha-BHC	0.1	0.8	0.9	1.5	20	2.1	0.0005	0.003	U	0.00022	U	0.00021	U	0.0010	U	0.00022	U	0.00022	U	0.00022	U	0.00022	U	0.00023	U	0.00069		
beta-BHC	---	---	---	---	---	---	---	---	U	0.00067	U	0.00065	U	0.0032	U	0.00067	U	0.00067	U	0.00067	U	0.00067	U	0.00066	U	0.00067		
delta-BHC	---	---	---	---	---	---	---	---	U	0.00039	U	0.00038	U	0.0019	U	0.00039	U	0.00039	U	0.00040	U	0.00040	U	0.00039	U	0.00087		
gamma-HCH	0.5	---	4	---	96	---	0.009	0.047	U	0.00021	U	0.00021	U	0.0010	U	0.00021	U	0.00021	U	0.00022	U	0.00021	U	0.00060	U	0.00057		
Chlordane	1.8	72	16	140	100	22	10	48	U	0.0071	U	0.0070	U	0.034	U	0.0071	U	0.0072	U	0.0072	U	0.0072	U	0.0071	U	0.0075		
alpha-Chlordane	---	---	---	---	---	---	---	---	U	0.00027	U	0.00026	U	0.0013	U	0.00027	U	0.00027	U	0.00027	U	0.00027	U	0.00058	U	0.00057		
gamma-Chlordane	---	---	---	---	---	---	---	---	U	0.00081	U	0.00079	U	0.0038	U	0.00080	U	0.00081	U	0.00081	U	0.00082	U	0.00080	U	0.00085		
DDD	3	---	24	---	520	---	16	80	U	0.00044	U	0.00043	U	0.0021	U	0.00044	U	0.00044	U	0.00044	U	0.00044	U	0.00046	U	0.00046		
DDE	2	---	17	---	370	---	54	270	U	0.00050	U	0.00049	U	0.0024	U	0.00050	U	0.00050	U	0.00050	U	0.00050	U	0.00051	U	0.00050		
DDT	2	---	17	1,500	100	2,100	32	160	U	0.0013	U	0.0013	U	0.0062	U	0.0013	U	0.0013	U	0.0013	U	0.0013	U	0.0013	U	0.0014		
Dieldrin	0.04	1	0.4	2.2	7.8	3.1	0.004	0.02	U	0.00041	U	0.00040	U	0.0019	U	0.00041	U	0.00041	U	0.00041	U	0.00041	U	0.00043	U	0.00043		
Endosulfan I	470	---	12,000	---	1,200	---	18	90	U	0.00024	U	0.00023	U	0.0011	U	0.00024	U	0.00024	U	0.00024	U	0.00024	U	0.00024	U	0.00025		
Endosulfan II	---	---	---	---	---	---	---	---	U	0.0010	U	0.0010	U	0.0048	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.0010		
Endosulfan sulfate	---	---	---	---	---	---	---	---	U	0.0010	U	0.00099	U	0.0048	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.0010		
Endrin	23	---	610	---	61	---	1	5	U	0.00048	U	0.00047	U	0.0023	U	0.00048	U	0.00049	U	0.00049	U	0.00049	U	0.00048	U	0.00051		
Endrin aldehyde	---	---	---	---	---	---	---	---	U	0.0014	U	0.0014	U	0.0065	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0015	U	0.0014		
Endrin ketone	---	---	---	---	---	---	---	---	U	0.0011	U	0.0011	U	0.0054	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011		
Heptachlor	0.1	0.1	1	11	28	16	23	110	U	0.00058	U	0.00057	U	0.0028	U	0.00058	U	0.00059	U	0.00059	U	0.00059	U	0.00058	U	0.00059		
Heptachlor epoxide	0.07	5	0.6	9.2	2.7	13	0.7	3.3	U	0.00022	U	0.00021	U	0.0010	U	0.00022	U	0.00022	U	0.00022	U	0.00022	U	0.00022	U	0.00022		
Methoxychlor	390	---	10,000	---	1,000	---	160	780	U	0.0067	U	0.0065	U	0.031	U	0.0066	U	0.0067	U	0.0067	U	0.0066	U	0.0066	U	0.0067		
Toxaphene	0.6	89	5.2	170	110	240	31	150	U	0.020	U	0.020	U	0.097	U	0.020	U	0.021	U	0.021	U	0.021	U	0.020	U	0.022		
Aroclor 1016	---	---	---	---	---	---	---	---	U	0.020	U	0.019	U	0.019	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020
Aroclor 1221	---	---	---	---	---	---	---	---	U	0.020	U	0.019	U	0.019	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020
Aroclor 1232	---	---	---	---	---	---	---	---	U	0.020	U	0.019	U	0.019	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020
Aroclor 1242	---	---	---	---	---	---	---	---	U	0.020	U	0.019	U	0.019	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020
Aroclor 1248	---	---	---	---	---	---	---	---	U	0.020	U	0.019	U	0.019	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020
Aroclor 1254	---	---	---	---	---	---	---	---	U	0.020	U	0.019	U	0.019	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020
Aroclor 1260	---	---	---	---	---	---	---	---	U	0.020	U	0.019	U	0.019	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020
Polychlorinated biphenyls (PCBs)	1	---	1	---	---	---	---	---	U	0.020	U	0.019	U	0.019	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020

Tier 1 Soil Remediation Objectives (SROs) taken from TACO Appendix B, Table A and Table B
Sample results and SROs presented in milligrams per kilogram (mg/kg)
--- Remediation Objective not established
U Qualifier indicates analyte not detected (less than Reporting Limit)
J Qualifier indicates estimated concentration above the method detection limit and below the reporting limit
bold Analytical results in bold indicate detected parameter
ital. Italicized analytical results indicate reporting limit for parameter is greater than a Tier 1 SRO
Sample result exceeds one or more SRO
SRO has been exceeded in one or more sample

Analytical Parameter	Tier 1 Exposure Route-Specific Values for Soils (mg/kg)								40244803001	40244803002	40244735017	40244735018	40244491009	40244491010	40244803007	40244803008	40244803005	40244803006	40244803003	40244803004	40244735015	40244735016	40244893005	40244893001	40244893006	40244735005																						
	Residential		Industrial- Commercial		Construction Worker		Soil Component to Groundwater Ingestion		SB-38 (5.5-6.5')	SB-38 (8.5-9.5')	SB-39 (5.0-6.0')	SB-39 (8.5-9.0')	SB-40 (1.5-2.5')	SB-40 (4.0-5.0')	SB-41 (4.7-5.7')	SB-41 (8.3-9.3')	SB-42 (5.0-6.0')	SB-42 (8.5-9.5')	SB-43 (5.2-6.2')	SB-43 (8.0-9.0')	SB-44 (5.0-6.0')	SB-44 (8.5-9.5')	SB-45 (1.3-2.3')	05122022 DUP-07 [Duplicate of SB-45 (1.3-2.3')]	SB-45 (4.5-5.5')	SB-46 (1.0-2.0')																						
	Ingestion	Inhalation	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II	5/11/2022	5/11/2022	5/10/2022	5/10/2022	5/5/2022	5/5/2022	5/11/2022	5/11/2022	5/11/2022	5/11/2022	5/11/2022	5/11/2022	5/11/2022	5/11/2022	5/10/2022	5/12/2022	5/12/2022	5/10/2022																						
Aldrin	0.04	3	0.3	6	6.1	9.3	0.5	2.5	U	0.00051	U	0.00051	U	0.00059	U	0.00061	U	0.00061	U	0.00059	U	0.00098	U	0.00051	U	0.00054	U	0.00052	U	0.00054	U	0.00052	U	0.00062	U	0.00060	U	0.00055	U	0.00055	U	0.00048	U	0.00060				
alpha-BHC	0.1	0.8	0.9	1.5	20	2.1	0.0005	0.003	U	0.00021	U	0.00021	U	0.00064	U	0.00066	U	0.00066	U	0.00064	U	0.00041	U	0.00021	U	0.00022	U	0.00021	U	0.00022	U	0.00022	U	0.00022	U	0.00068	U	0.00064	U	0.00023	U	0.00023	U	0.00020	U	0.00065		
beta-BHC	---	---	---	---	---	---	---	---	U	0.00066	U	0.00066	U	0.00058	U	0.00060	U	0.00059	U	0.00058	U	0.0013	U	0.00065	U	0.00069	U	0.00066	U	0.00069	U	0.00067	U	0.00061	U	0.00058	U	0.00069	U	0.00070	U	0.00061	U	0.00058				
delta-BHC	---	---	---	---	---	---	---	---	U	0.00039	U	0.00039	U	0.00080	U	0.00083	U	0.00083	U	0.00080	U	0.00074	U	0.00038	U	0.00041	U	0.00039	U	0.00041	U	0.00039	U	0.00085	U	0.00081	U	0.00041	U	0.00041	U	0.00036	U	0.00081				
gamma-HCH	0.5	---	4	---	96	---	0.009	0.047	U	0.00021	U	0.00021	U	0.00056	U	0.00058	U	0.00057	U	0.00056	U	0.00040	U	0.00021	U	0.00022	U	0.00021	U	0.00022	U	0.00021	U	0.00059	U	0.00056	U	0.00022	U	0.00022	U	0.00019	U	0.00056				
Chlordane	1.8	72	16	140	100	22	10	48	U	0.0070	U	0.0070	U	0.013	U	0.013	U	0.013	U	0.013	U	0.013	U	0.0070	U	0.0073	U	0.0070	U	0.0074	U	0.0071	U	0.013	U	0.013	U	0.013	U	0.0074	U	0.0065	U	0.013				
alpha-Chlordane	---	---	---	---	---	---	---	---	U	0.00026	U	0.00026	U	0.00054	U	0.00056	U	0.00056	U	0.00054	U	0.00050	U	0.00026	U	0.00027	U	0.00026	U	0.00028	U	0.00027	U	0.00057	U	0.00054	U	0.00028	U	0.00028	U	0.00024	U	0.00055				
gamma-Chlordane	---	---	---	---	---	---	---	---	U	0.00079	U	0.00079	U	0.00064	U	0.00066	U	0.00066	U	0.00064	U	0.0015	U	0.00078	U	0.00083	U	0.00079	U	0.00083	U	0.00080	U	0.00068	U	0.00065	U	0.00084	U	0.00073	U	0.00065						
DDD	3	---	24	---	520	---	16	80	U	0.00043	U	0.00043	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	J	0.0064	U	0.00043	U	0.00045	U	0.00043	J	0.0014	U	0.00044	U	0.0013	U	0.0012	U	0.00045	U	0.00046	U	0.00040	U	0.0012		
DDE	2	---	17	---	370	---	54	270	U	0.00049	U	0.00049	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.0010	---	0.15	U	0.00049	U	0.00051	U	0.00049	---	0.039	U	0.00050	U	0.0011	U	0.0010	U	0.00052	J	0.0025	U	0.00045	U	0.0010		
DDT	2	---	17	1,500	100	2,100	32	160	U	0.0013	U	0.0013	U	0.0020	U	0.0020	U	0.0020	U	0.0020	U	0.0020	---	0.15	U	0.0013	U	0.0014	U	0.0013	---	0.011	U	0.0013	U	0.0021	U	0.0020	U	0.0014	U	0.0014	U	0.0020				
Dieldrin	0.04	1	0.4	2.2	7.8	3.1	0.004	0.02	U	0.00040	U	0.00040	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.00077	U	0.00040	U	0.00042	U	0.00041	U	0.00042	U	0.00041	U	0.00042	U	0.0011	U	0.00043	U	0.00043	U	0.00038	U	0.0011				
Endosulfan I	470	---	12,000	---	1,200	---	18	90	U	0.00023	U	0.00024	U	0.00051	U	0.00053	U	0.00052	U	0.00051	U	0.00045	U	0.00023	U	0.00025	U	0.00024	U	0.00025	U	0.00024	U	0.00054	U	0.00051	U	0.00025	U	0.00025	U	0.00022	U	0.00052				
Endosulfan II	---	---	---	---	---	---	---	---	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.0019	U	0.0010	U	0.0011	U	0.0010	U	0.0011	U	0.0010	U	0.0011	U	0.0010	U	0.0011	U	0.0011	U	0.00093	U	0.0010				
Endosulfan sulfate	---	---	---	---	---	---	---	---	U	0.0010	U	0.0010	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0019	U	0.0012	U	0.0019	U	0.00099	U	0.0010	U	0.0010	U	0.0010	U	0.0013	U	0.0012	U	0.0011	U	0.00093	U	0.0012				
Endrin	23	---	610	---	61	---	1	5	U	0.00048	U	0.00048	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.00091	U	0.00047	J	0.00094	U	0.00048	U	0.00050	U	0.00048	U	0.0011	U	0.0011	U	0.0011	U	0.00050	U	0.00051	U	0.00044	U	0.0011		
Endrin aldehyde	---	---	---	---	---	---	---	---	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014				
Endrin ketone	---	---	---	---	---	---	---	---	U	0.0011	U	0.0011	U	0.0015	U	0.0016	U	0.0016	U	0.0016	U	0.0015	U	0.0011	U	0.0012	U	0.0011	U	0.0012	U	0.0011	U	0.0012	U	0.0011	U	0.0016	U	0.0016	U	0.0012	U	0.0010	U	0.0016		
Heptachlor	0.1	0.1	1	11	28	16	23	110	U	0.00057	U	0.00057	U	0.00055	U	0.00057	U	0.00056	U	0.00055	U	0.0011	U	0.00057	U	0.00060	U	0.00058	U	0.00060	U	0.00058	U	0.00058	U	0.00058	U	0.00055	U	0.00061	U	0.00053	U	0.00055				
Heptachlor epoxide	0.07	5	0.6	9.2	2.7	13	0.7	3.3	U	0.00022	U	0.00022	U	0.00052	U	0.00054	U	0.00053	U	0.00052	U	0.00041	U	0.00021	U	0.00023	U	0.00022	U	0.00023	U	0.00022	U	0.00055	U	0.00052	U	0.00023	U	0.00023	U	0.00020	U	0.00052				
Methoxychlor	390	---	10,000	---	1,000	---	160	780	U	0.0065	U	0.0065	U	0.0070	U	0.0073	U	0.0072	U	0.0072	U	0.0070	U	0.012	U	0.0065	U	0.0069	U	0.0066	U	0.0069	U	0.0067	U	0.0074	U	0.0071	U	0.0071	U	0.0069	U	0.0070	U	0.0061	U	0.0071
Toxaphene	0.6	89	5.2	170	110	240	31	150	U	0.020	U	0.020	U	0.022	U	0.022	U	0.022	U	0.022	U	0.022	U	0.038	U	0.020	U	0.021	U	0.020	U	0.021	U	0.020	U	0.021	U	0.023	U	0.022	U	0.021	U	0.021	U	0.019	U	0.022
Aroclor 1016	---	---	---	---	---	---	---	---	U	0.019	U	0.019	U	0.019	U	0.020	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.020	U	0.019	U	0.020	U	0.020	U	0.020	U	0.019	U	0.020	U	0.021	U	0.021	U	0.018	U	0.020
Aroclor 1221	---	---	---	---	---	---	---	---	U	0.019	U	0.019	U	0.019	U	0.020	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.020	U	0.019	U	0.020	U	0.020	U	0.020	U	0.019	U	0.021	U	0.021	U	0.018	U	0.020		
Aroclor 1232	---	---	---	---	---	---	---	---	U	0.019	U	0.019	U	0.019	U	0.020	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.020	U	0.019	U	0.020	U	0.020	U	0.020	U	0.019	U	0.021	U	0.021	U	0.018	U	0.020		
Aroclor 1242	---	---	---	---	---	---	---	---	U	0.019	U	0.019	U	0.019	U	0.020	U	0.019	U	0.019	U	0.019	U	0.019	U	0.019	U	0.020	U	0.019	U	0.020	U	0.020	U	0.020	U	0.019	U	0.021	U	0.02						

Analytical Parameter	Tier 1 Exposure Route-Specific Values for Soils (mg/kg)								40244735006	40244735007	40244735008	4244893007	40244893008	40244446013	40244446014	40244446015	40244446016	40244446017	40244446018	40244446019	40244446020	40244446021	40244446022	40244491001	40244491002	40244735009																								
	Residential		Industrial- Commercial		Construction Worker		Soil Component to Groundwater Ingestion		SB-46 (4.0-5.0')	SB-47 (1.5-2.5')	SB-47 (4.0-5.0')	SB-48 (0.8-1.8')	SB-48 (4.2-5.2)	SB-50 (1.3-2.3')	SB-50 (4.5-5.5')	SB-51 (1.2-2.2')	SB-51 (4.4-5.4')	SB-52 (1.4-2.4')	SB-52 (4.5-5.5')	SB-53 (1.8-2.8')	SB-53 (4.4-5.4')	SB-54 (1.5-2.5')	SB-54 (4.5-5.5')	SB-55 (1.0-2.0')	SB-55 (5.0-6.0')	SB-56 (1.5-2.5')																								
	Ingestion	Inhalation	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II	5/10/2022	5/10/2022	5/10/2022	5/12/2022	5/12/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022	5/4/2022																						
Aldrin	0.04	3	0.3	6	6.1	9.3	0.5	2.5	U	0.00061	U	0.00060	U	0.00063	U	0.0051	U	0.0026	U	0.00054	U	0.00052	U	0.00057	U	0.00052	U	0.00054	U	0.00053	U	0.00050	U	0.00051	U	0.00053	U	0.00052	U	0.00061	U	0.00059	U	0.00062						
alpha-BHC	0.1	0.8	0.9	1.5	20	2.1	0.0005	0.003	U	0.00066	U	0.00065	U	0.00068	U	0.0021	U	0.0011	U	0.00022	U	0.00022	U	0.00022	U	0.00024	U	0.00022	U	0.00023	U	0.00022	U	0.00021	U	0.00021	U	0.00022	U	0.00022	U	0.00066	U	0.00064	U	0.00066				
beta-BHC	---	---	---	---	---	---	---	---	U	0.00060	U	0.00058	U	0.00061	U	0.0066	U	0.0033	J	0.0011	U	0.00066	U	0.00073	U	0.00067	U	0.00067	U	0.00069	U	0.00067	U	0.00064	U	0.00065	U	0.00068	U	0.00067	U	0.00059	U	0.00057	U	0.00060				
delta-BHC	---	---	---	---	---	---	---	---	U	0.00083	U	0.00081	U	0.00085	U	0.0039	U	0.0020	U	0.00040	U	0.00039	U	0.00043	U	0.00039	U	0.00041	U	0.00039	U	0.00037	U	0.00038	U	0.00040	U	0.00039	U	0.00038	U	0.00040	U	0.00039	U	0.00083	U	0.0008	U	0.00084
gamma-HCH	0.5	---	4	---	96	---	0.009	0.047	U	0.00057	U	0.00056	U	0.00059	U	0.0021	U	0.0011	U	0.00022	U	0.00021	U	0.00023	U	0.00021	U	0.00022	U	0.00021	U	0.00020	U	0.00021	U	0.00021	U	0.00021	U	0.00057	U	0.00055	U	0.00058						
Chlordane	1.8	72	16	140	100	22	10	48	U	0.013	U	0.013	U	0.013	U	0.070	U	0.036	U	0.0073	U	0.0071	U	0.0073	U	0.0071	U	0.0074	U	0.0071	U	0.0068	U	0.0069	U	0.0072	U	0.0071	U	0.013	U	0.013	U	0.013						
alpha-Chlordane	---	---	---	---	---	---	---	---	U	0.00056	U	0.00055	U	0.00058	U	0.0026	U	0.0013	U	0.00027	U	0.00026	U	0.00027	U	0.00029	U	0.00027	U	0.00028	U	0.00025	U	0.00026	U	0.00026	U	0.00027	U	0.00027	U	0.00056	U	0.00054	U	0.00056				
gamma-Chlordane	---	---	---	---	---	---	---	---	U	0.00066	U	0.00065	U	0.00068	U	0.0079	U	0.0040	U	0.00083	U	0.00080	U	0.00080	U	0.00080	U	0.00084	U	0.00081	U	0.00077	U	0.00078	U	0.00081	U	0.00080	U	0.00080	U	0.00066	U	0.00064	U	0.00067				
DDD	3	---	24	---	520	---	16	80	U	0.0012	U	0.0012	U	0.0013	U	0.0043	U	0.0022	U	0.00045	U	0.00043	U	0.00048	U	0.00044	U	0.00045	U	0.00044	U	0.00044	U	0.00044	U	0.00044	U	0.00044	U	0.00044	U	0.00044	U	0.00044	U	0.0012	U	0.0012	U	0.0012
DDE	2	---	17	---	370	---	54	270	U	0.0010	U	0.0010	U	0.0011	U	0.0049	U	0.0025	U	0.00051	U	0.00049	U	0.00055	U	0.00050	U	0.00052	U	0.00050	U	0.00047	U	0.00049	U	0.00049	U	0.00050	U	0.00050	U	0.001	U	0.0010	U	0.0011				
DDT	2	---	17	1,500	100	2,100	32	160	U	0.0020	U	0.0020	U	0.0021	U	0.013	U	0.0066	U	0.0014	U	0.0013	U	0.0014	U	0.0013	U	0.0014	U	0.0013	U	0.0013	U	0.0013	U	0.0013	U	0.0013	U	0.0013	U	0.002	U	0.0019	U	0.0020				
Dieldrin	0.04	1	0.4	2.2	7.8	3.1	0.004	0.02	U	0.0011	U	0.0011	U	0.0011	U	0.0040	U	0.0021	U	0.00042	U	0.00041	U	0.00045	U	0.00041	U	0.00043	U	0.00041	U	0.00039	U	0.00040	U	0.00042	U	0.00041	U	0.00041	U	0.0011	U	0.0011	U	0.0011	U	0.0011		
Endosulfan I	470	---	12,000	---	1,200	---	18	90	U	0.00053	U	0.00052	U	0.00054	U	0.0023	U	0.0012	U	0.00025	U	0.00024	U	0.00026	U	0.00024	U	0.00025	U	0.00024	U	0.00023	U	0.00023	U	0.00023	U	0.00024	U	0.00024	U	0.00052	U	0.00051	U	0.00053				
Endosulfan II	---	---	---	---	---	---	---	---	U	0.0010	U	0.0010	U	0.0011	U	0.010	U	0.0051	U	0.0011	U	0.0010	U	0.0011	U	0.0011	U	0.0011	U	0.0010	U	0.00098	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.001	U	0.0010	U	0.0010				
Endosulfan sulfate	---	---	---	---	---	---	---	---	U	0.0012	U	0.0012	U	0.0013	U	0.010	U	0.0051	U	0.0010	U	0.0011	U	0.0010	U	0.0010	U	0.0010	U	0.00097	U	0.00099	U	0.00099	U	0.0010	U	0.0010	U	0.0010	U	0.0012	U	0.0012	U	0.0012				
Endrin	23	---	610	---	61	---	1	5	U	0.0011	U	0.0011	U	0.0011	U	0.0047	U	0.0024	U	0.00050	U	0.00048	U	0.00053	U	0.00048	U	0.00050	U	0.00048	U	0.00046	U	0.00047	U	0.00049	U	0.00049	U	0.00048	U	0.0011	U	0.0011	U	0.0011	U	0.0011		
Endrin aldehyde	---	---	---	---	---	---	---	---	U	0.0014	U	0.0014	U	0.0015	U	0.014	U	0.0069	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0013	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0015		
Endrin ketone	---	---	---	---	---	---	---	---	U	0.0016	U	0.0016	U	0.0016	U	0.011	U	0.0057	U	0.0012	U	0.0011	U	0.0012	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0016	U	0.0015	U	0.0016
Heptachlor	0.1	0.1	1	11	28	16	23	110	U	0.00056	U	0.00055	U	0.00058	U	0.0057	U	0.0029	U	0.00060	U	0.00058	U	0.00064	U	0.00058	U	0.00061	U	0.00058	U	0.00056	U	0.00057	U	0.00059	U	0.00058	U	0.00058	U	0.00056	U	0.00054	U	0.00057				
Heptachlor epoxide	0.07	5	0.6	9.2	2.7	13	0.7	3.3	U	0.00053	U	0.00052	U	0.00055	U	0.0022	U	0.0011	U	0.00023	U	0.00022	U	0.00024	U	0.00022	U	0.00023	U	0.00022	U	0.00021	U	0.00021	U	0.00022	U	0.00022	U	0.00053	U	0.00051	U	0.00054						
Methoxychlor	390	---	10,000	---	1,000	---	160	780	U	0.0072	U	0.0071	U	0.0075	U	0.065	U	0.033	U	0.0068	U	0.0066	U	0.0073	U	0.0066	U	0.0069	U	0.0067	U	0.0067	U	0.0067	U	0.0067	U	0.0067	U	0.0067	U	0.0072	U	0.0070	U	0.0073				
Toxaphene	0.6	89	5.2	170	110	240	31	150	U	0.0022	U	0.0022	U	0.0023	U	0.20	U	0.10	U	0.021	U	0.020	U	0.022	U	0.020	U	0.021	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U	0.022	U	0.022	U	0.023		
Aroclor 1016	---	---	---	---	---	---	---	---	U	0.019	U	0.020	U	0.020	U	0.019	U	0.020	U	0.020	U	0.019	U	0.022	U	0.020	U	0.021	U	0.020	U	0.019	U	0.019	U	0.020	U	0.020	U	0.020	U	0.019	U	0.019	U	0.020				
Aroclor 1221	---	---	---	---	---	---	---	---	U	0.019	U	0.020	U	0.020	U	0.019	U	0.020	U	0.020	U	0.019	U	0.022	U	0.020	U	0.021	U	0.020	U	0.019	U	0.019	U	0.020	U	0.020	U	0.020	U	0.019	U	0.019	U	0.020				
Aroclor 1232	---	---	---	---	---	---	---	---	U	0.019	U	0.020	U	0.020	U	0.019	U	0.020	U	0.020	U	0.019	U	0.022	U	0.020	U	0.021	U	0.020	U	0.019	U	0.019	U	0.020	U	0.020	U	0.020	U	0.019	U	0.019	U	0.020				

Analytical Parameter	Tier 1 Exposure Route-Specific Values for Soils (mg/kg)								40244735010	40244640015	40244640016	40244640013	40244640014	40244640011	40244640012							
	Residential		Industrial- Commercial		Construction Worker		Soil Component to Groundwater Ingestion		SB-56 (5.0-6.0')	SB-57 (1.5-2.5')	SB-57 (4.5-5.5')	SB-58 (1.0-2.0')	SB-58 (4.5-5.5')	SB-59 (1.0-2.0')	SB-59 (4.5-5.5')							
	Ingestion	Inhalation	Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II	5/10/2022	5/9/2022	5/9/2022	5/9/2022	5/9/2022	5/9/2022	5/9/2022							
Aldrin	0.04	3	0.3	6	6.1	9.3	0.5	2.5	U	0.00061	U	0.00051	U	0.00052	U	0.00053	U	0.00053	U	0.00049	U	0.00053
alpha-BHC	0.1	0.8	0.9	1.5	20	2.1	0.0005	0.003	U	0.00065	U	0.00021	U	0.00022	U	0.00022	U	0.00022	U	0.00021	U	0.00022
beta-BHC	---	---	---	---	---	---	---	---	U	0.00059	U	0.00065	U	0.00067	U	0.00067	U	0.00068	U	0.00063	U	0.00068
delta-BHC	---	---	---	---	---	---	---	---	U	0.00082	U	0.00038	U	0.00039	J	0.00040	U	0.00040	J	0.00049	U	0.0004
gamma-HCH	0.5	---	4	---	96	---	0.009	0.047	U	0.00057	U	0.00021	U	0.00021	U	0.00021	U	0.00021	U	0.00020	U	0.00021
Chlordane	1.8	72	16	140	100	22	10	48	U	0.013	U	0.0069	U	0.0071	U	0.0072	U	0.0072	U	0.0067	U	0.0072
alpha-Chlordane	---	---	---	---	---	---	---	---	U	0.00055	U	0.00026	U	0.00027	U	0.00027	U	0.00027	U	0.00025	U	0.00027
gamma-Chlordane	---	---	---	---	---	---	---	---	U	0.00066	U	0.00078	U	0.00080	U	0.00081	U	0.00081	U	0.00076	U	0.00081
DDD	3	---	24	---	520	---	16	80	U	0.0012	U	0.00042	U	0.00044	U	0.00044	U	0.00044	U	0.00041	U	0.00044
DDE	2	---	17	---	370	---	54	270	U	0.0010	U	0.00048	U	0.00050	U	0.00050	U	0.00050	U	0.00047	U	0.00050
DDT	2	---	17	1,500	100	2,100	32	160	U	0.0020	U	0.0013	U	0.0013	U	0.0013	U	0.0013	U	0.0012	U	0.0013
Dieldrin	0.04	1	0.4	2.2	7.8	3.1	0.004	0.02	U	0.0011	U	0.00040	U	0.00041	U	0.00041	U	0.00042	U	0.00039	U	0.00042
Endosulfan I	470	---	12,000	---	1,200	---	18	90	U	0.0052	U	0.00023	U	0.00024	U	0.00024	U	0.00024	U	0.00023	U	0.00024
Endosulfan II	---	---	---	---	---	---	---	---	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.001	U	0.00097	U	0.0010
Endosulfan sulfate	---	---	---	---	---	---	---	---	U	0.0012	U	0.00099	U	0.0010	U	0.0010	U	0.001	U	0.00096	U	0.0010
Endrin	23	---	610	---	61	---	1	5	U	0.0011	U	0.00047	U	0.00048	U	0.00049	U	0.00049	U	0.00046	U	0.00049
Endrin aldehyde	---	---	---	---	---	---	---	---	U	0.0014	U	0.0013	U	0.0014	U	0.0014	U	0.0014	U	0.0013	U	0.0014
Endrin ketone	---	---	---	---	---	---	---	---	U	0.0016	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011
Heptachlor	0.1	0.1	1	11	28	16	23	110	U	0.00056	U	0.00057	U	0.00058	U	0.00059	U	0.00059	U	0.00055	U	0.00059
Heptachlor epoxide	0.07	5	0.6	9.2	2.7	13	0.7	3.3	U	0.00053	U	0.00021	U	0.00022	U	0.00022	U	0.00022	U	0.00021	U	0.00022
Methoxychlor	390	---	10,000	---	1,000	---	160	780	U	0.0072	U	0.0065	U	0.0066	U	0.0067	U	0.0067	U	0.0063	U	0.0067
Toxaphene	0.6	89	5.2	170	110	240	31	150	U	0.022	U	0.020	U	0.020	U	0.021	U	0.021	U	0.019	U	0.021
Aroclor 1016	---	---	---	---	---	---	---	---	U	0.019	U	0.019	U	0.020	U	0.020	U	0.020	U	0.019	U	0.020
Aroclor 1221	---	---	---	---	---	---	---	---	U	0.019	U	0.019	U	0.020	U	0.020	U	0.020	U	0.019	U	0.020
Aroclor 1232	---	---	---	---	---	---	---	---	U	0.019	U	0.019	U	0.020	U	0.020	U	0.020	U	0.019	U	0.020
Aroclor 1242	---	---	---	---	---	---	---	---	U	0.019	U	0.019	U	0.020	U	0.020	U	0.020	U	0.019	U	0.020
Aroclor 1248	---	---	---	---	---	---	---	---	U	0.019	U	0.019	U	0.020	U	0.020	U	0.020	U	0.019	U	0.020
Aroclor 1254	---	---	---	---	---	---	---	---	U	0.019	U	0.019	U	0.020	U	0.020	U	0.020	U	0.019	U	0.020
Aroclor 1260	---	---	---	---	---	---	---	---	U	0.019	U	0.019	U	0.020	U	0.020	U	0.020	U	0.019	U	0.020
Polychlorinated biphenyls (PCBs)	1	---	1	---	---	---	---	---	U	0.019	U	0.019	U	0.020	U	0.020	U	0.020	U	0.019	U	0.020

Tier 1 Soil Remediation Objectives (SROs) taken from TACO Appendix B, Table A and Table B
Sample results and SROs presented in milligrams per kilogram (mg/kg)
--- Remediation Objective not established
U Qualifier indicates analyte not detected (less than Reporting Limit)
J Qualifier indicates estimated concentration above the method detection limit and below the reporting limit
bold Analytical results in bold indicate detected parameter
ital. Italicized analytical results indicate reporting limit for parameter is greater than a Tier 1 SRO
Sample result exceeds one or more SRO
SRO has been exceeded in one or more sample

Table 2

Groundwater and QA/QC Analytical Results Table

Table 2A – Volatile Organic Compound Results

Table 2B – Semi-Volatile Results

Table 2C – Inorganic Results

Table 2D – Pesticides and PCB Results

Table 2A

Volatile Organic Compound Results

Analytical Parameter	Tier 1 Groundwater Remediation Objectives (mg/L)						40246997001	40247159003	40247159002	40246997002	40246997004	40246997005	40247068002	40247068011								
	Groundwater Ingestion		Indoor Inhalation				MW-01	MW-02	MW-03	MW-04	MW-05	MW-06	MW-07	MW-08								
			Diffusion & Advection		Diffusion Only																	
	Class I	Class II	Residential	Ind./Com.	Residential	Ind./Com.	6/21/2022	6/23/2022	6/23/2022	6/21/2022	6/21/2022	6/21/2022	6/22/2022	6/22/2022								
Acetone	6.3	6.3	1,000,000	1,000,000	1,000,000	1,000,000	U	0.0086	U	0.0086	J	0.015	U	0.0086	U	0.0086	U	0.0086	U	0.0086	U	0.0086
Benzene	0.005	0.025	0.11	0.41	0.41	2.6	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030
Bromodichloromethane	0.0002	0.0002	6,700	6,700	6,700	6,700	U	0.00042	U	0.00042	U	0.00042	U	0.00042	U	0.00042	U	0.00042	U	0.00042	U	0.00042
Bromoform	0.001	0.001	3.1	12	170	1,300	U	0.0038	U	0.0038	U	0.0038	U	0.0038	U	0.0038	U	0.0038	U	0.0038	U	0.0038
Bromomethane	0.0098	0.049	1.5	4.8	6.1	33	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012
2-Butanone	---	---	10,000	48,000	220,000	220,000	U	0.0065	U	0.0065	U	0.0065	U	0.0065	U	0.0065	U	0.0065	U	0.0065	U	0.0065
Carbon disulfide	0.7	3.5	67	210	170	820	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011
Carbon tetrachloride	0.005	0.025	0.02	0.076	0.052	0.31	U	0.00037	U	0.00037	U	0.00037	U	0.00037	U	0.00037	U	0.00037	U	0.00037	U	0.00037
Chlorobenzene	0.1	0.5	26	82	130	470	U	0.00086	U	0.00086	U	0.00086	U	0.00086	U	0.00086	U	0.00086	U	0.00086	U	0.00086
Chloroethane	---	---	---	---	---	---	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014
Chloroform	0.0002	0.001	0.07	0.15	0.17	1.1	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012
Chloromethane	---	---	---	---	---	---	U	0.0016	U	0.0016	U	0.0016	U	0.0016	U	0.0016	U	0.0016	U	0.0016	U	0.0016
Dibromochloromethane	0.14	0.14	2,600	2,600	2,600	2,600	U	0.0026	U	0.0026	U	0.0026	U	0.0026	U	0.0026	U	0.0026	U	0.0026	U	0.0026
1,1-Dichloroethane	0.7	3.5	180	580	750	4,100	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030
1,2-Dichloroethane	0.005	0.025	0.054	0.22	0.5	3.5	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029
1,1-Dichloroethene	0.007	0.035	24	74	61	300	U	0.00058	U	0.00058	U	0.00058	U	0.00058	U	0.00058	U	0.00058	U	0.00058	U	0.00058
cis-1,2-Dichloroethene	0.07	0.2	3,500	3,500	3,500	3,500	U	0.00047	U	0.00047	U	0.00047	U	0.00047	U	0.00047	U	0.00047	U	0.00047	U	0.00047
trans-1,2-Dichloroethene	0.1	0.5	16	51	58	310	U	0.00053	U	0.00053	U	0.00053	U	0.00053	U	0.00053	U	0.00053	U	0.00053	U	0.00053
1,2-Dichloropropane	0.005	0.025	0.12	0.48	0.67	4.5	U	0.00045	U	0.00045	U	0.00045	U	0.00045	U	0.00045	U	0.00045	U	0.00045	U	0.00045
cis-1,3-Dichloropropene	0.001	0.005	0.14	0.52	0.42	2.6	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036
trans-1,3-Dichloropropene	0.001	0.005	0.14	0.52	0.42	2.6	U	0.0035	U	0.0035	U	0.0035	U	0.0035	U	0.0035	U	0.0035	U	0.0035	U	0.0035
Ethylbenzene	0.7	1	0.37	1.4	1.3	8.1	U	0.00033	U	0.00033	U	0.00033	U	0.00033	U	0.00033	U	0.00033	U	0.00033	U	0.00033
2-Hexanone	---	---	---	---	---	---	U	0.0063	U	0.0063	U	0.0063	U	0.0063	U	0.0063	U	0.0063	U	0.0063	U	0.0063
Methylene chloride	0.005	0.05	2.1	8.2	12	84	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032
4-Methyl-2-pentanone	---	---	---	---	---	---	U	0.0060	U	0.0060	U	0.0060	U	0.0060	U	0.0060	U	0.0060	U	0.0060	U	0.0060
Methyl-tert-butyl ether	0.07	0.07	1,900	6,800	30,000	51,000	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011
Styrene	0.1	0.5	310	310	310	310	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036
1,1,2,2-Tetrachloroethane	---	---	---	---	---	---	U	0.00038	U	0.00038	U	0.00038	U	0.00038	U	0.00038	U	0.00038	U	0.00038	U	0.00038
Tetrachloroethene	0.005	0.025	0.094	0.34	0.26	1.6	U	0.00041	U	0.00041	U	0.00041	U	0.00041	U	0.00041	U	0.00041	U	0.00041	U	0.00041
Toluene	1	2.5	530	530	530	530	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029
1,1,1-Trichloroethane	0.2	1	1,000	1,300	1,300	1,300	U	0.00030	U	0.0031	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030
1,1,2-Trichloroethane	0.005	0.05	4,400	4,400	4,400	4,400	U	0.00034	U	0.00034	U	0.00034	U	0.00034	U	0.00034	U	0.00034	U	0.00034	U	0.00034
Trichloroethene	0.005	0.025	0.34	1.3	1.1	6.7	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032
Vinyl chloride	0.002	0.01	0.028	0.21	0.065	0.75	U	0.00017	U	0.00017	U	0.00017	U	0.00017	U	0.00017	U	0.00017	U	0.00017	U	0.00017
Xylenes (total)	10.0	10.0	30	93	96	110	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.0010

Tier 1 Groundwater Remediation Objectives (GROs) taken from TACO Appendix B, Table E, Table H, or Table I
Sample results and GROs presented in milligrams per liter (mg/L)
--- Remediation Objective not established
NT Not tested
U Qualifier indicates analyte not detected (less than Reporting Limit)
J Qualifier indicates estimated concentration above the method detection limit and below the reporting limit
bold Analytical results in bold indicate detected parameter
ital. Italicized analytical results indicate reporting limit for parameter is greater than a Tier 1 GRO
Sample result exceeds one or more GRO
GRO has been exceeded in one or more sample

Analytical Parameter	Tier 1 Groundwater Remediation Objectives (GROs)		40247068003	40247068010	40247068009	40246997003	40247068007	40247068008	40247068004	40247068005	40246997006	40247068001	40247159001									
	Groundwater Ingestion		20220622 DUP-01 (Duplicate of MW-08)	MW-09	MW-10	MW-11	MW-12	MW-13	MW-14	MW-15	TB-01	TB-02	TB-03									
	Class I	Class II	6/22/2022	6/22/2022	6/22/2022	6/21/2022	6/22/2022	6/22/2022	6/22/2022	6/22/2022	6/21/2022	6/22/2022	6/23/2022									
Acetone	6.3	6.3	U	0.0086	U	0.0086	U	0.0086	U	0.0086	U	0.0086	U	0.0086	U	0.0086	U	0.0086	U	0.0086	U	0.0086
Benzene	0.005	0.025	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030
Bromodichloromethane	0.0002	0.0002	U	0.00042	U	0.00042	U	0.00042	U	0.00042	U	0.00042	U	0.00042	U	0.00042	U	0.00042	U	0.00042	U	0.00042
Bromoform	0.001	0.001	U	0.0038	U	0.0038	U	0.0038	U	0.0038	U	0.0038	U	0.0038	U	0.0038	U	0.0038	U	0.0038	U	0.0038
Bromomethane	0.0098	0.049	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012
2-Butanone	---	---	U	0.0065	U	0.0065	U	0.0065	U	0.0065	U	0.0065	U	0.0065	U	0.0065	U	0.0065	U	0.0065	U	0.0065
Carbon disulfide	0.7	3.5	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011
Carbon tetrachloride	0.005	0.025	U	0.00037	U	0.00037	U	0.00037	U	0.00037	U	0.00037	U	0.00037	U	0.00037	U	0.00037	U	0.00037	U	0.00037
Chlorobenzene	0.1	0.5	U	0.00086	U	0.00086	U	0.00086	U	0.00086	U	0.00086	U	0.00086	U	0.00086	U	0.00086	U	0.00086	U	0.00086
Chloroethane	---	---	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014
Chloroform	0.0002	0.001	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012
Chloromethane	---	---	U	0.0016	U	0.0016	U	0.0016	U	0.0016	U	0.0016	U	0.0016	U	0.0016	U	0.0016	U	0.0016	U	0.0016
Dibromochloromethane	0.14	0.14	U	0.0026	U	0.0026	U	0.0026	U	0.0026	U	0.0026	U	0.0026	U	0.0026	U	0.0026	U	0.0026	U	0.0026
1,1-Dichloroethane	0.7	3.5	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030
1,2-Dichloroethane	0.005	0.025	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029
1,1-Dichloroethene	0.007	0.035	U	0.00058	U	0.00058	U	0.00058	U	0.00058	U	0.00058	U	0.00058	U	0.00058	U	0.00058	U	0.00058	U	0.00058
cis-1,2-Dichloroethene	0.07	0.2	U	0.00047	U	0.00047	U	0.00047	U	0.00047	U	0.00047	U	0.00047	U	0.00047	U	0.00047	U	0.00047	U	0.00047
trans-1,2-Dichloroethene	0.1	0.5	U	0.00053	U	0.00053	U	0.00053	U	0.00053	U	0.00053	U	0.00053	U	0.00053	U	0.00053	U	0.00053	U	0.00053
1,2-Dichloropropane	0.005	0.025	U	0.00045	U	0.00045	U	0.00045	U	0.00045	U	0.00045	U	0.00045	U	0.00045	U	0.00045	U	0.00045	U	0.00045
cis-1,3-Dichloropropene	0.001	0.005	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036
trans-1,3-Dichloropropene	0.001	0.005	U	0.0035	U	0.0035	U	0.0035	U	0.0035	U	0.0035	U	0.0035	U	0.0035	U	0.0035	U	0.0035	U	0.0035
Ethylbenzene	0.7	1	U	0.00033	U	0.00033	U	0.00033	U	0.00033	U	0.00033	U	0.00033	U	0.00033	U	0.00033	U	0.00033	U	0.00033
2-Hexanone	---	---	U	0.0063	U	0.0063	U	0.0063	U	0.0063	U	0.0063	U	0.0063	U	0.0063	U	0.0063	U	0.0063	U	0.0063
Methylene chloride	0.005	0.05	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032
4-Methyl-2-pentanone	---	---	U	0.0060	U	0.0060	U	0.0060	U	0.0060	U	0.0060	U	0.0060	U	0.0060	U	0.0060	U	0.0060	U	0.0060
Methyl-tert-butyl ether	0.07	0.07	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011
Styrene	0.1	0.5	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036	U	0.00036
1,1,2,2-Tetrachloroethane	---	---	U	0.00038	U	0.00038	U	0.00038	U	0.00038	U	0.00038	U	0.00038	U	0.00038	U	0.00038	U	0.00038	U	0.00038
Tetrachloroethene	0.005	0.025	U	0.00041	U	0.00041	U	0.00041	U	0.00041	U	0.00041	U	0.00041	U	0.00041	U	0.00041	U	0.00041	U	0.00041
Toluene	1	2.5	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029	U	0.00029
1,1,1-Trichloroethane	0.2	1	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030	U	0.00030
1,1,2-Trichloroethane	0.005	0.05	U	0.00034	U	0.00034	U	0.00034	U	0.00034	U	0.00034	U	0.00034	U	0.00034	U	0.00034	U	0.00034	U	0.00034
Trichloroethene	0.005	0.025	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032	U	0.00032
Vinyl chloride	0.002	0.01	U	0.00017	U	0.00017	U	0.00017	U	0.00017	U	0.00017	U	0.00017	U	0.00017	U	0.00017	U	0.00017	U	0.00017
Xylenes (total)	10.0	10.0	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.0010	U	0.0010

Tier 1 Groundwater Remediation Objectives (GROs) taken from Sample results and GROs presented in milligrams per liter (mg/L)

--- Remediation Objective not established

NT Not tested

U Qualifier indicates analyte not detected (less than Reporting Limit)

J Qualifier indicates estimated concentration above the method detection limit

bold Analytical results in bold indicate detected parameter

ital. Italicized analytical results indicate reporting limit for parameter

Sample result exceeds one or more GRO

GRO has been exceeded in one or more sample

Table 2B

Semi-Volatile Results

Analytical Parameter	Tier 1 Groundwater Remediation Objectives (mg/L)						40246997001	40247159003	40247159002	40246997002	40246997004	40246997005	40247068002	40247068011	40247068003	40247068010	40247068009	40246997003	40247068007	40247068008	40247068004	40247068005															
	Groundwater Ingestion		Indoor Inhalation				MW-01	MW-02	MW-03	MW-04	MW-05	MW-06	MW-07	MW-08	20220622 DUP-01 (Duplicate of MW-08)	MW-09	MW-10	MW-11	MW-12	MW-13	MW-14	MW-15															
	Class I	Class II	Residential	Ind./Com.	Residential	Ind./Com.	6/21/2022	6/23/2022	6/23/2022	6/21/2022	6/21/2022	6/21/2022	6/22/2022	6/22/2022	6/22/2022	6/22/2022	6/22/2022	6/21/2022	6/22/2022	6/22/2022	6/22/2022	6/22/2022															
Acenaphthene	0.42	2.1	---	---	---	U	0.000014	U	0.000013	U	0.000015	0.00025	U	0.000014	U	0.000014	U	0.000015	U	0.000014	U	0.000014	U	0.000013	J	0.000019	0.0011	U	0.000014	U	0.000013	U	0.000012				
Acenaphthylene	---	---	---	---	---	U	0.000012	U	0.000012	U	0.000012	U	0.000012	U	0.000012	U	0.000012	U	0.000012	U	0.000012	U	0.000012	U	0.000012	J	0.000078	U	0.000013	U	0.000012	U	0.000012				
Anthracene	2.1	10.5	---	---	---	U	0.000018	U	0.000018	U	0.000020	U	0.000018	J	0.000019	U	0.000019	U	0.000020	U	0.000018	U	0.000018	U	0.000018	J	0.000036	U	0.000019	U	0.000019	U	0.000018				
Benzo(a)anthracene	0.00013	0.00065	---	---	---	U	0.000013	U	0.000013	U	0.000014	U	0.000013	U	0.000013	U	0.000015	U	0.000013	U	0.000014	U	0.000014	U	0.000014	U	0.000016	U	0.000055	U	0.000014	U	0.000013				
Benzo(a)pyrene	0.0002	0.002	---	---	---	U	0.000012	U	0.000012	U	0.000014	U	0.000012	U	0.000012	U	0.000014	U	0.000013	U	0.000014	U	0.000014	U	0.000013	J	0.000091	U	0.000013	U	0.000012	U	0.000012				
Benzo(b)fluoranthene	0.00018	0.0009	---	---	---	U	0.000089	U	0.000087	J	0.000097	J	0.000015	U	0.000089	U	0.000091	U	0.000099	J	0.000012	0.00020	U	0.000090	U	0.000093	U	0.000085	J	0.000020	J	0.000057	U	0.000091			
Benzo(k)fluoranthene	---	---	---	---	---	U	0.000023	U	0.000022	U	0.000025	U	0.000022	U	0.000023	U	0.000023	U	0.000025	U	0.000023	U	0.000023	U	0.000023	J	0.00019	U	0.000023	U	0.000023	U	0.000022				
Benzo(k)fluoranthene	0.00017	0.00085	---	---	---	U	0.000022	U	0.000021	U	0.000024	U	0.000021	U	0.000022	U	0.000022	U	0.000022	U	0.000022	U	0.000022	U	0.000022	U	0.000022	U	0.000026	U	0.000090	U	0.000022				
4-Bromophenyl-phenylether	---	---	---	---	---	U	0.00086	U	0.00087	U	0.00091	U	0.00082	U	0.00092	U	0.00083	U	0.00089	U	0.00095	U	0.00089	U	0.00089	U	0.00087	U	0.00091	U	0.00087	U	0.00090	U	0.00091		
Butyl benzyl phthalate	1.4	7.0	---	---	---	U	0.00068	U	0.00069	U	0.00071	U	0.00064	U	0.00072	U	0.00065	U	0.00070	U	0.00074	U	0.00070	U	0.00068	U	0.00071	U	0.00068	U	0.00071	U	0.00072	U	0.00069		
Carbazole	---	---	---	---	---	U	0.00023	U	0.00023	U	0.00024	U	0.00021	U	0.00024	U	0.00022	U	0.00023	U	0.00025	U	0.00023	U	0.00023	U	0.00024	U	0.00024	U	0.00023	U	0.00023	U	0.00026		
4-Chloro-3-Methylphenol	---	---	---	---	---	U	0.00091	U	0.00093	U	0.00096	U	0.00086	U	0.00097	U	0.00088	U	0.00094	U	0.0010	U	0.00094	U	0.00092	U	0.00092	U	0.00095	U	0.00092	U	0.00093	U	0.0010		
4-Chloroaniline	0.028	0.028	---	---	---	U	0.00092	U	0.00088	U	0.00092	U	0.00082	U	0.00093	U	0.00084	U	0.00090	U	0.00096	U	0.00089	U	0.00089	U	0.00087	U	0.00091	U	0.00092	U	0.00089	U	0.00098		
Bis(2-Chloroethoxy)methane	---	---	---	---	---	U	0.00042	U	0.00043	U	0.00044	U	0.00040	U	0.00045	U	0.00040	U	0.00043	U	0.00046	U	0.00043	U	0.00043	U	0.00042	U	0.00044	U	0.00044	U	0.00043	U	0.00047		
Bis(2-chloroethyl)ether	0.01	0.01	0.083	0.43	6.6	48	U	0.00067	U	0.00068	U	0.00070	U	0.00063	U	0.00064	U	0.00069	U	0.00073	U	0.00068	U	0.00067	U	0.00070	U	0.00067	U	0.00069	U	0.00071	U	0.00068	U	0.00075	
2-Chloronaphthalene	---	---	---	---	---	U	0.0012	U	0.0012	U	0.0013	U	0.0011	U	0.0013	U	0.0012	U	0.0012	U	0.0013	U	0.0012	U	0.0012	U	0.0012	U	0.0013	U	0.0013	U	0.0012	U	0.0012	U	0.0014
2-Chlorophenol	0.035 ^{pH}	0.035 - 0.175 ^{pH}	22,000	22,000	22,000	22,000	U	0.0025	U	0.0026	U	0.0027	U	0.0024	U	0.0027	U	0.0024	U	0.0026	U	0.0028	U	0.0026	U	0.0025	U	0.0026	U	0.0025	U	0.0026	U	0.0027	U	0.0028	
4-Chlorophenyl-phenyl ether	---	---	---	---	---	U	0.00060	U	0.00061	U	0.00063	U	0.00057	U	0.00064	U	0.00058	U	0.00061	U	0.00065	U	0.00061	U	0.00061	U	0.00061	U	0.00062	U	0.00063	U	0.00062	U	0.00061	U	0.00067
Chrysene	0.0015	0.0075	---	---	---	U	0.00012	U	0.00012	J	0.000018	J	0.000016	U	0.00012	U	0.00013	U	0.00014	J	0.000020	0.00027	U	0.00013	U	0.00013	U	0.00012	J	0.000049	0.00080	U	0.00013	U	0.00012		
Dibenz(a,h)anthracene	0.0003	0.0015	---	---	---	U	0.00017	U	0.00017	U	0.00019	U	0.00017	U	0.00018	U	0.00018	J	0.00029	U	0.00018	J	0.00029	U	0.00018	U	0.00018	U	0.00017	U	0.00020	U	0.00018	U	0.00017		
Dibenzofuran	---	---	---	---	---	U	0.00090	U	0.00092	U	0.00096	U	0.00086	U	0.00097	U	0.00087	U	0.00093	U	0.00099	U	0.00099	U	0.00091	U	0.00091	U	0.00094	U	0.00091	U	0.00096	U	0.0010		
1,2-Dichlorobenzene	0.6	1.5	140	160	160	160	U	0.0020	U	0.0020	U	0.0021	U	0.0019	U	0.0020	U	0.0020	U	0.0022	U	0.0020	U	0.0020	U	0.0020	U	0.0020	U	0.0021	U	0.0020	U	0.0020	U	0.0022	
1,3-Dichlorobenzene	---	---	---	---	---	---	U	0.0021	U	0.0021	U	0.0022	U	0.0020	U	0.0023	U	0.0020	U	0.0022	U	0.0022	U	0.0022	U	0.0022	U	0.0022	U	0.0022	U	0.0022	U	0.0022	U	0.0024	
1,4-Dichlorobenzene	0.075	0.375	79	79	79	79	U	0.0017	U	0.0018	U	0.0018	U	0.0016	U	0.0018	U	0.0017	U	0.0018	U	0.0019	U	0.0018	U	0.0017	U	0.0018	U	0.0018	U	0.0018	U	0.0018	U	0.0020	
3,3'-Dichlorobenzidine	0.02	0.1	---	---	---	---	U	0.00053	U	0.00054	U	0.00056	U	0.00050	U	0.00057	U	0.00051	U	0.00055	U	0.00058	U	0.00055	U	0.00053	U	0.00056	U	0.00055	U	0.00056	U	0.00054	U	0.00060	
2,4-Dichlorophenol	0.021	0.021	---	---	---	---	U	0.0015	U	0.0015	U	0.0016	U	0.0014	U	0.0016	U	0.0015	U	0.0016	U	0.0015	U	0.0015	U	0.0015	U	0.0015	U	0.0016	U	0.0015	U	0.0015	U	0.0017	
Diethyl phthalate	5.6	5.6	---	---	---	---	U	0.00059	U	0.00060	U	0.00062	U	0.00056	U	0.00063	U	0.00057	U	0.00060	U	0.00064	U	0.00060	U	0.00064	U	0.00059	U	0.00062	U	0.00059	U	0.00061	U	0.00062	
2,4-Dimethylphenol	0.14	0.14	---	---	---	---	U	0.00042	U	0.00042	U	0.00044	U	0.00040	U	0.00045	U	0.00040	U	0.00043	U	0.00046	U	0.00043	U	0.00043	U	0.00042	U	0.00044	U	0.00044	U	0.00043	U	0.00047	
Dimethylphthalate	0.7	3.5	---	---	---	---	U	0.00041	U	0.00041	U	0.00043	U	0.00039	U	0.00043	U	0.00039	U	0.00042	U	0.00045	U	0.00042	U	0.00042	U	0.00041	U	0.00041	U	0.00041	U	0.00041	U	0.00046	
Di-n-butyl phthalate	---	---	---	---	---	---	U	0.00032	U	0.00032	U	0.00034	J	0.00098	U	0.00034	U	0.00031	U	0.00033	U	0.00035	U	0.00033	U	0.00032	U	0.00033	U	0.00032	U	0.00033	U	0.00033	U	0.00036	
4,6-Dinitro-2-methylphenol	0.00056	0.00056	---	---	---	---	U	0.0012	U	0.0012	U	0.0013	U	0.0011	U	0.0013	U	0.0011	U	0.0012	U	0.0013	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0012	U	0.0013	
3,4-Dinitrophenol	0.014	0.014	---	---	---	---	U	0.0025	U	0.0026	U	0.0027	U	0.0024	U	0.0027	U	0.0024	U	0.0026	U	0.0028	U														

Table 2C
Inorganic Results

Analytical Parameter	Tier 1 Groundwater Remediation Objectives (mg/L)		40246997001		40247159003		40247159002		40246997002		40246997004		40246997005		40247068002		40247068011		40247068003		40247068010		40247068009		40246997003		40247068007		40247068008		40247068004		40247068005			
	Groundwater Ingestion		MW-01	MW-02	MW-03	MW-04	MW-05	MW-06	MW-07	MW-08	20220622 DUP-01 (Duplicate of MW-08)		MW-09	MW-10	MW-11	MW-12	MW-13	MW-14	MW-15																	
	Class I	Class II	6/21/2022	6/23/2022	6/23/2022	6/21/2022	6/21/2022	6/21/2022	6/22/2022	6/22/2022	6/22/2022	6/22/2022	6/22/2022	6/22/2022	6/21/2022	6/22/2022	6/22/2022	6/22/2022	6/22/2022																	
Aluminum	3.5	5	U	0.036	U	0.036	1.4	U	0.036	U	0.036	J	0.052	U	0.036	U	0.036	U	0.036	U	0.036	U	0.036	U	0.036	U	0.036	U	0.036	U	0.036	U	0.036	U	0.036	
Cyanide	0.2	0.6	U	0.0069	U	0.0069	U	0.0069	U	0.0069	U	0.0069	U	0.0069	U	0.0069	U	0.0069	U	0.0069	U	0.0069	U	0.0069	U	0.0069	U	0.0069	U	0.0069	U	0.0069	U	0.0069		
Antimony	0.006	0.024	U	0.00063	U	0.00063	U	0.00063	U	0.00063	U	0.00063	U	0.00063	U	0.00063	U	0.00063	U	0.00063	U	0.00063	U	0.00063	U	0.00063	U	0.00063	U	0.00063	U	0.00063	U	0.00063	J	0.00071
Arsenic	0.01	0.2	J	0.00029	J	0.00033	J	0.00098	0.0018	J	0.00032	J	0.00023	J	0.00064	J	0.00021	J	0.00022	0.0031	J	0.00023	U	0.0002	J	0.00027	0.0029	J	0.00026	J	0.00059					
Barium	2.0	2.0		0.073		0.093		0.16		0.10		0.067		0.046		0.13		0.064		0.063		0.12		0.076		0.063		0.057		0.13		0.045		0.085		
Beryllium	0.004	0.5	U	0.00012	U	0.00012	J	0.00021	U	0.00012	U	0.00012	U	0.00012	U	0.00012	U	0.00012	U	0.00012	U	0.00012	U	0.00012	U	0.00012	U	0.00012	U	0.00012	U	0.00012	U	0.00012	U	0.00012
Cadmium	0.005	0.05	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	J	0.00011
Calcium	---	---		95.6		113		99.8		106		76.9		115		81.1		90.9		88.8		70.7		100		110		72.9		85.9		125		162		
Chromium (total)	0.1	1.0	J	0.00065	U	0.00062		0.0015	U	0.00062	U	0.00062		0.0014	U	0.00062	U	0.00062	U	0.00062	J	0.00068	U	0.00062	J	0.00068	U	0.00062	U	0.00062		0.0021	U	0.00062	U	0.00062
Cobalt	1.0	1.0	J	0.00010	J	0.00042	J	0.00039	J	0.00093	J	0.00069	J	0.00030	J	0.0003	J	0.00028	J	0.00030	J	0.00071	J	0.00026	J	0.00041	J	0.00014	J	0.00084	J	0.00043	J	0.00027		
Copper	0.65	0.65	J	0.00096	U	0.00083	J	0.0024	J	0.00094	U	0.00083	U	0.00083	J	0.00089	U	0.00083	U	0.00083	J	0.00083	U	0.00083	U	0.00083	U	0.00083	J	0.0014	J	0.00084	J	0.0010		
Iron	5.0	5.0	U	0.049	U	0.049		0.92	U	0.049	U	0.049	U	0.049	U	0.049	U	0.049	U	0.049	U	0.049	U	0.049	U	0.049	U	0.049	U	0.049	U	0.049	U	0.049	U	0.049
Lead	0.0075	0.1	J	0.00011	U	0.000070		0.0016	U	0.000070	J	0.000081	J	0.000076	U	0.000070	U	0.000070	J	0.00012	U	0.000070	U	0.000070	U	0.000070	U	0.000070	U	0.000070	U	0.000070	J	0.00018		
Magnesium	---	---		33.8		35.4		38.4		35.5		25.7		44.6		8.9		38.4		38.3		26.7		41.3		50.7		27.3		27.1		54.7		44.7		
Manganese	0.15	10.0		0.043		0.096		0.055	0.53		0.39		0.043		0.11		0.21		0.11		0.11		0.63		0.034		0.023		0.0056		0.71		0.069		0.10	
Mercury	0.002	0.01	U	0.000066	U	0.000066	U	0.000066	U	0.000066	U	0.000066	U	0.000066	U	0.000066	U	0.000066	U	0.000066	U	0.000066	U	0.000066	U	0.000066	U	0.000066	U	0.000066	U	0.000066	U	0.000066	U	0.000066
Nickel	0.1	2	J	0.00063		0.0016		0.0018		0.0025		0.0013		0.00056	J	0.00089		0.0011		0.0011		0.0012	J	0.00073	U	0.00056	U	0.00056	U	0.00056	U	0.00056	U	0.00056	U	0.00056
Potassium	---	---		0.37		0.63		1.1		4.5		2.8		1.5		2.7		0.25		0.28		4.3		0.33		0.43		2.1		1.4		0.70		1.3		
Selenium	0.05	0.05		0.0039		0.0041		0.0059	U	0.00037	J	0.00040		0.0057	J	0.00068	U	0.00037	U	0.00037	J	0.00049		0.0013		0.0064	J	0.00056	U	0.00037	U	0.00037	U	0.00037		
Silver	0.05	---	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080
Sodium	---	---		6.0		14.3		51.1		8.9		16.7		16.6		4.8		12.6		12.6		11.7		16.4		22.1		12.1		26.3		23.0		12.4		
Thallium	0.002	0.02	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080	U	0.000080
Vanadium	0.049	0.1	U	0.0023	U	0.0023	U	0.0023	U	0.0023	U	0.0023	U	0.0023	U	0.0023	U	0.0023	U	0.0023	U	0.0023	U	0.0023	U	0.0023	U	0.0023	U	0.0023	U	0.0023	U	0.0023	U	0.0023
Zinc	5.0	10	J	0.0053	J	0.0064	J	0.017	J	0.0087	J	0.0098	U	0.0044	J	0.012	J	0.0088		0.010		0.012	J	0.0046	U	0.0044	U	0.0044	U	0.0044	U	0.0044	U	0.0044	U	0.0044

Tier 1 Groundwater Remediation Objectives (GROs) taken from TACO Appendix B, Table E

Sample results and GROs presented in milligrams per liter (mg/L)

--- Remediation Objective not established

NT Not tested

U Qualifier indicates analyte not detected (less than Reporting Limit)

J Qualifier indicates estimated concentration above the method detection limit and below the reporting limit

bold Analytical results in bold indicate detected parameter

ital. Italicized analytical results indicate reporting limit for parameter is greater than a Tier 1 GRO



 Sample result exceeds one or more GRO

 GRO has been exceeded in one or more sample

Table 2D

Pesticides and PCB Results

TARGET COMPOUND LIST - PESTICIDES PARAMETERS	Tier 1 Groundwater Remediation Objectives for the Groundwater Ingestion Route (mg/L)		40246997001	40247159003	40247159002	40246997002	40246997004	40246997005	40247068002	40247068011	40247068003	40247068010	40247068009	40246997003	40247068007	40247068008	40247068004	40247068005		
	Class I	Class II	MW-01	MW-02	MW-03	MW-04	MW-05	MW-06	MW-07	MW-08	20220622 DUP-01 (Duplicate of MW-08)	MW-09	MW-10	MW-11	MW-12	MW-13	MW-14	MW-15		
Analytical Parameter			6/21/2022	6/23/2022	6/23/2022	6/21/2022	6/21/2022	6/21/2022	6/22/2022	6/22/2022	6/22/2022	6/22/2022	6/22/2022	6/21/2022	6/22/2022	6/22/2022	6/22/2022	6/22/2022		
Aldrin	0.014	0.07	U	0.000038	U	0.000042	U	0.000051	U	0.000038	U	0.000040	U	0.000046	U	0.000051	U	0.000051	U	0.000044
alpha-HCH (alpha-BHC)	0.00011	0.00055	U	0.000029	U	0.000032	U	0.000039	U	0.000029	U	0.000032	U	0.000030	U	0.000035	U	0.000039	U	0.000033
beta-BHC	---	---	U	0.000039	U	0.000043	U	0.000052	U	0.000039	U	0.000043	U	0.000047	U	0.000052	U	0.000055	U	0.000045
delta-BHC	---	---	U	0.000038	U	0.000041	U	0.000050	U	0.000038	U	0.000041	U	0.000039	U	0.000045	U	0.000050	U	0.000043
gamma-HCH (Lindane)	0.0002	0.001	U	0.000032	U	0.000035	U	0.000042	U	0.000032	U	0.000038	U	0.000042	U	0.000038	U	0.000045	U	0.000036
Chlordane	0.002	0.01	U	0.0017	U	0.0019	U	0.0023	U	0.0017	U	0.0018	U	0.0020	U	0.0023	U	0.0024	U	0.0020
alpha-Chlordane	---	---	U	0.000032	U	0.000035	U	0.000043	U	0.000032	U	0.000035	U	0.000034	U	0.000039	U	0.000046	U	0.000037
gamma-Chlordane	---	---	U	0.000041	U	0.000045	U	0.000054	U	0.000041	U	0.000043	U	0.000049	U	0.000058	U	0.000067	U	0.000047
DDD	0.014	0.07	U	0.000080	U	0.000087	U	0.00011	U	0.000080	U	0.000087	U	0.000096	U	0.00011	U	0.00011	U	0.000091
DDE	0.01	0.05	U	0.000062	U	0.000067	U	0.000082	U	0.000062	U	0.000064	U	0.000074	U	0.000082	U	0.000087	U	0.000070
DDT	0.006	0.03	U	0.000071	U	0.000077	U	0.000094	U	0.000071	U	0.000074	U	0.000085	U	0.000094	U	0.00010	U	0.000081
Dieldrin	0.009	0.045	U	0.000069	U	0.000075	U	0.000092	U	0.000069	U	0.000072	U	0.000083	U	0.000092	U	0.000098	U	0.000079
Endosulfan I	0.042	0.21	U	0.000029	U	0.000032	U	0.000039	U	0.000029	U	0.000032	U	0.000030	U	0.000035	U	0.000039	U	0.000033
Endosulfan II	---	---	U	0.000067	U	0.000073	U	0.000089	U	0.000067	U	0.000070	U	0.000080	U	0.000089	U	0.000094	U	0.000076
Endosulfan Sulfate	---	---	U	0.000059	U	0.000065	U	0.000079	U	0.000059	U	0.000062	U	0.000071	U	0.000079	U	0.000084	U	0.000068
Endrin	0.002	0.01	U	0.000074	U	0.000081	U	0.000099	U	0.000074	U	0.000077	U	0.000089	U	0.000099	U	0.00010	U	0.000085
Endrin Aldehyde	---	---	U	0.000082	U	0.000089	U	0.00011	U	0.000082	U	0.000089	U	0.000085	U	0.000098	U	0.00012	U	0.000093
Endrin Ketone	---	---	U	0.000067	U	0.000073	U	0.000089	U	0.000067	U	0.000070	U	0.000080	U	0.000089	U	0.000094	U	0.000076
Heptachlor	0.0004	0.002	U	0.000035	U	0.000038	U	0.000047	U	0.000035	U	0.000038	U	0.000037	U	0.000042	U	0.000049	U	0.000040
Heptachlor epoxide	0.0002	0.001	U	0.000035	U	0.000038	U	0.000047	U	0.000035	U	0.000038	U	0.000037	U	0.000042	U	0.000049	U	0.000040
Methoxychlor	0.04	0.2	U	0.000035	U	0.000038	U	0.000047	U	0.000035	U	0.000038	U	0.000037	U	0.000042	U	0.000049	U	0.000040
Toxaphene	0.003	0.015	U	0.00019	U	0.00021	U	0.00025	U	0.00019	U	0.00021	U	0.00020	U	0.00023	U	0.00027	U	0.00022
Aroclor - 1016	---	---	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011
Aroclor - 1221	---	---	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011
Aroclor - 1232	---	---	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011
Aroclor - 1242	---	---	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011
Aroclor - 1248	---	---	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011
Aroclor - 1254	---	---	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011
Aroclor - 1260	---	---	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011
Polychlorinated biphenyls (PCBs)	0.0005	0.0025	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011	U	0.00011

Tier 1 Groundwater Remediation Objectives (GROs) taken from TACO Appendix B, Table E
Sample results and GROs presented in milligrams per liter (mg/L)
- Remediation Objective not established
NT Not tested
U Qualifier indicates analyte not detected (less than Reporting Limit)
J Qualifier indicates estimated concentration above the method detection limit and below the reporting limit
bold Analytical results in bold indicate detected parameter
ital. Italicized analytical results indicate reporting limit for parameter is greater than a Tier 1 GRO
 Sample result exceeds one or more GRO
 GRO has been exceeded in one or more sample

Appendix 1

Soil Boring Logs/Well Construction Diagrams







Appendix 2
Laboratory Analytical Reports

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/2/22 **COMPLETED** 5/2/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)	
0.4	DT	58	Sample 1.5-2.5 ft bgs	CL-ML		Black (10YR 2/1), dry, nonplastic, topsoil, trace gravel, FILL	0.0	
						Brownish yellow (10YR 7.5/8), dry, nonplastic, sandy gravel, FILL	0.0	
1.8						Black (10YR 2/1), moist, low plasticity, firm, silty, CLAY	0.0	
3.3						Black (10YR 2/1) to brownish yellow (10YR 6/6), primarily very pale brown (10YR 8/2) with yellow (10YR 7/8) throughout, moist, low plasticity, firm, CLAY	0.0	
5	DT	60	Sample 4-5 ft bgs	CL			0.0	
								0.0
								0.0
								0.0
10	DT	70					0.0	
							0.0	
						color change to light yellowish brown (10YR 6/4)	0.0	
							0.0	
15	DT	50					0.0	
							0.0	
						color change to gray (10YR 6/1)	0.0	
							0.0	
20	DT	60					0.0	
							0.0	
						Bottom of hole at 20.0 feet.		

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/2/22 **COMPLETED** 5/2/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.0	DT	75	Sample 2-3 ft bgs			0.7 Light gray (10YR 6/1), dry, nonplastic, topsoil, trace gravel, TOPSOIL	0.0
						1.3 Black (10YR 2/1), moist, nonplastic, topsoil, trace sand, slag and cinder, FILL	0.0
1.0	DT	75	Sample 2-3 ft bgs			Brownish yellow (10YR 6/6), moist, nonplastic, small gravel, some sand, FILL	0.0
						2.7 Black (10YR 2/1), moist, low plasticity, firm, silty, CLAY	0.0
5.0	DT	60	Sample 4-5 ft bgs	CL-ML		3.5 Black (10YR 2/1) to brownish yellow (10YR 6/6), primarily very pale brown (10YR 8/2) with yellow (10YR 7/8) throughout, moist, low plasticity, firm, CLAY	0.0
						0.0	0.0
10.0	DT	75		CL		0.0	0.0
						0.0	0.0
15.0	DT	63		CL		color change to light yellowish brown (10YR 6/4)	0.0
						0.0	0.0
20.0	DT	100		CL		color change to gray (10YR 6/1)	0.0
						0.0	0.0
						Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT.US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/2/22 **COMPLETED** 5/2/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0	DT	50	Sample 1-2 ft bgs	CL-ML	[Cross-hatched pattern]	0.4 Black (10YR 2/1), dry, nonplastic, fine to medium sand with small gravel, trace slag and cinder, FILL	0.0
						0.9 Yellow (10YR 7/6), dry, nonplastic, fine to medium sand with small gravel, FILL	0.0
0	DT	50	Sample 1-2 ft bgs	CL	[Diagonal lines pattern]	2.0 Black (10YR 2/1), moist, low plasticity, firm, silty, CLAY	0.0
						3.3 Black (10YR 2/1) to brownish yellow (10YR 6/6), primarily very pale brown (10YR 8/2) with yellow (10YR 7/8) throughout, moist, low plasticity, firm, CLAY	0.0
5	DT	63	Sample 4-5 ft bgs	CL	[Diagonal lines pattern]	Very pale brown (10YR 8/2), and yellow (10YR 7/8) mottled, moist, low plasticity, firm, CLAY	0.0
							0.0
10	DT	75		CL	[Diagonal lines pattern]		0.0
							0.0
15	DT	65		CL	[Diagonal lines pattern]	color change to light yellowish brown (10YR 6/4)	0.0
							0.0
16.0			Bottom of hole at 16.0 feet.				

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/2/22 **COMPLETED** 5/2/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.0 - 0.8	DT	63	Sample 2-2.5 ft bgs	CL-ML	0.4	Light gray (10YR 6/1), dry, nonplastic, topsoil, trace gravel, TOPSOIL	0.0
					0.8	Black (10YR 2/1), dry, nonplastic, fine to medium sand with small gravel, trace slag and cinder, FILL	0.0
0.8 - 2.0	DT	63	Sample 2-2.5 ft bgs	CL-ML	2.0	Yellow (10YR 7/6), dry, nonplastic, fine to medium sand with small gravel, FILL	0.0
					3.3	Black (10YR 2/1), moist, low plasticity, firm, silty, CLAY	0.0
2.0 - 5.0	DT	50	Sample 4.5-5.5 ft bgs	CL	3.3	Very pale brown (10YR 8/2), and yellow (10YR 7/8) mottled, moist, low plasticity, firm, CLAY	0.0
					5.0		0.0
5.0 - 10.0	DT	65		CL	10.0		0.0
					15.0		0.0
10.0 - 16.0	DT	40		CL	15.0	color change to light yellowish brown (10YR 6/4)	0.0
					16.0	Bottom of hole at 16.0 feet.	0.0

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

FEHR GRAHAM

ENGINEERING & ENVIRONMENTAL

BORING NUMBER SB-06

PAGE 1 OF 1

CLIENT <u>Moving Pillsbury Forward</u>	PROJECT NAME <u>Pillsbury</u>
PROJECT NUMBER <u>22-521 Ph01</u>	PROJECT LOCATION <u>Springfield, IL</u>
DATE STARTED <u>5/3/22</u> COMPLETED <u>5/3/22</u>	GROUND ELEVATION <u>--</u> HOLE SIZE <u>2"</u>
DRILLING CONTRACTOR <u>GeoServe Inc.</u>	GROUND WATER LEVELS:
DRILLING METHOD <u>Geoprobe 7822DT</u>	AT TIME OF DRILLING <u>---</u>
LOGGED BY <u>Tony Guajardo</u> CHECKED BY <u>Annie Ray</u>	AT END OF DRILLING <u>---</u>
NOTES <u>--</u>	AFTER DRILLING <u>---</u>

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.0						Very dark brown (10YR 2/2), moist, nonplastic, topsoil, trace gravel, TOPSOIL	0.0
0.3							
0.8						Black (10YR 2/1), dry, nonplastic, fine to medium sand with small gravel, trace brick, slag and cinder, FILL	0.0
2.1						Brownish yellow (10YR 6/6), moist, nonplastic small gravel with fine to medium sand, FILL	0.0
2.7	DT	68	Sample 2-2.7 ft bgs	CL-ML		Black (10YR 2/1), moist, low plasticity, firm, silty, CLAY	0.0
3.4						Very pale brown (10YR 8/2), and yellow (10YR 7/8) mottled, moist, low plasticity, firm, CLAY	
5.0							0.0
5.6	DT	85	Sample 5-6 ft bgs				0.0
10.0							0.0
10.0	DT	75		CL			0.0
15.0							0.0
15.0	DT	50				color change to light yellowish brown (10YR 6/4), softer	0.0
16.0						Bottom of hole at 16.0 feet.	0.0

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/3/22 **COMPLETED** 5/3/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	58	Sample 1.3-2.3 ft bgs	CL-ML	0.5	Black (10YR 2/1), dry, nonplastic, fine to medium sand with small gravel, trace brick and slag, FILL	0.0
					1.5	Brownish yellow (10YR 6/6), moist, nonplastic, small gravel with fine to medium sand, FILL	0.0
5	DT	65	Sample 4.5-5.5 ft bgs	CL	4.3	Black (10YR 2/1), moist, low plasticity, firm, silty, CLAY	0.0
						Very pale brown (10YR 8/2), and yellow (10YR 7/8) mottled, moist, low plasticity, firm, CLAY	0.0
10	DT	63		CL			0.0
15	DT	68				color change to light yellowish brown (10YR 6/4), softer	0.0
					16.0	Bottom of hole at 16.0 feet.	0.0

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/3/22 **COMPLETED** 5/3/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES Run for TPH **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)	
5	DT	60	Sample 2-2.5 ft bgs	CL-ML		0.2 Black (10YR 2/1), moist, nonplastic, TOPSOIL	0.0	
						1.3 Black (10YR 2/1), dry, nonplastic, fine to medium sand with small gravel, trace brick and slag, FILL	0.0	
						1.9 Brownish yellow (10YR 6/6), moist, nonplastic, small gravel with fine to medium sand, FILL	0.0	
						Black (10YR 2/1), moist, low plasticity, firm, silty, CLAY	0-2	
5	DT	58	Sample 4.5-5.5 ft bgs	CL		4.5 Very pale brown (10YR 7/3), and yellow (10YR 7/8) mottled, moist, low plasticity, firm, CLAY	0.0	
							0-10	
10	DT	73		CL			0.0	
							0.0	
							0.0	
							0.0	
15	DT	73		CL		color change to light yellowish brown (10YR 6/4), softer	0.0	
							0.0	
							0.0	
							0.0	
						16.0	Bottom of hole at 16.0 feet.	

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/3/22 **COMPLETED** 5/3/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	65	Sample 1.5-2.5 ft bgs	CL-ML		0.3 Very dark brown (10YR 2/2), moist, nonplastic, TOPSOIL	0.0
						0.5 Brownish yellow (10YR 6/6), moist, nonplastic, small gravel with fine to medium sand, FILL	0.0
						0.9 Light yellowish brown (10YR 6/4), moist, low plasticity, firm, clay, FILL	0.0
						1.1 Black (10YR 2/1), dry, nonplastic, fine to medium sand with small gravel, trace brick and slag, FILL	0.0
						Black (10YR 2/1), moist, low plasticity, firm, silty, CLAY	0.0
5	DT	70	Sample 4.5-5.5 ft bgs	CL		4.4 Very pale brown (10YR 7/3), and yellow (10YR 7/8) mottled, moist, low plasticity, firm, CLAY	0.0
							0.0
10	DT	80		CL			0.0
							0.0
							0.0
							0.0
							0.0
15	DT	80		CL		color change to light yellowish brown (10YR 6/4), softer	0.0
							0.0
							0.0
						16.0 Bottom of hole at 16.0 feet.	






GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/3/22 **COMPLETED** 5/3/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.0						Very pale brown (10YR 7/3), dry, nonplastic, topsoil with some small gravel, TOPSOIL	0.0
0.6						Reddish yellow (5YR 6/6), wood (tree root), FILL	0.0
1.8			Sample 1.8-2.8 ft bgs (05032022 DUP-01)	CL-ML		Very pale brown (10YR 7/3), moist, nonplastic, small gravel, to black (10YR 2/1) with trace slag, brick, and cinder, FILL	0.0
3.4						Black (10YR 2/1) with light yellowish brown (10YR 6/4), moist, low plasticity, firm, silty, CLAY	0.0
5.0			Sample 4-5 ft bgs			Black (10YR 2/1) to yellowish brown (10YR 5/6), moist, low plasticity, firm, CLAY	0.0
10.0				CL		color change to very pale brown (10YR 7/3) with brownish yellow (10YR 6/6) throughout, interbedded with fine sand	0.0
15.0						color change to light yellowish brown (10YR 6/4), softer	0.0
20.0						color change to gray (10YR 6/1)	0.0
20.0						Bottom of hole at 20.0 feet.	0.0






GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT.US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/3/22 **COMPLETED** 5/3/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	53	Sample 1-2 ft bgs	CL-ML		0.1 Black (10YR 2/1), moist, nonplastic, TOPSOIL	0.0
						1.8 Black (10YR 2/1) to yellowish brown (10YR 5/6), moist, low plasticity, clay with some small gravel, fine sand, brick and glass, FILL	0.0
5	DT	33	Sample 4-5 ft bgs	CL		3.1 Yellowish brown (10YR 5/6), moist, nonplastic, loose, medium sand, FILL	0.0
						4.4 Black (10YR 2/1) and yellowish brown (10YR 5/6) mottled, moist, low plasticity, firm, silty CLAY	0.0
10	DT	73		CL		Very pale brown (10YR 7/3) with brownish yellow (10YR 6/6) throughout, moist, low plasticity, firm, fine sandy, CLAY	0.0
						10.5	0.0
15	DT	50		CL		color change to light yellowish brown (10YR 6/4), softer	0.0
							0.0
20	DT	100		CL		color change to gray (10YR 6/1)	0.0
							0.0
						Bottom of hole at 20.0 feet.	



GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/3/22 **COMPLETED** 5/3/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	70	Sample 2-2.8 ft bgs	CL-ML		0.9 Black (10YR 2/1), moist, nonplastic, medium sand, small gravel, some slag and cinder, FILL	0.0
						1.5 Brownish yellow (10YR 6/6), moist, nonplastic, loose, small gravel with fine to medium sand, FILL	0.0
5	DT	63	Sample 4.3-5.3 ft bgs	CL		2.0 Black (10YR 2/1), moist, nonplastic, loose, small gravel with some slag, cinder and brick, FILL	0.0
						4.3 Black (10YR 2/1), moist, low plasticity, firm, silty CLAY	0.0
10	DT	83		CL		Yellowish brown (10YR 5/6), moist, low plasticity, firm, CLAY	0.0
						color change to very pale brown (10YR 7/3) with yellow (10YR 7/8) throughout	0.0
15	DT	48		CL		interbedded brownish yellow (10YR 6/8) sand	0.0
						color change to light yellowish brown (10YR 6/4)	0.0
20	DT	100		CL		color change to gray (10YR 6/1)	0.0
						Bottom of hole at 20.0 feet.	0.0

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/3/22 **COMPLETED** 5/3/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	90	Sample 2.6-3.6 ft bgs	CL-ML		Dark grayish brown (10YR 4/2), moist, nonplastic, medium sand, small gravel, FILL	0.0
						Black (10YR 2/1) to yellowish brown (10YR 5/6), moist, low plasticity, firm, clay, FILL	0.0
10	DT	88	Sample 4.5-5.5 ft bgs	CL		Black (10YR 2/1), moist, low plasticity, firm, silty, CLAY	0.0
						Very pale brown (10YR 7/3) with brownish yellow (6/6) throughout, moist, low plasticity, firm, interbedded with fine sand, CLAY	0.0
15	DT	73		CL		color change to gray (10YR 6/1)	0.0
						color change to light yellowish brown (10YR 6/4), softer	0.0
20	DT	50		CL		color change to gray (10YR 6/1)	0.0
						color change to gray (10YR 6/1)	0.0
						Bottom of hole at 20.0 feet.	0.0

GENERAL BH / TP / WELL / PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/3/22 **COMPLETED** 5/3/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.0						Black (10YR 2/1), moist, nonplastic, topsoil, FILL	
1.0						Browish yellow (10YR 6/6) to black (10YR 2/1), moist, nonplastic, loose, medium sand, small gravel, trace slag, cinder and brick, FILL	0.0
1.3						Black (10YR 2/1) to yellowish brown (10YR 5/6), moist, low plasticity, firm, clay, FILL	0.0
2.0			Sample 2-3 ft bgs	CL-ML		Black (10YR 2/1), moist, low plasticity, firm, silty, CLAY	0.0
5.0			Sample 5-6 ft bgs			Yellowish brown (10YR 5/6 and 5/8) to very pale brown (10YR 7/3) with some yellow (10YR 7/8) throughout, moist, low plasticity, firm, CLAY	0.0
10.0							0.0
15.0							0.0
20.0							0.0
						color change to light yellowish brown (10YR 6/4), softer	0.0
						color change to gray (10YR 6/1)	0.0
						Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/3/22 **COMPLETED** 5/3/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
						0.2	
						Gray (10YR 6/1), moist, nonplastic, topsoil, FILL	0.0
						1.6	
			Sample 2-3 ft bgs			Black (10YR 2/1) to dark yellowish brown (10YR 4/4), moist, nonplastic, loose, medium sand, small gravel, trace slag, cinder and brick, firm, clay, FILL	0.0
	DT	75		CL-ML		Black (10YR 2/1), moist, low plasticity, firm, silty, CLAY	0.0
						4.4	
5			Sample 4.5-5.5 ft bgs			Very pale brown (10YR 7/3) with bownish yellow (10YR 6/6) throughout, moist, low plasticity, firm, interbedded with fine sandy, CLAY	0.0
	DT	70					0.0
							0.0
10	DT	68					0.0
							0.0
				CL		color change to light yellowish brown (10YR 6/4), softer	0.0
	DT	65					0.0
15							0.0
							0.0
	DT	100				color change to gray (10YR 6/1)	0.0
							0.0
20							0.0
						20.0	
						Bottom of hole at 20.0 feet.	














GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/4/22 **COMPLETED** 5/4/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.4	DT	78	Sample 1.5-2.5 ft bgs	CL-ML		White (10YR 8/1), dry, nonplastic, CONCRETE	0.0
						0.6	Yellowish brown (10YR 5/6), moist, nonplastic, loose, fine to medium sand, FILL
5	DT	53	Sample 4-5 ft bgs	CL		Black (10YR 2/1), moist, low plasticity, firm, silty, CLAY	0.0
						2.0	Yellowish brown (10yR 5/4), moist, low plasticity, firm, CLAY
10	DT	60		CL		Color change to very pale brown (10YR 7/3) with yellow (10YR 7/6) throughout and interbedded fine sand from 4.3' to 6.1'	0.0
						17.0	Color change to light yellowish brown (10YR 6/4), softer, marbled with very pale brown (10YR 7/3) after 17'
15	DT	63		CL			0.0
						20.0	Interbedded fine sand
20	DT	100				Bottom of hole at 20.0 feet.	0.0

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT.US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/4/22 **COMPLETED** 5/4/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.3				GW		White (10YR 8/1), dry, nonplastic, CONCRETE	
0.8						Very pale brown (10YR 8/2), moist, nonplastic, loose, gravel, FILL	0.0
1.6			Sample 1.6-2.3 ft bgs			Black (10YR 2/1) to yellowish brown (10YR 5/6), moist, nonplastic, loose, sand, gravel, cinder and slag FILL	0.0
	DT	58		CL-ML		Black (10YR 2/1), moist, low plasticity, firm, silty CLAY	0.0
4.3			Sample 4.5-5.5 ft bgs			Interbedded with with fine sand and marbeled with light gray (10YR 7/1), brownish yellow (10YR 6/6) and black (10YR 2/1)	0.0
	DT	65				Yellowish brown (10YR 5/4), moist, low plasticity, firm, CLAY	0.0
10							0.0
	DT	78					0.0
15				CL		Color change to light yellowish brown (10YR 6/4), softer	0.0
	DT	70					0.0
20						Marbeled with very pale brown (10YR 7/3)	0.0
	DT	100					0.0
20.0						Interbedded with fine sand	0.0
						Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/4/22 **COMPLETED** 5/4/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	50	Sample 1.5-2 ft bgs	CL-ML		0.5 White (10YR 8/1), dry, nonplastic, CONCRETE	0.0
						Black (10YR 2/1) with white (10YR 8/1), moist, nonplastic, loose, sand, gravel, cinder and slag, FILL	0.0
5	DT	63	Sample 4.5-5.5 ft bgs	CL-ML		1.5 Black (10YR 2/1), moist, low plasticity, firm, silty CLAY	0.0
						4.3 Interbedded with with fine sand and marbeled with light gray (10YR 7/1), brownish yellow (10YR 6/6) and black (10YR 2/1), silty CLAY	0.0
10	DT	70		CL-ML		Light bluish gray (Gley 2 7/5B), moist, low plasticity, firm, CLAY	0.0
							0.0
15	DT	53		CL		Color change to light yellowish brown (10YR 6/4), softer	0.0
							0.0
20	DT	73		CL		Marbeled with gray (10YR 6/1)	0.0
							0.0
						Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/4/22 **COMPLETED** 5/4/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	78	Sample 2-3 ft bgs	GP		0.1 Black (10YR 2/1), moist, nonplastic, topsoil, FILL	0.0
						0.9 Light gray (10YR 7/1), moist, nonplastic, loose, small gravel, FILL	0.0
						1.3 Black (10YR 2/1), moist, nonplastic, loose, fine sand, and small gravel, cinder and slag, FILL	0.0
						1.8 Yellowish brown (10YR 5/6), moist, nonplastic, loose, medium sand and small gravel, FILL	0.0
						CL-ML Black (10YR 2/1), moist, low plasticity, firm, silty CLAY	0.0
5	DT	55	Sample 4-5 ft bgs	CL		4.3 Light bluish gray (Gley 2 7/5B), moist, low plastic, firm, some fine interbedded sand, CLAY	0.0
						0.0	
10	DT	73		CL			0.0
							0.0
							0.0
15	DT	48		CL		Color change to light yellowish brown (10YR 6/4), softer	0.0
						0.0	
20	DT	75		CL		Color change to yellowish brown (10YR 5/6) with trace amounts of black (10YR 2/1)	0.0
						0.0	
						0.0	
						20.0 Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL PILLSBURY BORING LOGS GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/4/22 **COMPLETED** 5/4/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.0 - 1.1	DT	75	Sample 2-3 ft bgs	GP		0.2 Black (10YR 2/1), moist, nonplastic, topsoil, FILL	0.0
						1.1 Light gray (10YR 7/1), moist, nonplastic, loose, small gravel, FILL	0.0
1.1 - 2.0	DT	75	Sample 2-3 ft bgs	CL-ML		Black (10YR 2/1), moist, nonplastic, loose, fine sand, and small gravel, brick, cinder and slag, FILL	0.0
						Black (10YR 2/1), moist, low plasticity, firm, silty CLAY	0.0
2.0 - 4.4	DT	70	Sample 4-5 ft bgs	CL		Marbled light gray (10YR 7/1), yellowish brown (10YR 5/6) and brownish yellow (10YR 6/6), moist, low plasticity, firm, CLAY	0.0
							0.0
4.4 - 10.0	DT	75		CL			0.0
							0.0
10.0 - 15.0	DT	70		CL		Color change to light yellowish brown (10YR 6/4), softer	0.0
							0.0
15.0 - 20.0	DT	100		CL		Color change to brownish yellow (10YR 6/8)	0.0
							0.0
20.0			Bottom of hole at 20.0 feet.				

GENERAL BH / TP / WELL / PILLSBURY BORING LOGS.GPJ GINT.US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/4/22 **COMPLETED** 5/4/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.0 - 0.2	DT 63	63	Sample 1.5-2.5 ft bgs	GP		Very dark brown (10YR 2/2), moist, nonplastic, topsoil, FILL	0.0
						Light gray (10YR 7/1), moist, nonplastic, loose, small gravel, FILL	0.0
0.2 - 0.8	DT 63	63	Sample 1.5-2.5 ft bgs	GP		Black (10YR 2/1), very moist, nonplastic, loose, fine sand, slag, and small gravel, FILL	0.0
						Black (10YR 2/1), moist, low plasticity, firm, silty CLAY	0.0
0.8 - 1.5	DT 63	63	Sample 4.5-5.5 ft bgs	CL-ML		Marbeled light gray (10YR 7/1), yellowish brown (10YR 5/6) and brownish yellow (10YR 6/6), interbedded with dense, fine sand, moist, low plasticity, firm, CLAY	0.0
							0.0
1.5 - 4.4	DT 70	70		CL			0.0
							0.0
4.4 - 15.0	DT 65	65		CL		Color change to light yellowish brown (10YR 6/4), softer	0.0
							0.0
15.0 - 20.0	DT 100	100		CL			0.0
							0.0
20.0			Bottom of hole at 20.0 feet.				

GENERAL BH / TP / WELL / PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/11/22 **COMPLETED** 5/11/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES Platform elevated approximately 4' above grade-push to 24' **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	38	Sample 4.5-5.5 ft bgs	CL-ML		0.3 White (10YR 8/1), dry, nonplastic, CONCRETE	0.0
						Light gray (10YR 7/1), dry to moist, nonplastic, dense, fine to medium sand, FILL	0.0
						1.5 Pale brown (10YR 6/3), moist, nonplastic, loose, small gravel, FILL	0.0
						2.8 Black (10YR 2/1), moist nonplastic, loose, small gravel with cinder and slag, FILL	0.0
5	DT	58		CL-ML		5.2 Black (10YR 2/1), moist, low plasticity, firm, silty CLAY	0.0
						0.0	
10	DT	60	Sample 8-9 ft bgs	CL		8.2 Light yellowish brown (10YR 6/4) with yellowish brown (10YR 5/8) and black (10YR 2/1) throughout, interbedded with dense, fine sand, moist, low plasticity, firm, CLAY	0.0
						Color change to light gray (10YR 7/1) with yellowish brown (10YR 5/8) throughout, softer	0.0
						Dense interbedded sand	0.0
15	DT	68		CL		0.0	
						0.0	
20	DT	65		CL		0.0	
						0.0	
20	DT	100		CL		Color change to bluish gray (GLE Y 2 6/10B) with yellowish brown (10YR 5/8) and interbedded sand	0.0
						0.0	
						0.0	
						0.0	
						0.0	
						0.0	

Bottom of hole at 24.0 feet.

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/11/22 **COMPLETED** 5/11/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES Platform elevated approximately 4' above grade-push to 24' **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
						No Recovery	
5	DT	0					
						4.0	
						4.8	0.0
			Sample 5.5-6.5 ft bgs			Light gray (10YR 7/1), dry to moist, nonplastic, dense, fine to medium sand, FILL	0.0
	DT	63				6.3	0.0
						Black (10YR 2/1) with some very pale brown (10YR 8/4), moist, nonplastic, loose, cinder, slag, and small gravel, FILL	0.0
						6.3	0.0
						Black (10YR 2/1) with some yellowish brown (10YR 5/8) and dark yellowish brown (10YR 4/4) throughout, moist, low plasticity, firm, silty CLAY	0.0
10	DT	33	Sample 8-9 ft bgs	CL-ML			0.0
						10.7	0.0
						Dark yellowish brown (10YR 4/6), moist, nonplastic, loose, medium sand, FILL	
						12.5	0.0
	DT	58				Light brownish gray (10YR 6/2) and yellowish brown (10YR 5/8), moist, low plasticity, firm, CLAY	0.0
15							0.0
							0.0
							0.0
	DT	45		CL		Color change to yellowish brown (10YR 5/4) with yellowish brown (10YR 5/8), softer	0.0
20							0.0
							0.0
							0.0
	DT	78				Color change to yellowish brown (10YR 5/6) with yellowish brown (10YR 5/8) and black (10YR 2/1) throughout	0.0
							0.0
							0.0
							0.0
							0.0

Bottom of hole at 24.0 feet.

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22




CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/11/22 **COMPLETED** 5/11/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES Platform elevated approximately 4' above grade-push to 24' **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
	DT	0				No Recovery	
5	DT	65	Sample 5.5-6.5 ft bgs	CL-ML	4.0 4.8 5.5 6.0	Light gray (10YR 7/1), dry to moist, nonplastic, dense, fine to medium sand, FILL Black (10YR 2/1) to very pale brown (10YR 8/4), moist, nonplastic, loose, cinder, slag, and sandy, small gravel, FILL Black (10YR 2/1) with some yellowish brown (10YR 5/8) and dark yellowish brown (10YR 4/4) throughout, moist, low plasticity, firm, silty CLAY Dark yellowish brown (10YR 4/6), moist, nonplastic, loose, medium SAND	0.0 0.0
10	DT	53	Sample 8.5-9.5 ft bgs	CL-ML	8.2 9.3	Black (10YR 2/1) with some yellowish brown (10YR 5/8) and dark yellowish brown (10YR 4/4) throughout, moist, low plasticity, firm, silty CLAY Dark yellowish brown (10YR 3/6), moist, nonplastic, loose, fine sand, with trace small gravel, cinder and slag, FILL	0.0 0.0 0.0 0.0
15	DT	58			12.3	Yellowish brown (10YR 5/8) with bluish gray (GLEYS 2 6/5B), moist, low plasticity, firm, CLAY Dark yellowish brown (10YR 3/4) added with the yellowish brown (10YR 5/8) and bluish gray (GLEYS 2 6/5B) Color change to brown (10YR 5/3) with yellowish brown (10YR 5/8)	0.0 62.5 0.6 0.0
20	DT	55		CL			0.0 0.0 0.0 0.0
	DT	100				Color change to yellowish brown (10YR 5/6) with yellowish brown (10YR 5/8) and very pale brown (10YR 7/4), interbedded with sand	0.0 0.0 0.0 0.0 0.0 0.0
					24.0		

Bottom of hole at 24.0 feet.

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/5/22 **COMPLETED** 5/5/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
1.5 - 2.5	DT 65	65	Sample 1.5-2.5 ft bgs	CL-ML		Light gray (10YR 7/1), moist, nonplastic, dense, fine to medium sand, small gravel, brick, FILL	0.0
						Black (10YR 2/1), moist, low plasticity, firm, silty CLAY Color change to yellowish brown (10YR 5/6)	0.0
4 - 5	DT 58	58	Sample 4-5 ft bgs	CL		Light gray (10YR 7/2) marbeled with yellowish brown (10YR 5/6) and brownish yellow (6/8), moist, low plasticity, firm, CLAY	0.0
10 - 15	DT 68	68				Color change to brown (10YR 5/3) with yellowish brown (10YR 5/8)	0.0
15 - 18.4	DT 63	63		CL			0.0
18.4 - 20.0	DT 68	68				Brownish yellow (10YR 6/8), moist, low plasticity, very hard, sandy CLAY	0.0
20.0			Bottom of hole at 20.0 feet.				

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/5/22 **COMPLETED** 5/5/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.4	DT	50	Sample 1-2 ft bgs		[Cross-hatched pattern]	Light brownish gray (10YR 6/2) to black (10YR 2/1), moist, nonplastic, loose, fine to medium sand, small gravel, slag, cinder, and brick, FILL	0.0
						Yellowish brown (10YR 5/6), moist, loose, small to medium gravel with fine sand, FILL	0.0
1.0						Light brownish gray (10YR 6/2) with some black (10YR 2/1) and yellowish brown (10YR 5/6) throughout, moist, low plasticity, firm, silty CLAY	0.0
5	DT	43	Sample 4-5 ft bgs	CL-ML	[Diagonal hatching]		0.0 0.0 0.0
10	DT	33				Grayish brown (10YR 5/2) with some black (10YR 2/1) throughout, moist, low plasticity, firm, CLAY	0.0 0.0
						Color change to light brownish yellow (10YR 6/4), softer	0.0 0.0 0.0 0.0 0.0
15	DT	75		CL	[Diagonal hatching]		
						Color change to yellowish brown (10YR 5/6) with light gray (10YR 7/1), interbedded with sand	0.0 0.0 0.0 0.0 0.0 0.0
20	DT	100					
						Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/5/22 **COMPLETED** 5/5/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0	DT	58	Sample 1-2 ft bgs	CL-ML		Black (10YR 2/1), moist, TOPSOIL	0.0
						Light gray (10YR 7/1) to yellowish brown (10YR 5/4), moist, loose, small to medium gravel with fine sand, FILL	0.0
						Black (10YR 2/1), moist, low plasticity, firm, silty CLAY	0.0
						Yellowish brown (10YR 5/6), moist, low plasticity, firm, CLAY	0.0
5	DT	68	Sample 4-5 ft bgs	CL		Color change to light gray (10YR 7/1) marbled with yellowish brown (10YR 5/6) and black (10YR 2/1), interbedded with sand	0.0
						0.0	
						0.0	
10	DT	63		CL		Color change light yellowish brown (10YR 6/4), softer	0.0
						0.0	
15	DT	73		CL		Color change to light gray (10YR 7/2)	0.0
						0.0	
18.0				CL		Gray (10YR 6/1) with yellowish brown (5/6), moist, firm, low plasticity, sandy CLAY	0.0
						0.0	
20						Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/11/22 **COMPLETED** 5/11/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES Platform elevated approximately 4' above grade-push to 24' **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
	DT	0				No Recovery	
5	DT	40	Sample 4.5-5.5 ft bgs	CL-ML	4.0 4.1	Whit (10YR 8/1), dry nonplastic, CONCRETE Black (10YR 2/1) to some yellowish brown (10YR 5/6) and dark yellowish brown (10YR 4/4) throughout, moist, low plasticity, firm, silty CLAY	0.00 0.00 0.00
10	DT	58	Sample 8.5-9.5 ft bgs		8.1	Yellowish brown (10YR 5/8) marbeled with light gray (10YR 7/1) and black (10YR 2/1), moist, low plasticity, interbedded with trace fine sand, softer, CLAY Color change to light gray with (10YR 7/1) with yellowish brown (10YR 5/8)	0.00 0.00 0.00 0.00
15	DT	63				Color change to yellowish brown (10YR 5/4) with some black (10YR 2/1) and yellowish brown (10YR 5/8)	0.00 0.00 0.00 0.00
20	DT	96		CL		Interbedded with sand	0.00 0.00 0.00 0.00 0.00 0.00
	DT	100			24.0	Color change to light brownish gray (10YR 6/2) with yellowish brown (10YR 5/8) Color change to grayish brown (10YR 5/2) Color change to yellowish brown (10YR 5/8) with black (10YR 2/1) and grayish brown (10YR 5/2) and bluish gray (GLEYS 2 6/10B)	0.00 0.00 0.00 0.00 0.00 0.00

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

Bottom of hole at 24.0 feet.

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/5/22 **COMPLETED** 5/5/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.0 - 0.2	DT	63	Sample 1.5-2.5 ft bgs	CL-ML		Light gray (10YR 7/1), moist, TOPSOIL	0.0
						Black (10YR 2/1) moist, loose, small to medium gravel with fine sand, slag and cinder, FILL	0.0
0.2 - 1.5	DT	63	Sample 1.5-2.5 ft bgs	CL-ML		Black (10YR 2/1), moist, low plasticity, firm, silty CLAY	0.0
						Yellowish brown (10YR 5/6) marbeled with brownish yellow (10YR 6/6) and black (10YR 2/1), moist, low plasticity, firm, CLAY	0.0
5.0 - 5.5	DT	58	Sample 4-5 ft bgs	CL		Color change to light gray (10YR 7/1) marbeled with brownish yellow (10YR 6/6), black (10YR 2/1) and yellowish brown (10YR 5/6), interbedded with sand	0.0
							0.0
10.0 - 10.5	DT	53		CL			0.0
							0.0
15.0 - 15.5	DT	50		CL		Color change light yellowish brown (10YR 6/4), softer	0.0
							0.0
20.0 - 20.5	DT	85		CL		Color change to light gray (10YR 7/1)	0.0
							0.0
18.4 - 20.0				CL		Brownish yellow (10YR 6/8), moist, very hard, low plasticity, sandy CLAY	0.0
							0.0
Bottom of hole at 20.0 feet.							

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/5/22 **COMPLETED** 5/5/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0	DT	63	Sample 1.5-2.5 ft bgs		0.4	Very dark brown (10YR 2/2), moist, TOPSOIL	
					0.8	Black (10YR 2/1) moist, loose, small to medium gravel with fine sand, slag, brick, and cinder, FILL	0.0
				CL-ML	1.8	Black (10YR 2/1), moist, low plasticity, firm, silty CLAY	0.0
				CL		Yellow (10YR 8/6), moist, low plasticity, firm, CLAY	0.0
					3.3	Light gray (10YR 7/1) marbeled with black (10YR 2/1), brownish yellow (10YR 6/6) and yellowish brown (10YR 5/6), moist, very hard, low plasticity, sandy CLAY	0.0
5	DT	75	Sample 4-5 ft bgs				0.0
10	DT	58		CL			0.0
15	DT	63					0.0
20	DT	85		CL	18.2	Brownish yellow (10YR 6/8), moist, very hard, low plasticity, sandy CLAY	0.0
					20.0	Bottom of hole at 20.0 feet.	





GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/5/22 **COMPLETED** 5/5/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.5 - 1.5	DT	38	Sample 0.5-1.5 ft bgs	CL-ML		0.3 - 0.7 Very dark brown (10YR 2/2), moist, TOPSOIL	0.0
						0.7 - 5.0 Black (10YR 2/1) moist, loose, small to medium gravel with fine sand, slag, brick, and cinder, FILL	0.0
5 - 10	DT	63	Sample 4-5 ft bgs	CL		5.0 - 11.5 Color change to yellowish brown (10YR 5/6)	0.0
						11.5 - 18.3 Light gray (10YR 7/1) marbeled with black (10YR 2/1), brownish yellow (10YR 6/6) and yellowish brown (10YR 5/6), moist, firm, low plasticity, sandy CLAY	0.0
10 - 15	DT	73		CL		18.3 - 20.0 Light yellowish brown (10YR 6/4), moist, low plasticity, firm, CLAY	0.0
						20.0 - 20.0	0.0
15 - 20	DT	73		CL		Color change to gray (10YR 6/1) marbeled with brownish yellow (10YR 6/6) and yellowish brown (10YR 5/6)	0.0
						Brownish yellow (10YR 6/8), moist, very hard, low plasticity, sandy CLAY	0.0
20						Bottom of hole at 20.0 feet.	







GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/6/22 **COMPLETED** 5/6/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT 56	56	Sample 1.2-2.2 ft bgs	CL-ML		Black (10YR 2/1) with some yellow (10YR 7/8) throughout, moist, low plasticity, silty clay, slag, and cinder, FILL	0.0
						Black (10YR 2/1) with brownish yellow (10YR 6/8), moist, low plasticity, firm, silty CLAY	0.0
10	DT 58	58	Sample 4.5-5.5 ft bgs	CL		Light gray (10YR 7/2) and yellowish brown (10YR 5/8), moist, low plasticity, firm, CLAY	0.0
						Color change to light yellowish brown (10YR 6/4) with brownish yellow (10YR 6/8)	0.0
15	DT 65	65		CL		Color change to light gray (10YR 7/1) with yellowish brown (10YR 5/8) and some brown (10YR 4/3) throughout	0.0
						Color change to pale brown (10YR 6/3) with yellowish brown (10YR 5/6), softer	0.0
20	DT 70	70		CL		Color change to light gray (10YR 7/2) with some yellowish brown (10YR 5/8)	0.0
						Bottom of hole at 20.0 feet.	0.0

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/5/22 **COMPLETED** 5/5/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	50	Sample 1-2 ft bgs	CL-ML		Black (10YR 2/1) with some yellow (10YR 7/8) throughout, moist, low plasticity, slag, and cinder, silty CLAY	0.0
							0.0
5	DT	48	Sample 4-5 ft bgs	SM		Pale brown (10YR 6/3), moist, nonplastic, medium dense, fine SAND	0.0
							0.0
10	DT	50		CL		Light gray (10YR 7/1) marbeled with brownish yellow (10YR 6/6), black (10YR 2/1), and yellowish brown (10YR 5/6), moist, low plasticity, interbedded with fine sand, firm, CLAY	0.0
							0.0
15	DT	73		CL		Color change to light yellowish brown (10YR 6/4), softer	0.0
							0.0
20	DT	100		CL		Color change to light gray (10YR 7/1)	0.0
							0.0
20				CL		Brownish yellow (10YR 6/6), moist nonplastic, very hard, sandy CLAY	0.0
							0.0
Bottom of hole at 20.0 feet.							

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT.US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/6/22 **COMPLETED** 5/6/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.5 - 1.5	DT	40	Sample 0.5-1.5 ft bgs (05062022 DUP-02)	SM		0.3 - Light brownish gray (10YR 6/2), moist, sandy, small gravel, FILL	0.0
						4.6 - Light yellowish brown (10YR 6/4), moist, nonplastic, medium dense, fine SAND	0.0
5 - 6	DT	50	Sample 5-6 ft bgs	CL-ML		4.6 - Black (10YR 2/1) with some yellow (10YR 7/8) throughout, moist, low plasticity, silty CLAY	0.0
						5.0 - Pale brown (10YR 6/3) with some brownish yellow (10YR 6/8) throughout, moist, low plasticity, firm, CLAY	0.0
10 - 15	DT	70		CL		Color change to light gray (10YR 7/2) and brownish yellow (6/6)	0.0
						Color change to very pale brown (10YR 7/3) with yellowish brown (10YR 5/8) and brown (10YR 5/3) throughout	0.0
15 - 20	DT	70		CL		Interbedded sand	0.0
						Color change to yellowish brown (10YR 5/8) with light yellowish brown (10YR 6/4) and dark brown (10YR 3/3)	0.0
20						Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

FEHR GRAHAM

ENGINEERING & ENVIRONMENTAL

BORING NUMBER SB-37

PAGE 1 OF 1

CLIENT <u>Moving Pillsbury Forward</u>	PROJECT NAME <u>Pillsbury</u>
PROJECT NUMBER <u>22-521 Ph01</u>	PROJECT LOCATION <u>Springfield, IL</u>
DATE STARTED <u>5/12/22</u> COMPLETED <u>5/12/22</u>	GROUND ELEVATION <u>--</u> HOLE SIZE <u>2"</u>
DRILLING CONTRACTOR <u>GeoServe Inc.</u>	GROUND WATER LEVELS:
DRILLING METHOD <u>Geoprobe 7822DT</u>	AT TIME OF DRILLING <u>---</u>
LOGGED BY <u>Hannah Insko</u> CHECKED BY <u>Annie Ray</u>	AT END OF DRILLING <u>---</u>
NOTES <u>Platform elevated approximately 4' above grade-push to 24'</u>	AFTER DRILLING <u>---</u>

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	58	Sample 5.4-6.4 ft bgs	SM		0.3 White (7.5 YR 8/1), dry, CONCRETE	0.0
						Stong brown (7.5YR 5/6), moist, medium dense, medium to fine, SAND	0.0
10	DT	85	Sample 8-9 ft bgs	CL-ML		4.3 Dark grayish brown (10YR 5/8) and light olive gray (5Y 6/2) moist, firm, low plasticity, silty, CLAY	0.0
						Color change to black (10YR 2/1)	0.0
15	DT	63	Sample 8-9 ft bgs	CL		yellowish brown (10YR 5/8) with light gray (2.5Y 7/2) moist, firm, low plasticity, CLAY	0.0
						Color change to yellowish brown (10YR 5/4)	0.0
20	DT	65	Sample 8-9 ft bgs	CL		Color change to brownish yellow (10YR 6/8) with some black (10YR 2/1) and light gray (10YR 7/1)	0.0
						Color change to light brownish gray (10YR 6/2) with some yellowish brown (10YR 5/8) and black (10YR 2/1) some sand present	0.0
24.0	DT	68	Sample 8-9 ft bgs	CL		Color change to brown (7.5YR 5/2) with some brownish yellow (10YR 5/8)	0.0
						Color change to pinkish gray (10YR 6/2) with brownish yellow (10YR 5/8) and black (10YR 2/1)	0.0
24.0	DT	100	Sample 8-9 ft bgs	CL		Color change to pinkish gray (10YR 6/2) with brownish yellow (10YR 5/8) and black (10YR 2/1)	0.0
							0.0

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

Bottom of hole at 24.0 feet.

FEHR GRAHAM

ENGINEERING & ENVIRONMENTAL

BORING NUMBER SB-38

PAGE 1 OF 1

CLIENT <u>Moving Pillsbury Forward</u>	PROJECT NAME <u>Pillsbury</u>
PROJECT NUMBER <u>22-521 Ph01</u>	PROJECT LOCATION <u>Springfield, IL</u>
DATE STARTED <u>5/11/22</u> COMPLETED <u>5/11/22</u>	GROUND ELEVATION <u>--</u> HOLE SIZE <u>2"</u>
DRILLING CONTRACTOR <u>GeoServe Inc.</u>	GROUND WATER LEVELS:
DRILLING METHOD <u>Geoprobe 7822DT</u>	AT TIME OF DRILLING <u>---</u>
LOGGED BY <u>Hannah Insko</u> CHECKED BY <u>Annie Ray</u>	AT END OF DRILLING <u>---</u>
NOTES <u>Platform elevated approximately 4' above grade-push to 24'</u>	AFTER DRILLING <u>---</u>

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.3						White (7.5YR 8/1) dry, CONCRETE	0.0
						Strong brown (7.5 YR 4/6) sand, moist, FILL	0.0
5	DT	55					0.0
5.5-6.5	DT	63	Sample 5.5-6.5 ft bgs	CL-ML		Black (10YR 2/1), firm, moist, low plasticity, silty, CLAY	0.0
7.3						Black (10YR 2/1), firm, moist, low plasticity, trace sand, silty, CLAY	0.0
8.5-9.5	DT	68	Sample 8.5-9.5 ft bgs	CL-ML		light gray (10YR 7/1), firm, moist, low plasticity, CLAY	0.0
10	DT	53					0.0
15	DT	78					0.0
20	DT	100				Color change to brown (10YR 5/3), trace sand	0.0
24.0						Color change to bluish gray (GLEY 2 6/5B)	0.0

Bottom of hole at 24.0 feet.

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT.US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/10/22 **COMPLETED** 5/10/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES Platform elevated approximately 4' above grade-push to 24' **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	53	Sample 5-6 ft bgs	SM		0.4 White (5YR 8/1) dry, concrete	0.0
						Yellowish brown (10YR 5/6), moist, medium dense, fine to medium SAND	0.0
5	DT	65	Sample 5-6 ft bgs	SM		4.5 Black (10YR 2/1), slag/cinder, FILL	0.0
						5.5 Black (10YR 2/1) moist, firm, low plasticity, silty, CLAY	0.0
10	DT	70	Sample 8.5-9.5 ft bgs	CL-ML		Color change to yellowish brown (10YR 5/6), trace slag	0.0
						Color change to light yellowish brown (10YR 6/4), trace sand	0.0
15	DT	68		CL-ML		Color change to gray (10YR 6/1)	0.0
							0.0
20	DT	65		CL-ML			0.0
							0.0
20	DT	70		CL-ML		Color change to bluish gray (GLE Y 2 6/10B)	0.0
							0.0

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

Bottom of hole at 24.0 feet.

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/5/22 **COMPLETED** 5/5/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

GENERAL BH / TP / WELL / PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.0						Very dark brown (10YR 2/2), moist, medium dense, TOPSOIL	0.0
0.2						Gravel, sand, FILL	0.0
0.8			Sample 1.5-2.5 ft bgs	CL-ML		Black (10YR 2/1), moist, stiff, low plasticity, brick at 1.7', silty, CLAY	0.0
3.4						Light gray (10YR 7/1) moist, stiff, low plasticity, trace sand, silty, CLAY	0.0
5.0			Sample 4-5 ft bgs				0.0
10.0				CL			0.0
15.0						Color change to yellowish brown (10YR 5/4)	0.0
17.0				CL		Gray (10YR 6/1), moist, stiff, low plasticity, CLAY	0.0
20.0						Bottom of hole at 20.0 feet.	0.0

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/11/22 **COMPLETED** 5/11/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES Platform elevated approximately 4' above grade-push to 24' **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
	DT	0				No recovery	
5	DT	43	Sample 4.7-5.7 ft bgs	SM CL-ML		White (7.5YR 8.1) dry, concrete Strong brown (7.5YR 5/6), moist, medium dense, medium to fine SAND Dark brown (10YR 3/3), moist, firm, low plasticity, silty, CLAY Very pale brown (10YR 8/4) Gravel FILL Black (10YR 2/1), moist, stiff, low plasticity, silty, CLAY Olive brown (2.5YR 4/6), brick FILL	0.0 0.0 0.0
10	DT	65	Sample 8.3-9.3 ft bgs	CL		Light yellowish brown (10YR 6/4), moist, stiff, low plasticity, CLAY Color change to light gray (10YR 7/1)	0.0 0.0 0.0 0.0
15	DT	60		CL			0.0 0.0 0.0 0.0
20	DT	58		CL		Color change to brown (10YR 5/3)	0.0 0.0 0.0 0.0
	DT	100		CL		Color change to bluish gray (GLEY 2 6/10B)	0.0 0.0 0.0 0.0 0.0 0.0

Bottom of hole at 24.0 feet.

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/11/22 **COMPLETED** 5/11/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES Platform elevated approximately 4' above grade-push to 24' **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	68	Sample 5-6 ft bgs	SP		0.3 White (7.5YR 8/1) dry, concrete	0.0
						Strong brown (7.5YR 4/6), sand FILL	0.0
5	DT	88	Sample 5-6 ft bgs	CL-ML		4.7 Color change to black (10YR 2/1)	0.0
						5.0 Dark yellowish brown (10YR 4/6), moist, medium dense, some gravel, SAND	0.0
						Black (10YR 2/1), moist, stiff, low plasticity, silty, CLAY	0.0
10	DT	75	Sample 8.5-9.5 ft bgs	CL		9.0 Color change to brown (10YR 4/3)	0.0
						Light yellowish brown (10YR 4/6), moist, stiff, low plasticity, CLAY	0.0
15	DT	70		CL		Color change to bluish gray (GLEYS 2 6/10B)	0.0
							0.0
20	DT	55		CL		Color change to gray (5Y 5/1)	0.0
						Color change to brown (10YR 5/3) trace sand	0.0
20	DT	100		CL		Color change to gray (10YR 6/1) trace sand	0.0
							0.0
							0.0
							0.0

Bottom of hole at 24.0 feet.

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/11/22 **COMPLETED** 5/11/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES Platform elevated approximately 4' above grade-push to 24' **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0					0.2	White (7.5YR 8/1) dry, concrete	0.0
						Strong brown (7.5YR 4/6), sand FILL	0.0
5	DT	54	Sample 5.2-6.2 ft bgs	SM	3.1	Dark yellowish brown (10YR 4/4), moist, medium dense, some gravel, SAND	0.0
							0.0
5	DT	73	Sample 5.2-6.2 ft bgs	CL-ML	4.8	Black (10YR 2/1), trace slag, moist, stiff, FILL	0.0
						5.2	Black (10YR 2/1), moist, stiff, low plasticity, trace brick, silty, CLAY
10	DT	58	Sample 8-9 ft bgs	CL-ML	7.5	Brown (10YR 4/3), moist, stiff, low plasticity, silty, CLAY	0.0
							0.0
15	DT	70		CL		Light yellowish brown (10YR 4/6), moist, stiff, low plasticity, CLAY	0.0
							0.0
20	DT	65		CL		Color change to gray (10YR 7/2), trace sand	0.0
							0.0
20	DT	100		CL		Color change to bluish gray (GLE Y 2 6/10B)	0.0
							0.0
24.0						Color change to brown (10YR 5/3)	0.0
							0.0

Bottom of hole at 24.0 feet.

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/12/22 **COMPLETED** 5/12/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES Platform elevated approximately 4' above grade-push to 24' **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	58	Sample 1.3-2.3 ft bgs (05122022 DUP-07)	SM		Dark grayish brown (10YR 4/2), FILL	0.0
						Yellowish brown (10YR 5/8), moist, medium dense, medium to fine SAND	0.0
5	DT	68	Sample 4.5-5.5 ft bgs	CL-ML		Black (10YR 2/1), moist, stiff, low plasticity, silty, CLAY	0.0
						Color change to yellowish brown (10YR 5/6)	0.0
10	DT	63		CL		Yellowish brown (10YR 5/4), moist, stiff, low plasticity, CLAY	0.0
						Color change to gray (10YR 7/1)	0.0
15	DT	63		CL		Color change to yellowish brown (10YR 5/8)	0.0
						Color change to gray (2.5YR 5/1)	0.0
20	DT	100		CL		Color change to gray (2.5YR 5/1)	0.0
							0.0
Bottom of hole at 24.0 feet.							







GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT.US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/10/22 **COMPLETED** 5/10/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.3	DT	68	Sample 1-2 ft bgs	CL-ML		TOPSOIL	0.0
						White (10YR 8/1) CONCRETE	0.0
0.8						Black (10YR 2/1), moist, stiff, low plasticity, silty, CLAY	0.0
3.4						Olive brown (2.5YR 4/4), moist, stiff, low plasticity, CLAY	0.0
5	DT	60	Sample 4-5 ft bgs	CL		Color change to (10YR 6/1)	0.0
10	DT	60				Color change to (10YR 6/8)	0.0
15	DT	65					
20	DT	100					0.0
20.0						Bottom of hole at 20.0 feet.	0.0

GENERAL BH / TP / WELL / PILLSBURY BORING LOGS.GPJ GINT.US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/10/22 **COMPLETED** 5/10/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
1.0	DT	65	Sample 1.5-2.5 ft bgs	SP		Slag FILL	0.0
						Brown (7.5 4/4), moist, medium dense, trace gravel, medium to fine SAND	0.0
1.7	DT	30	Sample 4-5 ft bgs	CL		Light gray (10YR 7/1), moist, stiff, low plasticity, CLAY	0.0
							0.0
5	DT	30	Sample 4-5 ft bgs	CL			0.0
							0.0
8.2	DT	35		CL		Cinder/slag FILL	0.0
						Light gray (10YR 7/1), moist, firm, low plasticity, CLAY	0.0
10	DT	50		CL		Color change to brown (10YR 5/3)	0.0
							0.0
15	DT	100		CL			0.0
							0.0
20	DT	100		CL		Color change to dark gray (10YR 4/1)	0.0
							0.0
						Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/12/22 **COMPLETED** 5/12/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---



DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	68	Sample 0.8-1.8 ft bgs	CL-ML		0.5 Pale brown (10YR 6/3), gravel FILL	0.0
						0.8 Yellowish brown (10YR 5/6), moist, medium dense, fine SAND	0.0
						1.0 Very dark brown (10YR 2/1), slage, trace gravel, FILL	0.0
						Black (10YR 2/1), moist, stiff, low plasticity, silty, CLAY	0.0
5	DT	65	Sample 4.8-5.2 ft bgs	CL		4.4 Bluish gray (GLEY 2 6/10B), moist, stiff, low plasticity, CLAY	0.0
						Strong petroleum odor and oil staining present	5.6 0.4
10	DT	71		CL			1.3 0.5 1.0 0.6 1.1
15	DT	60		CL			0.0 0.1 0.1 0.0
20	DT	83		CL		No longer strong petroleum odor and oil staining present	0.0 2.7 0.6 0.0 0.0
Bottom of hole at 20.0 feet.							

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/10/22 **COMPLETED** 5/10/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES Refusal @ 3' bgs **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	GRAPHIC LOG	MATERIAL DESCRIPTION
		Concrete	Concrete
		3.0	Refusal at 3 ft bgs. No samples collected
			Bottom of hole at 0.0 feet.

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/4/22 **COMPLETED** 5/4/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.1	DT	58	Sample 1.3-2.3 ft bgs	CL-ML		very dark brown (10YR 2/2), TOPSOIL	0.0
						Very pale brown (10YR 8/2), gravel FILL	0.0
0.6						Black (10YR 2/1), moist, sand, gravel, brick, cinder, FILL	0.0
2.0						Black (10YR 2/1), moist, stiff, low plasticity, silty CLAY	0.0
5	DT	68	Sample 4.5-5.5 ft bgs	CL		Gray (10YR 5/1), moist, stiff, low plasticity, trace sand and silt, CLAY	0.0
							0.0
10	DT	55					0.0
							0.0
15	DT	50				Color change to light yellowish brown (10YR 6/4), soft	0.0
							0.0
20	DT	75				Color change to gray (10YR 6/1)	0.0
							0.0
						Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL / PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/4/22 **COMPLETED** 5/4/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	55	Sample 1.2-2.2 ft bgs	CL-ML		0.5 Very pale brown (10YR 8/2), gravel FILL	0.0
						1.2 Black (10YR 2/1), moist, sand, gravel, brick, cinder, FILL	0.0
10	DT	73	Sample 4.4-5.4 ft bgs	CL		Black (10YR 2/1), moist stiff, low plasticity, silty CLAY	0.0
						4.4 Gray (10YR 5/1), moist, stiff, low plasticity, trace sand and silt, CLAY	0.0
15	DT	75		CL			0.0
							0.0
20	DT	48		CL		Color change to light yellowish brown (10YR 6/4), soft	0.0
							0.0
20	DT	88		CL		Color change to gray (10YR 6/1)	0.0
							0.0
			Bottom of hole at 20.0 feet.				

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/4/22 **COMPLETED** 5/4/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	60	Sample 1.4-2.4 ft bgs	CL-ML	0.1	Very dark brown (10YR 2/2), TOPSOIL	0.0
					0.7	Very pale brown (10YR 8/2), moist, gravel FILL	0.0
5	DT	50	Sample 4.5-5.5 ft bgs	CL	2.0	Black (10YR 2/1), moist, sand, gravel, brick, cinder, FILL	0.0
					4.5	Black (10YR 2/1), moist, stiff, low plasticity, silty CLAY	0.0
10	DT	63		CL		Light gray (10YR 7/1), moist, firm, low plasticity, trace sand and silt, CLAY	0.0
						Color change to light yellowish brown (10YR 6/4)	0.0
15	DT	60		CL		Color change to gray (10YR 6/1)	0.0
							0.0
20	DT	100		CL			0.0
							0.0
					20.0	Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/4/22 **COMPLETED** 5/4/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
						Black (10YR 2/1), gravel, slag, sand, FILL	0.0
	DT	70	Sample 1.8-2.8 ft bgs	CL-ML	1.0	Black (10YR 2/1), moist, stiff, low plasticity, silty CLAY Color change to yellowish brown (10YR 5/6)	0.0
					4.4		0.0
5	DT	83	Sample 4.4-5.4 ft bgs			Yellowish brown (10YR 5/6), moist, stiff, low plasticity, CLAY	0.0
							0.0
							0.0
10	DT	75		CL			0.0
							0.0
							0.0
15	DT	70				Color change to light yellowish brown (10YR 6/4), soft	0.0
							0.0
							0.0
	DT	100				Color change to gray (10YR 6/1)	0.0
20					20.0		0.0
						Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/4/22 **COMPLETED** 5/4/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
						White (10YR 8/1) CONCRETE	0.0
						Gray (10YR 6/1) FILL	0.0
			Sample 1.5-2.5 ft bgs			Black (10YR 2/1), moist, stiff, low plasticity, silty CLAY	0.0
	DT	63		CL-ML			0.0
5			Sample 4.5-5.5 ft bgs			Very pale brown (10YR 8/3), moist, still, low plasticity, trace sand and silt, CLAY	0.0
	DT	53					0.0
10							0.0
	DT	55					0.0
15				CL		Color change to light yellowish brown (10YR 6/4), soft	0.0
	DT	55					0.0
20						Color change to gray (10YR 6/1)	0.0
	DT	65					0.0
						Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/5/22 **COMPLETED** 5/5/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.1			Sample 1-2 ft bgs		[Cross-hatched pattern]	Black (10YR 2/1), sand, gravel, brick FILL	0.0
						Very pale brown (10YR 8/2), concrete and gravel FILL	0.0
1.0	DT	53		CL-ML	[Diagonal lines pattern]	Color change to black (10YR 2/1)	0.0
						Light gray (10YR 7/2), moist, stiff, low plasticity, silty CLAY	0.0
5			Sample 5-6 ft bgs			Light brownish gray (10YR 6/2), moist, stiff, low plasticity, trace sand and silt, CLAY	0.0
10	DT	88		CL	[Diagonal lines pattern]	Color change to yellowish brown (10YR 5/6)	0.0
						Color change to light gray (10YR 7/2)	0.0
15	DT	73		CL	[Diagonal lines pattern]	Color change to light yellowish brown (10YR 6/4)	0.0
							0.0
20	DT	85		CL	[Diagonal lines pattern]	Color change to gray (10YR 6/1)	0.0
							0.0
						Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL / PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/10/22 **COMPLETED** 5/10/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.3					[Dotted pattern]	White (10YR 8/1), CONCRETE	0.0
						Dark yellowish brown (10YR 4/4), sand and gravel FILL	0.0
1.7			Sample 1.5-2.5 ft bgs	CL-ML	[Cross-hatched pattern]	Very dark grayish brown (10YR 3/2), moist, stiff, low plasticity, silty, CLAY	0.0
5.0			Sample 5-6 ft bgs	CL	[Diagonal hatching]	Yellowish brown (10YR 5/4), moist, stiff, low plasticity, trace sand, CLAY	0.0
						Color change light brownish gray (10YR 6/2)	0.0
						Color change to bluish gray (GLEY 2 6/10B)	0.0
10							0.0
						Color change to yellowish brown (10YR 5/4)	0.0
15							0.0
						Color change to blush gray (GLEY 2 6/10B)	0.0
20							0.0
						Bottom of hole at 20.0 feet.	0.0

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/9/22 **COMPLETED** 5/9/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.3					Very dark brown (10YR 2/2) TOPSOIL	
0.5			SP		Black (10YR 2/1), sand, gravel, brick, FILL	0.0
1.0		Sample 1.5-2.5 ft bgs	CL		Yellowish brown (10YR 5/6) moist, loose, trace gravel, SAND	0.0
2.1					Yellowish brown (10YR 5/4), moist, stiff, low plasticity, CLAY	0.0
2.3					Black (10YR 2/1) sand and gravel FILL	
					Black (10YR 2/1), moist, firm, low plasticity, CLAY	
5		Sample 4.5-5.5 ft bgs			Color change to gray (10YR 6/1)	
10			CL		Color change to light gray (10YR 7/1), trace sand and silt	
15					Color change to dark yellowish brown (10YR 4/4), soft	
20					Color change to gray (10YR 6/1)	
					Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/9/22 **COMPLETED** 5/9/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0	DT	75	Sample 1-2 ft bgs	SP		0.2 Very dark brown (10YR 2/2), TOPSOIL	0.0
						0.9 Black (10YR 2/1), sand, gravel, brick, cinder, FILL	0.0
						1.1 Yellowish brown (10YR 5/6), moist, medium dense, trace gravel, SAND	0.0
						CL Black (10YR 2/1), moist, stiff, low plasticity, CLAY	0.0
						2.3 Black (10YR 2/1), sand, gravel, clay, brick, cinder, FILL	0.0
						2.6 Black (10YR 2/1), moist, stiff, low plasticity, silty, CLAY	0.0
5	DT	73	Sample 4.5-5.5 ft bgs	CL-ML		Color change to yellowish brown (10YR 5/6)	0.0
						0.0	
						0.0	
						0.0	
						0.0	
10	DT	75		CL-ML		0.0	
						0.0	
						0.0	
						0.0	
15	DT	58		CL-ML		Color change to dark yellowish brown (10YR 4/4), soft	0.0
						0.0	
						0.0	
20	DT	100		CL-ML		Color change to gray (10YR 6/1)	0.0
						0.0	
						0.0	
						0.0	
						0.0	
Bottom of hole at 20.0 feet.							

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/9/22 **COMPLETED** 5/9/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	63	Sample 1-2 ft bgs	CL		0.2 Very dark brown (10YR 2/2), TOPSOIL	
						1.1 Very dark brown (10YR 2/2) to black (10YR 2/1), sand, gravel, brick, cinder, FILL	0.0
						1.6 Yellowish brown (10YR 5/6), moist, loose, trace gravel, SAND	0.0
						2.4 Yellowish brown (10YR 5/6) to black (10YR 2/1), moist, stiff, low plasticity, CLAY	0.0
						3.3 Black (10YR 2/1), sand, gravel, FILL	0.0
						CL-ML Black (10YR 2/1), moist, stiff, low plasticity, silty, CLAY	
10	DT	58	Sample 4.5-5.5 ft bgs	CL		5.0 Gray (10YR 6/1) to olive (5YR 5/3), moist, stiff, low plasticity, CLAY	0.0
							0.0
						Color change to yellowish brown (10YR 5/6) trace silt and sand	0.0
15	DT	50		CL		Color change to dark yellowish brown (10YR 4/4) soft	0.0
							0.0
							0.0
20	DT	65		CL		Color change to light gray (10YR 7/1)	0.0
							0.0
							0.0
						20.0 Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/6/22 **COMPLETED** 5/6/02 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.8 - 1.8	DT	45	Sample 0.8-1.8 ft bgs	SP		0.5 - 0.9 ft: Grayish brown (10YR 5/1) to very dark brown (10YR 2/2), sand, gravel, trace slag, FILL	0.0
						0.9 - 1.8 ft: Brownish yellow (10YR 6/6), moist, medium dense, trace gravel, SAND Olive yellow (5YR 6/8), moist, stiff, low plasticity, trace sand at 1.2, CLAY	0.0
4.5 - 5.5	DT	65	Sample 4.5-5.5 ft bgs	CL		1.8 - 2.9 ft: Black (10YR 2/1), moist, stiff, low plasticity, silty, CLAY	0.0
						2.9 - 4.5 ft: Color change to pale olive (5YR 6/2)	0.0
10.0 - 11.0	DT	88		CL-ML		10.0 - 11.0 ft: Color change to yellowish brown (10YR 5/6)	0.0
						11.0 - 15.0 ft: Color change to light brownish gray (10YR 6/2)	0.0
15.0 - 16.0	DT	63		CL-ML			0.0
							0.0
19.0 - 20.0	DT	90		CL-ML			0.0
							0.0
20.0			Bottom of hole at 20.0 feet.				

GENERAL BH / TP / WELL / PILLSBURY BORING LOGS.GPJ GINT.US.GDT 7/14/22







CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/6/22 **COMPLETED** 5/6/02 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	38	Sample 1-1.5 ft bgs	CL-ML		White (10YR 8/1), CONCRETE	0.0
						Very dark gray (10YR 3/1) to brown (7.5YR 4/4) sand and gravel FILL Black (7.5YR 2.5/1), moist, stiff, low plasticity, silty, CLAY	0.0 0.0
10	DT	45	Sample 5-5.5 ft bgs	CL		Gray (7.5YR 6/1), moist, stiff, low plasticity, CLAY Color change to strong brown (7.5YR 5/6) Color change to gray (7.5YR 6/1)	0.0 0.0 0.0
						Color change to yellowish brown (10YR 5/8), trace sand	0.0 0.0 0.0
15	DT	63		CL		Color change to light brownish gray (10YR 6/2)	0.0 0.0 0.0
							0.0 0.0 0.0
20	DT	55		CL			0.0 0.0 0.0
							0.0 0.0 0.0
Bottom of hole at 20.0 feet.							

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/9/22 **COMPLETED** 5/9/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

GENERAL BH / TP / WELL / PILLSBURY BORING LOGS.GPJ GINT.US.GDT 7/14/22

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.1	DT	50	Sample 1-2 ft bgs	CL-ML		White (10YR 8/1) CONCRETE	0.0
						Black (10YR 2/1), sand, gravel, brick, FILL	0.0
1.3	DT	58	Sample 4.5-5.5 ft bgs	CL		Black (10YR 2/1), moist, stiff, low plasticity, silty, CLAY	0.0
						Black (10YR 2/1), moist, stiff, low plasticity, silty, CLAY	0.0
4.5	DT	58	Sample 4.5-5.5 ft bgs	CL		Yellowish brown (10YR 5/6) to light gray (10YR 7/1), moist, stiff, low plasticity, trace silt and sand, CLAY	0.0
						Yellowish brown (10YR 5/6) to light gray (10YR 7/1), moist, stiff, low plasticity, trace silt and sand, CLAY	0.0
10	DT	58		CL			0.0
							0.0
15	DT	45		CL		Color change to dark yellowish brown (10YR 4/4)	0.0
						Color change to dark yellowish brown (10YR 4/4)	0.0
20	DT	70		CL		Color change to gray (10YR 6/1)	0.0
						Color change to gray (10YR 6/1)	0.0
Bottom of hole at 20.0 feet.							

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/9/22 **COMPLETED** 5/9/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	58	Sample 1.3-2.3 ft bgs	CL-ML	0.5	White (10YR 8/1) CONCRETE	0.0
					1.6	Yellowish brown (10YR 5/6) to black (10YR 2/1), sand, gravel, brick, slag, FILL	0.0
10	DT	63	Sample 4.5-5.5 ft bgs	CL	1.6	Black (10YR 2/1), moist, stiff, low plasticity, silty, CLAY	0.0
					4.4	Yellowish brown (10YR 5/6) to black (10YR 2/1), moist, stiff, low plasticity, CLAY	0.0
15	DT	48		CL		Color change to dark yellowish brown (10YR 4/4), soft	0.0
						Color change to gray (10YR 6/1)	0.0
20	DT	58			20.0	Bottom of hole at 20.0 feet.	0.0

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/10/22 **COMPLETED** 5/10/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	60	Sample 1.4-2.4 ft bgs	SP	0.4	White (10YR 8/1) CONCRETE	0.0
					0.9	Dark gray (10YR 4/1) sand, gravel, FILL	0.0
5	DT	56	Sample 4.5-5.5 ft bgs (05102022 DUP-03)	CL-ML	1.6	Brownish yellow (10YR 6/6), moist, medium dense, fine to medium SAND	0.0
						Very dark brown (10YR 2/2), moist, stiff, low plasticity, silty, CLAY	0.0
10	DT	75		CL	4.5	Yellowish brown (10YR 5/4), most, stiff, low plasticity, CLAY	0.0
						Color change to brownish yellow (10YR 5/8)	0.0
15	DT	55		CL		Color change to pale brown (10YR 6/3)	0.0
						Color change to bluish gray (GLE Y 2 6/10B)	0.0
20					20.0	Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/10/22 **COMPLETED** 5/10/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	63	Sample 1.5-2.5 ft bgs	CL-ML	0.8	White (10YR 8/1) CONCRETE	0.0
					1.6	Dark gray (10YR 4/1) slag and cinder FILL	0.0
					2.1	Black (10YR 2/1), moist, medium dense, fine to medium SAND	0.0
						Very dark grayish brown (10YR 3/2), moist, stiff, low plasticity, silty, CLAY	0.0
5	DT	40	Sample 4.5-5.5 ft bgs	CL	4.2	Light gray (10YR 7/1), moist, stiff, low plasticity, CLAY	0.0
							0.0
10	DT	63		CL			0.0
							0.0
							0.0
							0.0
15	DT	65		CL		Color change to dark yellowish brown (10YR 4/4)	0.0
							0.0
							0.0
							0.0
20	DT	65		CL		Color change to bluish gray (GLEY 2 6/10B)	0.0
							0.0
							0.0
							0.0
					20.0	Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL / PILLSBURY BORING LOGS.GPJ GINT.US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/10/22 **COMPLETED** 5/10/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0	DT	70	Sample 1-2 ft bgs	CL-ML		0.4 Dark grayish brown (10YR 4/2), gravel FILL	0.0
						0.9 Very dark brown (10YR 2/2), moist, stiff, low plasticity, silty, CLAY	0.0
						1.1 Very dark brown (10YR 2/2), gravel and slag FILL	0.0
						2.0 Very dark brown (10YR 2/2), moist, stiff, low plasticity, silty, CLAY	0.0
						Yellowish brown (10YR 5/6), moist, firm, low plasticity, CLAY	0.0
5	DT	55	Sample 4-5 ft bgs	CL		Color change to light gray (10YR 7/1)	0.0
10	DT	55	Color change to yellowish brown (10YR 5/6), trace sand			0.0	
15	DT	60	No sand Trace sand			0.0	
20	DT	63					0.0
Bottom of hole at 20.0 feet.							

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/10/22 **COMPLETED** 5/10/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Hannah Insko **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES Temp Well set 7-17 ft bgs **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	56	Sample 1.2-2.2 ft bgs	CL-ML		0.8 Very dark brown (10YR 2/2), gravel and brick FILL	0.0
						Black (10YR 2/1), moist, stiff, low plasticity, silty, CLAY	0.0
10	DT	53	Sample 4.5-5.5 ft bgs	CL		4.2 Yellowish brown (10YR 5/6), moist, stiff, low plasticity, CLAY	0.0
						Color change to grayish brown (10YR 5/2)	0.0
						Color change to brownish yellow (10YR 6/8)	0.0
						Color change to gray (10YR 6/1)	0.0
15	DT	53				Color change to grayish brown (10YR 5/2), trace sand	0.0
						Color change to dark gray (10YR 4/1)	0.0
20	DT	100				Color change to bluish gray (GLEYS 2 5/10B)	0.0
						Bottom of hole at 20.0 feet.	0.0

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

FEHR GRAHAM

ENGINEERING & ENVIRONMENTAL

BORING NUMBER SB-68

PAGE 1 OF 1

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/9/22 **COMPLETED** 5/9/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)	
						0.2	Very dark brown (10YR 2/2), TOPSOIL	0.0
			Sample 1.5-2.5 ft bgs			1.1	Black (10YR 2/1), gravel and sand FILL	0.0
	DT	65					Black (10YR 2/1), moist, stiff, low plasticity, CLAY	0.0
								0.0
5			Sample 4.5-5.5 ft bgs				Color change to yellowish brown (10YR 5/6), trace sand and silt	0.0
	DT	63						0.0
								0.0
10								0.0
	DT	55		CL				0.0
								0.0
15							Color change to gray (10YR 6/1)	0.0
	DT	55						0.0
							Color change to yellowish brown (10YR 5/6)	0.0
								0.0
	DT	100					Color change to light gray (10YR 7/1)	0.0
								0.0
20						20.0		0.0
							Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL / PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/9/22 **COMPLETED** 5/9/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY %	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
5	DT	70	Sample 1.8-2.8 ft bgs	CL-ML		0.2 Very dark brown (10YR 2/2) TOPSOIL	0.0
						1.2 Gray (10YR 6/1) gravel FILL	0.0
						1.6 Color change balck (10YR 2/1)	0.0
						1.8 Yellowish brown (10YR 5/6), moist, medium dense, fine to medium SAND	0.0
						Black (10YR 2/1) sand and gravel FILL	0.0
5	DT	55	Sample 4.5-5.5 ft bgs	CL		4.4 Black (10YR 2/1), moist, stiff, low plasticity, silty, CLAY	0.0
						Brownish yellow (10YR 6/6), moist, stiff, low plasticity, trace silt and sand, CLAY	0.0
10	DT	63		CL			0.0
							0.0
							0.0
15	DT	60		CL			0.0
							0.0
20	DT	68		CL		Color change to gray (10YR 6/1)	0.0
						Color change to bluish gray (GLEY 1 6/4)	0.0
						20.0 Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

CLIENT Moving Pillsbury Forward **PROJECT NAME** Pillsbury
PROJECT NUMBER 22-521 Ph01 **PROJECT LOCATION** Springfield, IL
DATE STARTED 5/9/22 **COMPLETED** 5/9/22 **GROUND ELEVATION** -- **HOLE SIZE** 2"
DRILLING CONTRACTOR GeoServe Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Geoprobe 7822DT **AT TIME OF DRILLING** ---
LOGGED BY Tony Guajardo **CHECKED BY** Annie Ray **AT END OF DRILLING** ---
NOTES -- **AFTER DRILLING** ---

DEPTH (ft)	SAMPLE TYPE NUMBER	REMARKS	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	PID (ppm)
0.0					Very dark brown (10YR 2/2), TOPSOIL	0.0
0.2					Black (10YR 2/1), brick, sand, gravel, slag FILL	0.0
1.8	DT	Sample 1.8-2.8 ft bgs	CL-ML		Black (10YR 2/1), moist, stiff, low plasticity, silty, CLAY	0.0
4.8	DT	Sample 5-6 ft bgs	CL		Yellowish brown (10YR 5/6) to light gray (10YR 7/1), moist, stiff, low plasticity, CLAY	0.0
10.0	DT					0.0
15.0	DT				Color change to dark gray (10YR 4/2) Color change to gray (10YR 5/1)	0.0
20.0	DT					0.0
					Bottom of hole at 20.0 feet.	

GENERAL BH / TP / WELL PILLSBURY BORING LOGS.GPJ GINT US.GDT 7/14/22

Laboratory Soil Analytical Reports

May 11, 2022

Annie Ray
Fehr Graham
200 Prairie St
Suite 208
Rockford, IL 61107

RE: Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Dear Annie Ray:

Enclosed are the analytical results for sample(s) received by the laboratory on May 03, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay
- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab

A2LA Certification #: 2926.01*
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009*
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014*
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605*
Georgia Certification #: 959
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086*
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064*
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137*
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240*
Mississippi Certification #: MN00064

Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081*
New Jersey Certification #: MN002
New York Certification #: 11647*
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification (A2LA) #: R-036
North Dakota Certification (MN) #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Ohio VAP Certification (1800) #: CL110*
Oklahoma Certification #: 9507*
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001*
Pennsylvania Certification #: 68-00563*
Puerto Rico Certification #: MN00064
South Carolina Certification #:74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192*
Utah Certification #: MN00064*
Vermont Certification #: VT-027053137
Virginia Certification #: 460163*
Washington Certification #: C486*
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification #: via A2LA 2926.01
USDA Permit #: P330-19-00208
Please Note: Applicable air certifications are denoted with an asterisk ().

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40244262001	SB-01 (1.0-2.0')	Solid	05/02/22 13:10	05/03/22 12:30
40244262002	SB-01 (4.0-5.0')	Solid	05/02/22 13:15	05/03/22 12:30
40244262003	SB-02 (1.5-2.5')	Solid	05/02/22 13:55	05/03/22 12:30
40244262004	SB-02 (4.0-5.0')	Solid	05/02/22 14:00	05/03/22 12:30
40244262005	SB-03 (2.0-3.0')	Solid	05/02/22 14:50	05/03/22 12:30
40244262006	SB-03 (4.0-5.0')	Solid	05/02/22 14:55	05/03/22 12:30
40244262007	SB-04 (1.0-2.0')	Solid	05/02/22 15:30	05/03/22 12:30
40244262008	SB-04 (4.0-5.0')	Solid	05/02/22 15:35	05/03/22 12:30
40244262009	SB-05 (2.0-2.5')	Solid	05/02/22 16:25	05/03/22 12:30
40244262010	SB-05 (4.5-5.5')	Solid	05/02/22 16:30	05/03/22 12:30

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244262001	SB-01 (1.0-2.0')	EPA 8081B	RAG	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244262002	SB-01 (4.0-5.0')	EPA 8081B	RAG	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244262003	SB-02 (1.5-2.5')	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244262004	SB-02 (4.0-5.0')	EPA 8081B	RAG	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244262005	SB-03 (2.0-3.0')	EPA 8081B	RAG	24	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244262006	SB-03 (4.0-5.0')	EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	RAG	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
40244262007	SB-04 (1.0-2.0')	ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	RAG	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	RAG	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
40244262008	SB-04 (4.0-5.0')	EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	RAG	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
40244262009	SB-05 (2.0-2.5')	EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	RAG	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 8082A	BLM	10	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244262010	SB-05 (4.5-5.5')	EPA 8081B	RAG	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G

PASI-G = Pace Analytical Services - Green Bay
PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244262001	SB-01 (1.0-2.0')					
EPA 6020B	Aluminum	13600	mg/kg	37.5	05/11/22 10:42	P6
EPA 6020B	Antimony	0.20J	mg/kg	0.63	05/11/22 10:42	M1
EPA 6020B	Arsenic	7.4	mg/kg	0.63	05/11/22 10:42	
EPA 6020B	Barium	156	mg/kg	0.38	05/11/22 10:42	M1
EPA 6020B	Beryllium	0.81	mg/kg	0.25	05/11/22 10:42	
EPA 6020B	Cadmium	0.12	mg/kg	0.10	05/11/22 10:42	
EPA 6020B	Calcium	5120	mg/kg	125	05/11/22 10:42	P6
EPA 6020B	Chromium	17.3	mg/kg	2.5	05/11/22 10:42	
EPA 6020B	Cobalt	4.1	mg/kg	0.63	05/11/22 10:42	
EPA 6020B	Copper	15.0	mg/kg	1.3	05/11/22 10:42	
EPA 6020B	Iron	18700	mg/kg	62.5	05/11/22 10:42	P6
EPA 6020B	Lead	11.2	mg/kg	0.63	05/11/22 10:42	
EPA 6020B	Magnesium	2800	mg/kg	37.5	05/11/22 10:42	M1
EPA 6020B	Manganese	182	mg/kg	0.63	05/11/22 10:42	M1,R1
EPA 6020B	Nickel	12.1	mg/kg	0.63	05/11/22 10:42	
EPA 6020B	Potassium	1140	mg/kg	125	05/11/22 10:42	M1
EPA 6020B	Selenium	0.58J	mg/kg	0.63	05/11/22 10:42	
EPA 6020B	Silver	0.30J	mg/kg	0.63	05/11/22 10:42	
EPA 6020B	Sodium	37.0J	mg/kg	62.5	05/11/22 10:42	
EPA 6020B	Thallium	0.17	mg/kg	0.13	05/11/22 10:42	
EPA 6020B	Vanadium	32.8	mg/kg	1.3	05/11/22 10:42	
EPA 6020B	Zinc	46.1	mg/kg	6.3	05/11/22 10:42	
EPA 7471	Mercury	0.026J	mg/kg	0.042	05/06/22 10:33	
EPA 8270E	Benzo(a)pyrene	0.036J	mg/kg	0.11	05/04/22 17:42	
EPA 8270E	Indeno(1,2,3-cd)pyrene	0.053J	mg/kg	0.16	05/04/22 17:42	
ASTM D2974-87	Percent Moisture	23.1	%	0.10	05/03/22 17:06	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/06/22 13:12	2q,H6
40244262002	SB-01 (4.0-5.0')					
EPA 6020B	Aluminum	12700	mg/kg	37.3	05/11/22 11:01	
EPA 6020B	Antimony	0.24J	mg/kg	0.62	05/11/22 11:01	
EPA 6020B	Arsenic	12.2	mg/kg	0.62	05/11/22 11:01	
EPA 6020B	Barium	138	mg/kg	0.37	05/11/22 11:01	
EPA 6020B	Beryllium	0.76	mg/kg	0.25	05/11/22 11:01	
EPA 6020B	Cadmium	0.21	mg/kg	0.10	05/11/22 11:01	
EPA 6020B	Calcium	3880	mg/kg	124	05/11/22 11:01	
EPA 6020B	Chromium	19.5	mg/kg	2.5	05/11/22 11:01	
EPA 6020B	Cobalt	6.7	mg/kg	0.62	05/11/22 11:01	
EPA 6020B	Copper	16.8	mg/kg	1.2	05/11/22 11:01	
EPA 6020B	Iron	25700	mg/kg	62.2	05/11/22 11:01	
EPA 6020B	Lead	11.2	mg/kg	0.62	05/11/22 11:01	
EPA 6020B	Magnesium	3530	mg/kg	37.3	05/11/22 11:01	
EPA 6020B	Manganese	182	mg/kg	0.62	05/11/22 11:01	
EPA 6020B	Nickel	19.1	mg/kg	0.62	05/11/22 11:01	
EPA 6020B	Potassium	743	mg/kg	124	05/11/22 11:01	
EPA 6020B	Selenium	0.27J	mg/kg	0.62	05/11/22 11:01	
EPA 6020B	Silver	0.30J	mg/kg	0.62	05/11/22 11:01	
EPA 6020B	Sodium	52.2J	mg/kg	62.2	05/11/22 11:01	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244262002	SB-01 (4.0-5.0')					
EPA 6020B	Thallium	0.18	mg/kg	0.12	05/11/22 11:01	
EPA 6020B	Vanadium	32.9	mg/kg	1.2	05/11/22 11:01	
EPA 6020B	Zinc	57.1	mg/kg	6.2	05/11/22 11:01	
EPA 7471	Mercury	0.051	mg/kg	0.042	05/06/22 10:36	
ASTM D2974-87	Percent Moisture	21.2	%	0.10	05/03/22 17:06	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/06/22 13:19	2q,H6
40244262003	SB-02 (1.5-2.5')					
EPA 6020B	Aluminum	11700	mg/kg	33.9	05/11/22 11:20	
EPA 6020B	Antimony	0.12J	mg/kg	0.57	05/11/22 11:20	
EPA 6020B	Arsenic	7.4	mg/kg	0.57	05/11/22 11:20	
EPA 6020B	Barium	138	mg/kg	0.34	05/11/22 11:20	
EPA 6020B	Beryllium	0.69	mg/kg	0.23	05/11/22 11:20	
EPA 6020B	Cadmium	0.14	mg/kg	0.091	05/11/22 11:20	
EPA 6020B	Calcium	5050	mg/kg	113	05/11/22 11:20	
EPA 6020B	Chromium	15.3	mg/kg	2.3	05/11/22 11:20	
EPA 6020B	Cobalt	5.1	mg/kg	0.57	05/11/22 11:20	
EPA 6020B	Copper	13.9	mg/kg	1.1	05/11/22 11:20	
EPA 6020B	Iron	17900	mg/kg	56.6	05/11/22 11:20	
EPA 6020B	Lead	24.6	mg/kg	0.57	05/11/22 11:20	
EPA 6020B	Magnesium	2590	mg/kg	33.9	05/11/22 11:20	
EPA 6020B	Manganese	211	mg/kg	0.57	05/11/22 11:20	
EPA 6020B	Nickel	12.2	mg/kg	0.57	05/11/22 11:20	
EPA 6020B	Potassium	997	mg/kg	113	05/11/22 11:20	
EPA 6020B	Selenium	0.84	mg/kg	0.57	05/11/22 11:20	
EPA 6020B	Sodium	40.3J	mg/kg	56.6	05/11/22 11:20	
EPA 6020B	Thallium	0.16	mg/kg	0.11	05/11/22 11:20	
EPA 6020B	Vanadium	30.0	mg/kg	1.1	05/11/22 11:20	
EPA 6020B	Zinc	41.5	mg/kg	5.7	05/11/22 11:20	
EPA 7471	Mercury	0.028J	mg/kg	0.039	05/06/22 10:38	
ASTM D2974-87	Percent Moisture	18.2	%	0.10	05/03/22 17:07	
EPA 9045	pH at 25 Degrees C	7.85	Std. Units	0.100	05/06/22 13:04	H6
40244262004	SB-02 (4.0-5.0')					
EPA 6020B	Aluminum	15900	mg/kg	36.3	05/11/22 11:05	
EPA 6020B	Antimony	0.25J	mg/kg	0.60	05/11/22 11:05	
EPA 6020B	Arsenic	17.8	mg/kg	0.60	05/11/22 11:05	
EPA 6020B	Barium	251	mg/kg	0.36	05/11/22 11:05	
EPA 6020B	Beryllium	1.1	mg/kg	0.24	05/11/22 11:05	
EPA 6020B	Cadmium	0.65	mg/kg	0.097	05/11/22 11:05	
EPA 6020B	Calcium	3950	mg/kg	121	05/11/22 11:05	
EPA 6020B	Chromium	21.1	mg/kg	2.4	05/11/22 11:05	
EPA 6020B	Cobalt	17.5	mg/kg	0.60	05/11/22 11:05	
EPA 6020B	Copper	23.7	mg/kg	1.2	05/11/22 11:05	
EPA 6020B	Iron	34100	mg/kg	60.5	05/11/22 11:05	
EPA 6020B	Lead	19.1	mg/kg	0.60	05/11/22 11:05	
EPA 6020B	Magnesium	4080	mg/kg	36.3	05/11/22 11:05	
EPA 6020B	Manganese	1420	mg/kg	6.0	05/11/22 11:09	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244262004	SB-02 (4.0-5.0')					
EPA 6020B	Nickel	47.1	mg/kg	0.60	05/11/22 11:05	
EPA 6020B	Potassium	783	mg/kg	121	05/11/22 11:05	
EPA 6020B	Selenium	0.53J	mg/kg	0.60	05/11/22 11:05	
EPA 6020B	Sodium	58.9J	mg/kg	60.5	05/11/22 11:05	
EPA 6020B	Thallium	0.24	mg/kg	0.12	05/11/22 11:05	
EPA 6020B	Vanadium	42.8	mg/kg	1.2	05/11/22 11:05	
EPA 6020B	Zinc	59.1	mg/kg	6.0	05/11/22 11:05	
EPA 7471	Mercury	0.047	mg/kg	0.043	05/06/22 10:40	
ASTM D2974-87	Percent Moisture	22.7	%	0.10	05/03/22 17:07	
EPA 9040	pH at 25 Degrees C	7.5	Std. Units	0.10	05/06/22 13:23	2q,H6
40244262005	SB-03 (2.0-3.0')					
EPA 6020B	Aluminum	14800	mg/kg	36.6	05/11/22 11:24	
EPA 6020B	Antimony	0.12J	mg/kg	0.61	05/11/22 11:24	
EPA 6020B	Arsenic	6.6	mg/kg	0.61	05/11/22 11:24	
EPA 6020B	Barium	174	mg/kg	0.37	05/11/22 11:24	
EPA 6020B	Beryllium	0.81	mg/kg	0.24	05/11/22 11:24	
EPA 6020B	Cadmium	0.11	mg/kg	0.098	05/11/22 11:24	
EPA 6020B	Calcium	4120	mg/kg	122	05/11/22 11:24	
EPA 6020B	Chromium	18.9	mg/kg	2.4	05/11/22 11:24	
EPA 6020B	Cobalt	8.9	mg/kg	0.61	05/11/22 11:24	
EPA 6020B	Copper	15.0	mg/kg	1.2	05/11/22 11:24	
EPA 6020B	Iron	20500	mg/kg	61.0	05/11/22 11:24	
EPA 6020B	Lead	10.5	mg/kg	0.61	05/11/22 11:24	
EPA 6020B	Magnesium	2690	mg/kg	36.6	05/11/22 11:24	
EPA 6020B	Manganese	384	mg/kg	0.61	05/11/22 11:24	
EPA 6020B	Nickel	16.3	mg/kg	0.61	05/11/22 11:24	
EPA 6020B	Potassium	1140	mg/kg	122	05/11/22 11:24	
EPA 6020B	Selenium	1.0	mg/kg	0.61	05/11/22 11:24	
EPA 6020B	Sodium	55.1J	mg/kg	61.0	05/11/22 11:24	
EPA 6020B	Thallium	0.19	mg/kg	0.12	05/11/22 11:24	
EPA 6020B	Vanadium	34.8	mg/kg	1.2	05/11/22 11:24	
EPA 6020B	Zinc	46.0	mg/kg	6.1	05/11/22 11:24	
EPA 7471	Mercury	0.033J	mg/kg	0.041	05/06/22 10:47	
ASTM D2974-87	Percent Moisture	23.4	%	0.10	05/03/22 17:07	
EPA 9040	pH at 25 Degrees C	7.4	Std. Units	0.10	05/06/22 13:26	2q,H6
40244262006	SB-03 (4.0-5.0')					
EPA 6020B	Aluminum	16700	mg/kg	36.3	05/11/22 11:28	
EPA 6020B	Antimony	0.16J	mg/kg	0.61	05/11/22 11:28	
EPA 6020B	Arsenic	9.1	mg/kg	0.61	05/11/22 11:28	
EPA 6020B	Barium	235	mg/kg	0.36	05/11/22 11:28	
EPA 6020B	Beryllium	0.88	mg/kg	0.24	05/11/22 11:28	
EPA 6020B	Cadmium	0.18	mg/kg	0.097	05/11/22 11:28	
EPA 6020B	Calcium	3970	mg/kg	121	05/11/22 11:28	
EPA 6020B	Chromium	22.0	mg/kg	2.4	05/11/22 11:28	
EPA 6020B	Cobalt	14.6	mg/kg	0.61	05/11/22 11:28	
EPA 6020B	Copper	18.2	mg/kg	1.2	05/11/22 11:28	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244262006	SB-03 (4.0-5.0')					
EPA 6020B	Iron	26300	mg/kg	60.5	05/11/22 11:28	
EPA 6020B	Lead	8.6	mg/kg	0.61	05/11/22 11:28	
EPA 6020B	Magnesium	3410	mg/kg	36.3	05/11/22 11:28	
EPA 6020B	Manganese	1160	mg/kg	6.1	05/11/22 11:32	
EPA 6020B	Nickel	30.8	mg/kg	0.61	05/11/22 11:28	
EPA 6020B	Potassium	965	mg/kg	121	05/11/22 11:28	
EPA 6020B	Selenium	0.63	mg/kg	0.61	05/11/22 11:28	
EPA 6020B	Sodium	61.7	mg/kg	60.5	05/11/22 11:28	
EPA 6020B	Thallium	0.24	mg/kg	0.12	05/11/22 11:28	
EPA 6020B	Vanadium	38.3	mg/kg	1.2	05/11/22 11:28	
EPA 6020B	Zinc	54.1	mg/kg	6.1	05/11/22 11:28	
EPA 7471	Mercury	0.047	mg/kg	0.040	05/06/22 10:50	
ASTM D2974-87	Percent Moisture	23.5	%	0.10	05/03/22 17:38	
EPA 9040	pH at 25 Degrees C	7.7	Std. Units	0.10	05/06/22 13:30	2q,H6
40244262007	SB-04 (1.0-2.0')					
EPA 6020B	Aluminum	11600	mg/kg	37.6	05/11/22 11:35	
EPA 6020B	Arsenic	4.2	mg/kg	0.63	05/11/22 11:35	
EPA 6020B	Barium	138	mg/kg	0.38	05/11/22 11:35	
EPA 6020B	Beryllium	0.73	mg/kg	0.25	05/11/22 11:35	
EPA 6020B	Cadmium	0.12	mg/kg	0.10	05/11/22 11:35	
EPA 6020B	Calcium	3670	mg/kg	125	05/11/22 11:35	
EPA 6020B	Chromium	15.0	mg/kg	2.5	05/11/22 11:35	
EPA 6020B	Cobalt	4.6	mg/kg	0.63	05/11/22 11:35	
EPA 6020B	Copper	13.0	mg/kg	1.3	05/11/22 11:35	
EPA 6020B	Iron	14600	mg/kg	62.7	05/11/22 11:35	
EPA 6020B	Lead	9.5	mg/kg	0.63	05/11/22 11:35	
EPA 6020B	Magnesium	2240	mg/kg	37.6	05/11/22 11:35	
EPA 6020B	Manganese	230	mg/kg	0.63	05/11/22 11:35	
EPA 6020B	Nickel	11.4	mg/kg	0.63	05/11/22 11:35	
EPA 6020B	Potassium	1010	mg/kg	125	05/11/22 11:35	
EPA 6020B	Selenium	0.73	mg/kg	0.63	05/11/22 11:35	
EPA 6020B	Sodium	43.8J	mg/kg	62.7	05/11/22 11:35	
EPA 6020B	Thallium	0.16	mg/kg	0.13	05/11/22 11:35	
EPA 6020B	Vanadium	27.4	mg/kg	1.3	05/11/22 11:35	
EPA 6020B	Zinc	41.0	mg/kg	6.3	05/11/22 11:35	
EPA 7471	Mercury	0.032J	mg/kg	0.042	05/06/22 10:52	
ASTM D2974-87	Percent Moisture	24.1	%	0.10	05/03/22 17:39	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/06/22 13:33	2q,H6
40244262008	SB-04 (4.0-5.0')					
EPA 6020B	Aluminum	18800	mg/kg	37.8	05/11/22 11:39	
EPA 6020B	Antimony	0.25J	mg/kg	0.63	05/11/22 11:39	
EPA 6020B	Arsenic	19.4	mg/kg	0.63	05/11/22 11:39	
EPA 6020B	Barium	199	mg/kg	0.38	05/11/22 11:39	
EPA 6020B	Beryllium	1.1	mg/kg	0.25	05/11/22 11:39	
EPA 6020B	Cadmium	0.34	mg/kg	0.10	05/11/22 11:39	
EPA 6020B	Calcium	3920	mg/kg	126	05/11/22 11:39	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244262008	SB-04 (4.0-5.0')					
EPA 6020B	Chromium	23.4	mg/kg	2.5	05/11/22 11:39	
EPA 6020B	Cobalt	16.9	mg/kg	0.63	05/11/22 11:39	
EPA 6020B	Copper	21.4	mg/kg	1.3	05/11/22 11:39	
EPA 6020B	Iron	31100	mg/kg	63.0	05/11/22 11:39	
EPA 6020B	Lead	25.1	mg/kg	0.63	05/11/22 11:39	
EPA 6020B	Magnesium	3840	mg/kg	37.8	05/11/22 11:39	
EPA 6020B	Manganese	1280	mg/kg	6.3	05/11/22 11:43	
EPA 6020B	Nickel	27.9	mg/kg	0.63	05/11/22 11:39	
EPA 6020B	Potassium	929	mg/kg	126	05/11/22 11:39	
EPA 6020B	Selenium	0.93	mg/kg	0.63	05/11/22 11:39	
EPA 6020B	Sodium	55.0J	mg/kg	63.0	05/11/22 11:39	
EPA 6020B	Thallium	0.24	mg/kg	0.13	05/11/22 11:39	
EPA 6020B	Vanadium	50.8	mg/kg	1.3	05/11/22 11:39	
EPA 6020B	Zinc	58.8	mg/kg	6.3	05/11/22 11:39	
EPA 7471	Mercury	0.047	mg/kg	0.043	05/06/22 10:54	
EPA 8270E	Benzo(a)pyrene	0.051J	mg/kg	0.11	05/06/22 14:14	
EPA 8270E	Benzo(b)fluoranthene	0.042J	mg/kg	0.12	05/06/22 14:14	
EPA 8270E	Benzo(g,h,i)perylene	0.061J	mg/kg	0.19	05/06/22 14:14	
EPA 8270E	Dibenz(a,h)anthracene	0.068J	mg/kg	0.20	05/06/22 14:14	
EPA 8270E	Indeno(1,2,3-cd)pyrene	0.082J	mg/kg	0.16	05/06/22 14:14	
ASTM D2974-87	Percent Moisture	23.0	%	0.10	05/03/22 17:39	
EPA 9040	pH at 25 Degrees C	7.5	Std. Units	0.10	05/06/22 13:39	2q,H6
40244262009	SB-05 (2.0-2.5')					
EPA 6020B	Aluminum	13900	mg/kg	39.4	05/11/22 11:47	
EPA 6020B	Arsenic	7.2	mg/kg	0.66	05/11/22 11:47	
EPA 6020B	Barium	227	mg/kg	0.39	05/11/22 11:47	
EPA 6020B	Beryllium	0.83	mg/kg	0.26	05/11/22 11:47	
EPA 6020B	Cadmium	0.20	mg/kg	0.10	05/11/22 11:47	
EPA 6020B	Calcium	5890	mg/kg	131	05/11/22 11:47	
EPA 6020B	Chromium	17.8	mg/kg	2.6	05/11/22 11:47	
EPA 6020B	Cobalt	5.1	mg/kg	0.66	05/11/22 11:47	
EPA 6020B	Copper	17.9	mg/kg	1.3	05/11/22 11:47	
EPA 6020B	Iron	20000	mg/kg	65.6	05/11/22 11:47	
EPA 6020B	Lead	11.8	mg/kg	0.66	05/11/22 11:47	
EPA 6020B	Magnesium	3200	mg/kg	39.4	05/11/22 11:47	
EPA 6020B	Manganese	443	mg/kg	0.66	05/11/22 11:47	
EPA 6020B	Nickel	13.9	mg/kg	0.66	05/11/22 11:47	
EPA 6020B	Potassium	1260	mg/kg	131	05/11/22 11:47	
EPA 6020B	Selenium	0.88	mg/kg	0.66	05/11/22 11:47	
EPA 6020B	Sodium	41.2J	mg/kg	65.6	05/11/22 11:47	
EPA 6020B	Thallium	0.18	mg/kg	0.13	05/11/22 11:47	
EPA 6020B	Vanadium	33.7	mg/kg	1.3	05/11/22 11:47	
EPA 6020B	Zinc	55.4	mg/kg	6.6	05/11/22 11:47	
EPA 7471	Mercury	0.030J	mg/kg	0.047	05/06/22 10:57	
EPA 8270E	2-Methylnaphthalene	0.059J	mg/kg	0.20	05/04/22 15:36	
EPA 8270E	3&4-Methylphenol(m&p Cresol)	0.12J	mg/kg	0.14	05/04/22 15:36	
EPA 8270E	Fluoranthene	0.038J	mg/kg	0.11	05/04/22 15:36	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244262009	SB-05 (2.0-2.5')					
EPA 8270E	Phenanthrene	0.057J	mg/kg	0.097	05/04/22 15:36	
ASTM D2974-87	Percent Moisture	26.7	%	0.10	05/03/22 17:39	
EPA 9040	pH at 25 Degrees C	7.7	Std. Units	0.10	05/06/22 13:44	2q,H6
40244262010	SB-05 (4.5-5.5')					
EPA 6020B	Aluminum	14200	mg/kg	38.1	05/11/22 11:51	
EPA 6020B	Antimony	0.18J	mg/kg	0.64	05/11/22 11:51	
EPA 6020B	Arsenic	10.9	mg/kg	0.64	05/11/22 11:51	
EPA 6020B	Barium	179	mg/kg	0.38	05/11/22 11:51	
EPA 6020B	Beryllium	0.87	mg/kg	0.25	05/11/22 11:51	
EPA 6020B	Cadmium	0.28	mg/kg	0.10	05/11/22 11:51	
EPA 6020B	Calcium	12700	mg/kg	127	05/11/22 11:51	
EPA 6020B	Chromium	19.7	mg/kg	2.5	05/11/22 11:51	
EPA 6020B	Cobalt	15.3	mg/kg	0.64	05/11/22 11:51	
EPA 6020B	Copper	25.1	mg/kg	1.3	05/11/22 11:51	
EPA 6020B	Iron	22600	mg/kg	63.6	05/11/22 11:51	
EPA 6020B	Lead	17.0	mg/kg	0.64	05/11/22 11:51	
EPA 6020B	Magnesium	5370	mg/kg	38.1	05/11/22 11:51	
EPA 6020B	Manganese	551	mg/kg	6.4	05/11/22 11:54	
EPA 6020B	Nickel	27.3	mg/kg	0.64	05/11/22 11:51	
EPA 6020B	Potassium	723	mg/kg	127	05/11/22 11:51	
EPA 6020B	Selenium	0.36J	mg/kg	0.64	05/11/22 11:51	
EPA 6020B	Sodium	54.9J	mg/kg	63.6	05/11/22 11:51	
EPA 6020B	Thallium	0.21	mg/kg	0.13	05/11/22 11:51	
EPA 6020B	Vanadium	39.2	mg/kg	1.3	05/11/22 11:51	
EPA 6020B	Zinc	55.0	mg/kg	6.4	05/11/22 11:51	
EPA 7471	Mercury	0.049	mg/kg	0.041	05/06/22 10:59	
ASTM D2974-87	Percent Moisture	22.9	%	0.10	05/03/22 17:39	
EPA 9040	pH at 25 Degrees C	7.4	Std. Units	0.10	05/06/22 13:46	2q,H6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: **SB-01 (1.0-2.0')** Lab ID: **40244262001** Collected: 05/02/22 13:10 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00053	mg/kg	0.0022	0.00053	1	05/05/22 13:14	05/06/22 14:43	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/05/22 13:14	05/06/22 14:43	319-84-6	
beta-BHC	<0.00067	mg/kg	0.0022	0.00067	1	05/05/22 13:14	05/06/22 14:43	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0022	0.00039	1	05/05/22 13:14	05/06/22 14:43	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/05/22 13:14	05/06/22 14:43	58-89-9	
Chlordane (Technical)	<0.0071	mg/kg	0.022	0.0071	1	05/05/22 13:14	05/06/22 14:43	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/05/22 13:14	05/06/22 14:43	5103-71-9	
gamma-Chlordane	<0.00081	mg/kg	0.0022	0.00081	1	05/05/22 13:14	05/06/22 14:43	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0043	0.00044	1	05/05/22 13:14	05/06/22 14:43	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/05/22 13:14	05/06/22 14:43	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/05/22 13:14	05/06/22 14:43	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/05/22 13:14	05/06/22 14:43	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/05/22 13:14	05/06/22 14:43	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/05/22 13:14	05/06/22 14:43	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/05/22 13:14	05/06/22 14:43	1031-07-8	
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/05/22 13:14	05/06/22 14:43	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/05/22 13:14	05/06/22 14:43	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/05/22 13:14	05/06/22 14:43	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0022	0.00058	1	05/05/22 13:14	05/06/22 14:43	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/05/22 13:14	05/06/22 14:43	1024-57-3	
Methoxychlor	<0.0067	mg/kg	0.022	0.0067	1	05/05/22 13:14	05/06/22 14:43	72-43-5	
Toxaphene	<0.020	mg/kg	0.065	0.020	1	05/05/22 13:14	05/06/22 14:43	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	49	%	53-138		1	05/05/22 13:14	05/06/22 14:43	877-09-8	S0
Decachlorobiphenyl (S)	45	%	30-150		1	05/05/22 13:14	05/06/22 14:43	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 00:58	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 00:58	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 00:58	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 00:58	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 00:58	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 00:58	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 00:58	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 00:58	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	82	%	50-99		1	05/05/22 05:15	05/06/22 00:58	877-09-8	
Decachlorobiphenyl (S)	84	%	38-95		1	05/05/22 05:15	05/06/22 00:58	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	13600	mg/kg	37.5	7.6	1	05/05/22 12:34	05/11/22 10:42	7429-90-5	P6
Antimony	0.20J	mg/kg	0.63	0.12	1	05/05/22 12:34	05/11/22 10:42	7440-36-0	M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Sample: **SB-01 (1.0-2.0')** Lab ID: **40244262001** Collected: 05/02/22 13:10 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	7.4	mg/kg	0.63	0.14	1	05/05/22 12:34	05/11/22 10:42	7440-38-2	
Barium	156	mg/kg	0.38	0.067	1	05/05/22 12:34	05/11/22 10:42	7440-39-3	M1
Beryllium	0.81	mg/kg	0.25	0.050	1	05/05/22 12:34	05/11/22 10:42	7440-41-7	
Cadmium	0.12	mg/kg	0.10	0.039	1	05/05/22 12:34	05/11/22 10:42	7440-43-9	
Calcium	5120	mg/kg	125	14.8	1	05/05/22 12:34	05/11/22 10:42	7440-70-2	P6
Chromium	17.3	mg/kg	2.5	0.18	1	05/05/22 12:34	05/11/22 10:42	7440-47-3	
Cobalt	4.1	mg/kg	0.63	0.12	1	05/05/22 12:34	05/11/22 10:42	7440-48-4	
Copper	15.0	mg/kg	1.3	0.30	1	05/05/22 12:34	05/11/22 10:42	7440-50-8	
Iron	18700	mg/kg	62.5	13.1	1	05/05/22 12:34	05/11/22 10:42	7439-89-6	P6
Lead	11.2	mg/kg	0.63	0.037	1	05/05/22 12:34	05/11/22 10:42	7439-92-1	
Magnesium	2800	mg/kg	37.5	5.4	1	05/05/22 12:34	05/11/22 10:42	7439-95-4	M1
Manganese	182	mg/kg	0.63	0.31	1	05/05/22 12:34	05/11/22 10:42	7439-96-5	M1, R1
Nickel	12.1	mg/kg	0.63	0.25	1	05/05/22 12:34	05/11/22 10:42	7440-02-0	
Potassium	1140	mg/kg	125	14.4	1	05/05/22 12:34	05/11/22 10:42	7440-09-7	M1
Selenium	0.58J	mg/kg	0.63	0.11	1	05/05/22 12:34	05/11/22 10:42	7782-49-2	
Silver	0.30J	mg/kg	0.63	0.18	1	05/05/22 12:34	05/11/22 10:42	7440-22-4	
Sodium	37.0J	mg/kg	62.5	13.9	1	05/05/22 12:34	05/11/22 10:42	7440-23-5	
Thallium	0.17	mg/kg	0.13	0.046	1	05/05/22 12:34	05/11/22 10:42	7440-28-0	
Vanadium	32.8	mg/kg	1.3	0.22	1	05/05/22 12:34	05/11/22 10:42	7440-62-2	
Zinc	46.1	mg/kg	6.3	1.1	1	05/05/22 12:34	05/11/22 10:42	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.026J	mg/kg	0.042	0.012	1	05/05/22 12:09	05/06/22 10:33	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.082	0.025	1	05/04/22 09:27	05/04/22 17:42	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/04/22 09:27	05/04/22 17:42	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/04/22 09:27	05/04/22 17:42	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/04/22 09:27	05/04/22 17:42	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/04/22 09:27	05/04/22 17:42	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/04/22 09:27	05/04/22 17:42	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 17:42	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/04/22 09:27	05/04/22 17:42	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/04/22 09:27	05/04/22 17:42	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/04/22 09:27	05/04/22 17:42	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/04/22 09:27	05/04/22 17:42	121-14-2	CU
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/04/22 09:27	05/04/22 17:42	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/04/22 09:27	05/04/22 17:42	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/04/22 09:27	05/04/22 17:42	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/04/22 09:27	05/04/22 17:42	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/04/22 09:27	05/04/22 17:42	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/04/22 09:27	05/04/22 17:42	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: **SB-01 (1.0-2.0')** Lab ID: **40244262001** Collected: 05/02/22 13:10 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.069	mg/kg	0.23	0.069	1	05/04/22 09:27	05/04/22 17:42	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/04/22 09:27	05/04/22 17:42		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/04/22 09:27	05/04/22 17:42	91-94-1	CU
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/04/22 09:27	05/04/22 17:42	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/04/22 09:27	05/04/22 17:42	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/04/22 09:27	05/04/22 17:42	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/04/22 09:27	05/04/22 17:42	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 17:42	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/04/22 09:27	05/04/22 17:42	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/04/22 09:27	05/04/22 17:42	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/04/22 09:27	05/04/22 17:42	100-02-7	CU
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/04/22 09:27	05/04/22 17:42	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/04/22 09:27	05/04/22 17:42	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 17:42	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 17:42	56-55-3	
Benzo(a)pyrene	0.036J	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 17:42	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/04/22 09:27	05/04/22 17:42	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/04/22 09:27	05/04/22 17:42	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/04/22 09:27	05/04/22 17:42	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 17:42	85-68-7	CU
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 17:42	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/04/22 09:27	05/04/22 17:42	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/04/22 09:27	05/04/22 17:42	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/04/22 09:27	05/04/22 17:42	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/04/22 09:27	05/04/22 17:42	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.088	0.026	1	05/04/22 09:27	05/04/22 17:42	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 17:42	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/04/22 09:27	05/04/22 17:42	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/04/22 09:27	05/04/22 17:42	206-44-0	
Fluorene	<0.025	mg/kg	0.085	0.025	1	05/04/22 09:27	05/04/22 17:42	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/04/22 09:27	05/04/22 17:42	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/04/22 09:27	05/04/22 17:42	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/04/22 09:27	05/04/22 17:42	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 17:42	67-72-1	
Indeno(1,2,3-cd)pyrene	0.053J	mg/kg	0.16	0.047	1	05/04/22 09:27	05/04/22 17:42	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 17:42	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 17:42	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/04/22 09:27	05/04/22 17:42	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/04/22 09:27	05/04/22 17:42	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/04/22 09:27	05/04/22 17:42	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/04/22 09:27	05/04/22 17:42	87-86-5	
Phenanthrene	<0.028	mg/kg	0.093	0.028	1	05/04/22 09:27	05/04/22 17:42	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/04/22 09:27	05/04/22 17:42	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/04/22 09:27	05/04/22 17:42	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Sample: SB-01 (1.0-2.0') **Lab ID: 40244262001** Collected: 05/02/22 13:10 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/04/22 09:27	05/04/22 17:42	111-91-1	
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/04/22 09:27	05/04/22 17:42	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 17:42	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	66	%	10-125		1	05/04/22 09:27	05/04/22 17:42	4165-60-0	
2-Fluorobiphenyl (S)	61	%	12-118		1	05/04/22 09:27	05/04/22 17:42	321-60-8	
Terphenyl-d14 (S)	52	%	10-124		1	05/04/22 09:27	05/04/22 17:42	1718-51-0	
Phenol-d6 (S)	54	%	10-125		1	05/04/22 09:27	05/04/22 17:42	13127-88-3	
2-Fluorophenol (S)	57	%	10-130		1	05/04/22 09:27	05/04/22 17:42	367-12-4	
2,4,6-Tribromophenol (S)	61	%	10-144		1	05/04/22 09:27	05/04/22 17:42	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/05/22 06:00	05/05/22 18:51	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0051	0.0026	1	05/05/22 06:00	05/05/22 18:51	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/05/22 06:00	05/05/22 18:51	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0051	0.0011	1	05/05/22 06:00	05/05/22 18:51	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0051	0.0011	1	05/05/22 06:00	05/05/22 18:51	75-35-4	
1,2-Dichloroethane	<0.00083	mg/kg	0.0051	0.00083	1	05/05/22 06:00	05/05/22 18:51	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0051	0.0010	1	05/05/22 06:00	05/05/22 18:51	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/05/22 06:00	05/05/22 18:51	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/05/22 06:00	05/05/22 18:51	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/05/22 06:00	05/05/22 18:51	108-10-1	
Acetone	<0.048	mg/kg	0.10	0.048	1	05/05/22 06:00	05/05/22 18:51	67-64-1	
Benzene	<0.00072	mg/kg	0.0051	0.00072	1	05/05/22 06:00	05/05/22 18:51	71-43-2	
Bromodichloromethane	<0.00069	mg/kg	0.0051	0.00069	1	05/05/22 06:00	05/05/22 18:51	75-27-4	
Bromoform	<0.0082	mg/kg	0.020	0.0082	1	05/05/22 06:00	05/05/22 18:51	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0051	0.0045	1	05/05/22 06:00	05/05/22 18:51	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0051	0.0011	1	05/05/22 06:00	05/05/22 18:51	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0051	0.0032	1	05/05/22 06:00	05/05/22 18:51	56-23-5	
Chlorobenzene	<0.00093	mg/kg	0.0051	0.00093	1	05/05/22 06:00	05/05/22 18:51	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0051	0.0037	1	05/05/22 06:00	05/05/22 18:51	75-00-3	
Chloroform	<0.00085	mg/kg	0.0051	0.00085	1	05/05/22 06:00	05/05/22 18:51	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0051	0.0011	1	05/05/22 06:00	05/05/22 18:51	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0051	0.0010	1	05/05/22 06:00	05/05/22 18:51	124-48-1	
Ethylbenzene	<0.00090	mg/kg	0.0051	0.00090	1	05/05/22 06:00	05/05/22 18:51	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0051	0.0021	1	05/05/22 06:00	05/05/22 18:51	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0051	0.0040	1	05/05/22 06:00	05/05/22 18:51	75-09-2	
Styrene	<0.00072	mg/kg	0.0051	0.00072	1	05/05/22 06:00	05/05/22 18:51	100-42-5	
Tetrachloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/05/22 06:00	05/05/22 18:51	127-18-4	
Toluene	<0.00089	mg/kg	0.0051	0.00089	1	05/05/22 06:00	05/05/22 18:51	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0051	0.00072	1	05/05/22 06:00	05/05/22 18:51	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0051	0.0013	1	05/05/22 06:00	05/05/22 18:51	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/05/22 06:00	05/05/22 18:51	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Sample: SB-01 (1.0-2.0') **Lab ID: 40244262001** Collected: 05/02/22 13:10 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay								
cis-1,2-Dichloroethene	<0.00089	mg/kg	0.0051	0.00089	1	05/05/22 06:00	05/05/22 18:51	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/05/22 06:00	05/05/22 18:51	10061-01-5	
trans-1,2-Dichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/05/22 06:00	05/05/22 18:51	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/05/22 06:00	05/05/22 18:51	10061-02-6	
Surrogates									
Toluene-d8 (S)	98	%	69-156		1	05/05/22 06:00	05/05/22 18:51	2037-26-5	
4-Bromofluorobenzene (S)	90	%	61-175		1	05/05/22 06:00	05/05/22 18:51	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1	05/05/22 06:00	05/05/22 18:51	2199-69-1	
Percent Moisture	Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay								
Percent Moisture	23.1	%	0.10	0.10	1		05/03/22 17:06		
9040 pH	Analytical Method: EPA 9040 Pace Analytical Services - Green Bay								
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/06/22 13:12		2q,H6
9012 Cyanide, Total	Analytical Method: EPA 9012B Preparation Method: EPA 9012B Pace Analytical Services - Green Bay								
Cyanide	<0.37	mg/kg	1.1	0.37	1	05/09/22 11:05	05/09/22 13:51	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: **SB-01 (4.0-5.0')** Lab ID: **40244262002** Collected: 05/02/22 13:15 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00051	mg/kg	0.0021	0.00051	1	05/05/22 13:14	05/06/22 15:59	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/05/22 13:14	05/06/22 15:59	319-84-6	
beta-BHC	<0.00065	mg/kg	0.0021	0.00065	1	05/05/22 13:14	05/06/22 15:59	319-85-7	
delta-BHC	<0.00038	mg/kg	0.0021	0.00038	1	05/05/22 13:14	05/06/22 15:59	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/05/22 13:14	05/06/22 15:59	58-89-9	
Chlordane (Technical)	<0.0070	mg/kg	0.021	0.0070	1	05/05/22 13:14	05/06/22 15:59	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/05/22 13:14	05/06/22 15:59	5103-71-9	
gamma-Chlordane	<0.00079	mg/kg	0.0021	0.00079	1	05/05/22 13:14	05/06/22 15:59	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0042	0.00043	1	05/05/22 13:14	05/06/22 15:59	72-54-8	
4,4'-DDE	<0.00049	mg/kg	0.0042	0.00049	1	05/05/22 13:14	05/06/22 15:59	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0042	0.0013	1	05/05/22 13:14	05/06/22 15:59	50-29-3	
Dieldrin	<0.00040	mg/kg	0.0042	0.00040	1	05/05/22 13:14	05/06/22 15:59	60-57-1	
Endosulfan I	<0.00023	mg/kg	0.0021	0.00023	1	05/05/22 13:14	05/06/22 15:59	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0042	0.0010	1	05/05/22 13:14	05/06/22 15:59	33213-65-9	
Endosulfan sulfate	<0.00099	mg/kg	0.0042	0.00099	1	05/05/22 13:14	05/06/22 15:59	1031-07-8	
Endrin	<0.00047	mg/kg	0.0042	0.00047	1	05/05/22 13:14	05/06/22 15:59	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0042	0.0014	1	05/05/22 13:14	05/06/22 15:59	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0042	0.0011	1	05/05/22 13:14	05/06/22 15:59	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0021	0.00057	1	05/05/22 13:14	05/06/22 15:59	76-44-8	
Heptachlor epoxide	<0.00021	mg/kg	0.0021	0.00021	1	05/05/22 13:14	05/06/22 15:59	1024-57-3	
Methoxychlor	<0.0065	mg/kg	0.021	0.0065	1	05/05/22 13:14	05/06/22 15:59	72-43-5	
Toxaphene	<0.020	mg/kg	0.063	0.020	1	05/05/22 13:14	05/06/22 15:59	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	64	%	53-138		1	05/05/22 13:14	05/06/22 15:59	877-09-8	
Decachlorobiphenyl (S)	58	%	30-150		1	05/05/22 13:14	05/06/22 15:59	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.063	0.019	1	05/05/22 05:15	05/06/22 01:22	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.063	0.019	1	05/05/22 05:15	05/06/22 01:22	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.063	0.019	1	05/05/22 05:15	05/06/22 01:22	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.063	0.019	1	05/05/22 05:15	05/06/22 01:22	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.063	0.019	1	05/05/22 05:15	05/06/22 01:22	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.063	0.019	1	05/05/22 05:15	05/06/22 01:22	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.063	0.019	1	05/05/22 05:15	05/06/22 01:22	11096-82-5	
PCB, Total	<0.019	mg/kg	0.063	0.019	1	05/05/22 05:15	05/06/22 01:22	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	78	%	50-99		1	05/05/22 05:15	05/06/22 01:22	877-09-8	
Decachlorobiphenyl (S)	84	%	38-95		1	05/05/22 05:15	05/06/22 01:22	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	12700	mg/kg	37.3	7.5	1	05/05/22 12:34	05/11/22 11:01	7429-90-5	
Antimony	0.24J	mg/kg	0.62	0.12	1	05/05/22 12:34	05/11/22 11:01	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: **SB-01 (4.0-5.0')** Lab ID: **40244262002** Collected: 05/02/22 13:15 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	12.2	mg/kg	0.62	0.14	1	05/05/22 12:34	05/11/22 11:01	7440-38-2	
Barium	138	mg/kg	0.37	0.066	1	05/05/22 12:34	05/11/22 11:01	7440-39-3	
Beryllium	0.76	mg/kg	0.25	0.049	1	05/05/22 12:34	05/11/22 11:01	7440-41-7	
Cadmium	0.21	mg/kg	0.10	0.039	1	05/05/22 12:34	05/11/22 11:01	7440-43-9	
Calcium	3880	mg/kg	124	14.7	1	05/05/22 12:34	05/11/22 11:01	7440-70-2	
Chromium	19.5	mg/kg	2.5	0.17	1	05/05/22 12:34	05/11/22 11:01	7440-47-3	
Cobalt	6.7	mg/kg	0.62	0.12	1	05/05/22 12:34	05/11/22 11:01	7440-48-4	
Copper	16.8	mg/kg	1.2	0.30	1	05/05/22 12:34	05/11/22 11:01	7440-50-8	
Iron	25700	mg/kg	62.2	13.1	1	05/05/22 12:34	05/11/22 11:01	7439-89-6	
Lead	11.2	mg/kg	0.62	0.037	1	05/05/22 12:34	05/11/22 11:01	7439-92-1	
Magnesium	3530	mg/kg	37.3	5.4	1	05/05/22 12:34	05/11/22 11:01	7439-95-4	
Manganese	182	mg/kg	0.62	0.30	1	05/05/22 12:34	05/11/22 11:01	7439-96-5	
Nickel	19.1	mg/kg	0.62	0.25	1	05/05/22 12:34	05/11/22 11:01	7440-02-0	
Potassium	743	mg/kg	124	14.3	1	05/05/22 12:34	05/11/22 11:01	7440-09-7	
Selenium	0.27J	mg/kg	0.62	0.11	1	05/05/22 12:34	05/11/22 11:01	7782-49-2	
Silver	0.30J	mg/kg	0.62	0.18	1	05/05/22 12:34	05/11/22 11:01	7440-22-4	
Sodium	52.2J	mg/kg	62.2	13.8	1	05/05/22 12:34	05/11/22 11:01	7440-23-5	
Thallium	0.18	mg/kg	0.12	0.046	1	05/05/22 12:34	05/11/22 11:01	7440-28-0	
Vanadium	32.9	mg/kg	1.2	0.22	1	05/05/22 12:34	05/11/22 11:01	7440-62-2	
Zinc	57.1	mg/kg	6.2	1.1	1	05/05/22 12:34	05/11/22 11:01	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.051	mg/kg	0.042	0.012	1	05/05/22 12:09	05/06/22 10:36	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/04/22 09:27	05/04/22 13:49	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/04/22 09:27	05/04/22 13:49	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/04/22 09:27	05/04/22 13:49	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/04/22 09:27	05/04/22 13:49	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/04/22 09:27	05/04/22 13:49	108-60-1	
2,4,5-Trichlorophenol	<0.037	mg/kg	0.12	0.037	1	05/04/22 09:27	05/04/22 13:49	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/04/22 09:27	05/04/22 13:49	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/04/22 09:27	05/04/22 13:49	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/04/22 09:27	05/04/22 13:49	105-67-9	
2,4-Dinitrophenol	<0.064	mg/kg	0.21	0.064	1	05/04/22 09:27	05/04/22 13:49	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/04/22 09:27	05/04/22 13:49	121-14-2	CU
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/04/22 09:27	05/04/22 13:49	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/04/22 09:27	05/04/22 13:49	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/04/22 09:27	05/04/22 13:49	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/04/22 09:27	05/04/22 13:49	91-57-6	
2-Methylphenol(o-Cresol)	<0.038	mg/kg	0.13	0.038	1	05/04/22 09:27	05/04/22 13:49	95-48-7	
2-Nitroaniline	<0.060	mg/kg	0.20	0.060	1	05/04/22 09:27	05/04/22 13:49	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Sample: **SB-01 (4.0-5.0')** Lab ID: **40244262002** Collected: 05/02/22 13:15 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/04/22 09:27	05/04/22 13:49	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/04/22 09:27	05/04/22 13:49		
3,3'-Dichlorobenzidine	<0.057	mg/kg	0.19	0.057	1	05/04/22 09:27	05/04/22 13:49	91-94-1	CU
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 13:49	99-09-2	
4,6-Dinitro-2-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/04/22 09:27	05/04/22 13:49	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/04/22 09:27	05/04/22 13:49	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/04/22 09:27	05/04/22 13:49	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 13:49	106-47-8	1q
4-Chlorophenylphenyl ether	<0.039	mg/kg	0.13	0.039	1	05/04/22 09:27	05/04/22 13:49	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/04/22 09:27	05/04/22 13:49	100-01-6	
4-Nitrophenol	<0.053	mg/kg	0.18	0.053	1	05/04/22 09:27	05/04/22 13:49	100-02-7	CU
Acenaphthene	<0.075	mg/kg	0.25	0.075	1	05/04/22 09:27	05/04/22 13:49	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/04/22 09:27	05/04/22 13:49	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 13:49	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 13:49	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/04/22 09:27	05/04/22 13:49	50-32-8	
Benzo(b)fluoranthene	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 13:49	205-99-2	
Benzo(g,h,i)perylene	<0.055	mg/kg	0.18	0.055	1	05/04/22 09:27	05/04/22 13:49	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/04/22 09:27	05/04/22 13:49	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 13:49	85-68-7	CU
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 13:49	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/04/22 09:27	05/04/22 13:49	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/04/22 09:27	05/04/22 13:49	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/04/22 09:27	05/04/22 13:49	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/04/22 09:27	05/04/22 13:49	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.085	0.026	1	05/04/22 09:27	05/04/22 13:49	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 13:49	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.092	0.028	1	05/04/22 09:27	05/04/22 13:49	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/04/22 09:27	05/04/22 13:49	206-44-0	
Fluorene	<0.025	mg/kg	0.082	0.025	1	05/04/22 09:27	05/04/22 13:49	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/04/22 09:27	05/04/22 13:49	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 13:49	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/04/22 09:27	05/04/22 13:49	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 13:49	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/04/22 09:27	05/04/22 13:49	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 13:49	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 13:49	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/04/22 09:27	05/04/22 13:49	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/04/22 09:27	05/04/22 13:49	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/04/22 09:27	05/04/22 13:49	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/04/22 09:27	05/04/22 13:49	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/04/22 09:27	05/04/22 13:49	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/04/22 09:27	05/04/22 13:49	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/04/22 09:27	05/04/22 13:49	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-01 (4.0-5.0') **Lab ID: 40244262002** Collected: 05/02/22 13:15 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/04/22 09:27	05/04/22 13:49	111-91-1	
bis(2-Chloroethyl) ether	<0.066	mg/kg	0.22	0.066	1	05/04/22 09:27	05/04/22 13:49	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 13:49	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	72	%	10-125		1	05/04/22 09:27	05/04/22 13:49	4165-60-0	
2-Fluorobiphenyl (S)	59	%	12-118		1	05/04/22 09:27	05/04/22 13:49	321-60-8	
Terphenyl-d14 (S)	59	%	10-124		1	05/04/22 09:27	05/04/22 13:49	1718-51-0	
Phenol-d6 (S)	61	%	10-125		1	05/04/22 09:27	05/04/22 13:49	13127-88-3	
2-Fluorophenol (S)	65	%	10-130		1	05/04/22 09:27	05/04/22 13:49	367-12-4	
2,4,6-Tribromophenol (S)	67	%	10-144		1	05/04/22 09:27	05/04/22 13:49	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/05/22 06:00	05/05/22 19:15	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0050	0.0026	1	05/05/22 06:00	05/05/22 19:15	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/05/22 06:00	05/05/22 19:15	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/05/22 06:00	05/05/22 19:15	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0050	0.0011	1	05/05/22 06:00	05/05/22 19:15	75-35-4	
1,2-Dichloroethane	<0.00082	mg/kg	0.0050	0.00082	1	05/05/22 06:00	05/05/22 19:15	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/05/22 06:00	05/05/22 19:15	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/05/22 06:00	05/05/22 19:15	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/05/22 06:00	05/05/22 19:15	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/05/22 06:00	05/05/22 19:15	108-10-1	
Acetone	<0.047	mg/kg	0.10	0.047	1	05/05/22 06:00	05/05/22 19:15	67-64-1	
Benzene	<0.00071	mg/kg	0.0050	0.00071	1	05/05/22 06:00	05/05/22 19:15	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/05/22 06:00	05/05/22 19:15	75-27-4	
Bromoform	<0.0081	mg/kg	0.020	0.0081	1	05/05/22 06:00	05/05/22 19:15	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0050	0.0045	1	05/05/22 06:00	05/05/22 19:15	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/05/22 06:00	05/05/22 19:15	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0050	0.0032	1	05/05/22 06:00	05/05/22 19:15	56-23-5	
Chlorobenzene	<0.00092	mg/kg	0.0050	0.00092	1	05/05/22 06:00	05/05/22 19:15	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0050	0.0036	1	05/05/22 06:00	05/05/22 19:15	75-00-3	
Chloroform	<0.00085	mg/kg	0.0050	0.00085	1	05/05/22 06:00	05/05/22 19:15	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/05/22 06:00	05/05/22 19:15	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/05/22 06:00	05/05/22 19:15	124-48-1	
Ethylbenzene	<0.00089	mg/kg	0.0050	0.00089	1	05/05/22 06:00	05/05/22 19:15	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0050	0.0021	1	05/05/22 06:00	05/05/22 19:15	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0050	0.0040	1	05/05/22 06:00	05/05/22 19:15	75-09-2	
Styrene	<0.00071	mg/kg	0.0050	0.00071	1	05/05/22 06:00	05/05/22 19:15	100-42-5	
Tetrachloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/05/22 06:00	05/05/22 19:15	127-18-4	
Toluene	<0.00088	mg/kg	0.0050	0.00088	1	05/05/22 06:00	05/05/22 19:15	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/05/22 06:00	05/05/22 19:15	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/05/22 06:00	05/05/22 19:15	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.010	0.0034	1	05/05/22 06:00	05/05/22 19:15	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-01 (4.0-5.0') **Lab ID: 40244262002** Collected: 05/02/22 13:15 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00088	mg/kg	0.0050	0.00088	1	05/05/22 06:00	05/05/22 19:15	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/05/22 06:00	05/05/22 19:15	10061-01-5	
trans-1,2-Dichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/05/22 06:00	05/05/22 19:15	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/05/22 06:00	05/05/22 19:15	10061-02-6	
Surrogates									
Toluene-d8 (S)	105	%	69-156		1	05/05/22 06:00	05/05/22 19:15	2037-26-5	
4-Bromofluorobenzene (S)	88	%	61-175		1	05/05/22 06:00	05/05/22 19:15	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1	05/05/22 06:00	05/05/22 19:15	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.2	%	0.10	0.10	1		05/03/22 17:06		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/06/22 13:19		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.31	mg/kg	0.92	0.31	1	05/09/22 11:05	05/09/22 13:52	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Sample: SB-02 (1.5-2.5') **Lab ID: 40244262003** Collected: 05/02/22 13:55 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.0025	mg/kg	0.010	0.0025	5	05/05/22 13:14	05/06/22 16:56	309-00-2	
alpha-BHC	<0.0010	mg/kg	0.010	0.0010	5	05/05/22 13:14	05/06/22 16:56	319-84-6	
beta-BHC	<0.0032	mg/kg	0.010	0.0032	5	05/05/22 13:14	05/06/22 16:56	319-85-7	
delta-BHC	<0.0019	mg/kg	0.010	0.0019	5	05/05/22 13:14	05/06/22 16:56	319-86-8	
gamma-BHC (Lindane)	<0.0010	mg/kg	0.010	0.0010	5	05/05/22 13:14	05/06/22 16:56	58-89-9	
Chlordane (Technical)	<0.034	mg/kg	0.10	0.034	5	05/05/22 13:14	05/06/22 16:56	57-74-9	
alpha-Chlordane	<0.0013	mg/kg	0.010	0.0013	5	05/05/22 13:14	05/06/22 16:56	5103-71-9	
gamma-Chlordane	<0.0038	mg/kg	0.010	0.0038	5	05/05/22 13:14	05/06/22 16:56	5103-74-2	
4,4'-DDD	<0.0021	mg/kg	0.020	0.0021	5	05/05/22 13:14	05/06/22 16:56	72-54-8	
4,4'-DDE	<0.0024	mg/kg	0.020	0.0024	5	05/05/22 13:14	05/06/22 16:56	72-55-9	
4,4'-DDT	<0.0062	mg/kg	0.020	0.0062	5	05/05/22 13:14	05/06/22 16:56	50-29-3	
Dieldrin	<0.0019	mg/kg	0.020	0.0019	5	05/05/22 13:14	05/06/22 16:56	60-57-1	
Endosulfan I	<0.0011	mg/kg	0.010	0.0011	5	05/05/22 13:14	05/06/22 16:56	959-98-8	
Endosulfan II	<0.0048	mg/kg	0.020	0.0048	5	05/05/22 13:14	05/06/22 16:56	33213-65-9	
Endosulfan sulfate	<0.0048	mg/kg	0.020	0.0048	5	05/05/22 13:14	05/06/22 16:56	1031-07-8	
Endrin	<0.0023	mg/kg	0.020	0.0023	5	05/05/22 13:14	05/06/22 16:56	72-20-8	
Endrin aldehyde	<0.0065	mg/kg	0.020	0.0065	5	05/05/22 13:14	05/06/22 16:56	7421-93-4	
Endrin ketone	<0.0054	mg/kg	0.020	0.0054	5	05/05/22 13:14	05/06/22 16:56	53494-70-5	
Heptachlor	<0.0028	mg/kg	0.010	0.0028	5	05/05/22 13:14	05/06/22 16:56	76-44-8	
Heptachlor epoxide	<0.0010	mg/kg	0.010	0.0010	5	05/05/22 13:14	05/06/22 16:56	1024-57-3	
Methoxychlor	<0.031	mg/kg	0.10	0.031	5	05/05/22 13:14	05/06/22 16:56	72-43-5	
Toxaphene	<0.097	mg/kg	0.31	0.097	5	05/05/22 13:14	05/06/22 16:56	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	69	%	53-138		5	05/05/22 13:14	05/06/22 16:56	877-09-8	D3
Decachlorobiphenyl (S)	70	%	30-150		5	05/05/22 13:14	05/06/22 16:56	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.061	0.019	1	05/05/22 05:15	05/06/22 02:35	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.061	0.019	1	05/05/22 05:15	05/06/22 02:35	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.061	0.019	1	05/05/22 05:15	05/06/22 02:35	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.061	0.019	1	05/05/22 05:15	05/06/22 02:35	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.061	0.019	1	05/05/22 05:15	05/06/22 02:35	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.061	0.019	1	05/05/22 05:15	05/06/22 02:35	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.061	0.019	1	05/05/22 05:15	05/06/22 02:35	11096-82-5	
PCB, Total	<0.019	mg/kg	0.061	0.019	1	05/05/22 05:15	05/06/22 02:35	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	73	%	50-99		1	05/05/22 05:15	05/06/22 02:35	877-09-8	
Decachlorobiphenyl (S)	54	%	38-95		1	05/05/22 05:15	05/06/22 02:35	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	11700	mg/kg	33.9	6.8	1	05/05/22 12:34	05/11/22 11:20	7429-90-5	
Antimony	0.12J	mg/kg	0.57	0.11	1	05/05/22 12:34	05/11/22 11:20	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-02 (1.5-2.5') **Lab ID: 40244262003** Collected: 05/02/22 13:55 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	7.4	mg/kg	0.57	0.12	1	05/05/22 12:34	05/11/22 11:20	7440-38-2	
Barium	138	mg/kg	0.34	0.060	1	05/05/22 12:34	05/11/22 11:20	7440-39-3	
Beryllium	0.69	mg/kg	0.23	0.045	1	05/05/22 12:34	05/11/22 11:20	7440-41-7	
Cadmium	0.14	mg/kg	0.091	0.036	1	05/05/22 12:34	05/11/22 11:20	7440-43-9	
Calcium	5050	mg/kg	113	13.4	1	05/05/22 12:34	05/11/22 11:20	7440-70-2	
Chromium	15.3	mg/kg	2.3	0.16	1	05/05/22 12:34	05/11/22 11:20	7440-47-3	
Cobalt	5.1	mg/kg	0.57	0.11	1	05/05/22 12:34	05/11/22 11:20	7440-48-4	
Copper	13.9	mg/kg	1.1	0.27	1	05/05/22 12:34	05/11/22 11:20	7440-50-8	
Iron	17900	mg/kg	56.6	11.9	1	05/05/22 12:34	05/11/22 11:20	7439-89-6	
Lead	24.6	mg/kg	0.57	0.033	1	05/05/22 12:34	05/11/22 11:20	7439-92-1	
Magnesium	2590	mg/kg	33.9	4.9	1	05/05/22 12:34	05/11/22 11:20	7439-95-4	
Manganese	211	mg/kg	0.57	0.28	1	05/05/22 12:34	05/11/22 11:20	7439-96-5	
Nickel	12.2	mg/kg	0.57	0.23	1	05/05/22 12:34	05/11/22 11:20	7440-02-0	
Potassium	997	mg/kg	113	13.0	1	05/05/22 12:34	05/11/22 11:20	7440-09-7	
Selenium	0.84	mg/kg	0.57	0.097	1	05/05/22 12:34	05/11/22 11:20	7782-49-2	
Silver	<0.16	mg/kg	0.57	0.16	1	05/05/22 12:34	05/11/22 11:20	7440-22-4	
Sodium	40.3J	mg/kg	56.6	12.6	1	05/05/22 12:34	05/11/22 11:20	7440-23-5	
Thallium	0.16	mg/kg	0.11	0.041	1	05/05/22 12:34	05/11/22 11:20	7440-28-0	
Vanadium	30.0	mg/kg	1.1	0.20	1	05/05/22 12:34	05/11/22 11:20	7440-62-2	
Zinc	41.5	mg/kg	5.7	1.0	1	05/05/22 12:34	05/11/22 11:20	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.028J	mg/kg	0.039	0.011	1	05/05/22 12:09	05/06/22 10:38	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.092	mg/kg	0.31	0.092	4	05/04/22 09:27	05/04/22 16:18	120-82-1	
1,2-Dichlorobenzene	<0.26	mg/kg	0.86	0.26	4	05/04/22 09:27	05/04/22 16:18	95-50-1	
1,3-Dichlorobenzene	<0.11	mg/kg	0.38	0.11	4	05/04/22 09:27	05/04/22 16:18	541-73-1	
1,4-Dichlorobenzene	<0.11	mg/kg	0.38	0.11	4	05/04/22 09:27	05/04/22 16:18	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.21	mg/kg	0.70	0.21	4	05/04/22 09:27	05/04/22 16:18	108-60-1	
2,4,5-Trichlorophenol	<0.14	mg/kg	0.48	0.14	4	05/04/22 09:27	05/04/22 16:18	95-95-4	
2,4,6-Trichlorophenol	<0.12	mg/kg	0.41	0.12	4	05/04/22 09:27	05/04/22 16:18	88-06-2	
2,4-Dichlorophenol	<0.22	mg/kg	0.73	0.22	4	05/04/22 09:27	05/04/22 16:18	120-83-2	
2,4-Dimethylphenol	<0.16	mg/kg	0.54	0.16	4	05/04/22 09:27	05/04/22 16:18	105-67-9	
2,4-Dinitrophenol	<0.25	mg/kg	0.83	0.25	4	05/04/22 09:27	05/04/22 16:18	51-28-5	
2,4-Dinitrotoluene	<0.12	mg/kg	0.39	0.12	4	05/04/22 09:27	05/04/22 16:18	121-14-2	CU
2,6-Dinitrotoluene	<0.16	mg/kg	0.52	0.16	4	05/04/22 09:27	05/04/22 16:18	606-20-2	
2-Chloronaphthalene	<0.10	mg/kg	0.35	0.10	4	05/04/22 09:27	05/04/22 16:18	91-58-7	
2-Chlorophenol	<0.20	mg/kg	0.68	0.20	4	05/04/22 09:27	05/04/22 16:18	95-57-8	
2-Methylnaphthalene	<0.21	mg/kg	0.71	0.21	4	05/04/22 09:27	05/04/22 16:18	91-57-6	
2-Methylphenol(o-Cresol)	<0.15	mg/kg	0.49	0.15	4	05/04/22 09:27	05/04/22 16:18	95-48-7	
2-Nitroaniline	<0.23	mg/kg	0.78	0.23	4	05/04/22 09:27	05/04/22 16:18	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Sample: SB-02 (1.5-2.5') **Lab ID: 40244262003** Collected: 05/02/22 13:55 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.26	mg/kg	0.86	0.26	4	05/04/22 09:27	05/04/22 16:18	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.15	mg/kg	0.50	0.15	4	05/04/22 09:27	05/04/22 16:18		
3,3'-Dichlorobenzidine	<0.22	mg/kg	0.74	0.22	4	05/04/22 09:27	05/04/22 16:18	91-94-1	CU
3-Nitroaniline	<0.14	mg/kg	0.46	0.14	4	05/04/22 09:27	05/04/22 16:18	99-09-2	
4,6-Dinitro-2-methylphenol	<0.25	mg/kg	0.84	0.25	4	05/04/22 09:27	05/04/22 16:18	534-52-1	
4-Bromophenylphenyl ether	<0.17	mg/kg	0.57	0.17	4	05/04/22 09:27	05/04/22 16:18	101-55-3	
4-Chloro-3-methylphenol	<0.25	mg/kg	0.85	0.25	4	05/04/22 09:27	05/04/22 16:18	59-50-7	
4-Chloroaniline	<0.13	mg/kg	0.45	0.13	4	05/04/22 09:27	05/04/22 16:18	106-47-8	1q
4-Chlorophenylphenyl ether	<0.15	mg/kg	0.51	0.15	4	05/04/22 09:27	05/04/22 16:18	7005-72-3	
4-Nitroaniline	<0.34	mg/kg	1.1	0.34	4	05/04/22 09:27	05/04/22 16:18	100-01-6	
4-Nitrophenol	<0.21	mg/kg	0.69	0.21	4	05/04/22 09:27	05/04/22 16:18	100-02-7	CU
Acenaphthene	<0.29	mg/kg	0.97	0.29	4	05/04/22 09:27	05/04/22 16:18	83-32-9	
Acenaphthylene	<0.29	mg/kg	0.97	0.29	4	05/04/22 09:27	05/04/22 16:18	208-96-8	
Anthracene	<0.13	mg/kg	0.43	0.13	4	05/04/22 09:27	05/04/22 16:18	120-12-7	
Benzo(a)anthracene	<0.13	mg/kg	0.42	0.13	4	05/04/22 09:27	05/04/22 16:18	56-55-3	
Benzo(a)pyrene	<0.12	mg/kg	0.41	0.12	4	05/04/22 09:27	05/04/22 16:18	50-32-8	
Benzo(b)fluoranthene	<0.14	mg/kg	0.47	0.14	4	05/04/22 09:27	05/04/22 16:18	205-99-2	
Benzo(g,h,i)perylene	<0.21	mg/kg	0.71	0.21	4	05/04/22 09:27	05/04/22 16:18	191-24-2	
Benzo(k)fluoranthene	<0.20	mg/kg	0.65	0.20	4	05/04/22 09:27	05/04/22 16:18	207-08-9	
Butylbenzylphthalate	<0.13	mg/kg	0.44	0.13	4	05/04/22 09:27	05/04/22 16:18	85-68-7	CU
Carbazole	<0.13	mg/kg	0.43	0.13	4	05/04/22 09:27	05/04/22 16:18	86-74-8	
Chrysene	<0.12	mg/kg	0.41	0.12	4	05/04/22 09:27	05/04/22 16:18	218-01-9	
Di-n-butylphthalate	<0.12	mg/kg	0.41	0.12	4	05/04/22 09:27	05/04/22 16:18	84-74-2	
Di-n-octylphthalate	<0.18	mg/kg	0.61	0.18	4	05/04/22 09:27	05/04/22 16:18	117-84-0	
Dibenz(a,h)anthracene	<0.22	mg/kg	0.74	0.22	4	05/04/22 09:27	05/04/22 16:18	53-70-3	
Dibenzofuran	<0.099	mg/kg	0.33	0.099	4	05/04/22 09:27	05/04/22 16:18	132-64-9	
Diethylphthalate	<0.14	mg/kg	0.45	0.14	4	05/04/22 09:27	05/04/22 16:18	84-66-2	
Dimethylphthalate	<0.11	mg/kg	0.35	0.11	4	05/04/22 09:27	05/04/22 16:18	131-11-3	
Fluoranthene	<0.12	mg/kg	0.39	0.12	4	05/04/22 09:27	05/04/22 16:18	206-44-0	
Fluorene	<0.095	mg/kg	0.32	0.095	4	05/04/22 09:27	05/04/22 16:18	86-73-7	
Hexachloro-1,3-butadiene	<0.21	mg/kg	0.69	0.21	4	05/04/22 09:27	05/04/22 16:18	87-68-3	
Hexachlorobenzene	<0.14	mg/kg	0.46	0.14	4	05/04/22 09:27	05/04/22 16:18	118-74-1	
Hexachlorocyclopentadiene	<0.19	mg/kg	0.64	0.19	4	05/04/22 09:27	05/04/22 16:18	77-47-4	
Hexachloroethane	<0.13	mg/kg	0.44	0.13	4	05/04/22 09:27	05/04/22 16:18	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.18	mg/kg	0.59	0.18	4	05/04/22 09:27	05/04/22 16:18	193-39-5	
Isophorone	<0.13	mg/kg	0.42	0.13	4	05/04/22 09:27	05/04/22 16:18	78-59-1	
N-Nitroso-di-n-propylamine	<0.13	mg/kg	0.43	0.13	4	05/04/22 09:27	05/04/22 16:18	621-64-7	
N-Nitrosodiphenylamine	<1.1	mg/kg	3.7	1.1	4	05/04/22 09:27	05/04/22 16:18	86-30-6	
Naphthalene	<0.29	mg/kg	0.95	0.29	4	05/04/22 09:27	05/04/22 16:18	91-20-3	
Nitrobenzene	<0.17	mg/kg	0.55	0.17	4	05/04/22 09:27	05/04/22 16:18	98-95-3	
Pentachlorophenol	<0.18	mg/kg	0.60	0.18	4	05/04/22 09:27	05/04/22 16:18	87-86-5	
Phenanthrene	<0.10	mg/kg	0.35	0.10	4	05/04/22 09:27	05/04/22 16:18	85-01-8	
Phenol	<0.19	mg/kg	0.65	0.19	4	05/04/22 09:27	05/04/22 16:18	108-95-2	D3
Pyrene	<0.18	mg/kg	0.60	0.18	4	05/04/22 09:27	05/04/22 16:18	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-02 (1.5-2.5') **Lab ID: 40244262003** Collected: 05/02/22 13:55 Received: 05/03/22 12:30 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.22	mg/kg	0.73	0.22	4	05/04/22 09:27	05/04/22 16:18	111-91-1	
bis(2-Chloroethyl) ether	<0.25	mg/kg	0.85	0.25	4	05/04/22 09:27	05/04/22 16:18	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.14	mg/kg	0.45	0.14	4	05/04/22 09:27	05/04/22 16:18	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	64	%	10-125		4	05/04/22 09:27	05/04/22 16:18	4165-60-0	
2-Fluorobiphenyl (S)	57	%	12-118		4	05/04/22 09:27	05/04/22 16:18	321-60-8	
Terphenyl-d14 (S)	69	%	10-124		4	05/04/22 09:27	05/04/22 16:18	1718-51-0	
Phenol-d6 (S)	51	%	10-125		4	05/04/22 09:27	05/04/22 16:18	13127-88-3	
2-Fluorophenol (S)	49	%	10-130		4	05/04/22 09:27	05/04/22 16:18	367-12-4	
2,4,6-Tribromophenol (S)	74	%	10-144		4	05/04/22 09:27	05/04/22 16:18	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/05/22 06:00	05/05/22 19:39	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0050	0.0026	1	05/05/22 06:00	05/05/22 19:39	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/05/22 06:00	05/05/22 19:39	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/05/22 06:00	05/05/22 19:39	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0050	0.0011	1	05/05/22 06:00	05/05/22 19:39	75-35-4	
1,2-Dichloroethane	<0.00083	mg/kg	0.0050	0.00083	1	05/05/22 06:00	05/05/22 19:39	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/05/22 06:00	05/05/22 19:39	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/05/22 06:00	05/05/22 19:39	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/05/22 06:00	05/05/22 19:39	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/05/22 06:00	05/05/22 19:39	108-10-1	
Acetone	<0.047	mg/kg	0.10	0.047	1	05/05/22 06:00	05/05/22 19:39	67-64-1	
Benzene	<0.00071	mg/kg	0.0050	0.00071	1	05/05/22 06:00	05/05/22 19:39	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/05/22 06:00	05/05/22 19:39	75-27-4	
Bromoform	<0.0082	mg/kg	0.020	0.0082	1	05/05/22 06:00	05/05/22 19:39	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0050	0.0045	1	05/05/22 06:00	05/05/22 19:39	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/05/22 06:00	05/05/22 19:39	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0050	0.0032	1	05/05/22 06:00	05/05/22 19:39	56-23-5	
Chlorobenzene	<0.00093	mg/kg	0.0050	0.00093	1	05/05/22 06:00	05/05/22 19:39	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0050	0.0036	1	05/05/22 06:00	05/05/22 19:39	75-00-3	
Chloroform	<0.00085	mg/kg	0.0050	0.00085	1	05/05/22 06:00	05/05/22 19:39	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/05/22 06:00	05/05/22 19:39	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/05/22 06:00	05/05/22 19:39	124-48-1	
Ethylbenzene	<0.00090	mg/kg	0.0050	0.00090	1	05/05/22 06:00	05/05/22 19:39	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0050	0.0021	1	05/05/22 06:00	05/05/22 19:39	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0050	0.0040	1	05/05/22 06:00	05/05/22 19:39	75-09-2	
Styrene	<0.00071	mg/kg	0.0050	0.00071	1	05/05/22 06:00	05/05/22 19:39	100-42-5	
Tetrachloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/05/22 06:00	05/05/22 19:39	127-18-4	
Toluene	<0.00089	mg/kg	0.0050	0.00089	1	05/05/22 06:00	05/05/22 19:39	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/05/22 06:00	05/05/22 19:39	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/05/22 06:00	05/05/22 19:39	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.010	0.0034	1	05/05/22 06:00	05/05/22 19:39	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-02 (1.5-2.5') **Lab ID: 40244262003** Collected: 05/02/22 13:55 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/05/22 06:00	05/05/22 19:39	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/05/22 06:00	05/05/22 19:39	10061-01-5	
trans-1,2-Dichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/05/22 06:00	05/05/22 19:39	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/05/22 06:00	05/05/22 19:39	10061-02-6	
Surrogates									
Toluene-d8 (S)	100	%	69-156		1	05/05/22 06:00	05/05/22 19:39	2037-26-5	
4-Bromofluorobenzene (S)	86	%	61-175		1	05/05/22 06:00	05/05/22 19:39	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1	05/05/22 06:00	05/05/22 19:39	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	18.2	%	0.10	0.10	1		05/03/22 17:07		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.85	Std. Units	0.100	0.0100	1		05/06/22 13:04		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.31	mg/kg	0.92	0.31	1	05/09/22 11:05	05/09/22 13:52	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Sample: SB-02 (4.0-5.0') **Lab ID: 40244262004** Collected: 05/02/22 14:00 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0022	0.00052	1	05/05/22 13:14	05/06/22 15:40	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/05/22 13:14	05/06/22 15:40	319-84-6	
beta-BHC	<0.00067	mg/kg	0.0022	0.00067	1	05/05/22 13:14	05/06/22 15:40	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0022	0.00039	1	05/05/22 13:14	05/06/22 15:40	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/05/22 13:14	05/06/22 15:40	58-89-9	
Chlordane (Technical)	<0.0071	mg/kg	0.022	0.0071	1	05/05/22 13:14	05/06/22 15:40	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/05/22 13:14	05/06/22 15:40	5103-71-9	
gamma-Chlordane	<0.00080	mg/kg	0.0022	0.00080	1	05/05/22 13:14	05/06/22 15:40	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0043	0.00044	1	05/05/22 13:14	05/06/22 15:40	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/05/22 13:14	05/06/22 15:40	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/05/22 13:14	05/06/22 15:40	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/05/22 13:14	05/06/22 15:40	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/05/22 13:14	05/06/22 15:40	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/05/22 13:14	05/06/22 15:40	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/05/22 13:14	05/06/22 15:40	1031-07-8	
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/05/22 13:14	05/06/22 15:40	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/05/22 13:14	05/06/22 15:40	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/05/22 13:14	05/06/22 15:40	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0022	0.00058	1	05/05/22 13:14	05/06/22 15:40	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/05/22 13:14	05/06/22 15:40	1024-57-3	
Methoxychlor	<0.0066	mg/kg	0.022	0.0066	1	05/05/22 13:14	05/06/22 15:40	72-43-5	
Toxaphene	<0.020	mg/kg	0.065	0.020	1	05/05/22 13:14	05/06/22 15:40	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	67	%	53-138		1	05/05/22 13:14	05/06/22 15:40	877-09-8	
Decachlorobiphenyl (S)	60	%	30-150		1	05/05/22 13:14	05/06/22 15:40	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 02:59	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 02:59	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 02:59	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 02:59	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 02:59	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 02:59	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 02:59	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 02:59	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	77	%	50-99		1	05/05/22 05:15	05/06/22 02:59	877-09-8	
Decachlorobiphenyl (S)	78	%	38-95		1	05/05/22 05:15	05/06/22 02:59	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	15900	mg/kg	36.3	7.3	1	05/05/22 12:34	05/11/22 11:05	7429-90-5	
Antimony	0.25J	mg/kg	0.60	0.12	1	05/05/22 12:34	05/11/22 11:05	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-02 (4.0-5.0') **Lab ID: 40244262004** Collected: 05/02/22 14:00 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	17.8	mg/kg	0.60	0.13	1	05/05/22 12:34	05/11/22 11:05	7440-38-2	
Barium	251	mg/kg	0.36	0.065	1	05/05/22 12:34	05/11/22 11:05	7440-39-3	
Beryllium	1.1	mg/kg	0.24	0.048	1	05/05/22 12:34	05/11/22 11:05	7440-41-7	
Cadmium	0.65	mg/kg	0.097	0.038	1	05/05/22 12:34	05/11/22 11:05	7440-43-9	
Calcium	3950	mg/kg	121	14.3	1	05/05/22 12:34	05/11/22 11:05	7440-70-2	
Chromium	21.1	mg/kg	2.4	0.17	1	05/05/22 12:34	05/11/22 11:05	7440-47-3	
Cobalt	17.5	mg/kg	0.60	0.12	1	05/05/22 12:34	05/11/22 11:05	7440-48-4	
Copper	23.7	mg/kg	1.2	0.29	1	05/05/22 12:34	05/11/22 11:05	7440-50-8	
Iron	34100	mg/kg	60.5	12.7	1	05/05/22 12:34	05/11/22 11:05	7439-89-6	
Lead	19.1	mg/kg	0.60	0.036	1	05/05/22 12:34	05/11/22 11:05	7439-92-1	
Magnesium	4080	mg/kg	36.3	5.2	1	05/05/22 12:34	05/11/22 11:05	7439-95-4	
Manganese	1420	mg/kg	6.0	3.0	10	05/05/22 12:34	05/11/22 11:09	7439-96-5	
Nickel	47.1	mg/kg	0.60	0.24	1	05/05/22 12:34	05/11/22 11:05	7440-02-0	
Potassium	783	mg/kg	121	13.9	1	05/05/22 12:34	05/11/22 11:05	7440-09-7	
Selenium	0.53J	mg/kg	0.60	0.10	1	05/05/22 12:34	05/11/22 11:05	7782-49-2	
Silver	<0.18	mg/kg	0.60	0.18	1	05/05/22 12:34	05/11/22 11:05	7440-22-4	
Sodium	58.9J	mg/kg	60.5	13.4	1	05/05/22 12:34	05/11/22 11:05	7440-23-5	
Thallium	0.24	mg/kg	0.12	0.044	1	05/05/22 12:34	05/11/22 11:05	7440-28-0	
Vanadium	42.8	mg/kg	1.2	0.21	1	05/05/22 12:34	05/11/22 11:05	7440-62-2	
Zinc	59.1	mg/kg	6.0	1.1	1	05/05/22 12:34	05/11/22 11:05	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.047	mg/kg	0.043	0.012	1	05/05/22 12:09	05/06/22 10:40	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/04/22 09:27	05/04/22 14:10	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/04/22 09:27	05/04/22 14:10	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/04/22 09:27	05/04/22 14:10	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/04/22 09:27	05/04/22 14:10	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/04/22 09:27	05/04/22 14:10	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/04/22 09:27	05/04/22 14:10	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 14:10	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/04/22 09:27	05/04/22 14:10	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/04/22 09:27	05/04/22 14:10	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/04/22 09:27	05/04/22 14:10	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/04/22 09:27	05/04/22 14:10	121-14-2	CU
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/04/22 09:27	05/04/22 14:10	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.092	0.028	1	05/04/22 09:27	05/04/22 14:10	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/04/22 09:27	05/04/22 14:10	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/04/22 09:27	05/04/22 14:10	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/04/22 09:27	05/04/22 14:10	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/04/22 09:27	05/04/22 14:10	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Sample: SB-02 (4.0-5.0') Lab ID: **40244262004** Collected: 05/02/22 14:00 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/04/22 09:27	05/04/22 14:10	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/04/22 09:27	05/04/22 14:10		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/04/22 09:27	05/04/22 14:10	91-94-1	CU
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/04/22 09:27	05/04/22 14:10	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/04/22 09:27	05/04/22 14:10	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/04/22 09:27	05/04/22 14:10	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/04/22 09:27	05/04/22 14:10	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 14:10	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/04/22 09:27	05/04/22 14:10	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/04/22 09:27	05/04/22 14:10	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/04/22 09:27	05/04/22 14:10	100-02-7	CU
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/04/22 09:27	05/04/22 14:10	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/04/22 09:27	05/04/22 14:10	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 14:10	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 14:10	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/04/22 09:27	05/04/22 14:10	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/04/22 09:27	05/04/22 14:10	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/04/22 09:27	05/04/22 14:10	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/04/22 09:27	05/04/22 14:10	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 14:10	85-68-7	CU
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 14:10	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/04/22 09:27	05/04/22 14:10	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/04/22 09:27	05/04/22 14:10	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/04/22 09:27	05/04/22 14:10	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/04/22 09:27	05/04/22 14:10	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/04/22 09:27	05/04/22 14:10	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 14:10	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/04/22 09:27	05/04/22 14:10	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/04/22 09:27	05/04/22 14:10	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/04/22 09:27	05/04/22 14:10	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/04/22 09:27	05/04/22 14:10	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 14:10	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/04/22 09:27	05/04/22 14:10	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 14:10	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/04/22 09:27	05/04/22 14:10	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 14:10	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 14:10	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/04/22 09:27	05/04/22 14:10	86-30-6	
Naphthalene	<0.075	mg/kg	0.25	0.075	1	05/04/22 09:27	05/04/22 14:10	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/04/22 09:27	05/04/22 14:10	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/04/22 09:27	05/04/22 14:10	87-86-5	
Phenanthrene	<0.028	mg/kg	0.092	0.028	1	05/04/22 09:27	05/04/22 14:10	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/04/22 09:27	05/04/22 14:10	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/04/22 09:27	05/04/22 14:10	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Sample: SB-02 (4.0-5.0') **Lab ID: 40244262004** Collected: 05/02/22 14:00 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/04/22 09:27	05/04/22 14:10	111-91-1	
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/04/22 09:27	05/04/22 14:10	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 14:10	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	65	%	10-125		1	05/04/22 09:27	05/04/22 14:10	4165-60-0	
2-Fluorobiphenyl (S)	55	%	12-118		1	05/04/22 09:27	05/04/22 14:10	321-60-8	
Terphenyl-d14 (S)	53	%	10-124		1	05/04/22 09:27	05/04/22 14:10	1718-51-0	
Phenol-d6 (S)	47	%	10-125		1	05/04/22 09:27	05/04/22 14:10	13127-88-3	
2-Fluorophenol (S)	46	%	10-130		1	05/04/22 09:27	05/04/22 14:10	367-12-4	
2,4,6-Tribromophenol (S)	50	%	10-144		1	05/04/22 09:27	05/04/22 14:10	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/05/22 06:00	05/05/22 20:03	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/05/22 06:00	05/05/22 20:03	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/05/22 06:00	05/05/22 20:03	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/05/22 06:00	05/05/22 20:03	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/05/22 06:00	05/05/22 20:03	75-35-4	
1,2-Dichloroethane	<0.00088	mg/kg	0.0053	0.00088	1	05/05/22 06:00	05/05/22 20:03	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/05/22 06:00	05/05/22 20:03	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/05/22 06:00	05/05/22 20:03	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/05/22 06:00	05/05/22 20:03	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/05/22 06:00	05/05/22 20:03	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/05/22 06:00	05/05/22 20:03	67-64-1	
Benzene	<0.00076	mg/kg	0.0053	0.00076	1	05/05/22 06:00	05/05/22 20:03	71-43-2	
Bromodichloromethane	<0.00073	mg/kg	0.0053	0.00073	1	05/05/22 06:00	05/05/22 20:03	75-27-4	
Bromoform	<0.0087	mg/kg	0.021	0.0087	1	05/05/22 06:00	05/05/22 20:03	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0053	0.0048	1	05/05/22 06:00	05/05/22 20:03	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/05/22 06:00	05/05/22 20:03	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0053	0.0034	1	05/05/22 06:00	05/05/22 20:03	56-23-5	
Chlorobenzene	<0.00099	mg/kg	0.0053	0.00099	1	05/05/22 06:00	05/05/22 20:03	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0053	0.0039	1	05/05/22 06:00	05/05/22 20:03	75-00-3	
Chloroform	<0.00090	mg/kg	0.0053	0.00090	1	05/05/22 06:00	05/05/22 20:03	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0053	0.0012	1	05/05/22 06:00	05/05/22 20:03	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/05/22 06:00	05/05/22 20:03	124-48-1	
Ethylbenzene	<0.00096	mg/kg	0.0053	0.00096	1	05/05/22 06:00	05/05/22 20:03	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/05/22 06:00	05/05/22 20:03	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/05/22 06:00	05/05/22 20:03	75-09-2	
Styrene	<0.00076	mg/kg	0.0053	0.00076	1	05/05/22 06:00	05/05/22 20:03	100-42-5	
Tetrachloroethene	<0.00095	mg/kg	0.0053	0.00095	1	05/05/22 06:00	05/05/22 20:03	127-18-4	
Toluene	<0.00094	mg/kg	0.0053	0.00094	1	05/05/22 06:00	05/05/22 20:03	108-88-3	
Trichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/05/22 06:00	05/05/22 20:03	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/05/22 06:00	05/05/22 20:03	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/05/22 06:00	05/05/22 20:03	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-02 (4.0-5.0') **Lab ID: 40244262004** Collected: 05/02/22 14:00 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/05/22 06:00	05/05/22 20:03	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/05/22 06:00	05/05/22 20:03	10061-01-5	
trans-1,2-Dichloroethene	<0.00077	mg/kg	0.0053	0.00077	1	05/05/22 06:00	05/05/22 20:03	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/05/22 06:00	05/05/22 20:03	10061-02-6	
Surrogates									
Toluene-d8 (S)	99	%	69-156		1	05/05/22 06:00	05/05/22 20:03	2037-26-5	
4-Bromofluorobenzene (S)	89	%	61-175		1	05/05/22 06:00	05/05/22 20:03	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1	05/05/22 06:00	05/05/22 20:03	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.7	%	0.10	0.10	1		05/03/22 17:07		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.5	Std. Units	0.10	0.010	1		05/06/22 13:23		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.27	mg/kg	0.81	0.27	1	05/09/22 11:05	05/09/22 13:53	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-03 (2.0-3.0') **Lab ID: 40244262005** Collected: 05/02/22 14:50 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00053	mg/kg	0.0022	0.00053	1	05/05/22 13:14	05/06/22 18:30	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/05/22 13:14	05/06/22 18:30	319-84-6	
beta-BHC	<0.00067	mg/kg	0.0022	0.00067	1	05/05/22 13:14	05/06/22 18:30	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0022	0.00039	1	05/05/22 13:14	05/06/22 18:30	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/05/22 13:14	05/06/22 18:30	58-89-9	
Chlordane (Technical)	<0.0072	mg/kg	0.022	0.0072	1	05/05/22 13:14	05/06/22 18:30	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/05/22 13:14	05/06/22 18:30	5103-71-9	
gamma-Chlordane	<0.00081	mg/kg	0.0022	0.00081	1	05/05/22 13:14	05/06/22 18:30	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0043	0.00044	1	05/05/22 13:14	05/06/22 18:30	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/05/22 13:14	05/06/22 18:30	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/05/22 13:14	05/06/22 18:30	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/05/22 13:14	05/06/22 18:30	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/05/22 13:14	05/06/22 18:30	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/05/22 13:14	05/06/22 18:30	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/05/22 13:14	05/06/22 18:30	1031-07-8	
Endrin	<0.00049	mg/kg	0.0043	0.00049	1	05/05/22 13:14	05/06/22 18:30	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/05/22 13:14	05/06/22 18:30	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/05/22 13:14	05/06/22 18:30	53494-70-5	
Heptachlor	<0.00059	mg/kg	0.0022	0.00059	1	05/05/22 13:14	05/06/22 18:30	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/05/22 13:14	05/06/22 18:30	1024-57-3	
Methoxychlor	<0.0067	mg/kg	0.022	0.0067	1	05/05/22 13:14	05/06/22 18:30	72-43-5	
Toxaphene	<0.021	mg/kg	0.065	0.021	1	05/05/22 13:14	05/06/22 18:30	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	57	%	53-138		1	05/05/22 13:14	05/06/22 18:30	877-09-8	
Decachlorobiphenyl (S)	44	%	30-150		1	05/05/22 13:14	05/06/22 18:30	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 03:24	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 03:24	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 03:24	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 03:24	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 03:24	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 03:24	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 03:24	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 03:24	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	80	%	50-99		1	05/05/22 05:15	05/06/22 03:24	877-09-8	
Decachlorobiphenyl (S)	85	%	38-95		1	05/05/22 05:15	05/06/22 03:24	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	14800	mg/kg	36.6	7.4	1	05/05/22 12:34	05/11/22 11:24	7429-90-5	
Antimony	0.12J	mg/kg	0.61	0.12	1	05/05/22 12:34	05/11/22 11:24	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Sample: **SB-03 (2.0-3.0')** Lab ID: **40244262005** Collected: 05/02/22 14:50 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	6.6	mg/kg	0.61	0.13	1	05/05/22 12:34	05/11/22 11:24	7440-38-2	
Barium	174	mg/kg	0.37	0.065	1	05/05/22 12:34	05/11/22 11:24	7440-39-3	
Beryllium	0.81	mg/kg	0.24	0.048	1	05/05/22 12:34	05/11/22 11:24	7440-41-7	
Cadmium	0.11	mg/kg	0.098	0.038	1	05/05/22 12:34	05/11/22 11:24	7440-43-9	
Calcium	4120	mg/kg	122	14.4	1	05/05/22 12:34	05/11/22 11:24	7440-70-2	
Chromium	18.9	mg/kg	2.4	0.17	1	05/05/22 12:34	05/11/22 11:24	7440-47-3	
Cobalt	8.9	mg/kg	0.61	0.12	1	05/05/22 12:34	05/11/22 11:24	7440-48-4	
Copper	15.0	mg/kg	1.2	0.30	1	05/05/22 12:34	05/11/22 11:24	7440-50-8	
Iron	20500	mg/kg	61.0	12.8	1	05/05/22 12:34	05/11/22 11:24	7439-89-6	
Lead	10.5	mg/kg	0.61	0.036	1	05/05/22 12:34	05/11/22 11:24	7439-92-1	
Magnesium	2690	mg/kg	36.6	5.2	1	05/05/22 12:34	05/11/22 11:24	7439-95-4	
Manganese	384	mg/kg	0.61	0.30	1	05/05/22 12:34	05/11/22 11:24	7439-96-5	
Nickel	16.3	mg/kg	0.61	0.24	1	05/05/22 12:34	05/11/22 11:24	7440-02-0	
Potassium	1140	mg/kg	122	14.0	1	05/05/22 12:34	05/11/22 11:24	7440-09-7	
Selenium	1.0	mg/kg	0.61	0.10	1	05/05/22 12:34	05/11/22 11:24	7782-49-2	
Silver	<0.18	mg/kg	0.61	0.18	1	05/05/22 12:34	05/11/22 11:24	7440-22-4	
Sodium	55.1J	mg/kg	61.0	13.6	1	05/05/22 12:34	05/11/22 11:24	7440-23-5	
Thallium	0.19	mg/kg	0.12	0.045	1	05/05/22 12:34	05/11/22 11:24	7440-28-0	
Vanadium	34.8	mg/kg	1.2	0.21	1	05/05/22 12:34	05/11/22 11:24	7440-62-2	
Zinc	46.0	mg/kg	6.1	1.1	1	05/05/22 12:34	05/11/22 11:24	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.033J	mg/kg	0.041	0.012	1	05/05/22 12:09	05/06/22 10:47	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.049	mg/kg	0.16	0.049	2	05/04/22 09:27	05/04/22 15:57	120-82-1	
1,2-Dichlorobenzene	<0.14	mg/kg	0.46	0.14	2	05/04/22 09:27	05/04/22 15:57	95-50-1	
1,3-Dichlorobenzene	<0.060	mg/kg	0.20	0.060	2	05/04/22 09:27	05/04/22 15:57	541-73-1	
1,4-Dichlorobenzene	<0.061	mg/kg	0.20	0.061	2	05/04/22 09:27	05/04/22 15:57	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.11	mg/kg	0.38	0.11	2	05/04/22 09:27	05/04/22 15:57	108-60-1	
2,4,5-Trichlorophenol	<0.077	mg/kg	0.26	0.077	2	05/04/22 09:27	05/04/22 15:57	95-95-4	
2,4,6-Trichlorophenol	<0.067	mg/kg	0.22	0.067	2	05/04/22 09:27	05/04/22 15:57	88-06-2	
2,4-Dichlorophenol	<0.12	mg/kg	0.39	0.12	2	05/04/22 09:27	05/04/22 15:57	120-83-2	
2,4-Dimethylphenol	<0.086	mg/kg	0.29	0.086	2	05/04/22 09:27	05/04/22 15:57	105-67-9	
2,4-Dinitrophenol	<0.13	mg/kg	0.44	0.13	2	05/04/22 09:27	05/04/22 15:57	51-28-5	
2,4-Dinitrotoluene	<0.062	mg/kg	0.21	0.062	2	05/04/22 09:27	05/04/22 15:57	121-14-2	CU
2,6-Dinitrotoluene	<0.083	mg/kg	0.28	0.083	2	05/04/22 09:27	05/04/22 15:57	606-20-2	
2-Chloronaphthalene	<0.056	mg/kg	0.19	0.056	2	05/04/22 09:27	05/04/22 15:57	91-58-7	
2-Chlorophenol	<0.11	mg/kg	0.36	0.11	2	05/04/22 09:27	05/04/22 15:57	95-57-8	
2-Methylnaphthalene	<0.11	mg/kg	0.38	0.11	2	05/04/22 09:27	05/04/22 15:57	91-57-6	
2-Methylphenol(o-Cresol)	<0.079	mg/kg	0.26	0.079	2	05/04/22 09:27	05/04/22 15:57	95-48-7	
2-Nitroaniline	<0.12	mg/kg	0.41	0.12	2	05/04/22 09:27	05/04/22 15:57	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: **SB-03 (2.0-3.0')** Lab ID: **40244262005** Collected: 05/02/22 14:50 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.14	mg/kg	0.46	0.14	2	05/04/22 09:27	05/04/22 15:57	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.080	mg/kg	0.27	0.080	2	05/04/22 09:27	05/04/22 15:57		
3,3'-Dichlorobenzidine	<0.12	mg/kg	0.39	0.12	2	05/04/22 09:27	05/04/22 15:57	91-94-1	CU
3-Nitroaniline	<0.074	mg/kg	0.25	0.074	2	05/04/22 09:27	05/04/22 15:57	99-09-2	
4,6-Dinitro-2-methylphenol	<0.13	mg/kg	0.45	0.13	2	05/04/22 09:27	05/04/22 15:57	534-52-1	
4-Bromophenylphenyl ether	<0.091	mg/kg	0.30	0.091	2	05/04/22 09:27	05/04/22 15:57	101-55-3	
4-Chloro-3-methylphenol	<0.14	mg/kg	0.45	0.14	2	05/04/22 09:27	05/04/22 15:57	59-50-7	
4-Chloroaniline	<0.072	mg/kg	0.24	0.072	2	05/04/22 09:27	05/04/22 15:57	106-47-8	1q
4-Chlorophenylphenyl ether	<0.081	mg/kg	0.27	0.081	2	05/04/22 09:27	05/04/22 15:57	7005-72-3	
4-Nitroaniline	<0.18	mg/kg	0.60	0.18	2	05/04/22 09:27	05/04/22 15:57	100-01-6	
4-Nitrophenol	<0.11	mg/kg	0.37	0.11	2	05/04/22 09:27	05/04/22 15:57	100-02-7	CU
Acenaphthene	<0.15	mg/kg	0.52	0.15	2	05/04/22 09:27	05/04/22 15:57	83-32-9	
Acenaphthylene	<0.16	mg/kg	0.52	0.16	2	05/04/22 09:27	05/04/22 15:57	208-96-8	
Anthracene	<0.070	mg/kg	0.23	0.070	2	05/04/22 09:27	05/04/22 15:57	120-12-7	
Benzo(a)anthracene	<0.068	mg/kg	0.23	0.068	2	05/04/22 09:27	05/04/22 15:57	56-55-3	
Benzo(a)pyrene	<0.066	mg/kg	0.22	0.066	2	05/04/22 09:27	05/04/22 15:57	50-32-8	
Benzo(b)fluoranthene	<0.075	mg/kg	0.25	0.075	2	05/04/22 09:27	05/04/22 15:57	205-99-2	
Benzo(g,h,i)perylene	<0.11	mg/kg	0.38	0.11	2	05/04/22 09:27	05/04/22 15:57	191-24-2	
Benzo(k)fluoranthene	<0.10	mg/kg	0.35	0.10	2	05/04/22 09:27	05/04/22 15:57	207-08-9	
Butylbenzylphthalate	<0.070	mg/kg	0.23	0.070	2	05/04/22 09:27	05/04/22 15:57	85-68-7	CU
Carbazole	<0.068	mg/kg	0.23	0.068	2	05/04/22 09:27	05/04/22 15:57	86-74-8	
Chrysene	<0.065	mg/kg	0.22	0.065	2	05/04/22 09:27	05/04/22 15:57	218-01-9	
Di-n-butylphthalate	<0.065	mg/kg	0.22	0.065	2	05/04/22 09:27	05/04/22 15:57	84-74-2	
Di-n-octylphthalate	<0.098	mg/kg	0.33	0.098	2	05/04/22 09:27	05/04/22 15:57	117-84-0	
Dibenz(a,h)anthracene	<0.12	mg/kg	0.40	0.12	2	05/04/22 09:27	05/04/22 15:57	53-70-3	
Dibenzofuran	<0.053	mg/kg	0.18	0.053	2	05/04/22 09:27	05/04/22 15:57	132-64-9	
Diethylphthalate	<0.072	mg/kg	0.24	0.072	2	05/04/22 09:27	05/04/22 15:57	84-66-2	
Dimethylphthalate	<0.057	mg/kg	0.19	0.057	2	05/04/22 09:27	05/04/22 15:57	131-11-3	
Fluoranthene	<0.062	mg/kg	0.21	0.062	2	05/04/22 09:27	05/04/22 15:57	206-44-0	
Fluorene	<0.051	mg/kg	0.17	0.051	2	05/04/22 09:27	05/04/22 15:57	86-73-7	
Hexachloro-1,3-butadiene	<0.11	mg/kg	0.37	0.11	2	05/04/22 09:27	05/04/22 15:57	87-68-3	
Hexachlorobenzene	<0.073	mg/kg	0.24	0.073	2	05/04/22 09:27	05/04/22 15:57	118-74-1	
Hexachlorocyclopentadiene	<0.10	mg/kg	0.34	0.10	2	05/04/22 09:27	05/04/22 15:57	77-47-4	
Hexachloroethane	<0.070	mg/kg	0.23	0.070	2	05/04/22 09:27	05/04/22 15:57	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.094	mg/kg	0.31	0.094	2	05/04/22 09:27	05/04/22 15:57	193-39-5	
Isophorone	<0.067	mg/kg	0.22	0.067	2	05/04/22 09:27	05/04/22 15:57	78-59-1	
N-Nitroso-di-n-propylamine	<0.069	mg/kg	0.23	0.069	2	05/04/22 09:27	05/04/22 15:57	621-64-7	
N-Nitrosodiphenylamine	<0.59	mg/kg	2.0	0.59	2	05/04/22 09:27	05/04/22 15:57	86-30-6	
Naphthalene	<0.15	mg/kg	0.51	0.15	2	05/04/22 09:27	05/04/22 15:57	91-20-3	
Nitrobenzene	<0.089	mg/kg	0.30	0.089	2	05/04/22 09:27	05/04/22 15:57	98-95-3	
Pentachlorophenol	<0.096	mg/kg	0.32	0.096	2	05/04/22 09:27	05/04/22 15:57	87-86-5	
Phenanthrene	<0.056	mg/kg	0.19	0.056	2	05/04/22 09:27	05/04/22 15:57	85-01-8	
Phenol	<0.10	mg/kg	0.35	0.10	2	05/04/22 09:27	05/04/22 15:57	108-95-2	D3
Pyrene	<0.097	mg/kg	0.32	0.097	2	05/04/22 09:27	05/04/22 15:57	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-03 (2.0-3.0') **Lab ID: 40244262005** Collected: 05/02/22 14:50 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.12	mg/kg	0.39	0.12	2	05/04/22 09:27	05/04/22 15:57	111-91-1	
bis(2-Chloroethyl) ether	<0.14	mg/kg	0.45	0.14	2	05/04/22 09:27	05/04/22 15:57	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.073	mg/kg	0.24	0.073	2	05/04/22 09:27	05/04/22 15:57	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	41	%	10-125		2	05/04/22 09:27	05/04/22 15:57	4165-60-0	
2-Fluorobiphenyl (S)	44	%	12-118		2	05/04/22 09:27	05/04/22 15:57	321-60-8	
Terphenyl-d14 (S)	46	%	10-124		2	05/04/22 09:27	05/04/22 15:57	1718-51-0	
Phenol-d6 (S)	42	%	10-125		2	05/04/22 09:27	05/04/22 15:57	13127-88-3	
2-Fluorophenol (S)	44	%	10-130		2	05/04/22 09:27	05/04/22 15:57	367-12-4	
2,4,6-Tribromophenol (S)	50	%	10-144		2	05/04/22 09:27	05/04/22 15:57	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/05/22 06:00	05/05/22 20:28	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/05/22 06:00	05/05/22 20:28	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/05/22 06:00	05/05/22 20:28	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/05/22 06:00	05/05/22 20:28	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/05/22 06:00	05/05/22 20:28	75-35-4	
1,2-Dichloroethane	<0.00087	mg/kg	0.0053	0.00087	1	05/05/22 06:00	05/05/22 20:28	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/05/22 06:00	05/05/22 20:28	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.026	0.017	1	05/05/22 06:00	05/05/22 20:28	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/05/22 06:00	05/05/22 20:28	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.026	0.021	1	05/05/22 06:00	05/05/22 20:28	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/05/22 06:00	05/05/22 20:28	67-64-1	
Benzene	<0.00075	mg/kg	0.0053	0.00075	1	05/05/22 06:00	05/05/22 20:28	71-43-2	
Bromodichloromethane	<0.00072	mg/kg	0.0053	0.00072	1	05/05/22 06:00	05/05/22 20:28	75-27-4	
Bromoform	<0.0086	mg/kg	0.021	0.0086	1	05/05/22 06:00	05/05/22 20:28	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0053	0.0047	1	05/05/22 06:00	05/05/22 20:28	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/05/22 06:00	05/05/22 20:28	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0053	0.0033	1	05/05/22 06:00	05/05/22 20:28	56-23-5	
Chlorobenzene	<0.00098	mg/kg	0.0053	0.00098	1	05/05/22 06:00	05/05/22 20:28	108-90-7	
Chloroethane	<0.0038	mg/kg	0.0053	0.0038	1	05/05/22 06:00	05/05/22 20:28	75-00-3	
Chloroform	<0.00089	mg/kg	0.0053	0.00089	1	05/05/22 06:00	05/05/22 20:28	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/05/22 06:00	05/05/22 20:28	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/05/22 06:00	05/05/22 20:28	124-48-1	
Ethylbenzene	<0.00094	mg/kg	0.0053	0.00094	1	05/05/22 06:00	05/05/22 20:28	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/05/22 06:00	05/05/22 20:28	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/05/22 06:00	05/05/22 20:28	75-09-2	
Styrene	<0.00075	mg/kg	0.0053	0.00075	1	05/05/22 06:00	05/05/22 20:28	100-42-5	
Tetrachloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/05/22 06:00	05/05/22 20:28	127-18-4	
Toluene	<0.00093	mg/kg	0.0053	0.00093	1	05/05/22 06:00	05/05/22 20:28	108-88-3	
Trichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/05/22 06:00	05/05/22 20:28	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/05/22 06:00	05/05/22 20:28	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/05/22 06:00	05/05/22 20:28	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-03 (2.0-3.0') **Lab ID: 40244262005** Collected: 05/02/22 14:50 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00093	mg/kg	0.0053	0.00093	1	05/05/22 06:00	05/05/22 20:28	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/05/22 06:00	05/05/22 20:28	10061-01-5	
trans-1,2-Dichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/05/22 06:00	05/05/22 20:28	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/05/22 06:00	05/05/22 20:28	10061-02-6	
Surrogates									
Toluene-d8 (S)	96	%	69-156		1	05/05/22 06:00	05/05/22 20:28	2037-26-5	
4-Bromofluorobenzene (S)	88	%	61-175		1	05/05/22 06:00	05/05/22 20:28	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1	05/05/22 06:00	05/05/22 20:28	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.4	%	0.10	0.10	1		05/03/22 17:07		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.4	Std. Units	0.10	0.010	1		05/06/22 13:26		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.34	mg/kg	1.0	0.34	1	05/09/22 11:05	05/09/22 13:53	57-12-5	M0,R1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: **SB-03 (4.0-5.0')** Lab ID: **40244262006** Collected: 05/02/22 14:55 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00053	mg/kg	0.0022	0.00053	1	05/05/22 13:14	05/06/22 18:49	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/05/22 13:14	05/06/22 18:49	319-84-6	
beta-BHC	<0.00067	mg/kg	0.0022	0.00067	1	05/05/22 13:14	05/06/22 18:49	319-85-7	
delta-BHC	<0.00040	mg/kg	0.0022	0.00040	1	05/05/22 13:14	05/06/22 18:49	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/05/22 13:14	05/06/22 18:49	58-89-9	
Chlordane (Technical)	<0.0072	mg/kg	0.022	0.0072	1	05/05/22 13:14	05/06/22 18:49	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/05/22 13:14	05/06/22 18:49	5103-71-9	
gamma-Chlordane	<0.00081	mg/kg	0.0022	0.00081	1	05/05/22 13:14	05/06/22 18:49	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0043	0.00044	1	05/05/22 13:14	05/06/22 18:49	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/05/22 13:14	05/06/22 18:49	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/05/22 13:14	05/06/22 18:49	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/05/22 13:14	05/06/22 18:49	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/05/22 13:14	05/06/22 18:49	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/05/22 13:14	05/06/22 18:49	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/05/22 13:14	05/06/22 18:49	1031-07-8	
Endrin	<0.00049	mg/kg	0.0043	0.00049	1	05/05/22 13:14	05/06/22 18:49	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/05/22 13:14	05/06/22 18:49	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/05/22 13:14	05/06/22 18:49	53494-70-5	
Heptachlor	<0.00059	mg/kg	0.0022	0.00059	1	05/05/22 13:14	05/06/22 18:49	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/05/22 13:14	05/06/22 18:49	1024-57-3	
Methoxychlor	<0.0067	mg/kg	0.022	0.0067	1	05/05/22 13:14	05/06/22 18:49	72-43-5	
Toxaphene	<0.021	mg/kg	0.065	0.021	1	05/05/22 13:14	05/06/22 18:49	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	74	%	53-138		1	05/05/22 13:14	05/06/22 18:49	877-09-8	
Decachlorobiphenyl (S)	63	%	30-150		1	05/05/22 13:14	05/06/22 18:49	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 03:48	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 03:48	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 03:48	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 03:48	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 03:48	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 03:48	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 03:48	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 03:48	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	81	%	50-99		1	05/05/22 05:15	05/06/22 03:48	877-09-8	
Decachlorobiphenyl (S)	86	%	38-95		1	05/05/22 05:15	05/06/22 03:48	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	16700	mg/kg	36.3	7.3	1	05/05/22 12:34	05/11/22 11:28	7429-90-5	
Antimony	0.16J	mg/kg	0.61	0.12	1	05/05/22 12:34	05/11/22 11:28	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: **SB-03 (4.0-5.0')** Lab ID: **40244262006** Collected: 05/02/22 14:55 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	9.1	mg/kg	0.61	0.13	1	05/05/22 12:34	05/11/22 11:28	7440-38-2	
Barium	235	mg/kg	0.36	0.065	1	05/05/22 12:34	05/11/22 11:28	7440-39-3	
Beryllium	0.88	mg/kg	0.24	0.048	1	05/05/22 12:34	05/11/22 11:28	7440-41-7	
Cadmium	0.18	mg/kg	0.097	0.038	1	05/05/22 12:34	05/11/22 11:28	7440-43-9	
Calcium	3970	mg/kg	121	14.3	1	05/05/22 12:34	05/11/22 11:28	7440-70-2	
Chromium	22.0	mg/kg	2.4	0.17	1	05/05/22 12:34	05/11/22 11:28	7440-47-3	
Cobalt	14.6	mg/kg	0.61	0.12	1	05/05/22 12:34	05/11/22 11:28	7440-48-4	
Copper	18.2	mg/kg	1.2	0.29	1	05/05/22 12:34	05/11/22 11:28	7440-50-8	
Iron	26300	mg/kg	60.5	12.7	1	05/05/22 12:34	05/11/22 11:28	7439-89-6	
Lead	8.6	mg/kg	0.61	0.036	1	05/05/22 12:34	05/11/22 11:28	7439-92-1	
Magnesium	3410	mg/kg	36.3	5.2	1	05/05/22 12:34	05/11/22 11:28	7439-95-4	
Manganese	1160	mg/kg	6.1	3.0	10	05/05/22 12:34	05/11/22 11:32	7439-96-5	
Nickel	30.8	mg/kg	0.61	0.24	1	05/05/22 12:34	05/11/22 11:28	7440-02-0	
Potassium	965	mg/kg	121	13.9	1	05/05/22 12:34	05/11/22 11:28	7440-09-7	
Selenium	0.63	mg/kg	0.61	0.10	1	05/05/22 12:34	05/11/22 11:28	7782-49-2	
Silver	<0.18	mg/kg	0.61	0.18	1	05/05/22 12:34	05/11/22 11:28	7440-22-4	
Sodium	61.7	mg/kg	60.5	13.4	1	05/05/22 12:34	05/11/22 11:28	7440-23-5	
Thallium	0.24	mg/kg	0.12	0.044	1	05/05/22 12:34	05/11/22 11:28	7440-28-0	
Vanadium	38.3	mg/kg	1.2	0.21	1	05/05/22 12:34	05/11/22 11:28	7440-62-2	
Zinc	54.1	mg/kg	6.1	1.1	1	05/05/22 12:34	05/11/22 11:28	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.047	mg/kg	0.040	0.012	1	05/05/22 12:09	05/06/22 10:50	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.082	0.025	1	05/04/22 09:27	05/04/22 14:32	120-82-1	
1,2-Dichlorobenzene	<0.069	mg/kg	0.23	0.069	1	05/04/22 09:27	05/04/22 14:32	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/04/22 09:27	05/04/22 14:32	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/04/22 09:27	05/04/22 14:32	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/04/22 09:27	05/04/22 14:32	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/04/22 09:27	05/04/22 14:32	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 14:32	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/04/22 09:27	05/04/22 14:32	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/04/22 09:27	05/04/22 14:32	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/04/22 09:27	05/04/22 14:32	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/04/22 09:27	05/04/22 14:32	121-14-2	CU
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/04/22 09:27	05/04/22 14:32	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/04/22 09:27	05/04/22 14:32	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/04/22 09:27	05/04/22 14:32	95-57-8	
2-Methylnaphthalene	<0.057	mg/kg	0.19	0.057	1	05/04/22 09:27	05/04/22 14:32	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/04/22 09:27	05/04/22 14:32	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/04/22 09:27	05/04/22 14:32	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Sample: SB-03 (4.0-5.0') Lab ID: 40244262006 Collected: 05/02/22 14:55 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.069	mg/kg	0.23	0.069	1	05/04/22 09:27	05/04/22 14:32	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/04/22 09:27	05/04/22 14:32		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/04/22 09:27	05/04/22 14:32	91-94-1	CU
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/04/22 09:27	05/04/22 14:32	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/04/22 09:27	05/04/22 14:32	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/04/22 09:27	05/04/22 14:32	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/04/22 09:27	05/04/22 14:32	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 14:32	106-47-8	1q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/04/22 09:27	05/04/22 14:32	7005-72-3	
4-Nitroaniline	<0.091	mg/kg	0.30	0.091	1	05/04/22 09:27	05/04/22 14:32	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/04/22 09:27	05/04/22 14:32	100-02-7	CU
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/04/22 09:27	05/04/22 14:32	83-32-9	
Acenaphthylene	<0.078	mg/kg	0.26	0.078	1	05/04/22 09:27	05/04/22 14:32	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 14:32	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 14:32	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 14:32	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/04/22 09:27	05/04/22 14:32	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/04/22 09:27	05/04/22 14:32	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/04/22 09:27	05/04/22 14:32	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 14:32	85-68-7	CU
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 14:32	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 14:32	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 14:32	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/04/22 09:27	05/04/22 14:32	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/04/22 09:27	05/04/22 14:32	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.088	0.026	1	05/04/22 09:27	05/04/22 14:32	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 14:32	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.095	0.028	1	05/04/22 09:27	05/04/22 14:32	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/04/22 09:27	05/04/22 14:32	206-44-0	
Fluorene	<0.026	mg/kg	0.085	0.026	1	05/04/22 09:27	05/04/22 14:32	86-73-7	
Hexachloro-1,3-butadiene	<0.056	mg/kg	0.19	0.056	1	05/04/22 09:27	05/04/22 14:32	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/04/22 09:27	05/04/22 14:32	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/04/22 09:27	05/04/22 14:32	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 14:32	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/04/22 09:27	05/04/22 14:32	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 14:32	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 14:32	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	0.99	0.30	1	05/04/22 09:27	05/04/22 14:32	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/04/22 09:27	05/04/22 14:32	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/04/22 09:27	05/04/22 14:32	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/04/22 09:27	05/04/22 14:32	87-86-5	
Phenanthrene	<0.028	mg/kg	0.093	0.028	1	05/04/22 09:27	05/04/22 14:32	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/04/22 09:27	05/04/22 14:32	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/04/22 09:27	05/04/22 14:32	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-03 (4.0-5.0') **Lab ID: 40244262006** Collected: 05/02/22 14:55 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/04/22 09:27	05/04/22 14:32	111-91-1	
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/04/22 09:27	05/04/22 14:32	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 14:32	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	64	%	10-125		1	05/04/22 09:27	05/04/22 14:32	4165-60-0	
2-Fluorobiphenyl (S)	55	%	12-118		1	05/04/22 09:27	05/04/22 14:32	321-60-8	
Terphenyl-d14 (S)	53	%	10-124		1	05/04/22 09:27	05/04/22 14:32	1718-51-0	
Phenol-d6 (S)	64	%	10-125		1	05/04/22 09:27	05/04/22 14:32	13127-88-3	
2-Fluorophenol (S)	64	%	10-130		1	05/04/22 09:27	05/04/22 14:32	367-12-4	
2,4,6-Tribromophenol (S)	57	%	10-144		1	05/04/22 09:27	05/04/22 14:32	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/05/22 06:00	05/05/22 20:52	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0029	mg/kg	0.0056	0.0029	1	05/05/22 06:00	05/05/22 20:52	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/05/22 06:00	05/05/22 20:52	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0056	0.0012	1	05/05/22 06:00	05/05/22 20:52	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0056	0.0012	1	05/05/22 06:00	05/05/22 20:52	75-35-4	
1,2-Dichloroethane	<0.00093	mg/kg	0.0056	0.00093	1	05/05/22 06:00	05/05/22 20:52	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0056	0.0011	1	05/05/22 06:00	05/05/22 20:52	78-87-5	
2-Butanone (MEK)	<0.018	mg/kg	0.028	0.018	1	05/05/22 06:00	05/05/22 20:52	78-93-3	
2-Hexanone	<0.013	mg/kg	0.028	0.013	1	05/05/22 06:00	05/05/22 20:52	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.028	0.022	1	05/05/22 06:00	05/05/22 20:52	108-10-1	
Acetone	<0.053	mg/kg	0.11	0.053	1	05/05/22 06:00	05/05/22 20:52	67-64-1	
Benzene	<0.00080	mg/kg	0.0056	0.00080	1	05/05/22 06:00	05/05/22 20:52	71-43-2	
Bromodichloromethane	<0.00077	mg/kg	0.0056	0.00077	1	05/05/22 06:00	05/05/22 20:52	75-27-4	
Bromoform	<0.0092	mg/kg	0.023	0.0092	1	05/05/22 06:00	05/05/22 20:52	75-25-2	
Bromomethane	<0.0050	mg/kg	0.0056	0.0050	1	05/05/22 06:00	05/05/22 20:52	74-83-9	
Carbon disulfide	<0.0013	mg/kg	0.0056	0.0013	1	05/05/22 06:00	05/05/22 20:52	75-15-0	
Carbon tetrachloride	<0.0036	mg/kg	0.0056	0.0036	1	05/05/22 06:00	05/05/22 20:52	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/05/22 06:00	05/05/22 20:52	108-90-7	
Chloroethane	<0.0041	mg/kg	0.0056	0.0041	1	05/05/22 06:00	05/05/22 20:52	75-00-3	
Chloroform	<0.00095	mg/kg	0.0056	0.00095	1	05/05/22 06:00	05/05/22 20:52	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0056	0.0012	1	05/05/22 06:00	05/05/22 20:52	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0056	0.0011	1	05/05/22 06:00	05/05/22 20:52	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/05/22 06:00	05/05/22 20:52	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0056	0.0023	1	05/05/22 06:00	05/05/22 20:52	1634-04-4	
Methylene Chloride	<0.0045	mg/kg	0.0056	0.0045	1	05/05/22 06:00	05/05/22 20:52	75-09-2	
Styrene	<0.00080	mg/kg	0.0056	0.00080	1	05/05/22 06:00	05/05/22 20:52	100-42-5	
Tetrachloroethene	<0.0010	mg/kg	0.0056	0.0010	1	05/05/22 06:00	05/05/22 20:52	127-18-4	
Toluene	<0.0010	mg/kg	0.0056	0.0010	1	05/05/22 06:00	05/05/22 20:52	108-88-3	
Trichloroethene	<0.00081	mg/kg	0.0056	0.00081	1	05/05/22 06:00	05/05/22 20:52	79-01-6	
Vinyl chloride	<0.0015	mg/kg	0.0056	0.0015	1	05/05/22 06:00	05/05/22 20:52	75-01-4	
Xylene (Total)	<0.0039	mg/kg	0.011	0.0039	1	05/05/22 06:00	05/05/22 20:52	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Sample: SB-03 (4.0-5.0') **Lab ID: 40244262006** Collected: 05/02/22 14:55 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.0010	mg/kg	0.0056	0.0010	1	05/05/22 06:00	05/05/22 20:52	156-59-2	
cis-1,3-Dichloropropene	<0.0012	mg/kg	0.0056	0.0012	1	05/05/22 06:00	05/05/22 20:52	10061-01-5	
trans-1,2-Dichloroethene	<0.00081	mg/kg	0.0056	0.00081	1	05/05/22 06:00	05/05/22 20:52	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/05/22 06:00	05/05/22 20:52	10061-02-6	
Surrogates									
Toluene-d8 (S)	100	%	69-156		1	05/05/22 06:00	05/05/22 20:52	2037-26-5	
4-Bromofluorobenzene (S)	87	%	61-175		1	05/05/22 06:00	05/05/22 20:52	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1	05/05/22 06:00	05/05/22 20:52	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.5	%	0.10	0.10	1		05/03/22 17:38		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.7	Std. Units	0.10	0.010	1		05/06/22 13:30		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.30	mg/kg	0.90	0.30	1	05/09/22 11:05	05/09/22 13:56	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-04 (1.0-2.0') Lab ID: 40244262007 Collected: 05/02/22 15:30 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00053	mg/kg	0.0022	0.00053	1	05/05/22 13:14	05/06/22 17:14	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/05/22 13:14	05/06/22 17:14	319-84-6	
beta-BHC	<0.00068	mg/kg	0.0022	0.00068	1	05/05/22 13:14	05/06/22 17:14	319-85-7	
delta-BHC	<0.00040	mg/kg	0.0022	0.00040	1	05/05/22 13:14	05/06/22 17:14	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/05/22 13:14	05/06/22 17:14	58-89-9	
Chlordane (Technical)	<0.0072	mg/kg	0.022	0.0072	1	05/05/22 13:14	05/06/22 17:14	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/05/22 13:14	05/06/22 17:14	5103-71-9	
gamma-Chlordane	<0.00082	mg/kg	0.0022	0.00082	1	05/05/22 13:14	05/06/22 17:14	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0044	0.00044	1	05/05/22 13:14	05/06/22 17:14	72-54-8	
4,4'-DDE	<0.00051	mg/kg	0.0044	0.00051	1	05/05/22 13:14	05/06/22 17:14	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0044	0.0013	1	05/05/22 13:14	05/06/22 17:14	50-29-3	
Dieldrin	<0.00042	mg/kg	0.0044	0.00042	1	05/05/22 13:14	05/06/22 17:14	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/05/22 13:14	05/06/22 17:14	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0044	0.0010	1	05/05/22 13:14	05/06/22 17:14	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0044	0.0010	1	05/05/22 13:14	05/06/22 17:14	1031-07-8	
Endrin	<0.00049	mg/kg	0.0044	0.00049	1	05/05/22 13:14	05/06/22 17:14	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0044	0.0014	1	05/05/22 13:14	05/06/22 17:14	7421-93-4	
Endrin ketone	<0.0012	mg/kg	0.0044	0.0012	1	05/05/22 13:14	05/06/22 17:14	53494-70-5	
Heptachlor	<0.00059	mg/kg	0.0022	0.00059	1	05/05/22 13:14	05/06/22 17:14	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/05/22 13:14	05/06/22 17:14	1024-57-3	
Methoxychlor	<0.0068	mg/kg	0.022	0.0068	1	05/05/22 13:14	05/06/22 17:14	72-43-5	
Toxaphene	<0.021	mg/kg	0.066	0.021	1	05/05/22 13:14	05/06/22 17:14	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	77	%	53-138		1	05/05/22 13:14	05/06/22 17:14	877-09-8	
Decachlorobiphenyl (S)	65	%	30-150		1	05/05/22 13:14	05/06/22 17:14	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/05/22 05:15	05/06/22 04:13	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/05/22 05:15	05/06/22 04:13	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/05/22 05:15	05/06/22 04:13	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/05/22 05:15	05/06/22 04:13	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/05/22 05:15	05/06/22 04:13	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/05/22 05:15	05/06/22 04:13	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/05/22 05:15	05/06/22 04:13	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/05/22 05:15	05/06/22 04:13	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	81	%	50-99		1	05/05/22 05:15	05/06/22 04:13	877-09-8	
Decachlorobiphenyl (S)	86	%	38-95		1	05/05/22 05:15	05/06/22 04:13	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	11600	mg/kg	37.6	7.6	1	05/05/22 12:34	05/11/22 11:35	7429-90-5	
Antimony	<0.12	mg/kg	0.63	0.12	1	05/05/22 12:34	05/11/22 11:35	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: **SB-04 (1.0-2.0')** Lab ID: **40244262007** Collected: 05/02/22 15:30 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	4.2	mg/kg	0.63	0.14	1	05/05/22 12:34	05/11/22 11:35	7440-38-2	
Barium	138	mg/kg	0.38	0.067	1	05/05/22 12:34	05/11/22 11:35	7440-39-3	
Beryllium	0.73	mg/kg	0.25	0.050	1	05/05/22 12:34	05/11/22 11:35	7440-41-7	
Cadmium	0.12	mg/kg	0.10	0.039	1	05/05/22 12:34	05/11/22 11:35	7440-43-9	
Calcium	3670	mg/kg	125	14.8	1	05/05/22 12:34	05/11/22 11:35	7440-70-2	
Chromium	15.0	mg/kg	2.5	0.18	1	05/05/22 12:34	05/11/22 11:35	7440-47-3	
Cobalt	4.6	mg/kg	0.63	0.12	1	05/05/22 12:34	05/11/22 11:35	7440-48-4	
Copper	13.0	mg/kg	1.3	0.30	1	05/05/22 12:34	05/11/22 11:35	7440-50-8	
Iron	14600	mg/kg	62.7	13.2	1	05/05/22 12:34	05/11/22 11:35	7439-89-6	
Lead	9.5	mg/kg	0.63	0.037	1	05/05/22 12:34	05/11/22 11:35	7439-92-1	
Magnesium	2240	mg/kg	37.6	5.4	1	05/05/22 12:34	05/11/22 11:35	7439-95-4	
Manganese	230	mg/kg	0.63	0.31	1	05/05/22 12:34	05/11/22 11:35	7439-96-5	
Nickel	11.4	mg/kg	0.63	0.25	1	05/05/22 12:34	05/11/22 11:35	7440-02-0	
Potassium	1010	mg/kg	125	14.4	1	05/05/22 12:34	05/11/22 11:35	7440-09-7	
Selenium	0.73	mg/kg	0.63	0.11	1	05/05/22 12:34	05/11/22 11:35	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/05/22 12:34	05/11/22 11:35	7440-22-4	
Sodium	43.8J	mg/kg	62.7	13.9	1	05/05/22 12:34	05/11/22 11:35	7440-23-5	
Thallium	0.16	mg/kg	0.13	0.046	1	05/05/22 12:34	05/11/22 11:35	7440-28-0	
Vanadium	27.4	mg/kg	1.3	0.22	1	05/05/22 12:34	05/11/22 11:35	7440-62-2	
Zinc	41.0	mg/kg	6.3	1.1	1	05/05/22 12:34	05/11/22 11:35	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.032J	mg/kg	0.042	0.012	1	05/05/22 12:09	05/06/22 10:52	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.083	0.025	1	05/04/22 09:27	05/04/22 14:53	120-82-1	
1,2-Dichlorobenzene	<0.069	mg/kg	0.23	0.069	1	05/04/22 09:27	05/04/22 14:53	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/04/22 09:27	05/04/22 14:53	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/04/22 09:27	05/04/22 14:53	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.057	mg/kg	0.19	0.057	1	05/04/22 09:27	05/04/22 14:53	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/04/22 09:27	05/04/22 14:53	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 14:53	88-06-2	
2,4-Dichlorophenol	<0.059	mg/kg	0.20	0.059	1	05/04/22 09:27	05/04/22 14:53	120-83-2	
2,4-Dimethylphenol	<0.044	mg/kg	0.15	0.044	1	05/04/22 09:27	05/04/22 14:53	105-67-9	
2,4-Dinitrophenol	<0.067	mg/kg	0.22	0.067	1	05/04/22 09:27	05/04/22 14:53	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/04/22 09:27	05/04/22 14:53	121-14-2	CU
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/04/22 09:27	05/04/22 14:53	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.094	0.028	1	05/04/22 09:27	05/04/22 14:53	91-58-7	
2-Chlorophenol	<0.055	mg/kg	0.18	0.055	1	05/04/22 09:27	05/04/22 14:53	95-57-8	
2-Methylnaphthalene	<0.057	mg/kg	0.19	0.057	1	05/04/22 09:27	05/04/22 14:53	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/04/22 09:27	05/04/22 14:53	95-48-7	
2-Nitroaniline	<0.063	mg/kg	0.21	0.063	1	05/04/22 09:27	05/04/22 14:53	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-04 (1.0-2.0') **Lab ID: 40244262007** Collected: 05/02/22 15:30 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.069	mg/kg	0.23	0.069	1	05/04/22 09:27	05/04/22 14:53	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/04/22 09:27	05/04/22 14:53		
3,3'-Dichlorobenzidine	<0.060	mg/kg	0.20	0.060	1	05/04/22 09:27	05/04/22 14:53	91-94-1	CU
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/04/22 09:27	05/04/22 14:53	99-09-2	
4,6-Dinitro-2-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/04/22 09:27	05/04/22 14:53	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/04/22 09:27	05/04/22 14:53	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/04/22 09:27	05/04/22 14:53	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 14:53	106-47-8	1q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/04/22 09:27	05/04/22 14:53	7005-72-3	
4-Nitroaniline	<0.091	mg/kg	0.30	0.091	1	05/04/22 09:27	05/04/22 14:53	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/04/22 09:27	05/04/22 14:53	100-02-7	CU
Acenaphthene	<0.078	mg/kg	0.26	0.078	1	05/04/22 09:27	05/04/22 14:53	83-32-9	
Acenaphthylene	<0.079	mg/kg	0.26	0.079	1	05/04/22 09:27	05/04/22 14:53	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 14:53	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 14:53	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 14:53	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/04/22 09:27	05/04/22 14:53	205-99-2	
Benzo(g,h,i)perylene	<0.058	mg/kg	0.19	0.058	1	05/04/22 09:27	05/04/22 14:53	191-24-2	
Benzo(k)fluoranthene	<0.053	mg/kg	0.18	0.053	1	05/04/22 09:27	05/04/22 14:53	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 14:53	85-68-7	CU
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 14:53	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 14:53	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 14:53	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/04/22 09:27	05/04/22 14:53	117-84-0	
Dibenz(a,h)anthracene	<0.060	mg/kg	0.20	0.060	1	05/04/22 09:27	05/04/22 14:53	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.089	0.027	1	05/04/22 09:27	05/04/22 14:53	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 14:53	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.095	0.029	1	05/04/22 09:27	05/04/22 14:53	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/04/22 09:27	05/04/22 14:53	206-44-0	
Fluorene	<0.026	mg/kg	0.086	0.026	1	05/04/22 09:27	05/04/22 14:53	86-73-7	
Hexachloro-1,3-butadiene	<0.056	mg/kg	0.19	0.056	1	05/04/22 09:27	05/04/22 14:53	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/04/22 09:27	05/04/22 14:53	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/04/22 09:27	05/04/22 14:53	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 14:53	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.048	mg/kg	0.16	0.048	1	05/04/22 09:27	05/04/22 14:53	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 14:53	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 14:53	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	1.0	0.30	1	05/04/22 09:27	05/04/22 14:53	86-30-6	
Naphthalene	<0.077	mg/kg	0.26	0.077	1	05/04/22 09:27	05/04/22 14:53	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/04/22 09:27	05/04/22 14:53	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/04/22 09:27	05/04/22 14:53	87-86-5	
Phenanthrene	<0.028	mg/kg	0.094	0.028	1	05/04/22 09:27	05/04/22 14:53	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/04/22 09:27	05/04/22 14:53	108-95-2	
Pyrene	<0.049	mg/kg	0.16	0.049	1	05/04/22 09:27	05/04/22 14:53	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-04 (1.0-2.0') **Lab ID: 40244262007** Collected: 05/02/22 15:30 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/04/22 09:27	05/04/22 14:53	111-91-1	
bis(2-Chloroethyl) ether	<0.069	mg/kg	0.23	0.069	1	05/04/22 09:27	05/04/22 14:53	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/04/22 09:27	05/04/22 14:53	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	54	%	10-125		1	05/04/22 09:27	05/04/22 14:53	4165-60-0	
2-Fluorobiphenyl (S)	62	%	12-118		1	05/04/22 09:27	05/04/22 14:53	321-60-8	
Terphenyl-d14 (S)	66	%	10-124		1	05/04/22 09:27	05/04/22 14:53	1718-51-0	
Phenol-d6 (S)	65	%	10-125		1	05/04/22 09:27	05/04/22 14:53	13127-88-3	
2-Fluorophenol (S)	65	%	10-130		1	05/04/22 09:27	05/04/22 14:53	367-12-4	
2,4,6-Tribromophenol (S)	60	%	10-144		1	05/04/22 09:27	05/04/22 14:53	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0057	0.0017	1	05/05/22 06:00	05/06/22 08:19	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0029	mg/kg	0.0057	0.0029	1	05/05/22 06:00	05/06/22 08:19	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0057	0.0017	1	05/05/22 06:00	05/06/22 08:19	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0057	0.0012	1	05/05/22 06:00	05/06/22 08:19	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0057	0.0012	1	05/05/22 06:00	05/06/22 08:19	75-35-4	
1,2-Dichloroethane	<0.00095	mg/kg	0.0057	0.00095	1	05/05/22 06:00	05/06/22 08:19	107-06-2	
1,2-Dichloropropane	<0.0012	mg/kg	0.0057	0.0012	1	05/05/22 06:00	05/06/22 08:19	78-87-5	
2-Butanone (MEK)	<0.018	mg/kg	0.029	0.018	1	05/05/22 06:00	05/06/22 08:19	78-93-3	
2-Hexanone	<0.013	mg/kg	0.029	0.013	1	05/05/22 06:00	05/06/22 08:19	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.023	mg/kg	0.029	0.023	1	05/05/22 06:00	05/06/22 08:19	108-10-1	
Acetone	<0.054	mg/kg	0.11	0.054	1	05/05/22 06:00	05/06/22 08:19	67-64-1	
Benzene	<0.00081	mg/kg	0.0057	0.00081	1	05/05/22 06:00	05/06/22 08:19	71-43-2	
Bromodichloromethane	<0.00078	mg/kg	0.0057	0.00078	1	05/05/22 06:00	05/06/22 08:19	75-27-4	
Bromoform	<0.0093	mg/kg	0.023	0.0093	1	05/05/22 06:00	05/06/22 08:19	75-25-2	
Bromomethane	<0.0051	mg/kg	0.0057	0.0051	1	05/05/22 06:00	05/06/22 08:19	74-83-9	
Carbon disulfide	<0.0013	mg/kg	0.0057	0.0013	1	05/05/22 06:00	05/06/22 08:19	75-15-0	
Carbon tetrachloride	<0.0036	mg/kg	0.0057	0.0036	1	05/05/22 06:00	05/06/22 08:19	56-23-5	
Chlorobenzene	<0.0011	mg/kg	0.0057	0.0011	1	05/05/22 06:00	05/06/22 08:19	108-90-7	
Chloroethane	<0.0042	mg/kg	0.0057	0.0042	1	05/05/22 06:00	05/06/22 08:19	75-00-3	
Chloroform	<0.00097	mg/kg	0.0057	0.00097	1	05/05/22 06:00	05/06/22 08:19	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0057	0.0012	1	05/05/22 06:00	05/06/22 08:19	74-87-3	
Dibromochloromethane	<0.0012	mg/kg	0.0057	0.0012	1	05/05/22 06:00	05/06/22 08:19	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0057	0.0010	1	05/05/22 06:00	05/06/22 08:19	100-41-4	
Methyl-tert-butyl ether	<0.0024	mg/kg	0.0057	0.0024	1	05/05/22 06:00	05/06/22 08:19	1634-04-4	
Methylene Chloride	<0.0045	mg/kg	0.0057	0.0045	1	05/05/22 06:00	05/06/22 08:19	75-09-2	
Styrene	<0.00082	mg/kg	0.0057	0.00082	1	05/05/22 06:00	05/06/22 08:19	100-42-5	
Tetrachloroethene	<0.0010	mg/kg	0.0057	0.0010	1	05/05/22 06:00	05/06/22 08:19	127-18-4	
Toluene	<0.0010	mg/kg	0.0057	0.0010	1	05/05/22 06:00	05/06/22 08:19	108-88-3	
Trichloroethene	<0.00082	mg/kg	0.0057	0.00082	1	05/05/22 06:00	05/06/22 08:19	79-01-6	
Vinyl chloride	<0.0015	mg/kg	0.0057	0.0015	1	05/05/22 06:00	05/06/22 08:19	75-01-4	
Xylene (Total)	<0.0039	mg/kg	0.011	0.0039	1	05/05/22 06:00	05/06/22 08:19	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-04 (1.0-2.0') **Lab ID: 40244262007** Collected: 05/02/22 15:30 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.0010	mg/kg	0.0057	0.0010	1	05/05/22 06:00	05/06/22 08:19	156-59-2	
cis-1,3-Dichloropropene	<0.0012	mg/kg	0.0057	0.0012	1	05/05/22 06:00	05/06/22 08:19	10061-01-5	
trans-1,2-Dichloroethene	<0.00082	mg/kg	0.0057	0.00082	1	05/05/22 06:00	05/06/22 08:19	156-60-5	
trans-1,3-Dichloropropene	<0.0012	mg/kg	0.0057	0.0012	1	05/05/22 06:00	05/06/22 08:19	10061-02-6	
Surrogates									
Toluene-d8 (S)	96	%	69-156		1	05/05/22 06:00	05/06/22 08:19	2037-26-5	
4-Bromofluorobenzene (S)	81	%	61-175		1	05/05/22 06:00	05/06/22 08:19	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1	05/05/22 06:00	05/06/22 08:19	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay									
Percent Moisture	24.1	%	0.10	0.10	1		05/03/22 17:39		
9040 pH									
Analytical Method: EPA 9040 Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/06/22 13:33		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B Pace Analytical Services - Green Bay									
Cyanide	<0.30	mg/kg	0.89	0.30	1	05/09/22 11:05	05/09/22 13:57	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: **SB-04 (4.0-5.0')** Lab ID: **40244262008** Collected: 05/02/22 15:35 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0022	0.00052	1	05/05/22 13:14	05/06/22 17:33	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/05/22 13:14	05/06/22 17:33	319-84-6	
beta-BHC	<0.00067	mg/kg	0.0022	0.00067	1	05/05/22 13:14	05/06/22 17:33	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0022	0.00039	1	05/05/22 13:14	05/06/22 17:33	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/05/22 13:14	05/06/22 17:33	58-89-9	
Chlordane (Technical)	<0.0071	mg/kg	0.022	0.0071	1	05/05/22 13:14	05/06/22 17:33	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/05/22 13:14	05/06/22 17:33	5103-71-9	
gamma-Chlordane	<0.00080	mg/kg	0.0022	0.00080	1	05/05/22 13:14	05/06/22 17:33	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0043	0.00044	1	05/05/22 13:14	05/06/22 17:33	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/05/22 13:14	05/06/22 17:33	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/05/22 13:14	05/06/22 17:33	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/05/22 13:14	05/06/22 17:33	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/05/22 13:14	05/06/22 17:33	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/05/22 13:14	05/06/22 17:33	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/05/22 13:14	05/06/22 17:33	1031-07-8	
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/05/22 13:14	05/06/22 17:33	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/05/22 13:14	05/06/22 17:33	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/05/22 13:14	05/06/22 17:33	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0022	0.00058	1	05/05/22 13:14	05/06/22 17:33	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/05/22 13:14	05/06/22 17:33	1024-57-3	
Methoxychlor	<0.0066	mg/kg	0.022	0.0066	1	05/05/22 13:14	05/06/22 17:33	72-43-5	
Toxaphene	<0.020	mg/kg	0.065	0.020	1	05/05/22 13:14	05/06/22 17:33	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	70	%	53-138		1	05/05/22 13:14	05/06/22 17:33	877-09-8	
Decachlorobiphenyl (S)	61	%	30-150		1	05/05/22 13:14	05/06/22 17:33	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 04:37	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 04:37	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 04:37	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 04:37	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 04:37	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 04:37	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 04:37	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 04:37	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	83	%	50-99		1	05/05/22 05:15	05/06/22 04:37	877-09-8	
Decachlorobiphenyl (S)	88	%	38-95		1	05/05/22 05:15	05/06/22 04:37	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	18800	mg/kg	37.8	7.6	1	05/05/22 12:34	05/11/22 11:39	7429-90-5	
Antimony	0.25J	mg/kg	0.63	0.12	1	05/05/22 12:34	05/11/22 11:39	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-04 (4.0-5.0') **Lab ID: 40244262008** Collected: 05/02/22 15:35 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	19.4	mg/kg	0.63	0.14	1	05/05/22 12:34	05/11/22 11:39	7440-38-2	
Barium	199	mg/kg	0.38	0.067	1	05/05/22 12:34	05/11/22 11:39	7440-39-3	
Beryllium	1.1	mg/kg	0.25	0.050	1	05/05/22 12:34	05/11/22 11:39	7440-41-7	
Cadmium	0.34	mg/kg	0.10	0.040	1	05/05/22 12:34	05/11/22 11:39	7440-43-9	
Calcium	3920	mg/kg	126	14.9	1	05/05/22 12:34	05/11/22 11:39	7440-70-2	
Chromium	23.4	mg/kg	2.5	0.18	1	05/05/22 12:34	05/11/22 11:39	7440-47-3	
Cobalt	16.9	mg/kg	0.63	0.12	1	05/05/22 12:34	05/11/22 11:39	7440-48-4	
Copper	21.4	mg/kg	1.3	0.30	1	05/05/22 12:34	05/11/22 11:39	7440-50-8	
Iron	31100	mg/kg	63.0	13.2	1	05/05/22 12:34	05/11/22 11:39	7439-89-6	
Lead	25.1	mg/kg	0.63	0.037	1	05/05/22 12:34	05/11/22 11:39	7439-92-1	
Magnesium	3840	mg/kg	37.8	5.4	1	05/05/22 12:34	05/11/22 11:39	7439-95-4	
Manganese	1280	mg/kg	6.3	3.1	10	05/05/22 12:34	05/11/22 11:43	7439-96-5	
Nickel	27.9	mg/kg	0.63	0.25	1	05/05/22 12:34	05/11/22 11:39	7440-02-0	
Potassium	929	mg/kg	126	14.5	1	05/05/22 12:34	05/11/22 11:39	7440-09-7	
Selenium	0.93	mg/kg	0.63	0.11	1	05/05/22 12:34	05/11/22 11:39	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/05/22 12:34	05/11/22 11:39	7440-22-4	
Sodium	55.0J	mg/kg	63.0	14.0	1	05/05/22 12:34	05/11/22 11:39	7440-23-5	
Thallium	0.24	mg/kg	0.13	0.046	1	05/05/22 12:34	05/11/22 11:39	7440-28-0	
Vanadium	50.8	mg/kg	1.3	0.22	1	05/05/22 12:34	05/11/22 11:39	7440-62-2	
Zinc	58.8	mg/kg	6.3	1.1	1	05/05/22 12:34	05/11/22 11:39	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.047	mg/kg	0.043	0.012	1	05/05/22 12:09	05/06/22 10:54	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.082	0.025	1	05/06/22 10:26	05/06/22 14:14	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 14:14	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 14:14	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 14:14	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 14:14	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 14:14	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 14:14	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 14:14	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/06/22 10:26	05/06/22 14:14	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/06/22 10:26	05/06/22 14:14	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 14:14	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/06/22 10:26	05/06/22 14:14	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/06/22 10:26	05/06/22 14:14	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 14:14	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 14:14	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/06/22 10:26	05/06/22 14:14	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/06/22 10:26	05/06/22 14:14	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Sample: **SB-04 (4.0-5.0')** Lab ID: **40244262008** Collected: 05/02/22 15:35 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 14:14	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 14:14		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 14:14	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 14:14	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/06/22 10:26	05/06/22 14:14	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/06/22 10:26	05/06/22 14:14	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 14:14	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 14:14	106-47-8	3q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 14:14	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/06/22 10:26	05/06/22 14:14	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 14:14	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/06/22 10:26	05/06/22 14:14	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/06/22 10:26	05/06/22 14:14	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 14:14	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 14:14	56-55-3	
Benzo(a)pyrene	0.051J	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 14:14	50-32-8	
Benzo(b)fluoranthene	0.042J	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 14:14	205-99-2	
Benzo(g,h,i)perylene	0.061J	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 14:14	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/06/22 10:26	05/06/22 14:14	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 14:14	85-68-7	CU
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 14:14	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 14:14	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 14:14	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/06/22 10:26	05/06/22 14:14	117-84-0	
Dibenz(a,h)anthracene	0.068J	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 14:14	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.088	0.026	1	05/06/22 10:26	05/06/22 14:14	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 14:14	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/06/22 10:26	05/06/22 14:14	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 14:14	206-44-0	
Fluorene	<0.025	mg/kg	0.085	0.025	1	05/06/22 10:26	05/06/22 14:14	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 14:14	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 14:14	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/06/22 10:26	05/06/22 14:14	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 14:14	67-72-1	
Indeno(1,2,3-cd)pyrene	0.082J	mg/kg	0.16	0.047	1	05/06/22 10:26	05/06/22 14:14	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 14:14	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 14:14	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/06/22 10:26	05/06/22 14:14	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/06/22 10:26	05/06/22 14:14	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/06/22 10:26	05/06/22 14:14	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/06/22 10:26	05/06/22 14:14	87-86-5	
Phenanthrene	<0.028	mg/kg	0.093	0.028	1	05/06/22 10:26	05/06/22 14:14	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/06/22 10:26	05/06/22 14:14	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/06/22 10:26	05/06/22 14:14	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-04 (4.0-5.0') **Lab ID: 40244262008** Collected: 05/02/22 15:35 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 14:14	111-91-1	
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 14:14	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 14:14	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	65	%	10-125		1	05/06/22 10:26	05/06/22 14:14	4165-60-0	
2-Fluorobiphenyl (S)	47	%	12-118		1	05/06/22 10:26	05/06/22 14:14	321-60-8	
Terphenyl-d14 (S)	38	%	10-124		1	05/06/22 10:26	05/06/22 14:14	1718-51-0	
Phenol-d6 (S)	33	%	10-125		1	05/06/22 10:26	05/06/22 14:14	13127-88-3	
2-Fluorophenol (S)	35	%	10-130		1	05/06/22 10:26	05/06/22 14:14	367-12-4	
2,4,6-Tribromophenol (S)	34	%	10-144		1	05/06/22 10:26	05/06/22 14:14	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0055	0.0017	1	05/06/22 06:00	05/06/22 17:12	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0055	0.0028	1	05/06/22 06:00	05/06/22 17:12	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0055	0.0017	1	05/06/22 06:00	05/06/22 17:12	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0055	0.0012	1	05/06/22 06:00	05/06/22 17:12	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0055	0.0012	1	05/06/22 06:00	05/06/22 17:12	75-35-4	
1,2-Dichloroethane	<0.00090	mg/kg	0.0055	0.00090	1	05/06/22 06:00	05/06/22 17:12	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0055	0.0011	1	05/06/22 06:00	05/06/22 17:12	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/06/22 06:00	05/06/22 17:12	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/06/22 06:00	05/06/22 17:12	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.027	0.022	1	05/06/22 06:00	05/06/22 17:12	108-10-1	
Acetone	<0.052	mg/kg	0.11	0.052	1	05/06/22 06:00	05/06/22 17:12	67-64-1	
Benzene	<0.00078	mg/kg	0.0055	0.00078	1	05/06/22 06:00	05/06/22 17:12	71-43-2	
Bromodichloromethane	<0.00074	mg/kg	0.0055	0.00074	1	05/06/22 06:00	05/06/22 17:12	75-27-4	
Bromoform	<0.0089	mg/kg	0.022	0.0089	1	05/06/22 06:00	05/06/22 17:12	75-25-2	
Bromomethane	<0.0049	mg/kg	0.0055	0.0049	1	05/06/22 06:00	05/06/22 17:12	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0055	0.0012	1	05/06/22 06:00	05/06/22 17:12	75-15-0	
Carbon tetrachloride	<0.0035	mg/kg	0.0055	0.0035	1	05/06/22 06:00	05/06/22 17:12	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0055	0.0010	1	05/06/22 06:00	05/06/22 17:12	108-90-7	
Chloroethane	<0.0040	mg/kg	0.0055	0.0040	1	05/06/22 06:00	05/06/22 17:12	75-00-3	
Chloroform	<0.00092	mg/kg	0.0055	0.00092	1	05/06/22 06:00	05/06/22 17:12	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0055	0.0012	1	05/06/22 06:00	05/06/22 17:12	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0055	0.0011	1	05/06/22 06:00	05/06/22 17:12	124-48-1	
Ethylbenzene	<0.00098	mg/kg	0.0055	0.00098	1	05/06/22 06:00	05/06/22 17:12	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0055	0.0022	1	05/06/22 06:00	05/06/22 17:12	1634-04-4	
Methylene Chloride	<0.0043	mg/kg	0.0055	0.0043	1	05/06/22 06:00	05/06/22 17:12	75-09-2	
Styrene	<0.00078	mg/kg	0.0055	0.00078	1	05/06/22 06:00	05/06/22 17:12	100-42-5	
Tetrachloroethene	<0.00097	mg/kg	0.0055	0.00097	1	05/06/22 06:00	05/06/22 17:12	127-18-4	
Toluene	<0.00097	mg/kg	0.0055	0.00097	1	05/06/22 06:00	05/06/22 17:12	108-88-3	
Trichloroethene	<0.00078	mg/kg	0.0055	0.00078	1	05/06/22 06:00	05/06/22 17:12	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0055	0.0014	1	05/06/22 06:00	05/06/22 17:12	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/06/22 06:00	05/06/22 17:12	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-04 (4.0-5.0') **Lab ID: 40244262008** Collected: 05/02/22 15:35 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00097	mg/kg	0.0055	0.00097	1	05/06/22 06:00	05/06/22 17:12	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0055	0.0011	1	05/06/22 06:00	05/06/22 17:12	10061-01-5	
trans-1,2-Dichloroethene	<0.00079	mg/kg	0.0055	0.00079	1	05/06/22 06:00	05/06/22 17:12	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0055	0.0011	1	05/06/22 06:00	05/06/22 17:12	10061-02-6	
Surrogates									
Toluene-d8 (S)	100	%	69-156		1	05/06/22 06:00	05/06/22 17:12	2037-26-5	
4-Bromofluorobenzene (S)	88	%	61-175		1	05/06/22 06:00	05/06/22 17:12	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1	05/06/22 06:00	05/06/22 17:12	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.0	%	0.10	0.10	1		05/03/22 17:39		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.5	Std. Units	0.10	0.010	1		05/06/22 13:39		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.27	mg/kg	0.81	0.27	1	05/09/22 11:05	05/09/22 13:58	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-05 (2.0-2.5') **Lab ID: 40244262009** Collected: 05/02/22 16:25 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00055	mg/kg	0.0023	0.00055	1	05/05/22 13:14	05/06/22 17:52	309-00-2	
alpha-BHC	<0.00023	mg/kg	0.0023	0.00023	1	05/05/22 13:14	05/06/22 17:52	319-84-6	
beta-BHC	<0.00070	mg/kg	0.0023	0.00070	1	05/05/22 13:14	05/06/22 17:52	319-85-7	
delta-BHC	<0.00041	mg/kg	0.0023	0.00041	1	05/05/22 13:14	05/06/22 17:52	319-86-8	
gamma-BHC (Lindane)	<0.00022	mg/kg	0.0023	0.00022	1	05/05/22 13:14	05/06/22 17:52	58-89-9	
Chlordane (Technical)	<0.0075	mg/kg	0.023	0.0075	1	05/05/22 13:14	05/06/22 17:52	57-74-9	
alpha-Chlordane	<0.00028	mg/kg	0.0023	0.00028	1	05/05/22 13:14	05/06/22 17:52	5103-71-9	
gamma-Chlordane	<0.00085	mg/kg	0.0023	0.00085	1	05/05/22 13:14	05/06/22 17:52	5103-74-2	
4,4'-DDD	<0.00046	mg/kg	0.0045	0.00046	1	05/05/22 13:14	05/06/22 17:52	72-54-8	
4,4'-DDE	<0.00052	mg/kg	0.0045	0.00052	1	05/05/22 13:14	05/06/22 17:52	72-55-9	
4,4'-DDT	<0.0014	mg/kg	0.0045	0.0014	1	05/05/22 13:14	05/06/22 17:52	50-29-3	
Dieldrin	<0.00043	mg/kg	0.0045	0.00043	1	05/05/22 13:14	05/06/22 17:52	60-57-1	
Endosulfan I	<0.00025	mg/kg	0.0023	0.00025	1	05/05/22 13:14	05/06/22 17:52	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0045	0.0011	1	05/05/22 13:14	05/06/22 17:52	33213-65-9	
Endosulfan sulfate	<0.0011	mg/kg	0.0045	0.0011	1	05/05/22 13:14	05/06/22 17:52	1031-07-8	
Endrin	<0.00051	mg/kg	0.0045	0.00051	1	05/05/22 13:14	05/06/22 17:52	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0045	0.0015	1	05/05/22 13:14	05/06/22 17:52	7421-93-4	
Endrin ketone	<0.0012	mg/kg	0.0045	0.0012	1	05/05/22 13:14	05/06/22 17:52	53494-70-5	
Heptachlor	<0.00061	mg/kg	0.0023	0.00061	1	05/05/22 13:14	05/06/22 17:52	76-44-8	
Heptachlor epoxide	<0.00023	mg/kg	0.0023	0.00023	1	05/05/22 13:14	05/06/22 17:52	1024-57-3	
Methoxychlor	<0.0070	mg/kg	0.023	0.0070	1	05/05/22 13:14	05/06/22 17:52	72-43-5	
Toxaphene	<0.022	mg/kg	0.068	0.022	1	05/05/22 13:14	05/06/22 17:52	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	69	%	53-138		1	05/05/22 13:14	05/06/22 17:52	877-09-8	
Decachlorobiphenyl (S)	56	%	30-150		1	05/05/22 13:14	05/06/22 17:52	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.021	mg/kg	0.068	0.021	1	05/05/22 05:15	05/06/22 05:01	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.021	mg/kg	0.068	0.021	1	05/05/22 05:15	05/06/22 05:01	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.021	mg/kg	0.068	0.021	1	05/05/22 05:15	05/06/22 05:01	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.021	mg/kg	0.068	0.021	1	05/05/22 05:15	05/06/22 05:01	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.021	mg/kg	0.068	0.021	1	05/05/22 05:15	05/06/22 05:01	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.021	mg/kg	0.068	0.021	1	05/05/22 05:15	05/06/22 05:01	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.021	mg/kg	0.068	0.021	1	05/05/22 05:15	05/06/22 05:01	11096-82-5	
PCB, Total	<0.021	mg/kg	0.068	0.021	1	05/05/22 05:15	05/06/22 05:01	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	81	%	50-99		1	05/05/22 05:15	05/06/22 05:01	877-09-8	
Decachlorobiphenyl (S)	82	%	38-95		1	05/05/22 05:15	05/06/22 05:01	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	13900	mg/kg	39.4	7.9	1	05/05/22 12:34	05/11/22 11:47	7429-90-5	
Antimony	<0.13	mg/kg	0.66	0.13	1	05/05/22 12:34	05/11/22 11:47	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: **SB-05 (2.0-2.5')** Lab ID: **40244262009** Collected: 05/02/22 16:25 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	7.2	mg/kg	0.66	0.14	1	05/05/22 12:34	05/11/22 11:47	7440-38-2	
Barium	227	mg/kg	0.39	0.070	1	05/05/22 12:34	05/11/22 11:47	7440-39-3	
Beryllium	0.83	mg/kg	0.26	0.052	1	05/05/22 12:34	05/11/22 11:47	7440-41-7	
Cadmium	0.20	mg/kg	0.10	0.041	1	05/05/22 12:34	05/11/22 11:47	7440-43-9	
Calcium	5890	mg/kg	131	15.5	1	05/05/22 12:34	05/11/22 11:47	7440-70-2	
Chromium	17.8	mg/kg	2.6	0.18	1	05/05/22 12:34	05/11/22 11:47	7440-47-3	
Cobalt	5.1	mg/kg	0.66	0.13	1	05/05/22 12:34	05/11/22 11:47	7440-48-4	
Copper	17.9	mg/kg	1.3	0.32	1	05/05/22 12:34	05/11/22 11:47	7440-50-8	
Iron	20000	mg/kg	65.6	13.8	1	05/05/22 12:34	05/11/22 11:47	7439-89-6	
Lead	11.8	mg/kg	0.66	0.039	1	05/05/22 12:34	05/11/22 11:47	7439-92-1	
Magnesium	3200	mg/kg	39.4	5.6	1	05/05/22 12:34	05/11/22 11:47	7439-95-4	
Manganese	443	mg/kg	0.66	0.32	1	05/05/22 12:34	05/11/22 11:47	7439-96-5	
Nickel	13.9	mg/kg	0.66	0.26	1	05/05/22 12:34	05/11/22 11:47	7440-02-0	
Potassium	1260	mg/kg	131	15.1	1	05/05/22 12:34	05/11/22 11:47	7440-09-7	
Selenium	0.88	mg/kg	0.66	0.11	1	05/05/22 12:34	05/11/22 11:47	7782-49-2	
Silver	<0.19	mg/kg	0.66	0.19	1	05/05/22 12:34	05/11/22 11:47	7440-22-4	
Sodium	41.2J	mg/kg	65.6	14.6	1	05/05/22 12:34	05/11/22 11:47	7440-23-5	
Thallium	0.18	mg/kg	0.13	0.048	1	05/05/22 12:34	05/11/22 11:47	7440-28-0	
Vanadium	33.7	mg/kg	1.3	0.23	1	05/05/22 12:34	05/11/22 11:47	7440-62-2	
Zinc	55.4	mg/kg	6.6	1.2	1	05/05/22 12:34	05/11/22 11:47	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.030J	mg/kg	0.047	0.013	1	05/05/22 12:09	05/06/22 10:57	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.026	mg/kg	0.086	0.026	1	05/04/22 09:27	05/04/22 15:36	120-82-1	
1,2-Dichlorobenzene	<0.072	mg/kg	0.24	0.072	1	05/04/22 09:27	05/04/22 15:36	95-50-1	
1,3-Dichlorobenzene	<0.032	mg/kg	0.11	0.032	1	05/04/22 09:27	05/04/22 15:36	541-73-1	
1,4-Dichlorobenzene	<0.032	mg/kg	0.11	0.032	1	05/04/22 09:27	05/04/22 15:36	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.059	mg/kg	0.20	0.059	1	05/04/22 09:27	05/04/22 15:36	108-60-1	
2,4,5-Trichlorophenol	<0.040	mg/kg	0.13	0.040	1	05/04/22 09:27	05/04/22 15:36	95-95-4	
2,4,6-Trichlorophenol	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 15:36	88-06-2	
2,4-Dichlorophenol	<0.061	mg/kg	0.20	0.061	1	05/04/22 09:27	05/04/22 15:36	120-83-2	
2,4-Dimethylphenol	<0.045	mg/kg	0.15	0.045	1	05/04/22 09:27	05/04/22 15:36	105-67-9	
2,4-Dinitrophenol	<0.069	mg/kg	0.23	0.069	1	05/04/22 09:27	05/04/22 15:36	51-28-5	
2,4-Dinitrotoluene	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 15:36	121-14-2	CU
2,6-Dinitrotoluene	<0.043	mg/kg	0.14	0.043	1	05/04/22 09:27	05/04/22 15:36	606-20-2	
2-Chloronaphthalene	<0.029	mg/kg	0.097	0.029	1	05/04/22 09:27	05/04/22 15:36	91-58-7	
2-Chlorophenol	<0.057	mg/kg	0.19	0.057	1	05/04/22 09:27	05/04/22 15:36	95-57-8	
2-Methylnaphthalene	0.059J	mg/kg	0.20	0.059	1	05/04/22 09:27	05/04/22 15:36	91-57-6	
2-Methylphenol(o-Cresol)	<0.041	mg/kg	0.14	0.041	1	05/04/22 09:27	05/04/22 15:36	95-48-7	
2-Nitroaniline	<0.065	mg/kg	0.22	0.065	1	05/04/22 09:27	05/04/22 15:36	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Sample: SB-05 (2.0-2.5') Lab ID: 40244262009 Collected: 05/02/22 16:25 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.072	mg/kg	0.24	0.072	1	05/04/22 09:27	05/04/22 15:36	88-75-5	
3&4-Methylphenol(m&p Cresol)	0.12J	mg/kg	0.14	0.042	1	05/04/22 09:27	05/04/22 15:36		
3,3'-Dichlorobenzidine	<0.062	mg/kg	0.21	0.062	1	05/04/22 09:27	05/04/22 15:36	91-94-1	CU
3-Nitroaniline	<0.039	mg/kg	0.13	0.039	1	05/04/22 09:27	05/04/22 15:36	99-09-2	
4,6-Dinitro-2-methylphenol	<0.070	mg/kg	0.23	0.070	1	05/04/22 09:27	05/04/22 15:36	534-52-1	
4-Bromophenylphenyl ether	<0.048	mg/kg	0.16	0.048	1	05/04/22 09:27	05/04/22 15:36	101-55-3	
4-Chloro-3-methylphenol	<0.071	mg/kg	0.24	0.071	1	05/04/22 09:27	05/04/22 15:36	59-50-7	
4-Chloroaniline	<0.037	mg/kg	0.12	0.037	1	05/04/22 09:27	05/04/22 15:36	106-47-8	1q
4-Chlorophenylphenyl ether	<0.042	mg/kg	0.14	0.042	1	05/04/22 09:27	05/04/22 15:36	7005-72-3	
4-Nitroaniline	<0.094	mg/kg	0.31	0.094	1	05/04/22 09:27	05/04/22 15:36	100-01-6	
4-Nitrophenol	<0.057	mg/kg	0.19	0.057	1	05/04/22 09:27	05/04/22 15:36	100-02-7	CU
Acenaphthene	<0.081	mg/kg	0.27	0.081	1	05/04/22 09:27	05/04/22 15:36	83-32-9	
Acenaphthylene	<0.081	mg/kg	0.27	0.081	1	05/04/22 09:27	05/04/22 15:36	208-96-8	
Anthracene	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 15:36	120-12-7	
Benzo(a)anthracene	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 15:36	56-55-3	
Benzo(a)pyrene	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 15:36	50-32-8	
Benzo(b)fluoranthene	<0.039	mg/kg	0.13	0.039	1	05/04/22 09:27	05/04/22 15:36	205-99-2	
Benzo(g,h,i)perylene	<0.060	mg/kg	0.20	0.060	1	05/04/22 09:27	05/04/22 15:36	191-24-2	
Benzo(k)fluoranthene	<0.054	mg/kg	0.18	0.054	1	05/04/22 09:27	05/04/22 15:36	207-08-9	
Butylbenzylphthalate	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 15:36	85-68-7	CU
Carbazole	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 15:36	86-74-8	
Chrysene	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 15:36	218-01-9	
Di-n-butylphthalate	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 15:36	84-74-2	
Di-n-octylphthalate	<0.051	mg/kg	0.17	0.051	1	05/04/22 09:27	05/04/22 15:36	117-84-0	
Dibenz(a,h)anthracene	<0.062	mg/kg	0.21	0.062	1	05/04/22 09:27	05/04/22 15:36	53-70-3	
Dibenzofuran	<0.028	mg/kg	0.092	0.028	1	05/04/22 09:27	05/04/22 15:36	132-64-9	
Diethylphthalate	<0.038	mg/kg	0.13	0.038	1	05/04/22 09:27	05/04/22 15:36	84-66-2	
Dimethylphthalate	<0.030	mg/kg	0.099	0.030	1	05/04/22 09:27	05/04/22 15:36	131-11-3	
Fluoranthene	0.038J	mg/kg	0.11	0.032	1	05/04/22 09:27	05/04/22 15:36	206-44-0	
Fluorene	<0.027	mg/kg	0.089	0.027	1	05/04/22 09:27	05/04/22 15:36	86-73-7	
Hexachloro-1,3-butadiene	<0.058	mg/kg	0.19	0.058	1	05/04/22 09:27	05/04/22 15:36	87-68-3	
Hexachlorobenzene	<0.038	mg/kg	0.13	0.038	1	05/04/22 09:27	05/04/22 15:36	118-74-1	
Hexachlorocyclopentadiene	<0.054	mg/kg	0.18	0.054	1	05/04/22 09:27	05/04/22 15:36	77-47-4	
Hexachloroethane	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 15:36	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.049	mg/kg	0.16	0.049	1	05/04/22 09:27	05/04/22 15:36	193-39-5	
Isophorone	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 15:36	78-59-1	
N-Nitroso-di-n-propylamine	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 15:36	621-64-7	
N-Nitrosodiphenylamine	<0.31	mg/kg	1.0	0.31	1	05/04/22 09:27	05/04/22 15:36	86-30-6	
Naphthalene	<0.080	mg/kg	0.27	0.080	1	05/04/22 09:27	05/04/22 15:36	91-20-3	
Nitrobenzene	<0.046	mg/kg	0.15	0.046	1	05/04/22 09:27	05/04/22 15:36	98-95-3	
Pentachlorophenol	<0.050	mg/kg	0.17	0.050	1	05/04/22 09:27	05/04/22 15:36	87-86-5	
Phenanthrene	0.057J	mg/kg	0.097	0.029	1	05/04/22 09:27	05/04/22 15:36	85-01-8	
Phenol	<0.054	mg/kg	0.18	0.054	1	05/04/22 09:27	05/04/22 15:36	108-95-2	
Pyrene	<0.050	mg/kg	0.17	0.050	1	05/04/22 09:27	05/04/22 15:36	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-05 (2.0-2.5') Lab ID: 40244262009 Collected: 05/02/22 16:25 Received: 05/03/22 12:30 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.061	mg/kg	0.20	0.061	1	05/04/22 09:27	05/04/22 15:36	111-91-1	
bis(2-Chloroethyl) ether	<0.071	mg/kg	0.24	0.071	1	05/04/22 09:27	05/04/22 15:36	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.038	mg/kg	0.13	0.038	1	05/04/22 09:27	05/04/22 15:36	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	34	%	10-125		1	05/04/22 09:27	05/04/22 15:36	4165-60-0	
2-Fluorobiphenyl (S)	49	%	12-118		1	05/04/22 09:27	05/04/22 15:36	321-60-8	
Terphenyl-d14 (S)	47	%	10-124		1	05/04/22 09:27	05/04/22 15:36	1718-51-0	
Phenol-d6 (S)	43	%	10-125		1	05/04/22 09:27	05/04/22 15:36	13127-88-3	
2-Fluorophenol (S)	39	%	10-130		1	05/04/22 09:27	05/04/22 15:36	367-12-4	
2,4,6-Tribromophenol (S)	50	%	10-144		1	05/04/22 09:27	05/04/22 15:36	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/06/22 06:00	05/06/22 17:36	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/06/22 06:00	05/06/22 17:36	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/06/22 06:00	05/06/22 17:36	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 17:36	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 17:36	75-35-4	
1,2-Dichloroethane	<0.00087	mg/kg	0.0053	0.00087	1	05/06/22 06:00	05/06/22 17:36	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 17:36	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.026	0.017	1	05/06/22 06:00	05/06/22 17:36	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/06/22 06:00	05/06/22 17:36	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.026	0.021	1	05/06/22 06:00	05/06/22 17:36	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/06/22 06:00	05/06/22 17:36	67-64-1	
Benzene	<0.00075	mg/kg	0.0053	0.00075	1	05/06/22 06:00	05/06/22 17:36	71-43-2	
Bromodichloromethane	<0.00072	mg/kg	0.0053	0.00072	1	05/06/22 06:00	05/06/22 17:36	75-27-4	
Bromoform	<0.0086	mg/kg	0.021	0.0086	1	05/06/22 06:00	05/06/22 17:36	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0053	0.0047	1	05/06/22 06:00	05/06/22 17:36	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/06/22 06:00	05/06/22 17:36	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0053	0.0033	1	05/06/22 06:00	05/06/22 17:36	56-23-5	
Chlorobenzene	<0.00098	mg/kg	0.0053	0.00098	1	05/06/22 06:00	05/06/22 17:36	108-90-7	
Chloroethane	<0.0038	mg/kg	0.0053	0.0038	1	05/06/22 06:00	05/06/22 17:36	75-00-3	
Chloroform	<0.00090	mg/kg	0.0053	0.00090	1	05/06/22 06:00	05/06/22 17:36	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 17:36	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 17:36	124-48-1	
Ethylbenzene	<0.00095	mg/kg	0.0053	0.00095	1	05/06/22 06:00	05/06/22 17:36	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/06/22 06:00	05/06/22 17:36	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/06/22 06:00	05/06/22 17:36	75-09-2	
Styrene	<0.00075	mg/kg	0.0053	0.00075	1	05/06/22 06:00	05/06/22 17:36	100-42-5	
Tetrachloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/06/22 06:00	05/06/22 17:36	127-18-4	
Toluene	<0.00093	mg/kg	0.0053	0.00093	1	05/06/22 06:00	05/06/22 17:36	108-88-3	
Trichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/06/22 06:00	05/06/22 17:36	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/06/22 06:00	05/06/22 17:36	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/06/22 06:00	05/06/22 17:36	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Sample: SB-05 (2.0-2.5') **Lab ID: 40244262009** Collected: 05/02/22 16:25 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay								
cis-1,2-Dichloroethene	<0.00093	mg/kg	0.0053	0.00093	1	05/06/22 06:00	05/06/22 17:36	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 17:36	10061-01-5	
trans-1,2-Dichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/06/22 06:00	05/06/22 17:36	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 17:36	10061-02-6	
Surrogates									
Toluene-d8 (S)	101	%	69-156		1	05/06/22 06:00	05/06/22 17:36	2037-26-5	
4-Bromofluorobenzene (S)	82	%	61-175		1	05/06/22 06:00	05/06/22 17:36	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1	05/06/22 06:00	05/06/22 17:36	2199-69-1	
Percent Moisture	Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay								
Percent Moisture	26.7	%	0.10	0.10	1		05/03/22 17:39		
9040 pH	Analytical Method: EPA 9040 Pace Analytical Services - Green Bay								
pH at 25 Degrees C	7.7	Std. Units	0.10	0.010	1		05/06/22 13:44		2q,H6
9012 Cyanide, Total	Analytical Method: EPA 9012B Preparation Method: EPA 9012B Pace Analytical Services - Green Bay								
Cyanide	<0.39	mg/kg	1.2	0.39	1	05/09/22 11:05	05/09/22 13:58	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-05 (4.5-5.5') Lab ID: 40244262010 Collected: 05/02/22 16:30 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0022	0.00052	1	05/05/22 13:14	05/06/22 18:11	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/05/22 13:14	05/06/22 18:11	319-84-6	
beta-BHC	<0.00067	mg/kg	0.0022	0.00067	1	05/05/22 13:14	05/06/22 18:11	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0022	0.00039	1	05/05/22 13:14	05/06/22 18:11	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/05/22 13:14	05/06/22 18:11	58-89-9	
Chlordane (Technical)	<0.0071	mg/kg	0.022	0.0071	1	05/05/22 13:14	05/06/22 18:11	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/05/22 13:14	05/06/22 18:11	5103-71-9	
gamma-Chlordane	<0.00080	mg/kg	0.0022	0.00080	1	05/05/22 13:14	05/06/22 18:11	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0043	0.00044	1	05/05/22 13:14	05/06/22 18:11	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/05/22 13:14	05/06/22 18:11	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/05/22 13:14	05/06/22 18:11	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/05/22 13:14	05/06/22 18:11	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/05/22 13:14	05/06/22 18:11	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/05/22 13:14	05/06/22 18:11	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/05/22 13:14	05/06/22 18:11	1031-07-8	
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/05/22 13:14	05/06/22 18:11	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/05/22 13:14	05/06/22 18:11	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/05/22 13:14	05/06/22 18:11	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0022	0.00058	1	05/05/22 13:14	05/06/22 18:11	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/05/22 13:14	05/06/22 18:11	1024-57-3	
Methoxychlor	<0.0067	mg/kg	0.022	0.0067	1	05/05/22 13:14	05/06/22 18:11	72-43-5	
Toxaphene	<0.020	mg/kg	0.065	0.020	1	05/05/22 13:14	05/06/22 18:11	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	87	%	53-138		1	05/05/22 13:14	05/06/22 18:11	877-09-8	
Decachlorobiphenyl (S)	74	%	30-150		1	05/05/22 13:14	05/06/22 18:11	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 05:25	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 05:25	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 05:25	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 05:25	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 05:25	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 05:25	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 05:25	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 05:25	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	79	%	50-99		1	05/05/22 05:15	05/06/22 05:25	877-09-8	
Decachlorobiphenyl (S)	85	%	38-95		1	05/05/22 05:15	05/06/22 05:25	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	14200	mg/kg	38.1	7.7	1	05/05/22 12:34	05/11/22 11:51	7429-90-5	
Antimony	0.18J	mg/kg	0.64	0.12	1	05/05/22 12:34	05/11/22 11:51	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: **SB-05 (4.5-5.5')** Lab ID: **40244262010** Collected: 05/02/22 16:30 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	10.9	mg/kg	0.64	0.14	1	05/05/22 12:34	05/11/22 11:51	7440-38-2	
Barium	179	mg/kg	0.38	0.068	1	05/05/22 12:34	05/11/22 11:51	7440-39-3	
Beryllium	0.87	mg/kg	0.25	0.050	1	05/05/22 12:34	05/11/22 11:51	7440-41-7	
Cadmium	0.28	mg/kg	0.10	0.040	1	05/05/22 12:34	05/11/22 11:51	7440-43-9	
Calcium	12700	mg/kg	127	15.0	1	05/05/22 12:34	05/11/22 11:51	7440-70-2	
Chromium	19.7	mg/kg	2.5	0.18	1	05/05/22 12:34	05/11/22 11:51	7440-47-3	
Cobalt	15.3	mg/kg	0.64	0.13	1	05/05/22 12:34	05/11/22 11:51	7440-48-4	
Copper	25.1	mg/kg	1.3	0.31	1	05/05/22 12:34	05/11/22 11:51	7440-50-8	
Iron	22600	mg/kg	63.6	13.3	1	05/05/22 12:34	05/11/22 11:51	7439-89-6	
Lead	17.0	mg/kg	0.64	0.037	1	05/05/22 12:34	05/11/22 11:51	7439-92-1	
Magnesium	5370	mg/kg	38.1	5.5	1	05/05/22 12:34	05/11/22 11:51	7439-95-4	
Manganese	551	mg/kg	6.4	3.1	10	05/05/22 12:34	05/11/22 11:54	7439-96-5	
Nickel	27.3	mg/kg	0.64	0.25	1	05/05/22 12:34	05/11/22 11:51	7440-02-0	
Potassium	723	mg/kg	127	14.6	1	05/05/22 12:34	05/11/22 11:51	7440-09-7	
Selenium	0.36J	mg/kg	0.64	0.11	1	05/05/22 12:34	05/11/22 11:51	7782-49-2	
Silver	<0.18	mg/kg	0.64	0.18	1	05/05/22 12:34	05/11/22 11:51	7440-22-4	
Sodium	54.9J	mg/kg	63.6	14.1	1	05/05/22 12:34	05/11/22 11:51	7440-23-5	
Thallium	0.21	mg/kg	0.13	0.047	1	05/05/22 12:34	05/11/22 11:51	7440-28-0	
Vanadium	39.2	mg/kg	1.3	0.22	1	05/05/22 12:34	05/11/22 11:51	7440-62-2	
Zinc	55.0	mg/kg	6.4	1.1	1	05/05/22 12:34	05/11/22 11:51	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.049	mg/kg	0.041	0.012	1	05/05/22 12:09	05/06/22 10:59	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/04/22 09:27	05/04/22 13:06	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/04/22 09:27	05/04/22 13:06	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/04/22 09:27	05/04/22 13:06	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/04/22 09:27	05/04/22 13:06	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/04/22 09:27	05/04/22 13:06	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/04/22 09:27	05/04/22 13:06	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 13:06	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/04/22 09:27	05/04/22 13:06	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/04/22 09:27	05/04/22 13:06	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/04/22 09:27	05/04/22 13:06	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/04/22 09:27	05/04/22 13:06	121-14-2	CU,R1
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/04/22 09:27	05/04/22 13:06	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/04/22 09:27	05/04/22 13:06	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/04/22 09:27	05/04/22 13:06	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/04/22 09:27	05/04/22 13:06	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/04/22 09:27	05/04/22 13:06	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/04/22 09:27	05/04/22 13:06	88-74-4	CU,R1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Sample: **SB-05 (4.5-5.5')** Lab ID: **40244262010** Collected: 05/02/22 16:30 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/04/22 09:27	05/04/22 13:06	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/04/22 09:27	05/04/22 13:06		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/04/22 09:27	05/04/22 13:06	91-94-1	CU,R1
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/04/22 09:27	05/04/22 13:06	99-09-2	R1
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/04/22 09:27	05/04/22 13:06	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/04/22 09:27	05/04/22 13:06	101-55-3	R1
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/04/22 09:27	05/04/22 13:06	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 13:06	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/04/22 09:27	05/04/22 13:06	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/04/22 09:27	05/04/22 13:06	100-01-6	R1
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/04/22 09:27	05/04/22 13:06	100-02-7	CU
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/04/22 09:27	05/04/22 13:06	83-32-9	R1
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/04/22 09:27	05/04/22 13:06	208-96-8	R1
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 13:06	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 13:06	56-55-3	R1
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 13:06	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/04/22 09:27	05/04/22 13:06	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/04/22 09:27	05/04/22 13:06	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/04/22 09:27	05/04/22 13:06	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 13:06	85-68-7	CU
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 13:06	86-74-8	M1,R1
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/04/22 09:27	05/04/22 13:06	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/04/22 09:27	05/04/22 13:06	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/04/22 09:27	05/04/22 13:06	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/04/22 09:27	05/04/22 13:06	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/04/22 09:27	05/04/22 13:06	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 13:06	84-66-2	R1
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/04/22 09:27	05/04/22 13:06	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/04/22 09:27	05/04/22 13:06	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/04/22 09:27	05/04/22 13:06	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/04/22 09:27	05/04/22 13:06	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 13:06	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/04/22 09:27	05/04/22 13:06	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/04/22 09:27	05/04/22 13:06	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/04/22 09:27	05/04/22 13:06	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/04/22 09:27	05/04/22 13:06	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/04/22 09:27	05/04/22 13:06	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/04/22 09:27	05/04/22 13:06	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/04/22 09:27	05/04/22 13:06	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/04/22 09:27	05/04/22 13:06	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/04/22 09:27	05/04/22 13:06	87-86-5	
Phenanthrene	<0.028	mg/kg	0.092	0.028	1	05/04/22 09:27	05/04/22 13:06	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/04/22 09:27	05/04/22 13:06	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/04/22 09:27	05/04/22 13:06	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-05 (4.5-5.5') **Lab ID: 40244262010** Collected: 05/02/22 16:30 Received: 05/03/22 12:30 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/04/22 09:27	05/04/22 13:06	111-91-1	
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/04/22 09:27	05/04/22 13:06	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/04/22 09:27	05/04/22 13:06	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	51	%	10-125		1	05/04/22 09:27	05/04/22 13:06	4165-60-0	
2-Fluorobiphenyl (S)	44	%	12-118		1	05/04/22 09:27	05/04/22 13:06	321-60-8	
Terphenyl-d14 (S)	49	%	10-124		1	05/04/22 09:27	05/04/22 13:06	1718-51-0	
Phenol-d6 (S)	41	%	10-125		1	05/04/22 09:27	05/04/22 13:06	13127-88-3	
2-Fluorophenol (S)	39	%	10-130		1	05/04/22 09:27	05/04/22 13:06	367-12-4	
2,4,6-Tribromophenol (S)	52	%	10-144		1	05/04/22 09:27	05/04/22 13:06	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/06/22 06:00	05/06/22 16:48	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0052	0.0027	1	05/06/22 06:00	05/06/22 16:48	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/06/22 06:00	05/06/22 16:48	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0052	0.0011	1	05/06/22 06:00	05/06/22 16:48	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0052	0.0011	1	05/06/22 06:00	05/06/22 16:48	75-35-4	
1,2-Dichloroethane	<0.00085	mg/kg	0.0052	0.00085	1	05/06/22 06:00	05/06/22 16:48	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0052	0.0010	1	05/06/22 06:00	05/06/22 16:48	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.026	0.016	1	05/06/22 06:00	05/06/22 16:48	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/06/22 06:00	05/06/22 16:48	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.026	0.021	1	05/06/22 06:00	05/06/22 16:48	108-10-1	
Acetone	<0.049	mg/kg	0.10	0.049	1	05/06/22 06:00	05/06/22 16:48	67-64-1	
Benzene	<0.00073	mg/kg	0.0052	0.00073	1	05/06/22 06:00	05/06/22 16:48	71-43-2	
Bromodichloromethane	<0.00070	mg/kg	0.0052	0.00070	1	05/06/22 06:00	05/06/22 16:48	75-27-4	
Bromoform	<0.0084	mg/kg	0.021	0.0084	1	05/06/22 06:00	05/06/22 16:48	75-25-2	
Bromomethane	<0.0046	mg/kg	0.0052	0.0046	1	05/06/22 06:00	05/06/22 16:48	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0052	0.0011	1	05/06/22 06:00	05/06/22 16:48	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0052	0.0033	1	05/06/22 06:00	05/06/22 16:48	56-23-5	
Chlorobenzene	<0.00095	mg/kg	0.0052	0.00095	1	05/06/22 06:00	05/06/22 16:48	108-90-7	
Chloroethane	<0.0038	mg/kg	0.0052	0.0038	1	05/06/22 06:00	05/06/22 16:48	75-00-3	
Chloroform	<0.00087	mg/kg	0.0052	0.00087	1	05/06/22 06:00	05/06/22 16:48	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0052	0.0011	1	05/06/22 06:00	05/06/22 16:48	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0052	0.0010	1	05/06/22 06:00	05/06/22 16:48	124-48-1	
Ethylbenzene	<0.00092	mg/kg	0.0052	0.00092	1	05/06/22 06:00	05/06/22 16:48	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0052	0.0021	1	05/06/22 06:00	05/06/22 16:48	1634-04-4	
Methylene Chloride	<0.0041	mg/kg	0.0052	0.0041	1	05/06/22 06:00	05/06/22 16:48	75-09-2	
Styrene	<0.00073	mg/kg	0.0052	0.00073	1	05/06/22 06:00	05/06/22 16:48	100-42-5	
Tetrachloroethene	<0.00092	mg/kg	0.0052	0.00092	1	05/06/22 06:00	05/06/22 16:48	127-18-4	
Toluene	<0.00091	mg/kg	0.0052	0.00091	1	05/06/22 06:00	05/06/22 16:48	108-88-3	
Trichloroethene	<0.00074	mg/kg	0.0052	0.00074	1	05/06/22 06:00	05/06/22 16:48	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0052	0.0013	1	05/06/22 06:00	05/06/22 16:48	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/06/22 06:00	05/06/22 16:48	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Sample: SB-05 (4.5-5.5') **Lab ID: 40244262010** Collected: 05/02/22 16:30 Received: 05/03/22 12:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00091	mg/kg	0.0052	0.00091	1	05/06/22 06:00	05/06/22 16:48	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0052	0.0011	1	05/06/22 06:00	05/06/22 16:48	10061-01-5	
trans-1,2-Dichloroethene	<0.00074	mg/kg	0.0052	0.00074	1	05/06/22 06:00	05/06/22 16:48	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0052	0.0010	1	05/06/22 06:00	05/06/22 16:48	10061-02-6	
Surrogates									
Toluene-d8 (S)	96	%	69-156		1	05/06/22 06:00	05/06/22 16:48	2037-26-5	
4-Bromofluorobenzene (S)	84	%	61-175		1	05/06/22 06:00	05/06/22 16:48	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1	05/06/22 06:00	05/06/22 16:48	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.9	%	0.10	0.10	1		05/03/22 17:39		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.4	Std. Units	0.10	0.010	1		05/06/22 13:46		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.30	mg/kg	0.89	0.30	1	05/09/22 11:05	05/09/22 13:59	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

QC Batch: 414904

Analysis Method: EPA 7471

QC Batch Method: EPA 7471

Analysis Description: 7471 Mercury

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244262001, 40244262002, 40244262003, 40244262004, 40244262005, 40244262006, 40244262007, 40244262008, 40244262009, 40244262010

METHOD BLANK: 2388774

Matrix: Solid

Associated Lab Samples: 40244262001, 40244262002, 40244262003, 40244262004, 40244262005, 40244262006, 40244262007, 40244262008, 40244262009, 40244262010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	0.010	05/06/22 10:10	

LABORATORY CONTROL SAMPLE: 2388775

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.88	106	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2388776 2388777

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40244188001 Result	Spike Conc.	Spike Conc.	Result							
Mercury	mg/kg	<0.010	0.88	0.87	0.97	0.97	109	110	85-115	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

QC Batch: 813304 Analysis Method: EPA 6020B
QC Batch Method: EPA 3050B Analysis Description: 6020B Solids UPD5
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 40244262001, 40244262002, 40244262003, 40244262004, 40244262005, 40244262006, 40244262007, 40244262008, 40244262009, 40244262010

METHOD BLANK: 4312160 Matrix: Solid
Associated Lab Samples: 40244262001, 40244262002, 40244262003, 40244262004, 40244262005, 40244262006, 40244262007, 40244262008, 40244262009, 40244262010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Aluminum	mg/kg	<5.9	29.4	5.9	05/11/22 10:35	
Antimony	mg/kg	<0.094	0.49	0.094	05/11/22 10:35	
Arsenic	mg/kg	<0.11	0.49	0.11	05/11/22 10:35	
Barium	mg/kg	<0.052	0.29	0.052	05/11/22 10:35	
Beryllium	mg/kg	<0.039	0.20	0.039	05/11/22 10:35	
Cadmium	mg/kg	<0.031	0.078	0.031	05/11/22 10:35	
Calcium	mg/kg	<11.6	98.0	11.6	05/11/22 10:35	
Chromium	mg/kg	<0.14	2.0	0.14	05/11/22 10:35	
Cobalt	mg/kg	<0.097	0.49	0.097	05/11/22 10:35	
Copper	mg/kg	<0.24	0.98	0.24	05/11/22 10:35	
Iron	mg/kg	<10.3	49.0	10.3	05/11/22 10:35	
Lead	mg/kg	<0.029	0.49	0.029	05/11/22 10:35	
Magnesium	mg/kg	<4.2	29.4	4.2	05/11/22 10:35	
Manganese	mg/kg	<0.24	0.49	0.24	05/11/22 10:35	
Nickel	mg/kg	<0.20	0.49	0.20	05/11/22 10:35	
Potassium	mg/kg	<11.3	98.0	11.3	05/11/22 10:35	
Selenium	mg/kg	<0.084	0.49	0.084	05/11/22 10:35	
Silver	mg/kg	<0.14	0.49	0.14	05/11/22 10:35	
Sodium	mg/kg	<10.9	49.0	10.9	05/11/22 10:35	
Thallium	mg/kg	<0.036	0.098	0.036	05/11/22 10:35	
Vanadium	mg/kg	<0.17	0.98	0.17	05/11/22 10:35	
Zinc	mg/kg	<0.88	4.9	0.88	05/11/22 10:35	

LABORATORY CONTROL SAMPLE: 4312161

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Aluminum	mg/kg	971	837	86	80-120	
Antimony	mg/kg	48.5	43.1	89	80-120	
Arsenic	mg/kg	48.5	43.6	90	80-120	
Barium	mg/kg	48.5	43.8	90	80-120	
Beryllium	mg/kg	48.5	50.9	105	80-120	
Cadmium	mg/kg	48.5	44.7	92	80-120	
Calcium	mg/kg	971	895	92	80-120	
Chromium	mg/kg	48.5	48.2	99	80-120	
Cobalt	mg/kg	48.5	45.1	93	80-120	
Copper	mg/kg	48.5	45.3	93	80-120	
Iron	mg/kg	971	894	92	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

LABORATORY CONTROL SAMPLE: 4312161

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	mg/kg	48.5	46.6	96	80-120	
Magnesium	mg/kg	971	867	89	80-120	
Manganese	mg/kg	48.5	45.6	94	80-120	
Nickel	mg/kg	48.5	45.9	95	80-120	
Potassium	mg/kg	971	852	88	80-120	
Selenium	mg/kg	48.5	48.1	99	80-120	
Silver	mg/kg	24.3	22.3	92	80-120	
Sodium	mg/kg	971	892	92	80-120	
Thallium	mg/kg	48.5	48.0	99	80-120	
Vanadium	mg/kg	48.5	45.1	93	80-120	
Zinc	mg/kg	48.5	45.0	93	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4312162 4312163

Parameter	Units	40244262001		MSD		MSD		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec						
Aluminum	mg/kg	13600	1250	1270	21000	19400	591	460	75-125	8	20	P6	
Antimony	mg/kg	0.20J	62.6	63.7	24.8	25.2	39	39	75-125	2	20	M1	
Arsenic	mg/kg	7.4	62.6	63.7	67.0	64.6	95	90	75-125	4	20		
Barium	mg/kg	156	62.6	63.7	247	226	144	109	75-125	9	20	M1	
Beryllium	mg/kg	0.81	62.6	63.7	65.1	62.2	103	96	75-125	4	20		
Cadmium	mg/kg	0.12	62.6	63.7	60.5	58.5	97	92	75-125	3	20		
Calcium	mg/kg	5120	1250	1270	6730	6450	128	104	75-125	4	20	P6	
Chromium	mg/kg	17.3	62.6	63.7	86.2	82.1	110	102	75-125	5	20		
Cobalt	mg/kg	4.1	62.6	63.7	66.7	62.8	100	92	75-125	6	20		
Copper	mg/kg	15.0	62.6	63.7	77.9	73.7	101	92	75-125	5	20		
Iron	mg/kg	18700	1250	1270	23900	21100	415	192	75-125	12	20	P6	
Lead	mg/kg	11.2	62.6	63.7	74.9	70.1	102	92	75-125	7	20		
Magnesium	mg/kg	2800	1250	1270	4720	4400	154	126	75-125	7	20	M1	
Manganese	mg/kg	182	62.6	63.7	337	257	247	117	75-125	27	20	M1, R1	
Nickel	mg/kg	12.1	62.6	63.7	76.7	73.1	103	96	75-125	5	20		
Potassium	mg/kg	1140	1250	1270	2820	2740	135	126	75-125	3	20	M1	
Selenium	mg/kg	0.58J	62.6	63.7	64.7	62.1	102	97	75-125	4	20		
Silver	mg/kg	0.30J	31.2	31.9	30.1	29.3	95	91	75-125	3	20		
Sodium	mg/kg	37.0J	1250	1270	1210	1160	94	88	75-125	4	20		
Thallium	mg/kg	0.17	62.6	63.7	63.8	61.7	102	97	75-125	3	20		
Vanadium	mg/kg	32.8	62.6	63.7	107	101	119	106	75-125	6	20		
Zinc	mg/kg	46.1	62.6	63.7	114	109	109	99	75-125	5	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

QC Batch: 415032 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030 Analysis Description: 8260 MSV Low
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244262001, 40244262002, 40244262003, 40244262004, 40244262005, 40244262006, 40244262007

METHOD BLANK: 2389583 Matrix: Solid
Associated Lab Samples: 40244262001, 40244262002, 40244262003, 40244262004, 40244262005, 40244262006, 40244262007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/05/22 11:18	
1,1,2,2-Tetrachloroethane	mg/kg	<0.0026	0.0050	0.0026	05/05/22 11:18	
1,1,2-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/05/22 11:18	
1,1-Dichloroethane	mg/kg	<0.0011	0.0050	0.0011	05/05/22 11:18	
1,1-Dichloroethene	mg/kg	<0.0011	0.0050	0.0011	05/05/22 11:18	
1,2-Dichloroethane	mg/kg	<0.00082	0.0050	0.00082	05/05/22 11:18	
1,2-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/05/22 11:18	
2-Butanone (MEK)	mg/kg	<0.016	0.025	0.016	05/05/22 11:18	
2-Hexanone	mg/kg	<0.011	0.025	0.011	05/05/22 11:18	
4-Methyl-2-pentanone (MIBK)	mg/kg	<0.020	0.025	0.020	05/05/22 11:18	
Acetone	mg/kg	<0.047	0.10	0.047	05/05/22 11:18	
Benzene	mg/kg	<0.00071	0.0050	0.00071	05/05/22 11:18	
Bromodichloromethane	mg/kg	<0.00068	0.0050	0.00068	05/05/22 11:18	
Bromoform	mg/kg	<0.0081	0.020	0.0081	05/05/22 11:18	
Bromomethane	mg/kg	<0.0045	0.0050	0.0045	05/05/22 11:18	
Carbon disulfide	mg/kg	<0.0011	0.0050	0.0011	05/05/22 11:18	
Carbon tetrachloride	mg/kg	<0.0032	0.0050	0.0032	05/05/22 11:18	
Chlorobenzene	mg/kg	<0.00092	0.0050	0.00092	05/05/22 11:18	
Chloroethane	mg/kg	<0.0036	0.0050	0.0036	05/05/22 11:18	
Chloroform	mg/kg	<0.00084	0.0050	0.00084	05/05/22 11:18	
Chloromethane	mg/kg	<0.0011	0.0050	0.0011	05/05/22 11:18	
cis-1,2-Dichloroethene	mg/kg	<0.00088	0.0050	0.00088	05/05/22 11:18	
cis-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/05/22 11:18	
Dibromochloromethane	mg/kg	<0.0010	0.0050	0.0010	05/05/22 11:18	
Ethylbenzene	mg/kg	<0.00089	0.0050	0.00089	05/05/22 11:18	
Methyl-tert-butyl ether	mg/kg	<0.0020	0.0050	0.0020	05/05/22 11:18	
Methylene Chloride	mg/kg	<0.0040	0.0050	0.0040	05/05/22 11:18	
Styrene	mg/kg	<0.00071	0.0050	0.00071	05/05/22 11:18	
Tetrachloroethene	mg/kg	<0.00089	0.0050	0.00089	05/05/22 11:18	
Toluene	mg/kg	<0.00088	0.0050	0.00088	05/05/22 11:18	
trans-1,2-Dichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/05/22 11:18	
trans-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/05/22 11:18	
Trichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/05/22 11:18	
Vinyl chloride	mg/kg	<0.0013	0.0050	0.0013	05/05/22 11:18	
Xylene (Total)	mg/kg	<0.0034	0.010	0.0034	05/05/22 11:18	
1,2-Dichlorobenzene-d4 (S)	%	93	70-130		05/05/22 11:18	
4-Bromofluorobenzene (S)	%	94	61-175		05/05/22 11:18	
Toluene-d8 (S)	%	97	69-156		05/05/22 11:18	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

LABORATORY CONTROL SAMPLE & LCSD: 2389584		2389585								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	mg/kg	0.05	0.043	0.045	86	90	57-126	5	22	
1,1,2,2-Tetrachloroethane	mg/kg	0.05	0.040	0.044	81	87	70-170	7	20	
1,1,2-Trichloroethane	mg/kg	0.05	0.044	0.046	87	92	59-128	5	20	
1,1-Dichloroethane	mg/kg	0.05	0.048	0.050	96	100	70-130	5	20	
1,1-Dichloroethene	mg/kg	0.05	0.043	0.046	86	91	57-118	6	23	
1,2-Dichloroethane	mg/kg	0.05	0.045	0.047	90	94	75-137	5	23	
1,2-Dichloropropane	mg/kg	0.05	0.048	0.048	95	95	74-132	0	22	
Benzene	mg/kg	0.05	0.044	0.046	89	92	68-130	3	24	
Bromodichloromethane	mg/kg	0.05	0.046	0.046	93	91	57-139	2	23	
Bromoform	mg/kg	0.05	0.042	0.045	84	89	62-131	6	20	
Bromomethane	mg/kg	0.05	0.047	0.051	94	103	20-175	8	28	
Carbon disulfide	mg/kg	0.05	0.040	0.043	79	85	40-128	7	22	
Carbon tetrachloride	mg/kg	0.05	0.043	0.047	85	94	50-128	10	24	
Chlorobenzene	mg/kg	0.05	0.046	0.049	93	98	70-130	6	20	
Chloroethane	mg/kg	0.05	0.040	0.043	81	86	49-129	6	25	
Chloroform	mg/kg	0.05	0.042	0.045	84	91	65-128	8	23	
Chloromethane	mg/kg	0.05	0.044	0.042	89	83	39-134	6	25	
cis-1,2-Dichloroethene	mg/kg	0.05	0.046	0.047	92	95	69-130	4	24	
cis-1,3-Dichloropropene	mg/kg	0.05	0.043	0.045	86	89	67-132	3	23	
Dibromochloromethane	mg/kg	0.05	0.044	0.046	88	93	60-127	5	20	
Ethylbenzene	mg/kg	0.05	0.043	0.046	85	93	64-128	9	21	
Methyl-tert-butyl ether	mg/kg	0.05	0.044	0.042	88	84	64-126	5	25	
Methylene Chloride	mg/kg	0.05	0.047	0.052	94	104	54-133	10	22	
Styrene	mg/kg	0.05	0.044	0.048	88	95	64-130	8	21	
Tetrachloroethene	mg/kg	0.05	0.043	0.047	86	94	62-130	8	23	
Toluene	mg/kg	0.05	0.043	0.045	86	91	71-117	6	21	
trans-1,2-Dichloroethene	mg/kg	0.05	0.048	0.048	97	97	67-130	0	20	
trans-1,3-Dichloropropene	mg/kg	0.05	0.040	0.044	81	87	63-130	8	22	
Trichloroethene	mg/kg	0.05	0.042	0.046	85	92	67-130	8	22	
Vinyl chloride	mg/kg	0.05	0.043	0.042	86	84	47-138	2	24	
Xylene (Total)	mg/kg	0.15	0.13	0.13	84	89	60-125	7	21	
1,2-Dichlorobenzene-d4 (S)	%				96	99	70-130			
4-Bromofluorobenzene (S)	%				93	103	61-175			
Toluene-d8 (S)	%				97	99	69-156			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

QC Batch: 415132 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030 Analysis Description: 8260 MSV Low
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244262008, 40244262009, 40244262010

METHOD BLANK: 2390455 Matrix: Solid

Associated Lab Samples: 40244262008, 40244262009, 40244262010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/06/22 07:54	
1,1,2,2-Tetrachloroethane	mg/kg	<0.0026	0.0050	0.0026	05/06/22 07:54	
1,1,2-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/06/22 07:54	
1,1-Dichloroethane	mg/kg	<0.0011	0.0050	0.0011	05/06/22 07:54	
1,1-Dichloroethene	mg/kg	<0.0011	0.0050	0.0011	05/06/22 07:54	
1,2-Dichloroethane	mg/kg	<0.00082	0.0050	0.00082	05/06/22 07:54	
1,2-Dichloropropane	mg/kg	<0.0010	0.0050	0.0010	05/06/22 07:54	
2-Butanone (MEK)	mg/kg	<0.016	0.025	0.016	05/06/22 07:54	
2-Hexanone	mg/kg	<0.011	0.025	0.011	05/06/22 07:54	
4-Methyl-2-pentanone (MIBK)	mg/kg	<0.020	0.025	0.020	05/06/22 07:54	
Acetone	mg/kg	<0.047	0.10	0.047	05/06/22 07:54	
Benzene	mg/kg	<0.00071	0.0050	0.00071	05/06/22 07:54	
Bromodichloromethane	mg/kg	<0.00068	0.0050	0.00068	05/06/22 07:54	
Bromoform	mg/kg	<0.0081	0.020	0.0081	05/06/22 07:54	
Bromomethane	mg/kg	<0.0045	0.0050	0.0045	05/06/22 07:54	
Carbon disulfide	mg/kg	<0.0011	0.0050	0.0011	05/06/22 07:54	
Carbon tetrachloride	mg/kg	<0.0032	0.0050	0.0032	05/06/22 07:54	
Chlorobenzene	mg/kg	<0.00092	0.0050	0.00092	05/06/22 07:54	
Chloroethane	mg/kg	<0.0036	0.0050	0.0036	05/06/22 07:54	
Chloroform	mg/kg	<0.00084	0.0050	0.00084	05/06/22 07:54	
Chloromethane	mg/kg	<0.0011	0.0050	0.0011	05/06/22 07:54	
cis-1,2-Dichloroethene	mg/kg	<0.00088	0.0050	0.00088	05/06/22 07:54	
cis-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/06/22 07:54	
Dibromochloromethane	mg/kg	<0.0010	0.0050	0.0010	05/06/22 07:54	
Ethylbenzene	mg/kg	<0.00089	0.0050	0.00089	05/06/22 07:54	
Methyl-tert-butyl ether	mg/kg	<0.0020	0.0050	0.0020	05/06/22 07:54	
Methylene Chloride	mg/kg	<0.0040	0.0050	0.0040	05/06/22 07:54	
Styrene	mg/kg	<0.00071	0.0050	0.00071	05/06/22 07:54	
Tetrachloroethene	mg/kg	<0.00089	0.0050	0.00089	05/06/22 07:54	
Toluene	mg/kg	<0.00088	0.0050	0.00088	05/06/22 07:54	
trans-1,2-Dichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/06/22 07:54	
trans-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/06/22 07:54	
Trichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/06/22 07:54	
Vinyl chloride	mg/kg	<0.0013	0.0050	0.0013	05/06/22 07:54	
Xylene (Total)	mg/kg	<0.0034	0.010	0.0034	05/06/22 07:54	
1,2-Dichlorobenzene-d4 (S)	%	97	70-130		05/06/22 07:54	
4-Bromofluorobenzene (S)	%	84	61-175		05/06/22 07:54	
Toluene-d8 (S)	%	98	69-156		05/06/22 07:54	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

LABORATORY CONTROL SAMPLE & LCSD: 2390456		2390457								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	mg/kg	0.05	0.047	0.052	94	104	57-126	10	22	
1,1,2,2-Tetrachloroethane	mg/kg	0.05	0.044	0.044	88	88	70-170	1	20	
1,1,2-Trichloroethane	mg/kg	0.05	0.050	0.048	100	96	59-128	5	20	
1,1-Dichloroethane	mg/kg	0.05	0.050	0.053	100	106	70-130	6	20	
1,1-Dichloroethene	mg/kg	0.05	0.043	0.047	87	95	57-118	9	23	
1,2-Dichloroethane	mg/kg	0.05	0.049	0.052	99	103	75-137	5	23	
1,2-Dichloropropane	mg/kg	0.05	0.046	0.050	92	100	74-132	8	22	
Benzene	mg/kg	0.05	0.046	0.047	91	94	68-130	3	24	
Bromodichloromethane	mg/kg	0.05	0.050	0.052	100	104	57-139	4	23	
Bromoform	mg/kg	0.05	0.053	0.053	107	106	62-131	1	20	
Bromomethane	mg/kg	0.05	0.054	0.058	108	115	20-175	7	28	
Carbon disulfide	mg/kg	0.05	0.041	0.045	83	90	40-128	8	22	
Carbon tetrachloride	mg/kg	0.05	0.048	0.052	96	105	50-128	8	24	
Chlorobenzene	mg/kg	0.05	0.052	0.053	103	106	70-130	3	20	
Chloroethane	mg/kg	0.05	0.043	0.047	86	94	49-129	9	25	
Chloroform	mg/kg	0.05	0.048	0.051	97	103	65-128	6	23	
Chloromethane	mg/kg	0.05	0.041	0.051	82	102	39-134	22	25	
cis-1,2-Dichloroethene	mg/kg	0.05	0.050	0.053	100	106	69-130	6	24	
cis-1,3-Dichloropropene	mg/kg	0.05	0.045	0.050	90	99	67-132	9	23	
Dibromochloromethane	mg/kg	0.05	0.050	0.051	99	101	60-127	2	20	
Ethylbenzene	mg/kg	0.05	0.048	0.048	96	95	64-128	1	21	
Methyl-tert-butyl ether	mg/kg	0.05	0.044	0.044	88	88	64-126	0	25	
Methylene Chloride	mg/kg	0.05	0.050	0.051	100	102	54-133	2	22	
Styrene	mg/kg	0.05	0.051	0.051	102	102	64-130	1	21	
Tetrachloroethene	mg/kg	0.05	0.055	0.055	110	111	62-130	1	23	
Toluene	mg/kg	0.05	0.047	0.047	94	94	71-117	1	21	
trans-1,2-Dichloroethene	mg/kg	0.05	0.050	0.051	101	103	67-130	2	20	
trans-1,3-Dichloropropene	mg/kg	0.05	0.044	0.043	88	86	63-130	2	22	
Trichloroethene	mg/kg	0.05	0.048	0.050	95	100	67-130	5	22	
Vinyl chloride	mg/kg	0.05	0.042	0.050	84	100	47-138	18	24	
Xylene (Total)	mg/kg	0.15	0.15	0.15	97	97	60-125	0	21	
1,2-Dichlorobenzene-d4 (S)	%				101	94	70-130			
4-Bromofluorobenzene (S)	%				94	93	61-175			
Toluene-d8 (S)	%				97	97	69-156			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

QC Batch: 813431 Analysis Method: EPA 8081B
QC Batch Method: EPA 3550 Analysis Description: 8081B GCS Pesticides
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 40244262001, 40244262002, 40244262003, 40244262004, 40244262005, 40244262006, 40244262007, 40244262008, 40244262009, 40244262010

METHOD BLANK: 4312711 Matrix: Solid
Associated Lab Samples: 40244262001, 40244262002, 40244262003, 40244262004, 40244262005, 40244262006, 40244262007, 40244262008, 40244262009, 40244262010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	mg/kg	<0.00034	0.0033	0.00034	05/06/22 14:06	
4,4'-DDE	mg/kg	<0.00038	0.0033	0.00038	05/06/22 14:06	
4,4'-DDT	mg/kg	<0.0010	0.0033	0.0010	05/06/22 14:06	
Aldrin	mg/kg	<0.00040	0.0017	0.00040	05/06/22 14:06	
alpha-BHC	mg/kg	<0.00017	0.0017	0.00017	05/06/22 14:06	
alpha-Chlordane	mg/kg	<0.00021	0.0017	0.00021	05/06/22 14:06	
beta-BHC	mg/kg	<0.00052	0.0017	0.00052	05/06/22 14:06	
Chlordane (Technical)	mg/kg	<0.0055	0.017	0.0055	05/06/22 14:06	
delta-BHC	mg/kg	<0.00030	0.0017	0.00030	05/06/22 14:06	
Dieldrin	mg/kg	<0.00032	0.0033	0.00032	05/06/22 14:06	
Endosulfan I	mg/kg	<0.00018	0.0017	0.00018	05/06/22 14:06	
Endosulfan II	mg/kg	<0.00079	0.0033	0.00079	05/06/22 14:06	
Endosulfan sulfate	mg/kg	<0.00078	0.0033	0.00078	05/06/22 14:06	
Endrin	mg/kg	<0.00037	0.0033	0.00037	05/06/22 14:06	
Endrin aldehyde	mg/kg	<0.0011	0.0033	0.0011	05/06/22 14:06	
Endrin ketone	mg/kg	<0.00088	0.0033	0.00088	05/06/22 14:06	
gamma-BHC (Lindane)	mg/kg	<0.00016	0.0017	0.00016	05/06/22 14:06	
gamma-Chlordane	mg/kg	<0.00062	0.0017	0.00062	05/06/22 14:06	
Heptachlor	mg/kg	<0.00045	0.0017	0.00045	05/06/22 14:06	
Heptachlor epoxide	mg/kg	<0.00017	0.0017	0.00017	05/06/22 14:06	
Methoxychlor	mg/kg	<0.0051	0.017	0.0051	05/06/22 14:06	
Toxaphene	mg/kg	<0.016	0.050	0.016	05/06/22 14:06	
Decachlorobiphenyl (S)	%	82	30-150		05/06/22 14:06	
Tetrachloro-m-xylene (S)	%	100	53-138		05/06/22 14:06	

LABORATORY CONTROL SAMPLE: 4312712

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	mg/kg	0.033	0.031	92	73-128	
4,4'-DDE	mg/kg	0.033	0.031	92	75-128	
4,4'-DDT	mg/kg	0.033	0.028	84	74-128	
Aldrin	mg/kg	0.017	0.015	88	72-125	
alpha-BHC	mg/kg	0.017	0.015	88	73-125	
alpha-Chlordane	mg/kg	0.017	0.014	86	69-125	
beta-BHC	mg/kg	0.017	0.014	86	73-125	
delta-BHC	mg/kg	0.017	0.012	69	37-125	
Dieldrin	mg/kg	0.033	0.030	89	75-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

LABORATORY CONTROL SAMPLE: 4312712

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endosulfan I	mg/kg	0.017	0.014	85	67-125	
Endosulfan II	mg/kg	0.033	0.029	88	75-125	
Endosulfan sulfate	mg/kg	0.033	0.028	85	75-125	
Endrin	mg/kg	0.033	0.028	85	75-125	
Endrin aldehyde	mg/kg	0.033	0.029	86	71-125	
Endrin ketone	mg/kg	0.033	0.029	88	75-125	
gamma-BHC (Lindane)	mg/kg	0.017	0.015	88	74-125	
gamma-Chlordane	mg/kg	0.017	0.015	87	70-125	
Heptachlor	mg/kg	0.017	0.014	86	75-125	
Heptachlor epoxide	mg/kg	0.017	0.014	87	73-125	
Methoxychlor	mg/kg	0.17	0.15	87	75-128	
Decachlorobiphenyl (S)	%			81	30-150	
Tetrachloro-m-xylene (S)	%			94	53-138	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4312713 4312714

Parameter	Units	40244262001		MS	MSD	4312714		% Rec	% Rec	Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.	MS Result	MSD Result						
4,4'-DDD	mg/kg	<0.00044	0.0429	0.0429	0.028	0.032	65	74	36-150	14	20		
4,4'-DDE	mg/kg	<0.00050	0.0429	0.0429	0.027	0.032	64	73	39-147	14	20		
4,4'-DDT	mg/kg	<0.0013	0.0429	0.0429	0.026	0.029	60	68	43-143	12	20		
Aldrin	mg/kg	<0.00053	0.0221	0.0221	0.013	0.015	60	70	41-136	15	20		
alpha-BHC	mg/kg	<0.00022	0.0221	0.0221	0.014	0.016	65	74	48-132	12	20		
alpha-Chlordane	mg/kg	<0.00027	0.0221	0.0221	0.013	0.015	61	70	32-149	14	20		
beta-BHC	mg/kg	<0.00067	0.0221	0.0221	0.015	0.017	71	76	45-142	8	20		
delta-BHC	mg/kg	<0.00039	0.0221	0.0221	0.012	0.013	54	60	30-125	10	20		
Dieldrin	mg/kg	<0.00041	0.0429	0.0429	0.027	0.031	62	71	39-140	14	20		
Endosulfan I	mg/kg	<0.00024	0.0221	0.0221	0.013	0.015	61	69	39-134	14	20		
Endosulfan II	mg/kg	<0.0010	0.0429	0.0429	0.028	0.031	64	72	43-138	12	20		
Endosulfan sulfate	mg/kg	<0.0010	0.0429	0.0429	0.027	0.030	62	70	43-131	13	20		
Endrin	mg/kg	<0.00048	0.0429	0.0429	0.026	0.030	61	69	47-134	13	20		
Endrin aldehyde	mg/kg	<0.0014	0.0429	0.0429	0.028	0.032	66	73	40-144	11	20		
Endrin ketone	mg/kg	<0.0011	0.0429	0.0429	0.028	0.031	64	72	42-145	13	20		
gamma-BHC (Lindane)	mg/kg	<0.00021	0.0221	0.0221	0.014	0.016	66	74	52-129	11	20		
gamma-Chlordane	mg/kg	<0.00081	0.0221	0.0221	0.013	0.015	62	70	38-136	12	20		
Heptachlor	mg/kg	<0.00058	0.0221	0.0221	0.013	0.015	60	68	43-142	13	20		
Heptachlor epoxide	mg/kg	<0.00022	0.0221	0.0221	0.013	0.015	62	71	37-144	13	20		
Methoxychlor	mg/kg	<0.0067	0.221	0.221	0.13	0.15	60	69	35-150	14	20		
Decachlorobiphenyl (S)	%						63	54	30-150				
Tetrachloro-m-xylene (S)	%						69	59	53-138				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

QC Batch:	414876	Analysis Method:	EPA 8082A
QC Batch Method:	EPA 3541	Analysis Description:	8082 GCS PCB
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244262001, 40244262002, 40244262003, 40244262004, 40244262005, 40244262006, 40244262007, 40244262008, 40244262009, 40244262010

METHOD BLANK: 2388714 Matrix: Solid
Associated Lab Samples: 40244262001, 40244262002, 40244262003, 40244262004, 40244262005, 40244262006, 40244262007, 40244262008, 40244262009, 40244262010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	0.015	05/05/22 20:54	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	0.015	05/05/22 20:54	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	0.015	05/05/22 20:54	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	0.015	05/05/22 20:54	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	0.015	05/05/22 20:54	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	0.015	05/05/22 20:54	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	0.015	05/05/22 20:54	
Decachlorobiphenyl (S)	%	88	38-95		05/05/22 20:54	
Tetrachloro-m-xylene (S)	%	81	50-99		05/05/22 20:54	

LABORATORY CONTROL SAMPLE: 2388715

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.45	90	71-104	
Decachlorobiphenyl (S)	%			91	38-95	
Tetrachloro-m-xylene (S)	%			84	50-99	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2388716 2388717

Parameter	Units	MS		MSD		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qual
		40244295004	Result	Conc.	Conc.						
PCB-1016 (Aroclor 1016)	mg/kg	<18.3	<0.018	<0.018	<0.018					20	
PCB-1221 (Aroclor 1221)	mg/kg	<18.3	<0.018	<0.018	<0.018					20	
PCB-1232 (Aroclor 1232)	mg/kg	<18.3	<0.018	<0.018	<0.018					20	
PCB-1242 (Aroclor 1242)	mg/kg	<18.3	<0.018	<0.018	<0.018					20	
PCB-1248 (Aroclor 1248)	mg/kg	<18.3	<0.018	<0.018	<0.018					20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2388716 2388717													
Parameter	Units	40244295004 Result	MS	MSD	MS	MSD	MS	MSD	% Rec	Limits	RPD	Max RPD	Qual
			Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
PCB-1254 (Aroclor 1254)	mg/kg	<18.3 ug/kg			<0.018	<0.018						20	
PCB-1260 (Aroclor 1260)	mg/kg	<18.3 ug/kg	0.6	0.6	0.50	0.50	84	83	42-109		0	20	
Decachlorobiphenyl (S)	%						82	82	38-95				
Tetrachloro-m-xylene (S)	%						80	79	50-99				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

QC Batch:	414770	Analysis Method:	EPA 8270E
QC Batch Method:	EPA 3546	Analysis Description:	8270E Solid MSSV Microwave
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244262001, 40244262002, 40244262003, 40244262004, 40244262005, 40244262006, 40244262007, 40244262009, 40244262010

METHOD BLANK: 2388051 Matrix: Solid
Associated Lab Samples: 40244262001, 40244262002, 40244262003, 40244262004, 40244262005, 40244262006, 40244262007, 40244262009, 40244262010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	<0.019	0.063	0.019	05/04/22 11:21	
1,2-Dichlorobenzene	mg/kg	<0.052	0.17	0.052	05/04/22 11:21	
1,3-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/04/22 11:21	
1,4-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/04/22 11:21	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.043	0.14	0.043	05/04/22 11:21	
2,4,5-Trichlorophenol	mg/kg	<0.029	0.098	0.029	05/04/22 11:21	
2,4,6-Trichlorophenol	mg/kg	<0.025	0.085	0.025	05/04/22 11:21	
2,4-Dichlorophenol	mg/kg	<0.045	0.15	0.045	05/04/22 11:21	
2,4-Dimethylphenol	mg/kg	<0.033	0.11	0.033	05/04/22 11:21	
2,4-Dinitrophenol	mg/kg	<0.051	0.17	0.051	05/04/22 11:21	
2,4-Dinitrotoluene	mg/kg	<0.024	0.080	0.024	05/04/22 11:21	CU
2,6-Dinitrotoluene	mg/kg	<0.032	0.11	0.032	05/04/22 11:21	
2-Chloronaphthalene	mg/kg	<0.021	0.071	0.021	05/04/22 11:21	
2-Chlorophenol	mg/kg	<0.042	0.14	0.042	05/04/22 11:21	
2-Methylnaphthalene	mg/kg	<0.043	0.14	0.043	05/04/22 11:21	
2-Methylphenol(o-Cresol)	mg/kg	<0.030	0.10	0.030	05/04/22 11:21	
2-Nitroaniline	mg/kg	<0.048	0.16	0.048	05/04/22 11:21	CU
2-Nitrophenol	mg/kg	<0.053	0.18	0.053	05/04/22 11:21	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.031	0.10	0.031	05/04/22 11:21	
3,3'-Dichlorobenzidine	mg/kg	<0.045	0.15	0.045	05/04/22 11:21	CU
3-Nitroaniline	mg/kg	<0.028	0.095	0.028	05/04/22 11:21	
4,6-Dinitro-2-methylphenol	mg/kg	<0.051	0.17	0.051	05/04/22 11:21	
4-Bromophenylphenyl ether	mg/kg	<0.035	0.12	0.035	05/04/22 11:21	
4-Chloro-3-methylphenol	mg/kg	<0.052	0.17	0.052	05/04/22 11:21	
4-Chloroaniline	mg/kg	<0.027	0.091	0.027	05/04/22 11:21	1q
4-Chlorophenylphenyl ether	mg/kg	<0.031	0.10	0.031	05/04/22 11:21	
4-Nitroaniline	mg/kg	<0.069	0.23	0.069	05/04/22 11:21	
4-Nitrophenol	mg/kg	<0.042	0.14	0.042	05/04/22 11:21	CU
Acenaphthene	mg/kg	<0.059	0.20	0.059	05/04/22 11:21	
Acenaphthylene	mg/kg	<0.060	0.20	0.060	05/04/22 11:21	
Anthracene	mg/kg	<0.027	0.089	0.027	05/04/22 11:21	
Benzo(a)anthracene	mg/kg	<0.026	0.086	0.026	05/04/22 11:21	
Benzo(a)pyrene	mg/kg	<0.025	0.084	0.025	05/04/22 11:21	
Benzo(b)fluoranthene	mg/kg	<0.029	0.096	0.029	05/04/22 11:21	
Benzo(g,h,i)perylene	mg/kg	<0.044	0.15	0.044	05/04/22 11:21	
Benzo(k)fluoranthene	mg/kg	<0.040	0.13	0.040	05/04/22 11:21	
bis(2-Chloroethoxy)methane	mg/kg	<0.045	0.15	0.045	05/04/22 11:21	
bis(2-Chloroethyl) ether	mg/kg	<0.052	0.17	0.052	05/04/22 11:21	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.028	0.092	0.028	05/04/22 11:21	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

METHOD BLANK: 2388051

Matrix: Solid

Associated Lab Samples: 40244262001, 40244262002, 40244262003, 40244262004, 40244262005, 40244262006, 40244262007, 40244262009, 40244262010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Butylbenzylphthalate	mg/kg	<0.027	0.089	0.027	05/04/22 11:21	CU
Carbazole	mg/kg	<0.026	0.087	0.026	05/04/22 11:21	
Chrysene	mg/kg	<0.025	0.083	0.025	05/04/22 11:21	
Di-n-butylphthalate	mg/kg	<0.025	0.083	0.025	05/04/22 11:21	
Di-n-octylphthalate	mg/kg	<0.038	0.13	0.038	05/04/22 11:21	
Dibenz(a,h)anthracene	mg/kg	<0.045	0.15	0.045	05/04/22 11:21	
Dibenzofuran	mg/kg	<0.020	0.067	0.020	05/04/22 11:21	
Diethylphthalate	mg/kg	<0.028	0.092	0.028	05/04/22 11:21	
Dimethylphthalate	mg/kg	<0.022	0.072	0.022	05/04/22 11:21	
Fluoranthene	mg/kg	<0.024	0.079	0.024	05/04/22 11:21	
Fluorene	mg/kg	<0.020	0.065	0.020	05/04/22 11:21	
Hexachloro-1,3-butadiene	mg/kg	<0.043	0.14	0.043	05/04/22 11:21	
Hexachlorobenzene	mg/kg	<0.028	0.094	0.028	05/04/22 11:21	
Hexachlorocyclopentadiene	mg/kg	<0.039	0.13	0.039	05/04/22 11:21	
Hexachloroethane	mg/kg	<0.027	0.089	0.027	05/04/22 11:21	
Indeno(1,2,3-cd)pyrene	mg/kg	0.036J	0.12	0.036	05/04/22 11:21	
Isophorone	mg/kg	<0.026	0.086	0.026	05/04/22 11:21	
N-Nitroso-di-n-propylamine	mg/kg	<0.026	0.088	0.026	05/04/22 11:21	
N-Nitrosodiphenylamine	mg/kg	<0.23	0.75	0.23	05/04/22 11:21	
Naphthalene	mg/kg	<0.058	0.19	0.058	05/04/22 11:21	
Nitrobenzene	mg/kg	<0.034	0.11	0.034	05/04/22 11:21	
Pentachlorophenol	mg/kg	<0.037	0.12	0.037	05/04/22 11:21	
Phenanthrene	mg/kg	<0.021	0.071	0.021	05/04/22 11:21	
Phenol	mg/kg	<0.040	0.13	0.040	05/04/22 11:21	
Pyrene	mg/kg	<0.037	0.12	0.037	05/04/22 11:21	
2,4,6-Tribromophenol (S)	%	91	10-144		05/04/22 11:21	
2-Fluorobiphenyl (S)	%	85	12-118		05/04/22 11:21	
2-Fluorophenol (S)	%	69	10-130		05/04/22 11:21	
Nitrobenzene-d5 (S)	%	87	10-125		05/04/22 11:21	
Phenol-d6 (S)	%	70	10-125		05/04/22 11:21	
Terphenyl-d14 (S)	%	95	10-124		05/04/22 11:21	

LABORATORY CONTROL SAMPLE: 2388052

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	1.7	1.4	86	70-130	
1,2-Dichlorobenzene	mg/kg	1.7	1.5	89	66-130	
1,3-Dichlorobenzene	mg/kg	1.7	1.4	84	66-130	
1,4-Dichlorobenzene	mg/kg	1.7	1.5	87	64-130	
2,2'-Oxybis(1-chloropropane)	mg/kg	1.7	1.4	84	65-130	
2,4,5-Trichlorophenol	mg/kg	1.7	1.7	100	70-125	
2,4,6-Trichlorophenol	mg/kg	1.7	1.6	95	70-124	
2,4-Dichlorophenol	mg/kg	1.7	1.5	89	70-121	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

LABORATORY CONTROL SAMPLE: 2388052

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dimethylphenol	mg/kg	1.7	1.5	91	70-130	
2,4-Dinitrophenol	mg/kg	1.7	1.3	76	26-103	
2,4-Dinitrotoluene	mg/kg	1.7	1.7	104	70-130	CH
2,6-Dinitrotoluene	mg/kg	1.7	1.7	104	70-130	
2-Chloronaphthalene	mg/kg	1.7	1.6	96	70-130	
2-Chlorophenol	mg/kg	1.7	1.5	90	67-130	
2-Methylnaphthalene	mg/kg	1.7	1.5	91	70-130	
2-Methylphenol(o-Cresol)	mg/kg	1.7	1.6	95	69-130	
2-Nitroaniline	mg/kg	1.7	1.8	107	70-124	CH
2-Nitrophenol	mg/kg	1.7	1.6	98	70-130	
3&4-Methylphenol(m&p Cresol)	mg/kg	1.7	1.6	94	70-130	
3,3'-Dichlorobenzidine	mg/kg	1.7	1.2	69	48-112	CH
3-Nitroaniline	mg/kg	1.7	1.5	87	57-121	
4,6-Dinitro-2-methylphenol	mg/kg	1.7	1.5	88	59-115	
4-Bromophenylphenyl ether	mg/kg	1.7	1.5	90	70-130	
4-Chloro-3-methylphenol	mg/kg	1.7	1.6	99	70-130	
4-Chloroaniline	mg/kg	1.7	1.1	65	45-130	1q
4-Chlorophenylphenyl ether	mg/kg	1.7	1.6	97	70-130	
4-Nitroaniline	mg/kg	1.7	1.6	99	62-127	
4-Nitrophenol	mg/kg	1.7	1.8	107	50-126	CH
Acenaphthene	mg/kg	1.7	1.6	96	70-130	
Acenaphthylene	mg/kg	1.7	1.6	97	70-130	
Anthracene	mg/kg	1.7	1.5	90	70-130	
Benzo(a)anthracene	mg/kg	1.7	1.5	92	70-130	
Benzo(a)pyrene	mg/kg	1.7	1.5	90	70-130	
Benzo(b)fluoranthene	mg/kg	1.7	1.5	89	70-130	
Benzo(g,h,i)perylene	mg/kg	1.7	1.3	78	65-130	
Benzo(k)fluoranthene	mg/kg	1.7	1.4	87	70-130	
bis(2-Chloroethoxy)methane	mg/kg	1.7	1.5	90	70-130	
bis(2-Chloroethyl) ether	mg/kg	1.7	1.4	87	68-130	
bis(2-Ethylhexyl)phthalate	mg/kg	1.7	1.7	100	70-130	
Butylbenzylphthalate	mg/kg	1.7	1.8	111	70-130	CH
Carbazole	mg/kg	1.7	1.6	95	70-130	
Chrysene	mg/kg	1.7	1.6	97	70-130	
Di-n-butylphthalate	mg/kg	1.7	1.6	98	70-130	
Di-n-octylphthalate	mg/kg	1.7	1.7	102	67-134	
Dibenz(a,h)anthracene	mg/kg	1.7	1.3	80	68-130	
Dibenzofuran	mg/kg	1.7	1.6	94	70-130	
Diethylphthalate	mg/kg	1.7	1.6	96	70-130	
Dimethylphthalate	mg/kg	1.7	1.6	97	70-130	
Fluoranthene	mg/kg	1.7	1.5	91	70-130	
Fluorene	mg/kg	1.7	1.7	100	70-130	
Hexachloro-1,3-butadiene	mg/kg	1.7	1.5	90	67-130	
Hexachlorobenzene	mg/kg	1.7	1.5	88	70-130	
Hexachlorocyclopentadiene	mg/kg	1.7	1.6	94	54-114	
Hexachloroethane	mg/kg	1.7	1.5	92	64-130	
Indeno(1,2,3-cd)pyrene	mg/kg	1.7	1.3	77	63-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

LABORATORY CONTROL SAMPLE: 2388052

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Isophorone	mg/kg	1.7	1.6	96	70-130	
N-Nitroso-di-n-propylamine	mg/kg	1.7	1.6	94	70-130	
N-Nitrosodiphenylamine	mg/kg	1.7	1.6	94	70-130	
Naphthalene	mg/kg	1.7	1.5	89	70-130	
Nitrobenzene	mg/kg	1.7	1.5	93	70-130	
Pentachlorophenol	mg/kg	1.7	1.5	88	47-108	
Phenanthrene	mg/kg	1.7	1.5	89	70-130	
Phenol	mg/kg	1.7	1.5	93	67-130	
Pyrene	mg/kg	1.7	1.6	97	70-130	
2,4,6-Tribromophenol (S)	%			99	10-144	
2-Fluorobiphenyl (S)	%			95	12-118	
2-Fluorophenol (S)	%			88	10-130	
Nitrobenzene-d5 (S)	%			98	10-125	
Phenol-d6 (S)	%			87	10-125	
Terphenyl-d14 (S)	%			96	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2388053 2388054

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244262010	Spike Conc.	Spike Conc.	Result								
1,2,4-Trichlorobenzene	mg/kg	<0.024	2.2	2.2	1.3	1.5	61	70	45-130	14	28		
1,2-Dichlorobenzene	mg/kg	<0.068	2.2	2.2	1.5	1.5	69	67	45-130	2	29		
1,3-Dichlorobenzene	mg/kg	<0.030	2.2	2.2	1.4	1.5	64	69	42-130	7	30		
1,4-Dichlorobenzene	mg/kg	<0.030	2.2	2.2	1.4	1.5	63	69	42-130	9	32		
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.056	2.2	2.2	1.4	1.4	65	66	44-130	2	26		
2,4,5-Trichlorophenol	mg/kg	<0.038	2.2	2.2	1.5	1.8	67	81	11-125	18	30		
2,4,6-Trichlorophenol	mg/kg	<0.033	2.2	2.2	1.3	1.7	62	77	16-124	22	31		
2,4-Dichlorophenol	mg/kg	<0.058	2.2	2.2	1.4	1.6	65	73	19-121	13	29		
2,4-Dimethylphenol	mg/kg	<0.043	2.2	2.2	1.2	1.3	57	62	29-130	8	32		
2,4-Dinitrophenol	mg/kg	<0.066	2.2	2.2	1.5	1.6	67	72	10-103	7	50		
2,4-Dinitrotoluene	mg/kg	<0.031	2.2	2.2	1.4	1.9	65	89	38-130	31	27	CH,R1	
2,6-Dinitrotoluene	mg/kg	<0.041	2.2	2.2	1.5	1.8	71	83	41-130	15	28		
2-Chloronaphthalene	mg/kg	<0.028	2.2	2.2	1.3	1.6	61	75	44-130	21	24		
2-Chlorophenol	mg/kg	<0.054	2.2	2.2	1.5	1.5	70	70	33-130	0	30		
2-Methylnaphthalene	mg/kg	<0.056	2.2	2.2	1.4	1.6	65	73	46-130	12	23		
2-Methylphenol(o-Cresol)	mg/kg	<0.039	2.2	2.2	1.6	1.5	73	71	30-130	2	30		
2-Nitroaniline	mg/kg	<0.062	2.2	2.2	1.6	2.0	72	93	27-124	26	25	CH,R1	
2-Nitrophenol	mg/kg	<0.068	2.2	2.2	1.6	1.7	74	80	10-130	8	27		
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.040	2.2	2.2	1.5	1.5	68	70	28-130	3	33		
3,3'-Dichlorobenzidine	mg/kg	<0.059	2.2	2.2	0.44	0.92	21	42	10-112	69	43	CH,R1	
3-Nitroaniline	mg/kg	<0.037	2.2	2.2	0.63	1.6	29	75	10-121	88	33	R1	
4,6-Dinitro-2-methylphenol	mg/kg	<0.067	2.2	2.2	1.4	1.6	63	74	10-115	15	50		
4-Bromophenylphenyl ether	mg/kg	<0.045	2.2	2.2	1.3	1.7	60	77	40-130	26	25	R1	
4-Chloro-3-methylphenol	mg/kg	<0.067	2.2	2.2	1.5	1.6	69	76	30-130	10	29		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		2388053		2388054									
Parameter	Units	40244262010	MS	MSD	MS	MSD	MS	MSD	% Rec	Max	RPD	RPD	Qual
		Result	Spike	Spike	Result	Result	% Rec	% Rec	Limits				
4-Chloroaniline	mg/kg	<0.036	2.2	2.2	1.2	1.6	53	72	16-130	30	33	1q	
4-Chlorophenylphenyl ether	mg/kg	<0.040	2.2	2.2	1.4	1.7	64	79	46-130	22	24		
4-Nitroaniline	mg/kg	<0.090	2.2	2.2	0.58	1.5	27	68	10-127	87	40	R1	
4-Nitrophenol	mg/kg	<0.054	2.2	2.2	1.7	2.0	80	90	10-128	13	50	CH	
Acenaphthene	mg/kg	<0.077	2.2	2.2	1.3	1.6	59	73	47-130	22	21	R1	
Acenaphthylene	mg/kg	<0.077	2.2	2.2	1.4	1.7	63	80	49-130	23	22	R1	
Anthracene	mg/kg	<0.035	2.2	2.2	1.4	1.7	64	79	46-130	21	27		
Benzo(a)anthracene	mg/kg	<0.033	2.2	2.2	1.3	1.7	61	78	45-130	25	24	R1	
Benzo(a)pyrene	mg/kg	<0.033	2.2	2.2	1.3	1.7	60	76	48-130	24	27		
Benzo(b)fluoranthene	mg/kg	<0.037	2.2	2.2	1.2	1.6	55	73	41-130	29	31		
Benzo(g,h,i)perylene	mg/kg	<0.057	2.2	2.2	1.2	1.5	53	68	37-130	25	31		
Benzo(k)fluoranthene	mg/kg	<0.052	2.2	2.2	1.2	1.5	57	71	46-130	22	27		
bis(2-Chloroethoxy)methane	mg/kg	<0.058	2.2	2.2	1.4	1.6	64	73	38-130	14	26		
bis(2-Chloroethyl) ether	mg/kg	<0.068	2.2	2.2	1.4	1.5	65	69	42-130	6	29		
bis(2-Ethylhexyl)phthalate	mg/kg	<0.036	2.2	2.2	1.4	1.8	66	84	39-130	24	27		
Butylbenzylphthalate	mg/kg	<0.035	2.2	2.2	1.6	1.9	73	90	39-130	21	27	CH	
Carbazole	mg/kg	<0.034	2.2	2.2	0.88	1.6	41	74	44-130	58	24	M1,R1	
Chrysene	mg/kg	<0.032	2.2	2.2	1.3	1.6	62	75	44-130	19	25		
Di-n-butylphthalate	mg/kg	<0.032	2.2	2.2	1.4	1.8	66	84	45-130	24	26		
Di-n-octylphthalate	mg/kg	<0.049	2.2	2.2	1.5	1.9	71	89	40-134	22	27		
Dibenz(a,h)anthracene	mg/kg	<0.059	2.2	2.2	1.1	1.5	52	67	41-130	26	33		
Dibenzofuran	mg/kg	<0.026	2.2	2.2	1.3	1.6	62	76	47-130	21	23		
Diethylphthalate	mg/kg	<0.036	2.2	2.2	1.4	1.8	63	81	46-130	26	24	R1	
Dimethylphthalate	mg/kg	<0.028	2.2	2.2	1.4	1.7	65	80	47-130	22	24		
Fluoranthene	mg/kg	<0.031	2.2	2.2	1.4	1.7	64	80	50-130	23	27		
Fluorene	mg/kg	<0.025	2.2	2.2	1.4	1.7	63	77	48-130	20	25		
Hexachloro-1,3-butadiene	mg/kg	<0.055	2.2	2.2	1.3	1.5	61	68	42-130	11	27		
Hexachlorobenzene	mg/kg	<0.036	2.2	2.2	1.3	1.6	58	72	51-130	22	24		
Hexachlorocyclopentadiene	mg/kg	<0.051	2.2	2.2	1.2	1.6	55	73	10-114	28	50		
Hexachloroethane	mg/kg	<0.035	2.2	2.2	1.4	1.6	67	73	33-130	9	35		
Indeno(1,2,3-cd)pyrene	mg/kg	<0.047	2.2	2.2	1.1	1.4	51	64	34-130	23	38		
Isophorone	mg/kg	<0.033	2.2	2.2	1.5	1.7	70	79	45-130	13	28		
N-Nitroso-di-n-propylamine	mg/kg	<0.034	2.2	2.2	1.6	1.6	75	73	47-130	3	27		
N-Nitrosodiphenylamine	mg/kg	<0.29	2.2	2.2	1.3	1.7	62	77	42-130	22	25		
Naphthalene	mg/kg	<0.076	2.2	2.2	1.4	1.5	64	71	48-130	10	24		
Nitrobenzene	mg/kg	<0.044	2.2	2.2	1.5	1.7	69	77	42-130	11	25		
Pentachlorophenol	mg/kg	<0.048	2.2	2.2	1.4	1.6	66	73	10-108	9	50		
Phenanthrene	mg/kg	<0.028	2.2	2.2	1.4	1.7	64	77	50-130	19	27		
Phenol	mg/kg	<0.051	2.2	2.2	1.5	1.5	71	70	37-130	1	30		
Pyrene	mg/kg	<0.048	2.2	2.2	1.4	1.7	65	77	43-130	18	29		
2,4,6-Tribromophenol (S)	%						71	84	10-144				
2-Fluorobiphenyl (S)	%						60	74	12-118				
2-Fluorophenol (S)	%						66	68	10-130				
Nitrobenzene-d5 (S)	%						69	76	10-125				
Phenol-d6 (S)	%						66	70	10-125				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2388053 2388054												
Parameter	Units	40244262010 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	Spike Conc.								
Terphenyl-d14 (S)	%						62	75	10-124			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

QC Batch: 414937 Analysis Method: EPA 8270E
QC Batch Method: EPA 3546 Analysis Description: 8270E Solid MSSV Microwave
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244262008

METHOD BLANK: 2389173 Matrix: Solid
Associated Lab Samples: 40244262008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	<0.019	0.063	0.019	05/06/22 22:45	
1,2-Dichlorobenzene	mg/kg	<0.053	0.18	0.053	05/06/22 22:45	
1,3-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/06/22 22:45	
1,4-Dichlorobenzene	mg/kg	<0.023	0.078	0.023	05/06/22 22:45	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.043	0.14	0.043	05/06/22 22:45	
2,4,5-Trichlorophenol	mg/kg	<0.030	0.098	0.030	05/06/22 22:45	
2,4,6-Trichlorophenol	mg/kg	<0.025	0.085	0.025	05/06/22 22:45	
2,4-Dichlorophenol	mg/kg	<0.045	0.15	0.045	05/06/22 22:45	
2,4-Dimethylphenol	mg/kg	<0.033	0.11	0.033	05/06/22 22:45	
2,4-Dinitrophenol	mg/kg	<0.051	0.17	0.051	05/06/22 22:45	
2,4-Dinitrotoluene	mg/kg	<0.024	0.080	0.024	05/06/22 22:45	
2,6-Dinitrotoluene	mg/kg	<0.032	0.11	0.032	05/06/22 22:45	
2-Chloronaphthalene	mg/kg	<0.021	0.072	0.021	05/06/22 22:45	
2-Chlorophenol	mg/kg	<0.042	0.14	0.042	05/06/22 22:45	
2-Methylnaphthalene	mg/kg	<0.043	0.14	0.043	05/06/22 22:45	
2-Methylphenol(o-Cresol)	mg/kg	<0.030	0.10	0.030	05/06/22 22:45	
2-Nitroaniline	mg/kg	<0.048	0.16	0.048	05/06/22 22:45	
2-Nitrophenol	mg/kg	<0.053	0.18	0.053	05/06/22 22:45	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.031	0.10	0.031	05/06/22 22:45	
3,3'-Dichlorobenzidine	mg/kg	<0.045	0.15	0.045	05/06/22 22:45	
3-Nitroaniline	mg/kg	<0.028	0.095	0.028	05/06/22 22:45	
4,6-Dinitro-2-methylphenol	mg/kg	<0.052	0.17	0.052	05/06/22 22:45	
4-Bromophenylphenyl ether	mg/kg	<0.035	0.12	0.035	05/06/22 22:45	
4-Chloro-3-methylphenol	mg/kg	<0.052	0.17	0.052	05/06/22 22:45	
4-Chloroaniline	mg/kg	<0.027	0.092	0.027	05/06/22 22:45	3q
4-Chlorophenylphenyl ether	mg/kg	<0.031	0.10	0.031	05/06/22 22:45	
4-Nitroaniline	mg/kg	<0.069	0.23	0.069	05/06/22 22:45	
4-Nitrophenol	mg/kg	<0.042	0.14	0.042	05/06/22 22:45	
Acenaphthene	mg/kg	<0.059	0.20	0.059	05/06/22 22:45	
Acenaphthylene	mg/kg	<0.060	0.20	0.060	05/06/22 22:45	
Anthracene	mg/kg	<0.027	0.089	0.027	05/06/22 22:45	
Benzo(a)anthracene	mg/kg	<0.026	0.086	0.026	05/06/22 22:45	
Benzo(a)pyrene	mg/kg	<0.025	0.084	0.025	05/06/22 22:45	
Benzo(b)fluoranthene	mg/kg	<0.029	0.096	0.029	05/06/22 22:45	
Benzo(g,h,i)perylene	mg/kg	<0.044	0.15	0.044	05/06/22 22:45	
Benzo(k)fluoranthene	mg/kg	<0.040	0.13	0.040	05/06/22 22:45	
bis(2-Chloroethoxy)methane	mg/kg	<0.045	0.15	0.045	05/06/22 22:45	
bis(2-Chloroethyl) ether	mg/kg	<0.052	0.17	0.052	05/06/22 22:45	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.028	0.093	0.028	05/06/22 22:45	
Butylbenzylphthalate	mg/kg	<0.027	0.089	0.027	05/06/22 22:45	CU

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

METHOD BLANK: 2389173 Matrix: Solid
Associated Lab Samples: 40244262008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Carbazole	mg/kg	<0.026	0.087	0.026	05/06/22 22:45	
Chrysene	mg/kg	<0.025	0.083	0.025	05/06/22 22:45	
Di-n-butylphthalate	mg/kg	<0.025	0.083	0.025	05/06/22 22:45	
Di-n-octylphthalate	mg/kg	<0.038	0.13	0.038	05/06/22 22:45	
Dibenz(a,h)anthracene	mg/kg	<0.045	0.15	0.045	05/06/22 22:45	
Dibenzofuran	mg/kg	<0.020	0.067	0.020	05/06/22 22:45	
Diethylphthalate	mg/kg	<0.028	0.092	0.028	05/06/22 22:45	
Dimethylphthalate	mg/kg	<0.022	0.072	0.022	05/06/22 22:45	
Fluoranthene	mg/kg	<0.024	0.079	0.024	05/06/22 22:45	
Fluorene	mg/kg	<0.020	0.065	0.020	05/06/22 22:45	
Hexachloro-1,3-butadiene	mg/kg	<0.043	0.14	0.043	05/06/22 22:45	
Hexachlorobenzene	mg/kg	<0.028	0.094	0.028	05/06/22 22:45	
Hexachlorocyclopentadiene	mg/kg	<0.040	0.13	0.040	05/06/22 22:45	
Hexachloroethane	mg/kg	<0.027	0.089	0.027	05/06/22 22:45	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.036	0.12	0.036	05/06/22 22:45	
Isophorone	mg/kg	<0.026	0.086	0.026	05/06/22 22:45	
N-Nitroso-di-n-propylamine	mg/kg	<0.027	0.088	0.027	05/06/22 22:45	
N-Nitrosodiphenylamine	mg/kg	<0.23	0.76	0.23	05/06/22 22:45	
Naphthalene	mg/kg	<0.058	0.19	0.058	05/06/22 22:45	
Nitrobenzene	mg/kg	<0.034	0.11	0.034	05/06/22 22:45	
Pentachlorophenol	mg/kg	<0.037	0.12	0.037	05/06/22 22:45	
Phenanthrene	mg/kg	<0.021	0.071	0.021	05/06/22 22:45	
Phenol	mg/kg	<0.040	0.13	0.040	05/06/22 22:45	
Pyrene	mg/kg	<0.037	0.12	0.037	05/06/22 22:45	
2,4,6-Tribromophenol (S)	%	105	10-144		05/06/22 22:45	
2-Fluorobiphenyl (S)	%	90	12-118		05/06/22 22:45	
2-Fluorophenol (S)	%	82	10-130		05/06/22 22:45	
Nitrobenzene-d5 (S)	%	98	10-125		05/06/22 22:45	
Phenol-d6 (S)	%	90	10-125		05/06/22 22:45	
Terphenyl-d14 (S)	%	96	10-124		05/06/22 22:45	

LABORATORY CONTROL SAMPLE: 2389174

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	1.7	1.6	94	70-130	
1,2-Dichlorobenzene	mg/kg	1.7	1.5	90	66-130	
1,3-Dichlorobenzene	mg/kg	1.7	1.4	87	66-130	
1,4-Dichlorobenzene	mg/kg	1.7	1.4	86	64-130	
2,2'-Oxybis(1-chloropropane)	mg/kg	1.7	1.4	86	65-130	
2,4,5-Trichlorophenol	mg/kg	1.7	1.7	104	70-125	
2,4,6-Trichlorophenol	mg/kg	1.7	1.6	95	70-124	
2,4-Dichlorophenol	mg/kg	1.7	1.7	101	70-121	
2,4-Dimethylphenol	mg/kg	1.7	1.6	98	70-130	
2,4-Dinitrophenol	mg/kg	1.7	1.3	76	26-103	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

LABORATORY CONTROL SAMPLE: 2389174

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrotoluene	mg/kg	1.7	1.7	101	70-130	
2,6-Dinitrotoluene	mg/kg	1.7	1.8	110	70-130	
2-Chloronaphthalene	mg/kg	1.7	1.5	93	70-130	
2-Chlorophenol	mg/kg	1.7	1.6	96	67-130	
2-Methylnaphthalene	mg/kg	1.7	1.6	97	70-130	
2-Methylphenol(o-Cresol)	mg/kg	1.7	1.6	99	69-130	
2-Nitroaniline	mg/kg	1.7	1.9	111	70-124	
2-Nitrophenol	mg/kg	1.7	1.8	106	70-130	
3&4-Methylphenol(m&p Cresol)	mg/kg	1.7	1.6	96	70-130	
3,3'-Dichlorobenzidine	mg/kg	1.7	1.2	70	48-112	
3-Nitroaniline	mg/kg	1.7	1.5	88	57-121	
4,6-Dinitro-2-methylphenol	mg/kg	1.7	1.5	91	59-115	
4-Bromophenylphenyl ether	mg/kg	1.7	1.6	99	70-130	
4-Chloro-3-methylphenol	mg/kg	1.7	1.7	104	70-130	
4-Chloroaniline	mg/kg	1.7	1.1	66	45-130	3q
4-Chlorophenylphenyl ether	mg/kg	1.7	1.6	96	70-130	
4-Nitroaniline	mg/kg	1.7	1.7	104	62-127	
4-Nitrophenol	mg/kg	1.7	1.7	103	50-126	
Acenaphthene	mg/kg	1.7	1.5	92	70-130	
Acenaphthylene	mg/kg	1.7	1.7	104	70-130	
Anthracene	mg/kg	1.7	1.6	95	70-130	
Benzo(a)anthracene	mg/kg	1.7	1.5	89	70-130	
Benzo(a)pyrene	mg/kg	1.7	1.4	84	70-130	
Benzo(b)fluoranthene	mg/kg	1.7	1.4	84	70-130	
Benzo(g,h,i)perylene	mg/kg	1.7	1.4	83	65-130	
Benzo(k)fluoranthene	mg/kg	1.7	1.4	85	70-130	
bis(2-Chloroethoxy)methane	mg/kg	1.7	1.6	96	70-130	
bis(2-Chloroethyl) ether	mg/kg	1.7	1.4	87	68-130	
bis(2-Ethylhexyl)phthalate	mg/kg	1.7	1.6	97	70-130	
Butylbenzylphthalate	mg/kg	1.7	1.8	107	70-130	CH
Carbazole	mg/kg	1.7	1.6	98	70-130	
Chrysene	mg/kg	1.7	1.5	91	70-130	
Di-n-butylphthalate	mg/kg	1.7	1.7	99	70-130	
Di-n-octylphthalate	mg/kg	1.7	1.7	99	67-134	
Dibenz(a,h)anthracene	mg/kg	1.7	1.4	84	68-130	
Dibenzofuran	mg/kg	1.7	1.6	94	70-130	
Diethylphthalate	mg/kg	1.7	1.7	100	70-130	
Dimethylphthalate	mg/kg	1.7	1.7	104	70-130	
Fluoranthene	mg/kg	1.7	1.6	95	70-130	
Fluorene	mg/kg	1.7	1.7	103	70-130	
Hexachloro-1,3-butadiene	mg/kg	1.7	1.6	97	67-130	
Hexachlorobenzene	mg/kg	1.7	1.5	90	70-130	
Hexachlorocyclopentadiene	mg/kg	1.7	1.4	86	54-114	
Hexachloroethane	mg/kg	1.7	1.6	95	64-130	
Indeno(1,2,3-cd)pyrene	mg/kg	1.7	1.3	76	63-130	
Isophorone	mg/kg	1.7	1.7	102	70-130	
N-Nitroso-di-n-propylamine	mg/kg	1.7	1.6	99	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

LABORATORY CONTROL SAMPLE: 2389174

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
N-Nitrosodiphenylamine	mg/kg	1.7	1.7	100	70-130	
Naphthalene	mg/kg	1.7	1.5	92	70-130	
Nitrobenzene	mg/kg	1.7	1.7	102	70-130	
Pentachlorophenol	mg/kg	1.7	1.5	92	47-108	
Phenanthrene	mg/kg	1.7	1.6	95	70-130	
Phenol	mg/kg	1.7	1.6	93	67-130	
Pyrene	mg/kg	1.7	1.5	93	70-130	
2,4,6-Tribromophenol (S)	%			104	10-144	
2-Fluorobiphenyl (S)	%			94	12-118	
2-Fluorophenol (S)	%			90	10-130	
Nitrobenzene-d5 (S)	%			99	10-125	
Phenol-d6 (S)	%			89	10-125	
Terphenyl-d14 (S)	%			92	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2389446 2389447

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244262008 Result	Spike Conc.	Spike Conc.	Conc.								
1,2,4-Trichlorobenzene	mg/kg	<0.025	2.2	2.2	2.2	1.7	1.6	76	75	45-130	2	28	
1,2-Dichlorobenzene	mg/kg	<0.068	2.2	2.2	2.2	1.6	1.7	72	79	45-130	9	29	
1,3-Dichlorobenzene	mg/kg	<0.030	2.2	2.2	2.2	1.6	1.6	76	74	42-130	3	30	
1,4-Dichlorobenzene	mg/kg	<0.030	2.2	2.2	2.2	1.7	1.7	76	78	42-130	2	32	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.056	2.2	2.2	2.2	1.5	1.6	70	73	44-130	4	26	
2,4,5-Trichlorophenol	mg/kg	<0.038	2.2	2.2	2.2	1.6	1.7	74	78	11-125	5	30	
2,4,6-Trichlorophenol	mg/kg	<0.033	2.2	2.2	2.2	1.4	1.7	65	79	16-124	20	31	
2,4-Dichlorophenol	mg/kg	<0.058	2.2	2.2	2.2	1.5	1.5	68	71	19-121	5	29	
2,4-Dimethylphenol	mg/kg	<0.043	2.2	2.2	2.2	0.90	1.1	41	50	29-130	19	32	
2,4-Dinitrophenol	mg/kg	<0.066	2.2	2.2	2.2	1.4	1.4	62	63	10-103	1	50	
2,4-Dinitrotoluene	mg/kg	<0.031	2.2	2.2	2.2	1.8	2.0	81	93	38-130	13	27	
2,6-Dinitrotoluene	mg/kg	<0.041	2.2	2.2	2.2	1.7	2.1	78	95	41-130	19	28	
2-Chloronaphthalene	mg/kg	<0.028	2.2	2.2	2.2	1.5	1.7	69	78	44-130	12	24	
2-Chlorophenol	mg/kg	<0.054	2.2	2.2	2.2	1.4	1.6	64	73	33-130	13	30	
2-Methylnaphthalene	mg/kg	<0.056	2.2	2.2	2.2	1.6	1.7	72	77	46-130	7	23	
2-Methylphenol(o-Cresol)	mg/kg	<0.039	2.2	2.2	2.2	1.2	1.3	53	59	30-130	11	30	
2-Nitroaniline	mg/kg	<0.062	2.2	2.2	2.2	2.0	2.2	92	100	27-124	7	25	
2-Nitrophenol	mg/kg	<0.068	2.2	2.2	2.2	1.8	1.9	84	87	10-130	3	27	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.040	2.2	2.2	2.2	1.1	1.2	49	53	28-130	8	33	
3,3'-Dichlorobenzidine	mg/kg	<0.059	2.2	2.2	2.2	0.65	0.57	30	26	10-112	13	43	
3-Nitroaniline	mg/kg	<0.037	2.2	2.2	2.2	1.3	1.2	59	56	10-121	6	33	
4,6-Dinitro-2-methylphenol	mg/kg	<0.067	2.2	2.2	2.2	1.4	1.7	64	80	10-115	22	50	
4-Bromophenylphenyl ether	mg/kg	<0.045	2.2	2.2	2.2	1.4	1.6	65	76	40-130	15	25	
4-Chloro-3-methylphenol	mg/kg	<0.068	2.2	2.2	2.2	1.3	1.5	60	68	30-130	11	29	
4-Chloroaniline	mg/kg	<0.036	2.2	2.2	2.2	1.4	1.2	64	55	16-130	16	33	3q
4-Chlorophenylphenyl ether	mg/kg	<0.040	2.2	2.2	2.2	1.6	1.8	75	83	46-130	11	24	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		2389446		2389447								
Parameter	Units	40244262008	MS	MSD	MS	MSD	MS	MSD	% Rec	Max	RPD	Qual
		Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits	RPD		
4-Nitroaniline	mg/kg	<0.090	2.2	2.2	0.76	0.86	35	40	10-127	12	40	
4-Nitrophenol	mg/kg	<0.055	2.2	2.2	1.8	2.0	85	92	10-128	8	50	
Acenaphthene	mg/kg	<0.077	2.2	2.2	1.5	1.8	70	81	47-130	15	21	
Acenaphthylene	mg/kg	<0.077	2.2	2.2	1.6	1.8	75	84	49-130	11	22	
Anthracene	mg/kg	<0.035	2.2	2.2	1.6	1.7	72	77	46-130	7	27	
Benzo(a)anthracene	mg/kg	<0.034	2.2	2.2	1.6	1.6	72	73	45-130	2	24	
Benzo(a)pyrene	mg/kg	0.051J	2.2	2.2	1.5	1.6	66	74	48-130	11	27	
Benzo(b)fluoranthene	mg/kg	0.042J	2.2	2.2	1.5	1.6	66	74	41-130	11	31	
Benzo(g,h,i)perylene	mg/kg	0.061J	2.2	2.2	1.4	1.6	61	72	37-130	15	31	
Benzo(k)fluoranthene	mg/kg	<0.052	2.2	2.2	1.4	1.6	65	73	46-130	12	27	
bis(2-Chloroethoxy)methane	mg/kg	<0.058	2.2	2.2	1.5	1.6	70	75	38-130	7	26	
bis(2-Chloroethyl) ether	mg/kg	<0.068	2.2	2.2	1.6	1.6	72	76	42-130	6	29	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.036	2.2	2.2	1.7	1.7	80	78	39-130	2	27	
Butylbenzylphthalate	mg/kg	<0.035	2.2	2.2	1.8	1.9	84	87	39-130	4	27	CH
Carbazole	mg/kg	<0.034	2.2	2.2	1.4	1.4	67	66	44-130	1	24	
Chrysene	mg/kg	<0.032	2.2	2.2	1.6	1.5	74	71	44-130	3	25	
Di-n-butylphthalate	mg/kg	<0.032	2.2	2.2	1.5	1.9	71	87	45-130	21	26	
Di-n-octylphthalate	mg/kg	<0.049	2.2	2.2	1.7	1.7	80	80	40-134	1	27	
Dibenz(a,h)anthracene	mg/kg	0.068J	2.2	2.2	1.5	1.5	64	67	41-130	4	33	
Dibenzofuran	mg/kg	<0.026	2.2	2.2	1.6	1.9	73	86	47-130	16	23	
Diethylphthalate	mg/kg	<0.036	2.2	2.2	1.5	1.8	71	83	46-130	15	24	
Dimethylphthalate	mg/kg	<0.028	2.2	2.2	1.7	1.7	76	80	47-130	4	24	
Fluoranthene	mg/kg	<0.031	2.2	2.2	1.7	1.9	77	87	50-130	13	27	
Fluorene	mg/kg	<0.025	2.2	2.2	1.6	1.8	74	85	48-130	13	25	
Hexachloro-1,3-butadiene	mg/kg	<0.055	2.2	2.2	1.5	1.7	70	80	42-130	12	27	
Hexachlorobenzene	mg/kg	<0.036	2.2	2.2	1.4	1.7	65	81	51-130	21	24	
Hexachlorocyclopentadiene	mg/kg	<0.051	2.2	2.2	1.4	1.5	66	67	10-114	1	50	
Hexachloroethane	mg/kg	<0.035	2.2	2.2	1.7	1.6	77	76	33-130	1	35	
Indeno(1,2,3-cd)pyrene	mg/kg	0.082J	2.2	2.2	1.4	1.5	59	64	34-130	8	38	
Isophorone	mg/kg	<0.033	2.2	2.2	1.7	1.8	79	83	45-130	5	28	
N-Nitroso-di-n-propylamine	mg/kg	<0.034	2.2	2.2	1.7	1.8	78	81	47-130	4	27	
N-Nitrosodiphenylamine	mg/kg	<0.29	2.2	2.2	1.4	1.6	67	74	42-130	11	25	
Naphthalene	mg/kg	<0.076	2.2	2.2	1.6	1.7	76	79	48-130	3	24	
Nitrobenzene	mg/kg	<0.044	2.2	2.2	1.7	1.8	80	83	42-130	4	25	
Pentachlorophenol	mg/kg	<0.048	2.2	2.2	1.4	1.7	65	79	10-108	19	50	
Phenanthrene	mg/kg	<0.028	2.2	2.2	1.5	1.6	71	74	50-130	5	27	
Phenol	mg/kg	<0.051	2.2	2.2	1.2	1.2	57	57	37-130	0	30	
Pyrene	mg/kg	<0.048	2.2	2.2	1.7	1.6	78	76	43-130	2	29	
2,4,6-Tribromophenol (S)	%						65	67	10-144			
2-Fluorobiphenyl (S)	%						67	74	12-118			
2-Fluorophenol (S)	%						53	60	10-130			
Nitrobenzene-d5 (S)	%						79	86	10-125			
Phenol-d6 (S)	%						56	55	10-125			
Terphenyl-d14 (S)	%						64	66	10-124			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

QC Batch: 414728

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244262001, 40244262002, 40244262003, 40244262004, 40244262005

SAMPLE DUPLICATE: 2387863

Parameter	Units	40244234002 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	5.9	5.9	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

QC Batch:	414731	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244262006, 40244262007, 40244262008, 40244262009, 40244262010

SAMPLE DUPLICATE: 2387900

Parameter	Units	40244262008 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	23.0	23.0	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

QC Batch:	415028	Analysis Method:	EPA 9040
QC Batch Method:	EPA 9040	Analysis Description:	9040 pH
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244262001, 40244262002, 40244262004, 40244262005, 40244262006, 40244262007, 40244262008, 40244262009, 40244262010

SAMPLE DUPLICATE: 2389576

Parameter	Units	40244262001 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.6	7.6	1	20	2q,H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

QC Batch: 415027

Analysis Method: EPA 9045

QC Batch Method: EPA 9045

Analysis Description: 9045 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244262003

SAMPLE DUPLICATE: 2389575

Parameter	Units	40244262003 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.85	7.91	1	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

QC Batch: 415104 Analysis Method: EPA 9012B
QC Batch Method: EPA 9012B Analysis Description: 9012 Cyanide
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244262001, 40244262002, 40244262003, 40244262004, 40244262005, 40244262006, 40244262007, 40244262008, 40244262009, 40244262010

METHOD BLANK: 2390362 Matrix: Solid
Associated Lab Samples: 40244262001, 40244262002, 40244262003, 40244262004, 40244262005, 40244262006, 40244262007, 40244262008, 40244262009, 40244262010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Cyanide	mg/kg	<0.31	0.92	0.31	05/09/22 13:46	

LABORATORY CONTROL SAMPLE: 2390363

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/kg	3	2.9	98	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2390364 2390365

Parameter	Units	40244262005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Cyanide	mg/kg	<0.34	3.4	3.4	2.7	1.2	75	30	80-120	81	20	M0,R1

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2390366 2390367

Parameter	Units	40244350004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Cyanide	mg/kg	<0.33	3.3	3.4	2.7	2.7	76	76	80-120	2	20	M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: 415033

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 415134

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

1q This analyte's recovery was below secondary source verification limits. The results may be biased low.

2q Due to the sample matrix, DI water was added to this sample on a one to one basis and the sample was stirred before analysis

3q This analyte's recovery was below secondary source verification limits. The results may be biased low.

CH The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

CU The continuing calibration for this analyte is above laboratory acceptance limits. Analyte was not detected above the reporting limit in any of the associated samples.

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

H6 Analysis initiated outside of the 15 minute EPA required holding time.

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

ANALYTE QUALIFIERS

- P6 Matrix spike recovery was outside laboratory control limits due to a parent sample concentration notably higher than the spike level.
- R1 RPD value was outside control limits.
- S0 Surrogate recovery outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244262

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244262001	SB-01 (1.0-2.0')	EPA 3550	813431	EPA 8081B	813702
40244262002	SB-01 (4.0-5.0')	EPA 3550	813431	EPA 8081B	813702
40244262003	SB-02 (1.5-2.5')	EPA 3550	813431	EPA 8081B	813702
40244262004	SB-02 (4.0-5.0')	EPA 3550	813431	EPA 8081B	813702
40244262005	SB-03 (2.0-3.0')	EPA 3550	813431	EPA 8081B	813702
40244262006	SB-03 (4.0-5.0')	EPA 3550	813431	EPA 8081B	813702
40244262007	SB-04 (1.0-2.0')	EPA 3550	813431	EPA 8081B	813702
40244262008	SB-04 (4.0-5.0')	EPA 3550	813431	EPA 8081B	813702
40244262009	SB-05 (2.0-2.5')	EPA 3550	813431	EPA 8081B	813702
40244262010	SB-05 (4.5-5.5')	EPA 3550	813431	EPA 8081B	813702
40244262001	SB-01 (1.0-2.0')	EPA 3541	414876	EPA 8082A	414878
40244262002	SB-01 (4.0-5.0')	EPA 3541	414876	EPA 8082A	414878
40244262003	SB-02 (1.5-2.5')	EPA 3541	414876	EPA 8082A	414878
40244262004	SB-02 (4.0-5.0')	EPA 3541	414876	EPA 8082A	414878
40244262005	SB-03 (2.0-3.0')	EPA 3541	414876	EPA 8082A	414878
40244262006	SB-03 (4.0-5.0')	EPA 3541	414876	EPA 8082A	414878
40244262007	SB-04 (1.0-2.0')	EPA 3541	414876	EPA 8082A	414878
40244262008	SB-04 (4.0-5.0')	EPA 3541	414876	EPA 8082A	414878
40244262009	SB-05 (2.0-2.5')	EPA 3541	414876	EPA 8082A	414878
40244262010	SB-05 (4.5-5.5')	EPA 3541	414876	EPA 8082A	414878
40244262001	SB-01 (1.0-2.0')	EPA 3050B	813304	EPA 6020B	813569
40244262002	SB-01 (4.0-5.0')	EPA 3050B	813304	EPA 6020B	813569
40244262003	SB-02 (1.5-2.5')	EPA 3050B	813304	EPA 6020B	813569
40244262004	SB-02 (4.0-5.0')	EPA 3050B	813304	EPA 6020B	813569
40244262005	SB-03 (2.0-3.0')	EPA 3050B	813304	EPA 6020B	813569
40244262006	SB-03 (4.0-5.0')	EPA 3050B	813304	EPA 6020B	813569
40244262007	SB-04 (1.0-2.0')	EPA 3050B	813304	EPA 6020B	813569
40244262008	SB-04 (4.0-5.0')	EPA 3050B	813304	EPA 6020B	813569
40244262009	SB-05 (2.0-2.5')	EPA 3050B	813304	EPA 6020B	813569
40244262010	SB-05 (4.5-5.5')	EPA 3050B	813304	EPA 6020B	813569
40244262001	SB-01 (1.0-2.0')	EPA 7471	414904	EPA 7471	414933
40244262002	SB-01 (4.0-5.0')	EPA 7471	414904	EPA 7471	414933
40244262003	SB-02 (1.5-2.5')	EPA 7471	414904	EPA 7471	414933
40244262004	SB-02 (4.0-5.0')	EPA 7471	414904	EPA 7471	414933
40244262005	SB-03 (2.0-3.0')	EPA 7471	414904	EPA 7471	414933
40244262006	SB-03 (4.0-5.0')	EPA 7471	414904	EPA 7471	414933
40244262007	SB-04 (1.0-2.0')	EPA 7471	414904	EPA 7471	414933
40244262008	SB-04 (4.0-5.0')	EPA 7471	414904	EPA 7471	414933
40244262009	SB-05 (2.0-2.5')	EPA 7471	414904	EPA 7471	414933
40244262010	SB-05 (4.5-5.5')	EPA 7471	414904	EPA 7471	414933
40244262001	SB-01 (1.0-2.0')	EPA 3546	414770	EPA 8270E	414795
40244262002	SB-01 (4.0-5.0')	EPA 3546	414770	EPA 8270E	414795
40244262003	SB-02 (1.5-2.5')	EPA 3546	414770	EPA 8270E	414795
40244262004	SB-02 (4.0-5.0')	EPA 3546	414770	EPA 8270E	414795
40244262005	SB-03 (2.0-3.0')	EPA 3546	414770	EPA 8270E	414795
40244262006	SB-03 (4.0-5.0')	EPA 3546	414770	EPA 8270E	414795
40244262007	SB-04 (1.0-2.0')	EPA 3546	414770	EPA 8270E	414795

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244262

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244262008	SB-04 (4.0-5.0')	EPA 3546	414937	EPA 8270E	415034
40244262009	SB-05 (2.0-2.5')	EPA 3546	414770	EPA 8270E	414795
40244262010	SB-05 (4.5-5.5')	EPA 3546	414770	EPA 8270E	414795
40244262001	SB-01 (1.0-2.0')	EPA 5035/5030	415032	EPA 8260	415033
40244262002	SB-01 (4.0-5.0')	EPA 5035/5030	415032	EPA 8260	415033
40244262003	SB-02 (1.5-2.5')	EPA 5035/5030	415032	EPA 8260	415033
40244262004	SB-02 (4.0-5.0')	EPA 5035/5030	415032	EPA 8260	415033
40244262005	SB-03 (2.0-3.0')	EPA 5035/5030	415032	EPA 8260	415033
40244262006	SB-03 (4.0-5.0')	EPA 5035/5030	415032	EPA 8260	415033
40244262007	SB-04 (1.0-2.0')	EPA 5035/5030	415032	EPA 8260	415033
40244262008	SB-04 (4.0-5.0')	EPA 5035/5030	415132	EPA 8260	415134
40244262009	SB-05 (2.0-2.5')	EPA 5035/5030	415132	EPA 8260	415134
40244262010	SB-05 (4.5-5.5')	EPA 5035/5030	415132	EPA 8260	415134
40244262001	SB-01 (1.0-2.0')	ASTM D2974-87	414728		
40244262002	SB-01 (4.0-5.0')	ASTM D2974-87	414728		
40244262003	SB-02 (1.5-2.5')	ASTM D2974-87	414728		
40244262004	SB-02 (4.0-5.0')	ASTM D2974-87	414728		
40244262005	SB-03 (2.0-3.0')	ASTM D2974-87	414728		
40244262006	SB-03 (4.0-5.0')	ASTM D2974-87	414731		
40244262007	SB-04 (1.0-2.0')	ASTM D2974-87	414731		
40244262008	SB-04 (4.0-5.0')	ASTM D2974-87	414731		
40244262009	SB-05 (2.0-2.5')	ASTM D2974-87	414731		
40244262010	SB-05 (4.5-5.5')	ASTM D2974-87	414731		
40244262001	SB-01 (1.0-2.0')	EPA 9040	415028		
40244262002	SB-01 (4.0-5.0')	EPA 9040	415028		
40244262004	SB-02 (4.0-5.0')	EPA 9040	415028		
40244262005	SB-03 (2.0-3.0')	EPA 9040	415028		
40244262006	SB-03 (4.0-5.0')	EPA 9040	415028		
40244262007	SB-04 (1.0-2.0')	EPA 9040	415028		
40244262008	SB-04 (4.0-5.0')	EPA 9040	415028		
40244262009	SB-05 (2.0-2.5')	EPA 9040	415028		
40244262010	SB-05 (4.5-5.5')	EPA 9040	415028		
40244262003	SB-02 (1.5-2.5')	EPA 9045	415027		
40244262001	SB-01 (1.0-2.0')	EPA 9012B	415104	EPA 9012B	415165
40244262002	SB-01 (4.0-5.0')	EPA 9012B	415104	EPA 9012B	415165
40244262003	SB-02 (1.5-2.5')	EPA 9012B	415104	EPA 9012B	415165
40244262004	SB-02 (4.0-5.0')	EPA 9012B	415104	EPA 9012B	415165
40244262005	SB-03 (2.0-3.0')	EPA 9012B	415104	EPA 9012B	415165
40244262006	SB-03 (4.0-5.0')	EPA 9012B	415104	EPA 9012B	415165
40244262007	SB-04 (1.0-2.0')	EPA 9012B	415104	EPA 9012B	415165
40244262008	SB-04 (4.0-5.0')	EPA 9012B	415104	EPA 9012B	415165
40244262009	SB-05 (2.0-2.5')	EPA 9012B	415104	EPA 9012B	415165
40244262010	SB-05 (4.5-5.5')	EPA 9012B	415104	EPA 9012B	415165

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: Fehr Graham
 Branch/Location: Rockford, IL
 Project Contact: Tony Guajardo
 Phone: 815-394-4700
 Project Number: 22-521 PH01
 Project Name: Pillsbury
 Project State: ILLINOIS
 Sampled By (Print): Hannah Insko
 Sampled By (Sign): Hannah chris
 PO #: 22-521 PH01 Regulatory Program:



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

(2 coolers)
 40244262

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	Z	Z	Z	Z	Z	Z	Z
E,F	A	A	A	A	A	A	A
Analyses Requested	VOCs	PESTICIDES	SVOCs, PCBs, CN	TAL METALS, PH	TPH G,RO	TPH, DRU, ORO	FOL

Quote #:

Mail To Contact: Tony Guajardo
Mail To Company: Fehr Graham
Mail To Address: 200 Prairie Street Suite 208 Rockford IL 61107

Invoice To Contact: Tony Guajardo
Invoice To Company: Fehr Graham
Invoice To Address: 200 Prairie Street Suite 208 Rockford IL 61107

Invoice To Phone: 815-394-4700

CLIENT COMMENTS **LAB COMMENTS (Lab Use Only)** **Profile #**

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	SB-01 (1.0-7.0')	5-2-22	1310	S
002	SB-01 (4.0-5.0')	5-2-22	1315	S
003	SB-02 (1.5-7.5')	5-2-22	1355	S
004	SB-02 (4.0-5.0')	5-2-22	1400	S
005	SB-03 (2.0-3.0')	5-2-22	1450	S
006	SB-03 (4.0-5.0')	5-2-22	1455	S
007	SB-04 (1.0-7.0')	5-2-22	1530	S
008	SB-04 (4.0-5.0')	5-2-22	1535	S
009	SB-05 (2.0-2.5')	5-2-22	1625	S
010	SB-05 (4.5-5.5')	5-2-22	1630	S

Rush Turnaround Time Requested - Prelims
 (Rush TAT subject to approval/surcharge)
 Date Needed:

Transmit Prelim Rush Results by (complete what you want):

Email #1:
 Email #2:
 Telephone:
 Fax:

Samples on HOLD are subject to special pricing and release of liability

Relinquished By: Hannah chris Date/Time: 5-2-22 1730
 Relinquished By: LPS Date/Time: 5/3/22 1230

Relinquished By: _____ Date/Time: _____
 Relinquished By: _____ Date/Time: _____

Received By: _____ Date/Time: 5/3/22 1250
 Received By: _____ Date/Time: 5/3/22 1250

Received By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

PACE Project No. 40244262

Receipt Temp = 21.3 °C

Sample Receipt pH (OK) Adjusted

Cooler Custody Seal Present/Not Present Intact/Not Intact

Sample Preservation Receipt Form

Client Name: Felix Graham

Project # 40244262

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed:

Date/Time:

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass						Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act. pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)						
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WG9U	WPFU								SP5T	ZPLC	GN			
001																																				2.5 / 5 / 10
002																																				2.5 / 5 / 10
003																																				2.5 / 5 / 10
004																																				2.5 / 5 / 10
005																																				2.5 / 5 / 10
006																																				2.5 / 5 / 10
007																																				2.5 / 5 / 10
008																																				2.5 / 5 / 10
009																																				2.5 / 5 / 10
010																																				2.5 / 5 / 10
011																																				2.5 / 5 / 10
012																																				2.5 / 5 / 10
013																																				2.5 / 5 / 10
014																																				2.5 / 5 / 10
015																																				2.5 / 5 / 10
016																																				2.5 / 5 / 10
017																																				2.5 / 5 / 10
018																																				2.5 / 5 / 10
019																																				2.5 / 5 / 10
020																																				2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm): Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9A	40 mL clear ascorbic	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WG9U	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG5U	100 mL amber glass unpres			VG9D	40 mL clear vial DI	ZPLC	ziploc bag
AG2S	500 mL amber glass H2SO4					GN	
BG3U	250 mL clear glass unpres						

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Fehr Groceries

WO#: 40244262

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____



Tracking #: 1Z9UE6F31394808910, 1Z9UE6F31394808910

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR-110 Type of Ice: Wet Blue Dry None

Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 2/3 ICorr: 2/3

Temp Blank Present: yes no

Biological Tissue is Frozen: yes no

Person examining contents:

Date: 5/3/22 Initials: CDK

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Labeled By Initials: MH

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time: <u>5/3/22 @ 1415 CDK 5/3/22</u>
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>S</u>		
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample login

May 17, 2022

Annie Ray
Fehr Graham
200 Prairie St
Suite 208
Rockford, IL 61107

RE: Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Dear Annie Ray:

Enclosed are the analytical results for sample(s) received by the laboratory on May 04, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay
- Pace Analytical Services - Indianapolis
- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
A2LA Certification #: 2926.01*
1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009*
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014*
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605*
Georgia Certification #: 959
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086*
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064*
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137*
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240*
Mississippi Certification #: MN00064

Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081*
New Jersey Certification #: MN002
New York Certification #: 11647*
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification (A2LA) #: R-036
North Dakota Certification (MN) #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Ohio VAP Certification (1800) #: CL110*
Oklahoma Certification #: 9507*
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001*
Pennsylvania Certification #: 68-00563*
Puerto Rico Certification #: MN00064
South Carolina Certification #:74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192*
Utah Certification #: MN00064*
Vermont Certification #: VT-027053137
Virginia Certification #: 460163*
Washington Certification #: C486*
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification #: via A2LA 2926.01
USDA Permit #: P330-19-00208
Please Note: Applicable air certifications are denoted with an asterisk ().

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019

Michigan Drinking Water Laboratory #9050
Ohio VAP Certified Laboratory #: CL0065
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Wisconsin Laboratory #: 999788130
USDA Soil Permit #: P330-19-00257

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40244350001	SB-06 (2-2.7)	Solid	05/03/22 08:15	05/04/22 10:15
40244350002	SB-06 (5-6)	Solid	05/03/22 08:20	05/04/22 10:15
40244350003	SB-07 (1.3-2.3)	Solid	05/03/22 08:55	05/04/22 10:15
40244350004	SB-07 (4.5-5.5)	Solid	05/03/22 09:00	05/04/22 10:15
40244350005	SB-08 (2-2.5)	Solid	05/03/22 09:25	05/04/22 10:15
40244350006	SB-08 (4.5-5.5)	Solid	05/03/22 09:30	05/04/22 10:15
40244350007	SB-09 (1.5-2.5)	Solid	05/03/22 10:25	05/04/22 10:15
40244350008	SB-09 (4.5-5.5)	Solid	05/03/22 10:30	05/04/22 10:15
40244350009	SB-14 (2-3)	Solid	05/03/22 12:05	05/04/22 10:15
40244350010	SB-14 (5-6)	Solid	05/03/22 12:10	05/04/22 10:15
40244350011	SB-12 (2-2.8)	Solid	05/03/22 12:45	05/04/22 10:15
40244350012	SB-12 (4.3-5.3)	Solid	05/03/22 12:50	05/04/22 10:15
40244350013	SB-11 (1-2)	Solid	05/03/22 13:35	05/04/22 10:15
40244350014	SB-11 (4-5)	Solid	05/03/22 13:40	05/04/22 10:15
40244350015	SB-10 (1.8-2.8)	Solid	05/03/22 14:25	05/04/22 10:15
40244350016	SB-10 (4-5)	Solid	05/03/22 14:30	05/04/22 10:15
40244350017	SB-15 (2-3)	Solid	05/03/22 15:10	05/04/22 10:15
40244350018	SB-15 (4.5-5.5)	Solid	05/03/22 15:15	05/04/22 10:15
40244350019	SB-13 (2.6-3.6)	Solid	05/03/22 15:45	05/04/22 10:15
40244350020	SB-13 (4.5-5.5)	Solid	05/03/22 15:50	05/04/22 10:15
40244350021	TB-01	Solid	05/03/22 00:00	05/04/22 10:15
40244350022	05032022 DUP 01	Solid	05/03/22 00:00	05/04/22 10:15

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244350001	SB-06 (2-2.7)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		40244350002	SB-06 (5-6)	EPA 8081	KAV
EPA 8082A	BLM			10	PASI-G
EPA 6020B	RJS			22	PASI-M
EPA 7471	AJT			1	PASI-G
EPA 8270E	TPO			70	PASI-G
EPA 8260	LAP			38	PASI-G
ASTM D2974-87	JCP			1	PASI-G
EPA 9040	YER			1	PASI-G
EPA 9012B	DAW			1	PASI-G
40244350003	SB-07 (1.3-2.3)			EPA 8081	KAV
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		40244350004	SB-07 (4.5-5.5)	EPA 8081	KAV
EPA 8082A	BLM			10	PASI-G
EPA 6020B	RJS			22	PASI-M
EPA 7471	AJT			1	PASI-G
EPA 8270E	TPO			70	PASI-G
EPA 8260	LAP			38	PASI-G
ASTM D2974-87	JCP			1	PASI-G
EPA 9040	YER			1	PASI-G
EPA 9012B	DAW			1	PASI-G
40244350005	SB-08 (2-2.5)			EPA 8015D Modified	MRN

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 8015D Modified	ALD	2	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244350006	SB-08 (4.5-5.5)	EPA 8015D Modified	MRN	3	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 8015D Modified	ALD	2	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244350007	SB-09 (1.5-2.5)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244350008	SB-09 (4.5-5.5)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244350009	SB-14 (2-3)	EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
40244350010	SB-14 (5-6)	ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
40244350011	SB-12 (2-2.8)	EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
40244350012	SB-12 (4.3-5.3)	EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
EPA 7471	AJT	1	PASI-G		
EPA 8270E	TPO	70	PASI-G		
EPA 8260	LAP	38	PASI-G		
ASTM D2974-87	JCP	1	PASI-G		
EPA 9040	YER	1	PASI-G		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244350013	SB-11 (1-2)	EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244350014	SB-11 (4-5)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
40244350015	SB-10 (1.8-2.8)	EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
40244350016	SB-10 (4-5)	EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244350017	SB-15 (2-3)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244350018	SB-15 (4.5-5.5)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244350019	SB-13 (2.6-3.6)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244350020	SB-13 (4.5-5.5)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244350021	TB-01	EPA 8260	LAP	38	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244350022	05032022 DUP 01	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	NN2	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G

PASI-G = Pace Analytical Services - Green Bay

PASI-I = Pace Analytical Services - Indianapolis

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244350001	SB-06 (2-2.7)					
EPA 6020B	Aluminum	9990	mg/kg	39.3	05/12/22 15:56	P6
EPA 6020B	Antimony	0.13J	mg/kg	0.66	05/12/22 15:56	M1
EPA 6020B	Arsenic	4.1	mg/kg	0.66	05/12/22 15:56	
EPA 6020B	Barium	154	mg/kg	0.39	05/12/22 15:56	M1
EPA 6020B	Beryllium	0.77	mg/kg	0.26	05/12/22 15:56	
EPA 6020B	Cadmium	0.21	mg/kg	0.10	05/12/22 15:56	
EPA 6020B	Calcium	7890	mg/kg	131	05/12/22 15:56	P6,R1
EPA 6020B	Chromium	13.1	mg/kg	2.6	05/12/22 15:56	
EPA 6020B	Cobalt	4.2	mg/kg	0.66	05/12/22 15:56	
EPA 6020B	Copper	15.8	mg/kg	1.3	05/12/22 15:56	
EPA 6020B	Iron	12700	mg/kg	65.5	05/12/22 15:56	P6
EPA 6020B	Lead	12.6	mg/kg	0.66	05/12/22 15:56	
EPA 6020B	Magnesium	4140	mg/kg	39.3	05/12/22 15:56	M1
EPA 6020B	Manganese	416	mg/kg	0.66	05/12/22 15:56	P6,R1
EPA 6020B	Nickel	10.6	mg/kg	0.66	05/12/22 15:56	
EPA 6020B	Potassium	954	mg/kg	131	05/12/22 15:56	
EPA 6020B	Selenium	0.59J	mg/kg	0.66	05/12/22 15:56	
EPA 6020B	Silver	0.32J	mg/kg	0.66	05/12/22 15:56	
EPA 6020B	Sodium	38.8J	mg/kg	65.5	05/12/22 15:56	
EPA 6020B	Thallium	0.19	mg/kg	0.13	05/12/22 15:56	
EPA 6020B	Vanadium	25.0	mg/kg	1.3	05/12/22 15:56	
EPA 6020B	Zinc	47.2	mg/kg	6.6	05/12/22 15:56	
EPA 7471	Mercury	0.053	mg/kg	0.047	05/09/22 10:22	
EPA 8270E	3&4-Methylphenol(m&p Cresol)	0.17	mg/kg	0.14	05/06/22 22:03	
EPA 8270E	Benzo(b)fluoranthene	0.043J	mg/kg	0.13	05/06/22 22:03	
EPA 8270E	Fluoranthene	0.034J	mg/kg	0.11	05/06/22 22:03	
EPA 8270E	Phenanthrene	0.035J	mg/kg	0.096	05/06/22 22:03	
ASTM D2974-87	Percent Moisture	25.9	%	0.10	05/10/22 16:07	
EPA 9040	pH at 25 Degrees C	7.9	Std. Units	0.10	05/11/22 12:55	1q,H6
40244350002	SB-06 (5-6)					
EPA 6020B	Aluminum	14600	mg/kg	37.4	05/12/22 16:16	
EPA 6020B	Antimony	0.19J	mg/kg	0.62	05/12/22 16:16	
EPA 6020B	Arsenic	11.2	mg/kg	0.62	05/12/22 16:16	
EPA 6020B	Barium	207	mg/kg	0.37	05/12/22 16:16	
EPA 6020B	Beryllium	1.0	mg/kg	0.25	05/12/22 16:16	
EPA 6020B	Cadmium	0.12	mg/kg	0.10	05/12/22 16:16	
EPA 6020B	Calcium	3590	mg/kg	125	05/12/22 16:16	
EPA 6020B	Chromium	18.6	mg/kg	2.5	05/12/22 16:16	
EPA 6020B	Cobalt	6.9	mg/kg	0.62	05/12/22 16:16	
EPA 6020B	Copper	19.9	mg/kg	1.2	05/12/22 16:16	
EPA 6020B	Iron	22400	mg/kg	62.3	05/12/22 16:16	
EPA 6020B	Lead	12.0	mg/kg	0.62	05/12/22 16:16	
EPA 6020B	Magnesium	3600	mg/kg	37.4	05/12/22 16:16	
EPA 6020B	Manganese	111	mg/kg	0.62	05/12/22 16:16	
EPA 6020B	Nickel	15.7	mg/kg	0.62	05/12/22 16:16	
EPA 6020B	Potassium	628	mg/kg	125	05/12/22 16:16	
EPA 6020B	Selenium	0.31J	mg/kg	0.62	05/12/22 16:16	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244350002	SB-06 (5-6)					
EPA 6020B	Silver	0.42J	mg/kg	0.62	05/12/22 16:16	
EPA 6020B	Sodium	56.4J	mg/kg	62.3	05/12/22 16:16	
EPA 6020B	Thallium	0.20	mg/kg	0.12	05/12/22 16:16	
EPA 6020B	Vanadium	34.3	mg/kg	1.2	05/12/22 16:16	
EPA 6020B	Zinc	54.9	mg/kg	6.2	05/12/22 16:16	
EPA 7471	Mercury	0.062	mg/kg	0.044	05/09/22 10:29	
ASTM D2974-87	Percent Moisture	22.8	%	0.10	05/10/22 16:07	
EPA 9040	pH at 25 Degrees C	8.0	Std. Units	0.10	05/11/22 13:00	1q,H6
40244350003	SB-07 (1.3-2.3)					
EPA 6020B	Aluminum	12400	mg/kg	36.8	05/12/22 16:19	
EPA 6020B	Antimony	0.19J	mg/kg	0.61	05/12/22 16:19	
EPA 6020B	Arsenic	8.4	mg/kg	0.61	05/12/22 16:19	
EPA 6020B	Barium	148	mg/kg	0.37	05/12/22 16:19	
EPA 6020B	Beryllium	0.82	mg/kg	0.25	05/12/22 16:19	
EPA 6020B	Cadmium	0.12	mg/kg	0.098	05/12/22 16:19	
EPA 6020B	Calcium	3870	mg/kg	123	05/12/22 16:19	
EPA 6020B	Chromium	15.3	mg/kg	2.5	05/12/22 16:19	
EPA 6020B	Cobalt	7.0	mg/kg	0.61	05/12/22 16:19	
EPA 6020B	Copper	13.1	mg/kg	1.2	05/12/22 16:19	
EPA 6020B	Iron	20600	mg/kg	61.3	05/12/22 16:19	
EPA 6020B	Lead	11.6	mg/kg	0.61	05/12/22 16:19	
EPA 6020B	Magnesium	2530	mg/kg	36.8	05/12/22 16:19	
EPA 6020B	Manganese	744	mg/kg	6.1	05/12/22 16:22	
EPA 6020B	Nickel	13.6	mg/kg	0.61	05/12/22 16:19	
EPA 6020B	Potassium	988	mg/kg	123	05/12/22 16:19	
EPA 6020B	Selenium	0.74	mg/kg	0.61	05/12/22 16:19	
EPA 6020B	Sodium	66.6	mg/kg	61.3	05/12/22 16:19	
EPA 6020B	Thallium	0.18	mg/kg	0.12	05/12/22 16:19	
EPA 6020B	Vanadium	31.0	mg/kg	1.2	05/12/22 16:19	
EPA 6020B	Zinc	59.0	mg/kg	6.1	05/12/22 16:19	
EPA 7471	Mercury	0.031J	mg/kg	0.044	05/09/22 10:36	
ASTM D2974-87	Percent Moisture	24.5	%	0.10	05/10/22 16:07	
EPA 9040	pH at 25 Degrees C	7.4	Std. Units	0.10	05/11/22 13:09	1q,H6
40244350004	SB-07 (4.5-5.5)					
EPA 6020B	Aluminum	16700	mg/kg	37.2	05/12/22 16:43	
EPA 6020B	Antimony	0.35J	mg/kg	0.62	05/12/22 16:43	
EPA 6020B	Arsenic	17.7	mg/kg	0.62	05/12/22 16:43	
EPA 6020B	Barium	304	mg/kg	0.37	05/12/22 16:43	
EPA 6020B	Beryllium	1.1	mg/kg	0.25	05/12/22 16:43	
EPA 6020B	Cadmium	0.48	mg/kg	0.099	05/12/22 16:43	
EPA 6020B	Calcium	3350	mg/kg	124	05/12/22 16:43	
EPA 6020B	Chromium	21.2	mg/kg	2.5	05/12/22 16:43	
EPA 6020B	Cobalt	19.9	mg/kg	0.62	05/12/22 16:43	
EPA 6020B	Copper	23.8	mg/kg	1.2	05/12/22 16:43	
EPA 6020B	Iron	29900	mg/kg	62.0	05/12/22 16:43	
EPA 6020B	Lead	18.0	mg/kg	0.62	05/12/22 16:43	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244350004	SB-07 (4.5-5.5)					
EPA 6020B	Magnesium	3910	mg/kg	37.2	05/12/22 16:43	
EPA 6020B	Manganese	2110	mg/kg	6.2	05/13/22 08:45	
EPA 6020B	Nickel	34.7	mg/kg	0.62	05/12/22 16:43	
EPA 6020B	Potassium	783	mg/kg	124	05/12/22 16:43	
EPA 6020B	Selenium	0.44J	mg/kg	0.62	05/12/22 16:43	
EPA 6020B	Sodium	98.5	mg/kg	62.0	05/12/22 16:43	
EPA 6020B	Thallium	0.24	mg/kg	0.12	05/12/22 16:43	
EPA 6020B	Vanadium	42.3	mg/kg	1.2	05/12/22 16:43	
EPA 6020B	Zinc	64.4	mg/kg	6.2	05/12/22 16:43	
EPA 7471	Mercury	0.057	mg/kg	0.041	05/09/22 10:38	
ASTM D2974-87	Percent Moisture	23.1	%	0.10	05/10/22 16:07	
EPA 9040	pH at 25 Degrees C	6.7	Std. Units	0.10	05/11/22 14:02	1q,H6
40244350005	SB-08 (2-2.5)					
EPA 8015D Modified	TPH (C08-C36)	61.7	mg/kg	2.1	05/13/22 07:14	
EPA 8015D Modified	TPH - Diesel (C10-C28)	57.9	mg/kg	2.1	05/13/22 07:14	
EPA 6020B	Aluminum	8760	mg/kg	36.6	05/12/22 16:46	
EPA 6020B	Antimony	0.25J	mg/kg	0.61	05/12/22 16:46	
EPA 6020B	Arsenic	24.6	mg/kg	0.61	05/12/22 16:46	
EPA 6020B	Barium	118	mg/kg	0.37	05/12/22 16:46	
EPA 6020B	Beryllium	0.64	mg/kg	0.24	05/12/22 16:46	
EPA 6020B	Cadmium	0.40	mg/kg	0.098	05/12/22 16:46	
EPA 6020B	Calcium	11700	mg/kg	122	05/12/22 16:46	
EPA 6020B	Chromium	11.8	mg/kg	2.4	05/12/22 16:46	
EPA 6020B	Cobalt	4.1	mg/kg	0.61	05/12/22 16:46	
EPA 6020B	Copper	12.9	mg/kg	1.2	05/12/22 16:46	
EPA 6020B	Iron	11600	mg/kg	60.9	05/12/22 16:46	
EPA 6020B	Lead	15.6	mg/kg	0.61	05/12/22 16:46	
EPA 6020B	Magnesium	5190	mg/kg	36.6	05/12/22 16:46	
EPA 6020B	Manganese	229	mg/kg	0.61	05/12/22 16:46	
EPA 6020B	Nickel	11.3	mg/kg	0.61	05/12/22 16:46	
EPA 6020B	Potassium	991	mg/kg	122	05/12/22 16:46	
EPA 6020B	Selenium	0.73	mg/kg	0.61	05/12/22 16:46	
EPA 6020B	Sodium	51.1J	mg/kg	60.9	05/12/22 16:46	
EPA 6020B	Thallium	0.22	mg/kg	0.12	05/12/22 16:46	
EPA 6020B	Vanadium	24.3	mg/kg	1.2	05/12/22 16:46	
EPA 6020B	Zinc	83.1	mg/kg	6.1	05/12/22 16:46	
EPA 7471	Mercury	0.030J	mg/kg	0.043	05/09/22 10:41	
ASTM D2974-87	Percent Moisture	21.9	%	0.10	05/10/22 16:08	
EPA 9040	pH at 25 Degrees C	7.4	Std. Units	0.10	05/11/22 14:10	1q,H6
40244350006	SB-08 (4.5-5.5)					
EPA 8015D Modified	TPH (C08-C36)	31.3	mg/kg	2.2	05/17/22 06:49	
EPA 8015D Modified	TPH - Diesel (C10-C28)	25.5	mg/kg	2.2	05/17/22 06:49	
EPA 6020B	Aluminum	2350	mg/kg	38.9	05/12/22 16:49	
EPA 6020B	Antimony	0.82	mg/kg	0.65	05/12/22 16:49	
EPA 6020B	Arsenic	17.1	mg/kg	0.65	05/12/22 16:49	
EPA 6020B	Barium	27.7	mg/kg	0.39	05/12/22 16:49	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244350006	SB-08 (4.5-5.5)					
EPA 6020B	Beryllium	0.27	mg/kg	0.26	05/12/22 16:49	
EPA 6020B	Cadmium	0.31	mg/kg	0.10	05/12/22 16:49	
EPA 6020B	Calcium	55300	mg/kg	130	05/12/22 16:49	
EPA 6020B	Chromium	5.5	mg/kg	2.6	05/12/22 16:49	
EPA 6020B	Cobalt	3.3	mg/kg	0.65	05/12/22 16:49	
EPA 6020B	Copper	8.8	mg/kg	1.3	05/12/22 16:49	
EPA 6020B	Iron	7220	mg/kg	64.8	05/12/22 16:49	
EPA 6020B	Lead	14.6	mg/kg	0.65	05/12/22 16:49	
EPA 6020B	Magnesium	27200	mg/kg	38.9	05/12/22 16:49	
EPA 6020B	Manganese	1160	mg/kg	6.5	05/13/22 08:49	
EPA 6020B	Nickel	8.7	mg/kg	0.65	05/12/22 16:49	
EPA 6020B	Potassium	476	mg/kg	130	05/12/22 16:49	
EPA 6020B	Selenium	0.26J	mg/kg	0.65	05/12/22 16:49	
EPA 6020B	Sodium	142	mg/kg	64.8	05/12/22 16:49	
EPA 6020B	Thallium	0.10J	mg/kg	0.13	05/12/22 16:49	
EPA 6020B	Vanadium	8.8	mg/kg	1.3	05/12/22 16:49	
EPA 6020B	Zinc	41.6	mg/kg	6.5	05/12/22 16:49	
EPA 7471	Mercury	0.048	mg/kg	0.045	05/09/22 10:43	
ASTM D2974-87	Percent Moisture	23.6	%	0.10	05/10/22 16:08	
EPA 9040	pH at 25 Degrees C	7.8	Std. Units	0.10	05/11/22 14:14	1q,H6
40244350007	SB-09 (1.5-2.5)					
EPA 6020B	Aluminum	11600	mg/kg	39.2	05/12/22 16:53	
EPA 6020B	Arsenic	4.3	mg/kg	0.65	05/12/22 16:53	
EPA 6020B	Barium	134	mg/kg	0.39	05/12/22 16:53	
EPA 6020B	Beryllium	0.77	mg/kg	0.26	05/12/22 16:53	
EPA 6020B	Cadmium	0.080J	mg/kg	0.10	05/12/22 16:53	
EPA 6020B	Calcium	3820	mg/kg	131	05/12/22 16:53	
EPA 6020B	Chromium	14.4	mg/kg	2.6	05/12/22 16:53	
EPA 6020B	Cobalt	4.2	mg/kg	0.65	05/12/22 16:53	
EPA 6020B	Copper	13.6	mg/kg	1.3	05/12/22 16:53	
EPA 6020B	Iron	14400	mg/kg	65.4	05/12/22 16:53	
EPA 6020B	Lead	9.2	mg/kg	0.65	05/12/22 16:53	
EPA 6020B	Magnesium	2500	mg/kg	39.2	05/12/22 16:53	
EPA 6020B	Manganese	213	mg/kg	0.65	05/12/22 16:53	
EPA 6020B	Nickel	10.2	mg/kg	0.65	05/12/22 16:53	
EPA 6020B	Potassium	959	mg/kg	131	05/12/22 16:53	
EPA 6020B	Selenium	0.66	mg/kg	0.65	05/12/22 16:53	
EPA 6020B	Sodium	47.8J	mg/kg	65.4	05/12/22 16:53	
EPA 6020B	Thallium	0.14	mg/kg	0.13	05/12/22 16:53	
EPA 6020B	Vanadium	24.4	mg/kg	1.3	05/12/22 16:53	
EPA 6020B	Zinc	42.2	mg/kg	6.5	05/12/22 16:53	
EPA 7471	Mercury	0.022J	mg/kg	0.046	05/09/22 10:45	
ASTM D2974-87	Percent Moisture	25.0	%	0.10	05/10/22 16:08	
EPA 9040	pH at 25 Degrees C	7.8	Std. Units	0.10	05/11/22 14:19	1q,H6
40244350008	SB-09 (4.5-5.5)					
EPA 6020B	Aluminum	16400	mg/kg	37.0	05/12/22 16:59	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244350008	SB-09 (4.5-5.5)					
EPA 6020B	Antimony	0.39J	mg/kg	0.62	05/12/22 16:59	
EPA 6020B	Arsenic	24.7	mg/kg	0.62	05/12/22 16:59	
EPA 6020B	Barium	170	mg/kg	0.37	05/12/22 16:59	
EPA 6020B	Beryllium	1.1	mg/kg	0.25	05/12/22 16:59	
EPA 6020B	Cadmium	0.20	mg/kg	0.099	05/12/22 16:59	
EPA 6020B	Calcium	4280	mg/kg	123	05/12/22 16:59	
EPA 6020B	Chromium	23.0	mg/kg	2.5	05/12/22 16:59	
EPA 6020B	Cobalt	6.6	mg/kg	0.62	05/12/22 16:59	
EPA 6020B	Copper	28.0	mg/kg	1.2	05/12/22 16:59	
EPA 6020B	Iron	35500	mg/kg	61.7	05/12/22 16:59	
EPA 6020B	Lead	14.2	mg/kg	0.62	05/12/22 16:59	
EPA 6020B	Magnesium	4600	mg/kg	37.0	05/12/22 16:59	
EPA 6020B	Manganese	126	mg/kg	0.62	05/12/22 16:59	
EPA 6020B	Nickel	24.4	mg/kg	0.62	05/12/22 16:59	
EPA 6020B	Potassium	798	mg/kg	123	05/12/22 16:59	
EPA 6020B	Selenium	0.30J	mg/kg	0.62	05/12/22 16:59	
EPA 6020B	Sodium	75.8	mg/kg	61.7	05/12/22 16:59	
EPA 6020B	Thallium	0.19	mg/kg	0.12	05/12/22 16:59	
EPA 6020B	Vanadium	49.1	mg/kg	1.2	05/12/22 16:59	
EPA 6020B	Zinc	74.1	mg/kg	6.2	05/12/22 16:59	
EPA 7471	Mercury	0.055	mg/kg	0.041	05/09/22 10:47	
ASTM D2974-87	Percent Moisture	22.8	%	0.10	05/10/22 16:08	
EPA 9040	pH at 25 Degrees C	7.4	Std. Units	0.10	05/11/22 14:22	1q,H6
40244350009	SB-14 (2-3)					
EPA 6020B	Aluminum	12500	mg/kg	37.0	05/12/22 16:56	
EPA 6020B	Antimony	0.13J	mg/kg	0.62	05/12/22 16:56	
EPA 6020B	Arsenic	3.9	mg/kg	0.62	05/12/22 16:56	
EPA 6020B	Barium	170	mg/kg	0.37	05/12/22 16:56	
EPA 6020B	Beryllium	0.78	mg/kg	0.25	05/12/22 16:56	
EPA 6020B	Cadmium	0.16	mg/kg	0.099	05/12/22 16:56	
EPA 6020B	Calcium	5660	mg/kg	123	05/12/22 16:56	
EPA 6020B	Chromium	15.7	mg/kg	2.5	05/12/22 16:56	
EPA 6020B	Cobalt	4.9	mg/kg	0.62	05/12/22 16:56	
EPA 6020B	Copper	17.4	mg/kg	1.2	05/12/22 16:56	
EPA 6020B	Iron	14400	mg/kg	61.6	05/12/22 16:56	
EPA 6020B	Lead	16.1	mg/kg	0.62	05/12/22 16:56	
EPA 6020B	Magnesium	2920	mg/kg	37.0	05/12/22 16:56	
EPA 6020B	Manganese	266	mg/kg	0.62	05/12/22 16:56	
EPA 6020B	Nickel	11.9	mg/kg	0.62	05/12/22 16:56	
EPA 6020B	Potassium	1010	mg/kg	123	05/12/22 16:56	
EPA 6020B	Selenium	0.76	mg/kg	0.62	05/12/22 16:56	
EPA 6020B	Sodium	148	mg/kg	61.6	05/12/22 16:56	
EPA 6020B	Thallium	0.16	mg/kg	0.12	05/12/22 16:56	
EPA 6020B	Vanadium	28.1	mg/kg	1.2	05/12/22 16:56	
EPA 6020B	Zinc	51.2	mg/kg	6.2	05/12/22 16:56	
EPA 7471	Mercury	0.024J	mg/kg	0.039	05/09/22 10:50	
ASTM D2974-87	Percent Moisture	21.2	%	0.10	05/10/22 16:08	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244350009	SB-14 (2-3)					
EPA 9040	pH at 25 Degrees C	7.1	Std. Units	0.10	05/11/22 14:26	1q,H6
40244350010	SB-14 (5-6)					
EPA 6020B	Aluminum	15500	mg/kg	36.6	05/12/22 17:13	
EPA 6020B	Antimony	0.18J	mg/kg	0.61	05/12/22 17:13	
EPA 6020B	Arsenic	7.2	mg/kg	0.61	05/12/22 17:13	
EPA 6020B	Barium	179	mg/kg	0.37	05/12/22 17:13	
EPA 6020B	Beryllium	0.88	mg/kg	0.24	05/12/22 17:13	
EPA 6020B	Cadmium	0.14	mg/kg	0.098	05/12/22 17:13	
EPA 6020B	Calcium	5460	mg/kg	122	05/12/22 17:13	
EPA 6020B	Chromium	20.9	mg/kg	2.4	05/12/22 17:13	
EPA 6020B	Cobalt	5.0	mg/kg	0.61	05/12/22 17:13	
EPA 6020B	Copper	22.6	mg/kg	1.2	05/12/22 17:13	
EPA 6020B	Iron	22800	mg/kg	61.0	05/12/22 17:13	
EPA 6020B	Lead	10.1	mg/kg	0.61	05/12/22 17:13	
EPA 6020B	Magnesium	4680	mg/kg	36.6	05/12/22 17:13	
EPA 6020B	Manganese	123	mg/kg	0.61	05/12/22 17:13	
EPA 6020B	Nickel	19.1	mg/kg	0.61	05/12/22 17:13	
EPA 6020B	Potassium	660	mg/kg	122	05/12/22 17:13	
EPA 6020B	Selenium	0.23J	mg/kg	0.61	05/12/22 17:13	
EPA 6020B	Silver	0.18J	mg/kg	0.61	05/12/22 17:13	
EPA 6020B	Sodium	129	mg/kg	61.0	05/12/22 17:13	
EPA 6020B	Thallium	0.18	mg/kg	0.12	05/12/22 17:13	
EPA 6020B	Vanadium	32.6	mg/kg	1.2	05/12/22 17:13	
EPA 6020B	Zinc	64.9	mg/kg	6.1	05/12/22 17:13	
EPA 7471	Mercury	0.053	mg/kg	0.042	05/09/22 10:52	
ASTM D2974-87	Percent Moisture	20.4	%	0.10	05/10/22 16:08	
EPA 9040	pH at 25 Degrees C	7.3	Std. Units	0.10	05/11/22 14:33	1q,H6
40244350011	SB-12 (2-2.8)					
EPA 6020B	Aluminum	12500	mg/kg	36.1	05/12/22 17:16	
EPA 6020B	Antimony	0.19J	mg/kg	0.60	05/12/22 17:16	
EPA 6020B	Arsenic	7.3	mg/kg	0.60	05/12/22 17:16	
EPA 6020B	Barium	198	mg/kg	0.36	05/12/22 17:16	
EPA 6020B	Beryllium	0.83	mg/kg	0.24	05/12/22 17:16	
EPA 6020B	Cadmium	0.13	mg/kg	0.096	05/12/22 17:16	
EPA 6020B	Calcium	4840	mg/kg	120	05/12/22 17:16	
EPA 6020B	Chromium	15.7	mg/kg	2.4	05/12/22 17:16	
EPA 6020B	Cobalt	4.9	mg/kg	0.60	05/12/22 17:16	
EPA 6020B	Copper	14.6	mg/kg	1.2	05/12/22 17:16	
EPA 6020B	Iron	18600	mg/kg	60.1	05/12/22 17:16	
EPA 6020B	Lead	10.3	mg/kg	0.60	05/12/22 17:16	
EPA 6020B	Magnesium	2410	mg/kg	36.1	05/12/22 17:16	
EPA 6020B	Manganese	392	mg/kg	0.60	05/12/22 17:16	
EPA 6020B	Nickel	12.8	mg/kg	0.60	05/12/22 17:16	
EPA 6020B	Potassium	1060	mg/kg	120	05/12/22 17:16	
EPA 6020B	Selenium	0.69	mg/kg	0.60	05/12/22 17:16	
EPA 6020B	Sodium	23.6J	mg/kg	60.1	05/12/22 17:16	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244350011	SB-12 (2-2.8)					
EPA 6020B	Thallium	0.16	mg/kg	0.12	05/12/22 17:16	
EPA 6020B	Vanadium	30.8	mg/kg	1.2	05/12/22 17:16	
EPA 6020B	Zinc	47.5	mg/kg	6.0	05/12/22 17:16	
EPA 7471	Mercury	0.027J	mg/kg	0.043	05/09/22 10:54	
ASTM D2974-87	Percent Moisture	22.3	%	0.10	05/10/22 16:08	
EPA 9040	pH at 25 Degrees C	7.7	Std. Units	0.10	05/11/22 14:36	1q,H6
40244350012	SB-12 (4.3-5.3)					
EPA 6020B	Aluminum	14300	mg/kg	37.5	05/12/22 17:19	
EPA 6020B	Antimony	0.30J	mg/kg	0.63	05/12/22 17:19	
EPA 6020B	Arsenic	19.3	mg/kg	0.63	05/12/22 17:19	
EPA 6020B	Barium	129	mg/kg	0.38	05/12/22 17:19	
EPA 6020B	Beryllium	0.83	mg/kg	0.25	05/12/22 17:19	
EPA 6020B	Cadmium	0.12	mg/kg	0.10	05/12/22 17:19	
EPA 6020B	Calcium	3560	mg/kg	125	05/12/22 17:19	
EPA 6020B	Chromium	19.5	mg/kg	2.5	05/12/22 17:19	
EPA 6020B	Cobalt	3.8	mg/kg	0.63	05/12/22 17:19	
EPA 6020B	Copper	20.3	mg/kg	1.3	05/12/22 17:19	
EPA 6020B	Iron	30000	mg/kg	62.5	05/12/22 17:19	
EPA 6020B	Lead	9.0	mg/kg	0.63	05/12/22 17:19	
EPA 6020B	Magnesium	3250	mg/kg	37.5	05/12/22 17:19	
EPA 6020B	Manganese	73.4	mg/kg	0.63	05/12/22 17:19	
EPA 6020B	Nickel	22.1	mg/kg	0.63	05/12/22 17:19	
EPA 6020B	Potassium	766	mg/kg	125	05/12/22 17:19	
EPA 6020B	Selenium	0.39J	mg/kg	0.63	05/12/22 17:19	
EPA 6020B	Sodium	34.0J	mg/kg	62.5	05/12/22 17:19	
EPA 6020B	Thallium	0.14	mg/kg	0.13	05/12/22 17:19	
EPA 6020B	Vanadium	32.8	mg/kg	1.3	05/12/22 17:19	
EPA 6020B	Zinc	58.3	mg/kg	6.3	05/12/22 17:19	
EPA 7471	Mercury	0.050	mg/kg	0.043	05/09/22 10:57	
ASTM D2974-87	Percent Moisture	24.6	%	0.10	05/10/22 16:08	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/11/22 14:37	1q,H6
40244350013	SB-11 (1-2)					
EPA 8081	4,4'-DDD	0.0015J	mg/kg	0.0060	05/10/22 19:40	
EPA 8081	4,4'-DDE	0.0072	mg/kg	0.0060	05/10/22 19:53	
EPA 8081	4,4'-DDT	0.0085	mg/kg	0.0060	05/10/22 19:53	
EPA 6020B	Aluminum	11800	mg/kg	37.0	05/12/22 17:23	
EPA 6020B	Antimony	0.36J	mg/kg	0.62	05/12/22 17:23	
EPA 6020B	Arsenic	15.5	mg/kg	0.62	05/12/22 17:23	
EPA 6020B	Barium	147	mg/kg	0.37	05/12/22 17:23	
EPA 6020B	Beryllium	0.82	mg/kg	0.25	05/12/22 17:23	
EPA 6020B	Cadmium	0.32	mg/kg	0.099	05/12/22 17:23	
EPA 6020B	Calcium	24000	mg/kg	123	05/12/22 17:23	
EPA 6020B	Chromium	19.4	mg/kg	2.5	05/12/22 17:23	
EPA 6020B	Cobalt	8.3	mg/kg	0.62	05/12/22 17:23	
EPA 6020B	Copper	31.0	mg/kg	1.2	05/12/22 17:23	
EPA 6020B	Iron	24300	mg/kg	61.6	05/12/22 17:23	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244350013	SB-11 (1-2)					
EPA 6020B	Lead	24.6	mg/kg	0.62	05/12/22 17:23	
EPA 6020B	Magnesium	11900	mg/kg	37.0	05/12/22 17:23	
EPA 6020B	Manganese	667	mg/kg	6.2	05/12/22 17:26	
EPA 6020B	Nickel	23.1	mg/kg	0.62	05/12/22 17:23	
EPA 6020B	Potassium	1030	mg/kg	123	05/12/22 17:23	
EPA 6020B	Selenium	0.52J	mg/kg	0.62	05/12/22 17:23	
EPA 6020B	Sodium	73.8	mg/kg	61.6	05/12/22 17:23	
EPA 6020B	Thallium	0.20	mg/kg	0.12	05/12/22 17:23	
EPA 6020B	Vanadium	31.8	mg/kg	1.2	05/12/22 17:23	
EPA 6020B	Zinc	70.4	mg/kg	6.2	05/12/22 17:23	
EPA 7471	Mercury	0.27	mg/kg	0.042	05/09/22 11:06	
EPA 8270E	Benzo(a)anthracene	0.036J	mg/kg	0.11	05/06/22 18:31	
EPA 8270E	Benzo(a)pyrene	0.034J	mg/kg	0.10	05/06/22 18:31	
EPA 8270E	Benzo(b)fluoranthene	0.063J	mg/kg	0.12	05/06/22 18:31	
EPA 8270E	Chrysene	0.034J	mg/kg	0.10	05/06/22 18:31	
EPA 8270E	Fluoranthene	0.048J	mg/kg	0.098	05/06/22 18:31	
EPA 8270E	Phenanthrene	0.032J	mg/kg	0.089	05/06/22 18:31	
EPA 8270E	Pyrene	0.047J	mg/kg	0.15	05/06/22 18:31	
EPA 8260	1,1,1-Trichloroethane	0.017	mg/kg	0.0051	05/06/22 13:09	
ASTM D2974-87	Percent Moisture	19.7	%	0.10	05/10/22 16:08	
EPA 9045	pH at 25 Degrees C	7.94	Std. Units	0.100	05/11/22 15:03	H6
40244350014	SB-11 (4-5)					
EPA 6020B	Aluminum	15700	mg/kg	37.2	05/12/22 17:30	
EPA 6020B	Antimony	0.41J	mg/kg	0.62	05/12/22 17:30	
EPA 6020B	Arsenic	28.3	mg/kg	0.62	05/12/22 17:30	
EPA 6020B	Barium	177	mg/kg	0.37	05/12/22 17:30	
EPA 6020B	Beryllium	1.0	mg/kg	0.25	05/12/22 17:30	
EPA 6020B	Cadmium	0.74	mg/kg	0.099	05/12/22 17:30	
EPA 6020B	Calcium	24500	mg/kg	124	05/12/22 17:30	
EPA 6020B	Chromium	23.1	mg/kg	2.5	05/12/22 17:30	
EPA 6020B	Cobalt	5.5	mg/kg	0.62	05/12/22 17:30	
EPA 6020B	Copper	43.0	mg/kg	1.2	05/12/22 17:30	
EPA 6020B	Iron	37900	mg/kg	62.0	05/12/22 17:30	
EPA 6020B	Lead	40.1	mg/kg	0.62	05/12/22 17:30	
EPA 6020B	Magnesium	4460	mg/kg	37.2	05/12/22 17:30	
EPA 6020B	Manganese	169	mg/kg	0.62	05/12/22 17:30	
EPA 6020B	Nickel	19.5	mg/kg	0.62	05/12/22 17:30	
EPA 6020B	Potassium	740	mg/kg	124	05/12/22 17:30	
EPA 6020B	Selenium	0.37J	mg/kg	0.62	05/12/22 17:30	
EPA 6020B	Sodium	69.1	mg/kg	62.0	05/12/22 17:30	
EPA 6020B	Thallium	0.16	mg/kg	0.12	05/12/22 17:30	
EPA 6020B	Vanadium	42.5	mg/kg	1.2	05/12/22 17:30	
EPA 6020B	Zinc	95.0	mg/kg	6.2	05/12/22 17:30	
EPA 7471	Mercury	0.045J	mg/kg	0.046	05/09/22 11:08	
EPA 8260	1,1,1-Trichloroethane	0.16	mg/kg	0.0055	05/09/22 16:24	
EPA 8260	1,1-Dichloroethane	0.012	mg/kg	0.0055	05/09/22 16:24	
ASTM D2974-87	Percent Moisture	23.1	%	0.10	05/10/22 16:09	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244350014	SB-11 (4-5)					
EPA 9040	pH at 25 Degrees C	7.7	Std. Units	0.10	05/11/22 14:45	1q,H6
40244350015	SB-10 (1.8-2.8)					
EPA 6020B	Aluminum	10600	mg/kg	37.1	05/12/22 17:33	
EPA 6020B	Antimony	0.13J	mg/kg	0.62	05/12/22 17:33	
EPA 6020B	Arsenic	4.7	mg/kg	0.62	05/12/22 17:33	
EPA 6020B	Barium	146	mg/kg	0.37	05/12/22 17:33	
EPA 6020B	Beryllium	0.71	mg/kg	0.25	05/12/22 17:33	
EPA 6020B	Cadmium	0.29	mg/kg	0.099	05/12/22 17:33	
EPA 6020B	Calcium	8440	mg/kg	124	05/12/22 17:33	
EPA 6020B	Chromium	14.6	mg/kg	2.5	05/12/22 17:33	
EPA 6020B	Cobalt	4.4	mg/kg	0.62	05/12/22 17:33	
EPA 6020B	Copper	17.7	mg/kg	1.2	05/12/22 17:33	
EPA 6020B	Iron	15200	mg/kg	61.8	05/12/22 17:33	
EPA 6020B	Lead	26.0	mg/kg	0.62	05/12/22 17:33	
EPA 6020B	Magnesium	4380	mg/kg	37.1	05/12/22 17:33	
EPA 6020B	Manganese	289	mg/kg	0.62	05/12/22 17:33	
EPA 6020B	Nickel	11.8	mg/kg	0.62	05/12/22 17:33	
EPA 6020B	Potassium	1180	mg/kg	124	05/12/22 17:33	
EPA 6020B	Selenium	0.72	mg/kg	0.62	05/12/22 17:33	
EPA 6020B	Sodium	61.5J	mg/kg	61.8	05/12/22 17:33	
EPA 6020B	Thallium	0.22	mg/kg	0.12	05/12/22 17:33	
EPA 6020B	Vanadium	24.5	mg/kg	1.2	05/12/22 17:33	
EPA 6020B	Zinc	64.2	mg/kg	6.2	05/12/22 17:33	
EPA 7471	Mercury	0.067	mg/kg	0.041	05/09/22 11:11	
EPA 8270E	Fluoranthene	0.043J	mg/kg	0.10	05/11/22 13:59	
EPA 8270E	Phenanthrene	0.033J	mg/kg	0.093	05/11/22 13:59	
ASTM D2974-87	Percent Moisture	23.0	%	0.10	05/10/22 16:09	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/11/22 14:48	1q,H6
40244350016	SB-10 (4-5)					
EPA 6020B	Aluminum	19900	mg/kg	38.8	05/12/22 17:36	
EPA 6020B	Arsenic	5.6	mg/kg	0.65	05/12/22 17:36	
EPA 6020B	Barium	208	mg/kg	0.39	05/12/22 17:36	
EPA 6020B	Beryllium	0.88	mg/kg	0.26	05/12/22 17:36	
EPA 6020B	Cadmium	0.085J	mg/kg	0.10	05/12/22 17:36	
EPA 6020B	Calcium	4690	mg/kg	129	05/12/22 17:36	
EPA 6020B	Chromium	22.9	mg/kg	2.6	05/12/22 17:36	
EPA 6020B	Cobalt	10.1	mg/kg	0.65	05/12/22 17:36	
EPA 6020B	Copper	17.0	mg/kg	1.3	05/12/22 17:36	
EPA 6020B	Iron	23200	mg/kg	64.7	05/12/22 17:36	
EPA 6020B	Lead	10.5	mg/kg	0.65	05/12/22 17:36	
EPA 6020B	Magnesium	3990	mg/kg	38.8	05/12/22 17:36	
EPA 6020B	Manganese	267	mg/kg	0.65	05/12/22 17:36	
EPA 6020B	Nickel	18.5	mg/kg	0.65	05/12/22 17:36	
EPA 6020B	Potassium	1080	mg/kg	129	05/12/22 17:36	
EPA 6020B	Selenium	0.63J	mg/kg	0.65	05/12/22 17:36	
EPA 6020B	Sodium	66.1	mg/kg	64.7	05/12/22 17:36	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244350016	SB-10 (4-5)					
EPA 6020B	Thallium	0.24	mg/kg	0.13	05/12/22 17:36	
EPA 6020B	Vanadium	34.5	mg/kg	1.3	05/12/22 17:36	
EPA 6020B	Zinc	67.0	mg/kg	6.5	05/12/22 17:36	
EPA 7471	Mercury	0.047	mg/kg	0.043	05/09/22 11:13	
ASTM D2974-87	Percent Moisture	23.5	%	0.10	05/10/22 16:09	
EPA 9040	pH at 25 Degrees C	7.7	Std. Units	0.10	05/12/22 13:32	1q,H6
40244350017	SB-15 (2-3)					
EPA 6020B	Aluminum	16100	mg/kg	36.0	05/12/22 17:53	
EPA 6020B	Antimony	0.12J	mg/kg	0.60	05/12/22 17:53	
EPA 6020B	Arsenic	7.3	mg/kg	0.60	05/12/22 17:53	
EPA 6020B	Barium	184	mg/kg	0.36	05/12/22 17:53	
EPA 6020B	Beryllium	0.91	mg/kg	0.24	05/12/22 17:53	
EPA 6020B	Cadmium	0.22	mg/kg	0.096	05/12/22 17:53	
EPA 6020B	Calcium	4670	mg/kg	120	05/12/22 17:53	
EPA 6020B	Chromium	19.2	mg/kg	2.4	05/12/22 17:53	
EPA 6020B	Cobalt	9.4	mg/kg	0.60	05/12/22 17:53	
EPA 6020B	Copper	17.5	mg/kg	1.2	05/12/22 17:53	
EPA 6020B	Iron	20200	mg/kg	60.0	05/12/22 17:53	
EPA 6020B	Lead	19.0	mg/kg	0.60	05/12/22 17:53	
EPA 6020B	Magnesium	3410	mg/kg	36.0	05/12/22 17:53	
EPA 6020B	Manganese	375	mg/kg	0.60	05/12/22 17:53	
EPA 6020B	Nickel	15.9	mg/kg	0.60	05/12/22 17:53	
EPA 6020B	Potassium	1110	mg/kg	120	05/12/22 17:53	
EPA 6020B	Selenium	0.85	mg/kg	0.60	05/12/22 17:53	
EPA 6020B	Sodium	83.7	mg/kg	60.0	05/12/22 17:53	
EPA 6020B	Thallium	0.20	mg/kg	0.12	05/12/22 17:53	
EPA 6020B	Vanadium	34.7	mg/kg	1.2	05/12/22 17:53	
EPA 6020B	Zinc	58.0	mg/kg	6.0	05/12/22 17:53	
EPA 7471	Mercury	0.026J	mg/kg	0.042	05/09/22 11:15	
ASTM D2974-87	Percent Moisture	21.4	%	0.10	05/10/22 16:09	
EPA 9040	pH at 25 Degrees C	7.8	Std. Units	0.10	05/12/22 13:34	1q,H6
40244350018	SB-15 (4.5-5.5)					
EPA 6020B	Aluminum	14300	mg/kg	34.8	05/12/22 17:40	
EPA 6020B	Antimony	0.26J	mg/kg	0.58	05/12/22 17:40	
EPA 6020B	Arsenic	15.1	mg/kg	0.58	05/12/22 17:40	
EPA 6020B	Barium	118	mg/kg	0.35	05/12/22 17:40	
EPA 6020B	Beryllium	0.86	mg/kg	0.23	05/12/22 17:40	
EPA 6020B	Cadmium	0.30	mg/kg	0.093	05/12/22 17:40	
EPA 6020B	Calcium	3780	mg/kg	116	05/12/22 17:40	
EPA 6020B	Chromium	20.7	mg/kg	2.3	05/12/22 17:40	
EPA 6020B	Cobalt	9.2	mg/kg	0.58	05/12/22 17:40	
EPA 6020B	Copper	25.2	mg/kg	1.2	05/12/22 17:40	
EPA 6020B	Iron	27900	mg/kg	58.1	05/12/22 17:40	
EPA 6020B	Lead	12.7	mg/kg	0.58	05/12/22 17:40	
EPA 6020B	Magnesium	3950	mg/kg	34.8	05/12/22 17:40	
EPA 6020B	Manganese	463	mg/kg	0.58	05/12/22 17:40	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244350018	SB-15 (4.5-5.5)					
EPA 6020B	Nickel	23.2	mg/kg	0.58	05/12/22 17:40	
EPA 6020B	Potassium	785	mg/kg	116	05/12/22 17:40	
EPA 6020B	Selenium	0.27J	mg/kg	0.58	05/12/22 17:40	
EPA 6020B	Sodium	80.9	mg/kg	58.1	05/12/22 17:40	
EPA 6020B	Thallium	0.19	mg/kg	0.12	05/12/22 17:40	
EPA 6020B	Vanadium	39.7	mg/kg	1.2	05/12/22 17:40	
EPA 6020B	Zinc	71.3	mg/kg	5.8	05/12/22 17:40	
EPA 7471	Mercury	0.016J	mg/kg	0.044	05/09/22 11:18	
ASTM D2974-87	Percent Moisture	20.3	%	0.10	05/10/22 16:09	
EPA 9040	pH at 25 Degrees C	7.7	Std. Units	0.10	05/12/22 13:36	1q,H6
40244350019	SB-13 (2.6-3.6)					
EPA 6020B	Aluminum	10500	mg/kg	35.5	05/12/22 17:56	
EPA 6020B	Antimony	0.13J	mg/kg	0.59	05/12/22 17:56	
EPA 6020B	Arsenic	3.9	mg/kg	0.59	05/12/22 17:56	
EPA 6020B	Barium	175	mg/kg	0.36	05/12/22 17:56	
EPA 6020B	Beryllium	0.70	mg/kg	0.24	05/12/22 17:56	
EPA 6020B	Cadmium	0.15	mg/kg	0.095	05/12/22 17:56	
EPA 6020B	Calcium	17100	mg/kg	118	05/12/22 17:56	
EPA 6020B	Chromium	17.4	mg/kg	2.4	05/12/22 17:56	
EPA 6020B	Cobalt	6.7	mg/kg	0.59	05/12/22 17:56	
EPA 6020B	Copper	17.2	mg/kg	1.2	05/12/22 17:56	
EPA 6020B	Iron	16600	mg/kg	59.2	05/12/22 17:56	
EPA 6020B	Lead	11.2	mg/kg	0.59	05/12/22 17:56	
EPA 6020B	Magnesium	11100	mg/kg	35.5	05/12/22 17:56	
EPA 6020B	Manganese	349	mg/kg	0.59	05/12/22 17:56	
EPA 6020B	Nickel	17.1	mg/kg	0.59	05/12/22 17:56	
EPA 6020B	Potassium	845	mg/kg	118	05/12/22 17:56	
EPA 6020B	Selenium	0.22J	mg/kg	0.59	05/12/22 17:56	
EPA 6020B	Sodium	59.6	mg/kg	59.2	05/12/22 17:56	
EPA 6020B	Thallium	0.15	mg/kg	0.12	05/12/22 17:56	
EPA 6020B	Vanadium	23.6	mg/kg	1.2	05/12/22 17:56	
EPA 6020B	Zinc	55.9	mg/kg	5.9	05/12/22 17:56	
EPA 7471	Mercury	0.024J	mg/kg	0.042	05/09/22 11:20	
ASTM D2974-87	Percent Moisture	21.8	%	0.10	05/10/22 16:09	
EPA 9040	pH at 25 Degrees C	8.0	Std. Units	0.10	05/12/22 13:45	1q,H6
40244350020	SB-13 (4.5-5.5)					
EPA 6020B	Aluminum	14000	mg/kg	36.7	05/12/22 18:00	
EPA 6020B	Antimony	0.27J	mg/kg	0.61	05/12/22 18:00	
EPA 6020B	Arsenic	13.7	mg/kg	0.61	05/12/22 18:00	
EPA 6020B	Barium	225	mg/kg	0.37	05/12/22 18:00	
EPA 6020B	Beryllium	0.87	mg/kg	0.24	05/12/22 18:00	
EPA 6020B	Cadmium	0.41	mg/kg	0.098	05/12/22 18:00	
EPA 6020B	Calcium	3900	mg/kg	122	05/12/22 18:00	
EPA 6020B	Chromium	18.5	mg/kg	2.4	05/12/22 18:00	
EPA 6020B	Cobalt	11.4	mg/kg	0.61	05/12/22 18:00	
EPA 6020B	Copper	24.1	mg/kg	1.2	05/12/22 18:00	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244350020	SB-13 (4.5-5.5)					
EPA 6020B	Iron	26900	mg/kg	61.2	05/12/22 18:00	
EPA 6020B	Lead	14.3	mg/kg	0.61	05/12/22 18:00	
EPA 6020B	Magnesium	4130	mg/kg	36.7	05/12/22 18:00	
EPA 6020B	Manganese	999	mg/kg	6.1	05/12/22 18:03	
EPA 6020B	Nickel	26.4	mg/kg	0.61	05/12/22 18:00	
EPA 6020B	Potassium	925	mg/kg	122	05/12/22 18:00	
EPA 6020B	Selenium	0.33J	mg/kg	0.61	05/12/22 18:00	
EPA 6020B	Sodium	81.8	mg/kg	61.2	05/12/22 18:00	
EPA 6020B	Thallium	0.18	mg/kg	0.12	05/12/22 18:00	
EPA 6020B	Vanadium	35.6	mg/kg	1.2	05/12/22 18:00	
EPA 6020B	Zinc	65.3	mg/kg	6.1	05/12/22 18:00	
ASTM D2974-87	Percent Moisture	19.2	%	0.10	05/10/22 16:09	
EPA 9045	pH at 25 Degrees C	8.03	Std. Units	0.100	05/12/22 12:57	H6
40244350022	05032022 DUP 01					
EPA 6020B	Aluminum	16800	mg/kg	37.3	05/10/22 11:18	
EPA 6020B	Arsenic	3.6	mg/kg	0.62	05/10/22 11:18	
EPA 6020B	Barium	178	mg/kg	0.37	05/10/22 11:18	
EPA 6020B	Beryllium	0.85	mg/kg	0.25	05/10/22 11:18	
EPA 6020B	Cadmium	0.083J	mg/kg	0.099	05/10/22 11:18	
EPA 6020B	Calcium	5270	mg/kg	124	05/10/22 11:18	
EPA 6020B	Chromium	19.4	mg/kg	2.5	05/10/22 11:18	
EPA 6020B	Cobalt	5.8	mg/kg	0.62	05/10/22 11:18	
EPA 6020B	Copper	17.6	mg/kg	1.2	05/10/22 11:18	
EPA 6020B	Iron	17300	mg/kg	622	05/10/22 11:22	
EPA 6020B	Lead	11.6	mg/kg	0.62	05/10/22 11:18	
EPA 6020B	Magnesium	3280	mg/kg	37.3	05/10/22 11:18	
EPA 6020B	Manganese	332	mg/kg	0.62	05/10/22 11:18	
EPA 6020B	Nickel	14.1	mg/kg	0.62	05/10/22 11:18	
EPA 6020B	Potassium	1580	mg/kg	124	05/10/22 11:18	
EPA 6020B	Selenium	0.89	mg/kg	0.62	05/10/22 11:18	
EPA 6020B	Sodium	63.1	mg/kg	62.2	05/10/22 11:18	
EPA 6020B	Thallium	0.21	mg/kg	0.12	05/10/22 11:18	
EPA 6020B	Vanadium	30.6	mg/kg	1.2	05/10/22 11:18	
EPA 6020B	Zinc	62.1	mg/kg	6.2	05/10/22 11:18	
EPA 7471	Mercury	0.064	mg/kg	0.045	05/09/22 10:08	
EPA 8270E	Benzo(b)fluoranthene	0.13J	mg/kg	0.37	05/09/22 17:30	
EPA 8270E	Chrysene	0.12J	mg/kg	0.33	05/09/22 17:30	
ASTM D2974-87	Percent Moisture	23.4	%	0.10	05/10/22 16:43	
EPA 9040	pH at 25 Degrees C	7.5	Std. Units	0.10	05/12/22 13:16	1q,H6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-06 (2-2.7) **Lab ID: 40244350001** Collected: 05/03/22 08:15 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00064	mg/kg	0.0033	0.00064	1	05/09/22 02:19	05/12/22 15:25	309-00-2	
alpha-BHC	<0.00069	mg/kg	0.0033	0.00069	1	05/09/22 02:19	05/12/22 15:25	319-84-6	
beta-BHC	<0.00062	mg/kg	0.0033	0.00062	1	05/09/22 02:19	05/12/22 15:25	319-85-7	
delta-BHC	<0.00087	mg/kg	0.0033	0.00087	1	05/09/22 02:19	05/12/22 15:25	319-86-8	
gamma-BHC (Lindane)	<0.00060	mg/kg	0.0033	0.00060	1	05/09/22 02:19	05/12/22 15:25	58-89-9	
Chlordane (Technical)	<0.014	mg/kg	0.066	0.014	1	05/09/22 02:19	05/12/22 15:25	57-74-9	
alpha-Chlordane	<0.00058	mg/kg	0.0033	0.00058	1	05/09/22 02:19	05/12/22 15:25	5103-71-9	
gamma-Chlordane	<0.00069	mg/kg	0.0033	0.00069	1	05/09/22 02:19	05/12/22 15:25	5103-74-2	
4,4'-DDD	<0.0013	mg/kg	0.0066	0.0013	1	05/09/22 02:19	05/12/22 15:25	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0066	0.0011	1	05/09/22 02:19	05/12/22 15:25	72-55-9	
4,4'-DDT	<0.0021	mg/kg	0.0066	0.0021	1	05/09/22 02:19	05/12/22 15:25	50-29-3	
Dieldrin	<0.0012	mg/kg	0.0066	0.0012	1	05/09/22 02:19	05/12/22 15:25	60-57-1	
Endosulfan I	<0.00055	mg/kg	0.0033	0.00055	1	05/09/22 02:19	05/12/22 15:25	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0066	0.0011	1	05/09/22 02:19	05/12/22 15:25	33213-65-9	
Endosulfan sulfate	<0.0013	mg/kg	0.0066	0.0013	1	05/09/22 02:19	05/12/22 15:25	1031-07-8	
Endrin	<0.0012	mg/kg	0.0066	0.0012	1	05/09/22 02:19	05/12/22 15:25	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0066	0.0015	1	05/09/22 02:19	05/12/22 15:25	7421-93-4	
Endrin ketone	<0.0017	mg/kg	0.0066	0.0017	1	05/09/22 02:19	05/12/22 15:25	53494-70-5	
Heptachlor	<0.00059	mg/kg	0.0033	0.00059	1	05/09/22 02:19	05/12/22 15:25	76-44-8	
Heptachlor epoxide	<0.00056	mg/kg	0.0033	0.00056	1	05/09/22 02:19	05/12/22 15:25	1024-57-3	
Methoxychlor	<0.0076	mg/kg	0.033	0.0076	1	05/09/22 02:19	05/12/22 15:25	72-43-5	
Toxaphene	<0.023	mg/kg	0.066	0.023	1	05/09/22 02:19	05/12/22 15:25	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	43	%	10-147		1	05/09/22 02:19	05/12/22 15:25	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.021	mg/kg	0.067	0.021	1	05/05/22 05:15	05/06/22 07:04	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.021	mg/kg	0.067	0.021	1	05/05/22 05:15	05/06/22 07:04	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.021	mg/kg	0.067	0.021	1	05/05/22 05:15	05/06/22 07:04	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.021	mg/kg	0.067	0.021	1	05/05/22 05:15	05/06/22 07:04	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.021	mg/kg	0.067	0.021	1	05/05/22 05:15	05/06/22 07:04	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.021	mg/kg	0.067	0.021	1	05/05/22 05:15	05/06/22 07:04	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.021	mg/kg	0.067	0.021	1	05/05/22 05:15	05/06/22 07:04	11096-82-5	
PCB, Total	<0.021	mg/kg	0.067	0.021	1	05/05/22 05:15	05/06/22 07:04	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	81	%	50-99		1	05/05/22 05:15	05/06/22 07:04	877-09-8	
Decachlorobiphenyl (S)	86	%	38-95		1	05/05/22 05:15	05/06/22 07:04	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	9990	mg/kg	39.3	7.9	1	05/09/22 16:28	05/12/22 15:56	7429-90-5	P6
Antimony	0.13J	mg/kg	0.66	0.13	1	05/09/22 16:28	05/12/22 15:56	7440-36-0	M1
Arsenic	4.1	mg/kg	0.66	0.14	1	05/09/22 16:28	05/12/22 15:56	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-06 (2-2.7) **Lab ID: 40244350001** Collected: 05/03/22 08:15 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	154	mg/kg	0.39	0.070	1	05/09/22 16:28	05/12/22 15:56	7440-39-3	M1
Beryllium	0.77	mg/kg	0.26	0.052	1	05/09/22 16:28	05/12/22 15:56	7440-41-7	
Cadmium	0.21	mg/kg	0.10	0.041	1	05/09/22 16:28	05/12/22 15:56	7440-43-9	
Calcium	7890	mg/kg	131	15.5	1	05/09/22 16:28	05/12/22 15:56	7440-70-2	P6,R1
Chromium	13.1	mg/kg	2.6	0.18	1	05/09/22 16:28	05/12/22 15:56	7440-47-3	
Cobalt	4.2	mg/kg	0.66	0.13	1	05/09/22 16:28	05/12/22 15:56	7440-48-4	
Copper	15.8	mg/kg	1.3	0.32	1	05/09/22 16:28	05/12/22 15:56	7440-50-8	
Iron	12700	mg/kg	65.5	13.8	1	05/09/22 16:28	05/12/22 15:56	7439-89-6	P6
Lead	12.6	mg/kg	0.66	0.039	1	05/09/22 16:28	05/12/22 15:56	7439-92-1	
Magnesium	4140	mg/kg	39.3	5.6	1	05/09/22 16:28	05/12/22 15:56	7439-95-4	M1
Manganese	416	mg/kg	0.66	0.32	1	05/09/22 16:28	05/12/22 15:56	7439-96-5	P6,R1
Nickel	10.6	mg/kg	0.66	0.26	1	05/09/22 16:28	05/12/22 15:56	7440-02-0	
Potassium	954	mg/kg	131	15.1	1	05/09/22 16:28	05/12/22 15:56	7440-09-7	
Selenium	0.59J	mg/kg	0.66	0.11	1	05/09/22 16:28	05/12/22 15:56	7782-49-2	
Silver	0.32J	mg/kg	0.66	0.19	1	05/09/22 16:28	05/12/22 15:56	7440-22-4	
Sodium	38.8J	mg/kg	65.5	14.5	1	05/09/22 16:28	05/12/22 15:56	7440-23-5	
Thallium	0.19	mg/kg	0.13	0.048	1	05/09/22 16:28	05/12/22 15:56	7440-28-0	
Vanadium	25.0	mg/kg	1.3	0.23	1	05/09/22 16:28	05/12/22 15:56	7440-62-2	
Zinc	47.2	mg/kg	6.6	1.2	1	05/09/22 16:28	05/12/22 15:56	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.053	mg/kg	0.047	0.013	1	05/06/22 11:52	05/09/22 10:22	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.085	0.025	1	05/06/22 10:26	05/06/22 22:03	120-82-1	
1,2-Dichlorobenzene	<0.071	mg/kg	0.24	0.071	1	05/06/22 10:26	05/06/22 22:03	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 22:03	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 22:03	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 22:03	108-60-1	
2,4,5-Trichlorophenol	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 22:03	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 22:03	88-06-2	
2,4-Dichlorophenol	<0.060	mg/kg	0.20	0.060	1	05/06/22 10:26	05/06/22 22:03	120-83-2	
2,4-Dimethylphenol	<0.045	mg/kg	0.15	0.045	1	05/06/22 10:26	05/06/22 22:03	105-67-9	
2,4-Dinitrophenol	<0.069	mg/kg	0.23	0.069	1	05/06/22 10:26	05/06/22 22:03	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 22:03	121-14-2	
2,6-Dinitrotoluene	<0.043	mg/kg	0.14	0.043	1	05/06/22 10:26	05/06/22 22:03	606-20-2	
2-Chloronaphthalene	<0.029	mg/kg	0.096	0.029	1	05/06/22 10:26	05/06/22 22:03	91-58-7	
2-Chlorophenol	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 22:03	95-57-8	
2-Methylnaphthalene	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 22:03	91-57-6	
2-Methylphenol(o-Cresol)	<0.041	mg/kg	0.14	0.041	1	05/06/22 10:26	05/06/22 22:03	95-48-7	
2-Nitroaniline	<0.064	mg/kg	0.21	0.064	1	05/06/22 10:26	05/06/22 22:03	88-74-4	
2-Nitrophenol	<0.071	mg/kg	0.24	0.071	1	05/06/22 10:26	05/06/22 22:03	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-06 (2-2.7) **Lab ID: 40244350001** Collected: 05/03/22 08:15 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	0.17	mg/kg	0.14	0.041	1	05/06/22 10:26	05/06/22 22:03		
3,3'-Dichlorobenzidine	<0.061	mg/kg	0.20	0.061	1	05/06/22 10:26	05/06/22 22:03	91-94-1	
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 22:03	99-09-2	
4,6-Dinitro-2-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/06/22 10:26	05/06/22 22:03	534-52-1	
4-Bromophenylphenyl ether	<0.047	mg/kg	0.16	0.047	1	05/06/22 10:26	05/06/22 22:03	101-55-3	
4-Chloro-3-methylphenol	<0.070	mg/kg	0.23	0.070	1	05/06/22 10:26	05/06/22 22:03	59-50-7	
4-Chloroaniline	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 22:03	106-47-8	2q
4-Chlorophenylphenyl ether	<0.042	mg/kg	0.14	0.042	1	05/06/22 10:26	05/06/22 22:03	7005-72-3	
4-Nitroaniline	<0.093	mg/kg	0.31	0.093	1	05/06/22 10:26	05/06/22 22:03	100-01-6	
4-Nitrophenol	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 22:03	100-02-7	
Acenaphthene	<0.080	mg/kg	0.27	0.080	1	05/06/22 10:26	05/06/22 22:03	83-32-9	
Acenaphthylene	<0.080	mg/kg	0.27	0.080	1	05/06/22 10:26	05/06/22 22:03	208-96-8	
Anthracene	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 22:03	120-12-7	
Benzo(a)anthracene	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 22:03	56-55-3	
Benzo(a)pyrene	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 22:03	50-32-8	
Benzo(b)fluoranthene	0.043J	mg/kg	0.13	0.039	1	05/06/22 10:26	05/06/22 22:03	205-99-2	
Benzo(g,h,i)perylene	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 22:03	191-24-2	
Benzo(k)fluoranthene	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 22:03	207-08-9	
Butylbenzylphthalate	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 22:03	85-68-7	CU
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 22:03	86-74-8	
Chrysene	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 22:03	218-01-9	
Di-n-butylphthalate	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 22:03	84-74-2	
Di-n-octylphthalate	<0.051	mg/kg	0.17	0.051	1	05/06/22 10:26	05/06/22 22:03	117-84-0	
Dibenz(a,h)anthracene	<0.061	mg/kg	0.20	0.061	1	05/06/22 10:26	05/06/22 22:03	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.091	0.027	1	05/06/22 10:26	05/06/22 22:03	132-64-9	
Diethylphthalate	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 22:03	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.098	0.029	1	05/06/22 10:26	05/06/22 22:03	131-11-3	
Fluoranthene	0.034J	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 22:03	206-44-0	
Fluorene	<0.026	mg/kg	0.088	0.026	1	05/06/22 10:26	05/06/22 22:03	86-73-7	
Hexachloro-1,3-butadiene	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 22:03	87-68-3	
Hexachlorobenzene	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 22:03	118-74-1	
Hexachlorocyclopentadiene	<0.053	mg/kg	0.18	0.053	1	05/06/22 10:26	05/06/22 22:03	77-47-4	
Hexachloroethane	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 22:03	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.049	mg/kg	0.16	0.049	1	05/06/22 10:26	05/06/22 22:03	193-39-5	
Isophorone	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 22:03	78-59-1	
N-Nitroso-di-n-propylamine	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 22:03	621-64-7	
N-Nitrosodiphenylamine	<0.31	mg/kg	1.0	0.31	1	05/06/22 10:26	05/06/22 22:03	86-30-6	
Naphthalene	<0.079	mg/kg	0.26	0.079	1	05/06/22 10:26	05/06/22 22:03	91-20-3	
Nitrobenzene	<0.046	mg/kg	0.15	0.046	1	05/06/22 10:26	05/06/22 22:03	98-95-3	
Pentachlorophenol	<0.050	mg/kg	0.17	0.050	1	05/06/22 10:26	05/06/22 22:03	87-86-5	
Phenanthrene	0.035J	mg/kg	0.096	0.029	1	05/06/22 10:26	05/06/22 22:03	85-01-8	
Phenol	<0.053	mg/kg	0.18	0.053	1	05/06/22 10:26	05/06/22 22:03	108-95-2	
Pyrene	<0.050	mg/kg	0.17	0.050	1	05/06/22 10:26	05/06/22 22:03	129-00-0	
bis(2-Chloroethoxy)methane	<0.061	mg/kg	0.20	0.061	1	05/06/22 10:26	05/06/22 22:03	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Sample Project No.: 40244350

Sample: SB-06 (2-2.7) **Lab ID: 40244350001** Collected: 05/03/22 08:15 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.070	mg/kg	0.23	0.070	1	05/06/22 10:26	05/06/22 22:03	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 22:03	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	66	%	10-125		1	05/06/22 10:26	05/06/22 22:03	4165-60-0	
2-Fluorobiphenyl (S)	59	%	12-118		1	05/06/22 10:26	05/06/22 22:03	321-60-8	
Terphenyl-d14 (S)	64	%	10-124		1	05/06/22 10:26	05/06/22 22:03	1718-51-0	
Phenol-d6 (S)	60	%	10-125		1	05/06/22 10:26	05/06/22 22:03	13127-88-3	
2-Fluorophenol (S)	58	%	10-130		1	05/06/22 10:26	05/06/22 22:03	367-12-4	
2,4,6-Tribromophenol (S)	68	%	10-144		1	05/06/22 10:26	05/06/22 22:03	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/06/22 06:00	05/06/22 09:55	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0054	0.0027	1	05/06/22 06:00	05/06/22 09:55	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/06/22 06:00	05/06/22 09:55	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0054	0.0011	1	05/06/22 06:00	05/06/22 09:55	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0054	0.0011	1	05/06/22 06:00	05/06/22 09:55	75-35-4	
1,2-Dichloroethane	<0.00088	mg/kg	0.0054	0.00088	1	05/06/22 06:00	05/06/22 09:55	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0054	0.0011	1	05/06/22 06:00	05/06/22 09:55	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/06/22 06:00	05/06/22 09:55	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/06/22 06:00	05/06/22 09:55	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/06/22 06:00	05/06/22 09:55	108-10-1	
Acetone	<0.051	mg/kg	0.11	0.051	1	05/06/22 06:00	05/06/22 09:55	67-64-1	
Benzene	<0.00076	mg/kg	0.0054	0.00076	1	05/06/22 06:00	05/06/22 09:55	71-43-2	
Bromodichloromethane	<0.00073	mg/kg	0.0054	0.00073	1	05/06/22 06:00	05/06/22 09:55	75-27-4	
Bromoform	<0.0087	mg/kg	0.021	0.0087	1	05/06/22 06:00	05/06/22 09:55	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0054	0.0048	1	05/06/22 06:00	05/06/22 09:55	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0054	0.0012	1	05/06/22 06:00	05/06/22 09:55	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0054	0.0034	1	05/06/22 06:00	05/06/22 09:55	56-23-5	
Chlorobenzene	<0.00099	mg/kg	0.0054	0.00099	1	05/06/22 06:00	05/06/22 09:55	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0054	0.0039	1	05/06/22 06:00	05/06/22 09:55	75-00-3	
Chloroform	<0.00091	mg/kg	0.0054	0.00091	1	05/06/22 06:00	05/06/22 09:55	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0054	0.0012	1	05/06/22 06:00	05/06/22 09:55	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0054	0.0011	1	05/06/22 06:00	05/06/22 09:55	124-48-1	
Ethylbenzene	<0.00096	mg/kg	0.0054	0.00096	1	05/06/22 06:00	05/06/22 09:55	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0054	0.0022	1	05/06/22 06:00	05/06/22 09:55	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0054	0.0042	1	05/06/22 06:00	05/06/22 09:55	75-09-2	
Styrene	<0.00076	mg/kg	0.0054	0.00076	1	05/06/22 06:00	05/06/22 09:55	100-42-5	
Tetrachloroethene	<0.00095	mg/kg	0.0054	0.00095	1	05/06/22 06:00	05/06/22 09:55	127-18-4	
Toluene	<0.00094	mg/kg	0.0054	0.00094	1	05/06/22 06:00	05/06/22 09:55	108-88-3	
Trichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/06/22 06:00	05/06/22 09:55	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0054	0.0014	1	05/06/22 06:00	05/06/22 09:55	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/06/22 06:00	05/06/22 09:55	1330-20-7	
cis-1,2-Dichloroethene	<0.00094	mg/kg	0.0054	0.00094	1	05/06/22 06:00	05/06/22 09:55	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-06 (2-2.7) **Lab ID: 40244350001** Collected: 05/03/22 08:15 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/06/22 06:00	05/06/22 09:55	10061-01-5	
trans-1,2-Dichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/06/22 06:00	05/06/22 09:55	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/06/22 06:00	05/06/22 09:55	10061-02-6	
Surrogates									
Toluene-d8 (S)	102	%	69-156		1	05/06/22 06:00	05/06/22 09:55	2037-26-5	
4-Bromofluorobenzene (S)	88	%	61-175		1	05/06/22 06:00	05/06/22 09:55	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1	05/06/22 06:00	05/06/22 09:55	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	25.9	%	0.10	0.10	1		05/10/22 16:07		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.9	Std. Units	0.10	0.010	1		05/11/22 12:55		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.36	mg/kg	1.1	0.36	1	05/09/22 11:05	05/09/22 14:00	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-06 (5-6) **Lab ID: 40244350002** Collected: 05/03/22 08:20 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00061	mg/kg	0.0032	0.00061	1	05/09/22 02:19	05/09/22 16:50	309-00-2	
alpha-BHC	<0.00066	mg/kg	0.0032	0.00066	1	05/09/22 02:19	05/09/22 16:50	319-84-6	
beta-BHC	<0.00059	mg/kg	0.0032	0.00059	1	05/09/22 02:19	05/09/22 16:50	319-85-7	
delta-BHC	<0.00083	mg/kg	0.0032	0.00083	1	05/09/22 02:19	05/09/22 16:50	319-86-8	
gamma-BHC (Lindane)	<0.00057	mg/kg	0.0032	0.00057	1	05/09/22 02:19	05/09/22 16:50	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.063	0.013	1	05/09/22 02:19	05/09/22 16:50	57-74-9	
alpha-Chlordane	<0.00056	mg/kg	0.0032	0.00056	1	05/09/22 02:19	05/09/22 16:50	5103-71-9	
gamma-Chlordane	<0.00066	mg/kg	0.0032	0.00066	1	05/09/22 02:19	05/09/22 16:50	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0063	0.0012	1	05/09/22 02:19	05/09/22 16:50	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0063	0.0010	1	05/09/22 02:19	05/09/22 16:50	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0063	0.0020	1	05/09/22 02:19	05/09/22 16:50	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0063	0.0011	1	05/09/22 02:19	05/09/22 16:50	60-57-1	
Endosulfan I	<0.00052	mg/kg	0.0032	0.00052	1	05/09/22 02:19	05/09/22 16:50	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0063	0.0010	1	05/09/22 02:19	05/09/22 16:50	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0063	0.0012	1	05/09/22 02:19	05/09/22 16:50	1031-07-8	
Endrin	<0.0011	mg/kg	0.0063	0.0011	1	05/09/22 02:19	05/09/22 16:50	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0063	0.0014	1	05/09/22 02:19	05/09/22 16:50	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0063	0.0016	1	05/09/22 02:19	05/09/22 16:50	53494-70-5	
Heptachlor	<0.00056	mg/kg	0.0032	0.00056	1	05/09/22 02:19	05/09/22 16:50	76-44-8	
Heptachlor epoxide	<0.00053	mg/kg	0.0032	0.00053	1	05/09/22 02:19	05/09/22 16:50	1024-57-3	
Methoxychlor	<0.0072	mg/kg	0.032	0.0072	1	05/09/22 02:19	05/09/22 16:50	72-43-5	
Toxaphene	<0.022	mg/kg	0.063	0.022	1	05/09/22 02:19	05/09/22 16:50	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	36	%	10-147		1	05/09/22 02:19	05/09/22 16:50	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 07:29	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 07:29	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 07:29	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 07:29	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 07:29	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 07:29	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 07:29	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/05/22 05:15	05/06/22 07:29	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	84	%	50-99		1	05/05/22 05:15	05/06/22 07:29	877-09-8	
Decachlorobiphenyl (S)	90	%	38-95		1	05/05/22 05:15	05/06/22 07:29	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	14600	mg/kg	37.4	7.5	1	05/09/22 16:28	05/12/22 16:16	7429-90-5	
Antimony	0.19J	mg/kg	0.62	0.12	1	05/09/22 16:28	05/12/22 16:16	7440-36-0	
Arsenic	11.2	mg/kg	0.62	0.14	1	05/09/22 16:28	05/12/22 16:16	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-06 (5-6) **Lab ID: 40244350002** Collected: 05/03/22 08:20 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	207	mg/kg	0.37	0.067	1	05/09/22 16:28	05/12/22 16:16	7440-39-3	
Beryllium	1.0	mg/kg	0.25	0.049	1	05/09/22 16:28	05/12/22 16:16	7440-41-7	
Cadmium	0.12	mg/kg	0.10	0.039	1	05/09/22 16:28	05/12/22 16:16	7440-43-9	
Calcium	3590	mg/kg	125	14.7	1	05/09/22 16:28	05/12/22 16:16	7440-70-2	
Chromium	18.6	mg/kg	2.5	0.17	1	05/09/22 16:28	05/12/22 16:16	7440-47-3	
Cobalt	6.9	mg/kg	0.62	0.12	1	05/09/22 16:28	05/12/22 16:16	7440-48-4	
Copper	19.9	mg/kg	1.2	0.30	1	05/09/22 16:28	05/12/22 16:16	7440-50-8	
Iron	22400	mg/kg	62.3	13.1	1	05/09/22 16:28	05/12/22 16:16	7439-89-6	
Lead	12.0	mg/kg	0.62	0.037	1	05/09/22 16:28	05/12/22 16:16	7439-92-1	
Magnesium	3600	mg/kg	37.4	5.4	1	05/09/22 16:28	05/12/22 16:16	7439-95-4	
Manganese	111	mg/kg	0.62	0.31	1	05/09/22 16:28	05/12/22 16:16	7439-96-5	
Nickel	15.7	mg/kg	0.62	0.25	1	05/09/22 16:28	05/12/22 16:16	7440-02-0	
Potassium	628	mg/kg	125	14.3	1	05/09/22 16:28	05/12/22 16:16	7440-09-7	
Selenium	0.31J	mg/kg	0.62	0.11	1	05/09/22 16:28	05/12/22 16:16	7782-49-2	
Silver	0.42J	mg/kg	0.62	0.18	1	05/09/22 16:28	05/12/22 16:16	7440-22-4	
Sodium	56.4J	mg/kg	62.3	13.8	1	05/09/22 16:28	05/12/22 16:16	7440-23-5	
Thallium	0.20	mg/kg	0.12	0.046	1	05/09/22 16:28	05/12/22 16:16	7440-28-0	
Vanadium	34.3	mg/kg	1.2	0.22	1	05/09/22 16:28	05/12/22 16:16	7440-62-2	
Zinc	54.9	mg/kg	6.2	1.1	1	05/09/22 16:28	05/12/22 16:16	7440-66-6	

7471 Mercury

Analytical Method: EPA 7471 Preparation Method: EPA 7471

Pace Analytical Services - Green Bay

Mercury	0.062	mg/kg	0.044	0.012	1	05/06/22 11:52	05/09/22 10:29	7439-97-6	
---------	-------	-------	-------	-------	---	----------------	----------------	-----------	--

8270E MSSV FULL LIST MICROWAVE

Analytical Method: EPA 8270E Preparation Method: EPA 3546

Pace Analytical Services - Green Bay

1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/06/22 10:26	05/06/22 14:57	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 14:57	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 14:57	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 14:57	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 14:57	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 14:57	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 14:57	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 14:57	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/06/22 10:26	05/06/22 14:57	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/06/22 10:26	05/06/22 14:57	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 14:57	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/06/22 10:26	05/06/22 14:57	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.092	0.028	1	05/06/22 10:26	05/06/22 14:57	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 14:57	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 14:57	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/06/22 10:26	05/06/22 14:57	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/06/22 10:26	05/06/22 14:57	88-74-4	
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 14:57	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-06 (5-6) Lab ID: **40244350002** Collected: 05/03/22 08:20 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 14:57		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 14:57	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 14:57	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/06/22 10:26	05/06/22 14:57	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/06/22 10:26	05/06/22 14:57	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/06/22 10:26	05/06/22 14:57	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 14:57	106-47-8	2q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 14:57	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/06/22 10:26	05/06/22 14:57	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 14:57	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/06/22 10:26	05/06/22 14:57	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/06/22 10:26	05/06/22 14:57	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 14:57	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 14:57	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 14:57	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 14:57	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 14:57	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/06/22 10:26	05/06/22 14:57	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 14:57	85-68-7	CU
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 14:57	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 14:57	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 14:57	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/06/22 10:26	05/06/22 14:57	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 14:57	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/06/22 10:26	05/06/22 14:57	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 14:57	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/06/22 10:26	05/06/22 14:57	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 14:57	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/06/22 10:26	05/06/22 14:57	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 14:57	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 14:57	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/06/22 10:26	05/06/22 14:57	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 14:57	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/06/22 10:26	05/06/22 14:57	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 14:57	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 14:57	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/06/22 10:26	05/06/22 14:57	86-30-6	
Naphthalene	<0.075	mg/kg	0.25	0.075	1	05/06/22 10:26	05/06/22 14:57	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/06/22 10:26	05/06/22 14:57	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/06/22 10:26	05/06/22 14:57	87-86-5	
Phenanthrene	<0.028	mg/kg	0.092	0.028	1	05/06/22 10:26	05/06/22 14:57	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/06/22 10:26	05/06/22 14:57	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/06/22 10:26	05/06/22 14:57	129-00-0	
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 14:57	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-06 (5-6) **Lab ID: 40244350002** Collected: 05/03/22 08:20 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/06/22 10:26	05/06/22 14:57	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 14:57	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	63	%	10-125		1	05/06/22 10:26	05/06/22 14:57	4165-60-0	
2-Fluorobiphenyl (S)	51	%	12-118		1	05/06/22 10:26	05/06/22 14:57	321-60-8	
Terphenyl-d14 (S)	44	%	10-124		1	05/06/22 10:26	05/06/22 14:57	1718-51-0	
Phenol-d6 (S)	55	%	10-125		1	05/06/22 10:26	05/06/22 14:57	13127-88-3	
2-Fluorophenol (S)	60	%	10-130		1	05/06/22 10:26	05/06/22 14:57	367-12-4	
2,4,6-Tribromophenol (S)	44	%	10-144		1	05/06/22 10:26	05/06/22 14:57	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/06/22 06:00	05/06/22 10:20	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0029	mg/kg	0.0056	0.0029	1	05/06/22 06:00	05/06/22 10:20	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/06/22 06:00	05/06/22 10:20	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0056	0.0012	1	05/06/22 06:00	05/06/22 10:20	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0056	0.0012	1	05/06/22 06:00	05/06/22 10:20	75-35-4	
1,2-Dichloroethane	<0.00092	mg/kg	0.0056	0.00092	1	05/06/22 06:00	05/06/22 10:20	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0056	0.0011	1	05/06/22 06:00	05/06/22 10:20	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.028	0.017	1	05/06/22 06:00	05/06/22 10:20	78-93-3	
2-Hexanone	<0.013	mg/kg	0.028	0.013	1	05/06/22 06:00	05/06/22 10:20	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.028	0.022	1	05/06/22 06:00	05/06/22 10:20	108-10-1	
Acetone	<0.053	mg/kg	0.11	0.053	1	05/06/22 06:00	05/06/22 10:20	67-64-1	
Benzene	<0.00079	mg/kg	0.0056	0.00079	1	05/06/22 06:00	05/06/22 10:20	71-43-2	
Bromodichloromethane	<0.00076	mg/kg	0.0056	0.00076	1	05/06/22 06:00	05/06/22 10:20	75-27-4	
Bromoform	<0.0090	mg/kg	0.022	0.0090	1	05/06/22 06:00	05/06/22 10:20	75-25-2	
Bromomethane	<0.0050	mg/kg	0.0056	0.0050	1	05/06/22 06:00	05/06/22 10:20	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0056	0.0012	1	05/06/22 06:00	05/06/22 10:20	75-15-0	
Carbon tetrachloride	<0.0035	mg/kg	0.0056	0.0035	1	05/06/22 06:00	05/06/22 10:20	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/06/22 06:00	05/06/22 10:20	108-90-7	
Chloroethane	<0.0040	mg/kg	0.0056	0.0040	1	05/06/22 06:00	05/06/22 10:20	75-00-3	
Chloroform	<0.00094	mg/kg	0.0056	0.00094	1	05/06/22 06:00	05/06/22 10:20	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0056	0.0012	1	05/06/22 06:00	05/06/22 10:20	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0056	0.0011	1	05/06/22 06:00	05/06/22 10:20	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/06/22 06:00	05/06/22 10:20	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0056	0.0023	1	05/06/22 06:00	05/06/22 10:20	1634-04-4	
Methylene Chloride	<0.0044	mg/kg	0.0056	0.0044	1	05/06/22 06:00	05/06/22 10:20	75-09-2	
Styrene	<0.00079	mg/kg	0.0056	0.00079	1	05/06/22 06:00	05/06/22 10:20	100-42-5	
Tetrachloroethene	<0.00099	mg/kg	0.0056	0.00099	1	05/06/22 06:00	05/06/22 10:20	127-18-4	
Toluene	<0.00098	mg/kg	0.0056	0.00098	1	05/06/22 06:00	05/06/22 10:20	108-88-3	
Trichloroethene	<0.00080	mg/kg	0.0056	0.00080	1	05/06/22 06:00	05/06/22 10:20	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0056	0.0014	1	05/06/22 06:00	05/06/22 10:20	75-01-4	
Xylene (Total)	<0.0038	mg/kg	0.011	0.0038	1	05/06/22 06:00	05/06/22 10:20	1330-20-7	
cis-1,2-Dichloroethene	<0.00098	mg/kg	0.0056	0.00098	1	05/06/22 06:00	05/06/22 10:20	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-06 (5-6) **Lab ID: 40244350002** Collected: 05/03/22 08:20 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/06/22 06:00	05/06/22 10:20	10061-01-5	
trans-1,2-Dichloroethene	<0.00080	mg/kg	0.0056	0.00080	1	05/06/22 06:00	05/06/22 10:20	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/06/22 06:00	05/06/22 10:20	10061-02-6	
Surrogates									
Toluene-d8 (S)	95	%	69-156		1	05/06/22 06:00	05/06/22 10:20	2037-26-5	
4-Bromofluorobenzene (S)	87	%	61-175		1	05/06/22 06:00	05/06/22 10:20	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1	05/06/22 06:00	05/06/22 10:20	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.8	%	0.10	0.10	1		05/10/22 16:07		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.0	Std. Units	0.10	0.010	1		05/11/22 13:00		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.26	mg/kg	0.77	0.26	1	05/09/22 11:05	05/09/22 14:01	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-07 (1.3-2.3) **Lab ID: 40244350003** Collected: 05/03/22 08:55 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00062	mg/kg	0.0032	0.00062	1	05/09/22 02:19	05/09/22 17:03	309-00-2	
alpha-BHC	<0.00067	mg/kg	0.0032	0.00067	1	05/09/22 02:19	05/09/22 17:03	319-84-6	
beta-BHC	<0.00060	mg/kg	0.0032	0.00060	1	05/09/22 02:19	05/09/22 17:03	319-85-7	
delta-BHC	<0.00084	mg/kg	0.0032	0.00084	1	05/09/22 02:19	05/09/22 17:03	319-86-8	
gamma-BHC (Lindane)	<0.00058	mg/kg	0.0032	0.00058	1	05/09/22 02:19	05/09/22 17:03	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.064	0.013	1	05/09/22 02:19	05/09/22 17:03	57-74-9	
alpha-Chlordane	<0.00057	mg/kg	0.0032	0.00057	1	05/09/22 02:19	05/09/22 17:03	5103-71-9	
gamma-Chlordane	<0.00067	mg/kg	0.0032	0.00067	1	05/09/22 02:19	05/09/22 17:03	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0064	0.0012	1	05/09/22 02:19	05/09/22 17:03	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/09/22 17:03	72-55-9	
4,4'-DDT	<0.0021	mg/kg	0.0064	0.0021	1	05/09/22 02:19	05/09/22 17:03	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/09/22 17:03	60-57-1	
Endosulfan I	<0.00053	mg/kg	0.0032	0.00053	1	05/09/22 02:19	05/09/22 17:03	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/09/22 17:03	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0064	0.0012	1	05/09/22 02:19	05/09/22 17:03	1031-07-8	
Endrin	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/09/22 17:03	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0064	0.0015	1	05/09/22 02:19	05/09/22 17:03	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0064	0.0016	1	05/09/22 02:19	05/09/22 17:03	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0032	0.00057	1	05/09/22 02:19	05/09/22 17:03	76-44-8	
Heptachlor epoxide	<0.00054	mg/kg	0.0032	0.00054	1	05/09/22 02:19	05/09/22 17:03	1024-57-3	
Methoxychlor	<0.0074	mg/kg	0.032	0.0074	1	05/09/22 02:19	05/09/22 17:03	72-43-5	
Toxaphene	<0.023	mg/kg	0.064	0.023	1	05/09/22 02:19	05/09/22 17:03	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	43	%	10-147		1	05/09/22 02:19	05/09/22 17:03	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 11:11	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 11:11	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 11:11	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 11:11	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 11:11	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 11:11	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 11:11	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 11:11	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	75	%	50-99		1	05/05/22 09:05	05/06/22 11:11	877-09-8	
Decachlorobiphenyl (S)	77	%	38-95		1	05/05/22 09:05	05/06/22 11:11	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	12400	mg/kg	36.8	7.4	1	05/09/22 16:28	05/12/22 16:19	7429-90-5	
Antimony	0.19J	mg/kg	0.61	0.12	1	05/09/22 16:28	05/12/22 16:19	7440-36-0	
Arsenic	8.4	mg/kg	0.61	0.13	1	05/09/22 16:28	05/12/22 16:19	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-07 (1.3-2.3) **Lab ID: 40244350003** Collected: 05/03/22 08:55 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	148	mg/kg	0.37	0.065	1	05/09/22 16:28	05/12/22 16:19	7440-39-3	
Beryllium	0.82	mg/kg	0.25	0.049	1	05/09/22 16:28	05/12/22 16:19	7440-41-7	
Cadmium	0.12	mg/kg	0.098	0.038	1	05/09/22 16:28	05/12/22 16:19	7440-43-9	
Calcium	3870	mg/kg	123	14.5	1	05/09/22 16:28	05/12/22 16:19	7440-70-2	
Chromium	15.3	mg/kg	2.5	0.17	1	05/09/22 16:28	05/12/22 16:19	7440-47-3	
Cobalt	7.0	mg/kg	0.61	0.12	1	05/09/22 16:28	05/12/22 16:19	7440-48-4	
Copper	13.1	mg/kg	1.2	0.30	1	05/09/22 16:28	05/12/22 16:19	7440-50-8	
Iron	20600	mg/kg	61.3	12.9	1	05/09/22 16:28	05/12/22 16:19	7439-89-6	
Lead	11.6	mg/kg	0.61	0.036	1	05/09/22 16:28	05/12/22 16:19	7439-92-1	
Magnesium	2530	mg/kg	36.8	5.3	1	05/09/22 16:28	05/12/22 16:19	7439-95-4	
Manganese	744	mg/kg	6.1	3.0	10	05/09/22 16:28	05/12/22 16:22	7439-96-5	
Nickel	13.6	mg/kg	0.61	0.24	1	05/09/22 16:28	05/12/22 16:19	7440-02-0	
Potassium	988	mg/kg	123	14.1	1	05/09/22 16:28	05/12/22 16:19	7440-09-7	
Selenium	0.74	mg/kg	0.61	0.11	1	05/09/22 16:28	05/12/22 16:19	7782-49-2	
Silver	<0.18	mg/kg	0.61	0.18	1	05/09/22 16:28	05/12/22 16:19	7440-22-4	
Sodium	66.6	mg/kg	61.3	13.6	1	05/09/22 16:28	05/12/22 16:19	7440-23-5	
Thallium	0.18	mg/kg	0.12	0.045	1	05/09/22 16:28	05/12/22 16:19	7440-28-0	
Vanadium	31.0	mg/kg	1.2	0.22	1	05/09/22 16:28	05/12/22 16:19	7440-62-2	
Zinc	59.0	mg/kg	6.1	1.1	1	05/09/22 16:28	05/12/22 16:19	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.031J	mg/kg	0.044	0.012	1	05/06/22 11:52	05/09/22 10:36	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.083	0.025	1	05/06/22 10:26	05/06/22 15:19	120-82-1	
1,2-Dichlorobenzene	<0.069	mg/kg	0.23	0.069	1	05/06/22 10:26	05/06/22 15:19	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 15:19	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 15:19	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 15:19	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/06/22 10:26	05/06/22 15:19	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 15:19	88-06-2	
2,4-Dichlorophenol	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 15:19	120-83-2	
2,4-Dimethylphenol	<0.044	mg/kg	0.15	0.044	1	05/06/22 10:26	05/06/22 15:19	105-67-9	
2,4-Dinitrophenol	<0.067	mg/kg	0.22	0.067	1	05/06/22 10:26	05/06/22 15:19	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 15:19	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/06/22 10:26	05/06/22 15:19	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.095	0.028	1	05/06/22 10:26	05/06/22 15:19	91-58-7	
2-Chlorophenol	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 15:19	95-57-8	
2-Methylnaphthalene	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 15:19	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 15:19	95-48-7	
2-Nitroaniline	<0.063	mg/kg	0.21	0.063	1	05/06/22 10:26	05/06/22 15:19	88-74-4	
2-Nitrophenol	<0.070	mg/kg	0.23	0.070	1	05/06/22 10:26	05/06/22 15:19	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-07 (1.3-2.3) **Lab ID: 40244350003** Collected: 05/03/22 08:55 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 15:19		
3,3'-Dichlorobenzidine	<0.060	mg/kg	0.20	0.060	1	05/06/22 10:26	05/06/22 15:19	91-94-1	
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 15:19	99-09-2	
4,6-Dinitro-2-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 15:19	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/06/22 10:26	05/06/22 15:19	101-55-3	
4-Chloro-3-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/06/22 10:26	05/06/22 15:19	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 15:19	106-47-8	2q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/06/22 10:26	05/06/22 15:19	7005-72-3	
4-Nitroaniline	<0.092	mg/kg	0.31	0.092	1	05/06/22 10:26	05/06/22 15:19	100-01-6	
4-Nitrophenol	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 15:19	100-02-7	
Acenaphthene	<0.078	mg/kg	0.26	0.078	1	05/06/22 10:26	05/06/22 15:19	83-32-9	
Acenaphthylene	<0.079	mg/kg	0.26	0.079	1	05/06/22 10:26	05/06/22 15:19	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 15:19	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 15:19	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 15:19	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 15:19	205-99-2	
Benzo(g,h,i)perylene	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 15:19	191-24-2	
Benzo(k)fluoranthene	<0.053	mg/kg	0.18	0.053	1	05/06/22 10:26	05/06/22 15:19	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 15:19	85-68-7	CU
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 15:19	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 15:19	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 15:19	84-74-2	
Di-n-octylphthalate	<0.050	mg/kg	0.17	0.050	1	05/06/22 10:26	05/06/22 15:19	117-84-0	
Dibenz(a,h)anthracene	<0.060	mg/kg	0.20	0.060	1	05/06/22 10:26	05/06/22 15:19	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.089	0.027	1	05/06/22 10:26	05/06/22 15:19	132-64-9	
Diethylphthalate	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 15:19	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.096	0.029	1	05/06/22 10:26	05/06/22 15:19	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 15:19	206-44-0	
Fluorene	<0.026	mg/kg	0.086	0.026	1	05/06/22 10:26	05/06/22 15:19	86-73-7	
Hexachloro-1,3-butadiene	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 15:19	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 15:19	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/06/22 10:26	05/06/22 15:19	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 15:19	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.048	mg/kg	0.16	0.048	1	05/06/22 10:26	05/06/22 15:19	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 15:19	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 15:19	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	1.0	0.30	1	05/06/22 10:26	05/06/22 15:19	86-30-6	
Naphthalene	<0.077	mg/kg	0.26	0.077	1	05/06/22 10:26	05/06/22 15:19	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/06/22 10:26	05/06/22 15:19	98-95-3	
Pentachlorophenol	<0.049	mg/kg	0.16	0.049	1	05/06/22 10:26	05/06/22 15:19	87-86-5	
Phenanthrene	<0.028	mg/kg	0.094	0.028	1	05/06/22 10:26	05/06/22 15:19	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/06/22 10:26	05/06/22 15:19	108-95-2	
Pyrene	<0.049	mg/kg	0.16	0.049	1	05/06/22 10:26	05/06/22 15:19	129-00-0	
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 15:19	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: **SB-07 (1.3-2.3)** Lab ID: **40244350003** Collected: 05/03/22 08:55 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.069	mg/kg	0.23	0.069	1	05/06/22 10:26	05/06/22 15:19	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 15:19	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	87	%	10-125		1	05/06/22 10:26	05/06/22 15:19	4165-60-0	
2-Fluorobiphenyl (S)	68	%	12-118		1	05/06/22 10:26	05/06/22 15:19	321-60-8	
Terphenyl-d14 (S)	63	%	10-124		1	05/06/22 10:26	05/06/22 15:19	1718-51-0	
Phenol-d6 (S)	69	%	10-125		1	05/06/22 10:26	05/06/22 15:19	13127-88-3	
2-Fluorophenol (S)	78	%	10-130		1	05/06/22 10:26	05/06/22 15:19	367-12-4	
2,4,6-Tribromophenol (S)	71	%	10-144		1	05/06/22 10:26	05/06/22 15:19	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0055	0.0017	1	05/06/22 06:00	05/06/22 10:44	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0055	0.0028	1	05/06/22 06:00	05/06/22 10:44	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0055	0.0017	1	05/06/22 06:00	05/06/22 10:44	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0055	0.0012	1	05/06/22 06:00	05/06/22 10:44	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0055	0.0012	1	05/06/22 06:00	05/06/22 10:44	75-35-4	
1,2-Dichloroethane	<0.00091	mg/kg	0.0055	0.00091	1	05/06/22 06:00	05/06/22 10:44	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0055	0.0011	1	05/06/22 06:00	05/06/22 10:44	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.028	0.017	1	05/06/22 06:00	05/06/22 10:44	78-93-3	
2-Hexanone	<0.012	mg/kg	0.028	0.012	1	05/06/22 06:00	05/06/22 10:44	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.028	0.022	1	05/06/22 06:00	05/06/22 10:44	108-10-1	
Acetone	<0.052	mg/kg	0.11	0.052	1	05/06/22 06:00	05/06/22 10:44	67-64-1	
Benzene	<0.00078	mg/kg	0.0055	0.00078	1	05/06/22 06:00	05/06/22 10:44	71-43-2	
Bromodichloromethane	<0.00075	mg/kg	0.0055	0.00075	1	05/06/22 06:00	05/06/22 10:44	75-27-4	
Bromoform	<0.0090	mg/kg	0.022	0.0090	1	05/06/22 06:00	05/06/22 10:44	75-25-2	
Bromomethane	<0.0049	mg/kg	0.0055	0.0049	1	05/06/22 06:00	05/06/22 10:44	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0055	0.0012	1	05/06/22 06:00	05/06/22 10:44	75-15-0	
Carbon tetrachloride	<0.0035	mg/kg	0.0055	0.0035	1	05/06/22 06:00	05/06/22 10:44	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0055	0.0010	1	05/06/22 06:00	05/06/22 10:44	108-90-7	
Chloroethane	<0.0040	mg/kg	0.0055	0.0040	1	05/06/22 06:00	05/06/22 10:44	75-00-3	
Chloroform	<0.00093	mg/kg	0.0055	0.00093	1	05/06/22 06:00	05/06/22 10:44	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0055	0.0012	1	05/06/22 06:00	05/06/22 10:44	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0055	0.0011	1	05/06/22 06:00	05/06/22 10:44	124-48-1	
Ethylbenzene	<0.00099	mg/kg	0.0055	0.00099	1	05/06/22 06:00	05/06/22 10:44	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0055	0.0023	1	05/06/22 06:00	05/06/22 10:44	1634-04-4	
Methylene Chloride	<0.0044	mg/kg	0.0055	0.0044	1	05/06/22 06:00	05/06/22 10:44	75-09-2	
Styrene	<0.00078	mg/kg	0.0055	0.00078	1	05/06/22 06:00	05/06/22 10:44	100-42-5	
Tetrachloroethene	<0.00098	mg/kg	0.0055	0.00098	1	05/06/22 06:00	05/06/22 10:44	127-18-4	
Toluene	<0.00097	mg/kg	0.0055	0.00097	1	05/06/22 06:00	05/06/22 10:44	108-88-3	
Trichloroethene	<0.00079	mg/kg	0.0055	0.00079	1	05/06/22 06:00	05/06/22 10:44	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0055	0.0014	1	05/06/22 06:00	05/06/22 10:44	75-01-4	
Xylene (Total)	<0.0038	mg/kg	0.011	0.0038	1	05/06/22 06:00	05/06/22 10:44	1330-20-7	
cis-1,2-Dichloroethene	<0.00097	mg/kg	0.0055	0.00097	1	05/06/22 06:00	05/06/22 10:44	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-07 (1.3-2.3) **Lab ID: 40244350003** Collected: 05/03/22 08:55 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0055	0.0011	1	05/06/22 06:00	05/06/22 10:44	10061-01-5	
trans-1,2-Dichloroethene	<0.00079	mg/kg	0.0055	0.00079	1	05/06/22 06:00	05/06/22 10:44	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0055	0.0011	1	05/06/22 06:00	05/06/22 10:44	10061-02-6	
Surrogates									
Toluene-d8 (S)	96	%	69-156		1	05/06/22 06:00	05/06/22 10:44	2037-26-5	
4-Bromofluorobenzene (S)	89	%	61-175		1	05/06/22 06:00	05/06/22 10:44	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1	05/06/22 06:00	05/06/22 10:44	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	24.5	%	0.10	0.10	1		05/10/22 16:07		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.4	Std. Units	0.10	0.010	1		05/11/22 13:09		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.29	mg/kg	0.87	0.29	1	05/09/22 11:05	05/09/22 14:01	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-07 (4.5-5.5) **Lab ID: 40244350004** Collected: 05/03/22 09:00 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00062	mg/kg	0.0032	0.00062	1	05/09/22 02:19	05/09/22 17:16	309-00-2	
alpha-BHC	<0.00067	mg/kg	0.0032	0.00067	1	05/09/22 02:19	05/09/22 17:16	319-84-6	
beta-BHC	<0.00061	mg/kg	0.0032	0.00061	1	05/09/22 02:19	05/09/22 17:16	319-85-7	
delta-BHC	<0.00084	mg/kg	0.0032	0.00084	1	05/09/22 02:19	05/09/22 17:16	319-86-8	
gamma-BHC (Lindane)	<0.00058	mg/kg	0.0032	0.00058	1	05/09/22 02:19	05/09/22 17:16	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.064	0.013	1	05/09/22 02:19	05/09/22 17:16	57-74-9	
alpha-Chlordane	<0.00057	mg/kg	0.0032	0.00057	1	05/09/22 02:19	05/09/22 17:16	5103-71-9	
gamma-Chlordane	<0.00067	mg/kg	0.0032	0.00067	1	05/09/22 02:19	05/09/22 17:16	5103-74-2	
4,4'-DDD	<0.0013	mg/kg	0.0064	0.0013	1	05/09/22 02:19	05/09/22 17:16	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/09/22 17:16	72-55-9	
4,4'-DDT	<0.0021	mg/kg	0.0064	0.0021	1	05/09/22 02:19	05/09/22 17:16	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/09/22 17:16	60-57-1	
Endosulfan I	<0.00053	mg/kg	0.0032	0.00053	1	05/09/22 02:19	05/09/22 17:16	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/09/22 17:16	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0064	0.0012	1	05/09/22 02:19	05/09/22 17:16	1031-07-8	
Endrin	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/09/22 17:16	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0064	0.0015	1	05/09/22 02:19	05/09/22 17:16	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0064	0.0016	1	05/09/22 02:19	05/09/22 17:16	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0032	0.00057	1	05/09/22 02:19	05/09/22 17:16	76-44-8	
Heptachlor epoxide	<0.00054	mg/kg	0.0032	0.00054	1	05/09/22 02:19	05/09/22 17:16	1024-57-3	
Methoxychlor	<0.0074	mg/kg	0.032	0.0074	1	05/09/22 02:19	05/09/22 17:16	72-43-5	
Toxaphene	<0.023	mg/kg	0.064	0.023	1	05/09/22 02:19	05/09/22 17:16	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	59	%	10-147		1	05/09/22 02:19	05/09/22 17:16	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 11:36	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 11:36	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 11:36	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 11:36	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 11:36	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 11:36	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 11:36	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 11:36	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	73	%	50-99		1	05/05/22 09:05	05/06/22 11:36	877-09-8	
Decachlorobiphenyl (S)	77	%	38-95		1	05/05/22 09:05	05/06/22 11:36	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	16700	mg/kg	37.2	7.5	1	05/09/22 16:28	05/12/22 16:43	7429-90-5	
Antimony	0.35J	mg/kg	0.62	0.12	1	05/09/22 16:28	05/12/22 16:43	7440-36-0	
Arsenic	17.7	mg/kg	0.62	0.14	1	05/09/22 16:28	05/12/22 16:43	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-07 (4.5-5.5) **Lab ID: 40244350004** Collected: 05/03/22 09:00 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	304	mg/kg	0.37	0.066	1	05/09/22 16:28	05/12/22 16:43	7440-39-3	
Beryllium	1.1	mg/kg	0.25	0.049	1	05/09/22 16:28	05/12/22 16:43	7440-41-7	
Cadmium	0.48	mg/kg	0.099	0.039	1	05/09/22 16:28	05/12/22 16:43	7440-43-9	
Calcium	3350	mg/kg	124	14.6	1	05/09/22 16:28	05/12/22 16:43	7440-70-2	
Chromium	21.2	mg/kg	2.5	0.17	1	05/09/22 16:28	05/12/22 16:43	7440-47-3	
Cobalt	19.9	mg/kg	0.62	0.12	1	05/09/22 16:28	05/12/22 16:43	7440-48-4	
Copper	23.8	mg/kg	1.2	0.30	1	05/09/22 16:28	05/12/22 16:43	7440-50-8	
Iron	29900	mg/kg	62.0	13.0	1	05/09/22 16:28	05/12/22 16:43	7439-89-6	
Lead	18.0	mg/kg	0.62	0.036	1	05/09/22 16:28	05/12/22 16:43	7439-92-1	
Magnesium	3910	mg/kg	37.2	5.3	1	05/09/22 16:28	05/12/22 16:43	7439-95-4	
Manganese	2110	mg/kg	6.2	3.0	10	05/09/22 16:28	05/13/22 08:45	7439-96-5	
Nickel	34.7	mg/kg	0.62	0.25	1	05/09/22 16:28	05/12/22 16:43	7440-02-0	
Potassium	783	mg/kg	124	14.2	1	05/09/22 16:28	05/12/22 16:43	7440-09-7	
Selenium	0.44J	mg/kg	0.62	0.11	1	05/09/22 16:28	05/12/22 16:43	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/09/22 16:28	05/12/22 16:43	7440-22-4	
Sodium	98.5	mg/kg	62.0	13.8	1	05/09/22 16:28	05/12/22 16:43	7440-23-5	
Thallium	0.24	mg/kg	0.12	0.045	1	05/09/22 16:28	05/12/22 16:43	7440-28-0	
Vanadium	42.3	mg/kg	1.2	0.22	1	05/09/22 16:28	05/12/22 16:43	7440-62-2	
Zinc	64.4	mg/kg	6.2	1.1	1	05/09/22 16:28	05/12/22 16:43	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.057	mg/kg	0.041	0.012	1	05/06/22 11:52	05/09/22 10:38	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.082	0.025	1	05/06/22 10:26	05/06/22 15:40	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 15:40	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 15:40	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 15:40	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 15:40	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 15:40	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 15:40	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 15:40	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/06/22 10:26	05/06/22 15:40	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/06/22 10:26	05/06/22 15:40	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 15:40	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/06/22 10:26	05/06/22 15:40	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/06/22 10:26	05/06/22 15:40	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 15:40	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 15:40	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/06/22 10:26	05/06/22 15:40	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/06/22 10:26	05/06/22 15:40	88-74-4	
2-Nitrophenol	<0.069	mg/kg	0.23	0.069	1	05/06/22 10:26	05/06/22 15:40	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-07 (4.5-5.5) Lab ID: **40244350004** Collected: 05/03/22 09:00 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 15:40		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 15:40	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 15:40	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/06/22 10:26	05/06/22 15:40	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/06/22 10:26	05/06/22 15:40	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 15:40	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 15:40	106-47-8	2q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 15:40	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/06/22 10:26	05/06/22 15:40	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 15:40	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/06/22 10:26	05/06/22 15:40	83-32-9	
Acenaphthylene	<0.078	mg/kg	0.26	0.078	1	05/06/22 10:26	05/06/22 15:40	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 15:40	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 15:40	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 15:40	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 15:40	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 15:40	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/06/22 10:26	05/06/22 15:40	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 15:40	85-68-7	CU
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 15:40	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 15:40	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 15:40	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/06/22 10:26	05/06/22 15:40	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 15:40	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.088	0.026	1	05/06/22 10:26	05/06/22 15:40	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 15:40	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/06/22 10:26	05/06/22 15:40	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 15:40	206-44-0	
Fluorene	<0.025	mg/kg	0.085	0.025	1	05/06/22 10:26	05/06/22 15:40	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 15:40	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 15:40	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/06/22 10:26	05/06/22 15:40	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 15:40	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/06/22 10:26	05/06/22 15:40	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 15:40	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 15:40	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/06/22 10:26	05/06/22 15:40	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/06/22 10:26	05/06/22 15:40	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/06/22 10:26	05/06/22 15:40	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/06/22 10:26	05/06/22 15:40	87-86-5	
Phenanthrene	<0.028	mg/kg	0.093	0.028	1	05/06/22 10:26	05/06/22 15:40	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/06/22 10:26	05/06/22 15:40	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/06/22 10:26	05/06/22 15:40	129-00-0	
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 15:40	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-07 (4.5-5.5) **Lab ID: 40244350004** Collected: 05/03/22 09:00 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 15:40	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 15:40	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	67	%	10-125		1	05/06/22 10:26	05/06/22 15:40	4165-60-0	
2-Fluorobiphenyl (S)	56	%	12-118		1	05/06/22 10:26	05/06/22 15:40	321-60-8	
Terphenyl-d14 (S)	60	%	10-124		1	05/06/22 10:26	05/06/22 15:40	1718-51-0	
Phenol-d6 (S)	52	%	10-125		1	05/06/22 10:26	05/06/22 15:40	13127-88-3	
2-Fluorophenol (S)	51	%	10-130		1	05/06/22 10:26	05/06/22 15:40	367-12-4	
2,4,6-Tribromophenol (S)	66	%	10-144		1	05/06/22 10:26	05/06/22 15:40	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/06/22 06:00	05/06/22 11:08	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/06/22 06:00	05/06/22 11:08	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/06/22 06:00	05/06/22 11:08	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 11:08	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 11:08	75-35-4	
1,2-Dichloroethane	<0.00088	mg/kg	0.0053	0.00088	1	05/06/22 06:00	05/06/22 11:08	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 11:08	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/06/22 06:00	05/06/22 11:08	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/06/22 06:00	05/06/22 11:08	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/06/22 06:00	05/06/22 11:08	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/06/22 06:00	05/06/22 11:08	67-64-1	
Benzene	<0.00076	mg/kg	0.0053	0.00076	1	05/06/22 06:00	05/06/22 11:08	71-43-2	
Bromodichloromethane	<0.00073	mg/kg	0.0053	0.00073	1	05/06/22 06:00	05/06/22 11:08	75-27-4	
Bromoform	<0.0087	mg/kg	0.021	0.0087	1	05/06/22 06:00	05/06/22 11:08	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0053	0.0048	1	05/06/22 06:00	05/06/22 11:08	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/06/22 06:00	05/06/22 11:08	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0053	0.0034	1	05/06/22 06:00	05/06/22 11:08	56-23-5	
Chlorobenzene	<0.00098	mg/kg	0.0053	0.00098	1	05/06/22 06:00	05/06/22 11:08	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0053	0.0039	1	05/06/22 06:00	05/06/22 11:08	75-00-3	
Chloroform	<0.00090	mg/kg	0.0053	0.00090	1	05/06/22 06:00	05/06/22 11:08	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 11:08	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 11:08	124-48-1	
Ethylbenzene	<0.00095	mg/kg	0.0053	0.00095	1	05/06/22 06:00	05/06/22 11:08	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/06/22 06:00	05/06/22 11:08	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/06/22 06:00	05/06/22 11:08	75-09-2	
Styrene	<0.00076	mg/kg	0.0053	0.00076	1	05/06/22 06:00	05/06/22 11:08	100-42-5	
Tetrachloroethene	<0.00095	mg/kg	0.0053	0.00095	1	05/06/22 06:00	05/06/22 11:08	127-18-4	
Toluene	<0.00094	mg/kg	0.0053	0.00094	1	05/06/22 06:00	05/06/22 11:08	108-88-3	
Trichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/06/22 06:00	05/06/22 11:08	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/06/22 06:00	05/06/22 11:08	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/06/22 06:00	05/06/22 11:08	1330-20-7	
cis-1,2-Dichloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/06/22 06:00	05/06/22 11:08	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-07 (4.5-5.5) **Lab ID: 40244350004** Collected: 05/03/22 09:00 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 11:08	10061-01-5	
trans-1,2-Dichloroethene	<0.00077	mg/kg	0.0053	0.00077	1	05/06/22 06:00	05/06/22 11:08	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 11:08	10061-02-6	
Surrogates									
Toluene-d8 (S)	97	%	69-156		1	05/06/22 06:00	05/06/22 11:08	2037-26-5	
4-Bromofluorobenzene (S)	83	%	61-175		1	05/06/22 06:00	05/06/22 11:08	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1	05/06/22 06:00	05/06/22 11:08	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.1	%	0.10	0.10	1		05/10/22 16:07		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	6.7	Std. Units	0.10	0.010	1		05/11/22 14:02		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.33	mg/kg	0.99	0.33	1	05/09/22 11:05	05/09/22 14:02	57-12-5	M0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-08 (2-2.5) **Lab ID: 40244350005** Collected: 05/03/22 09:25 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel									
Analytical Method: EPA 8015D Modified Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
TPH (C08-C36)	61.7	mg/kg	2.1	0.91	1	05/12/22 08:32	05/13/22 07:14		
TPH - Diesel (C10-C28)	57.9	mg/kg	2.1	0.91	1	05/12/22 08:32	05/13/22 07:14		
Surrogates									
o-Terphenyl (S)	94	%	28-123		1	05/12/22 08:32	05/13/22 07:14	84-15-1	
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00060	mg/kg	0.0031	0.00060	1	05/09/22 02:19	05/12/22 15:38	309-00-2	
alpha-BHC	<0.00065	mg/kg	0.0031	0.00065	1	05/09/22 02:19	05/12/22 15:38	319-84-6	
beta-BHC	<0.00058	mg/kg	0.0031	0.00058	1	05/09/22 02:19	05/12/22 15:38	319-85-7	
delta-BHC	<0.00081	mg/kg	0.0031	0.00081	1	05/09/22 02:19	05/12/22 15:38	319-86-8	
gamma-BHC (Lindane)	<0.00056	mg/kg	0.0031	0.00056	1	05/09/22 02:19	05/12/22 15:38	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.062	0.013	1	05/09/22 02:19	05/12/22 15:38	57-74-9	
alpha-Chlordane	<0.00055	mg/kg	0.0031	0.00055	1	05/09/22 02:19	05/12/22 15:38	5103-71-9	
gamma-Chlordane	<0.00065	mg/kg	0.0031	0.00065	1	05/09/22 02:19	05/12/22 15:38	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0062	0.0012	1	05/09/22 02:19	05/12/22 15:38	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0062	0.0010	1	05/09/22 02:19	05/12/22 15:38	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0062	0.0020	1	05/09/22 02:19	05/12/22 15:38	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0062	0.0011	1	05/09/22 02:19	05/12/22 15:38	60-57-1	
Endosulfan I	<0.00052	mg/kg	0.0031	0.00052	1	05/09/22 02:19	05/12/22 15:38	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0062	0.0010	1	05/09/22 02:19	05/12/22 15:38	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0062	0.0012	1	05/09/22 02:19	05/12/22 15:38	1031-07-8	
Endrin	<0.0011	mg/kg	0.0062	0.0011	1	05/09/22 02:19	05/12/22 15:38	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0062	0.0014	1	05/09/22 02:19	05/12/22 15:38	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0062	0.0016	1	05/09/22 02:19	05/12/22 15:38	53494-70-5	
Heptachlor	<0.00055	mg/kg	0.0031	0.00055	1	05/09/22 02:19	05/12/22 15:38	76-44-8	
Heptachlor epoxide	<0.00052	mg/kg	0.0031	0.00052	1	05/09/22 02:19	05/12/22 15:38	1024-57-3	
Methoxychlor	<0.0071	mg/kg	0.031	0.0071	1	05/09/22 02:19	05/12/22 15:38	72-43-5	
Toxaphene	<0.022	mg/kg	0.062	0.022	1	05/09/22 02:19	05/12/22 15:38	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	33	%	10-147		1	05/09/22 02:19	05/12/22 15:38	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 12:00	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 12:00	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 12:00	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 12:00	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 12:00	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 12:00	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 12:00	11096-82-5	
PCB, Total	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 12:00	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	54	%	50-99		1	05/05/22 09:05	05/06/22 12:00	877-09-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-08 (2-2.5) **Lab ID: 40244350005** Collected: 05/03/22 09:25 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
Surrogates									
Decachlorobiphenyl (S)	77	%	38-95		1	05/05/22 09:05	05/06/22 12:00	2051-24-3	
Gasoline Range Organics									
Analytical Method: EPA 8015D Modified Preparation Method: EPA 5035A/5030B									
Pace Analytical Services - Green Bay									
TPH (C06-C10)	<6.9	mg/kg	15.6	6.9	1	05/10/22 09:30	05/10/22 11:29		
Surrogates									
a,a,a-Trifluorotoluene (S)	113	%	78-147		1	05/10/22 09:30	05/10/22 11:29	98-08-8	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	8760	mg/kg	36.6	7.4	1	05/09/22 16:28	05/12/22 16:46	7429-90-5	
Antimony	0.25J	mg/kg	0.61	0.12	1	05/09/22 16:28	05/12/22 16:46	7440-36-0	
Arsenic	24.6	mg/kg	0.61	0.13	1	05/09/22 16:28	05/12/22 16:46	7440-38-2	
Barium	118	mg/kg	0.37	0.065	1	05/09/22 16:28	05/12/22 16:46	7440-39-3	
Beryllium	0.64	mg/kg	0.24	0.048	1	05/09/22 16:28	05/12/22 16:46	7440-41-7	
Cadmium	0.40	mg/kg	0.098	0.038	1	05/09/22 16:28	05/12/22 16:46	7440-43-9	
Calcium	11700	mg/kg	122	14.4	1	05/09/22 16:28	05/12/22 16:46	7440-70-2	
Chromium	11.8	mg/kg	2.4	0.17	1	05/09/22 16:28	05/12/22 16:46	7440-47-3	
Cobalt	4.1	mg/kg	0.61	0.12	1	05/09/22 16:28	05/12/22 16:46	7440-48-4	
Copper	12.9	mg/kg	1.2	0.29	1	05/09/22 16:28	05/12/22 16:46	7440-50-8	
Iron	11600	mg/kg	60.9	12.8	1	05/09/22 16:28	05/12/22 16:46	7439-89-6	
Lead	15.6	mg/kg	0.61	0.036	1	05/09/22 16:28	05/12/22 16:46	7439-92-1	
Magnesium	5190	mg/kg	36.6	5.2	1	05/09/22 16:28	05/12/22 16:46	7439-95-4	
Manganese	229	mg/kg	0.61	0.30	1	05/09/22 16:28	05/12/22 16:46	7439-96-5	
Nickel	11.3	mg/kg	0.61	0.24	1	05/09/22 16:28	05/12/22 16:46	7440-02-0	
Potassium	991	mg/kg	122	14.0	1	05/09/22 16:28	05/12/22 16:46	7440-09-7	
Selenium	0.73	mg/kg	0.61	0.10	1	05/09/22 16:28	05/12/22 16:46	7782-49-2	
Silver	<0.18	mg/kg	0.61	0.18	1	05/09/22 16:28	05/12/22 16:46	7440-22-4	
Sodium	51.1J	mg/kg	60.9	13.5	1	05/09/22 16:28	05/12/22 16:46	7440-23-5	
Thallium	0.22	mg/kg	0.12	0.045	1	05/09/22 16:28	05/12/22 16:46	7440-28-0	
Vanadium	24.3	mg/kg	1.2	0.21	1	05/09/22 16:28	05/12/22 16:46	7440-62-2	
Zinc	83.1	mg/kg	6.1	1.1	1	05/09/22 16:28	05/12/22 16:46	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.030J	mg/kg	0.043	0.012	1	05/06/22 11:52	05/09/22 10:41	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.19	mg/kg	0.64	0.19	8	05/06/22 10:26	05/06/22 21:20	120-82-1	
1,2-Dichlorobenzene	<0.54	mg/kg	1.8	0.54	8	05/06/22 10:26	05/06/22 21:20	95-50-1	
1,3-Dichlorobenzene	<0.24	mg/kg	0.79	0.24	8	05/06/22 10:26	05/06/22 21:20	541-73-1	
1,4-Dichlorobenzene	<0.24	mg/kg	0.79	0.24	8	05/06/22 10:26	05/06/22 21:20	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-08 (2-2.5) Lab ID: **40244350005** Collected: 05/03/22 09:25 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2,2'-Oxybis(1-chloropropane)	<0.44	mg/kg	1.5	0.44	8	05/06/22 10:26	05/06/22 21:20	108-60-1	
2,4,5-Trichlorophenol	<0.30	mg/kg	1.0	0.30	8	05/06/22 10:26	05/06/22 21:20	95-95-4	
2,4,6-Trichlorophenol	<0.26	mg/kg	0.87	0.26	8	05/06/22 10:26	05/06/22 21:20	88-06-2	
2,4-Dichlorophenol	<0.46	mg/kg	1.5	0.46	8	05/06/22 10:26	05/06/22 21:20	120-83-2	
2,4-Dimethylphenol	<0.34	mg/kg	1.1	0.34	8	05/06/22 10:26	05/06/22 21:20	105-67-9	
2,4-Dinitrophenol	<0.52	mg/kg	1.7	0.52	8	05/06/22 10:26	05/06/22 21:20	51-28-5	
2,4-Dinitrotoluene	<0.24	mg/kg	0.82	0.24	8	05/06/22 10:26	05/06/22 21:20	121-14-2	
2,6-Dinitrotoluene	<0.32	mg/kg	1.1	0.32	8	05/06/22 10:26	05/06/22 21:20	606-20-2	
2-Chloronaphthalene	<0.22	mg/kg	0.73	0.22	8	05/06/22 10:26	05/06/22 21:20	91-58-7	
2-Chlorophenol	<0.43	mg/kg	1.4	0.43	8	05/06/22 10:26	05/06/22 21:20	95-57-8	
2-Methylnaphthalene	<0.44	mg/kg	1.5	0.44	8	05/06/22 10:26	05/06/22 21:20	91-57-6	
2-Methylphenol(o-Cresol)	<0.31	mg/kg	1.0	0.31	8	05/06/22 10:26	05/06/22 21:20	95-48-7	
2-Nitroaniline	<0.49	mg/kg	1.6	0.49	8	05/06/22 10:26	05/06/22 21:20	88-74-4	
2-Nitrophenol	<0.54	mg/kg	1.8	0.54	8	05/06/22 10:26	05/06/22 21:20	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.31	mg/kg	1.0	0.31	8	05/06/22 10:26	05/06/22 21:20		
3,3'-Dichlorobenzidine	<0.46	mg/kg	1.5	0.46	8	05/06/22 10:26	05/06/22 21:20	91-94-1	
3-Nitroaniline	<0.29	mg/kg	0.97	0.29	8	05/06/22 10:26	05/06/22 21:20	99-09-2	
4,6-Dinitro-2-methylphenol	<0.53	mg/kg	1.8	0.53	8	05/06/22 10:26	05/06/22 21:20	534-52-1	
4-Bromophenylphenyl ether	<0.36	mg/kg	1.2	0.36	8	05/06/22 10:26	05/06/22 21:20	101-55-3	
4-Chloro-3-methylphenol	<0.53	mg/kg	1.8	0.53	8	05/06/22 10:26	05/06/22 21:20	59-50-7	
4-Chloroaniline	<0.28	mg/kg	0.94	0.28	8	05/06/22 10:26	05/06/22 21:20	106-47-8	2q
4-Chlorophenylphenyl ether	<0.32	mg/kg	1.1	0.32	8	05/06/22 10:26	05/06/22 21:20	7005-72-3	
4-Nitroaniline	<0.71	mg/kg	2.4	0.71	8	05/06/22 10:26	05/06/22 21:20	100-01-6	
4-Nitrophenol	<0.43	mg/kg	1.4	0.43	8	05/06/22 10:26	05/06/22 21:20	100-02-7	
Acenaphthene	<0.61	mg/kg	2.0	0.61	8	05/06/22 10:26	05/06/22 21:20	83-32-9	
Acenaphthylene	<0.61	mg/kg	2.0	0.61	8	05/06/22 10:26	05/06/22 21:20	208-96-8	
Anthracene	<0.27	mg/kg	0.91	0.27	8	05/06/22 10:26	05/06/22 21:20	120-12-7	
Benzo(a)anthracene	<0.26	mg/kg	0.88	0.26	8	05/06/22 10:26	05/06/22 21:20	56-55-3	
Benzo(a)pyrene	<0.26	mg/kg	0.86	0.26	8	05/06/22 10:26	05/06/22 21:20	50-32-8	
Benzo(b)fluoranthene	<0.29	mg/kg	0.98	0.29	8	05/06/22 10:26	05/06/22 21:20	205-99-2	
Benzo(g,h,i)perylene	<0.45	mg/kg	1.5	0.45	8	05/06/22 10:26	05/06/22 21:20	191-24-2	
Benzo(k)fluoranthene	<0.41	mg/kg	1.4	0.41	8	05/06/22 10:26	05/06/22 21:20	207-08-9	
Butylbenzylphthalate	<0.27	mg/kg	0.91	0.27	8	05/06/22 10:26	05/06/22 21:20	85-68-7	CU
Carbazole	<0.27	mg/kg	0.89	0.27	8	05/06/22 10:26	05/06/22 21:20	86-74-8	
Chrysene	<0.26	mg/kg	0.85	0.26	8	05/06/22 10:26	05/06/22 21:20	218-01-9	
Di-n-butylphthalate	<0.26	mg/kg	0.85	0.26	8	05/06/22 10:26	05/06/22 21:20	84-74-2	
Di-n-octylphthalate	<0.38	mg/kg	1.3	0.38	8	05/06/22 10:26	05/06/22 21:20	117-84-0	
Dibenz(a,h)anthracene	<0.46	mg/kg	1.5	0.46	8	05/06/22 10:26	05/06/22 21:20	53-70-3	
Dibenzofuran	<0.21	mg/kg	0.69	0.21	8	05/06/22 10:26	05/06/22 21:20	132-64-9	
Diethylphthalate	<0.28	mg/kg	0.95	0.28	8	05/06/22 10:26	05/06/22 21:20	84-66-2	
Dimethylphthalate	<0.22	mg/kg	0.74	0.22	8	05/06/22 10:26	05/06/22 21:20	131-11-3	
Fluoranthene	<0.24	mg/kg	0.81	0.24	8	05/06/22 10:26	05/06/22 21:20	206-44-0	
Fluorene	<0.20	mg/kg	0.67	0.20	8	05/06/22 10:26	05/06/22 21:20	86-73-7	
Hexachloro-1,3-butadiene	<0.44	mg/kg	1.5	0.44	8	05/06/22 10:26	05/06/22 21:20	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-08 (2-2.5) Lab ID: **40244350005** Collected: 05/03/22 09:25 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Hexachlorobenzene	<0.29	mg/kg	0.96	0.29	8	05/06/22 10:26	05/06/22 21:20	118-74-1	
Hexachlorocyclopentadiene	<0.40	mg/kg	1.3	0.40	8	05/06/22 10:26	05/06/22 21:20	77-47-4	
Hexachloroethane	<0.27	mg/kg	0.91	0.27	8	05/06/22 10:26	05/06/22 21:20	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.37	mg/kg	1.2	0.37	8	05/06/22 10:26	05/06/22 21:20	193-39-5	
Isophorone	<0.26	mg/kg	0.88	0.26	8	05/06/22 10:26	05/06/22 21:20	78-59-1	
N-Nitroso-di-n-propylamine	<0.27	mg/kg	0.90	0.27	8	05/06/22 10:26	05/06/22 21:20	621-64-7	
N-Nitrosodiphenylamine	<2.3	mg/kg	7.7	2.3	8	05/06/22 10:26	05/06/22 21:20	86-30-6	
Naphthalene	<0.60	mg/kg	2.0	0.60	8	05/06/22 10:26	05/06/22 21:20	91-20-3	
Nitrobenzene	<0.35	mg/kg	1.2	0.35	8	05/06/22 10:26	05/06/22 21:20	98-95-3	
Pentachlorophenol	<0.38	mg/kg	1.3	0.38	8	05/06/22 10:26	05/06/22 21:20	87-86-5	
Phenanthrene	<0.22	mg/kg	0.73	0.22	8	05/06/22 10:26	05/06/22 21:20	85-01-8	
Phenol	<0.41	mg/kg	1.4	0.41	8	05/06/22 10:26	05/06/22 21:20	108-95-2	D3
Pyrene	<0.38	mg/kg	1.3	0.38	8	05/06/22 10:26	05/06/22 21:20	129-00-0	
bis(2-Chloroethoxy)methane	<0.46	mg/kg	1.5	0.46	8	05/06/22 10:26	05/06/22 21:20	111-91-1	
bis(2-Chloroethyl) ether	<0.53	mg/kg	1.8	0.53	8	05/06/22 10:26	05/06/22 21:20	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.28	mg/kg	0.95	0.28	8	05/06/22 10:26	05/06/22 21:20	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	65	%	10-125		8	05/06/22 10:26	05/06/22 21:20	4165-60-0	
2-Fluorobiphenyl (S)	52	%	12-118		8	05/06/22 10:26	05/06/22 21:20	321-60-8	
Terphenyl-d14 (S)	55	%	10-124		8	05/06/22 10:26	05/06/22 21:20	1718-51-0	
Phenol-d6 (S)	59	%	10-125		8	05/06/22 10:26	05/06/22 21:20	13127-88-3	
2-Fluorophenol (S)	60	%	10-130		8	05/06/22 10:26	05/06/22 21:20	367-12-4	
2,4,6-Tribromophenol (S)	68	%	10-144		8	05/06/22 10:26	05/06/22 21:20	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/06/22 06:00	05/06/22 11:32	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0029	mg/kg	0.0056	0.0029	1	05/06/22 06:00	05/06/22 11:32	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/06/22 06:00	05/06/22 11:32	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0056	0.0012	1	05/06/22 06:00	05/06/22 11:32	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0056	0.0012	1	05/06/22 06:00	05/06/22 11:32	75-35-4	
1,2-Dichloroethane	<0.00092	mg/kg	0.0056	0.00092	1	05/06/22 06:00	05/06/22 11:32	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0056	0.0011	1	05/06/22 06:00	05/06/22 11:32	78-87-5	
2-Butanone (MEK)	<0.018	mg/kg	0.028	0.018	1	05/06/22 06:00	05/06/22 11:32	78-93-3	
2-Hexanone	<0.013	mg/kg	0.028	0.013	1	05/06/22 06:00	05/06/22 11:32	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.028	0.022	1	05/06/22 06:00	05/06/22 11:32	108-10-1	
Acetone	<0.053	mg/kg	0.11	0.053	1	05/06/22 06:00	05/06/22 11:32	67-64-1	
Benzene	<0.00079	mg/kg	0.0056	0.00079	1	05/06/22 06:00	05/06/22 11:32	71-43-2	
Bromodichloromethane	<0.00076	mg/kg	0.0056	0.00076	1	05/06/22 06:00	05/06/22 11:32	75-27-4	
Bromoform	<0.0091	mg/kg	0.022	0.0091	1	05/06/22 06:00	05/06/22 11:32	75-25-2	
Bromomethane	<0.0050	mg/kg	0.0056	0.0050	1	05/06/22 06:00	05/06/22 11:32	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0056	0.0012	1	05/06/22 06:00	05/06/22 11:32	75-15-0	
Carbon tetrachloride	<0.0035	mg/kg	0.0056	0.0035	1	05/06/22 06:00	05/06/22 11:32	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/06/22 06:00	05/06/22 11:32	108-90-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-08 (2-2.5) **Lab ID: 40244350005** Collected: 05/03/22 09:25 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
Chloroethane	<0.0041	mg/kg	0.0056	0.0041	1	05/06/22 06:00	05/06/22 11:32	75-00-3	
Chloroform	<0.00094	mg/kg	0.0056	0.00094	1	05/06/22 06:00	05/06/22 11:32	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0056	0.0012	1	05/06/22 06:00	05/06/22 11:32	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0056	0.0011	1	05/06/22 06:00	05/06/22 11:32	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/06/22 06:00	05/06/22 11:32	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0056	0.0023	1	05/06/22 06:00	05/06/22 11:32	1634-04-4	
Methylene Chloride	<0.0044	mg/kg	0.0056	0.0044	1	05/06/22 06:00	05/06/22 11:32	75-09-2	
Styrene	<0.00079	mg/kg	0.0056	0.00079	1	05/06/22 06:00	05/06/22 11:32	100-42-5	
Tetrachloroethene	<0.00099	mg/kg	0.0056	0.00099	1	05/06/22 06:00	05/06/22 11:32	127-18-4	
Toluene	<0.00098	mg/kg	0.0056	0.00098	1	05/06/22 06:00	05/06/22 11:32	108-88-3	
Trichloroethene	<0.00080	mg/kg	0.0056	0.00080	1	05/06/22 06:00	05/06/22 11:32	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0056	0.0014	1	05/06/22 06:00	05/06/22 11:32	75-01-4	
Xylene (Total)	<0.0038	mg/kg	0.011	0.0038	1	05/06/22 06:00	05/06/22 11:32	1330-20-7	
cis-1,2-Dichloroethene	<0.00098	mg/kg	0.0056	0.00098	1	05/06/22 06:00	05/06/22 11:32	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/06/22 06:00	05/06/22 11:32	10061-01-5	
trans-1,2-Dichloroethene	<0.00080	mg/kg	0.0056	0.00080	1	05/06/22 06:00	05/06/22 11:32	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/06/22 06:00	05/06/22 11:32	10061-02-6	
Surrogates									
Toluene-d8 (S)	96	%	69-156		1	05/06/22 06:00	05/06/22 11:32	2037-26-5	
4-Bromofluorobenzene (S)	86	%	61-175		1	05/06/22 06:00	05/06/22 11:32	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1	05/06/22 06:00	05/06/22 11:32	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.9	%	0.10	0.10	1		05/10/22 16:08		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.4	Std. Units	0.10	0.010	1		05/11/22 14:10		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.30	mg/kg	0.91	0.30	1	05/09/22 12:15	05/09/22 14:06	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-08 (4.5-5.5) **Lab ID: 40244350006** Collected: 05/03/22 09:30 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel									
Analytical Method: EPA 8015D Modified Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
TPH (C08-C36)	31.3	mg/kg	2.2	0.93	1	05/16/22 09:13	05/17/22 06:49		
TPH - Diesel (C10-C28)	25.5	mg/kg	2.2	0.93	1	05/16/22 09:13	05/17/22 06:49		
Surrogates									
o-Terphenyl (S)	83	%	28-123		1	05/16/22 09:13	05/17/22 06:49	84-15-1	
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00062	mg/kg	0.0032	0.00062	1	05/09/22 02:19	05/12/22 15:51	309-00-2	
alpha-BHC	<0.00067	mg/kg	0.0032	0.00067	1	05/09/22 02:19	05/12/22 15:51	319-84-6	
beta-BHC	<0.00060	mg/kg	0.0032	0.00060	1	05/09/22 02:19	05/12/22 15:51	319-85-7	
delta-BHC	<0.00084	mg/kg	0.0032	0.00084	1	05/09/22 02:19	05/12/22 15:51	319-86-8	
gamma-BHC (Lindane)	<0.00058	mg/kg	0.0032	0.00058	1	05/09/22 02:19	05/12/22 15:51	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.064	0.013	1	05/09/22 02:19	05/12/22 15:51	57-74-9	
alpha-Chlordane	<0.00057	mg/kg	0.0032	0.00057	1	05/09/22 02:19	05/12/22 15:51	5103-71-9	
gamma-Chlordane	<0.00067	mg/kg	0.0032	0.00067	1	05/09/22 02:19	05/12/22 15:51	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0064	0.0012	1	05/09/22 02:19	05/12/22 15:51	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/12/22 15:51	72-55-9	
4,4'-DDT	<0.0021	mg/kg	0.0064	0.0021	1	05/09/22 02:19	05/12/22 15:51	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/12/22 15:51	60-57-1	
Endosulfan I	<0.00053	mg/kg	0.0032	0.00053	1	05/09/22 02:19	05/12/22 15:51	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/12/22 15:51	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0064	0.0012	1	05/09/22 02:19	05/12/22 15:51	1031-07-8	
Endrin	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/12/22 15:51	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0064	0.0015	1	05/09/22 02:19	05/12/22 15:51	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0064	0.0016	1	05/09/22 02:19	05/12/22 15:51	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0032	0.00057	1	05/09/22 02:19	05/12/22 15:51	76-44-8	
Heptachlor epoxide	<0.00054	mg/kg	0.0032	0.00054	1	05/09/22 02:19	05/12/22 15:51	1024-57-3	
Methoxychlor	<0.0073	mg/kg	0.032	0.0073	1	05/09/22 02:19	05/12/22 15:51	72-43-5	
Toxaphene	<0.023	mg/kg	0.064	0.023	1	05/09/22 02:19	05/12/22 15:51	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	44	%	10-147		1	05/09/22 02:19	05/12/22 15:51	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 12:24	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 12:24	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 12:24	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 12:24	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 12:24	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 12:24	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 12:24	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 12:24	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	66	%	50-99		1	05/05/22 09:05	05/06/22 12:24	877-09-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-08 (4.5-5.5) **Lab ID: 40244350006** Collected: 05/03/22 09:30 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
Surrogates									
Decachlorobiphenyl (S)	80	%	38-95		1	05/05/22 09:05	05/06/22 12:24	2051-24-3	
Gasoline Range Organics									
Analytical Method: EPA 8015D Modified Preparation Method: EPA 5035A/5030B									
Pace Analytical Services - Green Bay									
TPH (C06-C10)	<7.2	mg/kg	16.2	7.2	1	05/10/22 09:30	05/10/22 11:55		
Surrogates									
a,a,a-Trifluorotoluene (S)	120	%	78-147		1	05/10/22 09:30	05/10/22 11:55	98-08-8	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	2350	mg/kg	38.9	7.8	1	05/09/22 16:28	05/12/22 16:49	7429-90-5	
Antimony	0.82	mg/kg	0.65	0.12	1	05/09/22 16:28	05/12/22 16:49	7440-36-0	
Arsenic	17.1	mg/kg	0.65	0.14	1	05/09/22 16:28	05/12/22 16:49	7440-38-2	
Barium	27.7	mg/kg	0.39	0.069	1	05/09/22 16:28	05/12/22 16:49	7440-39-3	
Beryllium	0.27	mg/kg	0.26	0.051	1	05/09/22 16:28	05/12/22 16:49	7440-41-7	
Cadmium	0.31	mg/kg	0.10	0.041	1	05/09/22 16:28	05/12/22 16:49	7440-43-9	
Calcium	55300	mg/kg	130	15.3	1	05/09/22 16:28	05/12/22 16:49	7440-70-2	
Chromium	5.5	mg/kg	2.6	0.18	1	05/09/22 16:28	05/12/22 16:49	7440-47-3	
Cobalt	3.3	mg/kg	0.65	0.13	1	05/09/22 16:28	05/12/22 16:49	7440-48-4	
Copper	8.8	mg/kg	1.3	0.31	1	05/09/22 16:28	05/12/22 16:49	7440-50-8	
Iron	7220	mg/kg	64.8	13.6	1	05/09/22 16:28	05/12/22 16:49	7439-89-6	
Lead	14.6	mg/kg	0.65	0.038	1	05/09/22 16:28	05/12/22 16:49	7439-92-1	
Magnesium	27200	mg/kg	38.9	5.6	1	05/09/22 16:28	05/12/22 16:49	7439-95-4	
Manganese	1160	mg/kg	6.5	3.2	10	05/09/22 16:28	05/13/22 08:49	7439-96-5	
Nickel	8.7	mg/kg	0.65	0.26	1	05/09/22 16:28	05/12/22 16:49	7440-02-0	
Potassium	476	mg/kg	130	14.9	1	05/09/22 16:28	05/12/22 16:49	7440-09-7	
Selenium	0.26J	mg/kg	0.65	0.11	1	05/09/22 16:28	05/12/22 16:49	7782-49-2	
Silver	<0.19	mg/kg	0.65	0.19	1	05/09/22 16:28	05/12/22 16:49	7440-22-4	
Sodium	142	mg/kg	64.8	14.4	1	05/09/22 16:28	05/12/22 16:49	7440-23-5	
Thallium	0.10J	mg/kg	0.13	0.047	1	05/09/22 16:28	05/12/22 16:49	7440-28-0	
Vanadium	8.8	mg/kg	1.3	0.23	1	05/09/22 16:28	05/12/22 16:49	7440-62-2	
Zinc	41.6	mg/kg	6.5	1.2	1	05/09/22 16:28	05/12/22 16:49	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.048	mg/kg	0.045	0.013	1	05/06/22 11:52	05/09/22 10:43	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.099	mg/kg	0.33	0.099	4	05/06/22 10:26	05/06/22 20:38	120-82-1	
1,2-Dichlorobenzene	<0.27	mg/kg	0.92	0.27	4	05/06/22 10:26	05/06/22 20:38	95-50-1	
1,3-Dichlorobenzene	<0.12	mg/kg	0.40	0.12	4	05/06/22 10:26	05/06/22 20:38	541-73-1	
1,4-Dichlorobenzene	<0.12	mg/kg	0.41	0.12	4	05/06/22 10:26	05/06/22 20:38	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-08 (4.5-5.5) **Lab ID: 40244350006** Collected: 05/03/22 09:30 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2,2'-Oxybis(1-chloropropane)	<0.23	mg/kg	0.75	0.23	4	05/06/22 10:26	05/06/22 20:38	108-60-1	
2,4,5-Trichlorophenol	<0.15	mg/kg	0.51	0.15	4	05/06/22 10:26	05/06/22 20:38	95-95-4	
2,4,6-Trichlorophenol	<0.13	mg/kg	0.44	0.13	4	05/06/22 10:26	05/06/22 20:38	88-06-2	
2,4-Dichlorophenol	<0.23	mg/kg	0.78	0.23	4	05/06/22 10:26	05/06/22 20:38	120-83-2	
2,4-Dimethylphenol	<0.17	mg/kg	0.58	0.17	4	05/06/22 10:26	05/06/22 20:38	105-67-9	
2,4-Dinitrophenol	<0.27	mg/kg	0.89	0.27	4	05/06/22 10:26	05/06/22 20:38	51-28-5	
2,4-Dinitrotoluene	<0.12	mg/kg	0.42	0.12	4	05/06/22 10:26	05/06/22 20:38	121-14-2	
2,6-Dinitrotoluene	<0.17	mg/kg	0.55	0.17	4	05/06/22 10:26	05/06/22 20:38	606-20-2	
2-Chloronaphthalene	<0.11	mg/kg	0.37	0.11	4	05/06/22 10:26	05/06/22 20:38	91-58-7	
2-Chlorophenol	<0.22	mg/kg	0.73	0.22	4	05/06/22 10:26	05/06/22 20:38	95-57-8	
2-Methylnaphthalene	<0.23	mg/kg	0.76	0.23	4	05/06/22 10:26	05/06/22 20:38	91-57-6	
2-Methylphenol(o-Cresol)	<0.16	mg/kg	0.53	0.16	4	05/06/22 10:26	05/06/22 20:38	95-48-7	
2-Nitroaniline	<0.25	mg/kg	0.83	0.25	4	05/06/22 10:26	05/06/22 20:38	88-74-4	
2-Nitrophenol	<0.28	mg/kg	0.92	0.28	4	05/06/22 10:26	05/06/22 20:38	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.16	mg/kg	0.53	0.16	4	05/06/22 10:26	05/06/22 20:38		
3,3'-Dichlorobenzidine	<0.24	mg/kg	0.79	0.24	4	05/06/22 10:26	05/06/22 20:38	91-94-1	
3-Nitroaniline	<0.15	mg/kg	0.50	0.15	4	05/06/22 10:26	05/06/22 20:38	99-09-2	
4,6-Dinitro-2-methylphenol	<0.27	mg/kg	0.90	0.27	4	05/06/22 10:26	05/06/22 20:38	534-52-1	
4-Bromophenylphenyl ether	<0.18	mg/kg	0.61	0.18	4	05/06/22 10:26	05/06/22 20:38	101-55-3	
4-Chloro-3-methylphenol	<0.27	mg/kg	0.91	0.27	4	05/06/22 10:26	05/06/22 20:38	59-50-7	
4-Chloroaniline	<0.14	mg/kg	0.48	0.14	4	05/06/22 10:26	05/06/22 20:38	106-47-8	2q
4-Chlorophenylphenyl ether	<0.16	mg/kg	0.54	0.16	4	05/06/22 10:26	05/06/22 20:38	7005-72-3	
4-Nitroaniline	<0.36	mg/kg	1.2	0.36	4	05/06/22 10:26	05/06/22 20:38	100-01-6	
4-Nitrophenol	<0.22	mg/kg	0.73	0.22	4	05/06/22 10:26	05/06/22 20:38	100-02-7	
Acenaphthene	<0.31	mg/kg	1.0	0.31	4	05/06/22 10:26	05/06/22 20:38	83-32-9	
Acenaphthylene	<0.31	mg/kg	1.0	0.31	4	05/06/22 10:26	05/06/22 20:38	208-96-8	
Anthracene	<0.14	mg/kg	0.47	0.14	4	05/06/22 10:26	05/06/22 20:38	120-12-7	
Benzo(a)anthracene	<0.14	mg/kg	0.45	0.14	4	05/06/22 10:26	05/06/22 20:38	56-55-3	
Benzo(a)pyrene	<0.13	mg/kg	0.44	0.13	4	05/06/22 10:26	05/06/22 20:38	50-32-8	
Benzo(b)fluoranthene	<0.15	mg/kg	0.50	0.15	4	05/06/22 10:26	05/06/22 20:38	205-99-2	
Benzo(g,h,i)perylene	<0.23	mg/kg	0.76	0.23	4	05/06/22 10:26	05/06/22 20:38	191-24-2	
Benzo(k)fluoranthene	<0.21	mg/kg	0.70	0.21	4	05/06/22 10:26	05/06/22 20:38	207-08-9	
Butylbenzylphthalate	<0.14	mg/kg	0.47	0.14	4	05/06/22 10:26	05/06/22 20:38	85-68-7	CU
Carbazole	<0.14	mg/kg	0.46	0.14	4	05/06/22 10:26	05/06/22 20:38	86-74-8	
Chrysene	<0.13	mg/kg	0.44	0.13	4	05/06/22 10:26	05/06/22 20:38	218-01-9	
Di-n-butylphthalate	<0.13	mg/kg	0.44	0.13	4	05/06/22 10:26	05/06/22 20:38	84-74-2	
Di-n-octylphthalate	<0.20	mg/kg	0.65	0.20	4	05/06/22 10:26	05/06/22 20:38	117-84-0	
Dibenz(a,h)anthracene	<0.24	mg/kg	0.79	0.24	4	05/06/22 10:26	05/06/22 20:38	53-70-3	
Dibenzofuran	<0.11	mg/kg	0.35	0.11	4	05/06/22 10:26	05/06/22 20:38	132-64-9	
Diethylphthalate	<0.14	mg/kg	0.48	0.14	4	05/06/22 10:26	05/06/22 20:38	84-66-2	
Dimethylphthalate	<0.11	mg/kg	0.38	0.11	4	05/06/22 10:26	05/06/22 20:38	131-11-3	
Fluoranthene	<0.12	mg/kg	0.41	0.12	4	05/06/22 10:26	05/06/22 20:38	206-44-0	
Fluorene	<0.10	mg/kg	0.34	0.10	4	05/06/22 10:26	05/06/22 20:38	86-73-7	
Hexachloro-1,3-butadiene	<0.22	mg/kg	0.74	0.22	4	05/06/22 10:26	05/06/22 20:38	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-08 (4.5-5.5) **Lab ID: 40244350006** Collected: 05/03/22 09:30 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Hexachlorobenzene	<0.15	mg/kg	0.49	0.15	4	05/06/22 10:26	05/06/22 20:38	118-74-1	
Hexachlorocyclopentadiene	<0.21	mg/kg	0.69	0.21	4	05/06/22 10:26	05/06/22 20:38	77-47-4	
Hexachloroethane	<0.14	mg/kg	0.47	0.14	4	05/06/22 10:26	05/06/22 20:38	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.19	mg/kg	0.63	0.19	4	05/06/22 10:26	05/06/22 20:38	193-39-5	
Isophorone	<0.13	mg/kg	0.45	0.13	4	05/06/22 10:26	05/06/22 20:38	78-59-1	
N-Nitroso-di-n-propylamine	<0.14	mg/kg	0.46	0.14	4	05/06/22 10:26	05/06/22 20:38	621-64-7	
N-Nitrosodiphenylamine	<1.2	mg/kg	4.0	1.2	4	05/06/22 10:26	05/06/22 20:38	86-30-6	
Naphthalene	<0.31	mg/kg	1.0	0.31	4	05/06/22 10:26	05/06/22 20:38	91-20-3	
Nitrobenzene	<0.18	mg/kg	0.59	0.18	4	05/06/22 10:26	05/06/22 20:38	98-95-3	
Pentachlorophenol	<0.19	mg/kg	0.64	0.19	4	05/06/22 10:26	05/06/22 20:38	87-86-5	
Phenanthrene	<0.11	mg/kg	0.37	0.11	4	05/06/22 10:26	05/06/22 20:38	85-01-8	
Phenol	<0.21	mg/kg	0.69	0.21	4	05/06/22 10:26	05/06/22 20:38	108-95-2	D3
Pyrene	<0.19	mg/kg	0.65	0.19	4	05/06/22 10:26	05/06/22 20:38	129-00-0	
bis(2-Chloroethoxy)methane	<0.24	mg/kg	0.78	0.24	4	05/06/22 10:26	05/06/22 20:38	111-91-1	
bis(2-Chloroethyl) ether	<0.27	mg/kg	0.91	0.27	4	05/06/22 10:26	05/06/22 20:38	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.15	mg/kg	0.48	0.15	4	05/06/22 10:26	05/06/22 20:38	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	68	%	10-125		4	05/06/22 10:26	05/06/22 20:38	4165-60-0	
2-Fluorobiphenyl (S)	61	%	12-118		4	05/06/22 10:26	05/06/22 20:38	321-60-8	
Terphenyl-d14 (S)	62	%	10-124		4	05/06/22 10:26	05/06/22 20:38	1718-51-0	
Phenol-d6 (S)	63	%	10-125		4	05/06/22 10:26	05/06/22 20:38	13127-88-3	
2-Fluorophenol (S)	69	%	10-130		4	05/06/22 10:26	05/06/22 20:38	367-12-4	
2,4,6-Tribromophenol (S)	62	%	10-144		4	05/06/22 10:26	05/06/22 20:38	118-79-6	

8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/06/22 06:00	05/06/22 11:57	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/06/22 06:00	05/06/22 11:57	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/06/22 06:00	05/06/22 11:57	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 11:57	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 11:57	75-35-4	
1,2-Dichloroethane	<0.00088	mg/kg	0.0053	0.00088	1	05/06/22 06:00	05/06/22 11:57	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 11:57	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/06/22 06:00	05/06/22 11:57	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/06/22 06:00	05/06/22 11:57	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/06/22 06:00	05/06/22 11:57	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/06/22 06:00	05/06/22 11:57	67-64-1	
Benzene	<0.00075	mg/kg	0.0053	0.00075	1	05/06/22 06:00	05/06/22 11:57	71-43-2	
Bromodichloromethane	<0.00072	mg/kg	0.0053	0.00072	1	05/06/22 06:00	05/06/22 11:57	75-27-4	
Bromoform	<0.0086	mg/kg	0.021	0.0086	1	05/06/22 06:00	05/06/22 11:57	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0053	0.0047	1	05/06/22 06:00	05/06/22 11:57	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/06/22 06:00	05/06/22 11:57	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0053	0.0034	1	05/06/22 06:00	05/06/22 11:57	56-23-5	
Chlorobenzene	<0.00098	mg/kg	0.0053	0.00098	1	05/06/22 06:00	05/06/22 11:57	108-90-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-08 (4.5-5.5) **Lab ID: 40244350006** Collected: 05/03/22 09:30 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
Chloroethane	<0.0039	mg/kg	0.0053	0.0039	1	05/06/22 06:00	05/06/22 11:57	75-00-3	
Chloroform	<0.00090	mg/kg	0.0053	0.00090	1	05/06/22 06:00	05/06/22 11:57	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 11:57	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 11:57	124-48-1	
Ethylbenzene	<0.00095	mg/kg	0.0053	0.00095	1	05/06/22 06:00	05/06/22 11:57	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/06/22 06:00	05/06/22 11:57	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/06/22 06:00	05/06/22 11:57	75-09-2	
Styrene	<0.00075	mg/kg	0.0053	0.00075	1	05/06/22 06:00	05/06/22 11:57	100-42-5	
Tetrachloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/06/22 06:00	05/06/22 11:57	127-18-4	
Toluene	<0.00094	mg/kg	0.0053	0.00094	1	05/06/22 06:00	05/06/22 11:57	108-88-3	
Trichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/06/22 06:00	05/06/22 11:57	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/06/22 06:00	05/06/22 11:57	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/06/22 06:00	05/06/22 11:57	1330-20-7	
cis-1,2-Dichloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/06/22 06:00	05/06/22 11:57	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 11:57	10061-01-5	
trans-1,2-Dichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/06/22 06:00	05/06/22 11:57	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 11:57	10061-02-6	
Surrogates									
Toluene-d8 (S)	96	%	69-156		1	05/06/22 06:00	05/06/22 11:57	2037-26-5	
4-Bromofluorobenzene (S)	78	%	61-175		1	05/06/22 06:00	05/06/22 11:57	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1	05/06/22 06:00	05/06/22 11:57	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.6	%	0.10	0.10	1		05/10/22 16:08		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.8	Std. Units	0.10	0.010	1		05/11/22 14:14		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.39	mg/kg	1.2	0.39	1	05/09/22 12:15	05/09/22 14:07	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-09 (1.5-2.5) **Lab ID: 40244350007** Collected: 05/03/22 10:25 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00063	mg/kg	0.0033	0.00063	1	05/09/22 02:19	05/09/22 17:54	309-00-2	
alpha-BHC	<0.00068	mg/kg	0.0033	0.00068	1	05/09/22 02:19	05/09/22 17:54	319-84-6	
beta-BHC	<0.00061	mg/kg	0.0033	0.00061	1	05/09/22 02:19	05/09/22 17:54	319-85-7	
delta-BHC	<0.00086	mg/kg	0.0033	0.00086	1	05/09/22 02:19	05/09/22 17:54	319-86-8	
gamma-BHC (Lindane)	<0.00059	mg/kg	0.0033	0.00059	1	05/09/22 02:19	05/09/22 17:54	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.065	0.013	1	05/09/22 02:19	05/09/22 17:54	57-74-9	
alpha-Chlordane	<0.00058	mg/kg	0.0033	0.00058	1	05/09/22 02:19	05/09/22 17:54	5103-71-9	
gamma-Chlordane	<0.00068	mg/kg	0.0033	0.00068	1	05/09/22 02:19	05/09/22 17:54	5103-74-2	
4,4'-DDD	<0.0013	mg/kg	0.0065	0.0013	1	05/09/22 02:19	05/09/22 17:54	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 02:19	05/09/22 17:54	72-55-9	
4,4'-DDT	<0.0021	mg/kg	0.0065	0.0021	1	05/09/22 02:19	05/09/22 17:54	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 02:19	05/09/22 17:54	60-57-1	
Endosulfan I	<0.00054	mg/kg	0.0033	0.00054	1	05/09/22 02:19	05/09/22 17:54	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 02:19	05/09/22 17:54	33213-65-9	
Endosulfan sulfate	<0.0013	mg/kg	0.0065	0.0013	1	05/09/22 02:19	05/09/22 17:54	1031-07-8	
Endrin	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 02:19	05/09/22 17:54	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0065	0.0015	1	05/09/22 02:19	05/09/22 17:54	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0065	0.0016	1	05/09/22 02:19	05/09/22 17:54	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0033	0.00058	1	05/09/22 02:19	05/09/22 17:54	76-44-8	
Heptachlor epoxide	<0.00055	mg/kg	0.0033	0.00055	1	05/09/22 02:19	05/09/22 17:54	1024-57-3	
Methoxychlor	<0.0075	mg/kg	0.033	0.0075	1	05/09/22 02:19	05/09/22 17:54	72-43-5	
Toxaphene	<0.023	mg/kg	0.065	0.023	1	05/09/22 02:19	05/09/22 17:54	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	26	%	10-147		1	05/09/22 02:19	05/09/22 17:54	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.067	0.020	1	05/05/22 09:05	05/06/22 12:50	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.067	0.020	1	05/05/22 09:05	05/06/22 12:50	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.067	0.020	1	05/05/22 09:05	05/06/22 12:50	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.067	0.020	1	05/05/22 09:05	05/06/22 12:50	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.067	0.020	1	05/05/22 09:05	05/06/22 12:50	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.067	0.020	1	05/05/22 09:05	05/06/22 12:50	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.067	0.020	1	05/05/22 09:05	05/06/22 12:50	11096-82-5	
PCB, Total	<0.020	mg/kg	0.067	0.020	1	05/05/22 09:05	05/06/22 12:50	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	71	%	50-99		1	05/05/22 09:05	05/06/22 12:50	877-09-8	
Decachlorobiphenyl (S)	77	%	38-95		1	05/05/22 09:05	05/06/22 12:50	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	11600	mg/kg	39.2	7.9	1	05/09/22 16:28	05/12/22 16:53	7429-90-5	
Antimony	<0.13	mg/kg	0.65	0.13	1	05/09/22 16:28	05/12/22 16:53	7440-36-0	
Arsenic	4.3	mg/kg	0.65	0.14	1	05/09/22 16:28	05/12/22 16:53	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-09 (1.5-2.5) **Lab ID: 40244350007** Collected: 05/03/22 10:25 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	134	mg/kg	0.39	0.070	1	05/09/22 16:28	05/12/22 16:53	7440-39-3	
Beryllium	0.77	mg/kg	0.26	0.052	1	05/09/22 16:28	05/12/22 16:53	7440-41-7	
Cadmium	0.080J	mg/kg	0.10	0.041	1	05/09/22 16:28	05/12/22 16:53	7440-43-9	
Calcium	3820	mg/kg	131	15.4	1	05/09/22 16:28	05/12/22 16:53	7440-70-2	
Chromium	14.4	mg/kg	2.6	0.18	1	05/09/22 16:28	05/12/22 16:53	7440-47-3	
Cobalt	4.2	mg/kg	0.65	0.13	1	05/09/22 16:28	05/12/22 16:53	7440-48-4	
Copper	13.6	mg/kg	1.3	0.32	1	05/09/22 16:28	05/12/22 16:53	7440-50-8	
Iron	14400	mg/kg	65.4	13.7	1	05/09/22 16:28	05/12/22 16:53	7439-89-6	
Lead	9.2	mg/kg	0.65	0.038	1	05/09/22 16:28	05/12/22 16:53	7439-92-1	
Magnesium	2500	mg/kg	39.2	5.6	1	05/09/22 16:28	05/12/22 16:53	7439-95-4	
Manganese	213	mg/kg	0.65	0.32	1	05/09/22 16:28	05/12/22 16:53	7439-96-5	
Nickel	10.2	mg/kg	0.65	0.26	1	05/09/22 16:28	05/12/22 16:53	7440-02-0	
Potassium	959	mg/kg	131	15.0	1	05/09/22 16:28	05/12/22 16:53	7440-09-7	
Selenium	0.66	mg/kg	0.65	0.11	1	05/09/22 16:28	05/12/22 16:53	7782-49-2	
Silver	<0.19	mg/kg	0.65	0.19	1	05/09/22 16:28	05/12/22 16:53	7440-22-4	
Sodium	47.8J	mg/kg	65.4	14.5	1	05/09/22 16:28	05/12/22 16:53	7440-23-5	
Thallium	0.14	mg/kg	0.13	0.048	1	05/09/22 16:28	05/12/22 16:53	7440-28-0	
Vanadium	24.4	mg/kg	1.3	0.23	1	05/09/22 16:28	05/12/22 16:53	7440-62-2	
Zinc	42.2	mg/kg	6.5	1.2	1	05/09/22 16:28	05/12/22 16:53	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.022J	mg/kg	0.046	0.013	1	05/06/22 11:52	05/09/22 10:45	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.084	0.025	1	05/06/22 10:26	05/06/22 16:01	120-82-1	
1,2-Dichlorobenzene	<0.070	mg/kg	0.23	0.070	1	05/06/22 10:26	05/06/22 16:01	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 16:01	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 16:01	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 16:01	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/06/22 10:26	05/06/22 16:01	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 16:01	88-06-2	
2,4-Dichlorophenol	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 16:01	120-83-2	
2,4-Dimethylphenol	<0.044	mg/kg	0.15	0.044	1	05/06/22 10:26	05/06/22 16:01	105-67-9	
2,4-Dinitrophenol	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 16:01	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 16:01	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/06/22 10:26	05/06/22 16:01	606-20-2	
2-Chloronaphthalene	<0.029	mg/kg	0.095	0.029	1	05/06/22 10:26	05/06/22 16:01	91-58-7	
2-Chlorophenol	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 16:01	95-57-8	
2-Methylnaphthalene	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 16:01	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 16:01	95-48-7	
2-Nitroaniline	<0.063	mg/kg	0.21	0.063	1	05/06/22 10:26	05/06/22 16:01	88-74-4	
2-Nitrophenol	<0.070	mg/kg	0.23	0.070	1	05/06/22 10:26	05/06/22 16:01	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-09 (1.5-2.5) **Lab ID: 40244350007** Collected: 05/03/22 10:25 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.041	mg/kg	0.14	0.041	1	05/06/22 10:26	05/06/22 16:01		
3,3'-Dichlorobenzidine	<0.060	mg/kg	0.20	0.060	1	05/06/22 10:26	05/06/22 16:01	91-94-1	
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 16:01	99-09-2	
4,6-Dinitro-2-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/06/22 10:26	05/06/22 16:01	534-52-1	
4-Bromophenylphenyl ether	<0.047	mg/kg	0.16	0.047	1	05/06/22 10:26	05/06/22 16:01	101-55-3	
4-Chloro-3-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/06/22 10:26	05/06/22 16:01	59-50-7	
4-Chloroaniline	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 16:01	106-47-8	2q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/06/22 10:26	05/06/22 16:01	7005-72-3	
4-Nitroaniline	<0.092	mg/kg	0.31	0.092	1	05/06/22 10:26	05/06/22 16:01	100-01-6	
4-Nitrophenol	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 16:01	100-02-7	
Acenaphthene	<0.079	mg/kg	0.26	0.079	1	05/06/22 10:26	05/06/22 16:01	83-32-9	
Acenaphthylene	<0.079	mg/kg	0.26	0.079	1	05/06/22 10:26	05/06/22 16:01	208-96-8	
Anthracene	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 16:01	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 16:01	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 16:01	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 16:01	205-99-2	
Benzo(g,h,i)perylene	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 16:01	191-24-2	
Benzo(k)fluoranthene	<0.053	mg/kg	0.18	0.053	1	05/06/22 10:26	05/06/22 16:01	207-08-9	
Butylbenzylphthalate	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 16:01	85-68-7	CU
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 16:01	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 16:01	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 16:01	84-74-2	
Di-n-octylphthalate	<0.050	mg/kg	0.17	0.050	1	05/06/22 10:26	05/06/22 16:01	117-84-0	
Dibenz(a,h)anthracene	<0.060	mg/kg	0.20	0.060	1	05/06/22 10:26	05/06/22 16:01	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.090	0.027	1	05/06/22 10:26	05/06/22 16:01	132-64-9	
Diethylphthalate	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 16:01	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.096	0.029	1	05/06/22 10:26	05/06/22 16:01	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 16:01	206-44-0	
Fluorene	<0.026	mg/kg	0.087	0.026	1	05/06/22 10:26	05/06/22 16:01	86-73-7	
Hexachloro-1,3-butadiene	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 16:01	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 16:01	118-74-1	
Hexachlorocyclopentadiene	<0.053	mg/kg	0.18	0.053	1	05/06/22 10:26	05/06/22 16:01	77-47-4	
Hexachloroethane	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 16:01	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.048	mg/kg	0.16	0.048	1	05/06/22 10:26	05/06/22 16:01	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 16:01	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 16:01	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	1.0	0.30	1	05/06/22 10:26	05/06/22 16:01	86-30-6	
Naphthalene	<0.078	mg/kg	0.26	0.078	1	05/06/22 10:26	05/06/22 16:01	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/06/22 10:26	05/06/22 16:01	98-95-3	
Pentachlorophenol	<0.049	mg/kg	0.16	0.049	1	05/06/22 10:26	05/06/22 16:01	87-86-5	
Phenanthrene	<0.029	mg/kg	0.095	0.029	1	05/06/22 10:26	05/06/22 16:01	85-01-8	
Phenol	<0.053	mg/kg	0.18	0.053	1	05/06/22 10:26	05/06/22 16:01	108-95-2	
Pyrene	<0.049	mg/kg	0.16	0.049	1	05/06/22 10:26	05/06/22 16:01	129-00-0	
bis(2-Chloroethoxy)methane	<0.060	mg/kg	0.20	0.060	1	05/06/22 10:26	05/06/22 16:01	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Sample Project No.: 40244350

Sample: **SB-09 (1.5-2.5)** Lab ID: **40244350007** Collected: 05/03/22 10:25 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.069	mg/kg	0.23	0.069	1	05/06/22 10:26	05/06/22 16:01	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 16:01	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	88	%	10-125		1	05/06/22 10:26	05/06/22 16:01	4165-60-0	
2-Fluorobiphenyl (S)	61	%	12-118		1	05/06/22 10:26	05/06/22 16:01	321-60-8	
Terphenyl-d14 (S)	70	%	10-124		1	05/06/22 10:26	05/06/22 16:01	1718-51-0	
Phenol-d6 (S)	64	%	10-125		1	05/06/22 10:26	05/06/22 16:01	13127-88-3	
2-Fluorophenol (S)	65	%	10-130		1	05/06/22 10:26	05/06/22 16:01	367-12-4	
2,4,6-Tribromophenol (S)	65	%	10-144		1	05/06/22 10:26	05/06/22 16:01	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/06/22 06:00	05/06/22 13:58	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0029	mg/kg	0.0056	0.0029	1	05/06/22 06:00	05/06/22 13:58	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/06/22 06:00	05/06/22 13:58	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0056	0.0012	1	05/06/22 06:00	05/06/22 13:58	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0056	0.0012	1	05/06/22 06:00	05/06/22 13:58	75-35-4	
1,2-Dichloroethane	<0.00093	mg/kg	0.0056	0.00093	1	05/06/22 06:00	05/06/22 13:58	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0056	0.0011	1	05/06/22 06:00	05/06/22 13:58	78-87-5	
2-Butanone (MEK)	<0.018	mg/kg	0.028	0.018	1	05/06/22 06:00	05/06/22 13:58	78-93-3	
2-Hexanone	<0.013	mg/kg	0.028	0.013	1	05/06/22 06:00	05/06/22 13:58	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.028	0.022	1	05/06/22 06:00	05/06/22 13:58	108-10-1	
Acetone	<0.053	mg/kg	0.11	0.053	1	05/06/22 06:00	05/06/22 13:58	67-64-1	
Benzene	<0.00080	mg/kg	0.0056	0.00080	1	05/06/22 06:00	05/06/22 13:58	71-43-2	
Bromodichloromethane	<0.00077	mg/kg	0.0056	0.00077	1	05/06/22 06:00	05/06/22 13:58	75-27-4	
Bromoform	<0.0091	mg/kg	0.023	0.0091	1	05/06/22 06:00	05/06/22 13:58	75-25-2	
Bromomethane	<0.0050	mg/kg	0.0056	0.0050	1	05/06/22 06:00	05/06/22 13:58	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0056	0.0012	1	05/06/22 06:00	05/06/22 13:58	75-15-0	
Carbon tetrachloride	<0.0036	mg/kg	0.0056	0.0036	1	05/06/22 06:00	05/06/22 13:58	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/06/22 06:00	05/06/22 13:58	108-90-7	
Chloroethane	<0.0041	mg/kg	0.0056	0.0041	1	05/06/22 06:00	05/06/22 13:58	75-00-3	
Chloroform	<0.00095	mg/kg	0.0056	0.00095	1	05/06/22 06:00	05/06/22 13:58	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0056	0.0012	1	05/06/22 06:00	05/06/22 13:58	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0056	0.0011	1	05/06/22 06:00	05/06/22 13:58	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/06/22 06:00	05/06/22 13:58	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0056	0.0023	1	05/06/22 06:00	05/06/22 13:58	1634-04-4	
Methylene Chloride	<0.0045	mg/kg	0.0056	0.0045	1	05/06/22 06:00	05/06/22 13:58	75-09-2	
Styrene	<0.00080	mg/kg	0.0056	0.00080	1	05/06/22 06:00	05/06/22 13:58	100-42-5	
Tetrachloroethene	<0.0010	mg/kg	0.0056	0.0010	1	05/06/22 06:00	05/06/22 13:58	127-18-4	
Toluene	<0.00099	mg/kg	0.0056	0.00099	1	05/06/22 06:00	05/06/22 13:58	108-88-3	
Trichloroethene	<0.00081	mg/kg	0.0056	0.00081	1	05/06/22 06:00	05/06/22 13:58	79-01-6	
Vinyl chloride	<0.0015	mg/kg	0.0056	0.0015	1	05/06/22 06:00	05/06/22 13:58	75-01-4	
Xylene (Total)	<0.0039	mg/kg	0.011	0.0039	1	05/06/22 06:00	05/06/22 13:58	1330-20-7	
cis-1,2-Dichloroethene	<0.00099	mg/kg	0.0056	0.00099	1	05/06/22 06:00	05/06/22 13:58	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-09 (1.5-2.5) **Lab ID: 40244350007** Collected: 05/03/22 10:25 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/06/22 06:00	05/06/22 13:58	10061-01-5	
trans-1,2-Dichloroethene	<0.00081	mg/kg	0.0056	0.00081	1	05/06/22 06:00	05/06/22 13:58	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/06/22 06:00	05/06/22 13:58	10061-02-6	
Surrogates									
Toluene-d8 (S)	99	%	69-156		1	05/06/22 06:00	05/06/22 13:58	2037-26-5	
4-Bromofluorobenzene (S)	88	%	61-175		1	05/06/22 06:00	05/06/22 13:58	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1	05/06/22 06:00	05/06/22 13:58	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	25.0	%	0.10	0.10	1		05/10/22 16:08		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.8	Std. Units	0.10	0.010	1		05/11/22 14:19		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.35	mg/kg	1.0	0.35	1	05/09/22 12:15	05/09/22 14:07	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-09 (4.5-5.5) **Lab ID: 40244350008** Collected: 05/03/22 10:30 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00062	mg/kg	0.0032	0.00062	1	05/09/22 02:19	05/09/22 18:06	309-00-2	
alpha-BHC	<0.00067	mg/kg	0.0032	0.00067	1	05/09/22 02:19	05/09/22 18:06	319-84-6	
beta-BHC	<0.00061	mg/kg	0.0032	0.00061	1	05/09/22 02:19	05/09/22 18:06	319-85-7	
delta-BHC	<0.00084	mg/kg	0.0032	0.00084	1	05/09/22 02:19	05/09/22 18:06	319-86-8	
gamma-BHC (Lindane)	<0.00058	mg/kg	0.0032	0.00058	1	05/09/22 02:19	05/09/22 18:06	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.064	0.013	1	05/09/22 02:19	05/09/22 18:06	57-74-9	
alpha-Chlordane	<0.00057	mg/kg	0.0032	0.00057	1	05/09/22 02:19	05/09/22 18:06	5103-71-9	
gamma-Chlordane	<0.00067	mg/kg	0.0032	0.00067	1	05/09/22 02:19	05/09/22 18:06	5103-74-2	
4,4'-DDD	<0.0013	mg/kg	0.0064	0.0013	1	05/09/22 02:19	05/09/22 18:06	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/09/22 18:06	72-55-9	
4,4'-DDT	<0.0021	mg/kg	0.0064	0.0021	1	05/09/22 02:19	05/09/22 18:06	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/09/22 18:06	60-57-1	
Endosulfan I	<0.00053	mg/kg	0.0032	0.00053	1	05/09/22 02:19	05/09/22 18:06	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/09/22 18:06	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0064	0.0012	1	05/09/22 02:19	05/09/22 18:06	1031-07-8	
Endrin	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/09/22 18:06	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0064	0.0015	1	05/09/22 02:19	05/09/22 18:06	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0064	0.0016	1	05/09/22 02:19	05/09/22 18:06	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0032	0.00057	1	05/09/22 02:19	05/09/22 18:06	76-44-8	
Heptachlor epoxide	<0.00054	mg/kg	0.0032	0.00054	1	05/09/22 02:19	05/09/22 18:06	1024-57-3	
Methoxychlor	<0.0074	mg/kg	0.032	0.0074	1	05/09/22 02:19	05/09/22 18:06	72-43-5	
Toxaphene	<0.023	mg/kg	0.064	0.023	1	05/09/22 02:19	05/09/22 18:06	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	50	%	10-147		1	05/09/22 02:19	05/09/22 18:06	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 13:14	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 13:14	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 13:14	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 13:14	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 13:14	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 13:14	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 13:14	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 13:14	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	73	%	50-99		1	05/05/22 09:05	05/06/22 13:14	877-09-8	
Decachlorobiphenyl (S)	82	%	38-95		1	05/05/22 09:05	05/06/22 13:14	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	16400	mg/kg	37.0	7.4	1	05/09/22 16:28	05/12/22 16:59	7429-90-5	
Antimony	0.39J	mg/kg	0.62	0.12	1	05/09/22 16:28	05/12/22 16:59	7440-36-0	
Arsenic	24.7	mg/kg	0.62	0.13	1	05/09/22 16:28	05/12/22 16:59	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-09 (4.5-5.5) **Lab ID: 40244350008** Collected: 05/03/22 10:30 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	170	mg/kg	0.37	0.066	1	05/09/22 16:28	05/12/22 16:59	7440-39-3	
Beryllium	1.1	mg/kg	0.25	0.049	1	05/09/22 16:28	05/12/22 16:59	7440-41-7	
Cadmium	0.20	mg/kg	0.099	0.039	1	05/09/22 16:28	05/12/22 16:59	7440-43-9	
Calcium	4280	mg/kg	123	14.6	1	05/09/22 16:28	05/12/22 16:59	7440-70-2	
Chromium	23.0	mg/kg	2.5	0.17	1	05/09/22 16:28	05/12/22 16:59	7440-47-3	
Cobalt	6.6	mg/kg	0.62	0.12	1	05/09/22 16:28	05/12/22 16:59	7440-48-4	
Copper	28.0	mg/kg	1.2	0.30	1	05/09/22 16:28	05/12/22 16:59	7440-50-8	
Iron	35500	mg/kg	61.7	12.9	1	05/09/22 16:28	05/12/22 16:59	7439-89-6	
Lead	14.2	mg/kg	0.62	0.036	1	05/09/22 16:28	05/12/22 16:59	7439-92-1	
Magnesium	4600	mg/kg	37.0	5.3	1	05/09/22 16:28	05/12/22 16:59	7439-95-4	
Manganese	126	mg/kg	0.62	0.30	1	05/09/22 16:28	05/12/22 16:59	7439-96-5	
Nickel	24.4	mg/kg	0.62	0.25	1	05/09/22 16:28	05/12/22 16:59	7440-02-0	
Potassium	798	mg/kg	123	14.2	1	05/09/22 16:28	05/12/22 16:59	7440-09-7	
Selenium	0.30J	mg/kg	0.62	0.11	1	05/09/22 16:28	05/12/22 16:59	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/09/22 16:28	05/12/22 16:59	7440-22-4	
Sodium	75.8	mg/kg	61.7	13.7	1	05/09/22 16:28	05/12/22 16:59	7440-23-5	
Thallium	0.19	mg/kg	0.12	0.045	1	05/09/22 16:28	05/12/22 16:59	7440-28-0	
Vanadium	49.1	mg/kg	1.2	0.22	1	05/09/22 16:28	05/12/22 16:59	7440-62-2	
Zinc	74.1	mg/kg	6.2	1.1	1	05/09/22 16:28	05/12/22 16:59	7440-66-6	

7471 Mercury

Analytical Method: EPA 7471 Preparation Method: EPA 7471

Pace Analytical Services - Green Bay

Mercury	0.055	mg/kg	0.041	0.012	1	05/06/22 11:52	05/09/22 10:47	7439-97-6	
---------	-------	-------	-------	-------	---	----------------	----------------	-----------	--

8270E MSSV FULL LIST MICROWAVE

Analytical Method: EPA 8270E Preparation Method: EPA 3546

Pace Analytical Services - Green Bay

1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/06/22 10:26	05/06/22 16:23	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 16:23	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 16:23	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 16:23	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 16:23	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 16:23	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 16:23	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 16:23	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/06/22 10:26	05/06/22 16:23	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/06/22 10:26	05/06/22 16:23	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 16:23	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/06/22 10:26	05/06/22 16:23	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/06/22 10:26	05/06/22 16:23	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 16:23	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 16:23	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/06/22 10:26	05/06/22 16:23	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/06/22 10:26	05/06/22 16:23	88-74-4	
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 16:23	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: **SB-09 (4.5-5.5)** Lab ID: **40244350008** Collected: 05/03/22 10:30 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 16:23		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 16:23	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 16:23	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/06/22 10:26	05/06/22 16:23	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/06/22 10:26	05/06/22 16:23	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/06/22 10:26	05/06/22 16:23	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 16:23	106-47-8	2q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 16:23	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/06/22 10:26	05/06/22 16:23	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 16:23	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/06/22 10:26	05/06/22 16:23	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/06/22 10:26	05/06/22 16:23	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 16:23	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 16:23	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 16:23	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 16:23	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 16:23	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/06/22 10:26	05/06/22 16:23	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 16:23	85-68-7	CU
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 16:23	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 16:23	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 16:23	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/06/22 10:26	05/06/22 16:23	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 16:23	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/06/22 10:26	05/06/22 16:23	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 16:23	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/06/22 10:26	05/06/22 16:23	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 16:23	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/06/22 10:26	05/06/22 16:23	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 16:23	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 16:23	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/06/22 10:26	05/06/22 16:23	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 16:23	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/06/22 10:26	05/06/22 16:23	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 16:23	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 16:23	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/06/22 10:26	05/06/22 16:23	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/06/22 10:26	05/06/22 16:23	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/06/22 10:26	05/06/22 16:23	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/06/22 10:26	05/06/22 16:23	87-86-5	
Phenanthrene	<0.028	mg/kg	0.092	0.028	1	05/06/22 10:26	05/06/22 16:23	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/06/22 10:26	05/06/22 16:23	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/06/22 10:26	05/06/22 16:23	129-00-0	
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 16:23	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Sample Project No.: 40244350

Sample: SB-09 (4.5-5.5) **Lab ID: 40244350008** Collected: 05/03/22 10:30 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 16:23	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 16:23	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	71	%	10-125		1	05/06/22 10:26	05/06/22 16:23	4165-60-0	
2-Fluorobiphenyl (S)	47	%	12-118		1	05/06/22 10:26	05/06/22 16:23	321-60-8	
Terphenyl-d14 (S)	56	%	10-124		1	05/06/22 10:26	05/06/22 16:23	1718-51-0	
Phenol-d6 (S)	58	%	10-125		1	05/06/22 10:26	05/06/22 16:23	13127-88-3	
2-Fluorophenol (S)	58	%	10-130		1	05/06/22 10:26	05/06/22 16:23	367-12-4	
2,4,6-Tribromophenol (S)	59	%	10-144		1	05/06/22 10:26	05/06/22 16:23	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/06/22 06:00	05/06/22 14:22	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0052	0.0027	1	05/06/22 06:00	05/06/22 14:22	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/06/22 06:00	05/06/22 14:22	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0052	0.0011	1	05/06/22 06:00	05/06/22 14:22	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0052	0.0011	1	05/06/22 06:00	05/06/22 14:22	75-35-4	
1,2-Dichloroethane	<0.00086	mg/kg	0.0052	0.00086	1	05/06/22 06:00	05/06/22 14:22	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0052	0.0011	1	05/06/22 06:00	05/06/22 14:22	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.026	0.016	1	05/06/22 06:00	05/06/22 14:22	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/06/22 06:00	05/06/22 14:22	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.026	0.021	1	05/06/22 06:00	05/06/22 14:22	108-10-1	
Acetone	<0.049	mg/kg	0.10	0.049	1	05/06/22 06:00	05/06/22 14:22	67-64-1	
Benzene	<0.00074	mg/kg	0.0052	0.00074	1	05/06/22 06:00	05/06/22 14:22	71-43-2	
Bromodichloromethane	<0.00071	mg/kg	0.0052	0.00071	1	05/06/22 06:00	05/06/22 14:22	75-27-4	
Bromoform	<0.0085	mg/kg	0.021	0.0085	1	05/06/22 06:00	05/06/22 14:22	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0052	0.0047	1	05/06/22 06:00	05/06/22 14:22	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0052	0.0012	1	05/06/22 06:00	05/06/22 14:22	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0052	0.0033	1	05/06/22 06:00	05/06/22 14:22	56-23-5	
Chlorobenzene	<0.00097	mg/kg	0.0052	0.00097	1	05/06/22 06:00	05/06/22 14:22	108-90-7	
Chloroethane	<0.0038	mg/kg	0.0052	0.0038	1	05/06/22 06:00	05/06/22 14:22	75-00-3	
Chloroform	<0.00088	mg/kg	0.0052	0.00088	1	05/06/22 06:00	05/06/22 14:22	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0052	0.0011	1	05/06/22 06:00	05/06/22 14:22	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0052	0.0011	1	05/06/22 06:00	05/06/22 14:22	124-48-1	
Ethylbenzene	<0.00094	mg/kg	0.0052	0.00094	1	05/06/22 06:00	05/06/22 14:22	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0052	0.0021	1	05/06/22 06:00	05/06/22 14:22	1634-04-4	
Methylene Chloride	<0.0041	mg/kg	0.0052	0.0041	1	05/06/22 06:00	05/06/22 14:22	75-09-2	
Styrene	<0.00074	mg/kg	0.0052	0.00074	1	05/06/22 06:00	05/06/22 14:22	100-42-5	
Tetrachloroethene	<0.00093	mg/kg	0.0052	0.00093	1	05/06/22 06:00	05/06/22 14:22	127-18-4	
Toluene	<0.00092	mg/kg	0.0052	0.00092	1	05/06/22 06:00	05/06/22 14:22	108-88-3	
Trichloroethene	<0.00075	mg/kg	0.0052	0.00075	1	05/06/22 06:00	05/06/22 14:22	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0052	0.0014	1	05/06/22 06:00	05/06/22 14:22	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.010	0.0036	1	05/06/22 06:00	05/06/22 14:22	1330-20-7	
cis-1,2-Dichloroethene	<0.00092	mg/kg	0.0052	0.00092	1	05/06/22 06:00	05/06/22 14:22	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-09 (4.5-5.5) **Lab ID: 40244350008** Collected: 05/03/22 10:30 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0052	0.0011	1	05/06/22 06:00	05/06/22 14:22	10061-01-5	
trans-1,2-Dichloroethene	<0.00075	mg/kg	0.0052	0.00075	1	05/06/22 06:00	05/06/22 14:22	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0052	0.0010	1	05/06/22 06:00	05/06/22 14:22	10061-02-6	
Surrogates									
Toluene-d8 (S)	94	%	69-156		1	05/06/22 06:00	05/06/22 14:22	2037-26-5	
4-Bromofluorobenzene (S)	78	%	61-175		1	05/06/22 06:00	05/06/22 14:22	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1	05/06/22 06:00	05/06/22 14:22	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.8	%	0.10	0.10	1		05/10/22 16:08		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.4	Std. Units	0.10	0.010	1		05/11/22 14:22		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.40	mg/kg	1.2	0.40	1	05/09/22 12:15	05/09/22 14:08	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-14 (2-3) **Lab ID: 40244350009** Collected: 05/03/22 12:05 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00060	mg/kg	0.0031	0.00060	1	05/09/22 02:19	05/09/22 18:19	309-00-2	
alpha-BHC	<0.00065	mg/kg	0.0031	0.00065	1	05/09/22 02:19	05/09/22 18:19	319-84-6	
beta-BHC	<0.00059	mg/kg	0.0031	0.00059	1	05/09/22 02:19	05/09/22 18:19	319-85-7	
delta-BHC	<0.00082	mg/kg	0.0031	0.00082	1	05/09/22 02:19	05/09/22 18:19	319-86-8	
gamma-BHC (Lindane)	<0.00057	mg/kg	0.0031	0.00057	1	05/09/22 02:19	05/09/22 18:19	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.062	0.013	1	05/09/22 02:19	05/09/22 18:19	57-74-9	
alpha-Chlordane	<0.00055	mg/kg	0.0031	0.00055	1	05/09/22 02:19	05/09/22 18:19	5103-71-9	
gamma-Chlordane	<0.00065	mg/kg	0.0031	0.00065	1	05/09/22 02:19	05/09/22 18:19	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0062	0.0012	1	05/09/22 02:19	05/09/22 18:19	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0062	0.0010	1	05/09/22 02:19	05/09/22 18:19	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0062	0.0020	1	05/09/22 02:19	05/09/22 18:19	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0062	0.0011	1	05/09/22 02:19	05/09/22 18:19	60-57-1	
Endosulfan I	<0.00052	mg/kg	0.0031	0.00052	1	05/09/22 02:19	05/09/22 18:19	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0062	0.0010	1	05/09/22 02:19	05/09/22 18:19	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0062	0.0012	1	05/09/22 02:19	05/09/22 18:19	1031-07-8	
Endrin	<0.0011	mg/kg	0.0062	0.0011	1	05/09/22 02:19	05/09/22 18:19	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0062	0.0014	1	05/09/22 02:19	05/09/22 18:19	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0062	0.0016	1	05/09/22 02:19	05/09/22 18:19	53494-70-5	
Heptachlor	<0.00056	mg/kg	0.0031	0.00056	1	05/09/22 02:19	05/09/22 18:19	76-44-8	
Heptachlor epoxide	<0.00053	mg/kg	0.0031	0.00053	1	05/09/22 02:19	05/09/22 18:19	1024-57-3	
Methoxychlor	<0.0071	mg/kg	0.031	0.0071	1	05/09/22 02:19	05/09/22 18:19	72-43-5	
Toxaphene	<0.022	mg/kg	0.062	0.022	1	05/09/22 02:19	05/09/22 18:19	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	49	%	10-147		1	05/09/22 02:19	05/09/22 18:19	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.064	0.019	1	05/05/22 09:05	05/06/22 13:38	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.064	0.019	1	05/05/22 09:05	05/06/22 13:38	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.064	0.019	1	05/05/22 09:05	05/06/22 13:38	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.064	0.019	1	05/05/22 09:05	05/06/22 13:38	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.064	0.019	1	05/05/22 09:05	05/06/22 13:38	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.064	0.019	1	05/05/22 09:05	05/06/22 13:38	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.064	0.019	1	05/05/22 09:05	05/06/22 13:38	11096-82-5	
PCB, Total	<0.019	mg/kg	0.064	0.019	1	05/05/22 09:05	05/06/22 13:38	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	73	%	50-99		1	05/05/22 09:05	05/06/22 13:38	877-09-8	
Decachlorobiphenyl (S)	80	%	38-95		1	05/05/22 09:05	05/06/22 13:38	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	12500	mg/kg	37.0	7.4	1	05/09/22 16:28	05/12/22 16:56	7429-90-5	
Antimony	0.13J	mg/kg	0.62	0.12	1	05/09/22 16:28	05/12/22 16:56	7440-36-0	
Arsenic	3.9	mg/kg	0.62	0.13	1	05/09/22 16:28	05/12/22 16:56	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-14 (2-3) **Lab ID: 40244350009** Collected: 05/03/22 12:05 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	170	mg/kg	0.37	0.066	1	05/09/22 16:28	05/12/22 16:56	7440-39-3	
Beryllium	0.78	mg/kg	0.25	0.049	1	05/09/22 16:28	05/12/22 16:56	7440-41-7	
Cadmium	0.16	mg/kg	0.099	0.039	1	05/09/22 16:28	05/12/22 16:56	7440-43-9	
Calcium	5660	mg/kg	123	14.5	1	05/09/22 16:28	05/12/22 16:56	7440-70-2	
Chromium	15.7	mg/kg	2.5	0.17	1	05/09/22 16:28	05/12/22 16:56	7440-47-3	
Cobalt	4.9	mg/kg	0.62	0.12	1	05/09/22 16:28	05/12/22 16:56	7440-48-4	
Copper	17.4	mg/kg	1.2	0.30	1	05/09/22 16:28	05/12/22 16:56	7440-50-8	
Iron	14400	mg/kg	61.6	12.9	1	05/09/22 16:28	05/12/22 16:56	7439-89-6	
Lead	16.1	mg/kg	0.62	0.036	1	05/09/22 16:28	05/12/22 16:56	7439-92-1	
Magnesium	2920	mg/kg	37.0	5.3	1	05/09/22 16:28	05/12/22 16:56	7439-95-4	
Manganese	266	mg/kg	0.62	0.30	1	05/09/22 16:28	05/12/22 16:56	7439-96-5	
Nickel	11.9	mg/kg	0.62	0.25	1	05/09/22 16:28	05/12/22 16:56	7440-02-0	
Potassium	1010	mg/kg	123	14.2	1	05/09/22 16:28	05/12/22 16:56	7440-09-7	
Selenium	0.76	mg/kg	0.62	0.11	1	05/09/22 16:28	05/12/22 16:56	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/09/22 16:28	05/12/22 16:56	7440-22-4	
Sodium	148	mg/kg	61.6	13.7	1	05/09/22 16:28	05/12/22 16:56	7440-23-5	
Thallium	0.16	mg/kg	0.12	0.045	1	05/09/22 16:28	05/12/22 16:56	7440-28-0	
Vanadium	28.1	mg/kg	1.2	0.22	1	05/09/22 16:28	05/12/22 16:56	7440-62-2	
Zinc	51.2	mg/kg	6.2	1.1	1	05/09/22 16:28	05/12/22 16:56	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.024J	mg/kg	0.039	0.011	1	05/06/22 11:52	05/09/22 10:50	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/06/22 10:26	05/06/22 19:56	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/06/22 10:26	05/06/22 19:56	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/06/22 10:26	05/06/22 19:56	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/06/22 10:26	05/06/22 19:56	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 19:56	108-60-1	
2,4,5-Trichlorophenol	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 19:56	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 19:56	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 19:56	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/06/22 10:26	05/06/22 19:56	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/06/22 10:26	05/06/22 19:56	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 19:56	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 19:56	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/06/22 10:26	05/06/22 19:56	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/06/22 10:26	05/06/22 19:56	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 19:56	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/06/22 10:26	05/06/22 19:56	95-48-7	
2-Nitroaniline	<0.060	mg/kg	0.20	0.060	1	05/06/22 10:26	05/06/22 19:56	88-74-4	
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/06/22 10:26	05/06/22 19:56	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-14 (2-3) **Lab ID: 4024435009** Collected: 05/03/22 12:05 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/06/22 10:26	05/06/22 19:56		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 19:56	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 19:56	99-09-2	
4,6-Dinitro-2-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/06/22 10:26	05/06/22 19:56	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/06/22 10:26	05/06/22 19:56	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/06/22 10:26	05/06/22 19:56	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 19:56	106-47-8	2q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 19:56	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/06/22 10:26	05/06/22 19:56	100-01-6	
4-Nitrophenol	<0.053	mg/kg	0.18	0.053	1	05/06/22 10:26	05/06/22 19:56	100-02-7	
Acenaphthene	<0.075	mg/kg	0.25	0.075	1	05/06/22 10:26	05/06/22 19:56	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/06/22 10:26	05/06/22 19:56	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 19:56	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 19:56	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 19:56	50-32-8	
Benzo(b)fluoranthene	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 19:56	205-99-2	
Benzo(g,h,i)perylene	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 19:56	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/06/22 10:26	05/06/22 19:56	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 19:56	85-68-7	CU
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 19:56	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 19:56	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 19:56	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/06/22 10:26	05/06/22 19:56	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 19:56	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/06/22 10:26	05/06/22 19:56	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 19:56	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.092	0.028	1	05/06/22 10:26	05/06/22 19:56	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 19:56	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/06/22 10:26	05/06/22 19:56	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 19:56	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 19:56	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/06/22 10:26	05/06/22 19:56	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 19:56	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/06/22 10:26	05/06/22 19:56	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 19:56	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 19:56	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/06/22 10:26	05/06/22 19:56	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/06/22 10:26	05/06/22 19:56	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/06/22 10:26	05/06/22 19:56	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/06/22 10:26	05/06/22 19:56	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/06/22 10:26	05/06/22 19:56	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/06/22 10:26	05/06/22 19:56	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/06/22 10:26	05/06/22 19:56	129-00-0	
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 19:56	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-14 (2-3) **Lab ID: 40244350009** Collected: 05/03/22 12:05 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.066	mg/kg	0.22	0.066	1	05/06/22 10:26	05/06/22 19:56	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 19:56	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	84	%	10-125		1	05/06/22 10:26	05/06/22 19:56	4165-60-0	
2-Fluorobiphenyl (S)	69	%	12-118		1	05/06/22 10:26	05/06/22 19:56	321-60-8	
Terphenyl-d14 (S)	61	%	10-124		1	05/06/22 10:26	05/06/22 19:56	1718-51-0	
Phenol-d6 (S)	71	%	10-125		1	05/06/22 10:26	05/06/22 19:56	13127-88-3	
2-Fluorophenol (S)	75	%	10-130		1	05/06/22 10:26	05/06/22 19:56	367-12-4	
2,4,6-Tribromophenol (S)	76	%	10-144		1	05/06/22 10:26	05/06/22 19:56	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0051	0.0016	1	05/06/22 06:00	05/06/22 14:46	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0051	0.0026	1	05/06/22 06:00	05/06/22 14:46	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0051	0.0016	1	05/06/22 06:00	05/06/22 14:46	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0051	0.0011	1	05/06/22 06:00	05/06/22 14:46	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0051	0.0011	1	05/06/22 06:00	05/06/22 14:46	75-35-4	
1,2-Dichloroethane	<0.00085	mg/kg	0.0051	0.00085	1	05/06/22 06:00	05/06/22 14:46	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0051	0.0010	1	05/06/22 06:00	05/06/22 14:46	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.026	0.016	1	05/06/22 06:00	05/06/22 14:46	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/06/22 06:00	05/06/22 14:46	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.026	0.020	1	05/06/22 06:00	05/06/22 14:46	108-10-1	
Acetone	<0.049	mg/kg	0.10	0.049	1	05/06/22 06:00	05/06/22 14:46	67-64-1	
Benzene	<0.00073	mg/kg	0.0051	0.00073	1	05/06/22 06:00	05/06/22 14:46	71-43-2	
Bromodichloromethane	<0.00070	mg/kg	0.0051	0.00070	1	05/06/22 06:00	05/06/22 14:46	75-27-4	
Bromoform	<0.0084	mg/kg	0.021	0.0084	1	05/06/22 06:00	05/06/22 14:46	75-25-2	
Bromomethane	<0.0046	mg/kg	0.0051	0.0046	1	05/06/22 06:00	05/06/22 14:46	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0051	0.0011	1	05/06/22 06:00	05/06/22 14:46	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0051	0.0033	1	05/06/22 06:00	05/06/22 14:46	56-23-5	
Chlorobenzene	<0.00095	mg/kg	0.0051	0.00095	1	05/06/22 06:00	05/06/22 14:46	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0051	0.0037	1	05/06/22 06:00	05/06/22 14:46	75-00-3	
Chloroform	<0.00087	mg/kg	0.0051	0.00087	1	05/06/22 06:00	05/06/22 14:46	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0051	0.0011	1	05/06/22 06:00	05/06/22 14:46	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0051	0.0010	1	05/06/22 06:00	05/06/22 14:46	124-48-1	
Ethylbenzene	<0.00092	mg/kg	0.0051	0.00092	1	05/06/22 06:00	05/06/22 14:46	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0051	0.0021	1	05/06/22 06:00	05/06/22 14:46	1634-04-4	
Methylene Chloride	<0.0041	mg/kg	0.0051	0.0041	1	05/06/22 06:00	05/06/22 14:46	75-09-2	
Styrene	<0.00073	mg/kg	0.0051	0.00073	1	05/06/22 06:00	05/06/22 14:46	100-42-5	
Tetrachloroethene	<0.00091	mg/kg	0.0051	0.00091	1	05/06/22 06:00	05/06/22 14:46	127-18-4	
Toluene	<0.00091	mg/kg	0.0051	0.00091	1	05/06/22 06:00	05/06/22 14:46	108-88-3	
Trichloroethene	<0.00074	mg/kg	0.0051	0.00074	1	05/06/22 06:00	05/06/22 14:46	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0051	0.0013	1	05/06/22 06:00	05/06/22 14:46	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/06/22 06:00	05/06/22 14:46	1330-20-7	
cis-1,2-Dichloroethene	<0.00091	mg/kg	0.0051	0.00091	1	05/06/22 06:00	05/06/22 14:46	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-14 (2-3) **Lab ID: 40244350009** Collected: 05/03/22 12:05 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0051	0.0011	1	05/06/22 06:00	05/06/22 14:46	10061-01-5	
trans-1,2-Dichloroethene	<0.00074	mg/kg	0.0051	0.00074	1	05/06/22 06:00	05/06/22 14:46	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/06/22 06:00	05/06/22 14:46	10061-02-6	
Surrogates									
Toluene-d8 (S)	95	%	69-156		1	05/06/22 06:00	05/06/22 14:46	2037-26-5	
4-Bromofluorobenzene (S)	87	%	61-175		1	05/06/22 06:00	05/06/22 14:46	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1	05/06/22 06:00	05/06/22 14:46	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.2	%	0.10	0.10	1		05/10/22 16:08		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.1	Std. Units	0.10	0.010	1		05/11/22 14:26		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.28	mg/kg	0.85	0.28	1	05/09/22 12:15	05/09/22 14:08	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-14 (5-6) **Lab ID: 40244350010** Collected: 05/03/22 12:10 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00059	mg/kg	0.0031	0.00059	1	05/09/22 02:19	05/09/22 18:31	309-00-2	
alpha-BHC	<0.00064	mg/kg	0.0031	0.00064	1	05/09/22 02:19	05/09/22 18:31	319-84-6	
beta-BHC	<0.00058	mg/kg	0.0031	0.00058	1	05/09/22 02:19	05/09/22 18:31	319-85-7	
delta-BHC	<0.00081	mg/kg	0.0031	0.00081	1	05/09/22 02:19	05/09/22 18:31	319-86-8	
gamma-BHC (Lindane)	<0.00056	mg/kg	0.0031	0.00056	1	05/09/22 02:19	05/09/22 18:31	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.062	0.013	1	05/09/22 02:19	05/09/22 18:31	57-74-9	
alpha-Chlordane	<0.00054	mg/kg	0.0031	0.00054	1	05/09/22 02:19	05/09/22 18:31	5103-71-9	
gamma-Chlordane	<0.00064	mg/kg	0.0031	0.00064	1	05/09/22 02:19	05/09/22 18:31	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0062	0.0012	1	05/09/22 02:19	05/09/22 18:31	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0062	0.0010	1	05/09/22 02:19	05/09/22 18:31	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0062	0.0020	1	05/09/22 02:19	05/09/22 18:31	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0062	0.0011	1	05/09/22 02:19	05/09/22 18:31	60-57-1	
Endosulfan I	<0.00051	mg/kg	0.0031	0.00051	1	05/09/22 02:19	05/09/22 18:31	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0062	0.0010	1	05/09/22 02:19	05/09/22 18:31	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0062	0.0012	1	05/09/22 02:19	05/09/22 18:31	1031-07-8	
Endrin	<0.0011	mg/kg	0.0062	0.0011	1	05/09/22 02:19	05/09/22 18:31	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0062	0.0014	1	05/09/22 02:19	05/09/22 18:31	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0062	0.0016	1	05/09/22 02:19	05/09/22 18:31	53494-70-5	
Heptachlor	<0.00055	mg/kg	0.0031	0.00055	1	05/09/22 02:19	05/09/22 18:31	76-44-8	
Heptachlor epoxide	<0.00052	mg/kg	0.0031	0.00052	1	05/09/22 02:19	05/09/22 18:31	1024-57-3	
Methoxychlor	<0.0070	mg/kg	0.031	0.0070	1	05/09/22 02:19	05/09/22 18:31	72-43-5	
Toxaphene	<0.022	mg/kg	0.062	0.022	1	05/09/22 02:19	05/09/22 18:31	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	35	%	10-147		1	05/09/22 02:19	05/09/22 18:31	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.063	0.019	1	05/05/22 09:05	05/06/22 14:51	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.063	0.019	1	05/05/22 09:05	05/06/22 14:51	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.063	0.019	1	05/05/22 09:05	05/06/22 14:51	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.063	0.019	1	05/05/22 09:05	05/06/22 14:51	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.063	0.019	1	05/05/22 09:05	05/06/22 14:51	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.063	0.019	1	05/05/22 09:05	05/06/22 14:51	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.063	0.019	1	05/05/22 09:05	05/06/22 14:51	11096-82-5	
PCB, Total	<0.019	mg/kg	0.063	0.019	1	05/05/22 09:05	05/06/22 14:51	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	75	%	50-99		1	05/05/22 09:05	05/06/22 14:51	877-09-8	
Decachlorobiphenyl (S)	81	%	38-95		1	05/05/22 09:05	05/06/22 14:51	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	15500	mg/kg	36.6	7.4	1	05/09/22 16:28	05/12/22 17:13	7429-90-5	
Antimony	0.18J	mg/kg	0.61	0.12	1	05/09/22 16:28	05/12/22 17:13	7440-36-0	
Arsenic	7.2	mg/kg	0.61	0.13	1	05/09/22 16:28	05/12/22 17:13	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-14 (5-6) **Lab ID: 40244350010** Collected: 05/03/22 12:10 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	179	mg/kg	0.37	0.065	1	05/09/22 16:28	05/12/22 17:13	7440-39-3	
Beryllium	0.88	mg/kg	0.24	0.048	1	05/09/22 16:28	05/12/22 17:13	7440-41-7	
Cadmium	0.14	mg/kg	0.098	0.038	1	05/09/22 16:28	05/12/22 17:13	7440-43-9	
Calcium	5460	mg/kg	122	14.4	1	05/09/22 16:28	05/12/22 17:13	7440-70-2	
Chromium	20.9	mg/kg	2.4	0.17	1	05/09/22 16:28	05/12/22 17:13	7440-47-3	
Cobalt	5.0	mg/kg	0.61	0.12	1	05/09/22 16:28	05/12/22 17:13	7440-48-4	
Copper	22.6	mg/kg	1.2	0.30	1	05/09/22 16:28	05/12/22 17:13	7440-50-8	
Iron	22800	mg/kg	61.0	12.8	1	05/09/22 16:28	05/12/22 17:13	7439-89-6	
Lead	10.1	mg/kg	0.61	0.036	1	05/09/22 16:28	05/12/22 17:13	7439-92-1	
Magnesium	4680	mg/kg	36.6	5.2	1	05/09/22 16:28	05/12/22 17:13	7439-95-4	
Manganese	123	mg/kg	0.61	0.30	1	05/09/22 16:28	05/12/22 17:13	7439-96-5	
Nickel	19.1	mg/kg	0.61	0.24	1	05/09/22 16:28	05/12/22 17:13	7440-02-0	
Potassium	660	mg/kg	122	14.0	1	05/09/22 16:28	05/12/22 17:13	7440-09-7	
Selenium	0.23J	mg/kg	0.61	0.10	1	05/09/22 16:28	05/12/22 17:13	7782-49-2	
Silver	0.18J	mg/kg	0.61	0.18	1	05/09/22 16:28	05/12/22 17:13	7440-22-4	
Sodium	129	mg/kg	61.0	13.5	1	05/09/22 16:28	05/12/22 17:13	7440-23-5	
Thallium	0.18	mg/kg	0.12	0.045	1	05/09/22 16:28	05/12/22 17:13	7440-28-0	
Vanadium	32.6	mg/kg	1.2	0.21	1	05/09/22 16:28	05/12/22 17:13	7440-62-2	
Zinc	64.9	mg/kg	6.1	1.1	1	05/09/22 16:28	05/12/22 17:13	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.053	mg/kg	0.042	0.012	1	05/06/22 11:52	05/09/22 10:52	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.079	0.024	1	05/06/22 10:26	05/06/22 16:44	120-82-1	
1,2-Dichlorobenzene	<0.066	mg/kg	0.22	0.066	1	05/06/22 10:26	05/06/22 16:44	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.097	0.029	1	05/06/22 10:26	05/06/22 16:44	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.097	0.029	1	05/06/22 10:26	05/06/22 16:44	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 16:44	108-60-1	
2,4,5-Trichlorophenol	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 16:44	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 16:44	88-06-2	
2,4-Dichlorophenol	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 16:44	120-83-2	
2,4-Dimethylphenol	<0.041	mg/kg	0.14	0.041	1	05/06/22 10:26	05/06/22 16:44	105-67-9	
2,4-Dinitrophenol	<0.064	mg/kg	0.21	0.064	1	05/06/22 10:26	05/06/22 16:44	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 16:44	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 16:44	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.090	0.027	1	05/06/22 10:26	05/06/22 16:44	91-58-7	
2-Chlorophenol	<0.052	mg/kg	0.17	0.052	1	05/06/22 10:26	05/06/22 16:44	95-57-8	
2-Methylnaphthalene	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 16:44	91-57-6	
2-Methylphenol(o-Cresol)	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 16:44	95-48-7	
2-Nitroaniline	<0.060	mg/kg	0.20	0.060	1	05/06/22 10:26	05/06/22 16:44	88-74-4	
2-Nitrophenol	<0.066	mg/kg	0.22	0.066	1	05/06/22 10:26	05/06/22 16:44	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: **SB-14 (5-6)** Lab ID: **40244350010** Collected: 05/03/22 12:10 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 16:44		
3,3'-Dichlorobenzidine	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 16:44	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 16:44	99-09-2	
4,6-Dinitro-2-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/06/22 10:26	05/06/22 16:44	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/06/22 10:26	05/06/22 16:44	101-55-3	
4-Chloro-3-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/06/22 10:26	05/06/22 16:44	59-50-7	
4-Chloroaniline	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 16:44	106-47-8	2q
4-Chlorophenylphenyl ether	<0.039	mg/kg	0.13	0.039	1	05/06/22 10:26	05/06/22 16:44	7005-72-3	
4-Nitroaniline	<0.087	mg/kg	0.29	0.087	1	05/06/22 10:26	05/06/22 16:44	100-01-6	
4-Nitrophenol	<0.053	mg/kg	0.18	0.053	1	05/06/22 10:26	05/06/22 16:44	100-02-7	
Acenaphthene	<0.074	mg/kg	0.25	0.074	1	05/06/22 10:26	05/06/22 16:44	83-32-9	
Acenaphthylene	<0.075	mg/kg	0.25	0.075	1	05/06/22 10:26	05/06/22 16:44	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 16:44	120-12-7	
Benzo(a)anthracene	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 16:44	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 16:44	50-32-8	
Benzo(b)fluoranthene	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 16:44	205-99-2	
Benzo(g,h,i)perylene	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 16:44	191-24-2	
Benzo(k)fluoranthene	<0.050	mg/kg	0.17	0.050	1	05/06/22 10:26	05/06/22 16:44	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 16:44	85-68-7	CU
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 16:44	86-74-8	
Chrysene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 16:44	218-01-9	
Di-n-butylphthalate	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 16:44	84-74-2	
Di-n-octylphthalate	<0.047	mg/kg	0.16	0.047	1	05/06/22 10:26	05/06/22 16:44	117-84-0	
Dibenz(a,h)anthracene	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 16:44	53-70-3	
Dibenzofuran	<0.025	mg/kg	0.085	0.025	1	05/06/22 10:26	05/06/22 16:44	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 16:44	84-66-2	
Dimethylphthalate	<0.027	mg/kg	0.091	0.027	1	05/06/22 10:26	05/06/22 16:44	131-11-3	
Fluoranthene	<0.030	mg/kg	0.099	0.030	1	05/06/22 10:26	05/06/22 16:44	206-44-0	
Fluorene	<0.024	mg/kg	0.082	0.024	1	05/06/22 10:26	05/06/22 16:44	86-73-7	
Hexachloro-1,3-butadiene	<0.053	mg/kg	0.18	0.053	1	05/06/22 10:26	05/06/22 16:44	87-68-3	
Hexachlorobenzene	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 16:44	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/06/22 10:26	05/06/22 16:44	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 16:44	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.045	mg/kg	0.15	0.045	1	05/06/22 10:26	05/06/22 16:44	193-39-5	
Isophorone	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 16:44	78-59-1	
N-Nitroso-di-n-propylamine	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 16:44	621-64-7	
N-Nitrosodiphenylamine	<0.28	mg/kg	0.95	0.28	1	05/06/22 10:26	05/06/22 16:44	86-30-6	
Naphthalene	<0.073	mg/kg	0.24	0.073	1	05/06/22 10:26	05/06/22 16:44	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/06/22 10:26	05/06/22 16:44	98-95-3	
Pentachlorophenol	<0.046	mg/kg	0.15	0.046	1	05/06/22 10:26	05/06/22 16:44	87-86-5	
Phenanthrene	<0.027	mg/kg	0.090	0.027	1	05/06/22 10:26	05/06/22 16:44	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/06/22 10:26	05/06/22 16:44	108-95-2	
Pyrene	<0.046	mg/kg	0.15	0.046	1	05/06/22 10:26	05/06/22 16:44	129-00-0	
bis(2-Chloroethoxy)methane	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 16:44	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: **SB-14 (5-6)** Lab ID: **40244350010** Collected: 05/03/22 12:10 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.065	mg/kg	0.22	0.065	1	05/06/22 10:26	05/06/22 16:44	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 16:44	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	57	%	10-125		1	05/06/22 10:26	05/06/22 16:44	4165-60-0	
2-Fluorobiphenyl (S)	45	%	12-118		1	05/06/22 10:26	05/06/22 16:44	321-60-8	
Terphenyl-d14 (S)	37	%	10-124		1	05/06/22 10:26	05/06/22 16:44	1718-51-0	
Phenol-d6 (S)	46	%	10-125		1	05/06/22 10:26	05/06/22 16:44	13127-88-3	
2-Fluorophenol (S)	51	%	10-130		1	05/06/22 10:26	05/06/22 16:44	367-12-4	
2,4,6-Tribromophenol (S)	39	%	10-144		1	05/06/22 10:26	05/06/22 16:44	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/06/22 06:00	05/06/22 15:11	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0051	0.0026	1	05/06/22 06:00	05/06/22 15:11	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/06/22 06:00	05/06/22 15:11	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0051	0.0011	1	05/06/22 06:00	05/06/22 15:11	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0051	0.0011	1	05/06/22 06:00	05/06/22 15:11	75-35-4	
1,2-Dichloroethane	<0.00084	mg/kg	0.0051	0.00084	1	05/06/22 06:00	05/06/22 15:11	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0051	0.0010	1	05/06/22 06:00	05/06/22 15:11	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/06/22 06:00	05/06/22 15:11	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/06/22 06:00	05/06/22 15:11	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/06/22 06:00	05/06/22 15:11	108-10-1	
Acetone	<0.048	mg/kg	0.10	0.048	1	05/06/22 06:00	05/06/22 15:11	67-64-1	
Benzene	<0.00072	mg/kg	0.0051	0.00072	1	05/06/22 06:00	05/06/22 15:11	71-43-2	
Bromodichloromethane	<0.00069	mg/kg	0.0051	0.00069	1	05/06/22 06:00	05/06/22 15:11	75-27-4	
Bromoform	<0.0082	mg/kg	0.020	0.0082	1	05/06/22 06:00	05/06/22 15:11	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0051	0.0045	1	05/06/22 06:00	05/06/22 15:11	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0051	0.0011	1	05/06/22 06:00	05/06/22 15:11	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0051	0.0032	1	05/06/22 06:00	05/06/22 15:11	56-23-5	
Chlorobenzene	<0.00094	mg/kg	0.0051	0.00094	1	05/06/22 06:00	05/06/22 15:11	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0051	0.0037	1	05/06/22 06:00	05/06/22 15:11	75-00-3	
Chloroform	<0.00086	mg/kg	0.0051	0.00086	1	05/06/22 06:00	05/06/22 15:11	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0051	0.0011	1	05/06/22 06:00	05/06/22 15:11	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0051	0.0010	1	05/06/22 06:00	05/06/22 15:11	124-48-1	
Ethylbenzene	<0.00091	mg/kg	0.0051	0.00091	1	05/06/22 06:00	05/06/22 15:11	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0051	0.0021	1	05/06/22 06:00	05/06/22 15:11	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0051	0.0040	1	05/06/22 06:00	05/06/22 15:11	75-09-2	
Styrene	<0.00072	mg/kg	0.0051	0.00072	1	05/06/22 06:00	05/06/22 15:11	100-42-5	
Tetrachloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/06/22 06:00	05/06/22 15:11	127-18-4	
Toluene	<0.00089	mg/kg	0.0051	0.00089	1	05/06/22 06:00	05/06/22 15:11	108-88-3	
Trichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/06/22 06:00	05/06/22 15:11	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0051	0.0013	1	05/06/22 06:00	05/06/22 15:11	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/06/22 06:00	05/06/22 15:11	1330-20-7	
cis-1,2-Dichloroethene	<0.00089	mg/kg	0.0051	0.00089	1	05/06/22 06:00	05/06/22 15:11	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-14 (5-6) **Lab ID: 40244350010** Collected: 05/03/22 12:10 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/06/22 06:00	05/06/22 15:11	10061-01-5	
trans-1,2-Dichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/06/22 06:00	05/06/22 15:11	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/06/22 06:00	05/06/22 15:11	10061-02-6	
Surrogates									
Toluene-d8 (S)	94	%	69-156		1	05/06/22 06:00	05/06/22 15:11	2037-26-5	
4-Bromofluorobenzene (S)	80	%	61-175		1	05/06/22 06:00	05/06/22 15:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1	05/06/22 06:00	05/06/22 15:11	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	20.4	%	0.10	0.10	1		05/10/22 16:08		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.3	Std. Units	0.10	0.010	1		05/11/22 14:33		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.30	mg/kg	0.90	0.30	1	05/09/22 12:15	05/09/22 14:09	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-12 (2-2.8) **Lab ID: 40244350011** Collected: 05/03/22 12:45 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00061	mg/kg	0.0032	0.00061	1	05/09/22 02:19	05/10/22 19:27	309-00-2	
alpha-BHC	<0.00066	mg/kg	0.0032	0.00066	1	05/09/22 02:19	05/10/22 19:27	319-84-6	
beta-BHC	<0.00060	mg/kg	0.0032	0.00060	1	05/09/22 02:19	05/10/22 19:27	319-85-7	
delta-BHC	<0.00083	mg/kg	0.0032	0.00083	1	05/09/22 02:19	05/10/22 19:27	319-86-8	
gamma-BHC (Lindane)	<0.00058	mg/kg	0.0032	0.00058	1	05/09/22 02:19	05/10/22 19:27	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.064	0.013	1	05/09/22 02:19	05/10/22 19:27	57-74-9	
alpha-Chlordane	<0.00056	mg/kg	0.0032	0.00056	1	05/09/22 02:19	05/10/22 19:27	5103-71-9	
gamma-Chlordane	<0.00067	mg/kg	0.0032	0.00067	1	05/09/22 02:19	05/10/22 19:27	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0064	0.0012	1	05/09/22 02:19	05/10/22 19:27	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0064	0.0010	1	05/09/22 02:19	05/10/22 19:27	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0064	0.0020	1	05/09/22 02:19	05/10/22 19:27	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/10/22 19:27	60-57-1	
Endosulfan I	<0.00053	mg/kg	0.0032	0.00053	1	05/09/22 02:19	05/10/22 19:27	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0064	0.0010	1	05/09/22 02:19	05/10/22 19:27	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0064	0.0012	1	05/09/22 02:19	05/10/22 19:27	1031-07-8	
Endrin	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/10/22 19:27	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0064	0.0015	1	05/09/22 02:19	05/10/22 19:27	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0064	0.0016	1	05/09/22 02:19	05/10/22 19:27	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0032	0.00057	1	05/09/22 02:19	05/10/22 19:27	76-44-8	
Heptachlor epoxide	<0.00054	mg/kg	0.0032	0.00054	1	05/09/22 02:19	05/10/22 19:27	1024-57-3	
Methoxychlor	<0.0073	mg/kg	0.032	0.0073	1	05/09/22 02:19	05/10/22 19:27	72-43-5	
Toxaphene	<0.023	mg/kg	0.064	0.023	1	05/09/22 02:19	05/10/22 19:27	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	41	%	10-147		1	05/09/22 02:19	05/10/22 19:27	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 15:15	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 15:15	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 15:15	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 15:15	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 15:15	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 15:15	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 15:15	11096-82-5	
PCB, Total	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 15:15	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	76	%	50-99		1	05/05/22 09:05	05/06/22 15:15	877-09-8	
Decachlorobiphenyl (S)	84	%	38-95		1	05/05/22 09:05	05/06/22 15:15	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	12500	mg/kg	36.1	7.3	1	05/09/22 16:28	05/12/22 17:16	7429-90-5	
Antimony	0.19J	mg/kg	0.60	0.12	1	05/09/22 16:28	05/12/22 17:16	7440-36-0	
Arsenic	7.3	mg/kg	0.60	0.13	1	05/09/22 16:28	05/12/22 17:16	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-12 (2-2.8) **Lab ID: 40244350011** Collected: 05/03/22 12:45 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	198	mg/kg	0.36	0.064	1	05/09/22 16:28	05/12/22 17:16	7440-39-3	
Beryllium	0.83	mg/kg	0.24	0.048	1	05/09/22 16:28	05/12/22 17:16	7440-41-7	
Cadmium	0.13	mg/kg	0.096	0.038	1	05/09/22 16:28	05/12/22 17:16	7440-43-9	
Calcium	4840	mg/kg	120	14.2	1	05/09/22 16:28	05/12/22 17:16	7440-70-2	
Chromium	15.7	mg/kg	2.4	0.17	1	05/09/22 16:28	05/12/22 17:16	7440-47-3	
Cobalt	4.9	mg/kg	0.60	0.12	1	05/09/22 16:28	05/12/22 17:16	7440-48-4	
Copper	14.6	mg/kg	1.2	0.29	1	05/09/22 16:28	05/12/22 17:16	7440-50-8	
Iron	18600	mg/kg	60.1	12.6	1	05/09/22 16:28	05/12/22 17:16	7439-89-6	
Lead	10.3	mg/kg	0.60	0.035	1	05/09/22 16:28	05/12/22 17:16	7439-92-1	
Magnesium	2410	mg/kg	36.1	5.2	1	05/09/22 16:28	05/12/22 17:16	7439-95-4	
Manganese	392	mg/kg	0.60	0.29	1	05/09/22 16:28	05/12/22 17:16	7439-96-5	
Nickel	12.8	mg/kg	0.60	0.24	1	05/09/22 16:28	05/12/22 17:16	7440-02-0	
Potassium	1060	mg/kg	120	13.8	1	05/09/22 16:28	05/12/22 17:16	7440-09-7	
Selenium	0.69	mg/kg	0.60	0.10	1	05/09/22 16:28	05/12/22 17:16	7782-49-2	
Silver	<0.17	mg/kg	0.60	0.17	1	05/09/22 16:28	05/12/22 17:16	7440-22-4	
Sodium	23.6J	mg/kg	60.1	13.3	1	05/09/22 16:28	05/12/22 17:16	7440-23-5	
Thallium	0.16	mg/kg	0.12	0.044	1	05/09/22 16:28	05/12/22 17:16	7440-28-0	
Vanadium	30.8	mg/kg	1.2	0.21	1	05/09/22 16:28	05/12/22 17:16	7440-62-2	
Zinc	47.5	mg/kg	6.0	1.1	1	05/09/22 16:28	05/12/22 17:16	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.027J	mg/kg	0.043	0.012	1	05/06/22 11:52	05/09/22 10:54	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/06/22 10:26	05/06/22 19:35	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 19:35	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/06/22 10:26	05/06/22 19:35	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 19:35	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 19:35	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 19:35	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 19:35	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 19:35	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/06/22 10:26	05/06/22 19:35	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/06/22 10:26	05/06/22 19:35	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 19:35	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/06/22 10:26	05/06/22 19:35	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.092	0.028	1	05/06/22 10:26	05/06/22 19:35	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 19:35	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 19:35	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/06/22 10:26	05/06/22 19:35	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/06/22 10:26	05/06/22 19:35	88-74-4	
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 19:35	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-12 (2-2.8) **Lab ID: 40244350011** Collected: 05/03/22 12:45 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/06/22 10:26	05/06/22 19:35		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 19:35	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 19:35	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/06/22 10:26	05/06/22 19:35	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/06/22 10:26	05/06/22 19:35	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/06/22 10:26	05/06/22 19:35	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 19:35	106-47-8	2q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 19:35	7005-72-3	
4-Nitroaniline	<0.089	mg/kg	0.30	0.089	1	05/06/22 10:26	05/06/22 19:35	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 19:35	100-02-7	
Acenaphthene	<0.076	mg/kg	0.25	0.076	1	05/06/22 10:26	05/06/22 19:35	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/06/22 10:26	05/06/22 19:35	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 19:35	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 19:35	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 19:35	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 19:35	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 19:35	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/06/22 10:26	05/06/22 19:35	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 19:35	85-68-7	CU
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 19:35	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 19:35	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 19:35	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/06/22 10:26	05/06/22 19:35	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 19:35	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/06/22 10:26	05/06/22 19:35	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 19:35	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.093	0.028	1	05/06/22 10:26	05/06/22 19:35	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 19:35	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/06/22 10:26	05/06/22 19:35	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 19:35	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 19:35	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/06/22 10:26	05/06/22 19:35	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 19:35	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/06/22 10:26	05/06/22 19:35	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 19:35	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 19:35	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.97	0.29	1	05/06/22 10:26	05/06/22 19:35	86-30-6	
Naphthalene	<0.075	mg/kg	0.25	0.075	1	05/06/22 10:26	05/06/22 19:35	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/06/22 10:26	05/06/22 19:35	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/06/22 10:26	05/06/22 19:35	87-86-5	
Phenanthrene	<0.028	mg/kg	0.092	0.028	1	05/06/22 10:26	05/06/22 19:35	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/06/22 10:26	05/06/22 19:35	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/06/22 10:26	05/06/22 19:35	129-00-0	
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 19:35	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-12 (2-2.8) **Lab ID: 40244350011** Collected: 05/03/22 12:45 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/06/22 10:26	05/06/22 19:35	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 19:35	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	72	%	10-125		1	05/06/22 10:26	05/06/22 19:35	4165-60-0	
2-Fluorobiphenyl (S)	72	%	12-118		1	05/06/22 10:26	05/06/22 19:35	321-60-8	
Terphenyl-d14 (S)	73	%	10-124		1	05/06/22 10:26	05/06/22 19:35	1718-51-0	
Phenol-d6 (S)	56	%	10-125		1	05/06/22 10:26	05/06/22 19:35	13127-88-3	
2-Fluorophenol (S)	50	%	10-130		1	05/06/22 10:26	05/06/22 19:35	367-12-4	
2,4,6-Tribromophenol (S)	74	%	10-144		1	05/06/22 10:26	05/06/22 19:35	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/06/22 06:00	05/06/22 12:21	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/06/22 06:00	05/06/22 12:21	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/06/22 06:00	05/06/22 12:21	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 12:21	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 12:21	75-35-4	
1,2-Dichloroethane	<0.00088	mg/kg	0.0053	0.00088	1	05/06/22 06:00	05/06/22 12:21	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 12:21	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/06/22 06:00	05/06/22 12:21	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/06/22 06:00	05/06/22 12:21	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/06/22 06:00	05/06/22 12:21	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/06/22 06:00	05/06/22 12:21	67-64-1	
Benzene	<0.00075	mg/kg	0.0053	0.00075	1	05/06/22 06:00	05/06/22 12:21	71-43-2	
Bromodichloromethane	<0.00072	mg/kg	0.0053	0.00072	1	05/06/22 06:00	05/06/22 12:21	75-27-4	
Bromoform	<0.0086	mg/kg	0.021	0.0086	1	05/06/22 06:00	05/06/22 12:21	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0053	0.0047	1	05/06/22 06:00	05/06/22 12:21	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/06/22 06:00	05/06/22 12:21	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0053	0.0034	1	05/06/22 06:00	05/06/22 12:21	56-23-5	
Chlorobenzene	<0.00098	mg/kg	0.0053	0.00098	1	05/06/22 06:00	05/06/22 12:21	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0053	0.0039	1	05/06/22 06:00	05/06/22 12:21	75-00-3	
Chloroform	<0.00090	mg/kg	0.0053	0.00090	1	05/06/22 06:00	05/06/22 12:21	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 12:21	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 12:21	124-48-1	
Ethylbenzene	<0.00095	mg/kg	0.0053	0.00095	1	05/06/22 06:00	05/06/22 12:21	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/06/22 06:00	05/06/22 12:21	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/06/22 06:00	05/06/22 12:21	75-09-2	
Styrene	<0.00075	mg/kg	0.0053	0.00075	1	05/06/22 06:00	05/06/22 12:21	100-42-5	
Tetrachloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/06/22 06:00	05/06/22 12:21	127-18-4	
Toluene	<0.00094	mg/kg	0.0053	0.00094	1	05/06/22 06:00	05/06/22 12:21	108-88-3	
Trichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/06/22 06:00	05/06/22 12:21	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/06/22 06:00	05/06/22 12:21	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/06/22 06:00	05/06/22 12:21	1330-20-7	
cis-1,2-Dichloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/06/22 06:00	05/06/22 12:21	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-12 (2-2.8) **Lab ID: 40244350011** Collected: 05/03/22 12:45 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 12:21	10061-01-5	
trans-1,2-Dichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/06/22 06:00	05/06/22 12:21	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/06/22 06:00	05/06/22 12:21	10061-02-6	
Surrogates									
Toluene-d8 (S)	96	%	69-156		1	05/06/22 06:00	05/06/22 12:21	2037-26-5	
4-Bromofluorobenzene (S)	85	%	61-175		1	05/06/22 06:00	05/06/22 12:21	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1	05/06/22 06:00	05/06/22 12:21	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.3	%	0.10	0.10	1		05/10/22 16:08		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.7	Std. Units	0.10	0.010	1		05/11/22 14:36		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.38	mg/kg	1.1	0.38	1	05/09/22 12:15	05/09/22 14:11	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-12 (4.3-5.3) **Lab ID: 40244350012** Collected: 05/03/22 12:50 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00063	mg/kg	0.0033	0.00063	1	05/09/22 02:19	05/10/22 19:40	309-00-2	
alpha-BHC	<0.00068	mg/kg	0.0033	0.00068	1	05/09/22 02:19	05/10/22 19:40	319-84-6	
beta-BHC	<0.00061	mg/kg	0.0033	0.00061	1	05/09/22 02:19	05/10/22 19:40	319-85-7	
delta-BHC	<0.00086	mg/kg	0.0033	0.00086	1	05/09/22 02:19	05/10/22 19:40	319-86-8	
gamma-BHC (Lindane)	<0.00059	mg/kg	0.0033	0.00059	1	05/09/22 02:19	05/10/22 19:40	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.065	0.013	1	05/09/22 02:19	05/10/22 19:40	57-74-9	
alpha-Chlordane	<0.00058	mg/kg	0.0033	0.00058	1	05/09/22 02:19	05/10/22 19:40	5103-71-9	
gamma-Chlordane	<0.00068	mg/kg	0.0033	0.00068	1	05/09/22 02:19	05/10/22 19:40	5103-74-2	
4,4'-DDD	<0.0013	mg/kg	0.0065	0.0013	1	05/09/22 02:19	05/10/22 19:40	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 02:19	05/10/22 19:40	72-55-9	
4,4'-DDT	<0.0021	mg/kg	0.0065	0.0021	1	05/09/22 02:19	05/10/22 19:40	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 02:19	05/10/22 19:40	60-57-1	
Endosulfan I	<0.00054	mg/kg	0.0033	0.00054	1	05/09/22 02:19	05/10/22 19:40	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 02:19	05/10/22 19:40	33213-65-9	
Endosulfan sulfate	<0.0013	mg/kg	0.0065	0.0013	1	05/09/22 02:19	05/10/22 19:40	1031-07-8	
Endrin	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 02:19	05/10/22 19:40	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0065	0.0015	1	05/09/22 02:19	05/10/22 19:40	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0065	0.0016	1	05/09/22 02:19	05/10/22 19:40	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0033	0.00058	1	05/09/22 02:19	05/10/22 19:40	76-44-8	
Heptachlor epoxide	<0.00055	mg/kg	0.0033	0.00055	1	05/09/22 02:19	05/10/22 19:40	1024-57-3	
Methoxychlor	<0.0075	mg/kg	0.033	0.0075	1	05/09/22 02:19	05/10/22 19:40	72-43-5	
Toxaphene	<0.023	mg/kg	0.065	0.023	1	05/09/22 02:19	05/10/22 19:40	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	57	%	10-147		1	05/09/22 02:19	05/10/22 19:40	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 15:39	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 15:39	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 15:39	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 15:39	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 15:39	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 15:39	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 15:39	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 15:39	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	76	%	50-99		1	05/05/22 09:05	05/06/22 15:39	877-09-8	
Decachlorobiphenyl (S)	80	%	38-95		1	05/05/22 09:05	05/06/22 15:39	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	14300	mg/kg	37.5	7.6	1	05/09/22 16:28	05/12/22 17:19	7429-90-5	
Antimony	0.30J	mg/kg	0.63	0.12	1	05/09/22 16:28	05/12/22 17:19	7440-36-0	
Arsenic	19.3	mg/kg	0.63	0.14	1	05/09/22 16:28	05/12/22 17:19	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-12 (4.3-5.3) **Lab ID: 40244350012** Collected: 05/03/22 12:50 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	129	mg/kg	0.38	0.067	1	05/09/22 16:28	05/12/22 17:19	7440-39-3	
Beryllium	0.83	mg/kg	0.25	0.050	1	05/09/22 16:28	05/12/22 17:19	7440-41-7	
Cadmium	0.12	mg/kg	0.10	0.039	1	05/09/22 16:28	05/12/22 17:19	7440-43-9	
Calcium	3560	mg/kg	125	14.8	1	05/09/22 16:28	05/12/22 17:19	7440-70-2	
Chromium	19.5	mg/kg	2.5	0.18	1	05/09/22 16:28	05/12/22 17:19	7440-47-3	
Cobalt	3.8	mg/kg	0.63	0.12	1	05/09/22 16:28	05/12/22 17:19	7440-48-4	
Copper	20.3	mg/kg	1.3	0.30	1	05/09/22 16:28	05/12/22 17:19	7440-50-8	
Iron	30000	mg/kg	62.5	13.1	1	05/09/22 16:28	05/12/22 17:19	7439-89-6	
Lead	9.0	mg/kg	0.63	0.037	1	05/09/22 16:28	05/12/22 17:19	7439-92-1	
Magnesium	3250	mg/kg	37.5	5.4	1	05/09/22 16:28	05/12/22 17:19	7439-95-4	
Manganese	73.4	mg/kg	0.63	0.31	1	05/09/22 16:28	05/12/22 17:19	7439-96-5	
Nickel	22.1	mg/kg	0.63	0.25	1	05/09/22 16:28	05/12/22 17:19	7440-02-0	
Potassium	766	mg/kg	125	14.4	1	05/09/22 16:28	05/12/22 17:19	7440-09-7	
Selenium	0.39J	mg/kg	0.63	0.11	1	05/09/22 16:28	05/12/22 17:19	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/09/22 16:28	05/12/22 17:19	7440-22-4	
Sodium	34.0J	mg/kg	62.5	13.9	1	05/09/22 16:28	05/12/22 17:19	7440-23-5	
Thallium	0.14	mg/kg	0.13	0.046	1	05/09/22 16:28	05/12/22 17:19	7440-28-0	
Vanadium	32.8	mg/kg	1.3	0.22	1	05/09/22 16:28	05/12/22 17:19	7440-62-2	
Zinc	58.3	mg/kg	6.3	1.1	1	05/09/22 16:28	05/12/22 17:19	7440-66-6	

7471 Mercury

Analytical Method: EPA 7471 Preparation Method: EPA 7471

Pace Analytical Services - Green Bay

Mercury	0.050	mg/kg	0.043	0.012	1	05/06/22 11:52	05/09/22 10:57	7439-97-6	
---------	--------------	-------	-------	-------	---	----------------	----------------	-----------	--

8270E MSSV FULL LIST MICROWAVE

Analytical Method: EPA 8270E Preparation Method: EPA 3546

Pace Analytical Services - Green Bay

1,2,4-Trichlorobenzene	<0.025	mg/kg	0.083	0.025	1	05/06/22 10:26	05/06/22 17:06	120-82-1	
1,2-Dichlorobenzene	<0.070	mg/kg	0.23	0.070	1	05/06/22 10:26	05/06/22 17:06	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 17:06	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 17:06	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 17:06	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/06/22 10:26	05/06/22 17:06	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 17:06	88-06-2	
2,4-Dichlorophenol	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 17:06	120-83-2	
2,4-Dimethylphenol	<0.044	mg/kg	0.15	0.044	1	05/06/22 10:26	05/06/22 17:06	105-67-9	
2,4-Dinitrophenol	<0.067	mg/kg	0.22	0.067	1	05/06/22 10:26	05/06/22 17:06	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 17:06	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/06/22 10:26	05/06/22 17:06	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.095	0.028	1	05/06/22 10:26	05/06/22 17:06	91-58-7	
2-Chlorophenol	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 17:06	95-57-8	
2-Methylnaphthalene	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 17:06	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 17:06	95-48-7	
2-Nitroaniline	<0.063	mg/kg	0.21	0.063	1	05/06/22 10:26	05/06/22 17:06	88-74-4	
2-Nitrophenol	<0.070	mg/kg	0.23	0.070	1	05/06/22 10:26	05/06/22 17:06	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-12 (4.3-5.3) **Lab ID: 40244350012** Collected: 05/03/22 12:50 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.041	mg/kg	0.14	0.041	1	05/06/22 10:26	05/06/22 17:06		
3,3'-Dichlorobenzidine	<0.060	mg/kg	0.20	0.060	1	05/06/22 10:26	05/06/22 17:06	91-94-1	
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 17:06	99-09-2	
4,6-Dinitro-2-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 17:06	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/06/22 10:26	05/06/22 17:06	101-55-3	
4-Chloro-3-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/06/22 10:26	05/06/22 17:06	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 17:06	106-47-8	2q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/06/22 10:26	05/06/22 17:06	7005-72-3	
4-Nitroaniline	<0.092	mg/kg	0.31	0.092	1	05/06/22 10:26	05/06/22 17:06	100-01-6	
4-Nitrophenol	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 17:06	100-02-7	
Acenaphthene	<0.078	mg/kg	0.26	0.078	1	05/06/22 10:26	05/06/22 17:06	83-32-9	
Acenaphthylene	<0.079	mg/kg	0.26	0.079	1	05/06/22 10:26	05/06/22 17:06	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 17:06	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 17:06	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 17:06	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 17:06	205-99-2	
Benzo(g,h,i)perylene	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 17:06	191-24-2	
Benzo(k)fluoranthene	<0.053	mg/kg	0.18	0.053	1	05/06/22 10:26	05/06/22 17:06	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 17:06	85-68-7	CU
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 17:06	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 17:06	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 17:06	84-74-2	
Di-n-octylphthalate	<0.050	mg/kg	0.17	0.050	1	05/06/22 10:26	05/06/22 17:06	117-84-0	
Dibenz(a,h)anthracene	<0.060	mg/kg	0.20	0.060	1	05/06/22 10:26	05/06/22 17:06	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.089	0.027	1	05/06/22 10:26	05/06/22 17:06	132-64-9	
Diethylphthalate	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 17:06	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.096	0.029	1	05/06/22 10:26	05/06/22 17:06	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 17:06	206-44-0	
Fluorene	<0.026	mg/kg	0.086	0.026	1	05/06/22 10:26	05/06/22 17:06	86-73-7	
Hexachloro-1,3-butadiene	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 17:06	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 17:06	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/06/22 10:26	05/06/22 17:06	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 17:06	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.048	mg/kg	0.16	0.048	1	05/06/22 10:26	05/06/22 17:06	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 17:06	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 17:06	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	1.0	0.30	1	05/06/22 10:26	05/06/22 17:06	86-30-6	
Naphthalene	<0.077	mg/kg	0.26	0.077	1	05/06/22 10:26	05/06/22 17:06	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/06/22 10:26	05/06/22 17:06	98-95-3	
Pentachlorophenol	<0.049	mg/kg	0.16	0.049	1	05/06/22 10:26	05/06/22 17:06	87-86-5	
Phenanthrene	<0.028	mg/kg	0.095	0.028	1	05/06/22 10:26	05/06/22 17:06	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/06/22 10:26	05/06/22 17:06	108-95-2	
Pyrene	<0.049	mg/kg	0.16	0.049	1	05/06/22 10:26	05/06/22 17:06	129-00-0	
bis(2-Chloroethoxy)methane	<0.060	mg/kg	0.20	0.060	1	05/06/22 10:26	05/06/22 17:06	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-12 (4.3-5.3) Lab ID: 40244350012 Collected: 05/03/22 12:50 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.069	mg/kg	0.23	0.069	1	05/06/22 10:26	05/06/22 17:06	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 17:06	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	73	%	10-125		1	05/06/22 10:26	05/06/22 17:06	4165-60-0	
2-Fluorobiphenyl (S)	63	%	12-118		1	05/06/22 10:26	05/06/22 17:06	321-60-8	
Terphenyl-d14 (S)	66	%	10-124		1	05/06/22 10:26	05/06/22 17:06	1718-51-0	
Phenol-d6 (S)	65	%	10-125		1	05/06/22 10:26	05/06/22 17:06	13127-88-3	
2-Fluorophenol (S)	65	%	10-130		1	05/06/22 10:26	05/06/22 17:06	367-12-4	
2,4,6-Tribromophenol (S)	64	%	10-144		1	05/06/22 10:26	05/06/22 17:06	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/06/22 06:00	05/06/22 12:45	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0029	mg/kg	0.0056	0.0029	1	05/06/22 06:00	05/06/22 12:45	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/06/22 06:00	05/06/22 12:45	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0056	0.0012	1	05/06/22 06:00	05/06/22 12:45	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0056	0.0012	1	05/06/22 06:00	05/06/22 12:45	75-35-4	
1,2-Dichloroethane	<0.00093	mg/kg	0.0056	0.00093	1	05/06/22 06:00	05/06/22 12:45	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0056	0.0011	1	05/06/22 06:00	05/06/22 12:45	78-87-5	
2-Butanone (MEK)	<0.018	mg/kg	0.028	0.018	1	05/06/22 06:00	05/06/22 12:45	78-93-3	
2-Hexanone	<0.013	mg/kg	0.028	0.013	1	05/06/22 06:00	05/06/22 12:45	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.028	0.022	1	05/06/22 06:00	05/06/22 12:45	108-10-1	
Acetone	<0.053	mg/kg	0.11	0.053	1	05/06/22 06:00	05/06/22 12:45	67-64-1	
Benzene	<0.00080	mg/kg	0.0056	0.00080	1	05/06/22 06:00	05/06/22 12:45	71-43-2	
Bromodichloromethane	<0.00077	mg/kg	0.0056	0.00077	1	05/06/22 06:00	05/06/22 12:45	75-27-4	
Bromoform	<0.0091	mg/kg	0.023	0.0091	1	05/06/22 06:00	05/06/22 12:45	75-25-2	
Bromomethane	<0.0050	mg/kg	0.0056	0.0050	1	05/06/22 06:00	05/06/22 12:45	74-83-9	
Carbon disulfide	<0.0013	mg/kg	0.0056	0.0013	1	05/06/22 06:00	05/06/22 12:45	75-15-0	
Carbon tetrachloride	<0.0036	mg/kg	0.0056	0.0036	1	05/06/22 06:00	05/06/22 12:45	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/06/22 06:00	05/06/22 12:45	108-90-7	
Chloroethane	<0.0041	mg/kg	0.0056	0.0041	1	05/06/22 06:00	05/06/22 12:45	75-00-3	
Chloroform	<0.00095	mg/kg	0.0056	0.00095	1	05/06/22 06:00	05/06/22 12:45	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0056	0.0012	1	05/06/22 06:00	05/06/22 12:45	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0056	0.0011	1	05/06/22 06:00	05/06/22 12:45	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/06/22 06:00	05/06/22 12:45	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0056	0.0023	1	05/06/22 06:00	05/06/22 12:45	1634-04-4	
Methylene Chloride	<0.0045	mg/kg	0.0056	0.0045	1	05/06/22 06:00	05/06/22 12:45	75-09-2	
Styrene	<0.00080	mg/kg	0.0056	0.00080	1	05/06/22 06:00	05/06/22 12:45	100-42-5	
Tetrachloroethene	<0.0010	mg/kg	0.0056	0.0010	1	05/06/22 06:00	05/06/22 12:45	127-18-4	
Toluene	<0.00099	mg/kg	0.0056	0.00099	1	05/06/22 06:00	05/06/22 12:45	108-88-3	
Trichloroethene	<0.00081	mg/kg	0.0056	0.00081	1	05/06/22 06:00	05/06/22 12:45	79-01-6	
Vinyl chloride	<0.0015	mg/kg	0.0056	0.0015	1	05/06/22 06:00	05/06/22 12:45	75-01-4	
Xylene (Total)	<0.0039	mg/kg	0.011	0.0039	1	05/06/22 06:00	05/06/22 12:45	1330-20-7	
cis-1,2-Dichloroethene	<0.00099	mg/kg	0.0056	0.00099	1	05/06/22 06:00	05/06/22 12:45	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-12 (4.3-5.3) **Lab ID: 40244350012** Collected: 05/03/22 12:50 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/06/22 06:00	05/06/22 12:45	10061-01-5	
trans-1,2-Dichloroethene	<0.00081	mg/kg	0.0056	0.00081	1	05/06/22 06:00	05/06/22 12:45	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/06/22 06:00	05/06/22 12:45	10061-02-6	
Surrogates									
Toluene-d8 (S)	101	%	69-156		1	05/06/22 06:00	05/06/22 12:45	2037-26-5	
4-Bromofluorobenzene (S)	77	%	61-175		1	05/06/22 06:00	05/06/22 12:45	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1	05/06/22 06:00	05/06/22 12:45	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	24.6	%	0.10	0.10	1		05/10/22 16:08		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/11/22 14:37		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.29	mg/kg	0.88	0.29	1	05/09/22 12:15	05/09/22 14:11	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-11 (1-2) **Lab ID: 40244350013** Collected: 05/03/22 13:35 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00058	mg/kg	0.0030	0.00058	1	05/09/22 02:19	05/10/22 19:53	309-00-2	
alpha-BHC	<0.00063	mg/kg	0.0030	0.00063	1	05/09/22 02:19	05/10/22 19:53	319-84-6	
beta-BHC	<0.00057	mg/kg	0.0030	0.00057	1	05/09/22 02:19	05/10/22 19:53	319-85-7	
delta-BHC	<0.00079	mg/kg	0.0030	0.00079	1	05/09/22 02:19	05/10/22 19:53	319-86-8	
gamma-BHC (Lindane)	<0.00054	mg/kg	0.0030	0.00054	1	05/09/22 02:19	05/10/22 19:53	58-89-9	
Chlordane (Technical)	<0.012	mg/kg	0.060	0.012	1	05/09/22 02:19	05/10/22 19:53	57-74-9	
alpha-Chlordane	<0.00053	mg/kg	0.0030	0.00053	1	05/09/22 02:19	05/10/22 19:53	5103-71-9	
gamma-Chlordane	<0.00063	mg/kg	0.0030	0.00063	1	05/09/22 02:19	05/10/22 19:53	5103-74-2	
4,4'-DDD	0.0015J	mg/kg	0.0060	0.0012	1	05/09/22 02:19	05/10/22 19:40	72-54-8	
4,4'-DDE	0.0072	mg/kg	0.0060	0.00099	1	05/09/22 02:19	05/10/22 19:53	72-55-9	
4,4'-DDT	0.0085	mg/kg	0.0060	0.0019	1	05/09/22 02:19	05/10/22 19:53	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0060	0.0011	1	05/09/22 02:19	05/10/22 19:53	60-57-1	
Endosulfan I	<0.00050	mg/kg	0.0030	0.00050	1	05/09/22 02:19	05/10/22 19:53	959-98-8	
Endosulfan II	<0.00098	mg/kg	0.0060	0.00098	1	05/09/22 02:19	05/10/22 19:53	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0060	0.0012	1	05/09/22 02:19	05/10/22 19:53	1031-07-8	
Endrin	<0.0011	mg/kg	0.0060	0.0011	1	05/09/22 02:19	05/10/22 19:53	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0060	0.0014	1	05/09/22 02:19	05/10/22 19:53	7421-93-4	
Endrin ketone	<0.0015	mg/kg	0.0060	0.0015	1	05/09/22 02:19	05/10/22 19:53	53494-70-5	
Heptachlor	<0.00054	mg/kg	0.0030	0.00054	1	05/09/22 02:19	05/10/22 19:53	76-44-8	
Heptachlor epoxide	<0.00051	mg/kg	0.0030	0.00051	1	05/09/22 02:19	05/10/22 19:53	1024-57-3	
Methoxychlor	<0.0069	mg/kg	0.030	0.0069	1	05/09/22 02:19	05/10/22 19:53	72-43-5	
Toxaphene	<0.021	mg/kg	0.060	0.021	1	05/09/22 02:19	05/10/22 19:53	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	53	%	10-147		1	05/09/22 02:19	05/10/22 19:53	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.062	0.019	1	05/05/22 09:05	05/06/22 16:04	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.062	0.019	1	05/05/22 09:05	05/06/22 16:04	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.062	0.019	1	05/05/22 09:05	05/06/22 16:04	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.062	0.019	1	05/05/22 09:05	05/06/22 16:04	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.062	0.019	1	05/05/22 09:05	05/06/22 16:04	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.062	0.019	1	05/05/22 09:05	05/06/22 16:04	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.062	0.019	1	05/05/22 09:05	05/06/22 16:04	11096-82-5	
PCB, Total	<0.019	mg/kg	0.062	0.019	1	05/05/22 09:05	05/06/22 16:04	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	77	%	50-99		1	05/05/22 09:05	05/06/22 16:04	877-09-8	
Decachlorobiphenyl (S)	82	%	38-95		1	05/05/22 09:05	05/06/22 16:04	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	11800	mg/kg	37.0	7.4	1	05/09/22 16:28	05/12/22 17:23	7429-90-5	
Antimony	0.36J	mg/kg	0.62	0.12	1	05/09/22 16:28	05/12/22 17:23	7440-36-0	
Arsenic	15.5	mg/kg	0.62	0.13	1	05/09/22 16:28	05/12/22 17:23	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-11 (1-2) **Lab ID: 40244350013** Collected: 05/03/22 13:35 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	147	mg/kg	0.37	0.066	1	05/09/22 16:28	05/12/22 17:23	7440-39-3	
Beryllium	0.82	mg/kg	0.25	0.049	1	05/09/22 16:28	05/12/22 17:23	7440-41-7	
Cadmium	0.32	mg/kg	0.099	0.039	1	05/09/22 16:28	05/12/22 17:23	7440-43-9	
Calcium	24000	mg/kg	123	14.5	1	05/09/22 16:28	05/12/22 17:23	7440-70-2	
Chromium	19.4	mg/kg	2.5	0.17	1	05/09/22 16:28	05/12/22 17:23	7440-47-3	
Cobalt	8.3	mg/kg	0.62	0.12	1	05/09/22 16:28	05/12/22 17:23	7440-48-4	
Copper	31.0	mg/kg	1.2	0.30	1	05/09/22 16:28	05/12/22 17:23	7440-50-8	
Iron	24300	mg/kg	61.6	12.9	1	05/09/22 16:28	05/12/22 17:23	7439-89-6	
Lead	24.6	mg/kg	0.62	0.036	1	05/09/22 16:28	05/12/22 17:23	7439-92-1	
Magnesium	11900	mg/kg	37.0	5.3	1	05/09/22 16:28	05/12/22 17:23	7439-95-4	
Manganese	667	mg/kg	6.2	3.0	10	05/09/22 16:28	05/12/22 17:26	7439-96-5	
Nickel	23.1	mg/kg	0.62	0.25	1	05/09/22 16:28	05/12/22 17:23	7440-02-0	
Potassium	1030	mg/kg	123	14.2	1	05/09/22 16:28	05/12/22 17:23	7440-09-7	
Selenium	0.52J	mg/kg	0.62	0.11	1	05/09/22 16:28	05/12/22 17:23	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/09/22 16:28	05/12/22 17:23	7440-22-4	
Sodium	73.8	mg/kg	61.6	13.7	1	05/09/22 16:28	05/12/22 17:23	7440-23-5	
Thallium	0.20	mg/kg	0.12	0.045	1	05/09/22 16:28	05/12/22 17:23	7440-28-0	
Vanadium	31.8	mg/kg	1.2	0.22	1	05/09/22 16:28	05/12/22 17:23	7440-62-2	
Zinc	70.4	mg/kg	6.2	1.1	1	05/09/22 16:28	05/12/22 17:23	7440-66-6	

7471 Mercury

Analytical Method: EPA 7471 Preparation Method: EPA 7471

Pace Analytical Services - Green Bay

Mercury	0.27	mg/kg	0.042	0.012	1	05/06/22 11:52	05/09/22 11:06	7439-97-6	
---------	------	-------	-------	-------	---	----------------	----------------	-----------	--

8270E MSSV FULL LIST MICROWAVE

Analytical Method: EPA 8270E Preparation Method: EPA 3546

Pace Analytical Services - Green Bay

1,2,4-Trichlorobenzene	<0.023	mg/kg	0.078	0.023	1	05/06/22 10:26	05/06/22 18:31	120-82-1	
1,2-Dichlorobenzene	<0.065	mg/kg	0.22	0.065	1	05/06/22 10:26	05/06/22 18:31	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.096	0.029	1	05/06/22 10:26	05/06/22 18:31	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.096	0.029	1	05/06/22 10:26	05/06/22 18:31	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 18:31	108-60-1	
2,4,5-Trichlorophenol	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 18:31	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 18:31	88-06-2	
2,4-Dichlorophenol	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 18:31	120-83-2	
2,4-Dimethylphenol	<0.041	mg/kg	0.14	0.041	1	05/06/22 10:26	05/06/22 18:31	105-67-9	
2,4-Dinitrophenol	<0.063	mg/kg	0.21	0.063	1	05/06/22 10:26	05/06/22 18:31	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.099	0.030	1	05/06/22 10:26	05/06/22 18:31	121-14-2	
2,6-Dinitrotoluene	<0.039	mg/kg	0.13	0.039	1	05/06/22 10:26	05/06/22 18:31	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.089	0.027	1	05/06/22 10:26	05/06/22 18:31	91-58-7	
2-Chlorophenol	<0.052	mg/kg	0.17	0.052	1	05/06/22 10:26	05/06/22 18:31	95-57-8	
2-Methylnaphthalene	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 18:31	91-57-6	
2-Methylphenol(o-Cresol)	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 18:31	95-48-7	
2-Nitroaniline	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 18:31	88-74-4	
2-Nitrophenol	<0.066	mg/kg	0.22	0.066	1	05/06/22 10:26	05/06/22 18:31	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-11 (1-2) Lab ID: **40244350013** Collected: 05/03/22 13:35 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 18:31		
3,3'-Dichlorobenzidine	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 18:31	91-94-1	
3-Nitroaniline	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 18:31	99-09-2	
4,6-Dinitro-2-methylphenol	<0.064	mg/kg	0.21	0.064	1	05/06/22 10:26	05/06/22 18:31	534-52-1	
4-Bromophenylphenyl ether	<0.043	mg/kg	0.14	0.043	1	05/06/22 10:26	05/06/22 18:31	101-55-3	
4-Chloro-3-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/06/22 10:26	05/06/22 18:31	59-50-7	
4-Chloroaniline	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 18:31	106-47-8	2q
4-Chlorophenylphenyl ether	<0.039	mg/kg	0.13	0.039	1	05/06/22 10:26	05/06/22 18:31	7005-72-3	
4-Nitroaniline	<0.086	mg/kg	0.29	0.086	1	05/06/22 10:26	05/06/22 18:31	100-01-6	
4-Nitrophenol	<0.052	mg/kg	0.17	0.052	1	05/06/22 10:26	05/06/22 18:31	100-02-7	
Acenaphthene	<0.074	mg/kg	0.25	0.074	1	05/06/22 10:26	05/06/22 18:31	83-32-9	
Acenaphthylene	<0.074	mg/kg	0.25	0.074	1	05/06/22 10:26	05/06/22 18:31	208-96-8	
Anthracene	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 18:31	120-12-7	
Benzo(a)anthracene	0.036J	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 18:31	56-55-3	
Benzo(a)pyrene	0.034J	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 18:31	50-32-8	
Benzo(b)fluoranthene	0.063J	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 18:31	205-99-2	
Benzo(g,h,i)perylene	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 18:31	191-24-2	
Benzo(k)fluoranthene	<0.050	mg/kg	0.17	0.050	1	05/06/22 10:26	05/06/22 18:31	207-08-9	
Butylbenzylphthalate	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 18:31	85-68-7	CU
Carbazole	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 18:31	86-74-8	
Chrysene	0.034J	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 18:31	218-01-9	
Di-n-butylphthalate	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 18:31	84-74-2	
Di-n-octylphthalate	<0.047	mg/kg	0.16	0.047	1	05/06/22 10:26	05/06/22 18:31	117-84-0	
Dibenz(a,h)anthracene	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 18:31	53-70-3	
Dibenzofuran	<0.025	mg/kg	0.084	0.025	1	05/06/22 10:26	05/06/22 18:31	132-64-9	
Diethylphthalate	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 18:31	84-66-2	
Dimethylphthalate	<0.027	mg/kg	0.090	0.027	1	05/06/22 10:26	05/06/22 18:31	131-11-3	
Fluoranthene	0.048J	mg/kg	0.098	0.029	1	05/06/22 10:26	05/06/22 18:31	206-44-0	
Fluorene	<0.024	mg/kg	0.081	0.024	1	05/06/22 10:26	05/06/22 18:31	86-73-7	
Hexachloro-1,3-butadiene	<0.053	mg/kg	0.18	0.053	1	05/06/22 10:26	05/06/22 18:31	87-68-3	
Hexachlorobenzene	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 18:31	118-74-1	
Hexachlorocyclopentadiene	<0.049	mg/kg	0.16	0.049	1	05/06/22 10:26	05/06/22 18:31	77-47-4	
Hexachloroethane	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 18:31	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.045	mg/kg	0.15	0.045	1	05/06/22 10:26	05/06/22 18:31	193-39-5	
Isophorone	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 18:31	78-59-1	
N-Nitroso-di-n-propylamine	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 18:31	621-64-7	
N-Nitrosodiphenylamine	<0.28	mg/kg	0.94	0.28	1	05/06/22 10:26	05/06/22 18:31	86-30-6	
Naphthalene	<0.073	mg/kg	0.24	0.073	1	05/06/22 10:26	05/06/22 18:31	91-20-3	
Nitrobenzene	<0.042	mg/kg	0.14	0.042	1	05/06/22 10:26	05/06/22 18:31	98-95-3	
Pentachlorophenol	<0.046	mg/kg	0.15	0.046	1	05/06/22 10:26	05/06/22 18:31	87-86-5	
Phenanthrene	0.032J	mg/kg	0.089	0.027	1	05/06/22 10:26	05/06/22 18:31	85-01-8	
Phenol	<0.049	mg/kg	0.16	0.049	1	05/06/22 10:26	05/06/22 18:31	108-95-2	
Pyrene	0.047J	mg/kg	0.15	0.046	1	05/06/22 10:26	05/06/22 18:31	129-00-0	
bis(2-Chloroethoxy)methane	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 18:31	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-11 (1-2) **Lab ID: 40244350013** Collected: 05/03/22 13:35 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.065	mg/kg	0.22	0.065	1	05/06/22 10:26	05/06/22 18:31	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 18:31	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	83	%	10-125		1	05/06/22 10:26	05/06/22 18:31	4165-60-0	
2-Fluorobiphenyl (S)	70	%	12-118		1	05/06/22 10:26	05/06/22 18:31	321-60-8	
Terphenyl-d14 (S)	80	%	10-124		1	05/06/22 10:26	05/06/22 18:31	1718-51-0	
Phenol-d6 (S)	63	%	10-125		1	05/06/22 10:26	05/06/22 18:31	13127-88-3	
2-Fluorophenol (S)	65	%	10-130		1	05/06/22 10:26	05/06/22 18:31	367-12-4	
2,4,6-Tribromophenol (S)	71	%	10-144		1	05/06/22 10:26	05/06/22 18:31	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	0.017	mg/kg	0.0051	0.0015	1	05/06/22 06:00	05/06/22 13:09	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0051	0.0026	1	05/06/22 06:00	05/06/22 13:09	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/06/22 06:00	05/06/22 13:09	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0051	0.0011	1	05/06/22 06:00	05/06/22 13:09	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0051	0.0011	1	05/06/22 06:00	05/06/22 13:09	75-35-4	
1,2-Dichloroethane	<0.00084	mg/kg	0.0051	0.00084	1	05/06/22 06:00	05/06/22 13:09	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0051	0.0010	1	05/06/22 06:00	05/06/22 13:09	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/06/22 06:00	05/06/22 13:09	78-93-3	
2-Hexanone	<0.012	mg/kg	0.025	0.012	1	05/06/22 06:00	05/06/22 13:09	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/06/22 06:00	05/06/22 13:09	108-10-1	
Acetone	<0.048	mg/kg	0.10	0.048	1	05/06/22 06:00	05/06/22 13:09	67-64-1	
Benzene	<0.00072	mg/kg	0.0051	0.00072	1	05/06/22 06:00	05/06/22 13:09	71-43-2	
Bromodichloromethane	<0.00069	mg/kg	0.0051	0.00069	1	05/06/22 06:00	05/06/22 13:09	75-27-4	
Bromoform	<0.0083	mg/kg	0.020	0.0083	1	05/06/22 06:00	05/06/22 13:09	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0051	0.0045	1	05/06/22 06:00	05/06/22 13:09	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0051	0.0011	1	05/06/22 06:00	05/06/22 13:09	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0051	0.0032	1	05/06/22 06:00	05/06/22 13:09	56-23-5	
Chlorobenzene	<0.00094	mg/kg	0.0051	0.00094	1	05/06/22 06:00	05/06/22 13:09	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0051	0.0037	1	05/06/22 06:00	05/06/22 13:09	75-00-3	
Chloroform	<0.00086	mg/kg	0.0051	0.00086	1	05/06/22 06:00	05/06/22 13:09	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0051	0.0011	1	05/06/22 06:00	05/06/22 13:09	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0051	0.0010	1	05/06/22 06:00	05/06/22 13:09	124-48-1	
Ethylbenzene	<0.00091	mg/kg	0.0051	0.00091	1	05/06/22 06:00	05/06/22 13:09	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0051	0.0021	1	05/06/22 06:00	05/06/22 13:09	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0051	0.0040	1	05/06/22 06:00	05/06/22 13:09	75-09-2	
Styrene	<0.00072	mg/kg	0.0051	0.00072	1	05/06/22 06:00	05/06/22 13:09	100-42-5	
Tetrachloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/06/22 06:00	05/06/22 13:09	127-18-4	
Toluene	<0.00090	mg/kg	0.0051	0.00090	1	05/06/22 06:00	05/06/22 13:09	108-88-3	
Trichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/06/22 06:00	05/06/22 13:09	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0051	0.0013	1	05/06/22 06:00	05/06/22 13:09	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/06/22 06:00	05/06/22 13:09	1330-20-7	
cis-1,2-Dichloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/06/22 06:00	05/06/22 13:09	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-11 (1-2) **Lab ID: 40244350013** Collected: 05/03/22 13:35 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/06/22 06:00	05/06/22 13:09	10061-01-5	
trans-1,2-Dichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/06/22 06:00	05/06/22 13:09	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/06/22 06:00	05/06/22 13:09	10061-02-6	
Surrogates									
Toluene-d8 (S)	100	%	69-156		1	05/06/22 06:00	05/06/22 13:09	2037-26-5	
4-Bromofluorobenzene (S)	85	%	61-175		1	05/06/22 06:00	05/06/22 13:09	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1	05/06/22 06:00	05/06/22 13:09	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	19.7	%	0.10	0.10	1		05/10/22 16:08		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.94	Std. Units	0.100	0.0100	1		05/11/22 15:03		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.25	mg/kg	0.76	0.25	1	05/09/22 12:15	05/09/22 14:12	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-11 (4-5) **Lab ID: 40244350014** Collected: 05/03/22 13:40 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00061	mg/kg	0.0032	0.00061	1	05/09/22 02:19	05/10/22 20:05	309-00-2	
alpha-BHC	<0.00066	mg/kg	0.0032	0.00066	1	05/09/22 02:19	05/10/22 20:05	319-84-6	
beta-BHC	<0.00059	mg/kg	0.0032	0.00059	1	05/09/22 02:19	05/10/22 20:05	319-85-7	
delta-BHC	<0.00083	mg/kg	0.0032	0.00083	1	05/09/22 02:19	05/10/22 20:05	319-86-8	
gamma-BHC (Lindane)	<0.00057	mg/kg	0.0032	0.00057	1	05/09/22 02:19	05/10/22 20:05	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.063	0.013	1	05/09/22 02:19	05/10/22 20:05	57-74-9	
alpha-Chlordane	<0.00056	mg/kg	0.0032	0.00056	1	05/09/22 02:19	05/10/22 20:05	5103-71-9	
gamma-Chlordane	<0.00066	mg/kg	0.0032	0.00066	1	05/09/22 02:19	05/10/22 20:05	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0063	0.0012	1	05/09/22 02:19	05/10/22 19:53	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0063	0.0010	1	05/09/22 02:19	05/10/22 20:05	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0063	0.0020	1	05/09/22 02:19	05/10/22 20:05	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0063	0.0011	1	05/09/22 02:19	05/10/22 20:05	60-57-1	
Endosulfan I	<0.00052	mg/kg	0.0032	0.00052	1	05/09/22 02:19	05/10/22 20:05	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0063	0.0010	1	05/09/22 02:19	05/10/22 20:05	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0063	0.0012	1	05/09/22 02:19	05/10/22 20:05	1031-07-8	
Endrin	<0.0011	mg/kg	0.0063	0.0011	1	05/09/22 02:19	05/10/22 20:05	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0063	0.0014	1	05/09/22 02:19	05/10/22 20:05	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0063	0.0016	1	05/09/22 02:19	05/10/22 20:05	53494-70-5	
Heptachlor	<0.00056	mg/kg	0.0032	0.00056	1	05/09/22 02:19	05/10/22 20:05	76-44-8	
Heptachlor epoxide	<0.00053	mg/kg	0.0032	0.00053	1	05/09/22 02:19	05/10/22 20:05	1024-57-3	
Methoxychlor	<0.0072	mg/kg	0.032	0.0072	1	05/09/22 02:19	05/10/22 20:05	72-43-5	
Toxaphene	<0.022	mg/kg	0.063	0.022	1	05/09/22 02:19	05/10/22 20:05	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	53	%	10-147		1	05/09/22 02:19	05/10/22 20:05	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 16:28	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 16:28	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 16:28	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 16:28	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 16:28	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 16:28	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 16:28	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 16:28	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	77	%	50-99		1	05/05/22 09:05	05/06/22 16:28	877-09-8	
Decachlorobiphenyl (S)	84	%	38-95		1	05/05/22 09:05	05/06/22 16:28	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	15700	mg/kg	37.2	7.5	1	05/09/22 16:28	05/12/22 17:30	7429-90-5	
Antimony	0.41J	mg/kg	0.62	0.12	1	05/09/22 16:28	05/12/22 17:30	7440-36-0	
Arsenic	28.3	mg/kg	0.62	0.14	1	05/09/22 16:28	05/12/22 17:30	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-11 (4-5) **Lab ID: 40244350014** Collected: 05/03/22 13:40 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	177	mg/kg	0.37	0.066	1	05/09/22 16:28	05/12/22 17:30	7440-39-3	
Beryllium	1.0	mg/kg	0.25	0.049	1	05/09/22 16:28	05/12/22 17:30	7440-41-7	
Cadmium	0.74	mg/kg	0.099	0.039	1	05/09/22 16:28	05/12/22 17:30	7440-43-9	
Calcium	24500	mg/kg	124	14.6	1	05/09/22 16:28	05/12/22 17:30	7440-70-2	
Chromium	23.1	mg/kg	2.5	0.17	1	05/09/22 16:28	05/12/22 17:30	7440-47-3	
Cobalt	5.5	mg/kg	0.62	0.12	1	05/09/22 16:28	05/12/22 17:30	7440-48-4	
Copper	43.0	mg/kg	1.2	0.30	1	05/09/22 16:28	05/12/22 17:30	7440-50-8	
Iron	37900	mg/kg	62.0	13.0	1	05/09/22 16:28	05/12/22 17:30	7439-89-6	
Lead	40.1	mg/kg	0.62	0.036	1	05/09/22 16:28	05/12/22 17:30	7439-92-1	
Magnesium	4460	mg/kg	37.2	5.3	1	05/09/22 16:28	05/12/22 17:30	7439-95-4	
Manganese	169	mg/kg	0.62	0.30	1	05/09/22 16:28	05/12/22 17:30	7439-96-5	
Nickel	19.5	mg/kg	0.62	0.25	1	05/09/22 16:28	05/12/22 17:30	7440-02-0	
Potassium	740	mg/kg	124	14.3	1	05/09/22 16:28	05/12/22 17:30	7440-09-7	
Selenium	0.37J	mg/kg	0.62	0.11	1	05/09/22 16:28	05/12/22 17:30	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/09/22 16:28	05/12/22 17:30	7440-22-4	
Sodium	69.1	mg/kg	62.0	13.8	1	05/09/22 16:28	05/12/22 17:30	7440-23-5	
Thallium	0.16	mg/kg	0.12	0.045	1	05/09/22 16:28	05/12/22 17:30	7440-28-0	
Vanadium	42.5	mg/kg	1.2	0.22	1	05/09/22 16:28	05/12/22 17:30	7440-62-2	
Zinc	95.0	mg/kg	6.2	1.1	1	05/09/22 16:28	05/12/22 17:30	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.045J	mg/kg	0.046	0.013	1	05/06/22 11:52	05/09/22 11:08	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.082	0.025	1	05/06/22 10:26	05/06/22 17:27	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 17:27	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 17:27	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 17:27	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 17:27	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 17:27	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 17:27	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 17:27	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/06/22 10:26	05/06/22 17:27	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/06/22 10:26	05/06/22 17:27	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 17:27	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/06/22 10:26	05/06/22 17:27	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/06/22 10:26	05/06/22 17:27	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 17:27	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 17:27	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 17:27	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/06/22 10:26	05/06/22 17:27	88-74-4	
2-Nitrophenol	<0.069	mg/kg	0.23	0.069	1	05/06/22 10:26	05/06/22 17:27	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-11 (4-5) **Lab ID: 40244350014** Collected: 05/03/22 13:40 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 17:27		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 17:27	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 17:27	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/06/22 10:26	05/06/22 17:27	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/06/22 10:26	05/06/22 17:27	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 17:27	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 17:27	106-47-8	2q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 17:27	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/06/22 10:26	05/06/22 17:27	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 17:27	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/06/22 10:26	05/06/22 17:27	83-32-9	
Acenaphthylene	<0.078	mg/kg	0.26	0.078	1	05/06/22 10:26	05/06/22 17:27	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 17:27	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 17:27	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 17:27	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 17:27	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 17:27	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/06/22 10:26	05/06/22 17:27	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 17:27	85-68-7	CU
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 17:27	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 17:27	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 17:27	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/06/22 10:26	05/06/22 17:27	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 17:27	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.088	0.026	1	05/06/22 10:26	05/06/22 17:27	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 17:27	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/06/22 10:26	05/06/22 17:27	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 17:27	206-44-0	
Fluorene	<0.025	mg/kg	0.085	0.025	1	05/06/22 10:26	05/06/22 17:27	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 17:27	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 17:27	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/06/22 10:26	05/06/22 17:27	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 17:27	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/06/22 10:26	05/06/22 17:27	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 17:27	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 17:27	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/06/22 10:26	05/06/22 17:27	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/06/22 10:26	05/06/22 17:27	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/06/22 10:26	05/06/22 17:27	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/06/22 10:26	05/06/22 17:27	87-86-5	
Phenanthrene	<0.028	mg/kg	0.093	0.028	1	05/06/22 10:26	05/06/22 17:27	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/06/22 10:26	05/06/22 17:27	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/06/22 10:26	05/06/22 17:27	129-00-0	
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 17:27	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
 Pace Project No.: 40244350

Sample: SB-11 (4-5) **Lab ID: 40244350014** Collected: 05/03/22 13:40 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 17:27	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 17:27	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	26	%	10-125		1	05/06/22 10:26	05/06/22 17:27	4165-60-0	
2-Fluorobiphenyl (S)	8	%	12-118		1	05/06/22 10:26	05/06/22 17:27	321-60-8	S0
Terphenyl-d14 (S)	39	%	10-124		1	05/06/22 10:26	05/06/22 17:27	1718-51-0	
Phenol-d6 (S)	42	%	10-125		1	05/06/22 10:26	05/06/22 17:27	13127-88-3	
2-Fluorophenol (S)	25	%	10-130		1	05/06/22 10:26	05/06/22 17:27	367-12-4	
2,4,6-Tribromophenol (S)	27	%	10-144		1	05/06/22 10:26	05/06/22 17:27	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	0.16	mg/kg	0.0055	0.0017	1	05/09/22 06:00	05/09/22 16:24	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0055	0.0028	1	05/09/22 06:00	05/09/22 16:24	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0055	0.0017	1	05/09/22 06:00	05/09/22 16:24	79-00-5	
1,1-Dichloroethane	0.012	mg/kg	0.0055	0.0012	1	05/09/22 06:00	05/09/22 16:24	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0055	0.0012	1	05/09/22 06:00	05/09/22 16:24	75-35-4	
1,2-Dichloroethane	<0.00091	mg/kg	0.0055	0.00091	1	05/09/22 06:00	05/09/22 16:24	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0055	0.0011	1	05/09/22 06:00	05/09/22 16:24	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.028	0.017	1	05/09/22 06:00	05/09/22 16:24	78-93-3	
2-Hexanone	<0.012	mg/kg	0.028	0.012	1	05/09/22 06:00	05/09/22 16:24	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.028	0.022	1	05/09/22 06:00	05/09/22 16:24	108-10-1	
Acetone	<0.052	mg/kg	0.11	0.052	1	05/09/22 06:00	05/09/22 16:24	67-64-1	
Benzene	<0.00078	mg/kg	0.0055	0.00078	1	05/09/22 06:00	05/09/22 16:24	71-43-2	
Bromodichloromethane	<0.00075	mg/kg	0.0055	0.00075	1	05/09/22 06:00	05/09/22 16:24	75-27-4	
Bromoform	<0.0089	mg/kg	0.022	0.0089	1	05/09/22 06:00	05/09/22 16:24	75-25-2	
Bromomethane	<0.0049	mg/kg	0.0055	0.0049	1	05/09/22 06:00	05/09/22 16:24	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0055	0.0012	1	05/09/22 06:00	05/09/22 16:24	75-15-0	
Carbon tetrachloride	<0.0035	mg/kg	0.0055	0.0035	1	05/09/22 06:00	05/09/22 16:24	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0055	0.0010	1	05/09/22 06:00	05/09/22 16:24	108-90-7	
Chloroethane	<0.0040	mg/kg	0.0055	0.0040	1	05/09/22 06:00	05/09/22 16:24	75-00-3	
Chloroform	<0.00093	mg/kg	0.0055	0.00093	1	05/09/22 06:00	05/09/22 16:24	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0055	0.0012	1	05/09/22 06:00	05/09/22 16:24	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0055	0.0011	1	05/09/22 06:00	05/09/22 16:24	124-48-1	
Ethylbenzene	<0.00098	mg/kg	0.0055	0.00098	1	05/09/22 06:00	05/09/22 16:24	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0055	0.0023	1	05/09/22 06:00	05/09/22 16:24	1634-04-4	
Methylene Chloride	<0.0044	mg/kg	0.0055	0.0044	1	05/09/22 06:00	05/09/22 16:24	75-09-2	
Styrene	<0.00078	mg/kg	0.0055	0.00078	1	05/09/22 06:00	05/09/22 16:24	100-42-5	
Tetrachloroethene	<0.00098	mg/kg	0.0055	0.00098	1	05/09/22 06:00	05/09/22 16:24	127-18-4	
Toluene	<0.00097	mg/kg	0.0055	0.00097	1	05/09/22 06:00	05/09/22 16:24	108-88-3	
Trichloroethene	<0.00079	mg/kg	0.0055	0.00079	1	05/09/22 06:00	05/09/22 16:24	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0055	0.0014	1	05/09/22 06:00	05/09/22 16:24	75-01-4	
Xylene (Total)	<0.0038	mg/kg	0.011	0.0038	1	05/09/22 06:00	05/09/22 16:24	1330-20-7	
cis-1,2-Dichloroethene	<0.00097	mg/kg	0.0055	0.00097	1	05/09/22 06:00	05/09/22 16:24	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-11 (4-5) **Lab ID: 40244350014** Collected: 05/03/22 13:40 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0055	0.0011	1	05/09/22 06:00	05/09/22 16:24	10061-01-5	
trans-1,2-Dichloroethene	<0.00079	mg/kg	0.0055	0.00079	1	05/09/22 06:00	05/09/22 16:24	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0055	0.0011	1	05/09/22 06:00	05/09/22 16:24	10061-02-6	
Surrogates									
Toluene-d8 (S)	87	%	69-156		1	05/09/22 06:00	05/09/22 16:24	2037-26-5	
4-Bromofluorobenzene (S)	80	%	61-175		1	05/09/22 06:00	05/09/22 16:24	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1	05/09/22 06:00	05/09/22 16:24	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.1	%	0.10	0.10	1		05/10/22 16:09		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.7	Std. Units	0.10	0.010	1		05/11/22 14:45		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.30	mg/kg	0.90	0.30	1	05/09/22 12:15	05/09/22 14:13	57-12-5	M0,R1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: **SB-10 (1.8-2.8)** Lab ID: **40244350015** Collected: 05/03/22 14:25 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00062	mg/kg	0.0032	0.00062	1	05/09/22 02:19	05/12/22 16:03	309-00-2	
alpha-BHC	<0.00067	mg/kg	0.0032	0.00067	1	05/09/22 02:19	05/12/22 16:03	319-84-6	
beta-BHC	<0.00060	mg/kg	0.0032	0.00060	1	05/09/22 02:19	05/12/22 16:03	319-85-7	
delta-BHC	<0.00084	mg/kg	0.0032	0.00084	1	05/09/22 02:19	05/12/22 16:03	319-86-8	
gamma-BHC (Lindane)	<0.00058	mg/kg	0.0032	0.00058	1	05/09/22 02:19	05/12/22 16:03	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.064	0.013	1	05/09/22 02:19	05/12/22 16:03	57-74-9	
alpha-Chlordane	<0.00056	mg/kg	0.0032	0.00056	1	05/09/22 02:19	05/12/22 16:03	5103-71-9	
gamma-Chlordane	<0.00067	mg/kg	0.0032	0.00067	1	05/09/22 02:19	05/12/22 16:03	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0064	0.0012	1	05/09/22 02:19	05/12/22 16:03	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/12/22 16:03	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0064	0.0020	1	05/09/22 02:19	05/12/22 16:03	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/12/22 16:03	60-57-1	
Endosulfan I	<0.00053	mg/kg	0.0032	0.00053	1	05/09/22 02:19	05/12/22 16:03	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0064	0.0010	1	05/09/22 02:19	05/12/22 16:03	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0064	0.0012	1	05/09/22 02:19	05/12/22 16:03	1031-07-8	
Endrin	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/12/22 16:03	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0064	0.0015	1	05/09/22 02:19	05/12/22 16:03	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0064	0.0016	1	05/09/22 02:19	05/12/22 16:03	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0032	0.00057	1	05/09/22 02:19	05/12/22 16:03	76-44-8	
Heptachlor epoxide	<0.00054	mg/kg	0.0032	0.00054	1	05/09/22 02:19	05/12/22 16:03	1024-57-3	
Methoxychlor	<0.0073	mg/kg	0.032	0.0073	1	05/09/22 02:19	05/12/22 16:03	72-43-5	
Toxaphene	<0.023	mg/kg	0.064	0.023	1	05/09/22 02:19	05/12/22 16:03	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	45	%	10-147		1	05/09/22 02:19	05/12/22 16:03	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 16:52	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 16:52	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 16:52	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 16:52	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 16:52	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 16:52	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 16:52	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 16:52	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	74	%	50-99		1	05/05/22 09:05	05/06/22 16:52	877-09-8	
Decachlorobiphenyl (S)	83	%	38-95		1	05/05/22 09:05	05/06/22 16:52	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	10600	mg/kg	37.1	7.5	1	05/09/22 16:28	05/12/22 17:33	7429-90-5	
Antimony	0.13J	mg/kg	0.62	0.12	1	05/09/22 16:28	05/12/22 17:33	7440-36-0	
Arsenic	4.7	mg/kg	0.62	0.13	1	05/09/22 16:28	05/12/22 17:33	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-10 (1.8-2.8) Lab ID: 40244350015 Collected: 05/03/22 14:25 Received: 05/04/22 10:15 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	146	mg/kg	0.37	0.066	1	05/09/22 16:28	05/12/22 17:33	7440-39-3	
Beryllium	0.71	mg/kg	0.25	0.049	1	05/09/22 16:28	05/12/22 17:33	7440-41-7	
Cadmium	0.29	mg/kg	0.099	0.039	1	05/09/22 16:28	05/12/22 17:33	7440-43-9	
Calcium	8440	mg/kg	124	14.6	1	05/09/22 16:28	05/12/22 17:33	7440-70-2	
Chromium	14.6	mg/kg	2.5	0.17	1	05/09/22 16:28	05/12/22 17:33	7440-47-3	
Cobalt	4.4	mg/kg	0.62	0.12	1	05/09/22 16:28	05/12/22 17:33	7440-48-4	
Copper	17.7	mg/kg	1.2	0.30	1	05/09/22 16:28	05/12/22 17:33	7440-50-8	
Iron	15200	mg/kg	61.8	13.0	1	05/09/22 16:28	05/12/22 17:33	7439-89-6	
Lead	26.0	mg/kg	0.62	0.036	1	05/09/22 16:28	05/12/22 17:33	7439-92-1	
Magnesium	4380	mg/kg	37.1	5.3	1	05/09/22 16:28	05/12/22 17:33	7439-95-4	
Manganese	289	mg/kg	0.62	0.30	1	05/09/22 16:28	05/12/22 17:33	7439-96-5	
Nickel	11.8	mg/kg	0.62	0.25	1	05/09/22 16:28	05/12/22 17:33	7440-02-0	
Potassium	1180	mg/kg	124	14.2	1	05/09/22 16:28	05/12/22 17:33	7440-09-7	
Selenium	0.72	mg/kg	0.62	0.11	1	05/09/22 16:28	05/12/22 17:33	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/09/22 16:28	05/12/22 17:33	7440-22-4	
Sodium	61.5J	mg/kg	61.8	13.7	1	05/09/22 16:28	05/12/22 17:33	7440-23-5	
Thallium	0.22	mg/kg	0.12	0.045	1	05/09/22 16:28	05/12/22 17:33	7440-28-0	
Vanadium	24.5	mg/kg	1.2	0.22	1	05/09/22 16:28	05/12/22 17:33	7440-62-2	
Zinc	64.2	mg/kg	6.2	1.1	1	05/09/22 16:28	05/12/22 17:33	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.067	mg/kg	0.041	0.012	1	05/06/22 11:52	05/09/22 11:11	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.082	0.024	1	05/11/22 12:41	05/11/22 13:59	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/11/22 12:41	05/11/22 13:59	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/11/22 12:41	05/11/22 13:59	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/11/22 12:41	05/11/22 13:59	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/11/22 12:41	05/11/22 13:59	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/11/22 12:41	05/11/22 13:59	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/11/22 12:41	05/11/22 13:59	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/11/22 12:41	05/11/22 13:59	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/11/22 12:41	05/11/22 13:59	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/11/22 12:41	05/11/22 13:59	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/11/22 12:41	05/11/22 13:59	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/11/22 12:41	05/11/22 13:59	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/11/22 12:41	05/11/22 13:59	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/11/22 12:41	05/11/22 13:59	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/11/22 12:41	05/11/22 13:59	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/11/22 12:41	05/11/22 13:59	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/11/22 12:41	05/11/22 13:59	88-74-4	CU
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/11/22 12:41	05/11/22 13:59	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-10 (1.8-2.8) **Lab ID: 40244350015** Collected: 05/03/22 14:25 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/11/22 12:41	05/11/22 13:59		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/11/22 12:41	05/11/22 13:59	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/11/22 12:41	05/11/22 13:59	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/11/22 12:41	05/11/22 13:59	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/11/22 12:41	05/11/22 13:59	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/11/22 12:41	05/11/22 13:59	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/11/22 12:41	05/11/22 13:59	106-47-8	2q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/11/22 12:41	05/11/22 13:59	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/11/22 12:41	05/11/22 13:59	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/11/22 12:41	05/11/22 13:59	100-02-7	CU
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/11/22 12:41	05/11/22 13:59	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/11/22 12:41	05/11/22 13:59	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/11/22 12:41	05/11/22 13:59	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/11/22 12:41	05/11/22 13:59	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/11/22 12:41	05/11/22 13:59	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/11/22 12:41	05/11/22 13:59	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/11/22 12:41	05/11/22 13:59	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/11/22 12:41	05/11/22 13:59	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/11/22 12:41	05/11/22 13:59	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/11/22 12:41	05/11/22 13:59	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/11/22 12:41	05/11/22 13:59	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/11/22 12:41	05/11/22 13:59	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/11/22 12:41	05/11/22 13:59	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/11/22 12:41	05/11/22 13:59	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/11/22 12:41	05/11/22 13:59	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/11/22 12:41	05/11/22 13:59	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/11/22 12:41	05/11/22 13:59	131-11-3	
Fluoranthene	0.043J	mg/kg	0.10	0.031	1	05/11/22 12:41	05/11/22 13:59	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/11/22 12:41	05/11/22 13:59	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/11/22 12:41	05/11/22 13:59	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/11/22 12:41	05/11/22 13:59	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/11/22 12:41	05/11/22 13:59	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/11/22 12:41	05/11/22 13:59	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/11/22 12:41	05/11/22 13:59	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/11/22 12:41	05/11/22 13:59	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/11/22 12:41	05/11/22 13:59	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/11/22 12:41	05/11/22 13:59	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/11/22 12:41	05/11/22 13:59	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/11/22 12:41	05/11/22 13:59	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/11/22 12:41	05/11/22 13:59	87-86-5	
Phenanthrene	0.033J	mg/kg	0.093	0.028	1	05/11/22 12:41	05/11/22 13:59	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/11/22 12:41	05/11/22 13:59	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/11/22 12:41	05/11/22 13:59	129-00-0	
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/11/22 12:41	05/11/22 13:59	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-10 (1.8-2.8) **Lab ID: 40244350015** Collected: 05/03/22 14:25 Received: 05/04/22 10:15 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/11/22 12:41	05/11/22 13:59	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/11/22 12:41	05/11/22 13:59	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	68	%	10-125		1	05/11/22 12:41	05/11/22 13:59	4165-60-0	
2-Fluorobiphenyl (S)	67	%	12-118		1	05/11/22 12:41	05/11/22 13:59	321-60-8	
Terphenyl-d14 (S)	78	%	10-124		1	05/11/22 12:41	05/11/22 13:59	1718-51-0	
Phenol-d6 (S)	65	%	10-125		1	05/11/22 12:41	05/11/22 13:59	13127-88-3	
2-Fluorophenol (S)	57	%	10-130		1	05/11/22 12:41	05/11/22 13:59	367-12-4	
2,4,6-Tribromophenol (S)	65	%	10-144		1	05/11/22 12:41	05/11/22 13:59	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/09/22 06:00	05/09/22 16:49	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0052	0.0027	1	05/09/22 06:00	05/09/22 16:49	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/09/22 06:00	05/09/22 16:49	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 16:49	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 16:49	75-35-4	
1,2-Dichloroethane	<0.00086	mg/kg	0.0052	0.00086	1	05/09/22 06:00	05/09/22 16:49	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 16:49	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.026	0.016	1	05/09/22 06:00	05/09/22 16:49	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/09/22 06:00	05/09/22 16:49	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.026	0.021	1	05/09/22 06:00	05/09/22 16:49	108-10-1	
Acetone	<0.050	mg/kg	0.10	0.050	1	05/09/22 06:00	05/09/22 16:49	67-64-1	
Benzene	<0.00074	mg/kg	0.0052	0.00074	1	05/09/22 06:00	05/09/22 16:49	71-43-2	
Bromodichloromethane	<0.00071	mg/kg	0.0052	0.00071	1	05/09/22 06:00	05/09/22 16:49	75-27-4	
Bromoform	<0.0085	mg/kg	0.021	0.0085	1	05/09/22 06:00	05/09/22 16:49	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0052	0.0047	1	05/09/22 06:00	05/09/22 16:49	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0052	0.0012	1	05/09/22 06:00	05/09/22 16:49	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0052	0.0033	1	05/09/22 06:00	05/09/22 16:49	56-23-5	
Chlorobenzene	<0.00097	mg/kg	0.0052	0.00097	1	05/09/22 06:00	05/09/22 16:49	108-90-7	
Chloroethane	<0.0038	mg/kg	0.0052	0.0038	1	05/09/22 06:00	05/09/22 16:49	75-00-3	
Chloroform	<0.00089	mg/kg	0.0052	0.00089	1	05/09/22 06:00	05/09/22 16:49	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 16:49	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 16:49	124-48-1	
Ethylbenzene	<0.00094	mg/kg	0.0052	0.00094	1	05/09/22 06:00	05/09/22 16:49	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0052	0.0022	1	05/09/22 06:00	05/09/22 16:49	1634-04-4	
Methylene Chloride	<0.0041	mg/kg	0.0052	0.0041	1	05/09/22 06:00	05/09/22 16:49	75-09-2	
Styrene	<0.00074	mg/kg	0.0052	0.00074	1	05/09/22 06:00	05/09/22 16:49	100-42-5	
Tetrachloroethene	<0.00093	mg/kg	0.0052	0.00093	1	05/09/22 06:00	05/09/22 16:49	127-18-4	
Toluene	<0.00093	mg/kg	0.0052	0.00093	1	05/09/22 06:00	05/09/22 16:49	108-88-3	
Trichloroethene	<0.00075	mg/kg	0.0052	0.00075	1	05/09/22 06:00	05/09/22 16:49	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0052	0.0014	1	05/09/22 06:00	05/09/22 16:49	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.010	0.0036	1	05/09/22 06:00	05/09/22 16:49	1330-20-7	
cis-1,2-Dichloroethene	<0.00093	mg/kg	0.0052	0.00093	1	05/09/22 06:00	05/09/22 16:49	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-10 (1.8-2.8) **Lab ID: 40244350015** Collected: 05/03/22 14:25 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 16:49	10061-01-5	
trans-1,2-Dichloroethene	<0.00075	mg/kg	0.0052	0.00075	1	05/09/22 06:00	05/09/22 16:49	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 16:49	10061-02-6	
Surrogates									
Toluene-d8 (S)	99	%	69-156		1	05/09/22 06:00	05/09/22 16:49	2037-26-5	
4-Bromofluorobenzene (S)	76	%	61-175		1	05/09/22 06:00	05/09/22 16:49	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1	05/09/22 06:00	05/09/22 16:49	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.0	%	0.10	0.10	1		05/10/22 16:09		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/11/22 14:48		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.28	mg/kg	0.84	0.28	1	05/09/22 12:15	05/09/22 14:14	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-10 (4-5) **Lab ID: 40244350016** Collected: 05/03/22 14:30 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00062	mg/kg	0.0032	0.00062	1	05/09/22 02:19	05/10/22 20:56	309-00-2	
alpha-BHC	<0.00067	mg/kg	0.0032	0.00067	1	05/09/22 02:19	05/10/22 20:56	319-84-6	
beta-BHC	<0.00060	mg/kg	0.0032	0.00060	1	05/09/22 02:19	05/10/22 20:56	319-85-7	
delta-BHC	<0.00084	mg/kg	0.0032	0.00084	1	05/09/22 02:19	05/10/22 20:56	319-86-8	
gamma-BHC (Lindane)	<0.00058	mg/kg	0.0032	0.00058	1	05/09/22 02:19	05/10/22 20:56	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.064	0.013	1	05/09/22 02:19	05/10/22 20:56	57-74-9	
alpha-Chlordane	<0.00057	mg/kg	0.0032	0.00057	1	05/09/22 02:19	05/10/22 20:56	5103-71-9	
gamma-Chlordane	<0.00067	mg/kg	0.0032	0.00067	1	05/09/22 02:19	05/10/22 20:56	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0064	0.0012	1	05/09/22 02:19	05/10/22 20:56	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/10/22 20:56	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0064	0.0020	1	05/09/22 02:19	05/10/22 20:56	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/10/22 20:56	60-57-1	
Endosulfan I	<0.00053	mg/kg	0.0032	0.00053	1	05/09/22 02:19	05/10/22 20:56	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0064	0.0010	1	05/09/22 02:19	05/10/22 20:56	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0064	0.0012	1	05/09/22 02:19	05/10/22 20:56	1031-07-8	
Endrin	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 02:19	05/10/22 20:56	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0064	0.0015	1	05/09/22 02:19	05/10/22 20:56	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0064	0.0016	1	05/09/22 02:19	05/10/22 20:56	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0032	0.00057	1	05/09/22 02:19	05/10/22 20:56	76-44-8	
Heptachlor epoxide	<0.00054	mg/kg	0.0032	0.00054	1	05/09/22 02:19	05/10/22 20:56	1024-57-3	
Methoxychlor	<0.0073	mg/kg	0.032	0.0073	1	05/09/22 02:19	05/10/22 20:56	72-43-5	
Toxaphene	<0.023	mg/kg	0.064	0.023	1	05/09/22 02:19	05/10/22 20:56	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	53	%	10-147		1	05/09/22 02:19	05/10/22 20:56	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 17:16	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 17:16	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 17:16	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 17:16	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 17:16	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 17:16	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 17:16	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/05/22 09:05	05/06/22 17:16	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	75	%	50-99		1	05/05/22 09:05	05/06/22 17:16	877-09-8	
Decachlorobiphenyl (S)	80	%	38-95		1	05/05/22 09:05	05/06/22 17:16	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	19900	mg/kg	38.8	7.8	1	05/09/22 16:28	05/12/22 17:36	7429-90-5	
Antimony	<0.12	mg/kg	0.65	0.12	1	05/09/22 16:28	05/12/22 17:36	7440-36-0	
Arsenic	5.6	mg/kg	0.65	0.14	1	05/09/22 16:28	05/12/22 17:36	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-10 (4-5) **Lab ID: 40244350016** Collected: 05/03/22 14:30 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	208	mg/kg	0.39	0.069	1	05/09/22 16:28	05/12/22 17:36	7440-39-3	
Beryllium	0.88	mg/kg	0.26	0.051	1	05/09/22 16:28	05/12/22 17:36	7440-41-7	
Cadmium	0.085J	mg/kg	0.10	0.041	1	05/09/22 16:28	05/12/22 17:36	7440-43-9	
Calcium	4690	mg/kg	129	15.3	1	05/09/22 16:28	05/12/22 17:36	7440-70-2	
Chromium	22.9	mg/kg	2.6	0.18	1	05/09/22 16:28	05/12/22 17:36	7440-47-3	
Cobalt	10.1	mg/kg	0.65	0.13	1	05/09/22 16:28	05/12/22 17:36	7440-48-4	
Copper	17.0	mg/kg	1.3	0.31	1	05/09/22 16:28	05/12/22 17:36	7440-50-8	
Iron	23200	mg/kg	64.7	13.6	1	05/09/22 16:28	05/12/22 17:36	7439-89-6	
Lead	10.5	mg/kg	0.65	0.038	1	05/09/22 16:28	05/12/22 17:36	7439-92-1	
Magnesium	3990	mg/kg	38.8	5.6	1	05/09/22 16:28	05/12/22 17:36	7439-95-4	
Manganese	267	mg/kg	0.65	0.32	1	05/09/22 16:28	05/12/22 17:36	7439-96-5	
Nickel	18.5	mg/kg	0.65	0.26	1	05/09/22 16:28	05/12/22 17:36	7440-02-0	
Potassium	1080	mg/kg	129	14.9	1	05/09/22 16:28	05/12/22 17:36	7440-09-7	
Selenium	0.63J	mg/kg	0.65	0.11	1	05/09/22 16:28	05/12/22 17:36	7782-49-2	
Silver	<0.19	mg/kg	0.65	0.19	1	05/09/22 16:28	05/12/22 17:36	7440-22-4	
Sodium	66.1	mg/kg	64.7	14.4	1	05/09/22 16:28	05/12/22 17:36	7440-23-5	
Thallium	0.24	mg/kg	0.13	0.047	1	05/09/22 16:28	05/12/22 17:36	7440-28-0	
Vanadium	34.5	mg/kg	1.3	0.23	1	05/09/22 16:28	05/12/22 17:36	7440-62-2	
Zinc	67.0	mg/kg	6.5	1.2	1	05/09/22 16:28	05/12/22 17:36	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.047	mg/kg	0.043	0.012	1	05/06/22 11:52	05/09/22 11:13	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.082	0.025	1	05/06/22 10:26	05/06/22 17:48	120-82-1	
1,2-Dichlorobenzene	<0.069	mg/kg	0.23	0.069	1	05/06/22 10:26	05/06/22 17:48	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 17:48	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 17:48	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 17:48	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/06/22 10:26	05/06/22 17:48	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 17:48	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 17:48	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/06/22 10:26	05/06/22 17:48	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/06/22 10:26	05/06/22 17:48	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 17:48	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/06/22 10:26	05/06/22 17:48	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/06/22 10:26	05/06/22 17:48	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 17:48	95-57-8	
2-Methylnaphthalene	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 17:48	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 17:48	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/06/22 10:26	05/06/22 17:48	88-74-4	
2-Nitrophenol	<0.069	mg/kg	0.23	0.069	1	05/06/22 10:26	05/06/22 17:48	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-10 (4-5) **Lab ID: 40244350016** Collected: 05/03/22 14:30 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 17:48		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 17:48	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 17:48	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/06/22 10:26	05/06/22 17:48	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/06/22 10:26	05/06/22 17:48	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 17:48	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 17:48	106-47-8	2q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/06/22 10:26	05/06/22 17:48	7005-72-3	
4-Nitroaniline	<0.091	mg/kg	0.30	0.091	1	05/06/22 10:26	05/06/22 17:48	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 17:48	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/06/22 10:26	05/06/22 17:48	83-32-9	
Acenaphthylene	<0.078	mg/kg	0.26	0.078	1	05/06/22 10:26	05/06/22 17:48	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 17:48	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 17:48	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 17:48	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 17:48	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 17:48	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/06/22 10:26	05/06/22 17:48	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 17:48	85-68-7	CU
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 17:48	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 17:48	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 17:48	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/06/22 10:26	05/06/22 17:48	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 17:48	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.088	0.026	1	05/06/22 10:26	05/06/22 17:48	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 17:48	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.095	0.028	1	05/06/22 10:26	05/06/22 17:48	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 17:48	206-44-0	
Fluorene	<0.025	mg/kg	0.085	0.025	1	05/06/22 10:26	05/06/22 17:48	86-73-7	
Hexachloro-1,3-butadiene	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 17:48	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 17:48	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/06/22 10:26	05/06/22 17:48	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 17:48	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/06/22 10:26	05/06/22 17:48	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 17:48	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 17:48	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	0.99	0.30	1	05/06/22 10:26	05/06/22 17:48	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/06/22 10:26	05/06/22 17:48	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/06/22 10:26	05/06/22 17:48	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/06/22 10:26	05/06/22 17:48	87-86-5	
Phenanthrene	<0.028	mg/kg	0.093	0.028	1	05/06/22 10:26	05/06/22 17:48	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/06/22 10:26	05/06/22 17:48	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/06/22 10:26	05/06/22 17:48	129-00-0	
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/06/22 10:26	05/06/22 17:48	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-10 (4-5) **Lab ID: 40244350016** Collected: 05/03/22 14:30 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/06/22 10:26	05/06/22 17:48	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 17:48	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	84	%	10-125		1	05/06/22 10:26	05/06/22 17:48	4165-60-0	
2-Fluorobiphenyl (S)	58	%	12-118		1	05/06/22 10:26	05/06/22 17:48	321-60-8	
Terphenyl-d14 (S)	67	%	10-124		1	05/06/22 10:26	05/06/22 17:48	1718-51-0	
Phenol-d6 (S)	49	%	10-125		1	05/06/22 10:26	05/06/22 17:48	13127-88-3	
2-Fluorophenol (S)	52	%	10-130		1	05/06/22 10:26	05/06/22 17:48	367-12-4	
2,4,6-Tribromophenol (S)	53	%	10-144		1	05/06/22 10:26	05/06/22 17:48	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/09/22 06:00	05/09/22 17:13	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0029	mg/kg	0.0056	0.0029	1	05/09/22 06:00	05/09/22 17:13	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/09/22 06:00	05/09/22 17:13	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0056	0.0012	1	05/09/22 06:00	05/09/22 17:13	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0056	0.0012	1	05/09/22 06:00	05/09/22 17:13	75-35-4	
1,2-Dichloroethane	<0.00093	mg/kg	0.0056	0.00093	1	05/09/22 06:00	05/09/22 17:13	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0056	0.0011	1	05/09/22 06:00	05/09/22 17:13	78-87-5	
2-Butanone (MEK)	<0.018	mg/kg	0.028	0.018	1	05/09/22 06:00	05/09/22 17:13	78-93-3	
2-Hexanone	<0.013	mg/kg	0.028	0.013	1	05/09/22 06:00	05/09/22 17:13	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.028	0.022	1	05/09/22 06:00	05/09/22 17:13	108-10-1	
Acetone	<0.053	mg/kg	0.11	0.053	1	05/09/22 06:00	05/09/22 17:13	67-64-1	
Benzene	<0.00080	mg/kg	0.0056	0.00080	1	05/09/22 06:00	05/09/22 17:13	71-43-2	
Bromodichloromethane	<0.00077	mg/kg	0.0056	0.00077	1	05/09/22 06:00	05/09/22 17:13	75-27-4	
Bromoform	<0.0091	mg/kg	0.023	0.0091	1	05/09/22 06:00	05/09/22 17:13	75-25-2	
Bromomethane	<0.0050	mg/kg	0.0056	0.0050	1	05/09/22 06:00	05/09/22 17:13	74-83-9	
Carbon disulfide	<0.0013	mg/kg	0.0056	0.0013	1	05/09/22 06:00	05/09/22 17:13	75-15-0	
Carbon tetrachloride	<0.0036	mg/kg	0.0056	0.0036	1	05/09/22 06:00	05/09/22 17:13	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/09/22 06:00	05/09/22 17:13	108-90-7	
Chloroethane	<0.0041	mg/kg	0.0056	0.0041	1	05/09/22 06:00	05/09/22 17:13	75-00-3	
Chloroform	<0.00095	mg/kg	0.0056	0.00095	1	05/09/22 06:00	05/09/22 17:13	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0056	0.0012	1	05/09/22 06:00	05/09/22 17:13	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0056	0.0011	1	05/09/22 06:00	05/09/22 17:13	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/09/22 06:00	05/09/22 17:13	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0056	0.0023	1	05/09/22 06:00	05/09/22 17:13	1634-04-4	
Methylene Chloride	<0.0045	mg/kg	0.0056	0.0045	1	05/09/22 06:00	05/09/22 17:13	75-09-2	
Styrene	<0.00080	mg/kg	0.0056	0.00080	1	05/09/22 06:00	05/09/22 17:13	100-42-5	
Tetrachloroethene	<0.0010	mg/kg	0.0056	0.0010	1	05/09/22 06:00	05/09/22 17:13	127-18-4	
Toluene	<0.00099	mg/kg	0.0056	0.00099	1	05/09/22 06:00	05/09/22 17:13	108-88-3	
Trichloroethene	<0.00081	mg/kg	0.0056	0.00081	1	05/09/22 06:00	05/09/22 17:13	79-01-6	
Vinyl chloride	<0.0015	mg/kg	0.0056	0.0015	1	05/09/22 06:00	05/09/22 17:13	75-01-4	
Xylene (Total)	<0.0039	mg/kg	0.011	0.0039	1	05/09/22 06:00	05/09/22 17:13	1330-20-7	
cis-1,2-Dichloroethene	<0.00099	mg/kg	0.0056	0.00099	1	05/09/22 06:00	05/09/22 17:13	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-10 (4-5) **Lab ID: 40244350016** Collected: 05/03/22 14:30 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/09/22 06:00	05/09/22 17:13	10061-01-5	
trans-1,2-Dichloroethene	<0.00081	mg/kg	0.0056	0.00081	1	05/09/22 06:00	05/09/22 17:13	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/09/22 06:00	05/09/22 17:13	10061-02-6	
Surrogates									
Toluene-d8 (S)	90	%	69-156		1	05/09/22 06:00	05/09/22 17:13	2037-26-5	
4-Bromofluorobenzene (S)	80	%	61-175		1	05/09/22 06:00	05/09/22 17:13	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1	05/09/22 06:00	05/09/22 17:13	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.5	%	0.10	0.10	1		05/10/22 16:09		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.7	Std. Units	0.10	0.010	1		05/12/22 13:32		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.39	mg/kg	1.2	0.39	1	05/09/22 12:15	05/09/22 14:15	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-15 (2-3) **Lab ID: 40244350017** Collected: 05/03/22 15:10 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00061	mg/kg	0.0032	0.00061	1	05/09/22 02:19	05/12/22 16:16	309-00-2	
alpha-BHC	<0.00066	mg/kg	0.0032	0.00066	1	05/09/22 02:19	05/12/22 16:16	319-84-6	
beta-BHC	<0.00059	mg/kg	0.0032	0.00059	1	05/09/22 02:19	05/12/22 16:16	319-85-7	
delta-BHC	<0.00083	mg/kg	0.0032	0.00083	1	05/09/22 02:19	05/12/22 16:16	319-86-8	
gamma-BHC (Lindane)	<0.00057	mg/kg	0.0032	0.00057	1	05/09/22 02:19	05/12/22 16:16	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.063	0.013	1	05/09/22 02:19	05/12/22 16:16	57-74-9	
alpha-Chlordane	<0.00056	mg/kg	0.0032	0.00056	1	05/09/22 02:19	05/12/22 16:16	5103-71-9	
gamma-Chlordane	<0.00066	mg/kg	0.0032	0.00066	1	05/09/22 02:19	05/12/22 16:16	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0063	0.0012	1	05/09/22 02:19	05/12/22 16:16	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0063	0.0010	1	05/09/22 02:19	05/12/22 16:16	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0063	0.0020	1	05/09/22 02:19	05/12/22 16:16	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0063	0.0011	1	05/09/22 02:19	05/12/22 16:16	60-57-1	
Endosulfan I	<0.00052	mg/kg	0.0032	0.00052	1	05/09/22 02:19	05/12/22 16:16	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0063	0.0010	1	05/09/22 02:19	05/12/22 16:16	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0063	0.0012	1	05/09/22 02:19	05/12/22 16:16	1031-07-8	
Endrin	<0.0011	mg/kg	0.0063	0.0011	1	05/09/22 02:19	05/12/22 16:16	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0063	0.0014	1	05/09/22 02:19	05/12/22 16:16	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0063	0.0016	1	05/09/22 02:19	05/12/22 16:16	53494-70-5	
Heptachlor	<0.00056	mg/kg	0.0032	0.00056	1	05/09/22 02:19	05/12/22 16:16	76-44-8	
Heptachlor epoxide	<0.00053	mg/kg	0.0032	0.00053	1	05/09/22 02:19	05/12/22 16:16	1024-57-3	
Methoxychlor	<0.0072	mg/kg	0.032	0.0072	1	05/09/22 02:19	05/12/22 16:16	72-43-5	
Toxaphene	<0.022	mg/kg	0.063	0.022	1	05/09/22 02:19	05/12/22 16:16	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	45	%	10-147		1	05/09/22 02:19	05/12/22 16:16	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.064	0.019	1	05/05/22 09:05	05/06/22 17:40	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.064	0.019	1	05/05/22 09:05	05/06/22 17:40	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.064	0.019	1	05/05/22 09:05	05/06/22 17:40	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.064	0.019	1	05/05/22 09:05	05/06/22 17:40	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.064	0.019	1	05/05/22 09:05	05/06/22 17:40	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.064	0.019	1	05/05/22 09:05	05/06/22 17:40	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.064	0.019	1	05/05/22 09:05	05/06/22 17:40	11096-82-5	
PCB, Total	<0.019	mg/kg	0.064	0.019	1	05/05/22 09:05	05/06/22 17:40	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	78	%	50-99		1	05/05/22 09:05	05/06/22 17:40	877-09-8	
Decachlorobiphenyl (S)	87	%	38-95		1	05/05/22 09:05	05/06/22 17:40	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	16100	mg/kg	36.0	7.3	1	05/09/22 16:28	05/12/22 17:53	7429-90-5	
Antimony	0.12J	mg/kg	0.60	0.12	1	05/09/22 16:28	05/12/22 17:53	7440-36-0	
Arsenic	7.3	mg/kg	0.60	0.13	1	05/09/22 16:28	05/12/22 17:53	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: **SB-15 (2-3)** Lab ID: **40244350017** Collected: 05/03/22 15:10 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	184	mg/kg	0.36	0.064	1	05/09/22 16:28	05/12/22 17:53	7440-39-3	
Beryllium	0.91	mg/kg	0.24	0.048	1	05/09/22 16:28	05/12/22 17:53	7440-41-7	
Cadmium	0.22	mg/kg	0.096	0.038	1	05/09/22 16:28	05/12/22 17:53	7440-43-9	
Calcium	4670	mg/kg	120	14.2	1	05/09/22 16:28	05/12/22 17:53	7440-70-2	
Chromium	19.2	mg/kg	2.4	0.17	1	05/09/22 16:28	05/12/22 17:53	7440-47-3	
Cobalt	9.4	mg/kg	0.60	0.12	1	05/09/22 16:28	05/12/22 17:53	7440-48-4	
Copper	17.5	mg/kg	1.2	0.29	1	05/09/22 16:28	05/12/22 17:53	7440-50-8	
Iron	20200	mg/kg	60.0	12.6	1	05/09/22 16:28	05/12/22 17:53	7439-89-6	
Lead	19.0	mg/kg	0.60	0.035	1	05/09/22 16:28	05/12/22 17:53	7439-92-1	
Magnesium	3410	mg/kg	36.0	5.2	1	05/09/22 16:28	05/12/22 17:53	7439-95-4	
Manganese	375	mg/kg	0.60	0.29	1	05/09/22 16:28	05/12/22 17:53	7439-96-5	
Nickel	15.9	mg/kg	0.60	0.24	1	05/09/22 16:28	05/12/22 17:53	7440-02-0	
Potassium	1110	mg/kg	120	13.8	1	05/09/22 16:28	05/12/22 17:53	7440-09-7	
Selenium	0.85	mg/kg	0.60	0.10	1	05/09/22 16:28	05/12/22 17:53	7782-49-2	
Silver	<0.17	mg/kg	0.60	0.17	1	05/09/22 16:28	05/12/22 17:53	7440-22-4	
Sodium	83.7	mg/kg	60.0	13.3	1	05/09/22 16:28	05/12/22 17:53	7440-23-5	
Thallium	0.20	mg/kg	0.12	0.044	1	05/09/22 16:28	05/12/22 17:53	7440-28-0	
Vanadium	34.7	mg/kg	1.2	0.21	1	05/09/22 16:28	05/12/22 17:53	7440-62-2	
Zinc	58.0	mg/kg	6.0	1.1	1	05/09/22 16:28	05/12/22 17:53	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.026J	mg/kg	0.042	0.012	1	05/06/22 11:52	05/09/22 11:15	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/06/22 10:26	05/06/22 18:52	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/06/22 10:26	05/06/22 18:52	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/06/22 10:26	05/06/22 18:52	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/06/22 10:26	05/06/22 18:52	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 18:52	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 18:52	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 18:52	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 18:52	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/06/22 10:26	05/06/22 18:52	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/06/22 10:26	05/06/22 18:52	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 18:52	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 18:52	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/06/22 10:26	05/06/22 18:52	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/06/22 10:26	05/06/22 18:52	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 18:52	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/06/22 10:26	05/06/22 18:52	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/06/22 10:26	05/06/22 18:52	88-74-4	
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/06/22 10:26	05/06/22 18:52	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-15 (2-3) **Lab ID: 40244350017** Collected: 05/03/22 15:10 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/06/22 10:26	05/06/22 18:52		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 18:52	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 18:52	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/06/22 10:26	05/06/22 18:52	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/06/22 10:26	05/06/22 18:52	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/06/22 10:26	05/06/22 18:52	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 18:52	106-47-8	2q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 18:52	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/06/22 10:26	05/06/22 18:52	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 18:52	100-02-7	
Acenaphthene	<0.075	mg/kg	0.25	0.075	1	05/06/22 10:26	05/06/22 18:52	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/06/22 10:26	05/06/22 18:52	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 18:52	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 18:52	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 18:52	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 18:52	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 18:52	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/06/22 10:26	05/06/22 18:52	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 18:52	85-68-7	CU
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 18:52	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 18:52	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 18:52	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/06/22 10:26	05/06/22 18:52	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/06/22 10:26	05/06/22 18:52	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/06/22 10:26	05/06/22 18:52	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 18:52	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.092	0.028	1	05/06/22 10:26	05/06/22 18:52	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 18:52	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/06/22 10:26	05/06/22 18:52	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 18:52	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 18:52	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/06/22 10:26	05/06/22 18:52	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 18:52	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/06/22 10:26	05/06/22 18:52	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 18:52	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 18:52	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/06/22 10:26	05/06/22 18:52	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/06/22 10:26	05/06/22 18:52	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/06/22 10:26	05/06/22 18:52	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/06/22 10:26	05/06/22 18:52	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/06/22 10:26	05/06/22 18:52	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/06/22 10:26	05/06/22 18:52	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/06/22 10:26	05/06/22 18:52	129-00-0	
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 18:52	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-15 (2-3) **Lab ID: 40244350017** Collected: 05/03/22 15:10 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.066	mg/kg	0.22	0.066	1	05/06/22 10:26	05/06/22 18:52	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 18:52	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	72	%	10-125		1	05/06/22 10:26	05/06/22 18:52	4165-60-0	
2-Fluorobiphenyl (S)	69	%	12-118		1	05/06/22 10:26	05/06/22 18:52	321-60-8	
Terphenyl-d14 (S)	82	%	10-124		1	05/06/22 10:26	05/06/22 18:52	1718-51-0	
Phenol-d6 (S)	71	%	10-125		1	05/06/22 10:26	05/06/22 18:52	13127-88-3	
2-Fluorophenol (S)	68	%	10-130		1	05/06/22 10:26	05/06/22 18:52	367-12-4	
2,4,6-Tribromophenol (S)	84	%	10-144		1	05/06/22 10:26	05/06/22 18:52	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0014	mg/kg	0.0046	0.0014	1	05/09/22 06:00	05/09/22 17:38	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0024	mg/kg	0.0046	0.0024	1	05/09/22 06:00	05/09/22 17:38	79-34-5	
1,1,2-Trichloroethane	<0.0014	mg/kg	0.0046	0.0014	1	05/09/22 06:00	05/09/22 17:38	79-00-5	
1,1-Dichloroethane	<0.00099	mg/kg	0.0046	0.00099	1	05/09/22 06:00	05/09/22 17:38	75-34-3	
1,1-Dichloroethene	<0.00098	mg/kg	0.0046	0.00098	1	05/09/22 06:00	05/09/22 17:38	75-35-4	
1,2-Dichloroethane	<0.00076	mg/kg	0.0046	0.00076	1	05/09/22 06:00	05/09/22 17:38	107-06-2	
1,2-Dichloropropane	<0.00094	mg/kg	0.0046	0.00094	1	05/09/22 06:00	05/09/22 17:38	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.023	0.015	1	05/09/22 06:00	05/09/22 17:38	78-93-3	
2-Hexanone	<0.010	mg/kg	0.023	0.010	1	05/09/22 06:00	05/09/22 17:38	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.018	mg/kg	0.023	0.018	1	05/09/22 06:00	05/09/22 17:38	108-10-1	
Acetone	<0.044	mg/kg	0.093	0.044	1	05/09/22 06:00	05/09/22 17:38	67-64-1	
Benzene	<0.00066	mg/kg	0.0046	0.00066	1	05/09/22 06:00	05/09/22 17:38	71-43-2	
Bromodichloromethane	<0.00063	mg/kg	0.0046	0.00063	1	05/09/22 06:00	05/09/22 17:38	75-27-4	
Bromoform	<0.0075	mg/kg	0.019	0.0075	1	05/09/22 06:00	05/09/22 17:38	75-25-2	
Bromomethane	<0.0041	mg/kg	0.0046	0.0041	1	05/09/22 06:00	05/09/22 17:38	74-83-9	
Carbon disulfide	<0.0010	mg/kg	0.0046	0.0010	1	05/09/22 06:00	05/09/22 17:38	75-15-0	
Carbon tetrachloride	<0.0029	mg/kg	0.0046	0.0029	1	05/09/22 06:00	05/09/22 17:38	56-23-5	
Chlorobenzene	<0.00085	mg/kg	0.0046	0.00085	1	05/09/22 06:00	05/09/22 17:38	108-90-7	
Chloroethane	<0.0034	mg/kg	0.0046	0.0034	1	05/09/22 06:00	05/09/22 17:38	75-00-3	
Chloroform	<0.00078	mg/kg	0.0046	0.00078	1	05/09/22 06:00	05/09/22 17:38	67-66-3	
Chloromethane	<0.0010	mg/kg	0.0046	0.0010	1	05/09/22 06:00	05/09/22 17:38	74-87-3	
Dibromochloromethane	<0.00093	mg/kg	0.0046	0.00093	1	05/09/22 06:00	05/09/22 17:38	124-48-1	
Ethylbenzene	<0.00083	mg/kg	0.0046	0.00083	1	05/09/22 06:00	05/09/22 17:38	100-41-4	
Methyl-tert-butyl ether	<0.0019	mg/kg	0.0046	0.0019	1	05/09/22 06:00	05/09/22 17:38	1634-04-4	
Methylene Chloride	<0.0037	mg/kg	0.0046	0.0037	1	05/09/22 06:00	05/09/22 17:38	75-09-2	
Styrene	<0.00066	mg/kg	0.0046	0.00066	1	05/09/22 06:00	05/09/22 17:38	100-42-5	
Tetrachloroethene	<0.00082	mg/kg	0.0046	0.00082	1	05/09/22 06:00	05/09/22 17:38	127-18-4	
Toluene	<0.00082	mg/kg	0.0046	0.00082	1	05/09/22 06:00	05/09/22 17:38	108-88-3	
Trichloroethene	<0.00066	mg/kg	0.0046	0.00066	1	05/09/22 06:00	05/09/22 17:38	79-01-6	
Vinyl chloride	<0.0012	mg/kg	0.0046	0.0012	1	05/09/22 06:00	05/09/22 17:38	75-01-4	
Xylene (Total)	<0.0032	mg/kg	0.0093	0.0032	1	05/09/22 06:00	05/09/22 17:38	1330-20-7	
cis-1,2-Dichloroethene	<0.00082	mg/kg	0.0046	0.00082	1	05/09/22 06:00	05/09/22 17:38	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-15 (2-3) **Lab ID: 40244350017** Collected: 05/03/22 15:10 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.00094	mg/kg	0.0046	0.00094	1	05/09/22 06:00	05/09/22 17:38	10061-01-5	
trans-1,2-Dichloroethene	<0.00067	mg/kg	0.0046	0.00067	1	05/09/22 06:00	05/09/22 17:38	156-60-5	
trans-1,3-Dichloropropene	<0.00093	mg/kg	0.0046	0.00093	1	05/09/22 06:00	05/09/22 17:38	10061-02-6	
Surrogates									
Toluene-d8 (S)	91	%	69-156		1	05/09/22 06:00	05/09/22 17:38	2037-26-5	
4-Bromofluorobenzene (S)	76	%	61-175		1	05/09/22 06:00	05/09/22 17:38	460-00-4	
1,2-Dichlorobenzene-d4 (S)	94	%	70-130		1	05/09/22 06:00	05/09/22 17:38	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.4	%	0.10	0.10	1		05/10/22 16:09		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.8	Std. Units	0.10	0.010	1		05/12/22 13:34		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.30	mg/kg	0.91	0.30	1	05/09/22 12:15	05/09/22 14:16	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-15 (4.5-5.5) **Lab ID: 40244350018** Collected: 05/03/22 15:15 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00059	mg/kg	0.0031	0.00059	1	05/09/22 02:19	05/10/22 21:21	309-00-2	
alpha-BHC	<0.00064	mg/kg	0.0031	0.00064	1	05/09/22 02:19	05/10/22 21:21	319-84-6	
beta-BHC	<0.00058	mg/kg	0.0031	0.00058	1	05/09/22 02:19	05/10/22 21:21	319-85-7	
delta-BHC	<0.00081	mg/kg	0.0031	0.00081	1	05/09/22 02:19	05/10/22 21:21	319-86-8	
gamma-BHC (Lindane)	<0.00056	mg/kg	0.0031	0.00056	1	05/09/22 02:19	05/10/22 21:21	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.061	0.013	1	05/09/22 02:19	05/10/22 21:21	57-74-9	
alpha-Chlordane	<0.00054	mg/kg	0.0031	0.00054	1	05/09/22 02:19	05/10/22 21:21	5103-71-9	
gamma-Chlordane	<0.00064	mg/kg	0.0031	0.00064	1	05/09/22 02:19	05/10/22 21:21	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0061	0.0012	1	05/09/22 02:19	05/10/22 21:21	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0061	0.0010	1	05/09/22 02:19	05/10/22 21:21	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0061	0.0020	1	05/09/22 02:19	05/10/22 21:21	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0061	0.0011	1	05/09/22 02:19	05/10/22 21:21	60-57-1	
Endosulfan I	<0.00051	mg/kg	0.0031	0.00051	1	05/09/22 02:19	05/10/22 21:21	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0061	0.0010	1	05/09/22 02:19	05/10/22 21:21	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0061	0.0012	1	05/09/22 02:19	05/10/22 21:21	1031-07-8	
Endrin	<0.0011	mg/kg	0.0061	0.0011	1	05/09/22 02:19	05/10/22 21:21	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0061	0.0014	1	05/09/22 02:19	05/10/22 21:21	7421-93-4	
Endrin ketone	<0.0015	mg/kg	0.0061	0.0015	1	05/09/22 02:19	05/10/22 21:21	53494-70-5	
Heptachlor	<0.00055	mg/kg	0.0031	0.00055	1	05/09/22 02:19	05/10/22 21:21	76-44-8	
Heptachlor epoxide	<0.00052	mg/kg	0.0031	0.00052	1	05/09/22 02:19	05/10/22 21:21	1024-57-3	
Methoxychlor	<0.0070	mg/kg	0.031	0.0070	1	05/09/22 02:19	05/10/22 21:21	72-43-5	
Toxaphene	<0.022	mg/kg	0.061	0.022	1	05/09/22 02:19	05/10/22 21:21	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	46	%	10-147		1	05/09/22 02:19	05/10/22 21:21	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.063	0.019	1	05/05/22 09:05	05/06/22 18:05	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.063	0.019	1	05/05/22 09:05	05/06/22 18:05	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.063	0.019	1	05/05/22 09:05	05/06/22 18:05	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.063	0.019	1	05/05/22 09:05	05/06/22 18:05	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.063	0.019	1	05/05/22 09:05	05/06/22 18:05	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.063	0.019	1	05/05/22 09:05	05/06/22 18:05	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.063	0.019	1	05/05/22 09:05	05/06/22 18:05	11096-82-5	
PCB, Total	<0.019	mg/kg	0.063	0.019	1	05/05/22 09:05	05/06/22 18:05	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	75	%	50-99		1	05/05/22 09:05	05/06/22 18:05	877-09-8	
Decachlorobiphenyl (S)	83	%	38-95		1	05/05/22 09:05	05/06/22 18:05	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	14300	mg/kg	34.8	7.0	1	05/09/22 16:28	05/12/22 17:40	7429-90-5	
Antimony	0.26J	mg/kg	0.58	0.11	1	05/09/22 16:28	05/12/22 17:40	7440-36-0	
Arsenic	15.1	mg/kg	0.58	0.13	1	05/09/22 16:28	05/12/22 17:40	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-15 (4.5-5.5) **Lab ID: 40244350018** Collected: 05/03/22 15:15 Received: 05/04/22 10:15 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis									
Barium	118	mg/kg	0.35	0.062	1	05/09/22 16:28	05/12/22 17:40	7440-39-3	
Beryllium	0.86	mg/kg	0.23	0.046	1	05/09/22 16:28	05/12/22 17:40	7440-41-7	
Cadmium	0.30	mg/kg	0.093	0.036	1	05/09/22 16:28	05/12/22 17:40	7440-43-9	
Calcium	3780	mg/kg	116	13.7	1	05/09/22 16:28	05/12/22 17:40	7440-70-2	
Chromium	20.7	mg/kg	2.3	0.16	1	05/09/22 16:28	05/12/22 17:40	7440-47-3	
Cobalt	9.2	mg/kg	0.58	0.12	1	05/09/22 16:28	05/12/22 17:40	7440-48-4	
Copper	25.2	mg/kg	1.2	0.28	1	05/09/22 16:28	05/12/22 17:40	7440-50-8	
Iron	27900	mg/kg	58.1	12.2	1	05/09/22 16:28	05/12/22 17:40	7439-89-6	
Lead	12.7	mg/kg	0.58	0.034	1	05/09/22 16:28	05/12/22 17:40	7439-92-1	
Magnesium	3950	mg/kg	34.8	5.0	1	05/09/22 16:28	05/12/22 17:40	7439-95-4	
Manganese	463	mg/kg	0.58	0.28	1	05/09/22 16:28	05/12/22 17:40	7439-96-5	
Nickel	23.2	mg/kg	0.58	0.23	1	05/09/22 16:28	05/12/22 17:40	7440-02-0	
Potassium	785	mg/kg	116	13.4	1	05/09/22 16:28	05/12/22 17:40	7440-09-7	
Selenium	0.27J	mg/kg	0.58	0.10	1	05/09/22 16:28	05/12/22 17:40	7782-49-2	
Silver	<0.17	mg/kg	0.58	0.17	1	05/09/22 16:28	05/12/22 17:40	7440-22-4	
Sodium	80.9	mg/kg	58.1	12.9	1	05/09/22 16:28	05/12/22 17:40	7440-23-5	
Thallium	0.19	mg/kg	0.12	0.043	1	05/09/22 16:28	05/12/22 17:40	7440-28-0	
Vanadium	39.7	mg/kg	1.2	0.20	1	05/09/22 16:28	05/12/22 17:40	7440-62-2	
Zinc	71.3	mg/kg	5.8	1.0	1	05/09/22 16:28	05/12/22 17:40	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471 Pace Analytical Services - Green Bay									
Mercury	0.016J	mg/kg	0.044	0.013	1	05/06/22 11:52	05/09/22 11:18	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.079	0.024	1	05/06/22 10:26	05/06/22 22:24	120-82-1	
1,2-Dichlorobenzene	<0.066	mg/kg	0.22	0.066	1	05/06/22 10:26	05/06/22 22:24	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.097	0.029	1	05/06/22 10:26	05/06/22 22:24	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.097	0.029	1	05/06/22 10:26	05/06/22 22:24	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 22:24	108-60-1	
2,4,5-Trichlorophenol	<0.037	mg/kg	0.12	0.037	1	05/06/22 10:26	05/06/22 22:24	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 22:24	88-06-2	
2,4-Dichlorophenol	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 22:24	120-83-2	
2,4-Dimethylphenol	<0.041	mg/kg	0.14	0.041	1	05/06/22 10:26	05/06/22 22:24	105-67-9	
2,4-Dinitrophenol	<0.064	mg/kg	0.21	0.064	1	05/06/22 10:26	05/06/22 22:24	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/06/22 10:26	05/06/22 22:24	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/06/22 10:26	05/06/22 22:24	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.090	0.027	1	05/06/22 10:26	05/06/22 22:24	91-58-7	
2-Chlorophenol	<0.052	mg/kg	0.17	0.052	1	05/06/22 10:26	05/06/22 22:24	95-57-8	
2-Methylnaphthalene	<0.054	mg/kg	0.18	0.054	1	05/06/22 10:26	05/06/22 22:24	91-57-6	
2-Methylphenol(o-Cresol)	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 22:24	95-48-7	
2-Nitroaniline	<0.060	mg/kg	0.20	0.060	1	05/06/22 10:26	05/06/22 22:24	88-74-4	
2-Nitrophenol	<0.066	mg/kg	0.22	0.066	1	05/06/22 10:26	05/06/22 22:24	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-15 (4.5-5.5) **Lab ID: 40244350018** Collected: 05/03/22 15:15 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.038	mg/kg	0.13	0.038	1	05/06/22 10:26	05/06/22 22:24		
3,3'-Dichlorobenzidine	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 22:24	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 22:24	99-09-2	
4,6-Dinitro-2-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/06/22 10:26	05/06/22 22:24	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/06/22 10:26	05/06/22 22:24	101-55-3	
4-Chloro-3-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/06/22 10:26	05/06/22 22:24	59-50-7	
4-Chloroaniline	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 22:24	106-47-8	2q
4-Chlorophenylphenyl ether	<0.039	mg/kg	0.13	0.039	1	05/06/22 10:26	05/06/22 22:24	7005-72-3	
4-Nitroaniline	<0.087	mg/kg	0.29	0.087	1	05/06/22 10:26	05/06/22 22:24	100-01-6	
4-Nitrophenol	<0.053	mg/kg	0.18	0.053	1	05/06/22 10:26	05/06/22 22:24	100-02-7	
Acenaphthene	<0.074	mg/kg	0.25	0.074	1	05/06/22 10:26	05/06/22 22:24	83-32-9	
Acenaphthylene	<0.075	mg/kg	0.25	0.075	1	05/06/22 10:26	05/06/22 22:24	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 22:24	120-12-7	
Benzo(a)anthracene	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 22:24	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 22:24	50-32-8	
Benzo(b)fluoranthene	<0.036	mg/kg	0.12	0.036	1	05/06/22 10:26	05/06/22 22:24	205-99-2	
Benzo(g,h,i)perylene	<0.055	mg/kg	0.18	0.055	1	05/06/22 10:26	05/06/22 22:24	191-24-2	
Benzo(k)fluoranthene	<0.050	mg/kg	0.17	0.050	1	05/06/22 10:26	05/06/22 22:24	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 22:24	85-68-7	CU
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 22:24	86-74-8	
Chrysene	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 22:24	218-01-9	
Di-n-butylphthalate	<0.031	mg/kg	0.10	0.031	1	05/06/22 10:26	05/06/22 22:24	84-74-2	
Di-n-octylphthalate	<0.047	mg/kg	0.16	0.047	1	05/06/22 10:26	05/06/22 22:24	117-84-0	
Dibenz(a,h)anthracene	<0.057	mg/kg	0.19	0.057	1	05/06/22 10:26	05/06/22 22:24	53-70-3	
Dibenzofuran	<0.025	mg/kg	0.085	0.025	1	05/06/22 10:26	05/06/22 22:24	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 22:24	84-66-2	
Dimethylphthalate	<0.027	mg/kg	0.091	0.027	1	05/06/22 10:26	05/06/22 22:24	131-11-3	
Fluoranthene	<0.030	mg/kg	0.099	0.030	1	05/06/22 10:26	05/06/22 22:24	206-44-0	
Fluorene	<0.025	mg/kg	0.082	0.025	1	05/06/22 10:26	05/06/22 22:24	86-73-7	
Hexachloro-1,3-butadiene	<0.053	mg/kg	0.18	0.053	1	05/06/22 10:26	05/06/22 22:24	87-68-3	
Hexachlorobenzene	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 22:24	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/06/22 10:26	05/06/22 22:24	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/06/22 10:26	05/06/22 22:24	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.045	mg/kg	0.15	0.045	1	05/06/22 10:26	05/06/22 22:24	193-39-5	
Isophorone	<0.032	mg/kg	0.11	0.032	1	05/06/22 10:26	05/06/22 22:24	78-59-1	
N-Nitroso-di-n-propylamine	<0.033	mg/kg	0.11	0.033	1	05/06/22 10:26	05/06/22 22:24	621-64-7	
N-Nitrosodiphenylamine	<0.28	mg/kg	0.95	0.28	1	05/06/22 10:26	05/06/22 22:24	86-30-6	
Naphthalene	<0.073	mg/kg	0.24	0.073	1	05/06/22 10:26	05/06/22 22:24	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/06/22 10:26	05/06/22 22:24	98-95-3	
Pentachlorophenol	<0.046	mg/kg	0.15	0.046	1	05/06/22 10:26	05/06/22 22:24	87-86-5	
Phenanthrene	<0.027	mg/kg	0.090	0.027	1	05/06/22 10:26	05/06/22 22:24	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/06/22 10:26	05/06/22 22:24	108-95-2	
Pyrene	<0.046	mg/kg	0.15	0.046	1	05/06/22 10:26	05/06/22 22:24	129-00-0	
bis(2-Chloroethoxy)methane	<0.056	mg/kg	0.19	0.056	1	05/06/22 10:26	05/06/22 22:24	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-15 (4.5-5.5) **Lab ID: 40244350018** Collected: 05/03/22 15:15 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.065	mg/kg	0.22	0.065	1	05/06/22 10:26	05/06/22 22:24	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/06/22 10:26	05/06/22 22:24	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	77	%	10-125		1	05/06/22 10:26	05/06/22 22:24	4165-60-0	
2-Fluorobiphenyl (S)	50	%	12-118		1	05/06/22 10:26	05/06/22 22:24	321-60-8	
Terphenyl-d14 (S)	50	%	10-124		1	05/06/22 10:26	05/06/22 22:24	1718-51-0	
Phenol-d6 (S)	72	%	10-125		1	05/06/22 10:26	05/06/22 22:24	13127-88-3	
2-Fluorophenol (S)	72	%	10-130		1	05/06/22 10:26	05/06/22 22:24	367-12-4	
2,4,6-Tribromophenol (S)	60	%	10-144		1	05/06/22 10:26	05/06/22 22:24	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/09/22 06:00	05/09/22 18:02	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0052	0.0027	1	05/09/22 06:00	05/09/22 18:02	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/09/22 06:00	05/09/22 18:02	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 18:02	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 18:02	75-35-4	
1,2-Dichloroethane	<0.00085	mg/kg	0.0052	0.00085	1	05/09/22 06:00	05/09/22 18:02	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0052	0.0010	1	05/09/22 06:00	05/09/22 18:02	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.026	0.016	1	05/09/22 06:00	05/09/22 18:02	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/09/22 06:00	05/09/22 18:02	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.026	0.021	1	05/09/22 06:00	05/09/22 18:02	108-10-1	
Acetone	<0.049	mg/kg	0.10	0.049	1	05/09/22 06:00	05/09/22 18:02	67-64-1	
Benzene	<0.00074	mg/kg	0.0052	0.00074	1	05/09/22 06:00	05/09/22 18:02	71-43-2	
Bromodichloromethane	<0.00070	mg/kg	0.0052	0.00070	1	05/09/22 06:00	05/09/22 18:02	75-27-4	
Bromoform	<0.0084	mg/kg	0.021	0.0084	1	05/09/22 06:00	05/09/22 18:02	75-25-2	
Bromomethane	<0.0046	mg/kg	0.0052	0.0046	1	05/09/22 06:00	05/09/22 18:02	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 18:02	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0052	0.0033	1	05/09/22 06:00	05/09/22 18:02	56-23-5	
Chlorobenzene	<0.00096	mg/kg	0.0052	0.00096	1	05/09/22 06:00	05/09/22 18:02	108-90-7	
Chloroethane	<0.0038	mg/kg	0.0052	0.0038	1	05/09/22 06:00	05/09/22 18:02	75-00-3	
Chloroform	<0.00088	mg/kg	0.0052	0.00088	1	05/09/22 06:00	05/09/22 18:02	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 18:02	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0052	0.0010	1	05/09/22 06:00	05/09/22 18:02	124-48-1	
Ethylbenzene	<0.00093	mg/kg	0.0052	0.00093	1	05/09/22 06:00	05/09/22 18:02	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0052	0.0021	1	05/09/22 06:00	05/09/22 18:02	1634-04-4	
Methylene Chloride	<0.0041	mg/kg	0.0052	0.0041	1	05/09/22 06:00	05/09/22 18:02	75-09-2	
Styrene	<0.00074	mg/kg	0.0052	0.00074	1	05/09/22 06:00	05/09/22 18:02	100-42-5	
Tetrachloroethene	<0.00092	mg/kg	0.0052	0.00092	1	05/09/22 06:00	05/09/22 18:02	127-18-4	
Toluene	<0.00091	mg/kg	0.0052	0.00091	1	05/09/22 06:00	05/09/22 18:02	108-88-3	
Trichloroethene	<0.00074	mg/kg	0.0052	0.00074	1	05/09/22 06:00	05/09/22 18:02	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0052	0.0013	1	05/09/22 06:00	05/09/22 18:02	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/09/22 06:00	05/09/22 18:02	1330-20-7	
cis-1,2-Dichloroethene	<0.00091	mg/kg	0.0052	0.00091	1	05/09/22 06:00	05/09/22 18:02	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-15 (4.5-5.5) **Lab ID: 40244350018** Collected: 05/03/22 15:15 Received: 05/04/22 10:15 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 18:02	10061-01-5	
trans-1,2-Dichloroethene	<0.00074	mg/kg	0.0052	0.00074	1	05/09/22 06:00	05/09/22 18:02	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0052	0.0010	1	05/09/22 06:00	05/09/22 18:02	10061-02-6	
Surrogates									
Toluene-d8 (S)	90	%	69-156		1	05/09/22 06:00	05/09/22 18:02	2037-26-5	
4-Bromofluorobenzene (S)	82	%	61-175		1	05/09/22 06:00	05/09/22 18:02	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1	05/09/22 06:00	05/09/22 18:02	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	20.3	%	0.10	0.10	1		05/10/22 16:09		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.7	Std. Units	0.10	0.010	1		05/12/22 13:36		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.35	mg/kg	1.1	0.35	1	05/09/22 12:15	05/09/22 14:16	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: **SB-13 (2.6-3.6)** Lab ID: **40244350019** Collected: 05/03/22 15:45 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00060	mg/kg	0.0031	0.00060	1	05/09/22 02:19	05/10/22 21:34	309-00-2	
alpha-BHC	<0.00065	mg/kg	0.0031	0.00065	1	05/09/22 02:19	05/10/22 21:34	319-84-6	
beta-BHC	<0.00059	mg/kg	0.0031	0.00059	1	05/09/22 02:19	05/10/22 21:34	319-85-7	
delta-BHC	<0.00082	mg/kg	0.0031	0.00082	1	05/09/22 02:19	05/10/22 21:34	319-86-8	
gamma-BHC (Lindane)	<0.00057	mg/kg	0.0031	0.00057	1	05/09/22 02:19	05/10/22 21:34	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.062	0.013	1	05/09/22 02:19	05/10/22 21:34	57-74-9	
alpha-Chlordane	<0.00055	mg/kg	0.0031	0.00055	1	05/09/22 02:19	05/10/22 21:34	5103-71-9	
gamma-Chlordane	<0.00065	mg/kg	0.0031	0.00065	1	05/09/22 02:19	05/10/22 21:34	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0062	0.0012	1	05/09/22 02:19	05/10/22 21:34	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0062	0.0010	1	05/09/22 02:19	05/10/22 21:34	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0062	0.0020	1	05/09/22 02:19	05/10/22 21:34	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0062	0.0011	1	05/09/22 02:19	05/10/22 21:34	60-57-1	
Endosulfan I	<0.00052	mg/kg	0.0031	0.00052	1	05/09/22 02:19	05/10/22 21:34	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0062	0.0010	1	05/09/22 02:19	05/10/22 21:34	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0062	0.0012	1	05/09/22 02:19	05/10/22 21:34	1031-07-8	
Endrin	<0.0011	mg/kg	0.0062	0.0011	1	05/09/22 02:19	05/10/22 21:34	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0062	0.0014	1	05/09/22 02:19	05/10/22 21:34	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0062	0.0016	1	05/09/22 02:19	05/10/22 21:34	53494-70-5	
Heptachlor	<0.00056	mg/kg	0.0031	0.00056	1	05/09/22 02:19	05/10/22 21:34	76-44-8	
Heptachlor epoxide	<0.00053	mg/kg	0.0031	0.00053	1	05/09/22 02:19	05/10/22 21:34	1024-57-3	
Methoxychlor	<0.0071	mg/kg	0.031	0.0071	1	05/09/22 02:19	05/10/22 21:34	72-43-5	
Toxaphene	<0.022	mg/kg	0.062	0.022	1	05/09/22 02:19	05/10/22 21:34	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	46	%	10-147		1	05/09/22 02:19	05/10/22 21:34	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 18:29	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 18:29	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 18:29	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 18:29	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 18:29	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 18:29	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 18:29	11096-82-5	
PCB, Total	<0.020	mg/kg	0.064	0.020	1	05/05/22 09:05	05/06/22 18:29	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	77	%	50-99		1	05/05/22 09:05	05/06/22 18:29	877-09-8	
Decachlorobiphenyl (S)	85	%	38-95		1	05/05/22 09:05	05/06/22 18:29	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	10500	mg/kg	35.5	7.2	1	05/09/22 16:28	05/12/22 17:56	7429-90-5	
Antimony	0.13J	mg/kg	0.59	0.11	1	05/09/22 16:28	05/12/22 17:56	7440-36-0	
Arsenic	3.9	mg/kg	0.59	0.13	1	05/09/22 16:28	05/12/22 17:56	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-13 (2.6-3.6) **Lab ID: 40244350019** Collected: 05/03/22 15:45 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS		Analytical Method: EPA 6020B Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis							
Barium	175	mg/kg	0.36	0.063	1	05/09/22 16:28	05/12/22 17:56	7440-39-3	
Beryllium	0.70	mg/kg	0.24	0.047	1	05/09/22 16:28	05/12/22 17:56	7440-41-7	
Cadmium	0.15	mg/kg	0.095	0.037	1	05/09/22 16:28	05/12/22 17:56	7440-43-9	
Calcium	17100	mg/kg	118	14.0	1	05/09/22 16:28	05/12/22 17:56	7440-70-2	
Chromium	17.4	mg/kg	2.4	0.17	1	05/09/22 16:28	05/12/22 17:56	7440-47-3	
Cobalt	6.7	mg/kg	0.59	0.12	1	05/09/22 16:28	05/12/22 17:56	7440-48-4	
Copper	17.2	mg/kg	1.2	0.29	1	05/09/22 16:28	05/12/22 17:56	7440-50-8	
Iron	16600	mg/kg	59.2	12.4	1	05/09/22 16:28	05/12/22 17:56	7439-89-6	
Lead	11.2	mg/kg	0.59	0.035	1	05/09/22 16:28	05/12/22 17:56	7439-92-1	
Magnesium	11100	mg/kg	35.5	5.1	1	05/09/22 16:28	05/12/22 17:56	7439-95-4	
Manganese	349	mg/kg	0.59	0.29	1	05/09/22 16:28	05/12/22 17:56	7439-96-5	
Nickel	17.1	mg/kg	0.59	0.24	1	05/09/22 16:28	05/12/22 17:56	7440-02-0	
Potassium	845	mg/kg	118	13.6	1	05/09/22 16:28	05/12/22 17:56	7440-09-7	
Selenium	0.22J	mg/kg	0.59	0.10	1	05/09/22 16:28	05/12/22 17:56	7782-49-2	
Silver	<0.17	mg/kg	0.59	0.17	1	05/09/22 16:28	05/12/22 17:56	7440-22-4	
Sodium	59.6	mg/kg	59.2	13.1	1	05/09/22 16:28	05/12/22 17:56	7440-23-5	
Thallium	0.15	mg/kg	0.12	0.043	1	05/09/22 16:28	05/12/22 17:56	7440-28-0	
Vanadium	23.6	mg/kg	1.2	0.21	1	05/09/22 16:28	05/12/22 17:56	7440-62-2	
Zinc	55.9	mg/kg	5.9	1.1	1	05/09/22 16:28	05/12/22 17:56	7440-66-6	
7471 Mercury		Analytical Method: EPA 7471 Preparation Method: EPA 7471 Pace Analytical Services - Green Bay							
Mercury	0.024J	mg/kg	0.042	0.012	1	05/06/22 11:52	05/09/22 11:20	7439-97-6	
8270E MSSV FULL LIST MICROWAVE		Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Green Bay							
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/09/22 12:49	05/09/22 16:04	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/09/22 12:49	05/09/22 16:04	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.098	0.030	1	05/09/22 12:49	05/09/22 16:04	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/09/22 12:49	05/09/22 16:04	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/09/22 12:49	05/09/22 16:04	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/09/22 12:49	05/09/22 16:04	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 16:04	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/09/22 12:49	05/09/22 16:04	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/09/22 12:49	05/09/22 16:04	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/09/22 12:49	05/09/22 16:04	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/09/22 16:04	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/09/22 12:49	05/09/22 16:04	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/09/22 12:49	05/09/22 16:04	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/09/22 12:49	05/09/22 16:04	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/09/22 12:49	05/09/22 16:04	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/09/22 12:49	05/09/22 16:04	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/09/22 12:49	05/09/22 16:04	88-74-4	CU
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/09/22 12:49	05/09/22 16:04	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-13 (2.6-3.6) **Lab ID: 40244350019** Collected: 05/03/22 15:45 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/09/22 12:49	05/09/22 16:04		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/09/22 12:49	05/09/22 16:04	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/09/22 12:49	05/09/22 16:04	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/09/22 12:49	05/09/22 16:04	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/09/22 12:49	05/09/22 16:04	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/09/22 12:49	05/09/22 16:04	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 16:04	106-47-8	2q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/09/22 12:49	05/09/22 16:04	7005-72-3	
4-Nitroaniline	<0.089	mg/kg	0.30	0.089	1	05/09/22 12:49	05/09/22 16:04	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/09/22 12:49	05/09/22 16:04	100-02-7	CU
Acenaphthene	<0.076	mg/kg	0.25	0.076	1	05/09/22 12:49	05/09/22 16:04	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/09/22 12:49	05/09/22 16:04	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 16:04	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 16:04	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/09/22 12:49	05/09/22 16:04	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/09/22 12:49	05/09/22 16:04	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/09/22 12:49	05/09/22 16:04	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/09/22 12:49	05/09/22 16:04	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 16:04	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 16:04	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/09/22 12:49	05/09/22 16:04	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/09/22 12:49	05/09/22 16:04	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/09/22 12:49	05/09/22 16:04	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/09/22 12:49	05/09/22 16:04	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/09/22 12:49	05/09/22 16:04	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 16:04	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.092	0.028	1	05/09/22 12:49	05/09/22 16:04	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/09/22 12:49	05/09/22 16:04	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/09/22 12:49	05/09/22 16:04	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/09/22 12:49	05/09/22 16:04	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/09/22 12:49	05/09/22 16:04	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/09/22 12:49	05/09/22 16:04	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 16:04	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/09/22 12:49	05/09/22 16:04	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 16:04	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 16:04	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/09/22 12:49	05/09/22 16:04	86-30-6	
Naphthalene	<0.075	mg/kg	0.25	0.075	1	05/09/22 12:49	05/09/22 16:04	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/09/22 12:49	05/09/22 16:04	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/09/22 12:49	05/09/22 16:04	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/09/22 12:49	05/09/22 16:04	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/09/22 12:49	05/09/22 16:04	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/09/22 12:49	05/09/22 16:04	129-00-0	
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/09/22 12:49	05/09/22 16:04	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-13 (2.6-3.6) **Lab ID: 40244350019** Collected: 05/03/22 15:45 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/09/22 12:49	05/09/22 16:04	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 16:04	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	65	%	10-125		1	05/09/22 12:49	05/09/22 16:04	4165-60-0	
2-Fluorobiphenyl (S)	68	%	12-118		1	05/09/22 12:49	05/09/22 16:04	321-60-8	
Terphenyl-d14 (S)	78	%	10-124		1	05/09/22 12:49	05/09/22 16:04	1718-51-0	
Phenol-d6 (S)	51	%	10-125		1	05/09/22 12:49	05/09/22 16:04	13127-88-3	
2-Fluorophenol (S)	50	%	10-130		1	05/09/22 12:49	05/09/22 16:04	367-12-4	
2,4,6-Tribromophenol (S)	82	%	10-144		1	05/09/22 12:49	05/09/22 16:04	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0055	0.0017	1	05/09/22 06:00	05/09/22 18:26	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0055	0.0028	1	05/09/22 06:00	05/09/22 18:26	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0055	0.0017	1	05/09/22 06:00	05/09/22 18:26	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0055	0.0012	1	05/09/22 06:00	05/09/22 18:26	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0055	0.0012	1	05/09/22 06:00	05/09/22 18:26	75-35-4	
1,2-Dichloroethane	<0.00091	mg/kg	0.0055	0.00091	1	05/09/22 06:00	05/09/22 18:26	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0055	0.0011	1	05/09/22 06:00	05/09/22 18:26	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.028	0.017	1	05/09/22 06:00	05/09/22 18:26	78-93-3	
2-Hexanone	<0.013	mg/kg	0.028	0.013	1	05/09/22 06:00	05/09/22 18:26	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.028	0.022	1	05/09/22 06:00	05/09/22 18:26	108-10-1	
Acetone	<0.052	mg/kg	0.11	0.052	1	05/09/22 06:00	05/09/22 18:26	67-64-1	
Benzene	<0.00078	mg/kg	0.0055	0.00078	1	05/09/22 06:00	05/09/22 18:26	71-43-2	
Bromodichloromethane	<0.00075	mg/kg	0.0055	0.00075	1	05/09/22 06:00	05/09/22 18:26	75-27-4	
Bromoform	<0.0090	mg/kg	0.022	0.0090	1	05/09/22 06:00	05/09/22 18:26	75-25-2	
Bromomethane	<0.0049	mg/kg	0.0055	0.0049	1	05/09/22 06:00	05/09/22 18:26	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0055	0.0012	1	05/09/22 06:00	05/09/22 18:26	75-15-0	
Carbon tetrachloride	<0.0035	mg/kg	0.0055	0.0035	1	05/09/22 06:00	05/09/22 18:26	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0055	0.0010	1	05/09/22 06:00	05/09/22 18:26	108-90-7	
Chloroethane	<0.0040	mg/kg	0.0055	0.0040	1	05/09/22 06:00	05/09/22 18:26	75-00-3	
Chloroform	<0.00094	mg/kg	0.0055	0.00094	1	05/09/22 06:00	05/09/22 18:26	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0055	0.0012	1	05/09/22 06:00	05/09/22 18:26	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0055	0.0011	1	05/09/22 06:00	05/09/22 18:26	124-48-1	
Ethylbenzene	<0.00099	mg/kg	0.0055	0.00099	1	05/09/22 06:00	05/09/22 18:26	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0055	0.0023	1	05/09/22 06:00	05/09/22 18:26	1634-04-4	
Methylene Chloride	<0.0044	mg/kg	0.0055	0.0044	1	05/09/22 06:00	05/09/22 18:26	75-09-2	
Styrene	<0.00079	mg/kg	0.0055	0.00079	1	05/09/22 06:00	05/09/22 18:26	100-42-5	
Tetrachloroethene	<0.00098	mg/kg	0.0055	0.00098	1	05/09/22 06:00	05/09/22 18:26	127-18-4	
Toluene	<0.00098	mg/kg	0.0055	0.00098	1	05/09/22 06:00	05/09/22 18:26	108-88-3	
Trichloroethene	<0.00079	mg/kg	0.0055	0.00079	1	05/09/22 06:00	05/09/22 18:26	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0055	0.0014	1	05/09/22 06:00	05/09/22 18:26	75-01-4	
Xylene (Total)	<0.0038	mg/kg	0.011	0.0038	1	05/09/22 06:00	05/09/22 18:26	1330-20-7	
cis-1,2-Dichloroethene	<0.00098	mg/kg	0.0055	0.00098	1	05/09/22 06:00	05/09/22 18:26	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-13 (2.6-3.6) **Lab ID: 40244350019** Collected: 05/03/22 15:45 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0055	0.0011	1	05/09/22 06:00	05/09/22 18:26	10061-01-5	
trans-1,2-Dichloroethene	<0.00079	mg/kg	0.0055	0.00079	1	05/09/22 06:00	05/09/22 18:26	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0055	0.0011	1	05/09/22 06:00	05/09/22 18:26	10061-02-6	
Surrogates									
Toluene-d8 (S)	99	%	69-156		1	05/09/22 06:00	05/09/22 18:26	2037-26-5	
4-Bromofluorobenzene (S)	84	%	61-175		1	05/09/22 06:00	05/09/22 18:26	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1	05/09/22 06:00	05/09/22 18:26	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.8	%	0.10	0.10	1		05/10/22 16:09		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.0	Std. Units	0.10	0.010	1		05/12/22 13:45		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.33	mg/kg	1.0	0.33	1	05/09/22 12:15	05/09/22 14:18	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-13 (4.5-5.5) **Lab ID: 40244350020** Collected: 05/03/22 15:50 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00058	mg/kg	0.0030	0.00058	1	05/09/22 02:19	05/10/22 21:46	309-00-2	
alpha-BHC	<0.00063	mg/kg	0.0030	0.00063	1	05/09/22 02:19	05/10/22 21:46	319-84-6	
beta-BHC	<0.00056	mg/kg	0.0030	0.00056	1	05/09/22 02:19	05/10/22 21:46	319-85-7	
delta-BHC	<0.00079	mg/kg	0.0030	0.00079	1	05/09/22 02:19	05/10/22 21:46	319-86-8	
gamma-BHC (Lindane)	<0.00054	mg/kg	0.0030	0.00054	1	05/09/22 02:19	05/10/22 21:46	58-89-9	
Chlordane (Technical)	<0.012	mg/kg	0.060	0.012	1	05/09/22 02:19	05/10/22 21:46	57-74-9	
alpha-Chlordane	<0.00053	mg/kg	0.0030	0.00053	1	05/09/22 02:19	05/10/22 21:46	5103-71-9	
gamma-Chlordane	<0.00063	mg/kg	0.0030	0.00063	1	05/09/22 02:19	05/10/22 21:46	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0060	0.0012	1	05/09/22 02:19	05/10/22 21:46	72-54-8	
4,4'-DDE	<0.00099	mg/kg	0.0060	0.00099	1	05/09/22 02:19	05/10/22 21:46	72-55-9	
4,4'-DDT	<0.0019	mg/kg	0.0060	0.0019	1	05/09/22 02:19	05/10/22 21:46	50-29-3	
Dieldrin	<0.0010	mg/kg	0.0060	0.0010	1	05/09/22 02:19	05/10/22 21:46	60-57-1	
Endosulfan I	<0.00050	mg/kg	0.0030	0.00050	1	05/09/22 02:19	05/10/22 21:46	959-98-8	
Endosulfan II	<0.00098	mg/kg	0.0060	0.00098	1	05/09/22 02:19	05/10/22 21:46	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0060	0.0012	1	05/09/22 02:19	05/10/22 21:46	1031-07-8	
Endrin	<0.0011	mg/kg	0.0060	0.0011	1	05/09/22 02:19	05/10/22 21:46	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0060	0.0014	1	05/09/22 02:19	05/10/22 21:46	7421-93-4	
Endrin ketone	<0.0015	mg/kg	0.0060	0.0015	1	05/09/22 02:19	05/10/22 21:46	53494-70-5	
Heptachlor	<0.00053	mg/kg	0.0030	0.00053	1	05/09/22 02:19	05/10/22 21:46	76-44-8	
Heptachlor epoxide	<0.00051	mg/kg	0.0030	0.00051	1	05/09/22 02:19	05/10/22 21:46	1024-57-3	
Methoxychlor	<0.0069	mg/kg	0.030	0.0069	1	05/09/22 02:19	05/10/22 21:46	72-43-5	
Toxaphene	<0.021	mg/kg	0.060	0.021	1	05/09/22 02:19	05/10/22 21:46	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	46	%	10-147		1	05/09/22 02:19	05/10/22 21:46	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.062	0.019	1	05/05/22 09:05	05/06/22 18:53	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.062	0.019	1	05/05/22 09:05	05/06/22 18:53	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.062	0.019	1	05/05/22 09:05	05/06/22 18:53	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.062	0.019	1	05/05/22 09:05	05/06/22 18:53	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.062	0.019	1	05/05/22 09:05	05/06/22 18:53	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.062	0.019	1	05/05/22 09:05	05/06/22 18:53	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.062	0.019	1	05/05/22 09:05	05/06/22 18:53	11096-82-5	
PCB, Total	<0.019	mg/kg	0.062	0.019	1	05/05/22 09:05	05/06/22 18:53	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	73	%	50-99		1	05/05/22 09:05	05/06/22 18:53	877-09-8	
Decachlorobiphenyl (S)	82	%	38-95		1	05/05/22 09:05	05/06/22 18:53	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	14000	mg/kg	36.7	7.4	1	05/09/22 16:28	05/12/22 18:00	7429-90-5	
Antimony	0.27J	mg/kg	0.61	0.12	1	05/09/22 16:28	05/12/22 18:00	7440-36-0	
Arsenic	13.7	mg/kg	0.61	0.13	1	05/09/22 16:28	05/12/22 18:00	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-13 (4.5-5.5) **Lab ID: 40244350020** Collected: 05/03/22 15:50 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	225	mg/kg	0.37	0.065	1	05/09/22 16:28	05/12/22 18:00	7440-39-3	
Beryllium	0.87	mg/kg	0.24	0.049	1	05/09/22 16:28	05/12/22 18:00	7440-41-7	
Cadmium	0.41	mg/kg	0.098	0.038	1	05/09/22 16:28	05/12/22 18:00	7440-43-9	
Calcium	3900	mg/kg	122	14.5	1	05/09/22 16:28	05/12/22 18:00	7440-70-2	
Chromium	18.5	mg/kg	2.4	0.17	1	05/09/22 16:28	05/12/22 18:00	7440-47-3	
Cobalt	11.4	mg/kg	0.61	0.12	1	05/09/22 16:28	05/12/22 18:00	7440-48-4	
Copper	24.1	mg/kg	1.2	0.30	1	05/09/22 16:28	05/12/22 18:00	7440-50-8	
Iron	26900	mg/kg	61.2	12.9	1	05/09/22 16:28	05/12/22 18:00	7439-89-6	
Lead	14.3	mg/kg	0.61	0.036	1	05/09/22 16:28	05/12/22 18:00	7439-92-1	
Magnesium	4130	mg/kg	36.7	5.3	1	05/09/22 16:28	05/12/22 18:00	7439-95-4	
Manganese	999	mg/kg	6.1	3.0	10	05/09/22 16:28	05/12/22 18:03	7439-96-5	
Nickel	26.4	mg/kg	0.61	0.24	1	05/09/22 16:28	05/12/22 18:00	7440-02-0	
Potassium	925	mg/kg	122	14.1	1	05/09/22 16:28	05/12/22 18:00	7440-09-7	
Selenium	0.33J	mg/kg	0.61	0.10	1	05/09/22 16:28	05/12/22 18:00	7782-49-2	
Silver	<0.18	mg/kg	0.61	0.18	1	05/09/22 16:28	05/12/22 18:00	7440-22-4	
Sodium	81.8	mg/kg	61.2	13.6	1	05/09/22 16:28	05/12/22 18:00	7440-23-5	
Thallium	0.18	mg/kg	0.12	0.045	1	05/09/22 16:28	05/12/22 18:00	7440-28-0	
Vanadium	35.6	mg/kg	1.2	0.22	1	05/09/22 16:28	05/12/22 18:00	7440-62-2	
Zinc	65.3	mg/kg	6.1	1.1	1	05/09/22 16:28	05/12/22 18:00	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	<0.012	mg/kg	0.042	0.012	1	05/06/22 11:52	05/09/22 11:22	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.023	mg/kg	0.078	0.023	1	05/09/22 12:49	05/09/22 17:08	120-82-1	
1,2-Dichlorobenzene	<0.065	mg/kg	0.22	0.065	1	05/09/22 12:49	05/09/22 17:08	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.095	0.029	1	05/09/22 12:49	05/09/22 17:08	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.096	0.029	1	05/09/22 12:49	05/09/22 17:08	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.053	mg/kg	0.18	0.053	1	05/09/22 12:49	05/09/22 17:08	108-60-1	
2,4,5-Trichlorophenol	<0.036	mg/kg	0.12	0.036	1	05/09/22 12:49	05/09/22 17:08	95-95-4	
2,4,6-Trichlorophenol	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/09/22 17:08	88-06-2	
2,4-Dichlorophenol	<0.055	mg/kg	0.18	0.055	1	05/09/22 12:49	05/09/22 17:08	120-83-2	
2,4-Dimethylphenol	<0.041	mg/kg	0.14	0.041	1	05/09/22 12:49	05/09/22 17:08	105-67-9	
2,4-Dinitrophenol	<0.063	mg/kg	0.21	0.063	1	05/09/22 12:49	05/09/22 17:08	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.098	0.030	1	05/09/22 12:49	05/09/22 17:08	121-14-2	
2,6-Dinitrotoluene	<0.039	mg/kg	0.13	0.039	1	05/09/22 12:49	05/09/22 17:08	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.088	0.027	1	05/09/22 12:49	05/09/22 17:08	91-58-7	
2-Chlorophenol	<0.052	mg/kg	0.17	0.052	1	05/09/22 12:49	05/09/22 17:08	95-57-8	
2-Methylnaphthalene	<0.054	mg/kg	0.18	0.054	1	05/09/22 12:49	05/09/22 17:08	91-57-6	
2-Methylphenol(o-Cresol)	<0.038	mg/kg	0.13	0.038	1	05/09/22 12:49	05/09/22 17:08	95-48-7	
2-Nitroaniline	<0.059	mg/kg	0.20	0.059	1	05/09/22 12:49	05/09/22 17:08	88-74-4	CU
2-Nitrophenol	<0.065	mg/kg	0.22	0.065	1	05/09/22 12:49	05/09/22 17:08	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: SB-13 (4.5-5.5) **Lab ID: 40244350020** Collected: 05/03/22 15:50 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.038	mg/kg	0.13	0.038	1	05/09/22 12:49	05/09/22 17:08		
3,3'-Dichlorobenzidine	<0.056	mg/kg	0.19	0.056	1	05/09/22 12:49	05/09/22 17:08	91-94-1	
3-Nitroaniline	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 17:08	99-09-2	
4,6-Dinitro-2-methylphenol	<0.064	mg/kg	0.21	0.064	1	05/09/22 12:49	05/09/22 17:08	534-52-1	
4-Bromophenylphenyl ether	<0.043	mg/kg	0.14	0.043	1	05/09/22 12:49	05/09/22 17:08	101-55-3	
4-Chloro-3-methylphenol	<0.064	mg/kg	0.21	0.064	1	05/09/22 12:49	05/09/22 17:08	59-50-7	
4-Chloroaniline	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 17:08	106-47-8	2q
4-Chlorophenylphenyl ether	<0.038	mg/kg	0.13	0.038	1	05/09/22 12:49	05/09/22 17:08	7005-72-3	
4-Nitroaniline	<0.086	mg/kg	0.29	0.086	1	05/09/22 12:49	05/09/22 17:08	100-01-6	
4-Nitrophenol	<0.052	mg/kg	0.17	0.052	1	05/09/22 12:49	05/09/22 17:08	100-02-7	CU
Acenaphthene	<0.073	mg/kg	0.24	0.073	1	05/09/22 12:49	05/09/22 17:08	83-32-9	
Acenaphthylene	<0.074	mg/kg	0.25	0.074	1	05/09/22 12:49	05/09/22 17:08	208-96-8	
Anthracene	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 17:08	120-12-7	
Benzo(a)anthracene	<0.032	mg/kg	0.11	0.032	1	05/09/22 12:49	05/09/22 17:08	56-55-3	
Benzo(a)pyrene	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/09/22 17:08	50-32-8	
Benzo(b)fluoranthene	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 17:08	205-99-2	
Benzo(g,h,i)perylene	<0.054	mg/kg	0.18	0.054	1	05/09/22 12:49	05/09/22 17:08	191-24-2	
Benzo(k)fluoranthene	<0.049	mg/kg	0.16	0.049	1	05/09/22 12:49	05/09/22 17:08	207-08-9	
Butylbenzylphthalate	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 17:08	85-68-7	
Carbazole	<0.032	mg/kg	0.11	0.032	1	05/09/22 12:49	05/09/22 17:08	86-74-8	
Chrysene	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/09/22 17:08	218-01-9	
Di-n-butylphthalate	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/09/22 17:08	84-74-2	
Di-n-octylphthalate	<0.046	mg/kg	0.15	0.046	1	05/09/22 12:49	05/09/22 17:08	117-84-0	
Dibenz(a,h)anthracene	<0.056	mg/kg	0.19	0.056	1	05/09/22 12:49	05/09/22 17:08	53-70-3	
Dibenzofuran	<0.025	mg/kg	0.083	0.025	1	05/09/22 12:49	05/09/22 17:08	132-64-9	
Diethylphthalate	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 17:08	84-66-2	
Dimethylphthalate	<0.027	mg/kg	0.090	0.027	1	05/09/22 12:49	05/09/22 17:08	131-11-3	
Fluoranthene	<0.029	mg/kg	0.097	0.029	1	05/09/22 12:49	05/09/22 17:08	206-44-0	
Fluorene	<0.024	mg/kg	0.080	0.024	1	05/09/22 12:49	05/09/22 17:08	86-73-7	
Hexachloro-1,3-butadiene	<0.053	mg/kg	0.18	0.053	1	05/09/22 12:49	05/09/22 17:08	87-68-3	
Hexachlorobenzene	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 17:08	118-74-1	
Hexachlorocyclopentadiene	<0.049	mg/kg	0.16	0.049	1	05/09/22 12:49	05/09/22 17:08	77-47-4	
Hexachloroethane	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 17:08	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.045	mg/kg	0.15	0.045	1	05/09/22 12:49	05/09/22 17:08	193-39-5	
Isophorone	<0.032	mg/kg	0.11	0.032	1	05/09/22 12:49	05/09/22 17:08	78-59-1	
N-Nitroso-di-n-propylamine	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 17:08	621-64-7	
N-Nitrosodiphenylamine	<0.28	mg/kg	0.93	0.28	1	05/09/22 12:49	05/09/22 17:08	86-30-6	
Naphthalene	<0.072	mg/kg	0.24	0.072	1	05/09/22 12:49	05/09/22 17:08	91-20-3	
Nitrobenzene	<0.042	mg/kg	0.14	0.042	1	05/09/22 12:49	05/09/22 17:08	98-95-3	
Pentachlorophenol	<0.045	mg/kg	0.15	0.045	1	05/09/22 12:49	05/09/22 17:08	87-86-5	
Phenanthrene	<0.026	mg/kg	0.088	0.026	1	05/09/22 12:49	05/09/22 17:08	85-01-8	
Phenol	<0.049	mg/kg	0.16	0.049	1	05/09/22 12:49	05/09/22 17:08	108-95-2	
Pyrene	<0.046	mg/kg	0.15	0.046	1	05/09/22 12:49	05/09/22 17:08	129-00-0	
bis(2-Chloroethoxy)methane	<0.056	mg/kg	0.19	0.056	1	05/09/22 12:49	05/09/22 17:08	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-13 (4.5-5.5) **Lab ID: 40244350020** Collected: 05/03/22 15:50 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.064	mg/kg	0.21	0.064	1	05/09/22 12:49	05/09/22 17:08	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 17:08	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	71	%	10-125		1	05/09/22 12:49	05/09/22 17:08	4165-60-0	
2-Fluorobiphenyl (S)	66	%	12-118		1	05/09/22 12:49	05/09/22 17:08	321-60-8	
Terphenyl-d14 (S)	76	%	10-124		1	05/09/22 12:49	05/09/22 17:08	1718-51-0	
Phenol-d6 (S)	57	%	10-125		1	05/09/22 12:49	05/09/22 17:08	13127-88-3	
2-Fluorophenol (S)	51	%	10-130		1	05/09/22 12:49	05/09/22 17:08	367-12-4	
2,4,6-Tribromophenol (S)	84	%	10-144		1	05/09/22 12:49	05/09/22 17:08	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0049	0.0015	1	05/09/22 06:00	05/09/22 18:51	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0025	mg/kg	0.0049	0.0025	1	05/09/22 06:00	05/09/22 18:51	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0049	0.0015	1	05/09/22 06:00	05/09/22 18:51	79-00-5	
1,1-Dichloroethane	<0.0010	mg/kg	0.0049	0.0010	1	05/09/22 06:00	05/09/22 18:51	75-34-3	
1,1-Dichloroethene	<0.0010	mg/kg	0.0049	0.0010	1	05/09/22 06:00	05/09/22 18:51	75-35-4	
1,2-Dichloroethane	<0.00081	mg/kg	0.0049	0.00081	1	05/09/22 06:00	05/09/22 18:51	107-06-2	
1,2-Dichloropropane	<0.00099	mg/kg	0.0049	0.00099	1	05/09/22 06:00	05/09/22 18:51	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.024	0.015	1	05/09/22 06:00	05/09/22 18:51	78-93-3	
2-Hexanone	<0.011	mg/kg	0.024	0.011	1	05/09/22 06:00	05/09/22 18:51	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.019	mg/kg	0.024	0.019	1	05/09/22 06:00	05/09/22 18:51	108-10-1	
Acetone	<0.046	mg/kg	0.098	0.046	1	05/09/22 06:00	05/09/22 18:51	67-64-1	
Benzene	<0.00069	mg/kg	0.0049	0.00069	1	05/09/22 06:00	05/09/22 18:51	71-43-2	
Bromodichloromethane	<0.00066	mg/kg	0.0049	0.00066	1	05/09/22 06:00	05/09/22 18:51	75-27-4	
Bromoform	<0.0079	mg/kg	0.020	0.0079	1	05/09/22 06:00	05/09/22 18:51	75-25-2	
Bromomethane	<0.0044	mg/kg	0.0049	0.0044	1	05/09/22 06:00	05/09/22 18:51	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0049	0.0011	1	05/09/22 06:00	05/09/22 18:51	75-15-0	
Carbon tetrachloride	<0.0031	mg/kg	0.0049	0.0031	1	05/09/22 06:00	05/09/22 18:51	56-23-5	
Chlorobenzene	<0.00090	mg/kg	0.0049	0.00090	1	05/09/22 06:00	05/09/22 18:51	108-90-7	
Chloroethane	<0.0035	mg/kg	0.0049	0.0035	1	05/09/22 06:00	05/09/22 18:51	75-00-3	
Chloroform	<0.00083	mg/kg	0.0049	0.00083	1	05/09/22 06:00	05/09/22 18:51	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0049	0.0011	1	05/09/22 06:00	05/09/22 18:51	74-87-3	
Dibromochloromethane	<0.00098	mg/kg	0.0049	0.00098	1	05/09/22 06:00	05/09/22 18:51	124-48-1	
Ethylbenzene	<0.00087	mg/kg	0.0049	0.00087	1	05/09/22 06:00	05/09/22 18:51	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0049	0.0020	1	05/09/22 06:00	05/09/22 18:51	1634-04-4	
Methylene Chloride	<0.0039	mg/kg	0.0049	0.0039	1	05/09/22 06:00	05/09/22 18:51	75-09-2	
Styrene	<0.00069	mg/kg	0.0049	0.00069	1	05/09/22 06:00	05/09/22 18:51	100-42-5	
Tetrachloroethene	<0.00087	mg/kg	0.0049	0.00087	1	05/09/22 06:00	05/09/22 18:51	127-18-4	
Toluene	<0.00086	mg/kg	0.0049	0.00086	1	05/09/22 06:00	05/09/22 18:51	108-88-3	
Trichloroethene	<0.00070	mg/kg	0.0049	0.00070	1	05/09/22 06:00	05/09/22 18:51	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0049	0.0013	1	05/09/22 06:00	05/09/22 18:51	75-01-4	
Xylene (Total)	<0.0033	mg/kg	0.0098	0.0033	1	05/09/22 06:00	05/09/22 18:51	1330-20-7	
cis-1,2-Dichloroethene	<0.00086	mg/kg	0.0049	0.00086	1	05/09/22 06:00	05/09/22 18:51	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: SB-13 (4.5-5.5) **Lab ID: 40244350020** Collected: 05/03/22 15:50 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0049	0.0010	1	05/09/22 06:00	05/09/22 18:51	10061-01-5	
trans-1,2-Dichloroethene	<0.00070	mg/kg	0.0049	0.00070	1	05/09/22 06:00	05/09/22 18:51	156-60-5	
trans-1,3-Dichloropropene	<0.00098	mg/kg	0.0049	0.00098	1	05/09/22 06:00	05/09/22 18:51	10061-02-6	
Surrogates									
Toluene-d8 (S)	93	%	69-156		1	05/09/22 06:00	05/09/22 18:51	2037-26-5	
4-Bromofluorobenzene (S)	80	%	61-175		1	05/09/22 06:00	05/09/22 18:51	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1	05/09/22 06:00	05/09/22 18:51	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	19.2	%	0.10	0.10	1		05/10/22 16:09		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.03	Std. Units	0.100	0.0100	1		05/12/22 12:57		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.27	mg/kg	0.81	0.27	1	05/09/22 12:15	05/09/22 14:19	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: TB-01 Lab ID: 40244350021 Collected: 05/03/22 00:00 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay							
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/09/22 06:00	05/09/22 19:40	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0050	0.0026	1	05/09/22 06:00	05/09/22 19:40	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/09/22 06:00	05/09/22 19:40	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/09/22 06:00	05/09/22 19:40	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0050	0.0011	1	05/09/22 06:00	05/09/22 19:40	75-35-4	
1,2-Dichloroethane	<0.00082	mg/kg	0.0050	0.00082	1	05/09/22 06:00	05/09/22 19:40	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/09/22 06:00	05/09/22 19:40	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/09/22 06:00	05/09/22 19:40	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/09/22 06:00	05/09/22 19:40	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/09/22 06:00	05/09/22 19:40	108-10-1	
Acetone	<0.047	mg/kg	0.10	0.047	1	05/09/22 06:00	05/09/22 19:40	67-64-1	
Benzene	<0.00071	mg/kg	0.0050	0.00071	1	05/09/22 06:00	05/09/22 19:40	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/09/22 06:00	05/09/22 19:40	75-27-4	
Bromoform	<0.0081	mg/kg	0.020	0.0081	1	05/09/22 06:00	05/09/22 19:40	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0050	0.0045	1	05/09/22 06:00	05/09/22 19:40	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/09/22 06:00	05/09/22 19:40	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0050	0.0032	1	05/09/22 06:00	05/09/22 19:40	56-23-5	
Chlorobenzene	<0.00092	mg/kg	0.0050	0.00092	1	05/09/22 06:00	05/09/22 19:40	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0050	0.0036	1	05/09/22 06:00	05/09/22 19:40	75-00-3	
Chloroform	<0.00084	mg/kg	0.0050	0.00084	1	05/09/22 06:00	05/09/22 19:40	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/09/22 06:00	05/09/22 19:40	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/09/22 06:00	05/09/22 19:40	124-48-1	
Ethylbenzene	<0.00089	mg/kg	0.0050	0.00089	1	05/09/22 06:00	05/09/22 19:40	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0050	0.0020	1	05/09/22 06:00	05/09/22 19:40	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0050	0.0040	1	05/09/22 06:00	05/09/22 19:40	75-09-2	
Styrene	<0.00071	mg/kg	0.0050	0.00071	1	05/09/22 06:00	05/09/22 19:40	100-42-5	
Tetrachloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/09/22 06:00	05/09/22 19:40	127-18-4	
Toluene	<0.00088	mg/kg	0.0050	0.00088	1	05/09/22 06:00	05/09/22 19:40	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/09/22 06:00	05/09/22 19:40	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/09/22 06:00	05/09/22 19:40	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.010	0.0034	1	05/09/22 06:00	05/09/22 19:40	1330-20-7	
cis-1,2-Dichloroethene	<0.00088	mg/kg	0.0050	0.00088	1	05/09/22 06:00	05/09/22 19:40	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/09/22 06:00	05/09/22 19:40	10061-01-5	
trans-1,2-Dichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/09/22 06:00	05/09/22 19:40	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/09/22 06:00	05/09/22 19:40	10061-02-6	
Surrogates									
Toluene-d8 (S)	100	%	69-156		1	05/09/22 06:00	05/09/22 19:40	2037-26-5	
4-Bromofluorobenzene (S)	86	%	61-175		1	05/09/22 06:00	05/09/22 19:40	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1	05/09/22 06:00	05/09/22 19:40	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: 05032022 DUP 01 Lab ID: 40244350022 Collected: 05/03/22 00:00 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00062	mg/kg	0.0032	0.00062	1	05/09/22 14:20	05/12/22 16:28	309-00-2	
alpha-BHC	<0.00067	mg/kg	0.0032	0.00067	1	05/09/22 14:20	05/12/22 16:28	319-84-6	
beta-BHC	<0.00061	mg/kg	0.0032	0.00061	1	05/09/22 14:20	05/12/22 16:28	319-85-7	
delta-BHC	<0.00085	mg/kg	0.0032	0.00085	1	05/09/22 14:20	05/12/22 16:28	319-86-8	
gamma-BHC (Lindane)	<0.00059	mg/kg	0.0032	0.00059	1	05/09/22 14:20	05/12/22 16:28	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.065	0.013	1	05/09/22 14:20	05/12/22 16:28	57-74-9	
alpha-Chlordane	<0.00057	mg/kg	0.0032	0.00057	1	05/09/22 14:20	05/12/22 16:28	5103-71-9	
gamma-Chlordane	<0.00068	mg/kg	0.0032	0.00068	1	05/09/22 14:20	05/12/22 16:28	5103-74-2	
4,4'-DDD	<0.0013	mg/kg	0.0065	0.0013	1	05/09/22 14:20	05/12/22 16:28	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 14:20	05/12/22 16:28	72-55-9	
4,4'-DDT	<0.0021	mg/kg	0.0065	0.0021	1	05/09/22 14:20	05/12/22 16:28	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 14:20	05/12/22 16:28	60-57-1	
Endosulfan I	<0.00054	mg/kg	0.0032	0.00054	1	05/09/22 14:20	05/12/22 16:28	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 14:20	05/12/22 16:28	33213-65-9	
Endosulfan sulfate	<0.0013	mg/kg	0.0065	0.0013	1	05/09/22 14:20	05/12/22 16:28	1031-07-8	
Endrin	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 14:20	05/12/22 16:28	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0065	0.0015	1	05/09/22 14:20	05/12/22 16:28	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0065	0.0016	1	05/09/22 14:20	05/12/22 16:28	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0032	0.00058	1	05/09/22 14:20	05/12/22 16:28	76-44-8	
Heptachlor epoxide	<0.00055	mg/kg	0.0032	0.00055	1	05/09/22 14:20	05/12/22 16:28	1024-57-3	
Methoxychlor	<0.0074	mg/kg	0.032	0.0074	1	05/09/22 14:20	05/12/22 16:28	72-43-5	
Toxaphene	<0.023	mg/kg	0.065	0.023	1	05/09/22 14:20	05/12/22 16:28	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	40	%	10-147		1	05/09/22 14:20	05/12/22 16:28	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 19:17	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 19:17	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 19:17	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 19:17	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 19:17	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 19:17	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 19:17	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/05/22 09:05	05/06/22 19:17	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	70	%	50-99		1	05/05/22 09:05	05/06/22 19:17	877-09-8	
Decachlorobiphenyl (S)	69	%	38-95		1	05/05/22 09:05	05/06/22 19:17	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	16800	mg/kg	37.3	7.5	1	05/09/22 16:28	05/10/22 11:18	7429-90-5	
Antimony	<0.12	mg/kg	0.62	0.12	1	05/09/22 16:28	05/10/22 11:18	7440-36-0	
Arsenic	3.6	mg/kg	0.62	0.14	1	05/09/22 16:28	05/10/22 11:18	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: 05032022 DUP 01 Lab ID: 40244350022 Collected: 05/03/22 00:00 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	178	mg/kg	0.37	0.066	1	05/09/22 16:28	05/10/22 11:18	7440-39-3	
Beryllium	0.85	mg/kg	0.25	0.049	1	05/09/22 16:28	05/10/22 11:18	7440-41-7	
Cadmium	0.083J	mg/kg	0.099	0.039	1	05/09/22 16:28	05/10/22 11:18	7440-43-9	
Calcium	5270	mg/kg	124	14.7	1	05/09/22 16:28	05/10/22 11:18	7440-70-2	
Chromium	19.4	mg/kg	2.5	0.17	1	05/09/22 16:28	05/10/22 11:18	7440-47-3	
Cobalt	5.8	mg/kg	0.62	0.12	1	05/09/22 16:28	05/10/22 11:18	7440-48-4	
Copper	17.6	mg/kg	1.2	0.30	1	05/09/22 16:28	05/10/22 11:18	7440-50-8	
Iron	17300	mg/kg	622	131	10	05/09/22 16:28	05/10/22 11:22	7439-89-6	
Lead	11.6	mg/kg	0.62	0.037	1	05/09/22 16:28	05/10/22 11:18	7439-92-1	
Magnesium	3280	mg/kg	37.3	5.3	1	05/09/22 16:28	05/10/22 11:18	7439-95-4	
Manganese	332	mg/kg	0.62	0.30	1	05/09/22 16:28	05/10/22 11:18	7439-96-5	
Nickel	14.1	mg/kg	0.62	0.25	1	05/09/22 16:28	05/10/22 11:18	7440-02-0	
Potassium	1580	mg/kg	124	14.3	1	05/09/22 16:28	05/10/22 11:18	7440-09-7	
Selenium	0.89	mg/kg	0.62	0.11	1	05/09/22 16:28	05/10/22 11:18	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/09/22 16:28	05/10/22 11:18	7440-22-4	
Sodium	63.1	mg/kg	62.2	13.8	1	05/09/22 16:28	05/10/22 11:18	7440-23-5	
Thallium	0.21	mg/kg	0.12	0.045	1	05/09/22 16:28	05/10/22 11:18	7440-28-0	
Vanadium	30.6	mg/kg	1.2	0.22	1	05/09/22 16:28	05/10/22 11:18	7440-62-2	
Zinc	62.1	mg/kg	6.2	1.1	1	05/09/22 16:28	05/10/22 11:18	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.064	mg/kg	0.045	0.013	1	05/06/22 09:18	05/09/22 10:08	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.074	mg/kg	0.25	0.074	3	05/09/22 12:49	05/09/22 17:30	120-82-1	
1,2-Dichlorobenzene	<0.21	mg/kg	0.68	0.21	3	05/09/22 12:49	05/09/22 17:30	95-50-1	
1,3-Dichlorobenzene	<0.090	mg/kg	0.30	0.090	3	05/09/22 12:49	05/09/22 17:30	541-73-1	
1,4-Dichlorobenzene	<0.091	mg/kg	0.30	0.091	3	05/09/22 12:49	05/09/22 17:30	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.17	mg/kg	0.56	0.17	3	05/09/22 12:49	05/09/22 17:30	108-60-1	
2,4,5-Trichlorophenol	<0.12	mg/kg	0.38	0.12	3	05/09/22 12:49	05/09/22 17:30	95-95-4	
2,4,6-Trichlorophenol	<0.10	mg/kg	0.33	0.10	3	05/09/22 12:49	05/09/22 17:30	88-06-2	
2,4-Dichlorophenol	<0.17	mg/kg	0.58	0.17	3	05/09/22 12:49	05/09/22 17:30	120-83-2	
2,4-Dimethylphenol	<0.13	mg/kg	0.43	0.13	3	05/09/22 12:49	05/09/22 17:30	105-67-9	
2,4-Dinitrophenol	<0.20	mg/kg	0.66	0.20	3	05/09/22 12:49	05/09/22 17:30	51-28-5	
2,4-Dinitrotoluene	<0.093	mg/kg	0.31	0.093	3	05/09/22 12:49	05/09/22 17:30	121-14-2	
2,6-Dinitrotoluene	<0.12	mg/kg	0.41	0.12	3	05/09/22 12:49	05/09/22 17:30	606-20-2	
2-Chloronaphthalene	<0.084	mg/kg	0.28	0.084	3	05/09/22 12:49	05/09/22 17:30	91-58-7	
2-Chlorophenol	<0.16	mg/kg	0.54	0.16	3	05/09/22 12:49	05/09/22 17:30	95-57-8	
2-Methylnaphthalene	<0.17	mg/kg	0.57	0.17	3	05/09/22 12:49	05/09/22 17:30	91-57-6	
2-Methylphenol(o-Cresol)	<0.12	mg/kg	0.40	0.12	3	05/09/22 12:49	05/09/22 17:30	95-48-7	
2-Nitroaniline	<0.19	mg/kg	0.62	0.19	3	05/09/22 12:49	05/09/22 17:30	88-74-4	CU
2-Nitrophenol	<0.21	mg/kg	0.69	0.21	3	05/09/22 12:49	05/09/22 17:30	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: 05032022 DUP 01 Lab ID: 40244350022 Collected: 05/03/22 00:00 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.12	mg/kg	0.40	0.12	3	05/09/22 12:49	05/09/22 17:30		
3,3'-Dichlorobenzidine	<0.18	mg/kg	0.59	0.18	3	05/09/22 12:49	05/09/22 17:30	91-94-1	
3-Nitroaniline	<0.11	mg/kg	0.37	0.11	3	05/09/22 12:49	05/09/22 17:30	99-09-2	
4,6-Dinitro-2-methylphenol	<0.20	mg/kg	0.67	0.20	3	05/09/22 12:49	05/09/22 17:30	534-52-1	
4-Bromophenylphenyl ether	<0.14	mg/kg	0.46	0.14	3	05/09/22 12:49	05/09/22 17:30	101-55-3	
4-Chloro-3-methylphenol	<0.20	mg/kg	0.68	0.20	3	05/09/22 12:49	05/09/22 17:30	59-50-7	
4-Chloroaniline	<0.11	mg/kg	0.36	0.11	3	05/09/22 12:49	05/09/22 17:30	106-47-8	2q
4-Chlorophenylphenyl ether	<0.12	mg/kg	0.41	0.12	3	05/09/22 12:49	05/09/22 17:30	7005-72-3	
4-Nitroaniline	<0.27	mg/kg	0.90	0.27	3	05/09/22 12:49	05/09/22 17:30	100-01-6	
4-Nitrophenol	<0.16	mg/kg	0.55	0.16	3	05/09/22 12:49	05/09/22 17:30	100-02-7	CU
Acenaphthene	<0.23	mg/kg	0.77	0.23	3	05/09/22 12:49	05/09/22 17:30	83-32-9	
Acenaphthylene	<0.23	mg/kg	0.78	0.23	3	05/09/22 12:49	05/09/22 17:30	208-96-8	
Anthracene	<0.10	mg/kg	0.35	0.10	3	05/09/22 12:49	05/09/22 17:30	120-12-7	
Benzo(a)anthracene	<0.10	mg/kg	0.34	0.10	3	05/09/22 12:49	05/09/22 17:30	56-55-3	
Benzo(a)pyrene	<0.098	mg/kg	0.33	0.098	3	05/09/22 12:49	05/09/22 17:30	50-32-8	
Benzo(b)fluoranthene	0.13J	mg/kg	0.37	0.11	3	05/09/22 12:49	05/09/22 17:30	205-99-2	
Benzo(g,h,i)perylene	<0.17	mg/kg	0.57	0.17	3	05/09/22 12:49	05/09/22 17:30	191-24-2	
Benzo(k)fluoranthene	<0.16	mg/kg	0.52	0.16	3	05/09/22 12:49	05/09/22 17:30	207-08-9	
Butylbenzylphthalate	<0.10	mg/kg	0.35	0.10	3	05/09/22 12:49	05/09/22 17:30	85-68-7	
Carbazole	<0.10	mg/kg	0.34	0.10	3	05/09/22 12:49	05/09/22 17:30	86-74-8	
Chrysene	0.12J	mg/kg	0.33	0.098	3	05/09/22 12:49	05/09/22 17:30	218-01-9	
Di-n-butylphthalate	<0.098	mg/kg	0.33	0.098	3	05/09/22 12:49	05/09/22 17:30	84-74-2	
Di-n-octylphthalate	<0.15	mg/kg	0.49	0.15	3	05/09/22 12:49	05/09/22 17:30	117-84-0	
Dibenz(a,h)anthracene	<0.18	mg/kg	0.59	0.18	3	05/09/22 12:49	05/09/22 17:30	53-70-3	
Dibenzofuran	<0.079	mg/kg	0.26	0.079	3	05/09/22 12:49	05/09/22 17:30	132-64-9	
Diethylphthalate	<0.11	mg/kg	0.36	0.11	3	05/09/22 12:49	05/09/22 17:30	84-66-2	
Dimethylphthalate	<0.085	mg/kg	0.28	0.085	3	05/09/22 12:49	05/09/22 17:30	131-11-3	
Fluoranthene	<0.092	mg/kg	0.31	0.092	3	05/09/22 12:49	05/09/22 17:30	206-44-0	
Fluorene	<0.076	mg/kg	0.25	0.076	3	05/09/22 12:49	05/09/22 17:30	86-73-7	
Hexachloro-1,3-butadiene	<0.17	mg/kg	0.55	0.17	3	05/09/22 12:49	05/09/22 17:30	87-68-3	
Hexachlorobenzene	<0.11	mg/kg	0.37	0.11	3	05/09/22 12:49	05/09/22 17:30	118-74-1	
Hexachlorocyclopentadiene	<0.15	mg/kg	0.52	0.15	3	05/09/22 12:49	05/09/22 17:30	77-47-4	
Hexachloroethane	<0.10	mg/kg	0.35	0.10	3	05/09/22 12:49	05/09/22 17:30	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.14	mg/kg	0.47	0.14	3	05/09/22 12:49	05/09/22 17:30	193-39-5	
Isophorone	<0.10	mg/kg	0.33	0.10	3	05/09/22 12:49	05/09/22 17:30	78-59-1	
N-Nitroso-di-n-propylamine	<0.10	mg/kg	0.35	0.10	3	05/09/22 12:49	05/09/22 17:30	621-64-7	
N-Nitrosodiphenylamine	<0.89	mg/kg	3.0	0.89	3	05/09/22 12:49	05/09/22 17:30	86-30-6	
Naphthalene	<0.23	mg/kg	0.76	0.23	3	05/09/22 12:49	05/09/22 17:30	91-20-3	
Nitrobenzene	<0.13	mg/kg	0.44	0.13	3	05/09/22 12:49	05/09/22 17:30	98-95-3	
Pentachlorophenol	<0.14	mg/kg	0.48	0.14	3	05/09/22 12:49	05/09/22 17:30	87-86-5	
Phenanthrene	<0.084	mg/kg	0.28	0.084	3	05/09/22 12:49	05/09/22 17:30	85-01-8	
Phenol	<0.16	mg/kg	0.52	0.16	3	05/09/22 12:49	05/09/22 17:30	108-95-2	D3
Pyrene	<0.14	mg/kg	0.48	0.14	3	05/09/22 12:49	05/09/22 17:30	129-00-0	
bis(2-Chloroethoxy)methane	<0.18	mg/kg	0.59	0.18	3	05/09/22 12:49	05/09/22 17:30	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Sample: 05032022 DUP 01 **Lab ID: 40244350022** Collected: 05/03/22 00:00 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.20	mg/kg	0.68	0.20	3	05/09/22 12:49	05/09/22 17:30	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.11	mg/kg	0.36	0.11	3	05/09/22 12:49	05/09/22 17:30	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	60	%	10-125		3	05/09/22 12:49	05/09/22 17:30	4165-60-0	
2-Fluorobiphenyl (S)	48	%	12-118		3	05/09/22 12:49	05/09/22 17:30	321-60-8	
Terphenyl-d14 (S)	66	%	10-124		3	05/09/22 12:49	05/09/22 17:30	1718-51-0	
Phenol-d6 (S)	48	%	10-125		3	05/09/22 12:49	05/09/22 17:30	13127-88-3	
2-Fluorophenol (S)	44	%	10-130		3	05/09/22 12:49	05/09/22 17:30	367-12-4	
2,4,6-Tribromophenol (S)	64	%	10-144		3	05/09/22 12:49	05/09/22 17:30	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/09/22 06:00	05/09/22 19:15	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0052	0.0027	1	05/09/22 06:00	05/09/22 19:15	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/09/22 06:00	05/09/22 19:15	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 19:15	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 19:15	75-35-4	
1,2-Dichloroethane	<0.00086	mg/kg	0.0052	0.00086	1	05/09/22 06:00	05/09/22 19:15	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 19:15	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.026	0.016	1	05/09/22 06:00	05/09/22 19:15	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/09/22 06:00	05/09/22 19:15	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.026	0.021	1	05/09/22 06:00	05/09/22 19:15	108-10-1	
Acetone	<0.049	mg/kg	0.10	0.049	1	05/09/22 06:00	05/09/22 19:15	67-64-1	
Benzene	<0.00074	mg/kg	0.0052	0.00074	1	05/09/22 06:00	05/09/22 19:15	71-43-2	
Bromodichloromethane	<0.00071	mg/kg	0.0052	0.00071	1	05/09/22 06:00	05/09/22 19:15	75-27-4	
Bromoform	<0.0084	mg/kg	0.021	0.0084	1	05/09/22 06:00	05/09/22 19:15	75-25-2	
Bromomethane	<0.0046	mg/kg	0.0052	0.0046	1	05/09/22 06:00	05/09/22 19:15	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0052	0.0012	1	05/09/22 06:00	05/09/22 19:15	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0052	0.0033	1	05/09/22 06:00	05/09/22 19:15	56-23-5	
Chlorobenzene	<0.00096	mg/kg	0.0052	0.00096	1	05/09/22 06:00	05/09/22 19:15	108-90-7	
Chloroethane	<0.0038	mg/kg	0.0052	0.0038	1	05/09/22 06:00	05/09/22 19:15	75-00-3	
Chloroform	<0.00088	mg/kg	0.0052	0.00088	1	05/09/22 06:00	05/09/22 19:15	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 19:15	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0052	0.0010	1	05/09/22 06:00	05/09/22 19:15	124-48-1	
Ethylbenzene	<0.00093	mg/kg	0.0052	0.00093	1	05/09/22 06:00	05/09/22 19:15	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0052	0.0021	1	05/09/22 06:00	05/09/22 19:15	1634-04-4	
Methylene Chloride	<0.0041	mg/kg	0.0052	0.0041	1	05/09/22 06:00	05/09/22 19:15	75-09-2	
Styrene	<0.00074	mg/kg	0.0052	0.00074	1	05/09/22 06:00	05/09/22 19:15	100-42-5	
Tetrachloroethene	<0.00092	mg/kg	0.0052	0.00092	1	05/09/22 06:00	05/09/22 19:15	127-18-4	
Toluene	<0.00092	mg/kg	0.0052	0.00092	1	05/09/22 06:00	05/09/22 19:15	108-88-3	
Trichloroethene	<0.00074	mg/kg	0.0052	0.00074	1	05/09/22 06:00	05/09/22 19:15	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0052	0.0013	1	05/09/22 06:00	05/09/22 19:15	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.010	0.0036	1	05/09/22 06:00	05/09/22 19:15	1330-20-7	
cis-1,2-Dichloroethene	<0.00092	mg/kg	0.0052	0.00092	1	05/09/22 06:00	05/09/22 19:15	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Sample: 05032022 DUP 01 **Lab ID: 40244350022** Collected: 05/03/22 00:00 Received: 05/04/22 10:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 19:15	10061-01-5	
trans-1,2-Dichloroethene	<0.00075	mg/kg	0.0052	0.00075	1	05/09/22 06:00	05/09/22 19:15	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0052	0.0010	1	05/09/22 06:00	05/09/22 19:15	10061-02-6	
Surrogates									
Toluene-d8 (S)	95	%	69-156		1	05/09/22 06:00	05/09/22 19:15	2037-26-5	
4-Bromofluorobenzene (S)	87	%	61-175		1	05/09/22 06:00	05/09/22 19:15	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1	05/09/22 06:00	05/09/22 19:15	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.4	%	0.10	0.10	1		05/10/22 16:43		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.5	Std. Units	0.10	0.010	1		05/12/22 13:16		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.34	mg/kg	1.0	0.34	1	05/09/22 12:15	05/09/22 14:19	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

QC Batch: 415262 Analysis Method: EPA 8015D Modified
QC Batch Method: EPA 5035A/5030B Analysis Description: Gasoline Range Organics
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244350005, 40244350006

METHOD BLANK: 2390956 Matrix: Solid
Associated Lab Samples: 40244350005, 40244350006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH (C06-C10)	mg/kg	<4.4	10.0	4.4	05/10/22 10:12	
a,a,a-Trifluorotoluene (S)	%	107	78-147		05/10/22 10:12	

Parameter	Units	2390957		2390958			% Rec Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec				
TPH (C06-C10)	mg/kg	50	53.1	56.2	106	112	84-125	6	20	
a,a,a-Trifluorotoluene (S)	%				103	103	78-147			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

QC Batch: 415007	Analysis Method: EPA 7471
QC Batch Method: EPA 7471	Analysis Description: 7471 Mercury
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244350022

METHOD BLANK: 2389511 Matrix: Solid
Associated Lab Samples: 40244350022

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	0.010	05/09/22 09:13	

LABORATORY CONTROL SAMPLE: 2389512

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.87	104	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2389513 2389514

Parameter	Units	2389513		2389514		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result							
Mercury	mg/kg	0.039J	1	1	1.0	1.1	98	101	85-115	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

QC Batch:	415008	Analysis Method:	EPA 7471
QC Batch Method:	EPA 7471	Analysis Description:	7471 Mercury
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244350001, 40244350002, 40244350003, 40244350004, 40244350005, 40244350006, 40244350007, 40244350008, 40244350009, 40244350010, 40244350011, 40244350012, 40244350013, 40244350014, 40244350015, 40244350016, 40244350017, 40244350018, 40244350019, 40244350020

METHOD BLANK: 2389517 Matrix: Solid
Associated Lab Samples: 40244350001, 40244350002, 40244350003, 40244350004, 40244350005, 40244350006, 40244350007, 40244350008, 40244350009, 40244350010, 40244350011, 40244350012, 40244350013, 40244350014, 40244350015, 40244350016, 40244350017, 40244350018, 40244350019, 40244350020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	0.010	05/09/22 10:17	

LABORATORY CONTROL SAMPLE: 2389518

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.90	108	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2389519 2389520

Parameter	Units	40244350001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	0.053	1.1	1.1	1.2	1.2	104	105	85-115	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

QC Batch:	813857	Analysis Method:	EPA 6020B
QC Batch Method:	EPA 3050B	Analysis Description:	6020B Solids UPD5
		Laboratory:	Pace Analytical Services - Minneapolis

Associated Lab Samples: 40244350001, 40244350002, 40244350003, 40244350004, 40244350005, 40244350006, 40244350007, 40244350008, 40244350009, 40244350010, 40244350011, 40244350012, 40244350013, 40244350014, 40244350015, 40244350016, 40244350017, 40244350018, 40244350019, 40244350020

METHOD BLANK: 4315235 Matrix: Solid
Associated Lab Samples: 40244350001, 40244350002, 40244350003, 40244350004, 40244350005, 40244350006, 40244350007, 40244350008, 40244350009, 40244350010, 40244350011, 40244350012, 40244350013, 40244350014, 40244350015, 40244350016, 40244350017, 40244350018, 40244350019, 40244350020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Aluminum	mg/kg	<6.0	30.0	6.0	05/12/22 15:48	
Antimony	mg/kg	<0.096	0.50	0.096	05/12/22 15:48	
Arsenic	mg/kg	<0.11	0.50	0.11	05/12/22 15:48	
Barium	mg/kg	<0.053	0.30	0.053	05/12/22 15:48	
Beryllium	mg/kg	<0.040	0.20	0.040	05/12/22 15:48	
Cadmium	mg/kg	<0.031	0.080	0.031	05/12/22 15:48	
Calcium	mg/kg	<11.8	100	11.8	05/12/22 15:48	
Chromium	mg/kg	<0.14	2.0	0.14	05/12/22 15:48	
Cobalt	mg/kg	<0.099	0.50	0.099	05/12/22 15:48	
Copper	mg/kg	<0.24	1.0	0.24	05/12/22 15:48	
Iron	mg/kg	<10.5	50.0	10.5	05/12/22 15:48	
Lead	mg/kg	<0.029	0.50	0.029	05/12/22 15:48	
Magnesium	mg/kg	5.1J	30.0	4.3	05/12/22 15:48	
Manganese	mg/kg	<0.24	0.50	0.24	05/12/22 15:48	
Nickel	mg/kg	<0.20	0.50	0.20	05/12/22 15:48	
Potassium	mg/kg	<11.5	100	11.5	05/12/22 15:48	
Selenium	mg/kg	<0.086	0.50	0.086	05/12/22 15:48	
Silver	mg/kg	<0.14	0.50	0.14	05/12/22 15:48	
Sodium	mg/kg	<11.1	50.0	11.1	05/12/22 15:48	
Thallium	mg/kg	<0.037	0.10	0.037	05/12/22 15:48	
Vanadium	mg/kg	<0.18	1.0	0.18	05/12/22 15:48	
Zinc	mg/kg	<0.90	5.0	0.90	05/12/22 15:48	

LABORATORY CONTROL SAMPLE: 4315236

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Aluminum	mg/kg	980	975	99	80-120	
Antimony	mg/kg	49	47.6	97	80-120	
Arsenic	mg/kg	49	48.7	99	80-120	
Barium	mg/kg	49	47.4	97	80-120	
Beryllium	mg/kg	49	53.4	109	80-120	
Cadmium	mg/kg	49	48.8	100	80-120	
Calcium	mg/kg	980	972	99	80-120	
Chromium	mg/kg	49	49.5	101	80-120	
Cobalt	mg/kg	49	49.7	101	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

LABORATORY CONTROL SAMPLE: 4315236

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Copper	mg/kg	49	49.5	101	80-120	
Iron	mg/kg	980	985	100	80-120	
Lead	mg/kg	49	49.6	101	80-120	
Magnesium	mg/kg	980	970	99	80-120	
Manganese	mg/kg	49	48.6	99	80-120	
Nickel	mg/kg	49	50.8	104	80-120	
Potassium	mg/kg	980	983	100	80-120	
Selenium	mg/kg	49	50.9	104	80-120	
Silver	mg/kg	24.5	24.5	100	80-120	
Sodium	mg/kg	980	978	100	80-120	
Thallium	mg/kg	49	49.1	100	80-120	
Vanadium	mg/kg	49	48.4	99	80-120	
Zinc	mg/kg	49	49.9	102	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4315237 4315238

Parameter	Units	40244350001		4315237		4315238		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec						
Aluminum	mg/kg	9990	1260	1280	16400	14500	511	349	75-125	13	20	P6	
Antimony	mg/kg	0.13J	63	64.2	25.9	27.3	41	42	75-125	5	20	M1	
Arsenic	mg/kg	4.1	63	64.2	57.9	58.6	85	85	75-125	1	20		
Barium	mg/kg	154	63	64.2	254	235	159	126	75-125	8	20	M1	
Beryllium	mg/kg	0.77	63	64.2	61.4	62.5	96	96	75-125	2	20		
Cadmium	mg/kg	0.21	63	64.2	54.2	54.0	86	84	75-125	0	20		
Calcium	mg/kg	7890	1260	1280	7150	14100	-59	486	75-125	66	20	P6, R1	
Chromium	mg/kg	13.1	63	64.2	73.5	73.2	96	94	75-125	0	20		
Cobalt	mg/kg	4.2	63	64.2	62.4	61.1	92	88	75-125	2	20		
Copper	mg/kg	15.8	63	64.2	72.9	70.4	90	85	75-125	3	20		
Iron	mg/kg	12700	1260	1280	20000	18500	579	452	75-125	8	20	P6	
Lead	mg/kg	12.6	63	64.2	70.2	68.9	91	88	75-125	2	20		
Magnesium	mg/kg	4140	1260	1280	4520	8880	29	369	75-125	65	20	M1, R1	
Manganese	mg/kg	416	63	64.2	718	915	478	775	75-125	24	20	E, P6, R1	
Nickel	mg/kg	10.6	63	64.2	69.0	69.2	93	91	75-125	0	20		
Potassium	mg/kg	954	1260	1280	2520	2280	124	103	75-125	10	20		
Selenium	mg/kg	0.59J	63	64.2	58.3	59.1	92	91	75-125	1	20		
Silver	mg/kg	0.32J	31.6	32.1	25.9	27.4	81	84	75-125	6	20		
Sodium	mg/kg	38.8J	1260	1280	1130	1110	87	84	75-125	2	20		
Thallium	mg/kg	0.19	63	64.2	56.1	55.5	89	86	75-125	1	20		
Vanadium	mg/kg	25.0	63	64.2	85.5	85.7	96	94	75-125	0	20		
Zinc	mg/kg	47.2	63	64.2	120	113	116	102	75-125	6	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

QC Batch: 813858 Analysis Method: EPA 6020B
QC Batch Method: EPA 3050B Analysis Description: 6020B Solids UPD5
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 40244350022

METHOD BLANK: 4315239 Matrix: Solid
Associated Lab Samples: 40244350022

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Aluminum	mg/kg	<5.8	28.8	5.8	05/10/22 11:11	
Antimony	mg/kg	<0.092	0.48	0.092	05/10/22 11:11	
Arsenic	mg/kg	<0.10	0.48	0.10	05/10/22 11:11	
Barium	mg/kg	<0.051	0.29	0.051	05/10/22 11:11	
Beryllium	mg/kg	<0.038	0.19	0.038	05/10/22 11:11	
Cadmium	mg/kg	<0.030	0.077	0.030	05/10/22 11:11	
Calcium	mg/kg	<11.3	96.2	11.3	05/10/22 11:11	
Chromium	mg/kg	<0.13	1.9	0.13	05/10/22 11:11	
Cobalt	mg/kg	<0.095	0.48	0.095	05/10/22 11:11	
Copper	mg/kg	0.25J	0.96	0.23	05/10/22 11:11	
Iron	mg/kg	<10.1	48.1	10.1	05/10/22 11:11	
Lead	mg/kg	<0.028	0.48	0.028	05/10/22 11:11	
Magnesium	mg/kg	<4.1	28.8	4.1	05/10/22 11:11	
Manganese	mg/kg	<0.24	0.48	0.24	05/10/22 11:11	
Nickel	mg/kg	<0.19	0.48	0.19	05/10/22 11:11	
Potassium	mg/kg	<11.1	96.2	11.1	05/10/22 11:11	
Selenium	mg/kg	<0.082	0.48	0.082	05/10/22 11:11	
Silver	mg/kg	<0.14	0.48	0.14	05/10/22 11:11	
Sodium	mg/kg	<10.7	48.1	10.7	05/10/22 11:11	
Thallium	mg/kg	<0.035	0.096	0.035	05/10/22 11:11	
Vanadium	mg/kg	<0.17	0.96	0.17	05/10/22 11:11	
Zinc	mg/kg	<0.86	4.8	0.86	05/10/22 11:11	

LABORATORY CONTROL SAMPLE: 4315240

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Aluminum	mg/kg	980	1040	107	80-120	
Antimony	mg/kg	49	47.9	98	80-120	
Arsenic	mg/kg	49	48.4	99	80-120	
Barium	mg/kg	49	50.8	104	80-120	
Beryllium	mg/kg	49	53.4	109	80-120	
Cadmium	mg/kg	49	48.7	99	80-120	
Calcium	mg/kg	980	1070	109	80-120	
Chromium	mg/kg	49	53.3	109	80-120	
Cobalt	mg/kg	49	53.8	110	80-120	
Copper	mg/kg	49	52.1	106	80-120	
Iron	mg/kg	980	1010	103	80-120	
Lead	mg/kg	49	51.3	105	80-120	
Magnesium	mg/kg	980	1110	113	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

LABORATORY CONTROL SAMPLE: 4315240

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Manganese	mg/kg	49	50.2	102	80-120	
Nickel	mg/kg	49	52.2	106	80-120	
Potassium	mg/kg	980	1080	110	80-120	
Selenium	mg/kg	49	54.8	112	80-120	
Silver	mg/kg	24.5	26.3	107	80-120	
Sodium	mg/kg	980	1070	109	80-120	
Thallium	mg/kg	49	51.3	105	80-120	
Vanadium	mg/kg	49	52.1	106	80-120	
Zinc	mg/kg	49	50.0	102	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4315241 4315242

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244421001 Result	Spike Conc.	Spike Conc.	Result								
Aluminum	mg/kg	8030	1070	1060	13600	14400	524	602	75-125	6	20	P6	
Antimony	mg/kg	<0.10	53.6	53.1	32.0	28.8	59	54	75-125	11	20	M1	
Arsenic	mg/kg	1.8	53.6	53.1	55.1	53.5	100	97	75-125	3	20		
Barium	mg/kg	42.8	53.6	53.1	107	113	120	132	75-125	5	20	M1	
Beryllium	mg/kg	0.53	53.6	53.1	55.4	56.1	102	105	75-125	1	20		
Cadmium	mg/kg	0.12	53.6	53.1	53.6	52.7	100	99	75-125	2	20		
Calcium	mg/kg	2110	1070	1060	3490	3730	129	153	75-125	7	20	M1	
Chromium	mg/kg	12.0	53.6	53.1	76.9	74.7	121	118	75-125	3	20		
Cobalt	mg/kg	2.9	53.6	53.1	61.6	60.9	110	109	75-125	1	20		
Copper	mg/kg	12.7	53.6	53.1	72.2	73.6	111	115	75-125	2	20		
Iron	mg/kg	6030	1070	1060	8370	9250	219	303	75-125	10	20	E,P6	
Lead	mg/kg	10.8	53.6	53.1	69.8	68.6	110	109	75-125	2	20		
Magnesium	mg/kg	1720	1070	1060	3530	3700	169	186	75-125	5	20	M1	
Manganese	mg/kg	24.6	53.6	53.1	82.3	84.6	108	113	75-125	3	20		
Nickel	mg/kg	11.3	53.6	53.1	71.8	71.8	113	114	75-125	0	20		
Potassium	mg/kg	1120	1070	1060	2990	2990	174	175	75-125	0	20	M1	
Selenium	mg/kg	0.26J	53.6	53.1	56.8	57.1	105	107	75-125	1	20		
Silver	mg/kg	<0.16	26.8	26.6	29.1	28.4	108	107	75-125	2	20		
Sodium	mg/kg	198	1070	1060	1430	1420	115	115	75-125	1	20		
Thallium	mg/kg	0.17	53.6	53.1	57.2	56.3	106	106	75-125	2	20		
Vanadium	mg/kg	21.0	53.6	53.1	88.9	88.4	127	127	75-125	1	20	M1	
Zinc	mg/kg	18.7	53.6	53.1	77.9	78.6	111	113	75-125	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

QC Batch: 415132 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030 Analysis Description: 8260 MSV Low
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244350001, 40244350002, 40244350003, 40244350004, 40244350005, 40244350006, 40244350007, 40244350008, 40244350009, 40244350010, 40244350011, 40244350012, 40244350013

METHOD BLANK: 2390455 Matrix: Solid
Associated Lab Samples: 40244350001, 40244350002, 40244350003, 40244350004, 40244350005, 40244350006, 40244350007, 40244350008, 40244350009, 40244350010, 40244350011, 40244350012, 40244350013

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/06/22 07:54	
1,1,2,2-Tetrachloroethane	mg/kg	<0.0026	0.0050	0.0026	05/06/22 07:54	
1,1,2-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/06/22 07:54	
1,1-Dichloroethane	mg/kg	<0.0011	0.0050	0.0011	05/06/22 07:54	
1,1-Dichloroethene	mg/kg	<0.0011	0.0050	0.0011	05/06/22 07:54	
1,2-Dichloroethane	mg/kg	<0.00082	0.0050	0.00082	05/06/22 07:54	
1,2-Dichloropropane	mg/kg	<0.0010	0.0050	0.0010	05/06/22 07:54	
2-Butanone (MEK)	mg/kg	<0.016	0.025	0.016	05/06/22 07:54	
2-Hexanone	mg/kg	<0.011	0.025	0.011	05/06/22 07:54	
4-Methyl-2-pentanone (MIBK)	mg/kg	<0.020	0.025	0.020	05/06/22 07:54	
Acetone	mg/kg	<0.047	0.10	0.047	05/06/22 07:54	
Benzene	mg/kg	<0.00071	0.0050	0.00071	05/06/22 07:54	
Bromodichloromethane	mg/kg	<0.00068	0.0050	0.00068	05/06/22 07:54	
Bromoform	mg/kg	<0.0081	0.020	0.0081	05/06/22 07:54	
Bromomethane	mg/kg	<0.0045	0.0050	0.0045	05/06/22 07:54	
Carbon disulfide	mg/kg	<0.0011	0.0050	0.0011	05/06/22 07:54	
Carbon tetrachloride	mg/kg	<0.0032	0.0050	0.0032	05/06/22 07:54	
Chlorobenzene	mg/kg	<0.00092	0.0050	0.00092	05/06/22 07:54	
Chloroethane	mg/kg	<0.0036	0.0050	0.0036	05/06/22 07:54	
Chloroform	mg/kg	<0.00084	0.0050	0.00084	05/06/22 07:54	
Chloromethane	mg/kg	<0.0011	0.0050	0.0011	05/06/22 07:54	
cis-1,2-Dichloroethene	mg/kg	<0.00088	0.0050	0.00088	05/06/22 07:54	
cis-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/06/22 07:54	
Dibromochloromethane	mg/kg	<0.0010	0.0050	0.0010	05/06/22 07:54	
Ethylbenzene	mg/kg	<0.00089	0.0050	0.00089	05/06/22 07:54	
Methyl-tert-butyl ether	mg/kg	<0.0020	0.0050	0.0020	05/06/22 07:54	
Methylene Chloride	mg/kg	<0.0040	0.0050	0.0040	05/06/22 07:54	
Styrene	mg/kg	<0.00071	0.0050	0.00071	05/06/22 07:54	
Tetrachloroethene	mg/kg	<0.00089	0.0050	0.00089	05/06/22 07:54	
Toluene	mg/kg	<0.00088	0.0050	0.00088	05/06/22 07:54	
trans-1,2-Dichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/06/22 07:54	
trans-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/06/22 07:54	
Trichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/06/22 07:54	
Vinyl chloride	mg/kg	<0.0013	0.0050	0.0013	05/06/22 07:54	
Xylene (Total)	mg/kg	<0.0034	0.010	0.0034	05/06/22 07:54	
1,2-Dichlorobenzene-d4 (S)	%	97	70-130		05/06/22 07:54	
4-Bromofluorobenzene (S)	%	84	61-175		05/06/22 07:54	
Toluene-d8 (S)	%	98	69-156		05/06/22 07:54	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

LABORATORY CONTROL SAMPLE & LCSD: 2390456		2390457								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	mg/kg	0.05	0.047	0.052	94	104	57-126	10	22	
1,1,2,2-Tetrachloroethane	mg/kg	0.05	0.044	0.044	88	88	70-170	1	20	
1,1,2-Trichloroethane	mg/kg	0.05	0.050	0.048	100	96	59-128	5	20	
1,1-Dichloroethane	mg/kg	0.05	0.050	0.053	100	106	70-130	6	20	
1,1-Dichloroethene	mg/kg	0.05	0.043	0.047	87	95	57-118	9	23	
1,2-Dichloroethane	mg/kg	0.05	0.049	0.052	99	103	75-137	5	23	
1,2-Dichloropropane	mg/kg	0.05	0.046	0.050	92	100	74-132	8	22	
Benzene	mg/kg	0.05	0.046	0.047	91	94	68-130	3	24	
Bromodichloromethane	mg/kg	0.05	0.050	0.052	100	104	57-139	4	23	
Bromoform	mg/kg	0.05	0.053	0.053	107	106	62-131	1	20	
Bromomethane	mg/kg	0.05	0.054	0.058	108	115	20-175	7	28	
Carbon disulfide	mg/kg	0.05	0.041	0.045	83	90	40-128	8	22	
Carbon tetrachloride	mg/kg	0.05	0.048	0.052	96	105	50-128	8	24	
Chlorobenzene	mg/kg	0.05	0.052	0.053	103	106	70-130	3	20	
Chloroethane	mg/kg	0.05	0.043	0.047	86	94	49-129	9	25	
Chloroform	mg/kg	0.05	0.048	0.051	97	103	65-128	6	23	
Chloromethane	mg/kg	0.05	0.041	0.051	82	102	39-134	22	25	
cis-1,2-Dichloroethene	mg/kg	0.05	0.050	0.053	100	106	69-130	6	24	
cis-1,3-Dichloropropene	mg/kg	0.05	0.045	0.050	90	99	67-132	9	23	
Dibromochloromethane	mg/kg	0.05	0.050	0.051	99	101	60-127	2	20	
Ethylbenzene	mg/kg	0.05	0.048	0.048	96	95	64-128	1	21	
Methyl-tert-butyl ether	mg/kg	0.05	0.044	0.044	88	88	64-126	0	25	
Methylene Chloride	mg/kg	0.05	0.050	0.051	100	102	54-133	2	22	
Styrene	mg/kg	0.05	0.051	0.051	102	102	64-130	1	21	
Tetrachloroethene	mg/kg	0.05	0.055	0.055	110	111	62-130	1	23	
Toluene	mg/kg	0.05	0.047	0.047	94	94	71-117	1	21	
trans-1,2-Dichloroethene	mg/kg	0.05	0.050	0.051	101	103	67-130	2	20	
trans-1,3-Dichloropropene	mg/kg	0.05	0.044	0.043	88	86	63-130	2	22	
Trichloroethene	mg/kg	0.05	0.048	0.050	95	100	67-130	5	22	
Vinyl chloride	mg/kg	0.05	0.042	0.050	84	100	47-138	18	24	
Xylene (Total)	mg/kg	0.15	0.15	0.15	97	97	60-125	0	21	
1,2-Dichlorobenzene-d4 (S)	%				101	94	70-130			
4-Bromofluorobenzene (S)	%				94	93	61-175			
Toluene-d8 (S)	%				97	97	69-156			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

QC Batch:	415290	Analysis Method:	EPA 8260
QC Batch Method:	EPA 5035/5030	Analysis Description:	8260 MSV Low
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244350014, 40244350015, 40244350016, 40244350017, 40244350018, 40244350019, 40244350020, 40244350021, 40244350022

METHOD BLANK: 2391124 Matrix: Solid
Associated Lab Samples: 40244350014, 40244350015, 40244350016, 40244350017, 40244350018, 40244350019, 40244350020, 40244350021, 40244350022

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/09/22 09:14	
1,1,2,2-Tetrachloroethane	mg/kg	<0.0026	0.0050	0.0026	05/09/22 09:14	
1,1,2-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/09/22 09:14	
1,1-Dichloroethane	mg/kg	<0.0011	0.0050	0.0011	05/09/22 09:14	
1,1-Dichloroethene	mg/kg	<0.0011	0.0050	0.0011	05/09/22 09:14	
1,2-Dichloroethane	mg/kg	<0.00082	0.0050	0.00082	05/09/22 09:14	
1,2-Dichloropropane	mg/kg	<0.0010	0.0050	0.0010	05/09/22 09:14	
2-Butanone (MEK)	mg/kg	<0.016	0.025	0.016	05/09/22 09:14	
2-Hexanone	mg/kg	<0.011	0.025	0.011	05/09/22 09:14	
4-Methyl-2-pentanone (MIBK)	mg/kg	<0.020	0.025	0.020	05/09/22 09:14	
Acetone	mg/kg	<0.047	0.10	0.047	05/09/22 09:14	
Benzene	mg/kg	<0.00071	0.0050	0.00071	05/09/22 09:14	
Bromodichloromethane	mg/kg	<0.00068	0.0050	0.00068	05/09/22 09:14	
Bromoform	mg/kg	<0.0081	0.020	0.0081	05/09/22 09:14	
Bromomethane	mg/kg	<0.0045	0.0050	0.0045	05/09/22 09:14	
Carbon disulfide	mg/kg	<0.0011	0.0050	0.0011	05/09/22 09:14	
Carbon tetrachloride	mg/kg	<0.0032	0.0050	0.0032	05/09/22 09:14	
Chlorobenzene	mg/kg	<0.00092	0.0050	0.00092	05/09/22 09:14	
Chloroethane	mg/kg	<0.0036	0.0050	0.0036	05/09/22 09:14	
Chloroform	mg/kg	<0.00084	0.0050	0.00084	05/09/22 09:14	
Chloromethane	mg/kg	<0.0011	0.0050	0.0011	05/09/22 09:14	
cis-1,2-Dichloroethene	mg/kg	<0.00088	0.0050	0.00088	05/09/22 09:14	
cis-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/09/22 09:14	
Dibromochloromethane	mg/kg	<0.0010	0.0050	0.0010	05/09/22 09:14	
Ethylbenzene	mg/kg	<0.00089	0.0050	0.00089	05/09/22 09:14	
Methyl-tert-butyl ether	mg/kg	<0.0020	0.0050	0.0020	05/09/22 09:14	
Methylene Chloride	mg/kg	<0.0040	0.0050	0.0040	05/09/22 09:14	
Styrene	mg/kg	<0.00071	0.0050	0.00071	05/09/22 09:14	
Tetrachloroethene	mg/kg	<0.00089	0.0050	0.00089	05/09/22 09:14	
Toluene	mg/kg	<0.00088	0.0050	0.00088	05/09/22 09:14	
trans-1,2-Dichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/09/22 09:14	
trans-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/09/22 09:14	
Trichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/09/22 09:14	
Vinyl chloride	mg/kg	<0.0013	0.0050	0.0013	05/09/22 09:14	
Xylene (Total)	mg/kg	<0.0034	0.010	0.0034	05/09/22 09:14	
1,2-Dichlorobenzene-d4 (S)	%	88	70-130		05/09/22 09:14	
4-Bromofluorobenzene (S)	%	83	61-175		05/09/22 09:14	
Toluene-d8 (S)	%	101	69-156		05/09/22 09:14	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

LABORATORY CONTROL SAMPLE & LCSD: 2391125		2391126								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	mg/kg	0.05	0.041	0.048	83	96	57-126	15	22	
1,1,2,2-Tetrachloroethane	mg/kg	0.05	0.039	0.045	79	89	70-170	12	20	
1,1,2-Trichloroethane	mg/kg	0.05	0.044	0.050	89	100	59-128	12	20	
1,1-Dichloroethane	mg/kg	0.05	0.044	0.051	88	103	70-130	15	20	
1,1-Dichloroethene	mg/kg	0.05	0.041	0.047	81	94	57-118	15	23	
1,2-Dichloroethane	mg/kg	0.05	0.043	0.047	87	93	75-137	7	23	
1,2-Dichloropropane	mg/kg	0.05	0.042	0.051	83	102	74-132	20	22	
Benzene	mg/kg	0.05	0.041	0.048	82	97	68-130	17	24	
Bromodichloromethane	mg/kg	0.05	0.046	0.050	93	100	57-139	8	23	
Bromoform	mg/kg	0.05	0.046	0.054	92	108	62-131	16	20	
Bromomethane	mg/kg	0.05	0.055	0.057	111	115	20-175	3	28	
Carbon disulfide	mg/kg	0.05	0.037	0.043	73	86	40-128	17	22	
Carbon tetrachloride	mg/kg	0.05	0.043	0.054	87	108	50-128	21	24	
Chlorobenzene	mg/kg	0.05	0.043	0.054	86	108	70-130	23	20	R1
Chloroethane	mg/kg	0.05	0.042	0.047	84	94	49-129	11	25	
Chloroform	mg/kg	0.05	0.044	0.049	89	98	65-128	10	23	
Chloromethane	mg/kg	0.05	0.044	0.041	87	82	39-134	6	25	
cis-1,2-Dichloroethene	mg/kg	0.05	0.045	0.049	89	98	69-130	9	24	
cis-1,3-Dichloropropene	mg/kg	0.05	0.043	0.047	85	94	67-132	9	23	
Dibromochloromethane	mg/kg	0.05	0.045	0.052	90	104	60-127	15	20	
Ethylbenzene	mg/kg	0.05	0.039	0.047	78	95	64-128	20	21	
Methyl-tert-butyl ether	mg/kg	0.05	0.043	0.045	86	90	64-126	4	25	
Methylene Chloride	mg/kg	0.05	0.045	0.049	90	98	54-133	8	22	
Styrene	mg/kg	0.05	0.041	0.052	82	105	64-130	24	21	R1
Tetrachloroethene	mg/kg	0.05	0.043	0.054	87	107	62-130	21	23	
Toluene	mg/kg	0.05	0.038	0.046	76	92	71-117	19	21	
trans-1,2-Dichloroethene	mg/kg	0.05	0.043	0.047	87	95	67-130	9	20	
trans-1,3-Dichloropropene	mg/kg	0.05	0.036	0.043	71	86	63-130	19	22	
Trichloroethene	mg/kg	0.05	0.044	0.051	87	101	67-130	15	22	
Vinyl chloride	mg/kg	0.05	0.044	0.044	89	89	47-138	0	24	
Xylene (Total)	mg/kg	0.15	0.12	0.15	79	98	60-125	22	21	RS
1,2-Dichlorobenzene-d4 (S)	%				91	102	70-130			
4-Bromofluorobenzene (S)	%				83	88	61-175			
Toluene-d8 (S)	%				91	98	69-156			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

QC Batch: 415512	Analysis Method: EPA 8015D Modified
QC Batch Method: EPA 3546	Analysis Description: 8015 Solid GCSV
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244350005

METHOD BLANK: 2392195 Matrix: Solid

Associated Lab Samples: 40244350005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH (C08-C36)	mg/kg	1.0J	1.7	0.71	05/13/22 09:58	
TPH - Diesel (C10-C28)	mg/kg	<0.71	1.7	0.71	05/13/22 09:58	
o-Terphenyl (S)	%	74	28-123		05/13/22 09:58	

LABORATORY CONTROL SAMPLE: 2392196

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH (C08-C36)	mg/kg	16.7	13.0	78	59-120	
TPH - Diesel (C10-C28)	mg/kg	16.7	12.4	75	59-120	
o-Terphenyl (S)	%			86	28-123	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2392197 2392198

Parameter	Units	40244681005		2392197		2392198		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
TPH (C08-C36)	mg/kg	447	441	19.7	19.7	441	578	-31	667	10-120	27	50	
TPH - Diesel (C10-C28)	mg/kg	427	427	19.7	19.7	427	560	0	678	10-120	27	50	M0
o-Terphenyl (S)	%							0	0	28-123			S4

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

QC Batch: 415753 Analysis Method: EPA 8015D Modified
QC Batch Method: EPA 3546 Analysis Description: 8015 Solid GCSV
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244350006

METHOD BLANK: 2393977 Matrix: Solid
Associated Lab Samples: 40244350006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
TPH (C08-C36)	mg/kg	1.2J	1.7	0.71	05/17/22 06:17	
TPH - Diesel (C10-C28)	mg/kg	<0.71	1.7	0.71	05/17/22 06:17	
o-Terphenyl (S)	%	77	28-123		05/17/22 06:17	

LABORATORY CONTROL SAMPLE: 2393978

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
TPH (C08-C36)	mg/kg	16.7	13.9	83	59-120	
TPH - Diesel (C10-C28)	mg/kg	16.7	13.2	79	59-120	
o-Terphenyl (S)	%			96	28-123	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2393979 2393980

Parameter	Units	40244350006		2393980		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MSD Result								
TPH (C08-C36)	mg/kg	31.3	21.9	21.9	36.1	54.0	22	104	10-120	40	50		
TPH - Diesel (C10-C28)	mg/kg	25.5	21.9	21.9	32.7	50.2	33	113	10-120	42	50		
o-Terphenyl (S)	%						101	115	28-123				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

QC Batch: 675047 Analysis Method: EPA 8081
QC Batch Method: EPA 3546 Analysis Description: 8081 GCS Pesticides
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 40244350001, 40244350002, 40244350003, 40244350004, 40244350005, 40244350006, 40244350007, 40244350008, 40244350009, 40244350010, 40244350011, 40244350012, 40244350013, 40244350014, 40244350015, 40244350016, 40244350017, 40244350018, 40244350019, 40244350020

METHOD BLANK: 3108577 Matrix: Solid
Associated Lab Samples: 40244350001, 40244350002, 40244350003, 40244350004, 40244350005, 40244350006, 40244350007, 40244350008, 40244350009, 40244350010, 40244350011, 40244350012, 40244350013, 40244350014, 40244350015, 40244350016, 40244350017, 40244350018, 40244350019, 40244350020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	mg/kg	<0.00095	0.0049	0.00095	05/09/22 16:13	
4,4'-DDE	mg/kg	<0.00081	0.0049	0.00081	05/09/22 16:13	
4,4'-DDT	mg/kg	<0.0016	0.0049	0.0016	05/09/22 16:13	
Aldrin	mg/kg	<0.00047	0.0025	0.00047	05/09/22 16:13	
alpha-BHC	mg/kg	<0.00051	0.0025	0.00051	05/09/22 16:13	
alpha-Chlordane	mg/kg	<0.00043	0.0025	0.00043	05/09/22 16:13	
beta-BHC	mg/kg	<0.00046	0.0025	0.00046	05/09/22 16:13	
Chlordane (Technical)	mg/kg	<0.010	0.049	0.010	05/09/22 16:13	
delta-BHC	mg/kg	<0.00064	0.0025	0.00064	05/09/22 16:13	
Dieldrin	mg/kg	<0.00086	0.0049	0.00086	05/09/22 16:13	
Endosulfan I	mg/kg	<0.00041	0.0025	0.00041	05/09/22 16:13	
Endosulfan II	mg/kg	<0.00080	0.0049	0.00080	05/09/22 16:13	
Endosulfan sulfate	mg/kg	<0.00095	0.0049	0.00095	05/09/22 16:13	
Endrin	mg/kg	<0.00086	0.0049	0.00086	05/09/22 16:13	
Endrin aldehyde	mg/kg	<0.0011	0.0049	0.0011	05/09/22 16:13	
Endrin ketone	mg/kg	<0.0012	0.0049	0.0012	05/09/22 16:13	
gamma-BHC (Lindane)	mg/kg	<0.00044	0.0025	0.00044	05/09/22 16:13	
gamma-Chlordane	mg/kg	<0.00051	0.0025	0.00051	05/09/22 16:13	
Heptachlor	mg/kg	<0.00044	0.0025	0.00044	05/09/22 16:13	
Heptachlor epoxide	mg/kg	<0.00041	0.0025	0.00041	05/09/22 16:13	
Methoxychlor	mg/kg	<0.0056	0.025	0.0056	05/09/22 16:13	
Toxaphene	mg/kg	<0.017	0.049	0.017	05/09/22 16:13	
Decachlorobiphenyl (S)	%	72	10-147		05/09/22 16:13	

LABORATORY CONTROL SAMPLE: 3108578

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	mg/kg	0.02	0.017	85	40-148	
4,4'-DDE	mg/kg	0.02	0.016	80	42-145	
4,4'-DDT	mg/kg	0.02	0.018	90	28-169	
Aldrin	mg/kg	0.0099	0.0080	81	42-137	
alpha-BHC	mg/kg	0.0099	0.0087	88	40-141	
alpha-Chlordane	mg/kg	0.0099	0.0074	75	38-141	
beta-BHC	mg/kg	0.0099	0.0085	86	42-137	
delta-BHC	mg/kg	0.0099	0.0076	77	33-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

LABORATORY CONTROL SAMPLE: 3108578

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Dieldrin	mg/kg	0.02	0.016	82	42-143	
Endosulfan I	mg/kg	0.0099	0.0078	79	38-142	
Endosulfan II	mg/kg	0.02	0.017	87	42-153	
Endosulfan sulfate	mg/kg	0.02	0.015	75	36-133	
Endrin	mg/kg	0.02	0.018	89	43-145	
Endrin aldehyde	mg/kg	0.02	0.013	68	40-138	
Endrin ketone	mg/kg	0.02	0.017	86	35-154	
gamma-BHC (Lindane)	mg/kg	0.0099	0.0084	85	42-142	
gamma-Chlordane	mg/kg	0.0099	0.0076	77	44-148	
Heptachlor	mg/kg	0.0099	0.0091	92	42-143	
Heptachlor epoxide	mg/kg	0.0099	0.0080	80	41-136	
Methoxychlor	mg/kg	0.099	0.087	87	37-157	
Decachlorobiphenyl (S)	%			65	10-147	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3108579 3108580

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244350014 Result	Spike Conc.	Spike Conc.	Conc.								
4,4'-DDD	mg/kg	<0.0012	0.0247	0.026	0.016	0.015	59	57	10-171	2	20		
4,4'-DDE	mg/kg	<0.0010	0.0247	0.026	0.015	0.015	59	58	10-146	0	20		
4,4'-DDT	mg/kg	<0.0020	0.0247	0.026	0.016	0.018	64	69	10-165	9	20		
Aldrin	mg/kg	<0.00061	0.0126	0.0129	0.0092	0.0088	73	68	12-141	5	20		
alpha-BHC	mg/kg	<0.00066	0.0126	0.0129	0.0097	0.0094	77	73	14-157	3	20		
alpha-Chlordane	mg/kg	<0.00056	0.0126	0.0129	0.0073	0.0072	58	56	10-153	2	20		
beta-BHC	mg/kg	<0.00059	0.0126	0.0129	0.0089	0.0085	70	66	10-163	4	20		
delta-BHC	mg/kg	<0.00083	0.0126	0.0129	0.0080	0.0077	63	60	10-155	4	20		
Dieldrin	mg/kg	<0.0011	0.0247	0.026	0.016	0.015	62	60	14-141	1	20		
Endosulfan I	mg/kg	<0.00052	0.0126	0.0129	0.0072	0.0069	57	54	10-141	4	20		
Endosulfan II	mg/kg	<0.0010	0.0247	0.026	0.016	0.015	64	57	10-149	11	20		
Endosulfan sulfate	mg/kg	<0.0012	0.0247	0.026	0.013	0.012	52	46	10-126	11	20		
Endrin	mg/kg	<0.0011	0.0247	0.026	0.016	0.014	62	55	13-136	10	20		
Endrin aldehyde	mg/kg	<0.0014	0.0247	0.026	0.011	0.011	44	42	10-150	2	20		
Endrin ketone	mg/kg	<0.0016	0.0247	0.026	0.015	0.014	59	56	10-171	3	20		
gamma-BHC (Lindane)	mg/kg	<0.00057	0.0126	0.0129	0.0091	0.0087	72	68	18-152	4	20		
gamma-Chlordane	mg/kg	<0.00066	0.0126	0.0129	0.0081	0.0079	64	61	10-159	3	20		
Heptachlor	mg/kg	<0.00056	0.0126	0.0129	0.0095	0.0092	75	72	10-162	3	20		
Heptachlor epoxide	mg/kg	<0.00053	0.0126	0.0129	0.0079	0.0074	62	57	15-142	6	20		
Methoxychlor	mg/kg	<0.0072	0.126	0.129	0.079	0.080	63	62	10-178	1	20		
Decachlorobiphenyl (S)	%						50	47	10-147				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

QC Batch: 675139	Analysis Method: EPA 8081
QC Batch Method: EPA 3546	Analysis Description: 8081 GCS Pesticides
	Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 40244350022

METHOD BLANK: 3108879 Matrix: Solid
Associated Lab Samples: 40244350022

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	mg/kg	<0.00095	0.0049	0.00095	05/10/22 16:48	
4,4'-DDE	mg/kg	<0.00080	0.0049	0.00080	05/10/22 16:48	
4,4'-DDT	mg/kg	<0.0016	0.0049	0.0016	05/10/22 16:48	
Aldrin	mg/kg	<0.00047	0.0024	0.00047	05/10/22 16:48	
alpha-BHC	mg/kg	<0.00051	0.0024	0.00051	05/10/22 16:48	
alpha-Chlordane	mg/kg	<0.00043	0.0024	0.00043	05/10/22 16:48	
beta-BHC	mg/kg	<0.00046	0.0024	0.00046	05/10/22 16:48	
Chlordane (Technical)	mg/kg	<0.010	0.049	0.010	05/10/22 16:48	
delta-BHC	mg/kg	<0.00064	0.0024	0.00064	05/10/22 16:48	
Dieldrin	mg/kg	<0.00085	0.0049	0.00085	05/10/22 16:48	
Endosulfan I	mg/kg	<0.00040	0.0024	0.00040	05/10/22 16:48	
Endosulfan II	mg/kg	<0.00080	0.0049	0.00080	05/10/22 16:48	
Endosulfan sulfate	mg/kg	<0.00094	0.0049	0.00094	05/10/22 16:48	
Endrin	mg/kg	<0.00085	0.0049	0.00085	05/10/22 16:48	
Endrin aldehyde	mg/kg	<0.0011	0.0049	0.0011	05/10/22 16:48	
Endrin ketone	mg/kg	<0.0012	0.0049	0.0012	05/10/22 16:48	
gamma-BHC (Lindane)	mg/kg	<0.00044	0.0024	0.00044	05/10/22 16:48	
gamma-Chlordane	mg/kg	<0.00051	0.0024	0.00051	05/10/22 16:48	
Heptachlor	mg/kg	<0.00043	0.0024	0.00043	05/10/22 16:48	
Heptachlor epoxide	mg/kg	<0.00041	0.0024	0.00041	05/10/22 16:48	
Methoxychlor	mg/kg	<0.0056	0.024	0.0056	05/10/22 16:48	
Toxaphene	mg/kg	<0.017	0.049	0.017	05/10/22 16:48	
Decachlorobiphenyl (S)	%	75	10-147		05/10/22 16:48	

LABORATORY CONTROL SAMPLE: 3108880

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	mg/kg	0.02	0.017	84	40-148	
4,4'-DDE	mg/kg	0.02	0.016	82	42-145	
4,4'-DDT	mg/kg	0.02	0.016	82	28-169	
Aldrin	mg/kg	0.0098	0.0074	76	42-137	
alpha-BHC	mg/kg	0.0098	0.0078	79	40-141	
alpha-Chlordane	mg/kg	0.0098	0.0075	76	38-141	
beta-BHC	mg/kg	0.0098	0.0084	85	42-137	
delta-BHC	mg/kg	0.0098	0.0073	74	33-132	
Dieldrin	mg/kg	0.02	0.016	83	42-143	
Endosulfan I	mg/kg	0.0098	0.0078	80	38-142	
Endosulfan II	mg/kg	0.02	0.017	86	42-153	
Endosulfan sulfate	mg/kg	0.02	0.014	72	36-133	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

LABORATORY CONTROL SAMPLE: 3108880

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endrin	mg/kg	0.02	0.016	84	43-145	
Endrin aldehyde	mg/kg	0.02	0.015	74	40-138	
Endrin ketone	mg/kg	0.02	0.015	79	35-154	
gamma-BHC (Lindane)	mg/kg	0.0098	0.0078	80	42-142	
gamma-Chlordane	mg/kg	0.0098	0.0071	72	44-148	
Heptachlor	mg/kg	0.0098	0.0082	84	42-143	
Heptachlor epoxide	mg/kg	0.0098	0.0077	79	41-136	
Methoxychlor	mg/kg	0.098	0.078	80	37-157	
Decachlorobiphenyl (S)	%			65	10-147	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3108881 3108882

Parameter	Units	50315774001		3108881		3108882		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result							
4,4'-DDD	mg/kg	ND	0.0244	0.0244	0.017	0.015	70	61	10-171	13	20		
4,4'-DDE	mg/kg	ND	0.0244	0.0244	0.017	0.015	71	61	10-146	14	20		
4,4'-DDT	mg/kg	ND	0.0244	0.0244	0.016	0.014	65	57	10-165	13	20		
Aldrin	mg/kg	ND	0.0123	0.0123	0.0093	0.0080	75	65	12-141	14	20		
alpha-BHC	mg/kg	ND	0.0123	0.0123	0.0094	0.0077	76	62	14-157	20	20		
alpha-Chlordane	mg/kg	ND	0.0123	0.0123	0.0084	0.0072	68	59	10-153	14	20		
beta-BHC	mg/kg	ND	0.0123	0.0123	0.0094	0.0081	77	66	10-163	15	20		
delta-BHC	mg/kg	ND	0.0123	0.0123	0.0085	0.0073	70	60	10-155	15	20		
Dieldrin	mg/kg	ND	0.0244	0.0244	0.018	0.015	72	61	14-141	15	20		
Endosulfan I	mg/kg	ND	0.0123	0.0123	0.0085	0.0074	69	60	10-141	14	20		
Endosulfan II	mg/kg	ND	0.0244	0.0244	0.018	0.015	71	62	10-149	14	20		
Endosulfan sulfate	mg/kg	ND	0.0244	0.0244	0.015	0.013	61	53	10-126	14	20		
Endrin	mg/kg	ND	0.0244	0.0244	0.017	0.015	70	61	13-136	13	20		
Endrin aldehyde	mg/kg	ND	0.0244	0.0244	0.015	0.014	60	56	10-150	7	20		
Endrin ketone	mg/kg	ND	0.0244	0.0244	0.016	0.014	65	57	10-171	13	20		
gamma-BHC (Lindane)	mg/kg	ND	0.0123	0.0123	0.0094	0.0076	77	61	18-152	22	20	R1	
gamma-Chlordane	mg/kg	ND	0.0123	0.0123	0.0089	0.0081	72	66	10-159	9	20		
Heptachlor	mg/kg	ND	0.0123	0.0123	0.0089	0.0078	73	63	10-162	13	20		
Heptachlor epoxide	mg/kg	ND	0.0123	0.0123	0.0085	0.0077	69	62	15-142	10	20		
Methoxychlor	mg/kg	ND	0.123	0.123	0.080	0.070	65	57	10-178	13	20		
Decachlorobiphenyl (S)	%						56	51	10-147				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

QC Batch: 414876 Analysis Method: EPA 8082A
QC Batch Method: EPA 3541 Analysis Description: 8082 GCS PCB
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244350001, 40244350002

METHOD BLANK: 2388714 Matrix: Solid
Associated Lab Samples: 40244350001, 40244350002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	0.015	05/05/22 20:54	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	0.015	05/05/22 20:54	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	0.015	05/05/22 20:54	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	0.015	05/05/22 20:54	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	0.015	05/05/22 20:54	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	0.015	05/05/22 20:54	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	0.015	05/05/22 20:54	
Decachlorobiphenyl (S)	%	88	38-95		05/05/22 20:54	
Tetrachloro-m-xylene (S)	%	81	50-99		05/05/22 20:54	

LABORATORY CONTROL SAMPLE: 2388715

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.45	90	71-104	
Decachlorobiphenyl (S)	%			91	38-95	
Tetrachloro-m-xylene (S)	%			84	50-99	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2388716 2388717

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244295004	Spike Conc.	Spike Conc.	Result						
PCB-1016 (Aroclor 1016)	mg/kg	<18.3 ug/kg			<0.018	<0.018				20	
PCB-1221 (Aroclor 1221)	mg/kg	<18.3 ug/kg			<0.018	<0.018				20	
PCB-1232 (Aroclor 1232)	mg/kg	<18.3 ug/kg			<0.018	<0.018				20	
PCB-1242 (Aroclor 1242)	mg/kg	<18.3 ug/kg			<0.018	<0.018				20	
PCB-1248 (Aroclor 1248)	mg/kg	<18.3 ug/kg			<0.018	<0.018				20	
PCB-1254 (Aroclor 1254)	mg/kg	<18.3 ug/kg			<0.018	<0.018				20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Parameter	Units	40244295004		2388716		2388717		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec							
PCB-1260 (Aroclor 1260)	mg/kg	<18.3 ug/kg	0.6	0.6	0.50	0.50	84	83	42-109	0	20			
Decachlorobiphenyl (S)	%						82	82	38-95					
Tetrachloro-m-xylene (S)	%						80	79	50-99					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

QC Batch:	414900	Analysis Method:	EPA 8082A
QC Batch Method:	EPA 3541	Analysis Description:	8082 GCS PCB
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244350003, 40244350004, 40244350005, 40244350006, 40244350007, 40244350008, 40244350009, 40244350010, 40244350011, 40244350012, 40244350013, 40244350014, 40244350015, 40244350016, 40244350017, 40244350018, 40244350019, 40244350020, 40244350022

METHOD BLANK: 2388762 Matrix: Solid
Associated Lab Samples: 40244350003, 40244350004, 40244350005, 40244350006, 40244350007, 40244350008, 40244350009, 40244350010, 40244350011, 40244350012, 40244350013, 40244350014, 40244350015, 40244350016, 40244350017, 40244350018, 40244350019, 40244350020, 40244350022

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	0.015	05/06/22 08:45	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	0.015	05/06/22 08:45	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	0.015	05/06/22 08:45	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	0.015	05/06/22 08:45	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	0.015	05/06/22 08:45	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	0.015	05/06/22 08:45	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	0.015	05/06/22 08:45	
Decachlorobiphenyl (S)	%	84	38-95		05/06/22 08:45	
Tetrachloro-m-xylene (S)	%	76	50-99		05/06/22 08:45	

LABORATORY CONTROL SAMPLE: 2388763

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.44	87	71-104	
Decachlorobiphenyl (S)	%			87	38-95	
Tetrachloro-m-xylene (S)	%			77	50-99	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2388764 2388765

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244350003 Result	Spike Conc.	Spike Conc.	Result						
PCB-1016 (Aroclor 1016)	mg/kg	<0.020			<0.020	<0.020				20	
PCB-1221 (Aroclor 1221)	mg/kg	<0.020			<0.020	<0.020				20	
PCB-1232 (Aroclor 1232)	mg/kg	<0.020			<0.020	<0.020				20	
PCB-1242 (Aroclor 1242)	mg/kg	<0.020			<0.020	<0.020				20	
PCB-1248 (Aroclor 1248)	mg/kg	<0.020			<0.020	<0.020				20	
PCB-1254 (Aroclor 1254)	mg/kg	<0.020			<0.020	<0.020				20	
PCB-1260 (Aroclor 1260)	mg/kg	<0.020	0.66	0.66	0.56	0.56	85	85	42-109	0	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2388764 2388765												
Parameter	Units	40244350003 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	Spike Conc.								
Decachlorobiphenyl (S)	%							83	84	38-95		
Tetrachloro-m-xylene (S)	%							74	74	50-99		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

QC Batch:	414937	Analysis Method:	EPA 8270E
QC Batch Method:	EPA 3546	Analysis Description:	8270E Solid MSSV Microwave
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244350001, 40244350002, 40244350003, 40244350004, 40244350005, 40244350006, 40244350007, 40244350008, 40244350009, 40244350010, 40244350011, 40244350012, 40244350013, 40244350014, 40244350016, 40244350017, 40244350018

METHOD BLANK: 2389173 Matrix: Solid
Associated Lab Samples: 40244350001, 40244350002, 40244350003, 40244350004, 40244350005, 40244350006, 40244350007, 40244350008, 40244350009, 40244350010, 40244350011, 40244350012, 40244350013, 40244350014, 40244350016, 40244350017, 40244350018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	<0.019	0.063	0.019	05/06/22 22:45	
1,2-Dichlorobenzene	mg/kg	<0.053	0.18	0.053	05/06/22 22:45	
1,3-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/06/22 22:45	
1,4-Dichlorobenzene	mg/kg	<0.023	0.078	0.023	05/06/22 22:45	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.043	0.14	0.043	05/06/22 22:45	
2,4,5-Trichlorophenol	mg/kg	<0.030	0.098	0.030	05/06/22 22:45	
2,4,6-Trichlorophenol	mg/kg	<0.025	0.085	0.025	05/06/22 22:45	
2,4-Dichlorophenol	mg/kg	<0.045	0.15	0.045	05/06/22 22:45	
2,4-Dimethylphenol	mg/kg	<0.033	0.11	0.033	05/06/22 22:45	
2,4-Dinitrophenol	mg/kg	<0.051	0.17	0.051	05/06/22 22:45	
2,4-Dinitrotoluene	mg/kg	<0.024	0.080	0.024	05/06/22 22:45	
2,6-Dinitrotoluene	mg/kg	<0.032	0.11	0.032	05/06/22 22:45	
2-Chloronaphthalene	mg/kg	<0.021	0.072	0.021	05/06/22 22:45	
2-Chlorophenol	mg/kg	<0.042	0.14	0.042	05/06/22 22:45	
2-Methylnaphthalene	mg/kg	<0.043	0.14	0.043	05/06/22 22:45	
2-Methylphenol(o-Cresol)	mg/kg	<0.030	0.10	0.030	05/06/22 22:45	
2-Nitroaniline	mg/kg	<0.048	0.16	0.048	05/06/22 22:45	
2-Nitrophenol	mg/kg	<0.053	0.18	0.053	05/06/22 22:45	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.031	0.10	0.031	05/06/22 22:45	
3,3'-Dichlorobenzidine	mg/kg	<0.045	0.15	0.045	05/06/22 22:45	
3-Nitroaniline	mg/kg	<0.028	0.095	0.028	05/06/22 22:45	
4,6-Dinitro-2-methylphenol	mg/kg	<0.052	0.17	0.052	05/06/22 22:45	
4-Bromophenylphenyl ether	mg/kg	<0.035	0.12	0.035	05/06/22 22:45	
4-Chloro-3-methylphenol	mg/kg	<0.052	0.17	0.052	05/06/22 22:45	
4-Chloroaniline	mg/kg	<0.027	0.092	0.027	05/06/22 22:45	2q
4-Chlorophenylphenyl ether	mg/kg	<0.031	0.10	0.031	05/06/22 22:45	
4-Nitroaniline	mg/kg	<0.069	0.23	0.069	05/06/22 22:45	
4-Nitrophenol	mg/kg	<0.042	0.14	0.042	05/06/22 22:45	
Acenaphthene	mg/kg	<0.059	0.20	0.059	05/06/22 22:45	
Acenaphthylene	mg/kg	<0.060	0.20	0.060	05/06/22 22:45	
Anthracene	mg/kg	<0.027	0.089	0.027	05/06/22 22:45	
Benzo(a)anthracene	mg/kg	<0.026	0.086	0.026	05/06/22 22:45	
Benzo(a)pyrene	mg/kg	<0.025	0.084	0.025	05/06/22 22:45	
Benzo(b)fluoranthene	mg/kg	<0.029	0.096	0.029	05/06/22 22:45	
Benzo(g,h,i)perylene	mg/kg	<0.044	0.15	0.044	05/06/22 22:45	
Benzo(k)fluoranthene	mg/kg	<0.040	0.13	0.040	05/06/22 22:45	
bis(2-Chloroethoxy)methane	mg/kg	<0.045	0.15	0.045	05/06/22 22:45	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

METHOD BLANK: 2389173

Matrix: Solid

Associated Lab Samples: 40244350001, 40244350002, 40244350003, 40244350004, 40244350005, 40244350006, 40244350007, 40244350008, 40244350009, 40244350010, 40244350011, 40244350012, 40244350013, 40244350014, 40244350016, 40244350017, 40244350018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
bis(2-Chloroethyl) ether	mg/kg	<0.052	0.17	0.052	05/06/22 22:45	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.028	0.093	0.028	05/06/22 22:45	
Butylbenzylphthalate	mg/kg	<0.027	0.089	0.027	05/06/22 22:45	CU
Carbazole	mg/kg	<0.026	0.087	0.026	05/06/22 22:45	
Chrysene	mg/kg	<0.025	0.083	0.025	05/06/22 22:45	
Di-n-butylphthalate	mg/kg	<0.025	0.083	0.025	05/06/22 22:45	
Di-n-octylphthalate	mg/kg	<0.038	0.13	0.038	05/06/22 22:45	
Dibenz(a,h)anthracene	mg/kg	<0.045	0.15	0.045	05/06/22 22:45	
Dibenzofuran	mg/kg	<0.020	0.067	0.020	05/06/22 22:45	
Diethylphthalate	mg/kg	<0.028	0.092	0.028	05/06/22 22:45	
Dimethylphthalate	mg/kg	<0.022	0.072	0.022	05/06/22 22:45	
Fluoranthene	mg/kg	<0.024	0.079	0.024	05/06/22 22:45	
Fluorene	mg/kg	<0.020	0.065	0.020	05/06/22 22:45	
Hexachloro-1,3-butadiene	mg/kg	<0.043	0.14	0.043	05/06/22 22:45	
Hexachlorobenzene	mg/kg	<0.028	0.094	0.028	05/06/22 22:45	
Hexachlorocyclopentadiene	mg/kg	<0.040	0.13	0.040	05/06/22 22:45	
Hexachloroethane	mg/kg	<0.027	0.089	0.027	05/06/22 22:45	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.036	0.12	0.036	05/06/22 22:45	
Isophorone	mg/kg	<0.026	0.086	0.026	05/06/22 22:45	
N-Nitroso-di-n-propylamine	mg/kg	<0.027	0.088	0.027	05/06/22 22:45	
N-Nitrosodiphenylamine	mg/kg	<0.23	0.76	0.23	05/06/22 22:45	
Naphthalene	mg/kg	<0.058	0.19	0.058	05/06/22 22:45	
Nitrobenzene	mg/kg	<0.034	0.11	0.034	05/06/22 22:45	
Pentachlorophenol	mg/kg	<0.037	0.12	0.037	05/06/22 22:45	
Phenanthrene	mg/kg	<0.021	0.071	0.021	05/06/22 22:45	
Phenol	mg/kg	<0.040	0.13	0.040	05/06/22 22:45	
Pyrene	mg/kg	<0.037	0.12	0.037	05/06/22 22:45	
2,4,6-Tribromophenol (S)	%	105	10-144		05/06/22 22:45	
2-Fluorobiphenyl (S)	%	90	12-118		05/06/22 22:45	
2-Fluorophenol (S)	%	82	10-130		05/06/22 22:45	
Nitrobenzene-d5 (S)	%	98	10-125		05/06/22 22:45	
Phenol-d6 (S)	%	90	10-125		05/06/22 22:45	
Terphenyl-d14 (S)	%	96	10-124		05/06/22 22:45	

LABORATORY CONTROL SAMPLE: 2389174

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	1.7	1.6	94	70-130	
1,2-Dichlorobenzene	mg/kg	1.7	1.5	90	66-130	
1,3-Dichlorobenzene	mg/kg	1.7	1.4	87	66-130	
1,4-Dichlorobenzene	mg/kg	1.7	1.4	86	64-130	
2,2'-Oxybis(1-chloropropane)	mg/kg	1.7	1.4	86	65-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

LABORATORY CONTROL SAMPLE: 2389174

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4,5-Trichlorophenol	mg/kg	1.7	1.7	104	70-125	
2,4,6-Trichlorophenol	mg/kg	1.7	1.6	95	70-124	
2,4-Dichlorophenol	mg/kg	1.7	1.7	101	70-121	
2,4-Dimethylphenol	mg/kg	1.7	1.6	98	70-130	
2,4-Dinitrophenol	mg/kg	1.7	1.3	76	26-103	
2,4-Dinitrotoluene	mg/kg	1.7	1.7	101	70-130	
2,6-Dinitrotoluene	mg/kg	1.7	1.8	110	70-130	
2-Chloronaphthalene	mg/kg	1.7	1.5	93	70-130	
2-Chlorophenol	mg/kg	1.7	1.6	96	67-130	
2-Methylnaphthalene	mg/kg	1.7	1.6	97	70-130	
2-Methylphenol(o-Cresol)	mg/kg	1.7	1.6	99	69-130	
2-Nitroaniline	mg/kg	1.7	1.9	111	70-124	
2-Nitrophenol	mg/kg	1.7	1.8	106	70-130	
3&4-Methylphenol(m&p Cresol)	mg/kg	1.7	1.6	96	70-130	
3,3'-Dichlorobenzidine	mg/kg	1.7	1.2	70	48-112	
3-Nitroaniline	mg/kg	1.7	1.5	88	57-121	
4,6-Dinitro-2-methylphenol	mg/kg	1.7	1.5	91	59-115	
4-Bromophenylphenyl ether	mg/kg	1.7	1.6	99	70-130	
4-Chloro-3-methylphenol	mg/kg	1.7	1.7	104	70-130	
4-Chloroaniline	mg/kg	1.7	1.1	66	45-130	2q
4-Chlorophenylphenyl ether	mg/kg	1.7	1.6	96	70-130	
4-Nitroaniline	mg/kg	1.7	1.7	104	62-127	
4-Nitrophenol	mg/kg	1.7	1.7	103	50-126	
Acenaphthene	mg/kg	1.7	1.5	92	70-130	
Acenaphthylene	mg/kg	1.7	1.7	104	70-130	
Anthracene	mg/kg	1.7	1.6	95	70-130	
Benzo(a)anthracene	mg/kg	1.7	1.5	89	70-130	
Benzo(a)pyrene	mg/kg	1.7	1.4	84	70-130	
Benzo(b)fluoranthene	mg/kg	1.7	1.4	84	70-130	
Benzo(g,h,i)perylene	mg/kg	1.7	1.4	83	65-130	
Benzo(k)fluoranthene	mg/kg	1.7	1.4	85	70-130	
bis(2-Chloroethoxy)methane	mg/kg	1.7	1.6	96	70-130	
bis(2-Chloroethyl) ether	mg/kg	1.7	1.4	87	68-130	
bis(2-Ethylhexyl)phthalate	mg/kg	1.7	1.6	97	70-130	
Butylbenzylphthalate	mg/kg	1.7	1.8	107	70-130	CH
Carbazole	mg/kg	1.7	1.6	98	70-130	
Chrysene	mg/kg	1.7	1.5	91	70-130	
Di-n-butylphthalate	mg/kg	1.7	1.7	99	70-130	
Di-n-octylphthalate	mg/kg	1.7	1.7	99	67-134	
Dibenz(a,h)anthracene	mg/kg	1.7	1.4	84	68-130	
Dibenzofuran	mg/kg	1.7	1.6	94	70-130	
Diethylphthalate	mg/kg	1.7	1.7	100	70-130	
Dimethylphthalate	mg/kg	1.7	1.7	104	70-130	
Fluoranthene	mg/kg	1.7	1.6	95	70-130	
Fluorene	mg/kg	1.7	1.7	103	70-130	
Hexachloro-1,3-butadiene	mg/kg	1.7	1.6	97	67-130	
Hexachlorobenzene	mg/kg	1.7	1.5	90	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

LABORATORY CONTROL SAMPLE: 2389174

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Hexachlorocyclopentadiene	mg/kg	1.7	1.4	86	54-114	
Hexachloroethane	mg/kg	1.7	1.6	95	64-130	
Indeno(1,2,3-cd)pyrene	mg/kg	1.7	1.3	76	63-130	
Isophorone	mg/kg	1.7	1.7	102	70-130	
N-Nitroso-di-n-propylamine	mg/kg	1.7	1.6	99	70-130	
N-Nitrosodiphenylamine	mg/kg	1.7	1.7	100	70-130	
Naphthalene	mg/kg	1.7	1.5	92	70-130	
Nitrobenzene	mg/kg	1.7	1.7	102	70-130	
Pentachlorophenol	mg/kg	1.7	1.5	92	47-108	
Phenanthrene	mg/kg	1.7	1.6	95	70-130	
Phenol	mg/kg	1.7	1.6	93	67-130	
Pyrene	mg/kg	1.7	1.5	93	70-130	
2,4,6-Tribromophenol (S)	%			104	10-144	
2-Fluorobiphenyl (S)	%			94	12-118	
2-Fluorophenol (S)	%			90	10-130	
Nitrobenzene-d5 (S)	%			99	10-125	
Phenol-d6 (S)	%			89	10-125	
Terphenyl-d14 (S)	%			92	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2389446 2389447

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244262008 Result	Spike Conc.	Spike Conc.	MSD Result								
1,2,4-Trichlorobenzene	mg/kg	<0.025	2.2	2.2	2.2	1.7	1.6	76	75	45-130	2	28	
1,2-Dichlorobenzene	mg/kg	<0.068	2.2	2.2	2.2	1.6	1.7	72	79	45-130	9	29	
1,3-Dichlorobenzene	mg/kg	<0.030	2.2	2.2	2.2	1.6	1.6	76	74	42-130	3	30	
1,4-Dichlorobenzene	mg/kg	<0.030	2.2	2.2	2.2	1.7	1.7	76	78	42-130	2	32	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.056	2.2	2.2	2.2	1.5	1.6	70	73	44-130	4	26	
2,4,5-Trichlorophenol	mg/kg	<0.038	2.2	2.2	2.2	1.6	1.7	74	78	11-125	5	30	
2,4,6-Trichlorophenol	mg/kg	<0.033	2.2	2.2	2.2	1.4	1.7	65	79	16-124	20	31	
2,4-Dichlorophenol	mg/kg	<0.058	2.2	2.2	2.2	1.5	1.5	68	71	19-121	5	29	
2,4-Dimethylphenol	mg/kg	<0.043	2.2	2.2	2.2	0.90	1.1	41	50	29-130	19	32	
2,4-Dinitrophenol	mg/kg	<0.066	2.2	2.2	2.2	1.4	1.4	62	63	10-103	1	50	
2,4-Dinitrotoluene	mg/kg	<0.031	2.2	2.2	2.2	1.8	2.0	81	93	38-130	13	27	
2,6-Dinitrotoluene	mg/kg	<0.041	2.2	2.2	2.2	1.7	2.1	78	95	41-130	19	28	
2-Chloronaphthalene	mg/kg	<0.028	2.2	2.2	2.2	1.5	1.7	69	78	44-130	12	24	
2-Chlorophenol	mg/kg	<0.054	2.2	2.2	2.2	1.4	1.6	64	73	33-130	13	30	
2-Methylnaphthalene	mg/kg	<0.056	2.2	2.2	2.2	1.6	1.7	72	77	46-130	7	23	
2-Methylphenol(o-Cresol)	mg/kg	<0.039	2.2	2.2	2.2	1.2	1.3	53	59	30-130	11	30	
2-Nitroaniline	mg/kg	<0.062	2.2	2.2	2.2	2.0	2.2	92	100	27-124	7	25	
2-Nitrophenol	mg/kg	<0.068	2.2	2.2	2.2	1.8	1.9	84	87	10-130	3	27	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.040	2.2	2.2	2.2	1.1	1.2	49	53	28-130	8	33	
3,3'-Dichlorobenzidine	mg/kg	<0.059	2.2	2.2	2.2	0.65	0.57	30	26	10-112	13	43	
3-Nitroaniline	mg/kg	<0.037	2.2	2.2	2.2	1.3	1.2	59	56	10-121	6	33	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Parameter	Units	2389446		2389447		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40244262008 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
4,6-Dinitro-2-methylphenol	mg/kg	<0.067	2.2	2.2	1.4	1.7	64	80	10-115	22	50		
4-Bromophenylphenyl ether	mg/kg	<0.045	2.2	2.2	1.4	1.6	65	76	40-130	15	25		
4-Chloro-3-methylphenol	mg/kg	<0.068	2.2	2.2	1.3	1.5	60	68	30-130	11	29		
4-Chloroaniline	mg/kg	<0.036	2.2	2.2	1.4	1.2	64	55	16-130	16	33	2q	
4-Chlorophenylphenyl ether	mg/kg	<0.040	2.2	2.2	1.6	1.8	75	83	46-130	11	24		
4-Nitroaniline	mg/kg	<0.090	2.2	2.2	0.76	0.86	35	40	10-127	12	40		
4-Nitrophenol	mg/kg	<0.055	2.2	2.2	1.8	2.0	85	92	10-128	8	50		
Acenaphthene	mg/kg	<0.077	2.2	2.2	1.5	1.8	70	81	47-130	15	21		
Acenaphthylene	mg/kg	<0.077	2.2	2.2	1.6	1.8	75	84	49-130	11	22		
Anthracene	mg/kg	<0.035	2.2	2.2	1.6	1.7	72	77	46-130	7	27		
Benzo(a)anthracene	mg/kg	<0.034	2.2	2.2	1.6	1.6	72	73	45-130	2	24		
Benzo(a)pyrene	mg/kg	0.051J	2.2	2.2	1.5	1.6	66	74	48-130	11	27		
Benzo(b)fluoranthene	mg/kg	0.042J	2.2	2.2	1.5	1.6	66	74	41-130	11	31		
Benzo(g,h,i)perylene	mg/kg	0.061J	2.2	2.2	1.4	1.6	61	72	37-130	15	31		
Benzo(k)fluoranthene	mg/kg	<0.052	2.2	2.2	1.4	1.6	65	73	46-130	12	27		
bis(2-Chloroethoxy)methane	mg/kg	<0.058	2.2	2.2	1.5	1.6	70	75	38-130	7	26		
bis(2-Chloroethyl) ether	mg/kg	<0.068	2.2	2.2	1.6	1.6	72	76	42-130	6	29		
bis(2-Ethylhexyl)phthalate	mg/kg	<0.036	2.2	2.2	1.7	1.7	80	78	39-130	2	27		
Butylbenzylphthalate	mg/kg	<0.035	2.2	2.2	1.8	1.9	84	87	39-130	4	27	CH	
Carbazole	mg/kg	<0.034	2.2	2.2	1.4	1.4	67	66	44-130	1	24		
Chrysene	mg/kg	<0.032	2.2	2.2	1.6	1.5	74	71	44-130	3	25		
Di-n-butylphthalate	mg/kg	<0.032	2.2	2.2	1.5	1.9	71	87	45-130	21	26		
Di-n-octylphthalate	mg/kg	<0.049	2.2	2.2	1.7	1.7	80	80	40-134	1	27		
Dibenz(a,h)anthracene	mg/kg	0.068J	2.2	2.2	1.5	1.5	64	67	41-130	4	33		
Dibenzofuran	mg/kg	<0.026	2.2	2.2	1.6	1.9	73	86	47-130	16	23		
Diethylphthalate	mg/kg	<0.036	2.2	2.2	1.5	1.8	71	83	46-130	15	24		
Dimethylphthalate	mg/kg	<0.028	2.2	2.2	1.7	1.7	76	80	47-130	4	24		
Fluoranthene	mg/kg	<0.031	2.2	2.2	1.7	1.9	77	87	50-130	13	27		
Fluorene	mg/kg	<0.025	2.2	2.2	1.6	1.8	74	85	48-130	13	25		
Hexachloro-1,3-butadiene	mg/kg	<0.055	2.2	2.2	1.5	1.7	70	80	42-130	12	27		
Hexachlorobenzene	mg/kg	<0.036	2.2	2.2	1.4	1.7	65	81	51-130	21	24		
Hexachlorocyclopentadiene	mg/kg	<0.051	2.2	2.2	1.4	1.5	66	67	10-114	1	50		
Hexachloroethane	mg/kg	<0.035	2.2	2.2	1.7	1.6	77	76	33-130	1	35		
Indeno(1,2,3-cd)pyrene	mg/kg	0.082J	2.2	2.2	1.4	1.5	59	64	34-130	8	38		
Isophorone	mg/kg	<0.033	2.2	2.2	1.7	1.8	79	83	45-130	5	28		
N-Nitroso-di-n-propylamine	mg/kg	<0.034	2.2	2.2	1.7	1.8	78	81	47-130	4	27		
N-Nitrosodiphenylamine	mg/kg	<0.29	2.2	2.2	1.4	1.6	67	74	42-130	11	25		
Naphthalene	mg/kg	<0.076	2.2	2.2	1.6	1.7	76	79	48-130	3	24		
Nitrobenzene	mg/kg	<0.044	2.2	2.2	1.7	1.8	80	83	42-130	4	25		
Pentachlorophenol	mg/kg	<0.048	2.2	2.2	1.4	1.7	65	79	10-108	19	50		
Phenanthrene	mg/kg	<0.028	2.2	2.2	1.5	1.6	71	74	50-130	5	27		
Phenol	mg/kg	<0.051	2.2	2.2	1.2	1.2	57	57	37-130	0	30		
Pyrene	mg/kg	<0.048	2.2	2.2	1.7	1.6	78	76	43-130	2	29		
2,4,6-Tribromophenol (S)	%						65	67	10-144				
2-Fluorobiphenyl (S)	%						67	74	12-118				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2389446 2389447												
Parameter	Units	40244262008 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	Spike Conc.								
2-Fluorophenol (S)	%							53	60	10-130		
Nitrobenzene-d5 (S)	%							79	86	10-125		
Phenol-d6 (S)	%							56	55	10-125		
Terphenyl-d14 (S)	%							64	66	10-124		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

QC Batch: 415099 Analysis Method: EPA 8270E
QC Batch Method: EPA 3546 Analysis Description: 8270E Solid MSSV Microwave
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244350019, 40244350020, 40244350022

METHOD BLANK: 2390340 Matrix: Solid

Associated Lab Samples: 40244350019, 40244350020, 40244350022

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	<0.019	0.063	0.019	05/10/22 11:04	
1,2-Dichlorobenzene	mg/kg	<0.052	0.17	0.052	05/10/22 11:04	
1,3-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/10/22 11:04	
1,4-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/10/22 11:04	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.043	0.14	0.043	05/10/22 11:04	
2,4,5-Trichlorophenol	mg/kg	<0.029	0.098	0.029	05/10/22 11:04	
2,4,6-Trichlorophenol	mg/kg	<0.025	0.085	0.025	05/10/22 11:04	
2,4-Dichlorophenol	mg/kg	<0.045	0.15	0.045	05/10/22 11:04	
2,4-Dimethylphenol	mg/kg	<0.033	0.11	0.033	05/10/22 11:04	
2,4-Dinitrophenol	mg/kg	<0.051	0.17	0.051	05/10/22 11:04	
2,4-Dinitrotoluene	mg/kg	<0.024	0.080	0.024	05/10/22 11:04	
2,6-Dinitrotoluene	mg/kg	<0.032	0.11	0.032	05/10/22 11:04	
2-Chloronaphthalene	mg/kg	<0.021	0.071	0.021	05/10/22 11:04	
2-Chlorophenol	mg/kg	<0.042	0.14	0.042	05/10/22 11:04	
2-Methylnaphthalene	mg/kg	<0.043	0.14	0.043	05/10/22 11:04	
2-Methylphenol(o-Cresol)	mg/kg	<0.030	0.10	0.030	05/10/22 11:04	
2-Nitroaniline	mg/kg	<0.048	0.16	0.048	05/10/22 11:04	
2-Nitrophenol	mg/kg	<0.053	0.18	0.053	05/10/22 11:04	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.031	0.10	0.031	05/10/22 11:04	
3,3'-Dichlorobenzidine	mg/kg	<0.045	0.15	0.045	05/10/22 11:04	
3-Nitroaniline	mg/kg	<0.028	0.095	0.028	05/10/22 11:04	
4,6-Dinitro-2-methylphenol	mg/kg	<0.051	0.17	0.051	05/10/22 11:04	
4-Bromophenylphenyl ether	mg/kg	<0.035	0.12	0.035	05/10/22 11:04	
4-Chloro-3-methylphenol	mg/kg	<0.052	0.17	0.052	05/10/22 11:04	
4-Chloroaniline	mg/kg	<0.027	0.091	0.027	05/10/22 11:04	2q
4-Chlorophenylphenyl ether	mg/kg	<0.031	0.10	0.031	05/10/22 11:04	
4-Nitroaniline	mg/kg	<0.069	0.23	0.069	05/10/22 11:04	
4-Nitrophenol	mg/kg	<0.042	0.14	0.042	05/10/22 11:04	
Acenaphthene	mg/kg	<0.059	0.20	0.059	05/10/22 11:04	
Acenaphthylene	mg/kg	<0.060	0.20	0.060	05/10/22 11:04	
Anthracene	mg/kg	<0.027	0.089	0.027	05/10/22 11:04	
Benzo(a)anthracene	mg/kg	<0.026	0.086	0.026	05/10/22 11:04	
Benzo(a)pyrene	mg/kg	<0.025	0.084	0.025	05/10/22 11:04	
Benzo(b)fluoranthene	mg/kg	<0.029	0.096	0.029	05/10/22 11:04	
Benzo(g,h,i)perylene	mg/kg	<0.044	0.15	0.044	05/10/22 11:04	
Benzo(k)fluoranthene	mg/kg	<0.040	0.13	0.040	05/10/22 11:04	
bis(2-Chloroethoxy)methane	mg/kg	<0.045	0.15	0.045	05/10/22 11:04	
bis(2-Chloroethyl) ether	mg/kg	<0.052	0.17	0.052	05/10/22 11:04	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.028	0.092	0.028	05/10/22 11:04	
Butylbenzylphthalate	mg/kg	<0.027	0.089	0.027	05/10/22 11:04	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

METHOD BLANK: 2390340

Matrix: Solid

Associated Lab Samples: 40244350019, 40244350020, 40244350022

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Carbazole	mg/kg	<0.026	0.087	0.026	05/10/22 11:04	
Chrysene	mg/kg	<0.025	0.083	0.025	05/10/22 11:04	
Di-n-butylphthalate	mg/kg	<0.025	0.083	0.025	05/10/22 11:04	
Di-n-octylphthalate	mg/kg	<0.038	0.13	0.038	05/10/22 11:04	
Dibenz(a,h)anthracene	mg/kg	<0.045	0.15	0.045	05/10/22 11:04	
Dibenzofuran	mg/kg	<0.020	0.067	0.020	05/10/22 11:04	
Diethylphthalate	mg/kg	<0.028	0.092	0.028	05/10/22 11:04	
Dimethylphthalate	mg/kg	<0.022	0.072	0.022	05/10/22 11:04	
Fluoranthene	mg/kg	<0.024	0.079	0.024	05/10/22 11:04	
Fluorene	mg/kg	<0.020	0.065	0.020	05/10/22 11:04	
Hexachloro-1,3-butadiene	mg/kg	<0.043	0.14	0.043	05/10/22 11:04	
Hexachlorobenzene	mg/kg	<0.028	0.094	0.028	05/10/22 11:04	
Hexachlorocyclopentadiene	mg/kg	<0.039	0.13	0.039	05/10/22 11:04	
Hexachloroethane	mg/kg	<0.027	0.089	0.027	05/10/22 11:04	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.036	0.12	0.036	05/10/22 11:04	
Isophorone	mg/kg	<0.026	0.086	0.026	05/10/22 11:04	
N-Nitroso-di-n-propylamine	mg/kg	<0.026	0.088	0.026	05/10/22 11:04	
N-Nitrosodiphenylamine	mg/kg	<0.23	0.75	0.23	05/10/22 11:04	
Naphthalene	mg/kg	<0.058	0.19	0.058	05/10/22 11:04	
Nitrobenzene	mg/kg	<0.034	0.11	0.034	05/10/22 11:04	
Pentachlorophenol	mg/kg	<0.037	0.12	0.037	05/10/22 11:04	
Phenanthrene	mg/kg	<0.021	0.071	0.021	05/10/22 11:04	
Phenol	mg/kg	<0.040	0.13	0.040	05/10/22 11:04	
Pyrene	mg/kg	<0.037	0.12	0.037	05/10/22 11:04	
2,4,6-Tribromophenol (S)	%	80	10-144		05/10/22 11:04	
2-Fluorobiphenyl (S)	%	70	12-118		05/10/22 11:04	
2-Fluorophenol (S)	%	59	10-130		05/10/22 11:04	
Nitrobenzene-d5 (S)	%	75	10-125		05/10/22 11:04	
Phenol-d6 (S)	%	61	10-125		05/10/22 11:04	
Terphenyl-d14 (S)	%	96	10-124		05/10/22 11:04	

LABORATORY CONTROL SAMPLE: 2390341

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	1.7	1.6	95	70-130	
1,2-Dichlorobenzene	mg/kg	1.7	1.5	91	66-130	
1,3-Dichlorobenzene	mg/kg	1.7	1.4	86	66-130	
1,4-Dichlorobenzene	mg/kg	1.7	1.4	85	64-130	
2,2'-Oxybis(1-chloropropane)	mg/kg	1.7	1.5	91	65-130	
2,4,5-Trichlorophenol	mg/kg	1.7	1.8	106	70-125	
2,4,6-Trichlorophenol	mg/kg	1.7	1.8	108	70-124	
2,4-Dichlorophenol	mg/kg	1.7	1.7	100	70-121	
2,4-Dimethylphenol	mg/kg	1.7	1.7	103	70-130	
2,4-Dinitrophenol	mg/kg	1.7	1.3	76	26-103	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

LABORATORY CONTROL SAMPLE: 2390341

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrotoluene	mg/kg	1.7	1.9	113	70-130	
2,6-Dinitrotoluene	mg/kg	1.7	1.8	105	70-130	
2-Chloronaphthalene	mg/kg	1.7	1.7	100	70-130	
2-Chlorophenol	mg/kg	1.7	1.6	96	67-130	
2-Methylnaphthalene	mg/kg	1.7	1.7	100	70-130	
2-Methylphenol(o-Cresol)	mg/kg	1.7	1.7	105	69-130	
2-Nitroaniline	mg/kg	1.7	2.0	118	70-124	CH
2-Nitrophenol	mg/kg	1.7	1.7	103	70-130	
3&4-Methylphenol(m&p Cresol)	mg/kg	1.7	1.7	99	70-130	
3,3'-Dichlorobenzidine	mg/kg	1.7	1.2	70	48-112	
3-Nitroaniline	mg/kg	1.7	1.4	86	57-121	
4,6-Dinitro-2-methylphenol	mg/kg	1.7	1.5	93	59-115	
4-Bromophenylphenyl ether	mg/kg	1.7	1.7	104	70-130	
4-Chloro-3-methylphenol	mg/kg	1.7	1.8	107	70-130	
4-Chloroaniline	mg/kg	1.7	0.87	52	45-130	2q
4-Chlorophenylphenyl ether	mg/kg	1.7	1.7	101	70-130	
4-Nitroaniline	mg/kg	1.7	1.8	108	62-127	
4-Nitrophenol	mg/kg	1.7	2.0	119	50-126	
Acenaphthene	mg/kg	1.7	1.6	98	70-130	
Acenaphthylene	mg/kg	1.7	1.8	106	70-130	
Anthracene	mg/kg	1.7	1.7	100	70-130	
Benzo(a)anthracene	mg/kg	1.7	1.7	102	70-130	
Benzo(a)pyrene	mg/kg	1.7	1.8	107	70-130	
Benzo(b)fluoranthene	mg/kg	1.7	1.8	106	70-130	
Benzo(g,h,i)perylene	mg/kg	1.7	1.7	103	65-130	
Benzo(k)fluoranthene	mg/kg	1.7	1.7	103	70-130	
bis(2-Chloroethoxy)methane	mg/kg	1.7	1.7	99	70-130	
bis(2-Chloroethyl) ether	mg/kg	1.7	1.5	91	68-130	
bis(2-Ethylhexyl)phthalate	mg/kg	1.7	1.8	106	70-130	
Butylbenzylphthalate	mg/kg	1.7	2.0	119	70-130	
Carbazole	mg/kg	1.7	1.8	108	70-130	
Chrysene	mg/kg	1.7	1.7	105	70-130	
Di-n-butylphthalate	mg/kg	1.7	1.8	107	70-130	
Di-n-octylphthalate	mg/kg	1.7	1.9	111	67-134	
Dibenz(a,h)anthracene	mg/kg	1.7	1.7	101	68-130	
Dibenzofuran	mg/kg	1.7	1.7	101	70-130	
Diethylphthalate	mg/kg	1.7	1.7	102	70-130	
Dimethylphthalate	mg/kg	1.7	1.7	104	70-130	
Fluoranthene	mg/kg	1.7	1.7	103	70-130	
Fluorene	mg/kg	1.7	1.7	101	70-130	
Hexachloro-1,3-butadiene	mg/kg	1.7	1.5	92	67-130	
Hexachlorobenzene	mg/kg	1.7	1.7	102	70-130	
Hexachlorocyclopentadiene	mg/kg	1.7	1.6	95	54-114	
Hexachloroethane	mg/kg	1.7	1.5	89	64-130	
Indeno(1,2,3-cd)pyrene	mg/kg	1.7	1.6	96	63-130	
Isophorone	mg/kg	1.7	1.8	110	70-130	
N-Nitroso-di-n-propylamine	mg/kg	1.7	1.8	107	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

LABORATORY CONTROL SAMPLE: 2390341

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
N-Nitrosodiphenylamine	mg/kg	1.7	1.8	106	70-130	
Naphthalene	mg/kg	1.7	1.6	98	70-130	
Nitrobenzene	mg/kg	1.7	1.7	103	70-130	
Pentachlorophenol	mg/kg	1.7	1.6	94	47-108	
Phenanthrene	mg/kg	1.7	1.7	102	70-130	
Phenol	mg/kg	1.7	1.6	96	67-130	
Pyrene	mg/kg	1.7	1.7	101	70-130	
2,4,6-Tribromophenol (S)	%			105	10-144	
2-Fluorobiphenyl (S)	%			100	12-118	
2-Fluorophenol (S)	%			94	10-130	
Nitrobenzene-d5 (S)	%			106	10-125	
Phenol-d6 (S)	%			96	10-125	
Terphenyl-d14 (S)	%			98	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2390342 2390343

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244446002	Result	Spike Conc.	Conc.								
1,2,4-Trichlorobenzene	mg/kg	<0.023	2.1	2.1	1.8	1.7	87	81	45-130	7	28		
1,2-Dichlorobenzene	mg/kg	<0.065	2.1	2.1	1.8	1.5	87	72	45-130	19	29		
1,3-Dichlorobenzene	mg/kg	<0.029	2.1	2.1	1.6	1.5	78	70	42-130	10	30		
1,4-Dichlorobenzene	mg/kg	<0.029	2.1	2.1	1.8	1.4	86	69	42-130	22	32		
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.054	2.1	2.1	1.8	1.6	85	78	44-130	9	26		
2,4,5-Trichlorophenol	mg/kg	<0.037	2.1	2.1	1.8	2.0	89	95	11-125	7	30		
2,4,6-Trichlorophenol	mg/kg	<0.032	2.1	2.1	1.9	1.9	92	91	16-124	1	31		
2,4-Dichlorophenol	mg/kg	<0.055	2.1	2.1	1.7	1.6	81	79	19-121	2	29		
2,4-Dimethylphenol	mg/kg	<0.041	2.1	2.1	1.5	1.5	72	73	29-130	2	32		
2,4-Dinitrophenol	mg/kg	<0.063	2.1	2.1	1.2	1.1	56	54	10-103	4	50		
2,4-Dinitrotoluene	mg/kg	<0.030	2.1	2.1	2.1	2.1	99	103	38-130	4	27		
2,6-Dinitrotoluene	mg/kg	<0.039	2.1	2.1	2.0	2.2	95	104	41-130	9	28		
2-Chloronaphthalene	mg/kg	<0.027	2.1	2.1	1.9	1.9	91	91	44-130	0	24		
2-Chlorophenol	mg/kg	<0.052	2.1	2.1	1.8	1.6	89	79	33-130	12	30		
2-Methylnaphthalene	mg/kg	<0.054	2.1	2.1	1.8	1.7	89	83	46-130	6	23		
2-Methylphenol(o-Cresol)	mg/kg	<0.038	2.1	2.1	1.7	1.6	83	78	30-130	6	30		
2-Nitroaniline	mg/kg	<0.059	2.1	2.1	2.2	2.4	108	115	27-124	7	25 CH		
2-Nitrophenol	mg/kg	<0.066	2.1	2.1	2.0	1.8	96	89	10-130	8	27		
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.038	2.1	2.1	1.5	1.5	74	72	28-130	2	33		
3,3'-Dichlorobenzidine	mg/kg	<0.056	2.1	2.1	1.4	1.7	70	81	10-112	15	43		
3-Nitroaniline	mg/kg	<0.035	2.1	2.1	1.9	1.8	90	87	10-121	4	33		
4,6-Dinitro-2-methylphenol	mg/kg	<0.064	2.1	2.1	1.7	1.7	83	84	10-115	2	50		
4-Bromophenylphenyl ether	mg/kg	<0.043	2.1	2.1	1.8	1.8	89	89	40-130	0	25		
4-Chloro-3-methylphenol	mg/kg	<0.065	2.1	2.1	1.8	1.9	87	89	30-130	3	29		
4-Chloroaniline	mg/kg	<0.034	2.1	2.1	1.5	1.3	71	65	16-130	9	33 2q		
4-Chlorophenylphenyl ether	mg/kg	<0.039	2.1	2.1	1.9	1.8	93	88	46-130	5	24		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2390342												2390343	
Parameter	Units	40244446002 Result	MS	MSD	MS	MSD	MS	MSD	% Rec	Max	Qual		
			Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits	RPD		RPD	
4-Nitroaniline	mg/kg	<0.086	2.1	2.1	2.0	2.1	98	102	10-127	4	40		
4-Nitrophenol	mg/kg	<0.052	2.1	2.1	2.2	2.1	105	100	10-128	4	50 CH		
Acenaphthene	mg/kg	<0.074	2.1	2.1	1.9	1.8	94	86	47-130	8	21		
Acenaphthylene	mg/kg	<0.074	2.1	2.1	2.0	1.9	98	92	49-130	6	22		
Anthracene	mg/kg	<0.033	2.1	2.1	1.9	1.9	90	90	46-130	1	27		
Benzo(a)anthracene	mg/kg	<0.032	2.1	2.1	1.8	1.9	88	93	45-130	6	24		
Benzo(a)pyrene	mg/kg	<0.031	2.1	2.1	2.0	2.1	98	100	48-130	2	27		
Benzo(b)fluoranthene	mg/kg	<0.036	2.1	2.1	1.9	2.0	94	94	41-130	0	31		
Benzo(g,h,i)perylene	mg/kg	<0.054	2.1	2.1	1.8	1.9	88	90	37-130	3	31		
Benzo(k)fluoranthene	mg/kg	<0.050	2.1	2.1	1.9	2.1	93	100	46-130	7	27		
bis(2-Chloroethoxy)methane	mg/kg	<0.056	2.1	2.1	1.8	1.8	87	87	38-130	0	26		
bis(2-Chloroethyl) ether	mg/kg	<0.065	2.1	2.1	1.8	1.6	86	76	42-130	12	29		
bis(2-Ethylhexyl)phthalate	mg/kg	<0.035	2.1	2.1	1.9	2.0	93	97	39-130	4	27		
Butylbenzylphthalate	mg/kg	<0.033	2.1	2.1	2.2	2.3	107	108	39-130	1	27		
Carbazole	mg/kg	<0.033	2.1	2.1	1.9	2.0	91	95	44-130	4	24		
Chrysene	mg/kg	<0.031	2.1	2.1	1.8	2.0	87	95	44-130	9	25		
Di-n-butylphthalate	mg/kg	<0.031	2.1	2.1	2.0	2.0	95	96	45-130	1	26		
Di-n-octylphthalate	mg/kg	<0.047	2.1	2.1	2.0	2.1	96	102	40-134	6	27		
Dibenz(a,h)anthracene	mg/kg	<0.056	2.1	2.1	1.8	1.8	86	89	41-130	4	33		
Dibenzofuran	mg/kg	<0.025	2.1	2.1	2.0	1.9	96	92	47-130	4	23		
Diethylphthalate	mg/kg	<0.034	2.1	2.1	2.0	1.9	95	90	46-130	5	24		
Dimethylphthalate	mg/kg	<0.027	2.1	2.1	1.9	2.0	90	95	47-130	5	24		
Fluoranthene	mg/kg	<0.029	2.1	2.1	1.9	1.9	92	90	50-130	2	27		
Fluorene	mg/kg	<0.024	2.1	2.1	1.9	2.0	92	95	48-130	3	25		
Hexachloro-1,3-butadiene	mg/kg	<0.053	2.1	2.1	1.7	1.6	81	78	42-130	4	27		
Hexachlorobenzene	mg/kg	<0.035	2.1	2.1	1.8	1.8	89	85	51-130	4	24		
Hexachlorocyclopentadiene	mg/kg	<0.049	2.1	2.1	1.8	1.8	85	87	10-114	3	50		
Hexachloroethane	mg/kg	<0.033	2.1	2.1	1.9	1.6	92	76	33-130	19	35		
Indeno(1,2,3-cd)pyrene	mg/kg	<0.045	2.1	2.1	1.7	1.9	82	90	34-130	9	38		
Isophorone	mg/kg	<0.032	2.1	2.1	2.0	1.9	97	91	45-130	6	28		
N-Nitroso-di-n-propylamine	mg/kg	<0.033	2.1	2.1	2.0	1.9	96	91	47-130	5	27		
N-Nitrosodiphenylamine	mg/kg	<0.28	2.1	2.1	1.9	1.9	92	90	42-130	3	25		
Naphthalene	mg/kg	<0.073	2.1	2.1	1.8	1.7	87	83	48-130	5	24		
Nitrobenzene	mg/kg	<0.042	2.1	2.1	2.0	1.9	98	93	42-130	5	25		
Pentachlorophenol	mg/kg	<0.046	2.1	2.1	1.6	1.7	77	80	10-108	4	50		
Phenanthrene	mg/kg	<0.027	2.1	2.1	1.8	1.9	87	89	50-130	2	27		
Phenol	mg/kg	<0.049	2.1	2.1	1.8	1.6	85	78	37-130	8	30		
Pyrene	mg/kg	<0.046	2.1	2.1	1.8	2.0	88	95	43-130	7	29		
2,4,6-Tribromophenol (S)	%						86	95	10-144				
2-Fluorobiphenyl (S)	%						95	88	12-118				
2-Fluorophenol (S)	%						82	69	10-130				
Nitrobenzene-d5 (S)	%						95	90	10-125				
Phenol-d6 (S)	%						79	75	10-125				
Terphenyl-d14 (S)	%						83	91	10-124				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

QC Batch: 415368 Analysis Method: EPA 8270E
QC Batch Method: EPA 3546 Analysis Description: 8270E Solid MSSV Microwave
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244350015

METHOD BLANK: 2391437 Matrix: Solid
Associated Lab Samples: 40244350015

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	<0.019	0.063	0.019	05/12/22 12:33	
1,2-Dichlorobenzene	mg/kg	<0.053	0.18	0.053	05/12/22 12:33	
1,3-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/12/22 12:33	
1,4-Dichlorobenzene	mg/kg	<0.023	0.078	0.023	05/12/22 12:33	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.043	0.14	0.043	05/12/22 12:33	
2,4,5-Trichlorophenol	mg/kg	<0.030	0.098	0.030	05/12/22 12:33	
2,4,6-Trichlorophenol	mg/kg	<0.025	0.085	0.025	05/12/22 12:33	
2,4-Dichlorophenol	mg/kg	<0.045	0.15	0.045	05/12/22 12:33	
2,4-Dimethylphenol	mg/kg	<0.033	0.11	0.033	05/12/22 12:33	
2,4-Dinitrophenol	mg/kg	<0.051	0.17	0.051	05/12/22 12:33	
2,4-Dinitrotoluene	mg/kg	<0.024	0.080	0.024	05/12/22 12:33	
2,6-Dinitrotoluene	mg/kg	<0.032	0.11	0.032	05/12/22 12:33	
2-Chloronaphthalene	mg/kg	<0.021	0.072	0.021	05/12/22 12:33	
2-Chlorophenol	mg/kg	<0.042	0.14	0.042	05/12/22 12:33	
2-Methylnaphthalene	mg/kg	<0.043	0.14	0.043	05/12/22 12:33	
2-Methylphenol(o-Cresol)	mg/kg	<0.030	0.10	0.030	05/12/22 12:33	
2-Nitroaniline	mg/kg	<0.048	0.16	0.048	05/12/22 12:33	
2-Nitrophenol	mg/kg	<0.053	0.18	0.053	05/12/22 12:33	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.031	0.10	0.031	05/12/22 12:33	
3,3'-Dichlorobenzidine	mg/kg	<0.045	0.15	0.045	05/12/22 12:33	
3-Nitroaniline	mg/kg	<0.028	0.095	0.028	05/12/22 12:33	
4,6-Dinitro-2-methylphenol	mg/kg	<0.052	0.17	0.052	05/12/22 12:33	
4-Bromophenylphenyl ether	mg/kg	<0.035	0.12	0.035	05/12/22 12:33	
4-Chloro-3-methylphenol	mg/kg	<0.052	0.17	0.052	05/12/22 12:33	
4-Chloroaniline	mg/kg	<0.027	0.092	0.027	05/12/22 12:33	2q
4-Chlorophenylphenyl ether	mg/kg	<0.031	0.10	0.031	05/12/22 12:33	
4-Nitroaniline	mg/kg	<0.069	0.23	0.069	05/12/22 12:33	
4-Nitrophenol	mg/kg	<0.042	0.14	0.042	05/12/22 12:33	
Acenaphthene	mg/kg	<0.059	0.20	0.059	05/12/22 12:33	
Acenaphthylene	mg/kg	<0.060	0.20	0.060	05/12/22 12:33	
Anthracene	mg/kg	<0.027	0.089	0.027	05/12/22 12:33	
Benzo(a)anthracene	mg/kg	<0.026	0.086	0.026	05/12/22 12:33	
Benzo(a)pyrene	mg/kg	<0.025	0.084	0.025	05/12/22 12:33	
Benzo(b)fluoranthene	mg/kg	<0.029	0.096	0.029	05/12/22 12:33	
Benzo(g,h,i)perylene	mg/kg	<0.044	0.15	0.044	05/12/22 12:33	
Benzo(k)fluoranthene	mg/kg	<0.040	0.13	0.040	05/12/22 12:33	
bis(2-Chloroethoxy)methane	mg/kg	<0.045	0.15	0.045	05/12/22 12:33	
bis(2-Chloroethyl) ether	mg/kg	<0.052	0.17	0.052	05/12/22 12:33	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.028	0.093	0.028	05/12/22 12:33	
Butylbenzylphthalate	mg/kg	<0.027	0.089	0.027	05/12/22 12:33	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

METHOD BLANK: 2391437

Matrix: Solid

Associated Lab Samples: 40244350015

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Carbazole	mg/kg	<0.026	0.087	0.026	05/12/22 12:33	
Chrysene	mg/kg	<0.025	0.083	0.025	05/12/22 12:33	
Di-n-butylphthalate	mg/kg	<0.025	0.083	0.025	05/12/22 12:33	
Di-n-octylphthalate	mg/kg	<0.038	0.13	0.038	05/12/22 12:33	
Dibenz(a,h)anthracene	mg/kg	<0.045	0.15	0.045	05/12/22 12:33	
Dibenzofuran	mg/kg	<0.020	0.067	0.020	05/12/22 12:33	
Diethylphthalate	mg/kg	<0.028	0.092	0.028	05/12/22 12:33	
Dimethylphthalate	mg/kg	<0.022	0.072	0.022	05/12/22 12:33	
Fluoranthene	mg/kg	<0.024	0.079	0.024	05/12/22 12:33	
Fluorene	mg/kg	<0.020	0.065	0.020	05/12/22 12:33	
Hexachloro-1,3-butadiene	mg/kg	<0.043	0.14	0.043	05/12/22 12:33	
Hexachlorobenzene	mg/kg	<0.028	0.094	0.028	05/12/22 12:33	
Hexachlorocyclopentadiene	mg/kg	<0.040	0.13	0.040	05/12/22 12:33	
Hexachloroethane	mg/kg	<0.027	0.089	0.027	05/12/22 12:33	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.036	0.12	0.036	05/12/22 12:33	
Isophorone	mg/kg	<0.026	0.086	0.026	05/12/22 12:33	
N-Nitroso-di-n-propylamine	mg/kg	<0.027	0.088	0.027	05/12/22 12:33	
N-Nitrosodiphenylamine	mg/kg	<0.23	0.76	0.23	05/12/22 12:33	
Naphthalene	mg/kg	<0.058	0.19	0.058	05/12/22 12:33	
Nitrobenzene	mg/kg	<0.034	0.11	0.034	05/12/22 12:33	
Pentachlorophenol	mg/kg	<0.037	0.12	0.037	05/12/22 12:33	
Phenanthrene	mg/kg	<0.021	0.071	0.021	05/12/22 12:33	
Phenol	mg/kg	<0.040	0.13	0.040	05/12/22 12:33	
Pyrene	mg/kg	<0.037	0.12	0.037	05/12/22 12:33	
2,4,6-Tribromophenol (S)	%	99	10-144		05/12/22 12:33	
2-Fluorobiphenyl (S)	%	86	12-118		05/12/22 12:33	
2-Fluorophenol (S)	%	79	10-130		05/12/22 12:33	
Nitrobenzene-d5 (S)	%	86	10-125		05/12/22 12:33	
Phenol-d6 (S)	%	77	10-125		05/12/22 12:33	
Terphenyl-d14 (S)	%	92	10-124		05/12/22 12:33	

LABORATORY CONTROL SAMPLE: 2391438

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	1.7	1.4	85	70-130	
1,2-Dichlorobenzene	mg/kg	1.7	1.5	90	66-130	
1,3-Dichlorobenzene	mg/kg	1.7	1.4	82	66-130	
1,4-Dichlorobenzene	mg/kg	1.7	1.4	83	64-130	
2,2'-Oxybis(1-chloropropane)	mg/kg	1.7	1.4	83	65-130	
2,4,5-Trichlorophenol	mg/kg	1.7	1.6	95	70-125	
2,4,6-Trichlorophenol	mg/kg	1.7	1.6	96	70-124	
2,4-Dichlorophenol	mg/kg	1.7	1.5	92	70-121	
2,4-Dimethylphenol	mg/kg	1.7	1.5	89	70-130	
2,4-Dinitrophenol	mg/kg	1.7	1.1	64	26-103	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

LABORATORY CONTROL SAMPLE: 2391438

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrotoluene	mg/kg	1.7	1.8	107	70-130	
2,6-Dinitrotoluene	mg/kg	1.7	1.7	103	70-130	
2-Chloronaphthalene	mg/kg	1.7	1.6	96	70-130	
2-Chlorophenol	mg/kg	1.7	1.5	90	67-130	
2-Methylnaphthalene	mg/kg	1.7	1.5	87	70-130	
2-Methylphenol(o-Cresol)	mg/kg	1.7	1.7	99	69-130	
2-Nitroaniline	mg/kg	1.7	1.8	109	70-124	
2-Nitrophenol	mg/kg	1.7	1.6	95	70-130	
3&4-Methylphenol(m&p Cresol)	mg/kg	1.7	1.7	101	70-130	
3,3'-Dichlorobenzidine	mg/kg	1.7	1.6	96	48-112	
3-Nitroaniline	mg/kg	1.7	1.6	94	57-121	
4,6-Dinitro-2-methylphenol	mg/kg	1.7	1.4	82	59-115	
4-Bromophenylphenyl ether	mg/kg	1.7	1.5	88	70-130	
4-Chloro-3-methylphenol	mg/kg	1.7	1.6	95	70-130	
4-Chloroaniline	mg/kg	1.7	1.3	79	45-130	2q
4-Chlorophenylphenyl ether	mg/kg	1.7	1.7	103	70-130	
4-Nitroaniline	mg/kg	1.7	1.8	109	62-127	
4-Nitrophenol	mg/kg	1.7	1.6	98	50-126	
Acenaphthene	mg/kg	1.7	1.6	96	70-130	
Acenaphthylene	mg/kg	1.7	1.7	99	70-130	
Anthracene	mg/kg	1.7	1.6	97	70-130	
Benzo(a)anthracene	mg/kg	1.7	1.6	97	70-130	
Benzo(a)pyrene	mg/kg	1.7	1.6	99	70-130	
Benzo(b)fluoranthene	mg/kg	1.7	1.5	90	70-130	
Benzo(g,h,i)perylene	mg/kg	1.7	1.6	97	65-130	
Benzo(k)fluoranthene	mg/kg	1.7	1.5	93	70-130	
bis(2-Chloroethoxy)methane	mg/kg	1.7	1.4	87	70-130	
bis(2-Chloroethyl) ether	mg/kg	1.7	1.4	85	68-130	
bis(2-Ethylhexyl)phthalate	mg/kg	1.7	1.7	99	70-130	
Butylbenzylphthalate	mg/kg	1.7	1.8	106	70-130	
Carbazole	mg/kg	1.7	1.6	98	70-130	
Chrysene	mg/kg	1.7	1.7	99	70-130	
Di-n-butylphthalate	mg/kg	1.7	1.6	98	70-130	
Di-n-octylphthalate	mg/kg	1.7	1.7	100	67-134	
Dibenz(a,h)anthracene	mg/kg	1.7	1.5	92	68-130	
Dibenzofuran	mg/kg	1.7	1.8	106	70-130	
Diethylphthalate	mg/kg	1.7	1.8	106	70-130	
Dimethylphthalate	mg/kg	1.7	1.7	99	70-130	
Fluoranthene	mg/kg	1.7	1.6	94	70-130	
Fluorene	mg/kg	1.7	1.6	96	70-130	
Hexachloro-1,3-butadiene	mg/kg	1.7	1.6	94	67-130	
Hexachlorobenzene	mg/kg	1.7	1.6	94	70-130	
Hexachlorocyclopentadiene	mg/kg	1.7	1.3	79	54-114	
Hexachloroethane	mg/kg	1.7	1.5	89	64-130	
Indeno(1,2,3-cd)pyrene	mg/kg	1.7	1.5	92	63-130	
Isophorone	mg/kg	1.7	1.7	103	70-130	
N-Nitroso-di-n-propylamine	mg/kg	1.7	1.7	103	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

LABORATORY CONTROL SAMPLE: 2391438

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
N-Nitrosodiphenylamine	mg/kg	1.7	1.5	92	70-130	
Naphthalene	mg/kg	1.7	1.5	89	70-130	
Nitrobenzene	mg/kg	1.7	1.5	88	70-130	
Pentachlorophenol	mg/kg	1.7	1.4	82	47-108	
Phenanthrene	mg/kg	1.7	1.6	95	70-130	
Phenol	mg/kg	1.7	1.6	95	67-130	
Pyrene	mg/kg	1.7	1.7	101	70-130	
2,4,6-Tribromophenol (S)	%			106	10-144	
2-Fluorobiphenyl (S)	%			96	12-118	
2-Fluorophenol (S)	%			86	10-130	
Nitrobenzene-d5 (S)	%			83	10-125	
Phenol-d6 (S)	%			87	10-125	
Terphenyl-d14 (S)	%			94	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2391439 2391440

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244577010	Result	Spike Conc.	Spike Conc.								
1,2,4-Trichlorobenzene	mg/kg	<0.021	1.9	1.9	1.5	1.6	84	87	45-130	5	28		
1,2-Dichlorobenzene	mg/kg	<0.058	1.9	1.9	1.4	1.5	78	79	45-130	2	29		
1,3-Dichlorobenzene	mg/kg	<0.025	1.9	1.9	1.4	1.4	76	77	42-130	2	30		
1,4-Dichlorobenzene	mg/kg	<0.026	1.9	1.9	1.4	1.5	77	80	42-130	4	32		
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.047	1.9	1.9	1.4	1.4	75	77	44-130	3	26		
2,4,5-Trichlorophenol	mg/kg	<0.033	1.9	1.9	1.7	1.7	91	92	11-125	2	30		
2,4,6-Trichlorophenol	mg/kg	<0.028	1.9	1.9	1.5	1.5	81	80	16-124	1	31		
2,4-Dichlorophenol	mg/kg	<0.049	1.9	1.9	1.7	1.5	91	81	19-121	11	29		
2,4-Dimethylphenol	mg/kg	<0.036	1.9	1.9	1.3	1.3	72	68	29-130	5	32		
2,4-Dinitrophenol	mg/kg	<0.056	1.9	1.9	0.62	0.68	34	37	10-103	10	50		
2,4-Dinitrotoluene	mg/kg	<0.026	1.9	1.9	1.7	1.6	92	85	38-130	8	27		
2,6-Dinitrotoluene	mg/kg	<0.035	1.9	1.9	1.7	1.6	91	85	41-130	6	28		
2-Chloronaphthalene	mg/kg	<0.024	1.9	1.9	1.6	1.4	89	76	44-130	15	24		
2-Chlorophenol	mg/kg	<0.046	1.9	1.9	1.5	1.4	82	79	33-130	4	30		
2-Methylnaphthalene	mg/kg	<0.048	1.9	1.9	1.6	1.6	88	86	46-130	2	23		
2-Methylphenol(o-Cresol)	mg/kg	<0.033	1.9	1.9	1.5	1.5	83	84	30-130	2	30		
2-Nitroaniline	mg/kg	<0.052	1.9	1.9	1.8	1.7	98	94	27-124	4	25		
2-Nitrophenol	mg/kg	<0.058	1.9	1.9	1.7	1.7	90	93	10-130	4	27		
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.034	1.9	1.9	1.3	1.4	72	75	28-130	5	33		
3,3'-Dichlorobenzidine	mg/kg	<0.050	1.9	1.9	1.6	1.5	88	83	10-112	6	43		
3-Nitroaniline	mg/kg	<0.031	1.9	1.9	1.4	1.4	78	77	10-121	1	33		
4,6-Dinitro-2-methylphenol	mg/kg	<0.057	1.9	1.9	1.3	1.2	72	63	10-115	13	50		
4-Bromophenylphenyl ether	mg/kg	<0.039	1.9	1.9	1.6	1.4	88	76	40-130	15	25		
4-Chloro-3-methylphenol	mg/kg	<0.057	1.9	1.9	1.7	1.7	93	91	30-130	2	29		
4-Chloroaniline	mg/kg	<0.030	1.9	1.9	1.3	1.4	73	74	16-130	1	33	2q	
4-Chlorophenylphenyl ether	mg/kg	<0.034	1.9	1.9	1.6	1.6	88	89	46-130	0	24		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		2391439			2391440							
Parameter	Units	40244577010	MS Spike	MSD Spike	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	Conc.	Conc.	Result	Result	% Rec	% Rec				
4-Nitroaniline	mg/kg	<0.076	1.9	1.9	1.6	1.4	87	74	10-127	16	40	
4-Nitrophenol	mg/kg	<0.046	1.9	1.9	1.3	1.2	70	65	10-128	8	50	
Acenaphthene	mg/kg	<0.065	1.9	1.9	1.5	1.5	84	83	47-130	1	21	
Acenaphthylene	mg/kg	<0.066	1.9	1.9	1.7	1.5	92	84	49-130	9	22	
Anthracene	mg/kg	<0.029	1.9	1.9	1.6	1.5	89	79	46-130	12	27	
Benzo(a)anthracene	mg/kg	<0.028	1.9	1.9	1.6	1.6	86	84	45-130	1	24	
Benzo(a)pyrene	mg/kg	<0.028	1.9	1.9	1.8	1.6	99	88	48-130	11	27	
Benzo(b)fluoranthene	mg/kg	<0.032	1.9	1.9	1.7	1.5	90	81	41-130	11	31	
Benzo(g,h,i)perylene	mg/kg	<0.048	1.9	1.9	1.7	1.6	95	87	37-130	8	31	
Benzo(k)fluoranthene	mg/kg	<0.044	1.9	1.9	1.6	1.6	90	89	46-130	1	27	
bis(2-Chloroethoxy)methane	mg/kg	<0.050	1.9	1.9	1.6	1.5	86	83	38-130	4	26	
bis(2-Chloroethyl) ether	mg/kg	<0.057	1.9	1.9	1.4	1.4	75	74	42-130	1	29	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.031	1.9	1.9	1.7	1.7	92	93	39-130	2	27	
Butylbenzylphthalate	mg/kg	<0.030	1.9	1.9	1.9	1.8	103	97	39-130	6	27	
Carbazole	mg/kg	<0.029	1.9	1.9	1.7	1.5	91	81	44-130	12	24	
Chrysene	mg/kg	<0.028	1.9	1.9	1.8	1.7	100	90	44-130	10	25	
Di-n-butylphthalate	mg/kg	<0.028	1.9	1.9	1.8	1.6	96	86	45-130	11	26	
Di-n-octylphthalate	mg/kg	<0.041	1.9	1.9	1.8	1.7	99	95	40-134	4	27	
Dibenz(a,h)anthracene	mg/kg	<0.050	1.9	1.9	1.9	1.6	103	90	41-130	14	33	
Dibenzofuran	mg/kg	<0.022	1.9	1.9	1.6	1.5	87	83	47-130	4	23	
Diethylphthalate	mg/kg	<0.031	1.9	1.9	1.7	1.5	95	84	46-130	12	24	
Dimethylphthalate	mg/kg	<0.024	1.9	1.9	1.6	1.6	89	86	47-130	2	24	
Fluoranthene	mg/kg	<0.026	1.9	1.9	1.7	1.5	91	80	50-130	12	27	
Fluorene	mg/kg	<0.022	1.9	1.9	1.7	1.5	90	80	48-130	12	25	
Hexachloro-1,3-butadiene	mg/kg	<0.047	1.9	1.9	1.6	1.7	90	91	42-130	1	27	
Hexachlorobenzene	mg/kg	<0.031	1.9	1.9	1.4	1.4	79	78	51-130	0	24	
Hexachlorocyclopentadiene	mg/kg	<0.044	1.9	1.9	1.3	1.1	68	61	10-114	11	50	
Hexachloroethane	mg/kg	<0.029	1.9	1.9	1.4	1.5	79	83	33-130	5	35	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.040	1.9	1.9	1.6	1.5	86	79	34-130	8	38	
Isophorone	mg/kg	<0.028	1.9	1.9	1.8	1.7	99	90	45-130	9	28	
N-Nitroso-di-n-propylamine	mg/kg	<0.029	1.9	1.9	1.6	1.5	88	84	47-130	4	27	
N-Nitrosodiphenylamine	mg/kg	<0.25	1.9	1.9	1.6	1.4	85	74	42-130	13	25	
Naphthalene	mg/kg	<0.064	1.9	1.9	1.6	1.5	88	79	48-130	10	24	
Nitrobenzene	mg/kg	<0.037	1.9	1.9	1.6	1.6	86	86	42-130	0	25	
Pentachlorophenol	mg/kg	<0.041	1.9	1.9	1.1	1.1	62	62	10-108	0	50	
Phenanthrene	mg/kg	<0.024	1.9	1.9	1.5	1.4	84	77	50-130	9	27	
Phenol	mg/kg	<0.044	1.9	1.9	1.5	1.4	80	77	37-130	4	30	
Pyrene	mg/kg	<0.041	1.9	1.9	1.7	1.6	94	85	43-130	10	29	
2,4,6-Tribromophenol (S)	%						96	85	10-144			
2-Fluorobiphenyl (S)	%						82	78	12-118			
2-Fluorophenol (S)	%						71	74	10-130			
Nitrobenzene-d5 (S)	%						84	85	10-125			
Phenol-d6 (S)	%						74	77	10-125			
Terphenyl-d14 (S)	%						81	77	10-124			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

QC Batch:	415336	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244350001, 40244350002, 40244350003, 40244350004, 40244350005, 40244350006, 40244350007, 40244350008, 40244350009, 40244350010, 40244350011, 40244350012, 40244350013, 40244350014, 40244350015, 40244350016, 40244350017, 40244350018, 40244350019, 40244350020

SAMPLE DUPLICATE: 2391303

Parameter	Units	40244350001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	25.9	26.4	2	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

QC Batch: 415339	Analysis Method: ASTM D2974-87
QC Batch Method: ASTM D2974-87	Analysis Description: Dry Weight/Percent Moisture
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244350022

SAMPLE DUPLICATE: 2391304

Parameter	Units	40244350022 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	23.4	23.6	1	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

QC Batch:	415418	Analysis Method:	EPA 9040
QC Batch Method:	EPA 9040	Analysis Description:	9040 pH
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244350001, 40244350002, 40244350003, 40244350004, 40244350005, 40244350006, 40244350007, 40244350008, 40244350009, 40244350010, 40244350011, 40244350012, 40244350014, 40244350015

SAMPLE DUPLICATE: 2391643

Parameter	Units	40244350001 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.9	7.9	1	20	1q,H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

QC Batch: 415531

Analysis Method: EPA 9040

QC Batch Method: EPA 9040

Analysis Description: 9040 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244350016, 40244350017, 40244350018, 40244350019, 40244350022

SAMPLE DUPLICATE: 2392248

Parameter	Units	40244350022 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.5	7.6	1	20	1q,H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

QC Batch: 415420

Analysis Method: EPA 9045

QC Batch Method: EPA 9045

Analysis Description: 9045 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244350013

SAMPLE DUPLICATE: 2391646

Parameter	Units	40244350013 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.94	7.99	1	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

QC Batch: 415530

Analysis Method: EPA 9045

QC Batch Method: EPA 9045

Analysis Description: 9045 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244350020

SAMPLE DUPLICATE: 2392247

Parameter	Units	40244350020 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	8.03	8.01	0	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

QC Batch: 415104 Analysis Method: EPA 9012B
QC Batch Method: EPA 9012B Analysis Description: 9012 Cyanide
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244350001, 40244350002, 40244350003, 40244350004

METHOD BLANK: 2390362 Matrix: Solid
Associated Lab Samples: 40244350001, 40244350002, 40244350003, 40244350004

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Cyanide	mg/kg	<0.31	0.92	0.31	05/09/22 13:46	

LABORATORY CONTROL SAMPLE: 2390363

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/kg	3	2.9	98	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2390364 2390365

Parameter	Units	40244262005		2390364		2390365		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec							
Cyanide	mg/kg	<0.34	3.4	3.4	2.7	1.2	75	30	80-120	81	20	M0, R1		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2390366 2390367

Parameter	Units	40244350004		2390366		2390367		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec							
Cyanide	mg/kg	<0.33	3.3	3.4	2.7	2.7	76	76	80-120	2	20	M0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

QC Batch:	415108	Analysis Method:	EPA 9012B
QC Batch Method:	EPA 9012B	Analysis Description:	9012 Cyanide
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244350005, 40244350006, 40244350007, 40244350008, 40244350009, 40244350010, 40244350011, 40244350012, 40244350013, 40244350014, 40244350015, 40244350016, 40244350017, 40244350018, 40244350019, 40244350020, 40244350022

METHOD BLANK: 2390368 Matrix: Solid
Associated Lab Samples: 40244350005, 40244350006, 40244350007, 40244350008, 40244350009, 40244350010, 40244350011, 40244350012, 40244350013, 40244350014, 40244350015, 40244350016, 40244350017, 40244350018, 40244350019, 40244350020, 40244350022

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Cyanide	mg/kg	<0.31	0.92	0.31	05/09/22 14:05	

LABORATORY CONTROL SAMPLE: 2390369

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/kg	3	3.0	100	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2390370 2390371

Parameter	Units	40244350014 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Cyanide	mg/kg	<0.30	3.1	3.1	2.8	2.3	89	71	80-120	21	20	M0,R1

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2390372 2390373

Parameter	Units	40244343001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Cyanide	mg/kg	<0.27	2.5	2.5	<0.25	0.39J	9	15	80-120		20	M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: 415134

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 415285

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 415293

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 415607

[1] The default spike range of the standard used for QC evaluation is C10-C28. All other carbon ranges may recover outside of spike limits because they may not cover the range of the spike used.

Batch: 415851

[1] The default spike range of the standard used for QC evaluation is C10-C28. All other carbon ranges may recover outside of spike limits because they may not cover the range of the spike used.

ANALYTE QUALIFIERS

1q Due to the sample matrix, DI water was added to this sample on a one to one basis and the sample was stirred before analysis.

2q This analyte's recovery was below secondary source verification limits. The results may be biased low.

CH The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

ANALYTE QUALIFIERS

CU	The continuing calibration for this analyte is above laboratory acceptance limits. Analyte was not detected above the reporting limit in any of the associated samples.
D3	Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
E	Analyte concentration exceeded the calibration range. The reported result is estimated.
H6	Analysis initiated outside of the 15 minute EPA required holding time.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
P6	Matrix spike recovery was outside laboratory control limits due to a parent sample concentration notably higher than the spike level.
R1	RPD value was outside control limits.
RS	The RPD value in one of the constituent analytes was outside the control limits.
S0	Surrogate recovery outside laboratory control limits.
S4	Surrogate recovery not evaluated against control limits due to sample dilution.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244350005	SB-08 (2-2.5)	EPA 3546	415512	EPA 8015D Modified	415607
40244350006	SB-08 (4.5-5.5)	EPA 3546	415753	EPA 8015D Modified	415851
40244350001	SB-06 (2-2.7)	EPA 3546	675047	EPA 8081	675135
40244350002	SB-06 (5-6)	EPA 3546	675047	EPA 8081	675135
40244350003	SB-07 (1.3-2.3)	EPA 3546	675047	EPA 8081	675135
40244350004	SB-07 (4.5-5.5)	EPA 3546	675047	EPA 8081	675135
40244350005	SB-08 (2-2.5)	EPA 3546	675047	EPA 8081	675135
40244350006	SB-08 (4.5-5.5)	EPA 3546	675047	EPA 8081	675135
40244350007	SB-09 (1.5-2.5)	EPA 3546	675047	EPA 8081	675135
40244350008	SB-09 (4.5-5.5)	EPA 3546	675047	EPA 8081	675135
40244350009	SB-14 (2-3)	EPA 3546	675047	EPA 8081	675135
40244350010	SB-14 (5-6)	EPA 3546	675047	EPA 8081	675135
40244350011	SB-12 (2-2.8)	EPA 3546	675047	EPA 8081	675135
40244350012	SB-12 (4.3-5.3)	EPA 3546	675047	EPA 8081	675135
40244350013	SB-11 (1-2)	EPA 3546	675047	EPA 8081	675135
40244350014	SB-11 (4-5)	EPA 3546	675047	EPA 8081	675135
40244350015	SB-10 (1.8-2.8)	EPA 3546	675047	EPA 8081	675135
40244350016	SB-10 (4-5)	EPA 3546	675047	EPA 8081	675135
40244350017	SB-15 (2-3)	EPA 3546	675047	EPA 8081	675135
40244350018	SB-15 (4.5-5.5)	EPA 3546	675047	EPA 8081	675135
40244350019	SB-13 (2.6-3.6)	EPA 3546	675047	EPA 8081	675135
40244350020	SB-13 (4.5-5.5)	EPA 3546	675047	EPA 8081	675135
40244350022	05032022 DUP 01	EPA 3546	675139	EPA 8081	675257
40244350001	SB-06 (2-2.7)	EPA 3541	414876	EPA 8082A	414878
40244350002	SB-06 (5-6)	EPA 3541	414876	EPA 8082A	414878
40244350003	SB-07 (1.3-2.3)	EPA 3541	414900	EPA 8082A	414944
40244350004	SB-07 (4.5-5.5)	EPA 3541	414900	EPA 8082A	414944
40244350005	SB-08 (2-2.5)	EPA 3541	414900	EPA 8082A	414944
40244350006	SB-08 (4.5-5.5)	EPA 3541	414900	EPA 8082A	414944
40244350007	SB-09 (1.5-2.5)	EPA 3541	414900	EPA 8082A	414944
40244350008	SB-09 (4.5-5.5)	EPA 3541	414900	EPA 8082A	414944
40244350009	SB-14 (2-3)	EPA 3541	414900	EPA 8082A	414944
40244350010	SB-14 (5-6)	EPA 3541	414900	EPA 8082A	414944
40244350011	SB-12 (2-2.8)	EPA 3541	414900	EPA 8082A	414944
40244350012	SB-12 (4.3-5.3)	EPA 3541	414900	EPA 8082A	414944
40244350013	SB-11 (1-2)	EPA 3541	414900	EPA 8082A	414944
40244350014	SB-11 (4-5)	EPA 3541	414900	EPA 8082A	414944
40244350015	SB-10 (1.8-2.8)	EPA 3541	414900	EPA 8082A	414944
40244350016	SB-10 (4-5)	EPA 3541	414900	EPA 8082A	414944
40244350017	SB-15 (2-3)	EPA 3541	414900	EPA 8082A	414944
40244350018	SB-15 (4.5-5.5)	EPA 3541	414900	EPA 8082A	414944
40244350019	SB-13 (2.6-3.6)	EPA 3541	414900	EPA 8082A	414944
40244350020	SB-13 (4.5-5.5)	EPA 3541	414900	EPA 8082A	414944
40244350022	05032022 DUP 01	EPA 3541	414900	EPA 8082A	414944
40244350005	SB-08 (2-2.5)	EPA 5035A/5030B	415262	EPA 8015D Modified	415285
40244350006	SB-08 (4.5-5.5)	EPA 5035A/5030B	415262	EPA 8015D Modified	415285

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244350001	SB-06 (2-2.7)	EPA 3050B	813857	EPA 6020B	814118
40244350002	SB-06 (5-6)	EPA 3050B	813857	EPA 6020B	814118
40244350003	SB-07 (1.3-2.3)	EPA 3050B	813857	EPA 6020B	814118
40244350004	SB-07 (4.5-5.5)	EPA 3050B	813857	EPA 6020B	814118
40244350005	SB-08 (2-2.5)	EPA 3050B	813857	EPA 6020B	814118
40244350006	SB-08 (4.5-5.5)	EPA 3050B	813857	EPA 6020B	814118
40244350007	SB-09 (1.5-2.5)	EPA 3050B	813857	EPA 6020B	814118
40244350008	SB-09 (4.5-5.5)	EPA 3050B	813857	EPA 6020B	814118
40244350009	SB-14 (2-3)	EPA 3050B	813857	EPA 6020B	814118
40244350010	SB-14 (5-6)	EPA 3050B	813857	EPA 6020B	814118
40244350011	SB-12 (2-2.8)	EPA 3050B	813857	EPA 6020B	814118
40244350012	SB-12 (4.3-5.3)	EPA 3050B	813857	EPA 6020B	814118
40244350013	SB-11 (1-2)	EPA 3050B	813857	EPA 6020B	814118
40244350014	SB-11 (4-5)	EPA 3050B	813857	EPA 6020B	814118
40244350015	SB-10 (1.8-2.8)	EPA 3050B	813857	EPA 6020B	814118
40244350016	SB-10 (4-5)	EPA 3050B	813857	EPA 6020B	814118
40244350017	SB-15 (2-3)	EPA 3050B	813857	EPA 6020B	814118
40244350018	SB-15 (4.5-5.5)	EPA 3050B	813857	EPA 6020B	814118
40244350019	SB-13 (2.6-3.6)	EPA 3050B	813857	EPA 6020B	814118
40244350020	SB-13 (4.5-5.5)	EPA 3050B	813857	EPA 6020B	814118
40244350022	05032022 DUP 01	EPA 3050B	813858	EPA 6020B	814119
40244350001	SB-06 (2-2.7)	EPA 7471	415008	EPA 7471	415056
40244350002	SB-06 (5-6)	EPA 7471	415008	EPA 7471	415056
40244350003	SB-07 (1.3-2.3)	EPA 7471	415008	EPA 7471	415056
40244350004	SB-07 (4.5-5.5)	EPA 7471	415008	EPA 7471	415056
40244350005	SB-08 (2-2.5)	EPA 7471	415008	EPA 7471	415056
40244350006	SB-08 (4.5-5.5)	EPA 7471	415008	EPA 7471	415056
40244350007	SB-09 (1.5-2.5)	EPA 7471	415008	EPA 7471	415056
40244350008	SB-09 (4.5-5.5)	EPA 7471	415008	EPA 7471	415056
40244350009	SB-14 (2-3)	EPA 7471	415008	EPA 7471	415056
40244350010	SB-14 (5-6)	EPA 7471	415008	EPA 7471	415056
40244350011	SB-12 (2-2.8)	EPA 7471	415008	EPA 7471	415056
40244350012	SB-12 (4.3-5.3)	EPA 7471	415008	EPA 7471	415056
40244350013	SB-11 (1-2)	EPA 7471	415008	EPA 7471	415056
40244350014	SB-11 (4-5)	EPA 7471	415008	EPA 7471	415056
40244350015	SB-10 (1.8-2.8)	EPA 7471	415008	EPA 7471	415056
40244350016	SB-10 (4-5)	EPA 7471	415008	EPA 7471	415056
40244350017	SB-15 (2-3)	EPA 7471	415008	EPA 7471	415056
40244350018	SB-15 (4.5-5.5)	EPA 7471	415008	EPA 7471	415056
40244350019	SB-13 (2.6-3.6)	EPA 7471	415008	EPA 7471	415056
40244350020	SB-13 (4.5-5.5)	EPA 7471	415008	EPA 7471	415056
40244350022	05032022 DUP 01	EPA 7471	415007	EPA 7471	415055
40244350001	SB-06 (2-2.7)	EPA 3546	414937	EPA 8270E	415034
40244350002	SB-06 (5-6)	EPA 3546	414937	EPA 8270E	415034
40244350003	SB-07 (1.3-2.3)	EPA 3546	414937	EPA 8270E	415034
40244350004	SB-07 (4.5-5.5)	EPA 3546	414937	EPA 8270E	415034

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244350005	SB-08 (2-2.5)	EPA 3546	414937	EPA 8270E	415034
40244350006	SB-08 (4.5-5.5)	EPA 3546	414937	EPA 8270E	415034
40244350007	SB-09 (1.5-2.5)	EPA 3546	414937	EPA 8270E	415034
40244350008	SB-09 (4.5-5.5)	EPA 3546	414937	EPA 8270E	415034
40244350009	SB-14 (2-3)	EPA 3546	414937	EPA 8270E	415034
40244350010	SB-14 (5-6)	EPA 3546	414937	EPA 8270E	415034
40244350011	SB-12 (2-2.8)	EPA 3546	414937	EPA 8270E	415034
40244350012	SB-12 (4.3-5.3)	EPA 3546	414937	EPA 8270E	415034
40244350013	SB-11 (1-2)	EPA 3546	414937	EPA 8270E	415034
40244350014	SB-11 (4-5)	EPA 3546	414937	EPA 8270E	415034
40244350015	SB-10 (1.8-2.8)	EPA 3546	415368	EPA 8270E	415447
40244350016	SB-10 (4-5)	EPA 3546	414937	EPA 8270E	415034
40244350017	SB-15 (2-3)	EPA 3546	414937	EPA 8270E	415034
40244350018	SB-15 (4.5-5.5)	EPA 3546	414937	EPA 8270E	415034
40244350019	SB-13 (2.6-3.6)	EPA 3546	415099	EPA 8270E	415174
40244350020	SB-13 (4.5-5.5)	EPA 3546	415099	EPA 8270E	415174
40244350022	05032022 DUP 01	EPA 3546	415099	EPA 8270E	415174
40244350001	SB-06 (2-2.7)	EPA 5035/5030	415132	EPA 8260	415134
40244350002	SB-06 (5-6)	EPA 5035/5030	415132	EPA 8260	415134
40244350003	SB-07 (1.3-2.3)	EPA 5035/5030	415132	EPA 8260	415134
40244350004	SB-07 (4.5-5.5)	EPA 5035/5030	415132	EPA 8260	415134
40244350005	SB-08 (2-2.5)	EPA 5035/5030	415132	EPA 8260	415134
40244350006	SB-08 (4.5-5.5)	EPA 5035/5030	415132	EPA 8260	415134
40244350007	SB-09 (1.5-2.5)	EPA 5035/5030	415132	EPA 8260	415134
40244350008	SB-09 (4.5-5.5)	EPA 5035/5030	415132	EPA 8260	415134
40244350009	SB-14 (2-3)	EPA 5035/5030	415132	EPA 8260	415134
40244350010	SB-14 (5-6)	EPA 5035/5030	415132	EPA 8260	415134
40244350011	SB-12 (2-2.8)	EPA 5035/5030	415132	EPA 8260	415134
40244350012	SB-12 (4.3-5.3)	EPA 5035/5030	415132	EPA 8260	415134
40244350013	SB-11 (1-2)	EPA 5035/5030	415132	EPA 8260	415134
40244350014	SB-11 (4-5)	EPA 5035/5030	415290	EPA 8260	415293
40244350015	SB-10 (1.8-2.8)	EPA 5035/5030	415290	EPA 8260	415293
40244350016	SB-10 (4-5)	EPA 5035/5030	415290	EPA 8260	415293
40244350017	SB-15 (2-3)	EPA 5035/5030	415290	EPA 8260	415293
40244350018	SB-15 (4.5-5.5)	EPA 5035/5030	415290	EPA 8260	415293
40244350019	SB-13 (2.6-3.6)	EPA 5035/5030	415290	EPA 8260	415293
40244350020	SB-13 (4.5-5.5)	EPA 5035/5030	415290	EPA 8260	415293
40244350021	TB-01	EPA 5035/5030	415290	EPA 8260	415293
40244350022	05032022 DUP 01	EPA 5035/5030	415290	EPA 8260	415293
40244350001	SB-06 (2-2.7)	ASTM D2974-87	415336		
40244350002	SB-06 (5-6)	ASTM D2974-87	415336		
40244350003	SB-07 (1.3-2.3)	ASTM D2974-87	415336		
40244350004	SB-07 (4.5-5.5)	ASTM D2974-87	415336		
40244350005	SB-08 (2-2.5)	ASTM D2974-87	415336		
40244350006	SB-08 (4.5-5.5)	ASTM D2974-87	415336		
40244350007	SB-09 (1.5-2.5)	ASTM D2974-87	415336		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244350

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244350008	SB-09 (4.5-5.5)	ASTM D2974-87	415336		
40244350009	SB-14 (2-3)	ASTM D2974-87	415336		
40244350010	SB-14 (5-6)	ASTM D2974-87	415336		
40244350011	SB-12 (2-2.8)	ASTM D2974-87	415336		
40244350012	SB-12 (4.3-5.3)	ASTM D2974-87	415336		
40244350013	SB-11 (1-2)	ASTM D2974-87	415336		
40244350014	SB-11 (4-5)	ASTM D2974-87	415336		
40244350015	SB-10 (1.8-2.8)	ASTM D2974-87	415336		
40244350016	SB-10 (4-5)	ASTM D2974-87	415336		
40244350017	SB-15 (2-3)	ASTM D2974-87	415336		
40244350018	SB-15 (4.5-5.5)	ASTM D2974-87	415336		
40244350019	SB-13 (2.6-3.6)	ASTM D2974-87	415336		
40244350020	SB-13 (4.5-5.5)	ASTM D2974-87	415336		
40244350022	05032022 DUP 01	ASTM D2974-87	415339		
40244350001	SB-06 (2-2.7)	EPA 9040	415418		
40244350002	SB-06 (5-6)	EPA 9040	415418		
40244350003	SB-07 (1.3-2.3)	EPA 9040	415418		
40244350004	SB-07 (4.5-5.5)	EPA 9040	415418		
40244350005	SB-08 (2-2.5)	EPA 9040	415418		
40244350006	SB-08 (4.5-5.5)	EPA 9040	415418		
40244350007	SB-09 (1.5-2.5)	EPA 9040	415418		
40244350008	SB-09 (4.5-5.5)	EPA 9040	415418		
40244350009	SB-14 (2-3)	EPA 9040	415418		
40244350010	SB-14 (5-6)	EPA 9040	415418		
40244350011	SB-12 (2-2.8)	EPA 9040	415418		
40244350012	SB-12 (4.3-5.3)	EPA 9040	415418		
40244350014	SB-11 (4-5)	EPA 9040	415418		
40244350015	SB-10 (1.8-2.8)	EPA 9040	415418		
40244350016	SB-10 (4-5)	EPA 9040	415531		
40244350017	SB-15 (2-3)	EPA 9040	415531		
40244350018	SB-15 (4.5-5.5)	EPA 9040	415531		
40244350019	SB-13 (2.6-3.6)	EPA 9040	415531		
40244350022	05032022 DUP 01	EPA 9040	415531		
40244350013	SB-11 (1-2)	EPA 9045	415420		
40244350020	SB-13 (4.5-5.5)	EPA 9045	415530		
40244350001	SB-06 (2-2.7)	EPA 9012B	415104	EPA 9012B	415165
40244350002	SB-06 (5-6)	EPA 9012B	415104	EPA 9012B	415165
40244350003	SB-07 (1.3-2.3)	EPA 9012B	415104	EPA 9012B	415165
40244350004	SB-07 (4.5-5.5)	EPA 9012B	415104	EPA 9012B	415165
40244350005	SB-08 (2-2.5)	EPA 9012B	415108	EPA 9012B	415166
40244350006	SB-08 (4.5-5.5)	EPA 9012B	415108	EPA 9012B	415166
40244350007	SB-09 (1.5-2.5)	EPA 9012B	415108	EPA 9012B	415166
40244350008	SB-09 (4.5-5.5)	EPA 9012B	415108	EPA 9012B	415166
40244350009	SB-14 (2-3)	EPA 9012B	415108	EPA 9012B	415166
40244350010	SB-14 (5-6)	EPA 9012B	415108	EPA 9012B	415166

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244350

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244350011	SB-12 (2-2.8)	EPA 9012B	415108	EPA 9012B	415166
40244350012	SB-12 (4.3-5.3)	EPA 9012B	415108	EPA 9012B	415166
40244350013	SB-11 (1-2)	EPA 9012B	415108	EPA 9012B	415166
40244350014	SB-11 (4-5)	EPA 9012B	415108	EPA 9012B	415166
40244350015	SB-10 (1.8-2.8)	EPA 9012B	415108	EPA 9012B	415166
40244350016	SB-10 (4-5)	EPA 9012B	415108	EPA 9012B	415166
40244350017	SB-15 (2-3)	EPA 9012B	415108	EPA 9012B	415166
40244350018	SB-15 (4.5-5.5)	EPA 9012B	415108	EPA 9012B	415166
40244350019	SB-13 (2.6-3.6)	EPA 9012B	415108	EPA 9012B	415166
40244350020	SB-13 (4.5-5.5)	EPA 9012B	415108	EPA 9012B	415166
40244350022	05032022 DUP 01	EPA 9012B	415108	EPA 9012B	415166

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: **Fehr Graham**
 Branch/Location: **Rockford IL**
 Project Contact: **Tony Guajardo**
 Phone: **815-394-4700**
 Project Number: **22-521 PHD1**
 Project Name: **Pillsbury**
 Project State: **Illinois**
 Sampled By (Print): **Tony Guajardo**
 Sampled By (Sign): *[Signature]*
 PO #: **22-521 PHD1** Regulatory Program:



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

40244350 Page 1 of 2
 (3 coolers)

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N	N	N	N			
Pick Letter	E	F	A	A	A/A	A	A		
Analyses Requested	VOC Pesticides SWOCs, PCBs, CNs, TAL Metals, pH TPH HI TPH HI FOC								

Quote #:
 Mail To Contact: **Tony Guajardo**
 Mail To Company: **Fehr Graham**
 Mail To Address: **200 Prairie Street Suite 208 Rockford Illinois 61107**
 Invoice To Contact: **Tony Guajardo**
 Invoice To Company: **Fehr Graham**
 Invoice To Address: **200 Prairie Street Suite 208 Rockford IL 61107**
 Invoice To Phone: **815-394-4700**

CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y/N	VOC	Pesticides	SWOCs, PCBs, CNs, TAL Metals, pH	TPH HI	TPH HI	FOC
		DATE	TIME								
001	SB-06 (2-27)	5-3-22	0815	S	X	X	X				
002	SB-06 (5-6)	5-3-22	0820	S	X	X	X				
003	SB-07 (1-3-2-3)	5-3-22	0855	S	X	X	X				
004	SB-07 (4-5-5-5)	5-3-22	0900	S	X	X	X				
005	SB-08 (2-2-5)	5-3-22	0925	S	X	X	X	X			
006	SB-08 (4-5-5-5)	5-3-22	0930	S	X	X	X	X			
007	SB-09 (1-5-2-5)	5-3-22	1025	S	X	X	X				
008	SB-09 (4-5-5-5)	5-3-22	1030	S	X	X	X			HI	
009	SB-14 (2-3)	5-3-22	1205	S	X	X	X				HI
010	SB-14 (5-6)	5-3-22	1210	S	X	X	X				
011	SB-12 (2-2-5)	5-3-22	1245	S	X	X	X				
012	SB-12 (4-3-5-3)	5-3-22	1250	S	X	X	X				
013	SB-11 (1-2)	5-3-22	1335	S	X	X	X				

Rush Turnaround Time Requested - Prelims
 (Rush TAT subject to approval/surcharge)
 Date Needed: _____

Transmit Prelim Rush Results by (complete what you want):
 Email #1: _____
 Email #2: _____
 Telephone: _____
 Fax: _____

Samples on HOLD are subject to special pricing and release of liability

Relinquished By: *[Signature]* Date/Time: **5/3/22 1030**
 Relinquished By: *[Signature]* Date/Time: **5/4/22 1015**
 Relinquished By: _____ Date/Time: _____
 Relinquished By: _____ Date/Time: _____
 Relinquished By: _____ Date/Time: _____

Received By: _____ Date/Time: _____
 Received By: *[Signature]* Date/Time: **5/4/22 1015**
 Received By: *[Signature]* Date/Time: _____
 Received By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

PACE Project No. **40244350**
 Receipt Temp = **10, 1** °C
 Sample Receipt pH **OK / Adjusted**
 Cooler Custody Seal
 Present Not Present
 Intact Not Intact



CHAIN OF CUSTODY

Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

(Please Print Clearly)

Company Name: **Fehr Graham**
 Branch/Location: **Rockford IL**
 Project Contact: **Tony Guajardo**
 Phone: **815-394-4700**
 Project Number: **21-521 PH01**
 Project Name: **Pillsbury**
 Project State: **Illinois**
 Sampled By (Print): **Hannah Insko**
 Sampled By (Sign): *Hannah Insko*
 PO #: **22-521 PH01** Regulatory Program:

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 Sl = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y/N	Pick Letter	Analyses Requested	Preservation Codes										
		DATE	TIME					A	B	C	D	E	F	G	H	I	J	
014	SB-11 (4-5)	5-3-22	1340	S		EI	VOL											
015	SB-10 (1.8-2.8)	5-3-22	1425	S		A	pesticides											
016	SB-10 (4-5)	5-3-22	1430	S		A	SVOC, PCBs, TAL Metals, PH, CN											
017	SB-15 (2-3)	5-3-22	1510	S		A	TPH, GARD, HI											
018	SB-15 (4.5-5.5)	5-3-22	1515	S		A	TPH, GARD, HI											
019	SB-13 (2.6-3.6)	5-3-22	1545	S		A	HI											
020	SB-13 (4.5-5.5)	5-3-22	1550	S		A	HI											
021	TB-01	5-3-22	-	S		A												
022	05032022 DUP 01	5-3-22	-	S		A												

Quote #:

Mail To Contact: **Tony Guajardo**

Mail To Company: **Fehr Graham**

Mail To Address: **200 Prairie Street Suite 208 ROCKFORD IL 61107**

Invoice To Contact: **Tony Guajardo**

Invoice To Company: **Fehr Graham**

Invoice To Address: **200 Prairie Street Suite 208 ROCKFORD IL 61107**

Invoice To Phone: **815-394-4700**

CLIENT COMMENTS | **LAB COMMENTS (Lab Use Only)** | **Profile #**

(3 coolers)

Rush Turnaround Time Requested - Prelims
 (Rush TAT subject to approval/surcharge)
 Date Needed:

Transmit Prelim Rush Results by (complete what you want):

Email #1: _____
 Email #2: _____
 Telephone: _____
 Fax: _____

Samples on HOLD are subject to special pricing and release of liability

Relinquished By: *Hannah Insko* Date/Time: **5-3-22 1730**

Relinquished By: *UPS* Date/Time: **5/4/22 1015**

Relinquished By: _____ Date/Time: _____

Relinquished By: _____ Date/Time: _____

Relinquished By: _____ Date/Time: _____

Received By: _____ Date/Time: _____

Received By: *Susan Miller* Date/Time: **5/4/22 1015**

Received By: *Joe* Date/Time: _____

Received By: _____ Date/Time: _____

Received By: _____ Date/Time: _____

PACE Project No. **40244350**

Receipt Temp = **10.1 °C**

Sample Receipt pH
 OK / Adjusted

Control Custody Seal
 Present / Not Present
 Intact / Not Intact

Client Name: Fehr Graham Sample Preservation Receipt Form
 Project # 40244350

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed: _____ Date/Time: _____

Pace Lab #	Glass					Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)					
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU								WPFU	SP5T	ZPLC	GN	
001																																		2.5 / 5 / 10
002																																		2.5 / 5 / 10
003																																		2.5 / 5 / 10
004																																		2.5 / 5 / 10
005																																		2.5 / 5 / 10
006																																		2.5 / 5 / 10
007																																		2.5 / 5 / 10
008																																		2.5 / 5 / 10
009																																		2.5 / 5 / 10
010																																		2.5 / 5 / 10
011																																		2.5 / 5 / 10
012																																		2.5 / 5 / 10
013																																		2.5 / 5 / 10
014																																		2.5 / 5 / 10
015																																		2.5 / 5 / 10
016																																		2.5 / 5 / 10
017																																		2.5 / 5 / 10
018																																		2.5 / 5 / 10
019																																		2.5 / 5 / 10
020																																		2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm): Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9A	40 mL clear ascorbic	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG5U	100 mL amber glass unpres			VG9D	40 mL clear vial DI	ZPLC	ziploc bag
AG2S	500 mL amber glass H2SO4					GN	
BG3U	250 mL clear glass unpres						

Client Name: Jehm Graham Sample Preservation Receipt Form
 Project #: 40244350

Pace Lab #	Glass					Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)				
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU								WPFU	SP5T	ZPLC	GN
021																																	2.5 / 5 / 10
022																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10

5/4/2015

Sample Condition Upon Receipt Form (SCUR)

Client Name: Fehr Graham

Project #:

WO#: 40244350

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other:



Tracking #: 12 90E6F31399263509

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 105 Type of Ice: Wet Blue Dry None

Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 4.1 / Corr: 1.0

Temp Blank Present: yes no

Biological Tissue is Frozen: yes no

Person examining contents:

Date: 5/4/22 / Initials: STU

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Labeled By Initials: mt

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
- Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
- Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>03 - ID is SB6 (1.3-2.3)</u>
- Includes date/time/ID/Analysis Matrix:	<u>5/4/22</u>	Sample placed by collection time. 5/4/22 CDH <u>5/4/22 STU</u>
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution:

12 90E6F31399671489; 12 90E6F3134591507/
5/4/22 STU

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample login

Page 3 of 3

May 18, 2022

Annie Ray
Fehr Graham
200 Prairie St
Suite 208
Rockford, IL 61107

RE: Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Dear Annie Ray:

Enclosed are the analytical results for sample(s) received by the laboratory on May 05, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay
- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
A2LA Certification #: 2926.01*
1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009*
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014*
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605*
Georgia Certification #: 959
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086*
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064*
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137*
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240*
Mississippi Certification #: MN00064

Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081*
New Jersey Certification #: MN002
New York Certification #: 11647*
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification (A2LA) #: R-036
North Dakota Certification (MN) #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Ohio VAP Certification (1800) #: CL110*
Oklahoma Certification #: 9507*
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001*
Pennsylvania Certification #: 68-00563*
Puerto Rico Certification #: MN00064
South Carolina Certification #:74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192*
Utah Certification #: MN00064*
Vermont Certification #: VT-027053137
Virginia Certification #: 460163*
Washington Certification #: C486*
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification #: via A2LA 2926.01
USDA Permit #: P330-19-00208
Please Note: Applicable air certifications are denoted with an asterisk ().

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40244446001	SB-16 (1.5-2.5')	Solid	05/04/22 08:35	05/05/22 11:15
40244446002	SB-16 (4.0-5.0)	Solid	05/04/22 08:40	05/05/22 11:15
40244446003	SB-17 (1.6-2.3)	Solid	05/04/22 09:15	05/05/22 11:15
40244446004	SB-17 (4.5-5.5)	Solid	05/04/22 09:20	05/05/22 11:15
40244446005	SB-18 (1.5-2.0)	Solid	05/04/22 10:05	05/05/22 11:15
40244446006	SB-18 (4.5-5.5)	Solid	05/04/22 10:10	05/05/22 11:15
40244446007	SB-19 (2-3)	Solid	05/04/22 10:40	05/05/22 11:15
40244446008	SB-19 (4.0-5.0)	Solid	05/04/22 10:45	05/05/22 11:15
40244446009	SB-20 (2.0-3.0)	Solid	05/04/22 12:25	05/05/22 11:15
40244446010	SB-20 (4.0-5.0)	Solid	05/04/22 12:30	05/05/22 11:15
40244446011	SB-21 (1.5-2.5)	Solid	05/04/22 13:00	05/05/22 11:15
40244446012	SB-21 (4.5-5.5)	Solid	05/04/22 13:05	05/05/22 11:15
40244446013	SB-50 (1.3-2.3)	Solid	05/04/22 13:40	05/05/22 11:15
40244446014	SB-50 (4.5-5.5)	Solid	05/04/22 13:45	05/05/22 11:15
40244446015	SB-51 (1.2-2.2)	Solid	05/04/22 14:15	05/05/22 11:15
40244446016	SB-51 (4.4-5.4)	Solid	05/04/22 14:20	05/05/22 11:15
40244446017	SB-52 (1.4-2.4)	Solid	05/04/22 15:05	05/05/22 11:15
40244446018	SB-52 (4.5-5.5)	Solid	05/04/22 15:10	05/05/22 11:15
40244446019	SB-53 (1.8-2.8)	Solid	05/04/22 15:45	05/05/22 11:15
40244446020	SB-53 (4.4-5.4)	Solid	05/04/22 15:50	05/05/22 11:15
40244446021	SB-54 (1.5-2.5)	Solid	05/04/22 16:40	05/05/22 11:15
40244446022	SB-54 (4.5-5.5)	Solid	05/04/22 16:45	05/05/22 11:15
40244446023	TB-02	Solid	05/04/22 17:00	05/05/22 11:15

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244446001	SB-16 (1.5-2.5')	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244446002	SB-16 (4.0-5.0)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244446003	SB-17 (1.6-2.3)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244446004	SB-17 (4.5-5.5)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244446005	SB-18 (1.5-2.0)	EPA 8081B	AC2	24	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244446006	SB-18 (4.5-5.5)	EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
40244446007	SB-19 (2-3)	ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
40244446008	SB-19 (4.0-5.0)	EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
40244446009	SB-20 (2.0-3.0)	EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244446010	SB-20 (4.0-5.0)	EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
40244446011	SB-21 (1.5-2.5)	EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
40244446012	SB-21 (4.5-5.5)	EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		40244446013	SB-50 (1.3-2.3)	EPA 9040	YER
EPA 9012B	DAW			1	PASI-G
EPA 8081B	AC2			24	PASI-M
EPA 8082A	BLM			10	PASI-G
EPA 6020B	RJS			22	PASI-M
EPA 6020B	RJS			22	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244446014	SB-50 (4.5-5.5)	EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
40244446015	SB-51 (1.2-2.2)	EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
40244446016	SB-51 (4.4-5.4)	EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244446017	SB-52 (1.4-2.4)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244446018	SB-52 (4.5-5.5)	EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244446019	SB-53 (1.8-2.8)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
EPA 8260	LAP	38	PASI-G		
40244446020	SB-53 (4.4-5.4)	ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	JCP	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
40244446021	SB-54 (1.5-2.5)	EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244446022	SB-54 (4.5-5.5)	EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		40244446023	TB-02	EPA 8260	LAP

PASI-G = Pace Analytical Services - Green Bay

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244446001	SB-16 (1.5-2.5')					
EPA 6020B	Aluminum	16600	mg/kg	37.0	05/14/22 02:04	P6
EPA 6020B	Antimony	0.17J	mg/kg	0.62	05/14/22 02:04	M1
EPA 6020B	Arsenic	9.7	mg/kg	0.62	05/14/22 02:04	
EPA 6020B	Barium	218	mg/kg	0.37	05/14/22 02:04	M1
EPA 6020B	Beryllium	1.0	mg/kg	0.25	05/14/22 02:04	
EPA 6020B	Cadmium	0.61	mg/kg	0.099	05/14/22 02:04	
EPA 6020B	Calcium	3660	mg/kg	123	05/14/22 02:04	
EPA 6020B	Chromium	20.9	mg/kg	2.5	05/14/22 02:04	
EPA 6020B	Cobalt	15.5	mg/kg	0.62	05/14/22 02:04	
EPA 6020B	Copper	19.7	mg/kg	1.2	05/14/22 02:04	
EPA 6020B	Iron	24000	mg/kg	61.7	05/14/22 02:04	P6
EPA 6020B	Lead	16.5	mg/kg	0.62	05/14/22 02:04	
EPA 6020B	Magnesium	3550	mg/kg	37.0	05/14/22 02:04	M1
EPA 6020B	Manganese	2020	mg/kg	6.2	05/16/22 17:20	P6
EPA 6020B	Nickel	36.1	mg/kg	0.62	05/14/22 02:04	
EPA 6020B	Potassium	925	mg/kg	123	05/14/22 02:04	
EPA 6020B	Selenium	0.60J	mg/kg	0.62	05/14/22 02:04	
EPA 6020B	Sodium	53.7J	mg/kg	61.7	05/14/22 02:04	
EPA 6020B	Thallium	0.31	mg/kg	0.12	05/14/22 02:04	
EPA 6020B	Vanadium	39.3	mg/kg	1.2	05/14/22 02:04	
EPA 6020B	Zinc	58.1	mg/kg	6.2	05/14/22 02:04	
EPA 7471	Mercury	0.019J	mg/kg	0.046	05/13/22 09:02	
ASTM D2974-87	Percent Moisture	23.6	%	0.10	05/10/22 16:43	
EPA 9040	pH at 25 Degrees C	7.9	Std. Units	0.10	05/12/22 13:50	2q,H6
40244446002	SB-16 (4.0-5.0)					
EPA 6020B	Aluminum	5330	mg/kg	35.9	05/14/22 02:23	
EPA 6020B	Antimony	0.23J	mg/kg	0.60	05/14/22 02:23	
EPA 6020B	Arsenic	16.6	mg/kg	0.60	05/14/22 02:23	
EPA 6020B	Barium	46.7	mg/kg	0.36	05/14/22 02:23	
EPA 6020B	Beryllium	0.51	mg/kg	0.24	05/14/22 02:23	
EPA 6020B	Cadmium	0.28	mg/kg	0.096	05/14/22 02:23	
EPA 6020B	Calcium	40200	mg/kg	120	05/14/22 02:23	
EPA 6020B	Chromium	11.5	mg/kg	2.4	05/14/22 02:23	
EPA 6020B	Cobalt	5.9	mg/kg	0.60	05/14/22 02:23	
EPA 6020B	Copper	18.1	mg/kg	1.2	05/14/22 02:23	
EPA 6020B	Iron	16500	mg/kg	59.9	05/14/22 02:23	
EPA 6020B	Lead	11.2	mg/kg	0.60	05/14/22 02:23	
EPA 6020B	Magnesium	22400	mg/kg	35.9	05/14/22 02:23	
EPA 6020B	Manganese	270	mg/kg	0.60	05/14/22 02:23	
EPA 6020B	Nickel	15.7	mg/kg	0.60	05/14/22 02:23	
EPA 6020B	Potassium	429	mg/kg	120	05/14/22 02:23	
EPA 6020B	Selenium	0.22J	mg/kg	0.60	05/14/22 02:23	
EPA 6020B	Sodium	67.7	mg/kg	59.9	05/14/22 02:23	
EPA 6020B	Thallium	0.17	mg/kg	0.12	05/14/22 02:23	
EPA 6020B	Vanadium	26.7	mg/kg	1.2	05/14/22 02:23	
EPA 6020B	Zinc	46.0	mg/kg	6.0	05/14/22 02:23	
EPA 7471	Mercury	0.012J	mg/kg	0.039	05/13/22 09:09	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244446002	SB-16 (4.0-5.0)					
ASTM D2974-87	Percent Moisture	19.7	%	0.10	05/10/22 16:43	
EPA 9045	pH at 25 Degrees C	8.19	Std. Units	0.100	05/12/22 13:04	H6
40244446003	SB-17 (1.6-2.3)					
EPA 6020B	Aluminum	10700	mg/kg	37.3	05/14/22 02:26	
EPA 6020B	Arsenic	11.4	mg/kg	0.62	05/14/22 02:26	
EPA 6020B	Barium	144	mg/kg	0.37	05/14/22 02:26	
EPA 6020B	Beryllium	0.67	mg/kg	0.25	05/14/22 02:26	
EPA 6020B	Cadmium	0.11	mg/kg	0.10	05/14/22 02:26	
EPA 6020B	Calcium	4410	mg/kg	124	05/14/22 02:26	
EPA 6020B	Chromium	13.8	mg/kg	2.5	05/14/22 02:26	
EPA 6020B	Cobalt	4.5	mg/kg	0.62	05/14/22 02:26	
EPA 6020B	Copper	12.5	mg/kg	1.2	05/14/22 02:26	
EPA 6020B	Iron	13500	mg/kg	62.2	05/14/22 02:26	
EPA 6020B	Lead	10.1	mg/kg	0.62	05/14/22 02:26	
EPA 6020B	Magnesium	2120	mg/kg	37.3	05/14/22 02:26	
EPA 6020B	Manganese	268	mg/kg	0.62	05/14/22 02:26	
EPA 6020B	Nickel	10.2	mg/kg	0.62	05/14/22 02:26	
EPA 6020B	Potassium	1490	mg/kg	124	05/14/22 02:26	
EPA 6020B	Selenium	0.78	mg/kg	0.62	05/14/22 02:26	
EPA 6020B	Sodium	23.0J	mg/kg	62.2	05/14/22 02:26	
EPA 6020B	Thallium	0.18	mg/kg	0.12	05/14/22 02:26	
EPA 6020B	Vanadium	26.7	mg/kg	1.2	05/14/22 02:26	
EPA 6020B	Zinc	41.4	mg/kg	6.2	05/14/22 02:26	
EPA 7471	Mercury	0.013J	mg/kg	0.045	05/13/22 09:12	
ASTM D2974-87	Percent Moisture	24.9	%	0.10	05/10/22 16:43	
EPA 9040	pH at 25 Degrees C	7.5	Std. Units	0.10	05/12/22 13:54	2q,H6
40244446004	SB-17 (4.5-5.5)					
EPA 6020B	Aluminum	16400	mg/kg	37.9	05/14/22 02:38	
EPA 6020B	Antimony	0.15J	mg/kg	0.63	05/14/22 02:38	
EPA 6020B	Arsenic	8.9	mg/kg	0.63	05/14/22 02:38	
EPA 6020B	Barium	210	mg/kg	0.38	05/14/22 02:38	
EPA 6020B	Beryllium	0.92	mg/kg	0.25	05/14/22 02:38	
EPA 6020B	Cadmium	0.19	mg/kg	0.10	05/14/22 02:38	
EPA 6020B	Calcium	4240	mg/kg	126	05/14/22 02:38	
EPA 6020B	Chromium	22.0	mg/kg	2.5	05/14/22 02:38	
EPA 6020B	Cobalt	10.2	mg/kg	0.63	05/14/22 02:38	
EPA 6020B	Copper	21.4	mg/kg	1.3	05/14/22 02:38	
EPA 6020B	Iron	22100	mg/kg	63.1	05/14/22 02:38	
EPA 6020B	Lead	11.9	mg/kg	0.63	05/14/22 02:38	
EPA 6020B	Magnesium	3670	mg/kg	37.9	05/14/22 02:38	
EPA 6020B	Manganese	315	mg/kg	0.63	05/14/22 02:38	
EPA 6020B	Nickel	22.5	mg/kg	0.63	05/14/22 02:38	
EPA 6020B	Potassium	1450	mg/kg	126	05/14/22 02:38	
EPA 6020B	Selenium	0.37J	mg/kg	0.63	05/14/22 02:38	
EPA 6020B	Sodium	51.8J	mg/kg	63.1	05/14/22 02:38	
EPA 6020B	Thallium	0.19	mg/kg	0.13	05/14/22 02:38	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244446004	SB-17 (4.5-5.5)					
EPA 6020B	Vanadium	37.6	mg/kg	1.3	05/14/22 02:38	
EPA 6020B	Zinc	62.3	mg/kg	6.3	05/14/22 02:38	
EPA 7471	Mercury	0.040J	mg/kg	0.041	05/13/22 09:14	
ASTM D2974-87	Percent Moisture	23.9	%	0.10	05/10/22 16:43	
EPA 9040	pH at 25 Degrees C	7.9	Std. Units	0.10	05/12/22 14:00	2q,H6
40244446005	SB-18 (1.5-2.0)					
EPA 6020B	Aluminum	11800	mg/kg	38.3	05/14/22 02:42	
EPA 6020B	Antimony	0.13J	mg/kg	0.64	05/14/22 02:42	
EPA 6020B	Arsenic	4.7	mg/kg	0.64	05/14/22 02:42	
EPA 6020B	Barium	170	mg/kg	0.38	05/14/22 02:42	
EPA 6020B	Beryllium	0.71	mg/kg	0.26	05/14/22 02:42	
EPA 6020B	Cadmium	0.094J	mg/kg	0.10	05/14/22 02:42	
EPA 6020B	Calcium	10300	mg/kg	128	05/14/22 02:42	
EPA 6020B	Chromium	15.6	mg/kg	2.6	05/14/22 02:42	
EPA 6020B	Cobalt	4.7	mg/kg	0.64	05/14/22 02:42	
EPA 6020B	Copper	14.6	mg/kg	1.3	05/14/22 02:42	
EPA 6020B	Iron	14500	mg/kg	63.8	05/14/22 02:42	
EPA 6020B	Lead	11.0	mg/kg	0.64	05/14/22 02:42	
EPA 6020B	Magnesium	2500	mg/kg	38.3	05/14/22 02:42	
EPA 6020B	Manganese	268	mg/kg	0.64	05/14/22 02:42	
EPA 6020B	Nickel	11.8	mg/kg	0.64	05/14/22 02:42	
EPA 6020B	Potassium	1750	mg/kg	128	05/14/22 02:42	
EPA 6020B	Selenium	0.69	mg/kg	0.64	05/14/22 02:42	
EPA 6020B	Sodium	43.6J	mg/kg	63.8	05/14/22 02:42	
EPA 6020B	Thallium	0.17	mg/kg	0.13	05/14/22 02:42	
EPA 6020B	Vanadium	29.5	mg/kg	1.3	05/14/22 02:42	
EPA 6020B	Zinc	45.8	mg/kg	6.4	05/14/22 02:42	
EPA 7471	Mercury	0.020J	mg/kg	0.044	05/13/22 09:16	
ASTM D2974-87	Percent Moisture	24.6	%	0.10	05/10/22 16:43	
EPA 9040	pH at 25 Degrees C	7.7	Std. Units	0.10	05/12/22 14:04	2q,H6
40244446006	SB-18 (4.5-5.5)					
EPA 6020B	Aluminum	15400	mg/kg	36.6	05/14/22 02:45	
EPA 6020B	Antimony	0.18J	mg/kg	0.61	05/14/22 02:45	
EPA 6020B	Arsenic	11.6	mg/kg	0.61	05/14/22 02:45	
EPA 6020B	Barium	166	mg/kg	0.37	05/14/22 02:45	
EPA 6020B	Beryllium	0.87	mg/kg	0.24	05/14/22 02:45	
EPA 6020B	Cadmium	0.14	mg/kg	0.098	05/14/22 02:45	
EPA 6020B	Calcium	3780	mg/kg	122	05/14/22 02:45	
EPA 6020B	Chromium	20.8	mg/kg	2.4	05/14/22 02:45	
EPA 6020B	Cobalt	9.4	mg/kg	0.61	05/14/22 02:45	
EPA 6020B	Copper	21.9	mg/kg	1.2	05/14/22 02:45	
EPA 6020B	Iron	23500	mg/kg	61.0	05/14/22 02:45	
EPA 6020B	Lead	22.4	mg/kg	0.61	05/14/22 02:45	
EPA 6020B	Magnesium	3460	mg/kg	36.6	05/14/22 02:45	
EPA 6020B	Manganese	240	mg/kg	0.61	05/14/22 02:45	
EPA 6020B	Nickel	20.5	mg/kg	0.61	05/14/22 02:45	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244446006	SB-18 (4.5-5.5)					
EPA 6020B	Potassium	976	mg/kg	122	05/14/22 02:45	
EPA 6020B	Selenium	0.36J	mg/kg	0.61	05/14/22 02:45	
EPA 6020B	Sodium	45.6J	mg/kg	61.0	05/14/22 02:45	
EPA 6020B	Thallium	0.17	mg/kg	0.12	05/14/22 02:45	
EPA 6020B	Vanadium	38.5	mg/kg	1.2	05/14/22 02:45	
EPA 6020B	Zinc	59.9	mg/kg	6.1	05/14/22 02:45	
EPA 7471	Mercury	0.047	mg/kg	0.044	05/13/22 09:19	
ASTM D2974-87	Percent Moisture	23.4	%	0.10	05/10/22 16:43	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/12/22 14:07	2q,H6
40244446007	SB-19 (2-3)					
EPA 6020B	Aluminum	13600	mg/kg	39.3	05/14/22 02:49	
EPA 6020B	Antimony	0.17J	mg/kg	0.65	05/14/22 02:49	
EPA 6020B	Arsenic	8.9	mg/kg	0.65	05/14/22 02:49	
EPA 6020B	Barium	147	mg/kg	0.39	05/14/22 02:49	
EPA 6020B	Beryllium	0.70	mg/kg	0.26	05/14/22 02:49	
EPA 6020B	Cadmium	0.083J	mg/kg	0.10	05/14/22 02:49	
EPA 6020B	Calcium	3580	mg/kg	131	05/14/22 02:49	
EPA 6020B	Chromium	16.4	mg/kg	2.6	05/14/22 02:49	
EPA 6020B	Cobalt	8.6	mg/kg	0.65	05/14/22 02:49	
EPA 6020B	Copper	15.2	mg/kg	1.3	05/14/22 02:49	
EPA 6020B	Iron	23300	mg/kg	65.5	05/14/22 02:49	
EPA 6020B	Lead	11.4	mg/kg	0.65	05/14/22 02:49	
EPA 6020B	Magnesium	2450	mg/kg	39.3	05/14/22 02:49	
EPA 6020B	Manganese	497	mg/kg	0.65	05/14/22 02:49	
EPA 6020B	Nickel	15.8	mg/kg	0.65	05/14/22 02:49	
EPA 6020B	Potassium	1230	mg/kg	131	05/14/22 02:49	
EPA 6020B	Selenium	0.73	mg/kg	0.65	05/14/22 02:49	
EPA 6020B	Sodium	37.1J	mg/kg	65.5	05/14/22 02:49	
EPA 6020B	Thallium	0.18	mg/kg	0.13	05/14/22 02:49	
EPA 6020B	Vanadium	32.2	mg/kg	1.3	05/14/22 02:49	
EPA 6020B	Zinc	43.6	mg/kg	6.5	05/14/22 02:49	
EPA 7471	Mercury	1.1	mg/kg	0.044	05/13/22 09:26	
ASTM D2974-87	Percent Moisture	26.6	%	0.10	05/10/22 16:44	
EPA 9040	pH at 25 Degrees C	7.7	Std. Units	0.10	05/12/22 14:11	2q,H6
40244446008	SB-19 (4.0-5.0)					
EPA 6020B	Aluminum	16800	mg/kg	38.6	05/14/22 02:53	
EPA 6020B	Antimony	0.29J	mg/kg	0.64	05/14/22 02:53	
EPA 6020B	Arsenic	26.0	mg/kg	0.64	05/14/22 02:53	
EPA 6020B	Barium	163	mg/kg	0.39	05/14/22 02:53	
EPA 6020B	Beryllium	1.1	mg/kg	0.26	05/14/22 02:53	
EPA 6020B	Cadmium	0.43	mg/kg	0.10	05/14/22 02:53	
EPA 6020B	Calcium	3130	mg/kg	129	05/14/22 02:53	
EPA 6020B	Chromium	20.8	mg/kg	2.6	05/14/22 02:53	
EPA 6020B	Cobalt	12.1	mg/kg	0.64	05/14/22 02:53	
EPA 6020B	Copper	29.0	mg/kg	1.3	05/14/22 02:53	
EPA 6020B	Iron	38300	mg/kg	64.3	05/14/22 02:53	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244446008	SB-19 (4.0-5.0)					
EPA 6020B	Lead	32.3	mg/kg	0.64	05/14/22 02:53	
EPA 6020B	Magnesium	3050	mg/kg	38.6	05/14/22 02:53	
EPA 6020B	Manganese	674	mg/kg	6.4	05/16/22 18:05	
EPA 6020B	Nickel	28.8	mg/kg	0.64	05/14/22 02:53	
EPA 6020B	Potassium	1000	mg/kg	129	05/14/22 02:53	
EPA 6020B	Selenium	1.0	mg/kg	0.64	05/14/22 02:53	
EPA 6020B	Sodium	44.9J	mg/kg	64.3	05/14/22 02:53	
EPA 6020B	Thallium	0.24	mg/kg	0.13	05/14/22 02:53	
EPA 6020B	Vanadium	47.6	mg/kg	1.3	05/14/22 02:53	
EPA 6020B	Zinc	57.6	mg/kg	6.4	05/14/22 02:53	
EPA 7471	Mercury	0.040J	mg/kg	0.042	05/13/22 09:28	
ASTM D2974-87	Percent Moisture	24.5	%	0.10	05/10/22 16:44	
EPA 9040	pH at 25 Degrees C	7.7	Std. Units	0.10	05/12/22 14:13	2q,H6
40244446009	SB-20 (2.0-3.0)					
EPA 6020B	Aluminum	12600	mg/kg	37.6	05/14/22 02:57	
EPA 6020B	Arsenic	5.5	mg/kg	0.63	05/14/22 02:57	
EPA 6020B	Barium	129	mg/kg	0.38	05/14/22 02:57	
EPA 6020B	Beryllium	0.68	mg/kg	0.25	05/14/22 02:57	
EPA 6020B	Cadmium	0.079J	mg/kg	0.10	05/14/22 02:57	
EPA 6020B	Calcium	4140	mg/kg	125	05/14/22 02:57	
EPA 6020B	Chromium	15.4	mg/kg	2.5	05/14/22 02:57	
EPA 6020B	Cobalt	6.1	mg/kg	0.63	05/14/22 02:57	
EPA 6020B	Copper	13.7	mg/kg	1.3	05/14/22 02:57	
EPA 6020B	Iron	16900	mg/kg	62.7	05/14/22 02:57	
EPA 6020B	Lead	10.3	mg/kg	0.63	05/14/22 02:57	
EPA 6020B	Magnesium	2180	mg/kg	37.6	05/14/22 02:57	
EPA 6020B	Manganese	249	mg/kg	0.63	05/14/22 02:57	
EPA 6020B	Nickel	11.7	mg/kg	0.63	05/14/22 02:57	
EPA 6020B	Potassium	1320	mg/kg	125	05/14/22 02:57	
EPA 6020B	Selenium	0.74	mg/kg	0.63	05/14/22 02:57	
EPA 6020B	Sodium	29.0J	mg/kg	62.7	05/14/22 02:57	
EPA 6020B	Thallium	0.17	mg/kg	0.13	05/14/22 02:57	
EPA 6020B	Vanadium	29.6	mg/kg	1.3	05/14/22 02:57	
EPA 6020B	Zinc	43.7	mg/kg	6.3	05/14/22 02:57	
EPA 7471	Mercury	0.014J	mg/kg	0.040	05/13/22 09:30	
ASTM D2974-87	Percent Moisture	22.6	%	0.10	05/10/22 16:44	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/12/22 14:15	2q,H6
40244446010	SB-20 (4.0-5.0)					
EPA 8081B	4,4'-DDD	0.0068	mg/kg	0.0044	05/17/22 18:12	
EPA 6020B	Aluminum	16800	mg/kg	39.0	05/14/22 03:00	
EPA 6020B	Antimony	0.16J	mg/kg	0.65	05/14/22 03:00	
EPA 6020B	Arsenic	8.8	mg/kg	0.65	05/14/22 03:00	
EPA 6020B	Barium	159	mg/kg	0.39	05/14/22 03:00	
EPA 6020B	Beryllium	0.83	mg/kg	0.26	05/14/22 03:00	
EPA 6020B	Cadmium	0.12	mg/kg	0.10	05/14/22 03:00	
EPA 6020B	Calcium	3690	mg/kg	130	05/14/22 03:00	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244446010	SB-20 (4.0-5.0)					
EPA 6020B	Chromium	20.4	mg/kg	2.6	05/14/22 03:00	
EPA 6020B	Cobalt	10.3	mg/kg	0.65	05/14/22 03:00	
EPA 6020B	Copper	17.3	mg/kg	1.3	05/14/22 03:00	
EPA 6020B	Iron	24200	mg/kg	65.0	05/14/22 03:00	
EPA 6020B	Lead	8.7	mg/kg	0.65	05/14/22 03:00	
EPA 6020B	Magnesium	2980	mg/kg	39.0	05/14/22 03:00	
EPA 6020B	Manganese	540	mg/kg	0.65	05/14/22 03:00	
EPA 6020B	Nickel	23.4	mg/kg	0.65	05/14/22 03:00	
EPA 6020B	Potassium	1160	mg/kg	130	05/14/22 03:00	
EPA 6020B	Selenium	0.72	mg/kg	0.65	05/14/22 03:00	
EPA 6020B	Sodium	43.3J	mg/kg	65.0	05/14/22 03:00	
EPA 6020B	Thallium	0.22	mg/kg	0.13	05/14/22 03:00	
EPA 6020B	Vanadium	37.5	mg/kg	1.3	05/14/22 03:00	
EPA 6020B	Zinc	54.1	mg/kg	6.5	05/14/22 03:00	
EPA 7471	Mercury	0.052	mg/kg	0.043	05/13/22 09:33	
ASTM D2974-87	Percent Moisture	24.6	%	0.10	05/10/22 16:44	
EPA 9040	pH at 25 Degrees C	7.7	Std. Units	0.10	05/12/22 14:17	2q,H6
40244446011	SB-21 (1.5-2.5)					
EPA 8081B	4,4'-DDT	0.0016J	mg/kg	0.0042	05/17/22 19:08	
EPA 6020B	Aluminum	10200	mg/kg	36.6	05/14/22 03:04	
EPA 6020B	Antimony	0.15J	mg/kg	0.61	05/14/22 03:04	
EPA 6020B	Arsenic	5.2	mg/kg	0.61	05/14/22 03:04	
EPA 6020B	Barium	111	mg/kg	0.37	05/14/22 03:04	
EPA 6020B	Beryllium	0.66	mg/kg	0.24	05/14/22 03:04	
EPA 6020B	Cadmium	0.40	mg/kg	0.098	05/14/22 03:04	
EPA 6020B	Calcium	5670	mg/kg	122	05/14/22 03:04	
EPA 6020B	Chromium	13.4	mg/kg	2.4	05/14/22 03:04	
EPA 6020B	Cobalt	4.5	mg/kg	0.61	05/14/22 03:04	
EPA 6020B	Copper	15.0	mg/kg	1.2	05/14/22 03:04	
EPA 6020B	Iron	13800	mg/kg	61.1	05/14/22 03:04	
EPA 6020B	Lead	21.1	mg/kg	0.61	05/14/22 03:04	
EPA 6020B	Magnesium	3210	mg/kg	36.6	05/14/22 03:04	
EPA 6020B	Manganese	142	mg/kg	0.61	05/14/22 03:04	
EPA 6020B	Nickel	10.9	mg/kg	0.61	05/14/22 03:04	
EPA 6020B	Potassium	1110	mg/kg	122	05/14/22 03:04	
EPA 6020B	Selenium	0.62	mg/kg	0.61	05/14/22 03:04	
EPA 6020B	Sodium	40.1J	mg/kg	61.1	05/14/22 03:04	
EPA 6020B	Thallium	0.24	mg/kg	0.12	05/14/22 03:04	
EPA 6020B	Vanadium	25.0	mg/kg	1.2	05/14/22 03:04	
EPA 6020B	Zinc	62.7	mg/kg	6.1	05/14/22 03:04	
EPA 7471	Mercury	0.023J	mg/kg	0.041	05/13/22 09:35	
ASTM D2974-87	Percent Moisture	21.3	%	0.10	05/10/22 16:44	
EPA 9040	pH at 25 Degrees C	8.1	Std. Units	0.10	05/13/22 12:28	1q,H6
40244446012	SB-21 (4.5-5.5)					
EPA 6020B	Aluminum	15100	mg/kg	36.0	05/14/22 03:08	
EPA 6020B	Antimony	0.21J	mg/kg	0.60	05/14/22 03:08	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244446012	SB-21 (4.5-5.5)					
EPA 6020B	Arsenic	15.4	mg/kg	0.60	05/14/22 03:08	
EPA 6020B	Barium	215	mg/kg	0.36	05/14/22 03:08	
EPA 6020B	Beryllium	0.96	mg/kg	0.24	05/14/22 03:08	
EPA 6020B	Cadmium	0.42	mg/kg	0.096	05/14/22 03:08	
EPA 6020B	Calcium	3870	mg/kg	120	05/14/22 03:08	
EPA 6020B	Chromium	19.8	mg/kg	2.4	05/14/22 03:08	
EPA 6020B	Cobalt	15.9	mg/kg	0.60	05/14/22 03:08	
EPA 6020B	Copper	25.0	mg/kg	1.2	05/14/22 03:08	
EPA 6020B	Iron	27200	mg/kg	60.0	05/14/22 03:08	
EPA 6020B	Lead	22.4	mg/kg	0.60	05/14/22 03:08	
EPA 6020B	Magnesium	3810	mg/kg	36.0	05/14/22 03:08	
EPA 6020B	Manganese	1220	mg/kg	6.0	05/16/22 18:31	
EPA 6020B	Nickel	32.8	mg/kg	0.60	05/14/22 03:08	
EPA 6020B	Potassium	763	mg/kg	120	05/14/22 03:08	
EPA 6020B	Selenium	0.42J	mg/kg	0.60	05/14/22 03:08	
EPA 6020B	Sodium	49.7J	mg/kg	60.0	05/14/22 03:08	
EPA 6020B	Thallium	0.18	mg/kg	0.12	05/14/22 03:08	
EPA 6020B	Vanadium	42.5	mg/kg	1.2	05/14/22 03:08	
EPA 6020B	Zinc	59.8	mg/kg	6.0	05/14/22 03:08	
EPA 7471	Mercury	0.038J	mg/kg	0.042	05/13/22 09:37	
ASTM D2974-87	Percent Moisture	22.1	%	0.10	05/10/22 16:44	
EPA 9040	pH at 25 Degrees C	8.0	Std. Units	0.10	05/13/22 12:38	1q,H6
40244446013	SB-50 (1.3-2.3)					
EPA 8081B	beta-BHC	0.0011J	mg/kg	0.0022	05/10/22 16:31	
EPA 6020B	Aluminum	5750	mg/kg	37.7	05/14/22 03:19	
EPA 6020B	Antimony	0.25J	mg/kg	0.63	05/14/22 03:19	
EPA 6020B	Arsenic	5.1	mg/kg	0.63	05/14/22 03:19	
EPA 6020B	Barium	133	mg/kg	0.38	05/14/22 03:19	
EPA 6020B	Beryllium	0.60	mg/kg	0.25	05/14/22 03:19	
EPA 6020B	Cadmium	0.42	mg/kg	0.10	05/14/22 03:19	
EPA 6020B	Calcium	4240	mg/kg	126	05/14/22 03:19	
EPA 6020B	Chromium	9.1	mg/kg	2.5	05/14/22 03:19	
EPA 6020B	Cobalt	2.7	mg/kg	0.63	05/14/22 03:19	
EPA 6020B	Copper	14.2	mg/kg	1.3	05/14/22 03:19	
EPA 6020B	Iron	23800	mg/kg	62.8	05/14/22 03:19	
EPA 6020B	Lead	20.7	mg/kg	0.63	05/14/22 03:19	
EPA 6020B	Magnesium	1110	mg/kg	37.7	05/14/22 03:19	
EPA 6020B	Manganese	129	mg/kg	0.63	05/14/22 03:19	
EPA 6020B	Nickel	7.6	mg/kg	0.63	05/14/22 03:19	
EPA 6020B	Potassium	710	mg/kg	126	05/14/22 03:19	
EPA 6020B	Selenium	1.1	mg/kg	0.63	05/14/22 03:19	
EPA 6020B	Sodium	76.3	mg/kg	62.8	05/14/22 03:19	
EPA 6020B	Thallium	0.43	mg/kg	0.13	05/14/22 03:19	
EPA 6020B	Vanadium	15.8	mg/kg	1.3	05/14/22 03:19	
EPA 6020B	Zinc	66.6	mg/kg	6.3	05/14/22 03:19	
EPA 7471	Mercury	0.062	mg/kg	0.041	05/13/22 09:39	
EPA 8270E	Benzo(a)anthracene	0.038J	mg/kg	0.11	05/11/22 17:11	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244446013	SB-50 (1.3-2.3)					
EPA 8270E	Benzo(a)pyrene	0.053J	mg/kg	0.11	05/11/22 17:11	
EPA 8270E	Benzo(b)fluoranthene	0.076J	mg/kg	0.13	05/11/22 17:11	
EPA 8270E	Chrysene	0.052J	mg/kg	0.11	05/11/22 17:11	
EPA 8270E	Phenanthrene	0.055J	mg/kg	0.095	05/11/22 17:11	
EPA 8260	Carbon disulfide	0.0039J	mg/kg	0.0060	05/10/22 15:38	
ASTM D2974-87	Percent Moisture	24.9	%	0.10	05/10/22 16:44	
EPA 9040	pH at 25 Degrees C	8.0	Std. Units	0.10	05/13/22 12:40	1q,H6
40244446014	SB-50 (4.5-5.5)					
EPA 6020B	Aluminum	14000	mg/kg	37.1	05/14/22 03:23	
EPA 6020B	Antimony	0.18J	mg/kg	0.62	05/14/22 03:23	
EPA 6020B	Arsenic	12.6	mg/kg	0.62	05/14/22 03:23	
EPA 6020B	Barium	246	mg/kg	0.37	05/14/22 03:23	
EPA 6020B	Beryllium	0.97	mg/kg	0.25	05/14/22 03:23	
EPA 6020B	Cadmium	0.35	mg/kg	0.099	05/14/22 03:23	
EPA 6020B	Calcium	3260	mg/kg	124	05/14/22 03:23	
EPA 6020B	Chromium	17.4	mg/kg	2.5	05/14/22 03:23	
EPA 6020B	Cobalt	13.8	mg/kg	0.62	05/14/22 03:23	
EPA 6020B	Copper	21.9	mg/kg	1.2	05/14/22 03:23	
EPA 6020B	Iron	22800	mg/kg	61.8	05/14/22 03:23	
EPA 6020B	Lead	23.1	mg/kg	0.62	05/14/22 03:23	
EPA 6020B	Magnesium	3300	mg/kg	37.1	05/14/22 03:23	
EPA 6020B	Manganese	1510	mg/kg	6.2	05/16/22 18:43	
EPA 6020B	Nickel	25.2	mg/kg	0.62	05/14/22 03:23	
EPA 6020B	Potassium	646	mg/kg	124	05/14/22 03:23	
EPA 6020B	Selenium	0.31J	mg/kg	0.62	05/14/22 03:23	
EPA 6020B	Sodium	49.5J	mg/kg	61.8	05/14/22 03:23	
EPA 6020B	Thallium	0.18	mg/kg	0.12	05/14/22 03:23	
EPA 6020B	Vanadium	35.4	mg/kg	1.2	05/14/22 03:23	
EPA 6020B	Zinc	51.9	mg/kg	6.2	05/14/22 03:23	
EPA 7471	Mercury	0.049	mg/kg	0.041	05/13/22 09:42	
ASTM D2974-87	Percent Moisture	22.2	%	0.10	05/10/22 16:44	
EPA 9040	pH at 25 Degrees C	8.2	Std. Units	0.10	05/13/22 12:42	1q,H6
40244446015	SB-51 (1.2-2.2)					
EPA 6020B	Aluminum	12200	mg/kg	41.3	05/14/22 03:27	
EPA 6020B	Antimony	0.14J	mg/kg	0.69	05/14/22 03:27	
EPA 6020B	Arsenic	5.1	mg/kg	0.69	05/14/22 03:27	
EPA 6020B	Barium	139	mg/kg	0.41	05/14/22 03:27	
EPA 6020B	Beryllium	0.77	mg/kg	0.28	05/14/22 03:27	
EPA 6020B	Cadmium	0.36	mg/kg	0.11	05/14/22 03:27	
EPA 6020B	Calcium	5440	mg/kg	138	05/14/22 03:27	
EPA 6020B	Chromium	15.5	mg/kg	2.8	05/14/22 03:27	
EPA 6020B	Cobalt	5.8	mg/kg	0.69	05/14/22 03:27	
EPA 6020B	Copper	15.4	mg/kg	1.4	05/14/22 03:27	
EPA 6020B	Iron	18800	mg/kg	68.9	05/14/22 03:27	
EPA 6020B	Lead	11.9	mg/kg	0.69	05/14/22 03:27	
EPA 6020B	Magnesium	2320	mg/kg	41.3	05/14/22 03:27	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244446015	SB-51 (1.2-2.2)					
EPA 6020B	Manganese	606	mg/kg	0.69	05/14/22 03:27	
EPA 6020B	Nickel	14.6	mg/kg	0.69	05/14/22 03:27	
EPA 6020B	Potassium	1290	mg/kg	138	05/14/22 03:27	
EPA 6020B	Selenium	0.70	mg/kg	0.69	05/14/22 03:27	
EPA 6020B	Sodium	22.9J	mg/kg	68.9	05/14/22 03:27	
EPA 6020B	Thallium	0.25	mg/kg	0.14	05/14/22 03:27	
EPA 6020B	Vanadium	25.9	mg/kg	1.4	05/14/22 03:27	
EPA 6020B	Zinc	78.3	mg/kg	6.9	05/14/22 03:27	
EPA 7471	Mercury	0.030J	mg/kg	0.047	05/13/22 09:44	
EPA 8260	2-Butanone (MEK)	0.018J	mg/kg	0.029	05/10/22 16:28	
ASTM D2974-87	Percent Moisture	29.5	%	0.10	05/10/22 16:45	
EPA 9040	pH at 25 Degrees C	8.0	Std. Units	0.10	05/13/22 12:45	1q,H6
40244446016	SB-51 (4.4-5.4)					
EPA 6020B	Aluminum	14000	mg/kg	35.6	05/14/22 03:31	
EPA 6020B	Arsenic	7.2	mg/kg	0.59	05/14/22 03:31	
EPA 6020B	Barium	172	mg/kg	0.36	05/14/22 03:31	
EPA 6020B	Beryllium	0.75	mg/kg	0.24	05/14/22 03:31	
EPA 6020B	Cadmium	0.17	mg/kg	0.095	05/14/22 03:31	
EPA 6020B	Calcium	4630	mg/kg	119	05/14/22 03:31	
EPA 6020B	Chromium	18.9	mg/kg	2.4	05/14/22 03:31	
EPA 6020B	Cobalt	4.9	mg/kg	0.59	05/14/22 03:31	
EPA 6020B	Copper	16.4	mg/kg	1.2	05/14/22 03:31	
EPA 6020B	Iron	20900	mg/kg	59.3	05/14/22 03:31	
EPA 6020B	Lead	9.4	mg/kg	0.59	05/14/22 03:31	
EPA 6020B	Magnesium	3490	mg/kg	35.6	05/14/22 03:31	
EPA 6020B	Manganese	364	mg/kg	0.59	05/14/22 03:31	
EPA 6020B	Nickel	16.6	mg/kg	0.59	05/14/22 03:31	
EPA 6020B	Potassium	755	mg/kg	119	05/14/22 03:31	
EPA 6020B	Selenium	0.22J	mg/kg	0.59	05/14/22 03:31	
EPA 6020B	Sodium	32.3J	mg/kg	59.3	05/14/22 03:31	
EPA 6020B	Thallium	0.13	mg/kg	0.12	05/14/22 03:31	
EPA 6020B	Vanadium	28.1	mg/kg	1.2	05/14/22 03:31	
EPA 6020B	Zinc	57.7	mg/kg	5.9	05/14/22 03:31	
EPA 7471	Mercury	0.051	mg/kg	0.042	05/13/22 10:51	
ASTM D2974-87	Percent Moisture	22.7	%	0.10	05/10/22 16:45	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/13/22 12:47	1q,H6
40244446017	SB-52 (1.4-2.4)					
EPA 6020B	Aluminum	11900	mg/kg	38.3	05/14/22 03:34	
EPA 6020B	Arsenic	3.6	mg/kg	0.64	05/14/22 03:34	
EPA 6020B	Barium	166	mg/kg	0.38	05/14/22 03:34	
EPA 6020B	Beryllium	0.81	mg/kg	0.26	05/14/22 03:34	
EPA 6020B	Cadmium	0.21	mg/kg	0.10	05/14/22 03:34	
EPA 6020B	Calcium	5960	mg/kg	128	05/14/22 03:34	
EPA 6020B	Chromium	15.4	mg/kg	2.6	05/14/22 03:34	
EPA 6020B	Cobalt	3.6	mg/kg	0.64	05/14/22 03:34	
EPA 6020B	Copper	18.0	mg/kg	1.3	05/14/22 03:34	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244446017	SB-52 (1.4-2.4)					
EPA 6020B	Iron	13800	mg/kg	63.8	05/14/22 03:34	
EPA 6020B	Lead	13.5	mg/kg	0.64	05/14/22 03:34	
EPA 6020B	Magnesium	2180	mg/kg	38.3	05/14/22 03:34	
EPA 6020B	Manganese	134	mg/kg	0.64	05/14/22 03:34	
EPA 6020B	Nickel	10.9	mg/kg	0.64	05/14/22 03:34	
EPA 6020B	Potassium	1500	mg/kg	128	05/14/22 03:34	
EPA 6020B	Selenium	0.89	mg/kg	0.64	05/14/22 03:34	
EPA 6020B	Sodium	38.4J	mg/kg	63.8	05/14/22 03:34	
EPA 6020B	Thallium	0.18	mg/kg	0.13	05/14/22 03:34	
EPA 6020B	Vanadium	24.9	mg/kg	1.3	05/14/22 03:34	
EPA 6020B	Zinc	60.7	mg/kg	6.4	05/14/22 03:34	
EPA 7471	Mercury	0.035J	mg/kg	0.043	05/13/22 10:54	
EPA 8270E	Phenanthrene	0.049J	mg/kg	0.097	05/11/22 17:33	
ASTM D2974-87	Percent Moisture	26.0	%	0.10	05/10/22 16:45	
EPA 9040	pH at 25 Degrees C	7.9	Std. Units	0.10	05/13/22 12:50	1q,H6
40244446018	SB-52 (4.5-5.5)					
EPA 6020B	Aluminum	14600	mg/kg	37.9	05/14/22 03:38	
EPA 6020B	Antimony	0.19J	mg/kg	0.63	05/14/22 03:38	
EPA 6020B	Arsenic	9.3	mg/kg	0.63	05/14/22 03:38	
EPA 6020B	Barium	139	mg/kg	0.38	05/14/22 03:38	
EPA 6020B	Beryllium	0.86	mg/kg	0.25	05/14/22 03:38	
EPA 6020B	Cadmium	0.20	mg/kg	0.10	05/14/22 03:38	
EPA 6020B	Calcium	5500	mg/kg	126	05/14/22 03:38	
EPA 6020B	Chromium	20.4	mg/kg	2.5	05/14/22 03:38	
EPA 6020B	Cobalt	9.0	mg/kg	0.63	05/14/22 03:38	
EPA 6020B	Copper	23.4	mg/kg	1.3	05/14/22 03:38	
EPA 6020B	Iron	22700	mg/kg	63.1	05/14/22 03:38	
EPA 6020B	Lead	15.8	mg/kg	0.63	05/14/22 03:38	
EPA 6020B	Magnesium	4310	mg/kg	37.9	05/14/22 03:38	
EPA 6020B	Manganese	254	mg/kg	0.63	05/14/22 03:38	
EPA 6020B	Nickel	21.8	mg/kg	0.63	05/14/22 03:38	
EPA 6020B	Potassium	1210	mg/kg	126	05/14/22 03:38	
EPA 6020B	Selenium	0.23J	mg/kg	0.63	05/14/22 03:38	
EPA 6020B	Sodium	41.1J	mg/kg	63.1	05/14/22 03:38	
EPA 6020B	Thallium	0.13	mg/kg	0.13	05/14/22 03:38	
EPA 6020B	Vanadium	39.4	mg/kg	1.3	05/14/22 03:38	
EPA 6020B	Zinc	62.6	mg/kg	6.3	05/14/22 03:38	
EPA 7471	Mercury	0.054	mg/kg	0.044	05/13/22 10:56	
ASTM D2974-87	Percent Moisture	23.1	%	0.10	05/10/22 16:45	
EPA 9040	pH at 25 Degrees C	8.0	Std. Units	0.10	05/13/22 12:59	1q,H6
40244446019	SB-53 (1.8-2.8)					
EPA 6020B	Aluminum	8360	mg/kg	36.3	05/14/22 03:42	
EPA 6020B	Arsenic	5.8	mg/kg	0.61	05/14/22 03:42	
EPA 6020B	Barium	82.4	mg/kg	0.36	05/14/22 03:42	
EPA 6020B	Beryllium	0.50	mg/kg	0.24	05/14/22 03:42	
EPA 6020B	Cadmium	0.17	mg/kg	0.097	05/14/22 03:42	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244446019	SB-53 (1.8-2.8)					
EPA 6020B	Calcium	22900	mg/kg	121	05/14/22 03:42	
EPA 6020B	Chromium	13.2	mg/kg	2.4	05/14/22 03:42	
EPA 6020B	Cobalt	5.8	mg/kg	0.61	05/14/22 03:42	
EPA 6020B	Copper	13.5	mg/kg	1.2	05/14/22 03:42	
EPA 6020B	Iron	13400	mg/kg	60.6	05/14/22 03:42	
EPA 6020B	Lead	9.6	mg/kg	0.61	05/14/22 03:42	
EPA 6020B	Magnesium	13000	mg/kg	36.3	05/14/22 03:42	
EPA 6020B	Manganese	264	mg/kg	0.61	05/14/22 03:42	
EPA 6020B	Nickel	14.2	mg/kg	0.61	05/14/22 03:42	
EPA 6020B	Potassium	1120	mg/kg	121	05/14/22 03:42	
EPA 6020B	Selenium	0.27J	mg/kg	0.61	05/14/22 03:42	
EPA 6020B	Sodium	67.4	mg/kg	60.6	05/14/22 03:42	
EPA 6020B	Thallium	0.12J	mg/kg	0.12	05/14/22 03:42	
EPA 6020B	Vanadium	23.4	mg/kg	1.2	05/14/22 03:42	
EPA 6020B	Zinc	42.9	mg/kg	6.1	05/14/22 03:42	
EPA 7471	Mercury	0.031J	mg/kg	0.039	05/13/22 10:58	
ASTM D2974-87	Percent Moisture	19.1	%	0.10	05/10/22 16:45	
EPA 9045	pH at 25 Degrees C	8.32	Std. Units	0.100	05/13/22 12:24	H6
40244446020	SB-53 (4.4-5.4)					
EPA 6020B	Aluminum	11000	mg/kg	35.8	05/14/22 03:46	
EPA 6020B	Antimony	0.18J	mg/kg	0.60	05/14/22 03:46	
EPA 6020B	Arsenic	13.9	mg/kg	0.60	05/14/22 03:46	
EPA 6020B	Barium	113	mg/kg	0.36	05/14/22 03:46	
EPA 6020B	Beryllium	0.71	mg/kg	0.24	05/14/22 03:46	
EPA 6020B	Cadmium	0.18	mg/kg	0.095	05/14/22 03:46	
EPA 6020B	Calcium	3750	mg/kg	119	05/14/22 03:46	
EPA 6020B	Chromium	14.8	mg/kg	2.4	05/14/22 03:46	
EPA 6020B	Cobalt	10	mg/kg	0.60	05/14/22 03:46	
EPA 6020B	Copper	15.1	mg/kg	1.2	05/14/22 03:46	
EPA 6020B	Iron	22200	mg/kg	59.7	05/14/22 03:46	
EPA 6020B	Lead	11.6	mg/kg	0.60	05/14/22 03:46	
EPA 6020B	Magnesium	2860	mg/kg	35.8	05/14/22 03:46	
EPA 6020B	Manganese	275	mg/kg	0.60	05/14/22 03:46	
EPA 6020B	Nickel	15.7	mg/kg	0.60	05/14/22 03:46	
EPA 6020B	Potassium	579	mg/kg	119	05/14/22 03:46	
EPA 6020B	Selenium	0.38J	mg/kg	0.60	05/14/22 03:46	
EPA 6020B	Sodium	90.0	mg/kg	59.7	05/14/22 03:46	
EPA 6020B	Thallium	0.12	mg/kg	0.12	05/14/22 03:46	
EPA 6020B	Vanadium	31.4	mg/kg	1.2	05/14/22 03:46	
EPA 6020B	Zinc	45.3	mg/kg	6.0	05/14/22 03:46	
EPA 7471	Mercury	0.041J	mg/kg	0.043	05/13/22 11:01	
ASTM D2974-87	Percent Moisture	21.0	%	0.10	05/11/22 16:20	
EPA 9040	pH at 25 Degrees C	8.0	Std. Units	0.10	05/13/22 13:01	1q,H6
40244446021	SB-54 (1.5-2.5)					
EPA 6020B	Aluminum	14100	mg/kg	37.9	05/13/22 23:36	P6
EPA 6020B	Antimony	0.18J	mg/kg	0.63	05/13/22 23:36	M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244446021	SB-54 (1.5-2.5)					
EPA 6020B	Arsenic	9.2	mg/kg	0.63	05/13/22 23:36	
EPA 6020B	Barium	169	mg/kg	0.38	05/13/22 23:36	M1
EPA 6020B	Beryllium	0.89	mg/kg	0.25	05/13/22 23:36	
EPA 6020B	Cadmium	0.30	mg/kg	0.10	05/13/22 23:36	
EPA 6020B	Calcium	5490	mg/kg	126	05/13/22 23:36	P6
EPA 6020B	Chromium	20.0	mg/kg	2.5	05/13/22 23:36	
EPA 6020B	Cobalt	8.9	mg/kg	0.63	05/13/22 23:36	
EPA 6020B	Copper	19.4	mg/kg	1.3	05/13/22 23:36	
EPA 6020B	Iron	25300	mg/kg	63.2	05/13/22 23:36	P6
EPA 6020B	Lead	14.4	mg/kg	0.63	05/13/22 23:36	
EPA 6020B	Magnesium	3840	mg/kg	37.9	05/13/22 23:36	
EPA 6020B	Manganese	1290	mg/kg	6.3	05/16/22 20:12	P6,R1
EPA 6020B	Nickel	23.2	mg/kg	0.63	05/13/22 23:36	
EPA 6020B	Potassium	1040	mg/kg	126	05/13/22 23:36	
EPA 6020B	Selenium	0.48J	mg/kg	0.63	05/13/22 23:36	
EPA 6020B	Silver	0.19J	mg/kg	0.63	05/16/22 19:54	
EPA 6020B	Sodium	79.7	mg/kg	63.2	05/13/22 23:36	
EPA 6020B	Thallium	0.23	mg/kg	0.13	05/13/22 23:36	
EPA 6020B	Vanadium	35.0	mg/kg	1.3	05/13/22 23:36	
EPA 6020B	Zinc	65.0	mg/kg	6.3	05/13/22 23:36	M1
EPA 7471	Mercury	0.038J	mg/kg	0.041	05/13/22 11:03	
EPA 8270E	2-Methylnaphthalene	0.48	mg/kg	0.19	05/10/22 17:47	
EPA 8270E	Acenaphthene	0.25J	mg/kg	0.26	05/10/22 17:47	
EPA 8270E	Anthracene	0.13	mg/kg	0.12	05/10/22 17:47	
EPA 8270E	Carbazole	0.91	mg/kg	0.11	05/10/22 17:47	
EPA 8270E	Dibenzofuran	0.25	mg/kg	0.089	05/10/22 17:47	
EPA 8270E	Fluoranthene	0.11	mg/kg	0.10	05/10/22 17:47	
EPA 8270E	Fluorene	0.40	mg/kg	0.086	05/10/22 17:47	
EPA 8270E	Naphthalene	2.4	mg/kg	0.26	05/10/22 17:47	
EPA 8270E	Phenanthrene	0.58	mg/kg	0.094	05/10/22 17:47	
EPA 8270E	Pyrene	0.10J	mg/kg	0.16	05/10/22 17:47	
EPA 8260	Ethylbenzene	0.0011J	mg/kg	0.0048	05/10/22 18:59	
ASTM D2974-87	Percent Moisture	23.9	%	0.10	05/11/22 16:21	
EPA 9040	pH at 25 Degrees C	8.0	Std. Units	0.10	05/13/22 13:03	1q,H6
40244446022	SB-54 (4.5-5.5)					
EPA 6020B	Aluminum	13100	mg/kg	38.6	05/13/22 23:55	
EPA 6020B	Arsenic	10.7	mg/kg	0.64	05/13/22 23:55	
EPA 6020B	Barium	176	mg/kg	0.39	05/13/22 23:55	
EPA 6020B	Beryllium	0.91	mg/kg	0.26	05/13/22 23:55	
EPA 6020B	Cadmium	0.16	mg/kg	0.10	05/13/22 23:55	
EPA 6020B	Calcium	3030	mg/kg	129	05/13/22 23:55	
EPA 6020B	Chromium	16.3	mg/kg	2.6	05/13/22 23:55	
EPA 6020B	Cobalt	9.9	mg/kg	0.64	05/13/22 23:55	
EPA 6020B	Copper	16.4	mg/kg	1.3	05/13/22 23:55	
EPA 6020B	Iron	19500	mg/kg	64.3	05/13/22 23:55	
EPA 6020B	Lead	17.1	mg/kg	0.64	05/13/22 23:55	
EPA 6020B	Magnesium	2820	mg/kg	38.6	05/13/22 23:55	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244446022	SB-54 (4.5-5.5)					
EPA 6020B	Manganese	522	mg/kg	0.64	05/13/22 23:55	
EPA 6020B	Nickel	16.1	mg/kg	0.64	05/13/22 23:55	
EPA 6020B	Potassium	674	mg/kg	129	05/13/22 23:55	
EPA 6020B	Selenium	0.42J	mg/kg	0.64	05/13/22 23:55	
EPA 6020B	Sodium	71.6	mg/kg	64.3	05/13/22 23:55	
EPA 6020B	Thallium	0.17	mg/kg	0.13	05/13/22 23:55	
EPA 6020B	Vanadium	31.5	mg/kg	1.3	05/13/22 23:55	
EPA 6020B	Zinc	46.2	mg/kg	6.4	05/13/22 23:55	
EPA 7471	Mercury	0.050	mg/kg	0.041	05/13/22 11:05	
ASTM D2974-87	Percent Moisture	23.0	%	0.10	05/11/22 16:21	
EPA 9040	pH at 25 Degrees C	7.9	Std. Units	0.10	05/13/22 13:07	1q,H6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: **SB-16 (1.5-2.5')** Lab ID: **4024446001** Collected: 05/04/22 08:35 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00053	mg/kg	0.0022	0.00053	1	05/06/22 14:04	05/10/22 12:06	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 12:06	319-84-6	
beta-BHC	<0.00067	mg/kg	0.0022	0.00067	1	05/06/22 14:04	05/10/22 12:06	319-85-7	
delta-BHC	<0.00040	mg/kg	0.0022	0.00040	1	05/06/22 14:04	05/10/22 12:06	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/06/22 14:04	05/10/22 12:06	58-89-9	
Chlordane (Technical)	<0.0072	mg/kg	0.022	0.0072	1	05/06/22 14:04	05/10/22 12:06	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/06/22 14:04	05/10/22 12:06	5103-71-9	
gamma-Chlordane	<0.00081	mg/kg	0.0022	0.00081	1	05/06/22 14:04	05/10/22 12:06	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0043	0.00044	1	05/06/22 14:04	05/10/22 12:06	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/06/22 14:04	05/10/22 12:06	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/06/22 14:04	05/10/22 12:06	50-29-3	
Dieldrin	<0.00042	mg/kg	0.0043	0.00042	1	05/06/22 14:04	05/10/22 12:06	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/06/22 14:04	05/10/22 12:06	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/06/22 14:04	05/10/22 12:06	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/06/22 14:04	05/10/22 12:06	1031-07-8	
Endrin	<0.00049	mg/kg	0.0043	0.00049	1	05/06/22 14:04	05/10/22 12:06	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/06/22 14:04	05/10/22 12:06	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/06/22 14:04	05/10/22 12:06	53494-70-5	
Heptachlor	<0.00059	mg/kg	0.0022	0.00059	1	05/06/22 14:04	05/10/22 12:06	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 12:06	1024-57-3	
Methoxychlor	<0.0067	mg/kg	0.022	0.0067	1	05/06/22 14:04	05/10/22 12:06	72-43-5	
Toxaphene	<0.021	mg/kg	0.065	0.021	1	05/06/22 14:04	05/10/22 12:06	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	52	%	53-138		1	05/06/22 14:04	05/10/22 12:06	877-09-8	S0
Decachlorobiphenyl (S)	43	%	30-150		1	05/06/22 14:04	05/10/22 12:06	2051-24-3	CL
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/09/22 23:54	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/09/22 23:54	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/09/22 23:54	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/09/22 23:54	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/09/22 23:54	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/09/22 23:54	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/09/22 23:54	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/09/22 23:54	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	88	%	50-99		1	05/06/22 08:31	05/09/22 23:54	877-09-8	
Decachlorobiphenyl (S)	90	%	38-95		1	05/06/22 08:31	05/09/22 23:54	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	16600	mg/kg	37.0	7.5	1	05/09/22 17:19	05/14/22 02:04	7429-90-5	P6
Antimony	0.17J	mg/kg	0.62	0.12	1	05/09/22 17:19	05/14/22 02:04	7440-36-0	M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-16 (1.5-2.5') Lab ID: 40244446001 Collected: 05/04/22 08:35 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	9.7	mg/kg	0.62	0.13	1	05/09/22 17:19	05/14/22 02:04	7440-38-2	
Barium	218	mg/kg	0.37	0.066	1	05/09/22 17:19	05/14/22 02:04	7440-39-3	M1
Beryllium	1.0	mg/kg	0.25	0.049	1	05/09/22 17:19	05/14/22 02:04	7440-41-7	
Cadmium	0.61	mg/kg	0.099	0.039	1	05/09/22 17:19	05/14/22 02:04	7440-43-9	
Calcium	3660	mg/kg	123	14.6	1	05/09/22 17:19	05/14/22 02:04	7440-70-2	
Chromium	20.9	mg/kg	2.5	0.17	1	05/09/22 17:19	05/14/22 02:04	7440-47-3	
Cobalt	15.5	mg/kg	0.62	0.12	1	05/09/22 17:19	05/14/22 02:04	7440-48-4	
Copper	19.7	mg/kg	1.2	0.30	1	05/09/22 17:19	05/14/22 02:04	7440-50-8	
Iron	24000	mg/kg	61.7	13.0	1	05/09/22 17:19	05/14/22 02:04	7439-89-6	P6
Lead	16.5	mg/kg	0.62	0.036	1	05/09/22 17:19	05/14/22 02:04	7439-92-1	
Magnesium	3550	mg/kg	37.0	5.3	1	05/09/22 17:19	05/14/22 02:04	7439-95-4	M1
Manganese	2020	mg/kg	6.2	3.0	10	05/09/22 17:19	05/16/22 17:20	7439-96-5	P6
Nickel	36.1	mg/kg	0.62	0.25	1	05/09/22 17:19	05/14/22 02:04	7440-02-0	
Potassium	925	mg/kg	123	14.2	1	05/09/22 17:19	05/14/22 02:04	7440-09-7	
Selenium	0.60J	mg/kg	0.62	0.11	1	05/09/22 17:19	05/14/22 02:04	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/09/22 17:19	05/16/22 16:58	7440-22-4	
Sodium	53.7J	mg/kg	61.7	13.7	1	05/09/22 17:19	05/14/22 02:04	7440-23-5	
Thallium	0.31	mg/kg	0.12	0.045	1	05/09/22 17:19	05/14/22 02:04	7440-28-0	
Vanadium	39.3	mg/kg	1.2	0.22	1	05/09/22 17:19	05/14/22 02:04	7440-62-2	
Zinc	58.1	mg/kg	6.2	1.1	1	05/09/22 17:19	05/14/22 02:04	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.019J	mg/kg	0.046	0.013	1	05/12/22 09:10	05/13/22 09:02	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.082	0.025	1	05/09/22 12:49	05/09/22 18:13	120-82-1	
1,2-Dichlorobenzene	<0.069	mg/kg	0.23	0.069	1	05/09/22 12:49	05/09/22 18:13	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/09/22 12:49	05/09/22 18:13	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/09/22 12:49	05/09/22 18:13	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/09/22 12:49	05/09/22 18:13	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/09/22 12:49	05/09/22 18:13	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 18:13	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/09/22 12:49	05/09/22 18:13	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/09/22 12:49	05/09/22 18:13	105-67-9	
2,4-Dinitrophenol	<0.067	mg/kg	0.22	0.067	1	05/09/22 12:49	05/09/22 18:13	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/09/22 18:13	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/09/22 12:49	05/09/22 18:13	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.094	0.028	1	05/09/22 12:49	05/09/22 18:13	91-58-7	
2-Chlorophenol	<0.055	mg/kg	0.18	0.055	1	05/09/22 12:49	05/09/22 18:13	95-57-8	
2-Methylnaphthalene	<0.057	mg/kg	0.19	0.057	1	05/09/22 12:49	05/09/22 18:13	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/09/22 12:49	05/09/22 18:13	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/09/22 12:49	05/09/22 18:13	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-16 (1.5-2.5') **Lab ID: 40244446001** Collected: 05/04/22 08:35 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.069	mg/kg	0.23	0.069	1	05/09/22 12:49	05/09/22 18:13	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/09/22 12:49	05/09/22 18:13		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/09/22 12:49	05/09/22 18:13	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/09/22 12:49	05/09/22 18:13	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/09/22 12:49	05/09/22 18:13	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/09/22 12:49	05/09/22 18:13	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/09/22 12:49	05/09/22 18:13	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/09/22 12:49	05/09/22 18:13	106-47-8	4q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/09/22 12:49	05/09/22 18:13	7005-72-3	
4-Nitroaniline	<0.091	mg/kg	0.30	0.091	1	05/09/22 12:49	05/09/22 18:13	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/09/22 12:49	05/09/22 18:13	100-02-7	CU
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/09/22 12:49	05/09/22 18:13	83-32-9	
Acenaphthylene	<0.078	mg/kg	0.26	0.078	1	05/09/22 12:49	05/09/22 18:13	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 18:13	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 18:13	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 18:13	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/09/22 12:49	05/09/22 18:13	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/09/22 12:49	05/09/22 18:13	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/09/22 12:49	05/09/22 18:13	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 18:13	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 18:13	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 18:13	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 18:13	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/09/22 12:49	05/09/22 18:13	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/09/22 12:49	05/09/22 18:13	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.088	0.026	1	05/09/22 12:49	05/09/22 18:13	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/09/22 12:49	05/09/22 18:13	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.095	0.028	1	05/09/22 12:49	05/09/22 18:13	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/09/22 18:13	206-44-0	
Fluorene	<0.026	mg/kg	0.085	0.026	1	05/09/22 12:49	05/09/22 18:13	86-73-7	
Hexachloro-1,3-butadiene	<0.056	mg/kg	0.19	0.056	1	05/09/22 12:49	05/09/22 18:13	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/09/22 12:49	05/09/22 18:13	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/09/22 12:49	05/09/22 18:13	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 18:13	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/09/22 12:49	05/09/22 18:13	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 18:13	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 18:13	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	0.99	0.30	1	05/09/22 12:49	05/09/22 18:13	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/09/22 12:49	05/09/22 18:13	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/09/22 12:49	05/09/22 18:13	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/09/22 12:49	05/09/22 18:13	87-86-5	
Phenanthrene	<0.028	mg/kg	0.093	0.028	1	05/09/22 12:49	05/09/22 18:13	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/09/22 12:49	05/09/22 18:13	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/09/22 12:49	05/09/22 18:13	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-16 (1.5-2.5') Lab ID: 4024446001 Collected: 05/04/22 08:35 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/09/22 12:49	05/09/22 18:13	111-91-1	
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/09/22 12:49	05/09/22 18:13	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/09/22 12:49	05/09/22 18:13	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	80	%	10-125		1	05/09/22 12:49	05/09/22 18:13	4165-60-0	
2-Fluorobiphenyl (S)	61	%	12-118		1	05/09/22 12:49	05/09/22 18:13	321-60-8	
Terphenyl-d14 (S)	64	%	10-124		1	05/09/22 12:49	05/09/22 18:13	1718-51-0	
Phenol-d6 (S)	63	%	10-125		1	05/09/22 12:49	05/09/22 18:13	13127-88-3	
2-Fluorophenol (S)	69	%	10-130		1	05/09/22 12:49	05/09/22 18:13	367-12-4	
2,4,6-Tribromophenol (S)	59	%	10-144		1	05/09/22 12:49	05/09/22 18:13	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/09/22 06:00	05/09/22 10:55	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0052	0.0027	1	05/09/22 06:00	05/09/22 10:55	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/09/22 06:00	05/09/22 10:55	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 10:55	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 10:55	75-35-4	
1,2-Dichloroethane	<0.00086	mg/kg	0.0052	0.00086	1	05/09/22 06:00	05/09/22 10:55	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 10:55	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.026	0.016	1	05/09/22 06:00	05/09/22 10:55	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/09/22 06:00	05/09/22 10:55	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.026	0.021	1	05/09/22 06:00	05/09/22 10:55	108-10-1	
Acetone	<0.049	mg/kg	0.10	0.049	1	05/09/22 06:00	05/09/22 10:55	67-64-1	
Benzene	<0.00074	mg/kg	0.0052	0.00074	1	05/09/22 06:00	05/09/22 10:55	71-43-2	
Bromodichloromethane	<0.00071	mg/kg	0.0052	0.00071	1	05/09/22 06:00	05/09/22 10:55	75-27-4	
Bromoform	<0.0085	mg/kg	0.021	0.0085	1	05/09/22 06:00	05/09/22 10:55	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0052	0.0047	1	05/09/22 06:00	05/09/22 10:55	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0052	0.0012	1	05/09/22 06:00	05/09/22 10:55	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0052	0.0033	1	05/09/22 06:00	05/09/22 10:55	56-23-5	
Chlorobenzene	<0.00097	mg/kg	0.0052	0.00097	1	05/09/22 06:00	05/09/22 10:55	108-90-7	
Chloroethane	<0.0038	mg/kg	0.0052	0.0038	1	05/09/22 06:00	05/09/22 10:55	75-00-3	
Chloroform	<0.00089	mg/kg	0.0052	0.00089	1	05/09/22 06:00	05/09/22 10:55	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 10:55	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 10:55	124-48-1	
Ethylbenzene	<0.00094	mg/kg	0.0052	0.00094	1	05/09/22 06:00	05/09/22 10:55	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0052	0.0021	1	05/09/22 06:00	05/09/22 10:55	1634-04-4	
Methylene Chloride	<0.0041	mg/kg	0.0052	0.0041	1	05/09/22 06:00	05/09/22 10:55	75-09-2	
Styrene	<0.00074	mg/kg	0.0052	0.00074	1	05/09/22 06:00	05/09/22 10:55	100-42-5	
Tetrachloroethene	<0.00093	mg/kg	0.0052	0.00093	1	05/09/22 06:00	05/09/22 10:55	127-18-4	
Toluene	<0.00092	mg/kg	0.0052	0.00092	1	05/09/22 06:00	05/09/22 10:55	108-88-3	
Trichloroethene	<0.00075	mg/kg	0.0052	0.00075	1	05/09/22 06:00	05/09/22 10:55	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0052	0.0014	1	05/09/22 06:00	05/09/22 10:55	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.010	0.0036	1	05/09/22 06:00	05/09/22 10:55	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-16 (1.5-2.5') **Lab ID: 40244446001** Collected: 05/04/22 08:35 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00092	mg/kg	0.0052	0.00092	1	05/09/22 06:00	05/09/22 10:55	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 10:55	10061-01-5	
trans-1,2-Dichloroethene	<0.00075	mg/kg	0.0052	0.00075	1	05/09/22 06:00	05/09/22 10:55	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0052	0.0011	1	05/09/22 06:00	05/09/22 10:55	10061-02-6	
Surrogates									
Toluene-d8 (S)	91	%	69-156		1	05/09/22 06:00	05/09/22 10:55	2037-26-5	
4-Bromofluorobenzene (S)	81	%	61-175		1	05/09/22 06:00	05/09/22 10:55	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1	05/09/22 06:00	05/09/22 10:55	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.6	%	0.10	0.10	1		05/10/22 16:43		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.9	Std. Units	0.10	0.010	1		05/12/22 13:50		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.32	mg/kg	0.95	0.32	1	05/11/22 09:50	05/11/22 13:45	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-16 (4.0-5.0) **Lab ID: 4024446002** Collected: 05/04/22 08:40 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00050	mg/kg	0.0021	0.00050	1	05/06/22 14:04	05/10/22 12:25	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/06/22 14:04	05/10/22 12:25	319-84-6	
beta-BHC	<0.00064	mg/kg	0.0021	0.00064	1	05/06/22 14:04	05/10/22 12:25	319-85-7	
delta-BHC	<0.00038	mg/kg	0.0021	0.00038	1	05/06/22 14:04	05/10/22 12:25	319-86-8	
gamma-BHC (Lindane)	<0.00020	mg/kg	0.0021	0.00020	1	05/06/22 14:04	05/10/22 12:25	58-89-9	
Chlordane (Technical)	<0.0069	mg/kg	0.021	0.0069	1	05/06/22 14:04	05/10/22 12:25	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/06/22 14:04	05/10/22 12:25	5103-71-9	
gamma-Chlordane	<0.00077	mg/kg	0.0021	0.00077	1	05/06/22 14:04	05/10/22 12:25	5103-74-2	
4,4'-DDD	<0.00042	mg/kg	0.0041	0.00042	1	05/06/22 14:04	05/10/22 12:25	72-54-8	
4,4'-DDE	<0.00048	mg/kg	0.0041	0.00048	1	05/06/22 14:04	05/10/22 12:25	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0041	0.0013	1	05/06/22 14:04	05/10/22 12:25	50-29-3	
Dieldrin	<0.00040	mg/kg	0.0041	0.00040	1	05/06/22 14:04	05/10/22 12:25	60-57-1	
Endosulfan I	<0.00023	mg/kg	0.0021	0.00023	1	05/06/22 14:04	05/10/22 12:25	959-98-8	
Endosulfan II	<0.00099	mg/kg	0.0041	0.00099	1	05/06/22 14:04	05/10/22 12:25	33213-65-9	
Endosulfan sulfate	<0.00098	mg/kg	0.0041	0.00098	1	05/06/22 14:04	05/10/22 12:25	1031-07-8	
Endrin	<0.00047	mg/kg	0.0041	0.00047	1	05/06/22 14:04	05/10/22 12:25	72-20-8	
Endrin aldehyde	<0.0013	mg/kg	0.0041	0.0013	1	05/06/22 14:04	05/10/22 12:25	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0041	0.0011	1	05/06/22 14:04	05/10/22 12:25	53494-70-5	
Heptachlor	<0.00056	mg/kg	0.0021	0.00056	1	05/06/22 14:04	05/10/22 12:25	76-44-8	
Heptachlor epoxide	<0.00021	mg/kg	0.0021	0.00021	1	05/06/22 14:04	05/10/22 12:25	1024-57-3	
Methoxychlor	<0.0064	mg/kg	0.021	0.0064	1	05/06/22 14:04	05/10/22 12:25	72-43-5	
Toxaphene	<0.020	mg/kg	0.062	0.020	1	05/06/22 14:04	05/10/22 12:25	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	63	%	53-138		1	05/06/22 14:04	05/10/22 12:25	877-09-8	
Decachlorobiphenyl (S)	52	%	30-150		1	05/06/22 14:04	05/10/22 12:25	2051-24-3	CL
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.062	0.019	1	05/06/22 08:31	05/10/22 00:16	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.062	0.019	1	05/06/22 08:31	05/10/22 00:16	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.062	0.019	1	05/06/22 08:31	05/10/22 00:16	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.062	0.019	1	05/06/22 08:31	05/10/22 00:16	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.062	0.019	1	05/06/22 08:31	05/10/22 00:16	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.062	0.019	1	05/06/22 08:31	05/10/22 00:16	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.062	0.019	1	05/06/22 08:31	05/10/22 00:16	11096-82-5	
PCB, Total	<0.019	mg/kg	0.062	0.019	1	05/06/22 08:31	05/10/22 00:16	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	79	%	50-99		1	05/06/22 08:31	05/10/22 00:16	877-09-8	
Decachlorobiphenyl (S)	86	%	38-95		1	05/06/22 08:31	05/10/22 00:16	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	5330	mg/kg	35.9	7.2	1	05/09/22 17:19	05/14/22 02:23	7429-90-5	
Antimony	0.23J	mg/kg	0.60	0.11	1	05/09/22 17:19	05/14/22 02:23	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-16 (4.0-5.0) **Lab ID: 40244446002** Collected: 05/04/22 08:40 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	16.6	mg/kg	0.60	0.13	1	05/09/22 17:19	05/14/22 02:23	7440-38-2	
Barium	46.7	mg/kg	0.36	0.064	1	05/09/22 17:19	05/14/22 02:23	7440-39-3	
Beryllium	0.51	mg/kg	0.24	0.048	1	05/09/22 17:19	05/14/22 02:23	7440-41-7	
Cadmium	0.28	mg/kg	0.096	0.038	1	05/09/22 17:19	05/14/22 02:23	7440-43-9	
Calcium	40200	mg/kg	120	14.1	1	05/09/22 17:19	05/14/22 02:23	7440-70-2	
Chromium	11.5	mg/kg	2.4	0.17	1	05/09/22 17:19	05/14/22 02:23	7440-47-3	
Cobalt	5.9	mg/kg	0.60	0.12	1	05/09/22 17:19	05/14/22 02:23	7440-48-4	
Copper	18.1	mg/kg	1.2	0.29	1	05/09/22 17:19	05/14/22 02:23	7440-50-8	
Iron	16500	mg/kg	59.9	12.6	1	05/09/22 17:19	05/14/22 02:23	7439-89-6	
Lead	11.2	mg/kg	0.60	0.035	1	05/09/22 17:19	05/14/22 02:23	7439-92-1	
Magnesium	22400	mg/kg	35.9	5.1	1	05/09/22 17:19	05/14/22 02:23	7439-95-4	
Manganese	270	mg/kg	0.60	0.29	1	05/09/22 17:19	05/14/22 02:23	7439-96-5	
Nickel	15.7	mg/kg	0.60	0.24	1	05/09/22 17:19	05/14/22 02:23	7440-02-0	
Potassium	429	mg/kg	120	13.8	1	05/09/22 17:19	05/14/22 02:23	7440-09-7	
Selenium	0.22J	mg/kg	0.60	0.10	1	05/09/22 17:19	05/14/22 02:23	7782-49-2	
Silver	<0.17	mg/kg	0.60	0.17	1	05/09/22 17:19	05/16/22 17:39	7440-22-4	
Sodium	67.7	mg/kg	59.9	13.3	1	05/09/22 17:19	05/14/22 02:23	7440-23-5	
Thallium	0.17	mg/kg	0.12	0.044	1	05/09/22 17:19	05/14/22 02:23	7440-28-0	
Vanadium	26.7	mg/kg	1.2	0.21	1	05/09/22 17:19	05/14/22 02:23	7440-62-2	
Zinc	46.0	mg/kg	6.0	1.1	1	05/09/22 17:19	05/14/22 02:23	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.012J	mg/kg	0.039	0.011	1	05/12/22 09:10	05/13/22 09:09	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.023	mg/kg	0.078	0.023	1	05/09/22 12:49	05/10/22 11:25	120-82-1	
1,2-Dichlorobenzene	<0.065	mg/kg	0.22	0.065	1	05/09/22 12:49	05/10/22 11:25	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.096	0.029	1	05/09/22 12:49	05/10/22 11:25	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.096	0.029	1	05/09/22 12:49	05/10/22 11:25	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.054	mg/kg	0.18	0.054	1	05/09/22 12:49	05/10/22 11:25	108-60-1	
2,4,5-Trichlorophenol	<0.037	mg/kg	0.12	0.037	1	05/09/22 12:49	05/10/22 11:25	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/09/22 12:49	05/10/22 11:25	88-06-2	
2,4-Dichlorophenol	<0.055	mg/kg	0.18	0.055	1	05/09/22 12:49	05/10/22 11:25	120-83-2	
2,4-Dimethylphenol	<0.041	mg/kg	0.14	0.041	1	05/09/22 12:49	05/10/22 11:25	105-67-9	
2,4-Dinitrophenol	<0.063	mg/kg	0.21	0.063	1	05/09/22 12:49	05/10/22 11:25	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.099	0.030	1	05/09/22 12:49	05/10/22 11:25	121-14-2	
2,6-Dinitrotoluene	<0.039	mg/kg	0.13	0.039	1	05/09/22 12:49	05/10/22 11:25	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.089	0.027	1	05/09/22 12:49	05/10/22 11:25	91-58-7	
2-Chlorophenol	<0.052	mg/kg	0.17	0.052	1	05/09/22 12:49	05/10/22 11:25	95-57-8	
2-Methylnaphthalene	<0.054	mg/kg	0.18	0.054	1	05/09/22 12:49	05/10/22 11:25	91-57-6	
2-Methylphenol(o-Cresol)	<0.038	mg/kg	0.13	0.038	1	05/09/22 12:49	05/10/22 11:25	95-48-7	
2-Nitroaniline	<0.059	mg/kg	0.20	0.059	1	05/09/22 12:49	05/10/22 11:25	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-16 (4.0-5.0) Lab ID: 40244446002 Collected: 05/04/22 08:40 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.066	mg/kg	0.22	0.066	1	05/09/22 12:49	05/10/22 11:25	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.038	mg/kg	0.13	0.038	1	05/09/22 12:49	05/10/22 11:25		
3,3'-Dichlorobenzidine	<0.056	mg/kg	0.19	0.056	1	05/09/22 12:49	05/10/22 11:25	91-94-1	
3-Nitroaniline	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/10/22 11:25	99-09-2	
4,6-Dinitro-2-methylphenol	<0.064	mg/kg	0.21	0.064	1	05/09/22 12:49	05/10/22 11:25	534-52-1	
4-Bromophenylphenyl ether	<0.043	mg/kg	0.14	0.043	1	05/09/22 12:49	05/10/22 11:25	101-55-3	
4-Chloro-3-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/09/22 12:49	05/10/22 11:25	59-50-7	
4-Chloroaniline	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/10/22 11:25	106-47-8	4q
4-Chlorophenylphenyl ether	<0.039	mg/kg	0.13	0.039	1	05/09/22 12:49	05/10/22 11:25	7005-72-3	
4-Nitroaniline	<0.086	mg/kg	0.29	0.086	1	05/09/22 12:49	05/10/22 11:25	100-01-6	
4-Nitrophenol	<0.052	mg/kg	0.17	0.052	1	05/09/22 12:49	05/10/22 11:25	100-02-7	
Acenaphthene	<0.074	mg/kg	0.25	0.074	1	05/09/22 12:49	05/10/22 11:25	83-32-9	
Acenaphthylene	<0.074	mg/kg	0.25	0.074	1	05/09/22 12:49	05/10/22 11:25	208-96-8	
Anthracene	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/10/22 11:25	120-12-7	
Benzo(a)anthracene	<0.032	mg/kg	0.11	0.032	1	05/09/22 12:49	05/10/22 11:25	56-55-3	
Benzo(a)pyrene	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/10/22 11:25	50-32-8	
Benzo(b)fluoranthene	<0.036	mg/kg	0.12	0.036	1	05/09/22 12:49	05/10/22 11:25	205-99-2	
Benzo(g,h,i)perylene	<0.054	mg/kg	0.18	0.054	1	05/09/22 12:49	05/10/22 11:25	191-24-2	
Benzo(k)fluoranthene	<0.050	mg/kg	0.17	0.050	1	05/09/22 12:49	05/10/22 11:25	207-08-9	
Butylbenzylphthalate	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/10/22 11:25	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/10/22 11:25	86-74-8	
Chrysene	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/10/22 11:25	218-01-9	
Di-n-butylphthalate	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/10/22 11:25	84-74-2	
Di-n-octylphthalate	<0.047	mg/kg	0.16	0.047	1	05/09/22 12:49	05/10/22 11:25	117-84-0	
Dibenz(a,h)anthracene	<0.056	mg/kg	0.19	0.056	1	05/09/22 12:49	05/10/22 11:25	53-70-3	
Dibenzofuran	<0.025	mg/kg	0.084	0.025	1	05/09/22 12:49	05/10/22 11:25	132-64-9	
Diethylphthalate	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/10/22 11:25	84-66-2	
Dimethylphthalate	<0.027	mg/kg	0.090	0.027	1	05/09/22 12:49	05/10/22 11:25	131-11-3	
Fluoranthene	<0.029	mg/kg	0.098	0.029	1	05/09/22 12:49	05/10/22 11:25	206-44-0	
Fluorene	<0.024	mg/kg	0.081	0.024	1	05/09/22 12:49	05/10/22 11:25	86-73-7	
Hexachloro-1,3-butadiene	<0.053	mg/kg	0.18	0.053	1	05/09/22 12:49	05/10/22 11:25	87-68-3	
Hexachlorobenzene	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/10/22 11:25	118-74-1	
Hexachlorocyclopentadiene	<0.049	mg/kg	0.16	0.049	1	05/09/22 12:49	05/10/22 11:25	77-47-4	
Hexachloroethane	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/10/22 11:25	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.045	mg/kg	0.15	0.045	1	05/09/22 12:49	05/10/22 11:25	193-39-5	
Isophorone	<0.032	mg/kg	0.11	0.032	1	05/09/22 12:49	05/10/22 11:25	78-59-1	
N-Nitroso-di-n-propylamine	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/10/22 11:25	621-64-7	
N-Nitrosodiphenylamine	<0.28	mg/kg	0.94	0.28	1	05/09/22 12:49	05/10/22 11:25	86-30-6	
Naphthalene	<0.073	mg/kg	0.24	0.073	1	05/09/22 12:49	05/10/22 11:25	91-20-3	
Nitrobenzene	<0.042	mg/kg	0.14	0.042	1	05/09/22 12:49	05/10/22 11:25	98-95-3	
Pentachlorophenol	<0.046	mg/kg	0.15	0.046	1	05/09/22 12:49	05/10/22 11:25	87-86-5	
Phenanthrene	<0.027	mg/kg	0.089	0.027	1	05/09/22 12:49	05/10/22 11:25	85-01-8	
Phenol	<0.049	mg/kg	0.16	0.049	1	05/09/22 12:49	05/10/22 11:25	108-95-2	3q
Pyrene	<0.046	mg/kg	0.15	0.046	1	05/09/22 12:49	05/10/22 11:25	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-16 (4.0-5.0) **Lab ID: 4024446002** Collected: 05/04/22 08:40 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.056	mg/kg	0.19	0.056	1	05/09/22 12:49	05/10/22 11:25	111-91-1	
bis(2-Chloroethyl) ether	<0.065	mg/kg	0.22	0.065	1	05/09/22 12:49	05/10/22 11:25	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/10/22 11:25	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	90	%	10-125		1	05/09/22 12:49	05/10/22 11:25	4165-60-0	
2-Fluorobiphenyl (S)	74	%	12-118		1	05/09/22 12:49	05/10/22 11:25	321-60-8	
Terphenyl-d14 (S)	75	%	10-124		1	05/09/22 12:49	05/10/22 11:25	1718-51-0	
Phenol-d6 (S)	69	%	10-125		1	05/09/22 12:49	05/10/22 11:25	13127-88-3	
2-Fluorophenol (S)	76	%	10-130		1	05/09/22 12:49	05/10/22 11:25	367-12-4	
2,4,6-Tribromophenol (S)	74	%	10-144		1	05/09/22 12:49	05/10/22 11:25	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0049	0.0015	1	05/09/22 06:00	05/09/22 11:43	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0025	mg/kg	0.0049	0.0025	1	05/09/22 06:00	05/09/22 11:43	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0049	0.0015	1	05/09/22 06:00	05/09/22 11:43	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0049	0.0011	1	05/09/22 06:00	05/09/22 11:43	75-34-3	
1,1-Dichloroethene	<0.0010	mg/kg	0.0049	0.0010	1	05/09/22 06:00	05/09/22 11:43	75-35-4	
1,2-Dichloroethane	<0.00081	mg/kg	0.0049	0.00081	1	05/09/22 06:00	05/09/22 11:43	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0049	0.0010	1	05/09/22 06:00	05/09/22 11:43	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.025	0.015	1	05/09/22 06:00	05/09/22 11:43	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/09/22 06:00	05/09/22 11:43	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/09/22 06:00	05/09/22 11:43	108-10-1	
Acetone	<0.047	mg/kg	0.099	0.047	1	05/09/22 06:00	05/09/22 11:43	67-64-1	
Benzene	<0.00070	mg/kg	0.0049	0.00070	1	05/09/22 06:00	05/09/22 11:43	71-43-2	
Bromodichloromethane	<0.00067	mg/kg	0.0049	0.00067	1	05/09/22 06:00	05/09/22 11:43	75-27-4	
Bromoform	<0.0080	mg/kg	0.020	0.0080	1	05/09/22 06:00	05/09/22 11:43	75-25-2	
Bromomethane	<0.0044	mg/kg	0.0049	0.0044	1	05/09/22 06:00	05/09/22 11:43	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0049	0.0011	1	05/09/22 06:00	05/09/22 11:43	75-15-0	
Carbon tetrachloride	<0.0031	mg/kg	0.0049	0.0031	1	05/09/22 06:00	05/09/22 11:43	56-23-5	
Chlorobenzene	<0.00091	mg/kg	0.0049	0.00091	1	05/09/22 06:00	05/09/22 11:43	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0049	0.0036	1	05/09/22 06:00	05/09/22 11:43	75-00-3	
Chloroform	<0.00083	mg/kg	0.0049	0.00083	1	05/09/22 06:00	05/09/22 11:43	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0049	0.0011	1	05/09/22 06:00	05/09/22 11:43	74-87-3	
Dibromochloromethane	<0.00099	mg/kg	0.0049	0.00099	1	05/09/22 06:00	05/09/22 11:43	124-48-1	
Ethylbenzene	<0.00088	mg/kg	0.0049	0.00088	1	05/09/22 06:00	05/09/22 11:43	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0049	0.0020	1	05/09/22 06:00	05/09/22 11:43	1634-04-4	
Methylene Chloride	<0.0039	mg/kg	0.0049	0.0039	1	05/09/22 06:00	05/09/22 11:43	75-09-2	
Styrene	<0.00070	mg/kg	0.0049	0.00070	1	05/09/22 06:00	05/09/22 11:43	100-42-5	
Tetrachloroethene	<0.00088	mg/kg	0.0049	0.00088	1	05/09/22 06:00	05/09/22 11:43	127-18-4	
Toluene	<0.00087	mg/kg	0.0049	0.00087	1	05/09/22 06:00	05/09/22 11:43	108-88-3	
Trichloroethene	<0.00071	mg/kg	0.0049	0.00071	1	05/09/22 06:00	05/09/22 11:43	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0049	0.0013	1	05/09/22 06:00	05/09/22 11:43	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.0099	0.0034	1	05/09/22 06:00	05/09/22 11:43	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-16 (4.0-5.0) **Lab ID: 40244446002** Collected: 05/04/22 08:40 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00087	mg/kg	0.0049	0.00087	1	05/09/22 06:00	05/09/22 11:43	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0049	0.0010	1	05/09/22 06:00	05/09/22 11:43	10061-01-5	
trans-1,2-Dichloroethene	<0.00071	mg/kg	0.0049	0.00071	1	05/09/22 06:00	05/09/22 11:43	156-60-5	
trans-1,3-Dichloropropene	<0.00099	mg/kg	0.0049	0.00099	1	05/09/22 06:00	05/09/22 11:43	10061-02-6	
Surrogates									
Toluene-d8 (S)	101	%	69-156		1	05/09/22 06:00	05/09/22 11:43	2037-26-5	
4-Bromofluorobenzene (S)	83	%	61-175		1	05/09/22 06:00	05/09/22 11:43	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1	05/09/22 06:00	05/09/22 11:43	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	19.7	%	0.10	0.10	1		05/10/22 16:43		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.19	Std. Units	0.100	0.0100	1		05/12/22 13:04		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.29	mg/kg	0.86	0.29	1	05/11/22 09:50	05/11/22 13:46	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-17 (1.6-2.3) **Lab ID: 40244446003** Collected: 05/04/22 09:15 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00054	mg/kg	0.0022	0.00054	1	05/06/22 14:04	05/10/22 12:44	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 12:44	319-84-6	
beta-BHC	<0.00069	mg/kg	0.0022	0.00069	1	05/06/22 14:04	05/10/22 12:44	319-85-7	
delta-BHC	<0.00040	mg/kg	0.0022	0.00040	1	05/06/22 14:04	05/10/22 12:44	319-86-8	
gamma-BHC (Lindane)	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 12:44	58-89-9	
Chlordane (Technical)	<0.0073	mg/kg	0.022	0.0073	1	05/06/22 14:04	05/10/22 12:44	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/06/22 14:04	05/10/22 12:44	5103-71-9	
gamma-Chlordane	<0.00083	mg/kg	0.0022	0.00083	1	05/06/22 14:04	05/10/22 12:44	5103-74-2	
4,4'-DDD	<0.00045	mg/kg	0.0044	0.00045	1	05/06/22 14:04	05/10/22 12:44	72-54-8	
4,4'-DDE	<0.00051	mg/kg	0.0044	0.00051	1	05/06/22 14:04	05/10/22 12:44	72-55-9	
4,4'-DDT	<0.0014	mg/kg	0.0044	0.0014	1	05/06/22 14:04	05/10/22 12:44	50-29-3	
Dieldrin	<0.00042	mg/kg	0.0044	0.00042	1	05/06/22 14:04	05/10/22 12:44	60-57-1	
Endosulfan I	<0.00025	mg/kg	0.0022	0.00025	1	05/06/22 14:04	05/10/22 12:44	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0044	0.0011	1	05/06/22 14:04	05/10/22 12:44	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0044	0.0010	1	05/06/22 14:04	05/10/22 12:44	1031-07-8	
Endrin	<0.00050	mg/kg	0.0044	0.00050	1	05/06/22 14:04	05/10/22 12:44	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0044	0.0014	1	05/06/22 14:04	05/10/22 12:44	7421-93-4	
Endrin ketone	<0.0012	mg/kg	0.0044	0.0012	1	05/06/22 14:04	05/10/22 12:44	53494-70-5	
Heptachlor	<0.00060	mg/kg	0.0022	0.00060	1	05/06/22 14:04	05/10/22 12:44	76-44-8	
Heptachlor epoxide	<0.00023	mg/kg	0.0022	0.00023	1	05/06/22 14:04	05/10/22 12:44	1024-57-3	
Methoxychlor	<0.0068	mg/kg	0.022	0.0068	1	05/06/22 14:04	05/10/22 12:44	72-43-5	
Toxaphene	<0.021	mg/kg	0.067	0.021	1	05/06/22 14:04	05/10/22 12:44	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	59	%	53-138		1	05/06/22 14:04	05/10/22 12:44	877-09-8	
Decachlorobiphenyl (S)	47	%	30-150		1	05/06/22 14:04	05/10/22 12:44	2051-24-3	CL
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 00:37	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 00:37	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 00:37	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 00:37	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 00:37	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 00:37	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 00:37	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 00:37	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	89	%	50-99		1	05/06/22 08:31	05/10/22 00:37	877-09-8	
Decachlorobiphenyl (S)	92	%	38-95		1	05/06/22 08:31	05/10/22 00:37	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	10700	mg/kg	37.3	7.5	1	05/09/22 17:19	05/14/22 02:26	7429-90-5	
Antimony	<0.12	mg/kg	0.62	0.12	1	05/09/22 17:19	05/14/22 02:26	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: **SB-17 (1.6-2.3)** Lab ID: **40244446003** Collected: 05/04/22 09:15 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	11.4	mg/kg	0.62	0.14	1	05/09/22 17:19	05/14/22 02:26	7440-38-2	
Barium	144	mg/kg	0.37	0.066	1	05/09/22 17:19	05/14/22 02:26	7440-39-3	
Beryllium	0.67	mg/kg	0.25	0.049	1	05/09/22 17:19	05/14/22 02:26	7440-41-7	
Cadmium	0.11	mg/kg	0.10	0.039	1	05/09/22 17:19	05/14/22 02:26	7440-43-9	
Calcium	4410	mg/kg	124	14.7	1	05/09/22 17:19	05/14/22 02:26	7440-70-2	
Chromium	13.8	mg/kg	2.5	0.17	1	05/09/22 17:19	05/14/22 02:26	7440-47-3	
Cobalt	4.5	mg/kg	0.62	0.12	1	05/09/22 17:19	05/14/22 02:26	7440-48-4	
Copper	12.5	mg/kg	1.2	0.30	1	05/09/22 17:19	05/14/22 02:26	7440-50-8	
Iron	13500	mg/kg	62.2	13.1	1	05/09/22 17:19	05/14/22 02:26	7439-89-6	
Lead	10.1	mg/kg	0.62	0.037	1	05/09/22 17:19	05/14/22 02:26	7439-92-1	
Magnesium	2120	mg/kg	37.3	5.3	1	05/09/22 17:19	05/14/22 02:26	7439-95-4	
Manganese	268	mg/kg	0.62	0.30	1	05/09/22 17:19	05/14/22 02:26	7439-96-5	
Nickel	10.2	mg/kg	0.62	0.25	1	05/09/22 17:19	05/14/22 02:26	7440-02-0	
Potassium	1490	mg/kg	124	14.3	1	05/09/22 17:19	05/14/22 02:26	7440-09-7	
Selenium	0.78	mg/kg	0.62	0.11	1	05/09/22 17:19	05/14/22 02:26	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/09/22 17:19	05/16/22 17:43	7440-22-4	
Sodium	23.0J	mg/kg	62.2	13.8	1	05/09/22 17:19	05/14/22 02:26	7440-23-5	
Thallium	0.18	mg/kg	0.12	0.046	1	05/09/22 17:19	05/14/22 02:26	7440-28-0	
Vanadium	26.7	mg/kg	1.2	0.22	1	05/09/22 17:19	05/14/22 02:26	7440-62-2	
Zinc	41.4	mg/kg	6.2	1.1	1	05/09/22 17:19	05/14/22 02:26	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.013J	mg/kg	0.045	0.013	1	05/12/22 09:10	05/13/22 09:12	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.084	0.025	1	05/09/22 12:49	05/09/22 18:35	120-82-1	
1,2-Dichlorobenzene	<0.070	mg/kg	0.23	0.070	1	05/09/22 12:49	05/09/22 18:35	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/09/22 18:35	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/09/22 18:35	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.057	mg/kg	0.19	0.057	1	05/09/22 12:49	05/09/22 18:35	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/09/22 12:49	05/09/22 18:35	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 18:35	88-06-2	
2,4-Dichlorophenol	<0.059	mg/kg	0.20	0.059	1	05/09/22 12:49	05/09/22 18:35	120-83-2	
2,4-Dimethylphenol	<0.044	mg/kg	0.15	0.044	1	05/09/22 12:49	05/09/22 18:35	105-67-9	
2,4-Dinitrophenol	<0.068	mg/kg	0.23	0.068	1	05/09/22 12:49	05/09/22 18:35	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/09/22 12:49	05/09/22 18:35	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/09/22 12:49	05/09/22 18:35	606-20-2	
2-Chloronaphthalene	<0.029	mg/kg	0.095	0.029	1	05/09/22 12:49	05/09/22 18:35	91-58-7	
2-Chlorophenol	<0.055	mg/kg	0.18	0.055	1	05/09/22 12:49	05/09/22 18:35	95-57-8	
2-Methylnaphthalene	<0.058	mg/kg	0.19	0.058	1	05/09/22 12:49	05/09/22 18:35	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/09/22 12:49	05/09/22 18:35	95-48-7	
2-Nitroaniline	<0.063	mg/kg	0.21	0.063	1	05/09/22 12:49	05/09/22 18:35	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-17 (1.6-2.3) **Lab ID: 40244446003** Collected: 05/04/22 09:15 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.070	mg/kg	0.23	0.070	1	05/09/22 12:49	05/09/22 18:35	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.041	mg/kg	0.14	0.041	1	05/09/22 12:49	05/09/22 18:35		
3,3'-Dichlorobenzidine	<0.060	mg/kg	0.20	0.060	1	05/09/22 12:49	05/09/22 18:35	91-94-1	
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/09/22 12:49	05/09/22 18:35	99-09-2	
4,6-Dinitro-2-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/09/22 12:49	05/09/22 18:35	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/09/22 12:49	05/09/22 18:35	101-55-3	
4-Chloro-3-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/09/22 12:49	05/09/22 18:35	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/09/22 12:49	05/09/22 18:35	106-47-8	4q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/09/22 12:49	05/09/22 18:35	7005-72-3	
4-Nitroaniline	<0.092	mg/kg	0.31	0.092	1	05/09/22 12:49	05/09/22 18:35	100-01-6	
4-Nitrophenol	<0.056	mg/kg	0.19	0.056	1	05/09/22 12:49	05/09/22 18:35	100-02-7	CU
Acenaphthene	<0.079	mg/kg	0.26	0.079	1	05/09/22 12:49	05/09/22 18:35	83-32-9	
Acenaphthylene	<0.079	mg/kg	0.26	0.079	1	05/09/22 12:49	05/09/22 18:35	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 18:35	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 18:35	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 18:35	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/09/22 12:49	05/09/22 18:35	205-99-2	
Benzo(g,h,i)perylene	<0.058	mg/kg	0.19	0.058	1	05/09/22 12:49	05/09/22 18:35	191-24-2	
Benzo(k)fluoranthene	<0.053	mg/kg	0.18	0.053	1	05/09/22 12:49	05/09/22 18:35	207-08-9	
Butylbenzylphthalate	<0.036	mg/kg	0.12	0.036	1	05/09/22 12:49	05/09/22 18:35	85-68-7	
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 18:35	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 18:35	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 18:35	84-74-2	
Di-n-octylphthalate	<0.050	mg/kg	0.17	0.050	1	05/09/22 12:49	05/09/22 18:35	117-84-0	
Dibenz(a,h)anthracene	<0.060	mg/kg	0.20	0.060	1	05/09/22 12:49	05/09/22 18:35	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.090	0.027	1	05/09/22 12:49	05/09/22 18:35	132-64-9	
Diethylphthalate	<0.037	mg/kg	0.12	0.037	1	05/09/22 12:49	05/09/22 18:35	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.096	0.029	1	05/09/22 12:49	05/09/22 18:35	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/09/22 18:35	206-44-0	
Fluorene	<0.026	mg/kg	0.086	0.026	1	05/09/22 12:49	05/09/22 18:35	86-73-7	
Hexachloro-1,3-butadiene	<0.057	mg/kg	0.19	0.057	1	05/09/22 12:49	05/09/22 18:35	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/09/22 12:49	05/09/22 18:35	118-74-1	
Hexachlorocyclopentadiene	<0.053	mg/kg	0.18	0.053	1	05/09/22 12:49	05/09/22 18:35	77-47-4	
Hexachloroethane	<0.036	mg/kg	0.12	0.036	1	05/09/22 12:49	05/09/22 18:35	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.048	mg/kg	0.16	0.048	1	05/09/22 12:49	05/09/22 18:35	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 18:35	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 18:35	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	1.0	0.30	1	05/09/22 12:49	05/09/22 18:35	86-30-6	
Naphthalene	<0.078	mg/kg	0.26	0.078	1	05/09/22 12:49	05/09/22 18:35	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/09/22 12:49	05/09/22 18:35	98-95-3	
Pentachlorophenol	<0.049	mg/kg	0.16	0.049	1	05/09/22 12:49	05/09/22 18:35	87-86-5	
Phenanthrene	<0.028	mg/kg	0.095	0.028	1	05/09/22 12:49	05/09/22 18:35	85-01-8	
Phenol	<0.053	mg/kg	0.18	0.053	1	05/09/22 12:49	05/09/22 18:35	108-95-2	
Pyrene	<0.049	mg/kg	0.16	0.049	1	05/09/22 12:49	05/09/22 18:35	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-17 (1.6-2.3) **Lab ID: 40244446003** Collected: 05/04/22 09:15 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.060	mg/kg	0.20	0.060	1	05/09/22 12:49	05/09/22 18:35	111-91-1	
bis(2-Chloroethyl) ether	<0.069	mg/kg	0.23	0.069	1	05/09/22 12:49	05/09/22 18:35	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/09/22 12:49	05/09/22 18:35	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	79	%	10-125		1	05/09/22 12:49	05/09/22 18:35	4165-60-0	
2-Fluorobiphenyl (S)	61	%	12-118		1	05/09/22 12:49	05/09/22 18:35	321-60-8	
Terphenyl-d14 (S)	76	%	10-124		1	05/09/22 12:49	05/09/22 18:35	1718-51-0	
Phenol-d6 (S)	66	%	10-125		1	05/09/22 12:49	05/09/22 18:35	13127-88-3	
2-Fluorophenol (S)	65	%	10-130		1	05/09/22 12:49	05/09/22 18:35	367-12-4	
2,4,6-Tribromophenol (S)	68	%	10-144		1	05/09/22 12:49	05/09/22 18:35	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/09/22 06:00	05/09/22 12:08	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0054	0.0028	1	05/09/22 06:00	05/09/22 12:08	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/09/22 06:00	05/09/22 12:08	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0054	0.0012	1	05/09/22 06:00	05/09/22 12:08	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0054	0.0011	1	05/09/22 06:00	05/09/22 12:08	75-35-4	
1,2-Dichloroethane	<0.00089	mg/kg	0.0054	0.00089	1	05/09/22 06:00	05/09/22 12:08	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0054	0.0011	1	05/09/22 06:00	05/09/22 12:08	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/09/22 06:00	05/09/22 12:08	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/09/22 06:00	05/09/22 12:08	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.027	0.022	1	05/09/22 06:00	05/09/22 12:08	108-10-1	
Acetone	<0.051	mg/kg	0.11	0.051	1	05/09/22 06:00	05/09/22 12:08	67-64-1	
Benzene	<0.00077	mg/kg	0.0054	0.00077	1	05/09/22 06:00	05/09/22 12:08	71-43-2	
Bromodichloromethane	<0.00074	mg/kg	0.0054	0.00074	1	05/09/22 06:00	05/09/22 12:08	75-27-4	
Bromoform	<0.0088	mg/kg	0.022	0.0088	1	05/09/22 06:00	05/09/22 12:08	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0054	0.0048	1	05/09/22 06:00	05/09/22 12:08	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0054	0.0012	1	05/09/22 06:00	05/09/22 12:08	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0054	0.0034	1	05/09/22 06:00	05/09/22 12:08	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0054	0.0010	1	05/09/22 06:00	05/09/22 12:08	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0054	0.0039	1	05/09/22 06:00	05/09/22 12:08	75-00-3	
Chloroform	<0.00092	mg/kg	0.0054	0.00092	1	05/09/22 06:00	05/09/22 12:08	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0054	0.0012	1	05/09/22 06:00	05/09/22 12:08	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0054	0.0011	1	05/09/22 06:00	05/09/22 12:08	124-48-1	
Ethylbenzene	<0.00097	mg/kg	0.0054	0.00097	1	05/09/22 06:00	05/09/22 12:08	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0054	0.0022	1	05/09/22 06:00	05/09/22 12:08	1634-04-4	
Methylene Chloride	<0.0043	mg/kg	0.0054	0.0043	1	05/09/22 06:00	05/09/22 12:08	75-09-2	
Styrene	<0.00077	mg/kg	0.0054	0.00077	1	05/09/22 06:00	05/09/22 12:08	100-42-5	
Tetrachloroethene	<0.00096	mg/kg	0.0054	0.00096	1	05/09/22 06:00	05/09/22 12:08	127-18-4	
Toluene	<0.00096	mg/kg	0.0054	0.00096	1	05/09/22 06:00	05/09/22 12:08	108-88-3	
Trichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/09/22 06:00	05/09/22 12:08	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0054	0.0014	1	05/09/22 06:00	05/09/22 12:08	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/09/22 06:00	05/09/22 12:08	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-17 (1.6-2.3) **Lab ID: 40244446003** Collected: 05/04/22 09:15 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00096	mg/kg	0.0054	0.00096	1	05/09/22 06:00	05/09/22 12:08	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/09/22 06:00	05/09/22 12:08	10061-01-5	
trans-1,2-Dichloroethene	<0.00078	mg/kg	0.0054	0.00078	1	05/09/22 06:00	05/09/22 12:08	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/09/22 06:00	05/09/22 12:08	10061-02-6	
Surrogates									
Toluene-d8 (S)	98	%	69-156		1	05/09/22 06:00	05/09/22 12:08	2037-26-5	
4-Bromofluorobenzene (S)	86	%	61-175		1	05/09/22 06:00	05/09/22 12:08	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1	05/09/22 06:00	05/09/22 12:08	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	24.9	%	0.10	0.10	1		05/10/22 16:43		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.5	Std. Units	0.10	0.010	1		05/12/22 13:54		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.25	mg/kg	0.74	0.25	1	05/11/22 09:50	05/11/22 13:47	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: **SB-17 (4.5-5.5)** Lab ID: **40244446004** Collected: 05/04/22 09:20 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00053	mg/kg	0.0022	0.00053	1	05/06/22 14:04	05/10/22 13:03	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 13:03	319-84-6	
beta-BHC	<0.00068	mg/kg	0.0022	0.00068	1	05/06/22 14:04	05/10/22 13:03	319-85-7	
delta-BHC	<0.00040	mg/kg	0.0022	0.00040	1	05/06/22 14:04	05/10/22 13:03	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/06/22 14:04	05/10/22 13:03	58-89-9	
Chlordane (Technical)	<0.0072	mg/kg	0.022	0.0072	1	05/06/22 14:04	05/10/22 13:03	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/06/22 14:04	05/10/22 13:03	5103-71-9	
gamma-Chlordane	<0.00082	mg/kg	0.0022	0.00082	1	05/06/22 14:04	05/10/22 13:03	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0044	0.00044	1	05/06/22 14:04	05/10/22 13:03	72-54-8	
4,4'-DDE	<0.00051	mg/kg	0.0044	0.00051	1	05/06/22 14:04	05/10/22 13:03	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0044	0.0013	1	05/06/22 14:04	05/10/22 13:03	50-29-3	
Dieldrin	<0.00042	mg/kg	0.0044	0.00042	1	05/06/22 14:04	05/10/22 13:03	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/06/22 14:04	05/10/22 13:03	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0044	0.0010	1	05/06/22 14:04	05/10/22 13:03	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0044	0.0010	1	05/06/22 14:04	05/10/22 13:03	1031-07-8	
Endrin	<0.00049	mg/kg	0.0044	0.00049	1	05/06/22 14:04	05/10/22 13:03	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0044	0.0014	1	05/06/22 14:04	05/10/22 13:03	7421-93-4	
Endrin ketone	<0.0012	mg/kg	0.0044	0.0012	1	05/06/22 14:04	05/10/22 13:03	53494-70-5	
Heptachlor	<0.00059	mg/kg	0.0022	0.00059	1	05/06/22 14:04	05/10/22 13:03	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 13:03	1024-57-3	
Methoxychlor	<0.0067	mg/kg	0.022	0.0067	1	05/06/22 14:04	05/10/22 13:03	72-43-5	
Toxaphene	<0.021	mg/kg	0.066	0.021	1	05/06/22 14:04	05/10/22 13:03	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	54	%	53-138		1	05/06/22 14:04	05/10/22 13:03	877-09-8	
Decachlorobiphenyl (S)	41	%	30-150		1	05/06/22 14:04	05/10/22 13:03	2051-24-3	CL
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 00:59	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 00:59	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 00:59	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 00:59	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 00:59	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 00:59	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 00:59	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 00:59	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	84	%	50-99		1	05/06/22 08:31	05/10/22 00:59	877-09-8	
Decachlorobiphenyl (S)	88	%	38-95		1	05/06/22 08:31	05/10/22 00:59	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	16400	mg/kg	37.9	7.6	1	05/09/22 17:19	05/14/22 02:38	7429-90-5	
Antimony	0.15J	mg/kg	0.63	0.12	1	05/09/22 17:19	05/14/22 02:38	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: **SB-17 (4.5-5.5)** Lab ID: **40244446004** Collected: 05/04/22 09:20 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	8.9	mg/kg	0.63	0.14	1	05/09/22 17:19	05/14/22 02:38	7440-38-2	
Barium	210	mg/kg	0.38	0.067	1	05/09/22 17:19	05/14/22 02:38	7440-39-3	
Beryllium	0.92	mg/kg	0.25	0.050	1	05/09/22 17:19	05/14/22 02:38	7440-41-7	
Cadmium	0.19	mg/kg	0.10	0.040	1	05/09/22 17:19	05/14/22 02:38	7440-43-9	
Calcium	4240	mg/kg	126	14.9	1	05/09/22 17:19	05/14/22 02:38	7440-70-2	
Chromium	22.0	mg/kg	2.5	0.18	1	05/09/22 17:19	05/14/22 02:38	7440-47-3	
Cobalt	10.2	mg/kg	0.63	0.13	1	05/09/22 17:19	05/14/22 02:38	7440-48-4	
Copper	21.4	mg/kg	1.3	0.31	1	05/09/22 17:19	05/14/22 02:38	7440-50-8	
Iron	22100	mg/kg	63.1	13.3	1	05/09/22 17:19	05/14/22 02:38	7439-89-6	
Lead	11.9	mg/kg	0.63	0.037	1	05/09/22 17:19	05/14/22 02:38	7439-92-1	
Magnesium	3670	mg/kg	37.9	5.4	1	05/09/22 17:19	05/14/22 02:38	7439-95-4	
Manganese	315	mg/kg	0.63	0.31	1	05/09/22 17:19	05/14/22 02:38	7439-96-5	
Nickel	22.5	mg/kg	0.63	0.25	1	05/09/22 17:19	05/14/22 02:38	7440-02-0	
Potassium	1450	mg/kg	126	14.5	1	05/09/22 17:19	05/14/22 02:38	7440-09-7	
Selenium	0.37J	mg/kg	0.63	0.11	1	05/09/22 17:19	05/14/22 02:38	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/09/22 17:19	05/16/22 17:46	7440-22-4	
Sodium	51.8J	mg/kg	63.1	14.0	1	05/09/22 17:19	05/14/22 02:38	7440-23-5	
Thallium	0.19	mg/kg	0.13	0.046	1	05/09/22 17:19	05/14/22 02:38	7440-28-0	
Vanadium	37.6	mg/kg	1.3	0.22	1	05/09/22 17:19	05/14/22 02:38	7440-62-2	
Zinc	62.3	mg/kg	6.3	1.1	1	05/09/22 17:19	05/14/22 02:38	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.040J	mg/kg	0.041	0.012	1	05/12/22 09:10	05/13/22 09:14	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.083	0.025	1	05/09/22 12:49	05/09/22 19:04	120-82-1	
1,2-Dichlorobenzene	<0.069	mg/kg	0.23	0.069	1	05/09/22 12:49	05/09/22 19:04	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/09/22 12:49	05/09/22 19:04	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/09/22 19:04	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.057	mg/kg	0.19	0.057	1	05/09/22 12:49	05/09/22 19:04	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/09/22 12:49	05/09/22 19:04	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 19:04	88-06-2	
2,4-Dichlorophenol	<0.059	mg/kg	0.20	0.059	1	05/09/22 12:49	05/09/22 19:04	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/09/22 12:49	05/09/22 19:04	105-67-9	
2,4-Dinitrophenol	<0.067	mg/kg	0.22	0.067	1	05/09/22 12:49	05/09/22 19:04	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/09/22 19:04	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/09/22 12:49	05/09/22 19:04	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.094	0.028	1	05/09/22 12:49	05/09/22 19:04	91-58-7	
2-Chlorophenol	<0.055	mg/kg	0.18	0.055	1	05/09/22 12:49	05/09/22 19:04	95-57-8	
2-Methylnaphthalene	<0.057	mg/kg	0.19	0.057	1	05/09/22 12:49	05/09/22 19:04	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/09/22 12:49	05/09/22 19:04	95-48-7	
2-Nitroaniline	<0.063	mg/kg	0.21	0.063	1	05/09/22 12:49	05/09/22 19:04	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: **SB-17 (4.5-5.5)** Lab ID: **40244446004** Collected: 05/04/22 09:20 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.069	mg/kg	0.23	0.069	1	05/09/22 12:49	05/09/22 19:04	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/09/22 12:49	05/09/22 19:04		
3,3'-Dichlorobenzidine	<0.060	mg/kg	0.20	0.060	1	05/09/22 12:49	05/09/22 19:04	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/09/22 12:49	05/09/22 19:04	99-09-2	
4,6-Dinitro-2-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/09/22 12:49	05/09/22 19:04	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/09/22 12:49	05/09/22 19:04	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/09/22 12:49	05/09/22 19:04	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/09/22 12:49	05/09/22 19:04	106-47-8	4q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/09/22 12:49	05/09/22 19:04	7005-72-3	
4-Nitroaniline	<0.091	mg/kg	0.30	0.091	1	05/09/22 12:49	05/09/22 19:04	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/09/22 12:49	05/09/22 19:04	100-02-7	CU
Acenaphthene	<0.078	mg/kg	0.26	0.078	1	05/09/22 12:49	05/09/22 19:04	83-32-9	
Acenaphthylene	<0.078	mg/kg	0.26	0.078	1	05/09/22 12:49	05/09/22 19:04	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 19:04	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 19:04	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 19:04	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/09/22 12:49	05/09/22 19:04	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/09/22 12:49	05/09/22 19:04	191-24-2	
Benzo(k)fluoranthene	<0.053	mg/kg	0.18	0.053	1	05/09/22 12:49	05/09/22 19:04	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 19:04	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 19:04	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 19:04	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 19:04	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/09/22 12:49	05/09/22 19:04	117-84-0	
Dibenz(a,h)anthracene	<0.060	mg/kg	0.20	0.060	1	05/09/22 12:49	05/09/22 19:04	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.089	0.027	1	05/09/22 12:49	05/09/22 19:04	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/09/22 12:49	05/09/22 19:04	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.095	0.029	1	05/09/22 12:49	05/09/22 19:04	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/09/22 19:04	206-44-0	
Fluorene	<0.026	mg/kg	0.086	0.026	1	05/09/22 12:49	05/09/22 19:04	86-73-7	
Hexachloro-1,3-butadiene	<0.056	mg/kg	0.19	0.056	1	05/09/22 12:49	05/09/22 19:04	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/09/22 12:49	05/09/22 19:04	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/09/22 12:49	05/09/22 19:04	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 19:04	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/09/22 12:49	05/09/22 19:04	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 19:04	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 19:04	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	0.99	0.30	1	05/09/22 12:49	05/09/22 19:04	86-30-6	
Naphthalene	<0.077	mg/kg	0.26	0.077	1	05/09/22 12:49	05/09/22 19:04	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/09/22 12:49	05/09/22 19:04	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/09/22 12:49	05/09/22 19:04	87-86-5	
Phenanthrene	<0.028	mg/kg	0.094	0.028	1	05/09/22 12:49	05/09/22 19:04	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/09/22 12:49	05/09/22 19:04	108-95-2	
Pyrene	<0.049	mg/kg	0.16	0.049	1	05/09/22 12:49	05/09/22 19:04	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-17 (4.5-5.5) **Lab ID: 4024446004** Collected: 05/04/22 09:20 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/09/22 12:49	05/09/22 19:04	111-91-1	
bis(2-Chloroethyl) ether	<0.069	mg/kg	0.23	0.069	1	05/09/22 12:49	05/09/22 19:04	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/09/22 12:49	05/09/22 19:04	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	82	%	10-125		1	05/09/22 12:49	05/09/22 19:04	4165-60-0	
2-Fluorobiphenyl (S)	57	%	12-118		1	05/09/22 12:49	05/09/22 19:04	321-60-8	
Terphenyl-d14 (S)	76	%	10-124		1	05/09/22 12:49	05/09/22 19:04	1718-51-0	
Phenol-d6 (S)	71	%	10-125		1	05/09/22 12:49	05/09/22 19:04	13127-88-3	
2-Fluorophenol (S)	68	%	10-130		1	05/09/22 12:49	05/09/22 19:04	367-12-4	
2,4,6-Tribromophenol (S)	74	%	10-144		1	05/09/22 12:49	05/09/22 19:04	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/09/22 06:00	05/09/22 12:32	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0054	0.0028	1	05/09/22 06:00	05/09/22 12:32	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/09/22 06:00	05/09/22 12:32	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0054	0.0012	1	05/09/22 06:00	05/09/22 12:32	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0054	0.0011	1	05/09/22 06:00	05/09/22 12:32	75-35-4	
1,2-Dichloroethane	<0.00089	mg/kg	0.0054	0.00089	1	05/09/22 06:00	05/09/22 12:32	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0054	0.0011	1	05/09/22 06:00	05/09/22 12:32	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/09/22 06:00	05/09/22 12:32	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/09/22 06:00	05/09/22 12:32	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/09/22 06:00	05/09/22 12:32	108-10-1	
Acetone	<0.051	mg/kg	0.11	0.051	1	05/09/22 06:00	05/09/22 12:32	67-64-1	
Benzene	<0.00076	mg/kg	0.0054	0.00076	1	05/09/22 06:00	05/09/22 12:32	71-43-2	
Bromodichloromethane	<0.00073	mg/kg	0.0054	0.00073	1	05/09/22 06:00	05/09/22 12:32	75-27-4	
Bromoform	<0.0087	mg/kg	0.022	0.0087	1	05/09/22 06:00	05/09/22 12:32	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0054	0.0048	1	05/09/22 06:00	05/09/22 12:32	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0054	0.0012	1	05/09/22 06:00	05/09/22 12:32	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0054	0.0034	1	05/09/22 06:00	05/09/22 12:32	56-23-5	
Chlorobenzene	<0.00099	mg/kg	0.0054	0.00099	1	05/09/22 06:00	05/09/22 12:32	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0054	0.0039	1	05/09/22 06:00	05/09/22 12:32	75-00-3	
Chloroform	<0.00091	mg/kg	0.0054	0.00091	1	05/09/22 06:00	05/09/22 12:32	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0054	0.0012	1	05/09/22 06:00	05/09/22 12:32	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0054	0.0011	1	05/09/22 06:00	05/09/22 12:32	124-48-1	
Ethylbenzene	<0.00096	mg/kg	0.0054	0.00096	1	05/09/22 06:00	05/09/22 12:32	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0054	0.0022	1	05/09/22 06:00	05/09/22 12:32	1634-04-4	
Methylene Chloride	<0.0043	mg/kg	0.0054	0.0043	1	05/09/22 06:00	05/09/22 12:32	75-09-2	
Styrene	<0.00076	mg/kg	0.0054	0.00076	1	05/09/22 06:00	05/09/22 12:32	100-42-5	
Tetrachloroethene	<0.00095	mg/kg	0.0054	0.00095	1	05/09/22 06:00	05/09/22 12:32	127-18-4	
Toluene	<0.00095	mg/kg	0.0054	0.00095	1	05/09/22 06:00	05/09/22 12:32	108-88-3	
Trichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/09/22 06:00	05/09/22 12:32	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0054	0.0014	1	05/09/22 06:00	05/09/22 12:32	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/09/22 06:00	05/09/22 12:32	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-17 (4.5-5.5) **Lab ID: 40244446004** Collected: 05/04/22 09:20 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00095	mg/kg	0.0054	0.00095	1	05/09/22 06:00	05/09/22 12:32	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/09/22 06:00	05/09/22 12:32	10061-01-5	
trans-1,2-Dichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/09/22 06:00	05/09/22 12:32	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/09/22 06:00	05/09/22 12:32	10061-02-6	
Surrogates									
Toluene-d8 (S)	96	%	69-156		1	05/09/22 06:00	05/09/22 12:32	2037-26-5	
4-Bromofluorobenzene (S)	79	%	61-175		1	05/09/22 06:00	05/09/22 12:32	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1	05/09/22 06:00	05/09/22 12:32	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.9	%	0.10	0.10	1		05/10/22 16:43		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.9	Std. Units	0.10	0.010	1		05/12/22 14:00		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.34	mg/kg	1.0	0.34	1	05/11/22 09:50	05/11/22 13:47	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-18 (1.5-2.0) **Lab ID: 40244446005** Collected: 05/04/22 10:05 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00054	mg/kg	0.0022	0.00054	1	05/06/22 14:04	05/10/22 13:22	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 13:22	319-84-6	
beta-BHC	<0.00068	mg/kg	0.0022	0.00068	1	05/06/22 14:04	05/10/22 13:22	319-85-7	
delta-BHC	<0.00040	mg/kg	0.0022	0.00040	1	05/06/22 14:04	05/10/22 13:22	319-86-8	
gamma-BHC (Lindane)	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 13:22	58-89-9	
Chlordane (Technical)	<0.0073	mg/kg	0.022	0.0073	1	05/06/22 14:04	05/10/22 13:22	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/06/22 14:04	05/10/22 13:22	5103-71-9	
gamma-Chlordane	<0.00082	mg/kg	0.0022	0.00082	1	05/06/22 14:04	05/10/22 13:22	5103-74-2	
4,4'-DDD	<0.00045	mg/kg	0.0044	0.00045	1	05/06/22 14:04	05/10/22 13:22	72-54-8	
4,4'-DDE	<0.00051	mg/kg	0.0044	0.00051	1	05/06/22 14:04	05/10/22 13:22	72-55-9	
4,4'-DDT	<0.0014	mg/kg	0.0044	0.0014	1	05/06/22 14:04	05/10/22 13:22	50-29-3	
Dieldrin	<0.00042	mg/kg	0.0044	0.00042	1	05/06/22 14:04	05/10/22 13:22	60-57-1	
Endosulfan I	<0.00025	mg/kg	0.0022	0.00025	1	05/06/22 14:04	05/10/22 13:22	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0044	0.0011	1	05/06/22 14:04	05/10/22 13:22	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0044	0.0010	1	05/06/22 14:04	05/10/22 13:22	1031-07-8	
Endrin	<0.00050	mg/kg	0.0044	0.00050	1	05/06/22 14:04	05/10/22 13:22	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0044	0.0014	1	05/06/22 14:04	05/10/22 13:22	7421-93-4	
Endrin ketone	<0.0012	mg/kg	0.0044	0.0012	1	05/06/22 14:04	05/10/22 13:22	53494-70-5	
Heptachlor	<0.00060	mg/kg	0.0022	0.00060	1	05/06/22 14:04	05/10/22 13:22	76-44-8	
Heptachlor epoxide	<0.00023	mg/kg	0.0022	0.00023	1	05/06/22 14:04	05/10/22 13:22	1024-57-3	
Methoxychlor	<0.0068	mg/kg	0.022	0.0068	1	05/06/22 14:04	05/10/22 13:22	72-43-5	
Toxaphene	<0.021	mg/kg	0.066	0.021	1	05/06/22 14:04	05/10/22 13:22	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	61	%	53-138		1	05/06/22 14:04	05/10/22 13:22	877-09-8	
Decachlorobiphenyl (S)	50	%	30-150		1	05/06/22 14:04	05/10/22 13:22	2051-24-3	CL
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 01:21	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 01:21	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 01:21	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 01:21	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 01:21	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 01:21	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 01:21	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 01:21	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	84	%	50-99		1	05/06/22 08:31	05/10/22 01:21	877-09-8	
Decachlorobiphenyl (S)	89	%	38-95		1	05/06/22 08:31	05/10/22 01:21	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	11800	mg/kg	38.3	7.7	1	05/09/22 17:19	05/14/22 02:42	7429-90-5	
Antimony	0.13J	mg/kg	0.64	0.12	1	05/09/22 17:19	05/14/22 02:42	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-18 (1.5-2.0) **Lab ID: 40244446005** Collected: 05/04/22 10:05 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	4.7	mg/kg	0.64	0.14	1	05/09/22 17:19	05/14/22 02:42	7440-38-2	
Barium	170	mg/kg	0.38	0.068	1	05/09/22 17:19	05/14/22 02:42	7440-39-3	
Beryllium	0.71	mg/kg	0.26	0.051	1	05/09/22 17:19	05/14/22 02:42	7440-41-7	
Cadmium	0.094J	mg/kg	0.10	0.040	1	05/09/22 17:19	05/14/22 02:42	7440-43-9	
Calcium	10300	mg/kg	128	15.1	1	05/09/22 17:19	05/14/22 02:42	7440-70-2	
Chromium	15.6	mg/kg	2.6	0.18	1	05/09/22 17:19	05/14/22 02:42	7440-47-3	
Cobalt	4.7	mg/kg	0.64	0.13	1	05/09/22 17:19	05/14/22 02:42	7440-48-4	
Copper	14.6	mg/kg	1.3	0.31	1	05/09/22 17:19	05/14/22 02:42	7440-50-8	
Iron	14500	mg/kg	63.8	13.4	1	05/09/22 17:19	05/14/22 02:42	7439-89-6	
Lead	11.0	mg/kg	0.64	0.038	1	05/09/22 17:19	05/14/22 02:42	7439-92-1	
Magnesium	2500	mg/kg	38.3	5.5	1	05/09/22 17:19	05/14/22 02:42	7439-95-4	
Manganese	268	mg/kg	0.64	0.31	1	05/09/22 17:19	05/14/22 02:42	7439-96-5	
Nickel	11.8	mg/kg	0.64	0.25	1	05/09/22 17:19	05/14/22 02:42	7440-02-0	
Potassium	1750	mg/kg	128	14.7	1	05/09/22 17:19	05/14/22 02:42	7440-09-7	
Selenium	0.69	mg/kg	0.64	0.11	1	05/09/22 17:19	05/14/22 02:42	7782-49-2	
Silver	<0.18	mg/kg	0.64	0.18	1	05/09/22 17:19	05/16/22 17:50	7440-22-4	
Sodium	43.6J	mg/kg	63.8	14.2	1	05/09/22 17:19	05/14/22 02:42	7440-23-5	
Thallium	0.17	mg/kg	0.13	0.047	1	05/09/22 17:19	05/14/22 02:42	7440-28-0	
Vanadium	29.5	mg/kg	1.3	0.22	1	05/09/22 17:19	05/14/22 02:42	7440-62-2	
Zinc	45.8	mg/kg	6.4	1.1	1	05/09/22 17:19	05/14/22 02:42	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.020J	mg/kg	0.044	0.013	1	05/12/22 09:10	05/13/22 09:16	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.075	mg/kg	0.25	0.075	3	05/09/22 12:49	05/09/22 20:09	120-82-1	
1,2-Dichlorobenzene	<0.21	mg/kg	0.70	0.21	3	05/09/22 12:49	05/09/22 20:09	95-50-1	
1,3-Dichlorobenzene	<0.092	mg/kg	0.31	0.092	3	05/09/22 12:49	05/09/22 20:09	541-73-1	
1,4-Dichlorobenzene	<0.092	mg/kg	0.31	0.092	3	05/09/22 12:49	05/09/22 20:09	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.17	mg/kg	0.57	0.17	3	05/09/22 12:49	05/09/22 20:09	108-60-1	
2,4,5-Trichlorophenol	<0.12	mg/kg	0.39	0.12	3	05/09/22 12:49	05/09/22 20:09	95-95-4	
2,4,6-Trichlorophenol	<0.10	mg/kg	0.34	0.10	3	05/09/22 12:49	05/09/22 20:09	88-06-2	
2,4-Dichlorophenol	<0.18	mg/kg	0.59	0.18	3	05/09/22 12:49	05/09/22 20:09	120-83-2	
2,4-Dimethylphenol	<0.13	mg/kg	0.44	0.13	3	05/09/22 12:49	05/09/22 20:09	105-67-9	
2,4-Dinitrophenol	<0.20	mg/kg	0.67	0.20	3	05/09/22 12:49	05/09/22 20:09	51-28-5	
2,4-Dinitrotoluene	<0.095	mg/kg	0.32	0.095	3	05/09/22 12:49	05/09/22 20:09	121-14-2	
2,6-Dinitrotoluene	<0.13	mg/kg	0.42	0.13	3	05/09/22 12:49	05/09/22 20:09	606-20-2	
2-Chloronaphthalene	<0.085	mg/kg	0.28	0.085	3	05/09/22 12:49	05/09/22 20:09	91-58-7	
2-Chlorophenol	<0.17	mg/kg	0.55	0.17	3	05/09/22 12:49	05/09/22 20:09	95-57-8	
2-Methylnaphthalene	<0.17	mg/kg	0.57	0.17	3	05/09/22 12:49	05/09/22 20:09	91-57-6	
2-Methylphenol(o-Cresol)	<0.12	mg/kg	0.40	0.12	3	05/09/22 12:49	05/09/22 20:09	95-48-7	
2-Nitroaniline	<0.19	mg/kg	0.63	0.19	3	05/09/22 12:49	05/09/22 20:09	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-18 (1.5-2.0) **Lab ID: 40244446005** Collected: 05/04/22 10:05 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.21	mg/kg	0.70	0.21	3	05/09/22 12:49	05/09/22 20:09	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.12	mg/kg	0.41	0.12	3	05/09/22 12:49	05/09/22 20:09		
3,3'-Dichlorobenzidine	<0.18	mg/kg	0.60	0.18	3	05/09/22 12:49	05/09/22 20:09	91-94-1	
3-Nitroaniline	<0.11	mg/kg	0.38	0.11	3	05/09/22 12:49	05/09/22 20:09	99-09-2	
4,6-Dinitro-2-methylphenol	<0.20	mg/kg	0.68	0.20	3	05/09/22 12:49	05/09/22 20:09	534-52-1	
4-Bromophenylphenyl ether	<0.14	mg/kg	0.46	0.14	3	05/09/22 12:49	05/09/22 20:09	101-55-3	
4-Chloro-3-methylphenol	<0.21	mg/kg	0.69	0.21	3	05/09/22 12:49	05/09/22 20:09	59-50-7	
4-Chloroaniline	<0.11	mg/kg	0.36	0.11	3	05/09/22 12:49	05/09/22 20:09	106-47-8	4q
4-Chlorophenylphenyl ether	<0.12	mg/kg	0.41	0.12	3	05/09/22 12:49	05/09/22 20:09	7005-72-3	
4-Nitroaniline	<0.28	mg/kg	0.92	0.28	3	05/09/22 12:49	05/09/22 20:09	100-01-6	
4-Nitrophenol	<0.17	mg/kg	0.56	0.17	3	05/09/22 12:49	05/09/22 20:09	100-02-7	CU
Acenaphthene	<0.24	mg/kg	0.78	0.24	3	05/09/22 12:49	05/09/22 20:09	83-32-9	
Acenaphthylene	<0.24	mg/kg	0.79	0.24	3	05/09/22 12:49	05/09/22 20:09	208-96-8	
Anthracene	<0.11	mg/kg	0.35	0.11	3	05/09/22 12:49	05/09/22 20:09	120-12-7	
Benzo(a)anthracene	<0.10	mg/kg	0.34	0.10	3	05/09/22 12:49	05/09/22 20:09	56-55-3	
Benzo(a)pyrene	<0.10	mg/kg	0.33	0.10	3	05/09/22 12:49	05/09/22 20:09	50-32-8	
Benzo(b)fluoranthene	<0.11	mg/kg	0.38	0.11	3	05/09/22 12:49	05/09/22 20:09	205-99-2	
Benzo(g,h,i)perylene	<0.17	mg/kg	0.58	0.17	3	05/09/22 12:49	05/09/22 20:09	191-24-2	
Benzo(k)fluoranthene	<0.16	mg/kg	0.53	0.16	3	05/09/22 12:49	05/09/22 20:09	207-08-9	
Butylbenzylphthalate	<0.11	mg/kg	0.35	0.11	3	05/09/22 12:49	05/09/22 20:09	85-68-7	
Carbazole	<0.10	mg/kg	0.35	0.10	3	05/09/22 12:49	05/09/22 20:09	86-74-8	
Chrysene	<0.099	mg/kg	0.33	0.099	3	05/09/22 12:49	05/09/22 20:09	218-01-9	
Di-n-butylphthalate	<0.099	mg/kg	0.33	0.099	3	05/09/22 12:49	05/09/22 20:09	84-74-2	
Di-n-octylphthalate	<0.15	mg/kg	0.50	0.15	3	05/09/22 12:49	05/09/22 20:09	117-84-0	
Dibenz(a,h)anthracene	<0.18	mg/kg	0.60	0.18	3	05/09/22 12:49	05/09/22 20:09	53-70-3	
Dibenzofuran	<0.080	mg/kg	0.27	0.080	3	05/09/22 12:49	05/09/22 20:09	132-64-9	
Diethylphthalate	<0.11	mg/kg	0.37	0.11	3	05/09/22 12:49	05/09/22 20:09	84-66-2	
Dimethylphthalate	<0.086	mg/kg	0.29	0.086	3	05/09/22 12:49	05/09/22 20:09	131-11-3	
Fluoranthene	<0.094	mg/kg	0.31	0.094	3	05/09/22 12:49	05/09/22 20:09	206-44-0	
Fluorene	<0.078	mg/kg	0.26	0.078	3	05/09/22 12:49	05/09/22 20:09	86-73-7	
Hexachloro-1,3-butadiene	<0.17	mg/kg	0.56	0.17	3	05/09/22 12:49	05/09/22 20:09	87-68-3	
Hexachlorobenzene	<0.11	mg/kg	0.37	0.11	3	05/09/22 12:49	05/09/22 20:09	118-74-1	
Hexachlorocyclopentadiene	<0.16	mg/kg	0.52	0.16	3	05/09/22 12:49	05/09/22 20:09	77-47-4	
Hexachloroethane	<0.11	mg/kg	0.35	0.11	3	05/09/22 12:49	05/09/22 20:09	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.14	mg/kg	0.48	0.14	3	05/09/22 12:49	05/09/22 20:09	193-39-5	
Isophorone	<0.10	mg/kg	0.34	0.10	3	05/09/22 12:49	05/09/22 20:09	78-59-1	
N-Nitroso-di-n-propylamine	<0.11	mg/kg	0.35	0.11	3	05/09/22 12:49	05/09/22 20:09	621-64-7	
N-Nitrosodiphenylamine	<0.90	mg/kg	3.0	0.90	3	05/09/22 12:49	05/09/22 20:09	86-30-6	
Naphthalene	<0.23	mg/kg	0.77	0.23	3	05/09/22 12:49	05/09/22 20:09	91-20-3	
Nitrobenzene	<0.13	mg/kg	0.45	0.13	3	05/09/22 12:49	05/09/22 20:09	98-95-3	
Pentachlorophenol	<0.15	mg/kg	0.49	0.15	3	05/09/22 12:49	05/09/22 20:09	87-86-5	
Phenanthrene	<0.085	mg/kg	0.28	0.085	3	05/09/22 12:49	05/09/22 20:09	85-01-8	
Phenol	<0.16	mg/kg	0.52	0.16	3	05/09/22 12:49	05/09/22 20:09	108-95-2	D3
Pyrene	<0.15	mg/kg	0.49	0.15	3	05/09/22 12:49	05/09/22 20:09	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-18 (1.5-2.0) **Lab ID: 40244446005** Collected: 05/04/22 10:05 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.18	mg/kg	0.60	0.18	3	05/09/22 12:49	05/09/22 20:09	111-91-1	
bis(2-Chloroethyl) ether	<0.21	mg/kg	0.69	0.21	3	05/09/22 12:49	05/09/22 20:09	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.11	mg/kg	0.37	0.11	3	05/09/22 12:49	05/09/22 20:09	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	57	%	10-125		3	05/09/22 12:49	05/09/22 20:09	4165-60-0	
2-Fluorobiphenyl (S)	42	%	12-118		3	05/09/22 12:49	05/09/22 20:09	321-60-8	
Terphenyl-d14 (S)	64	%	10-124		3	05/09/22 12:49	05/09/22 20:09	1718-51-0	
Phenol-d6 (S)	50	%	10-125		3	05/09/22 12:49	05/09/22 20:09	13127-88-3	
2-Fluorophenol (S)	45	%	10-130		3	05/09/22 12:49	05/09/22 20:09	367-12-4	
2,4,6-Tribromophenol (S)	58	%	10-144		3	05/09/22 12:49	05/09/22 20:09	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/10/22 06:00	05/10/22 12:18	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0054	0.0028	1	05/10/22 06:00	05/10/22 12:18	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/10/22 06:00	05/10/22 12:18	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0054	0.0012	1	05/10/22 06:00	05/10/22 12:18	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 12:18	75-35-4	
1,2-Dichloroethane	<0.00089	mg/kg	0.0054	0.00089	1	05/10/22 06:00	05/10/22 12:18	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 12:18	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/10/22 06:00	05/10/22 12:18	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/10/22 06:00	05/10/22 12:18	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.027	0.022	1	05/10/22 06:00	05/10/22 12:18	108-10-1	
Acetone	<0.051	mg/kg	0.11	0.051	1	05/10/22 06:00	05/10/22 12:18	67-64-1	
Benzene	<0.00077	mg/kg	0.0054	0.00077	1	05/10/22 06:00	05/10/22 12:18	71-43-2	
Bromodichloromethane	<0.00074	mg/kg	0.0054	0.00074	1	05/10/22 06:00	05/10/22 12:18	75-27-4	
Bromoform	<0.0088	mg/kg	0.022	0.0088	1	05/10/22 06:00	05/10/22 12:18	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0054	0.0048	1	05/10/22 06:00	05/10/22 12:18	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0054	0.0012	1	05/10/22 06:00	05/10/22 12:18	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0054	0.0034	1	05/10/22 06:00	05/10/22 12:18	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0054	0.0010	1	05/10/22 06:00	05/10/22 12:18	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0054	0.0039	1	05/10/22 06:00	05/10/22 12:18	75-00-3	
Chloroform	<0.00092	mg/kg	0.0054	0.00092	1	05/10/22 06:00	05/10/22 12:18	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0054	0.0012	1	05/10/22 06:00	05/10/22 12:18	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 12:18	124-48-1	
Ethylbenzene	<0.00097	mg/kg	0.0054	0.00097	1	05/10/22 06:00	05/10/22 12:18	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0054	0.0022	1	05/10/22 06:00	05/10/22 12:18	1634-04-4	
Methylene Chloride	<0.0043	mg/kg	0.0054	0.0043	1	05/10/22 06:00	05/10/22 12:18	75-09-2	
Styrene	<0.00077	mg/kg	0.0054	0.00077	1	05/10/22 06:00	05/10/22 12:18	100-42-5	
Tetrachloroethene	<0.00096	mg/kg	0.0054	0.00096	1	05/10/22 06:00	05/10/22 12:18	127-18-4	
Toluene	<0.00096	mg/kg	0.0054	0.00096	1	05/10/22 06:00	05/10/22 12:18	108-88-3	
Trichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/10/22 06:00	05/10/22 12:18	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0054	0.0014	1	05/10/22 06:00	05/10/22 12:18	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/10/22 06:00	05/10/22 12:18	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-18 (1.5-2.0) **Lab ID: 40244446005** Collected: 05/04/22 10:05 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00096	mg/kg	0.0054	0.00096	1	05/10/22 06:00	05/10/22 12:18	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 12:18	10061-01-5	
trans-1,2-Dichloroethene	<0.00078	mg/kg	0.0054	0.00078	1	05/10/22 06:00	05/10/22 12:18	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 12:18	10061-02-6	
Surrogates									
Toluene-d8 (S)	92	%	69-156		1	05/10/22 06:00	05/10/22 12:18	2037-26-5	
4-Bromofluorobenzene (S)	80	%	61-175		1	05/10/22 06:00	05/10/22 12:18	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1	05/10/22 06:00	05/10/22 12:18	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	24.6	%	0.10	0.10	1		05/10/22 16:43		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.7	Std. Units	0.10	0.010	1		05/12/22 14:04		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.33	mg/kg	0.99	0.33	1	05/11/22 09:50	05/11/22 13:48	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-18 (4.5-5.5) **Lab ID: 4024446006** Collected: 05/04/22 10:10 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00053	mg/kg	0.0022	0.00053	1	05/06/22 14:04	05/10/22 13:41	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 13:41	319-84-6	
beta-BHC	<0.00067	mg/kg	0.0022	0.00067	1	05/06/22 14:04	05/10/22 13:41	319-85-7	
delta-BHC	<0.00040	mg/kg	0.0022	0.00040	1	05/06/22 14:04	05/10/22 13:41	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/06/22 14:04	05/10/22 13:41	58-89-9	
Chlordane (Technical)	<0.0072	mg/kg	0.022	0.0072	1	05/06/22 14:04	05/10/22 13:41	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/06/22 14:04	05/10/22 13:41	5103-71-9	
gamma-Chlordane	<0.00081	mg/kg	0.0022	0.00081	1	05/06/22 14:04	05/10/22 13:41	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0043	0.00044	1	05/06/22 14:04	05/10/22 13:41	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/06/22 14:04	05/10/22 13:41	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/06/22 14:04	05/10/22 13:41	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/06/22 14:04	05/10/22 13:41	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/06/22 14:04	05/10/22 13:41	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/06/22 14:04	05/10/22 13:41	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/06/22 14:04	05/10/22 13:41	1031-07-8	
Endrin	<0.00049	mg/kg	0.0043	0.00049	1	05/06/22 14:04	05/10/22 13:41	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/06/22 14:04	05/10/22 13:41	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/06/22 14:04	05/10/22 13:41	53494-70-5	
Heptachlor	<0.00059	mg/kg	0.0022	0.00059	1	05/06/22 14:04	05/10/22 13:41	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 13:41	1024-57-3	
Methoxychlor	<0.0067	mg/kg	0.022	0.0067	1	05/06/22 14:04	05/10/22 13:41	72-43-5	
Toxaphene	<0.021	mg/kg	0.065	0.021	1	05/06/22 14:04	05/10/22 13:41	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	59	%	53-138		1	05/06/22 14:04	05/10/22 13:41	877-09-8	
Decachlorobiphenyl (S)	44	%	30-150		1	05/06/22 14:04	05/10/22 13:41	2051-24-3	CL
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 01:43	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 01:43	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 01:43	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 01:43	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 01:43	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 01:43	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 01:43	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 01:43	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	86	%	50-99		1	05/06/22 08:31	05/10/22 01:43	877-09-8	
Decachlorobiphenyl (S)	90	%	38-95		1	05/06/22 08:31	05/10/22 01:43	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	15400	mg/kg	36.6	7.4	1	05/09/22 17:19	05/14/22 02:45	7429-90-5	
Antimony	0.18J	mg/kg	0.61	0.12	1	05/09/22 17:19	05/14/22 02:45	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-18 (4.5-5.5) **Lab ID: 40244446006** Collected: 05/04/22 10:10 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	11.6	mg/kg	0.61	0.13	1	05/09/22 17:19	05/14/22 02:45	7440-38-2	
Barium	166	mg/kg	0.37	0.065	1	05/09/22 17:19	05/14/22 02:45	7440-39-3	
Beryllium	0.87	mg/kg	0.24	0.048	1	05/09/22 17:19	05/14/22 02:45	7440-41-7	
Cadmium	0.14	mg/kg	0.098	0.038	1	05/09/22 17:19	05/14/22 02:45	7440-43-9	
Calcium	3780	mg/kg	122	14.4	1	05/09/22 17:19	05/14/22 02:45	7440-70-2	
Chromium	20.8	mg/kg	2.4	0.17	1	05/09/22 17:19	05/14/22 02:45	7440-47-3	
Cobalt	9.4	mg/kg	0.61	0.12	1	05/09/22 17:19	05/14/22 02:45	7440-48-4	
Copper	21.9	mg/kg	1.2	0.30	1	05/09/22 17:19	05/14/22 02:45	7440-50-8	
Iron	23500	mg/kg	61.0	12.8	1	05/09/22 17:19	05/14/22 02:45	7439-89-6	
Lead	22.4	mg/kg	0.61	0.036	1	05/09/22 17:19	05/14/22 02:45	7439-92-1	
Magnesium	3460	mg/kg	36.6	5.2	1	05/09/22 17:19	05/14/22 02:45	7439-95-4	
Manganese	240	mg/kg	0.61	0.30	1	05/09/22 17:19	05/14/22 02:45	7439-96-5	
Nickel	20.5	mg/kg	0.61	0.24	1	05/09/22 17:19	05/14/22 02:45	7440-02-0	
Potassium	976	mg/kg	122	14.0	1	05/09/22 17:19	05/14/22 02:45	7440-09-7	
Selenium	0.36J	mg/kg	0.61	0.10	1	05/09/22 17:19	05/14/22 02:45	7782-49-2	
Silver	<0.18	mg/kg	0.61	0.18	1	05/09/22 17:19	05/16/22 17:54	7440-22-4	
Sodium	45.6J	mg/kg	61.0	13.5	1	05/09/22 17:19	05/14/22 02:45	7440-23-5	
Thallium	0.17	mg/kg	0.12	0.045	1	05/09/22 17:19	05/14/22 02:45	7440-28-0	
Vanadium	38.5	mg/kg	1.2	0.21	1	05/09/22 17:19	05/14/22 02:45	7440-62-2	
Zinc	59.9	mg/kg	6.1	1.1	1	05/09/22 17:19	05/14/22 02:45	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.047	mg/kg	0.044	0.013	1	05/12/22 09:10	05/13/22 09:19	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.082	0.025	1	05/09/22 12:49	05/09/22 19:26	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/09/22 12:49	05/09/22 19:26	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/09/22 12:49	05/09/22 19:26	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/09/22 12:49	05/09/22 19:26	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/09/22 12:49	05/09/22 19:26	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/09/22 12:49	05/09/22 19:26	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 19:26	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/09/22 12:49	05/09/22 19:26	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/09/22 12:49	05/09/22 19:26	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/09/22 12:49	05/09/22 19:26	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/09/22 19:26	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/09/22 12:49	05/09/22 19:26	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/09/22 12:49	05/09/22 19:26	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/09/22 12:49	05/09/22 19:26	95-57-8	
2-Methylnaphthalene	<0.057	mg/kg	0.19	0.057	1	05/09/22 12:49	05/09/22 19:26	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/09/22 12:49	05/09/22 19:26	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/09/22 12:49	05/09/22 19:26	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: **SB-18 (4.5-5.5)** Lab ID: **40244446006** Collected: 05/04/22 10:10 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.069	mg/kg	0.23	0.069	1	05/09/22 12:49	05/09/22 19:26	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/09/22 12:49	05/09/22 19:26		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/09/22 12:49	05/09/22 19:26	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/09/22 12:49	05/09/22 19:26	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/09/22 12:49	05/09/22 19:26	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/09/22 12:49	05/09/22 19:26	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/09/22 12:49	05/09/22 19:26	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/09/22 12:49	05/09/22 19:26	106-47-8	4q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/09/22 12:49	05/09/22 19:26	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/09/22 12:49	05/09/22 19:26	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/09/22 12:49	05/09/22 19:26	100-02-7	CU
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/09/22 12:49	05/09/22 19:26	83-32-9	
Acenaphthylene	<0.078	mg/kg	0.26	0.078	1	05/09/22 12:49	05/09/22 19:26	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 19:26	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 19:26	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 19:26	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/09/22 12:49	05/09/22 19:26	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/09/22 12:49	05/09/22 19:26	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/09/22 12:49	05/09/22 19:26	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 19:26	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 19:26	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 19:26	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 19:26	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/09/22 12:49	05/09/22 19:26	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/09/22 12:49	05/09/22 19:26	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.088	0.026	1	05/09/22 12:49	05/09/22 19:26	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/09/22 12:49	05/09/22 19:26	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/09/22 12:49	05/09/22 19:26	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/09/22 19:26	206-44-0	
Fluorene	<0.025	mg/kg	0.085	0.025	1	05/09/22 12:49	05/09/22 19:26	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/09/22 12:49	05/09/22 19:26	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/09/22 12:49	05/09/22 19:26	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/09/22 12:49	05/09/22 19:26	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 19:26	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/09/22 12:49	05/09/22 19:26	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 19:26	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 19:26	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	0.98	0.30	1	05/09/22 12:49	05/09/22 19:26	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/09/22 12:49	05/09/22 19:26	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/09/22 12:49	05/09/22 19:26	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/09/22 12:49	05/09/22 19:26	87-86-5	
Phenanthrene	<0.028	mg/kg	0.093	0.028	1	05/09/22 12:49	05/09/22 19:26	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/09/22 12:49	05/09/22 19:26	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/09/22 12:49	05/09/22 19:26	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-18 (4.5-5.5) **Lab ID: 4024446006** Collected: 05/04/22 10:10 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/09/22 12:49	05/09/22 19:26	111-91-1	
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/09/22 12:49	05/09/22 19:26	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/09/22 12:49	05/09/22 19:26	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	87	%	10-125		1	05/09/22 12:49	05/09/22 19:26	4165-60-0	
2-Fluorobiphenyl (S)	62	%	12-118		1	05/09/22 12:49	05/09/22 19:26	321-60-8	
Terphenyl-d14 (S)	71	%	10-124		1	05/09/22 12:49	05/09/22 19:26	1718-51-0	
Phenol-d6 (S)	73	%	10-125		1	05/09/22 12:49	05/09/22 19:26	13127-88-3	
2-Fluorophenol (S)	78	%	10-130		1	05/09/22 12:49	05/09/22 19:26	367-12-4	
2,4,6-Tribromophenol (S)	63	%	10-144		1	05/09/22 12:49	05/09/22 19:26	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0018	mg/kg	0.0058	0.0018	1	05/10/22 06:00	05/10/22 12:43	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0030	mg/kg	0.0058	0.0030	1	05/10/22 06:00	05/10/22 12:43	79-34-5	
1,1,2-Trichloroethane	<0.0018	mg/kg	0.0058	0.0018	1	05/10/22 06:00	05/10/22 12:43	79-00-5	
1,1-Dichloroethane	<0.0013	mg/kg	0.0058	0.0013	1	05/10/22 06:00	05/10/22 12:43	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0058	0.0012	1	05/10/22 06:00	05/10/22 12:43	75-35-4	
1,2-Dichloroethane	<0.00096	mg/kg	0.0058	0.00096	1	05/10/22 06:00	05/10/22 12:43	107-06-2	
1,2-Dichloropropane	<0.0012	mg/kg	0.0058	0.0012	1	05/10/22 06:00	05/10/22 12:43	78-87-5	
2-Butanone (MEK)	<0.018	mg/kg	0.029	0.018	1	05/10/22 06:00	05/10/22 12:43	78-93-3	
2-Hexanone	<0.013	mg/kg	0.029	0.013	1	05/10/22 06:00	05/10/22 12:43	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.023	mg/kg	0.029	0.023	1	05/10/22 06:00	05/10/22 12:43	108-10-1	
Acetone	<0.055	mg/kg	0.12	0.055	1	05/10/22 06:00	05/10/22 12:43	67-64-1	
Benzene	<0.00083	mg/kg	0.0058	0.00083	1	05/10/22 06:00	05/10/22 12:43	71-43-2	
Bromodichloromethane	<0.00080	mg/kg	0.0058	0.00080	1	05/10/22 06:00	05/10/22 12:43	75-27-4	
Bromoform	<0.0095	mg/kg	0.023	0.0095	1	05/10/22 06:00	05/10/22 12:43	75-25-2	
Bromomethane	<0.0052	mg/kg	0.0058	0.0052	1	05/10/22 06:00	05/10/22 12:43	74-83-9	
Carbon disulfide	<0.0013	mg/kg	0.0058	0.0013	1	05/10/22 06:00	05/10/22 12:43	75-15-0	
Carbon tetrachloride	<0.0037	mg/kg	0.0058	0.0037	1	05/10/22 06:00	05/10/22 12:43	56-23-5	
Chlorobenzene	<0.0011	mg/kg	0.0058	0.0011	1	05/10/22 06:00	05/10/22 12:43	108-90-7	
Chloroethane	<0.0042	mg/kg	0.0058	0.0042	1	05/10/22 06:00	05/10/22 12:43	75-00-3	
Chloroform	<0.00099	mg/kg	0.0058	0.00099	1	05/10/22 06:00	05/10/22 12:43	67-66-3	
Chloromethane	<0.0013	mg/kg	0.0058	0.0013	1	05/10/22 06:00	05/10/22 12:43	74-87-3	
Dibromochloromethane	<0.0012	mg/kg	0.0058	0.0012	1	05/10/22 06:00	05/10/22 12:43	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0058	0.0010	1	05/10/22 06:00	05/10/22 12:43	100-41-4	
Methyl-tert-butyl ether	<0.0024	mg/kg	0.0058	0.0024	1	05/10/22 06:00	05/10/22 12:43	1634-04-4	
Methylene Chloride	<0.0046	mg/kg	0.0058	0.0046	1	05/10/22 06:00	05/10/22 12:43	75-09-2	
Styrene	<0.00083	mg/kg	0.0058	0.00083	1	05/10/22 06:00	05/10/22 12:43	100-42-5	
Tetrachloroethene	<0.0010	mg/kg	0.0058	0.0010	1	05/10/22 06:00	05/10/22 12:43	127-18-4	
Toluene	<0.0010	mg/kg	0.0058	0.0010	1	05/10/22 06:00	05/10/22 12:43	108-88-3	
Trichloroethene	<0.00084	mg/kg	0.0058	0.00084	1	05/10/22 06:00	05/10/22 12:43	79-01-6	
Vinyl chloride	<0.0015	mg/kg	0.0058	0.0015	1	05/10/22 06:00	05/10/22 12:43	75-01-4	
Xylene (Total)	<0.0040	mg/kg	0.012	0.0040	1	05/10/22 06:00	05/10/22 12:43	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-18 (4.5-5.5) **Lab ID: 40244446006** Collected: 05/04/22 10:10 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.0010	mg/kg	0.0058	0.0010	1	05/10/22 06:00	05/10/22 12:43	156-59-2	
cis-1,3-Dichloropropene	<0.0012	mg/kg	0.0058	0.0012	1	05/10/22 06:00	05/10/22 12:43	10061-01-5	
trans-1,2-Dichloroethene	<0.00084	mg/kg	0.0058	0.00084	1	05/10/22 06:00	05/10/22 12:43	156-60-5	
trans-1,3-Dichloropropene	<0.0012	mg/kg	0.0058	0.0012	1	05/10/22 06:00	05/10/22 12:43	10061-02-6	
Surrogates									
Toluene-d8 (S)	91	%	69-156		1	05/10/22 06:00	05/10/22 12:43	2037-26-5	
4-Bromofluorobenzene (S)	82	%	61-175		1	05/10/22 06:00	05/10/22 12:43	460-00-4	
1,2-Dichlorobenzene-d4 (S)	93	%	70-130		1	05/10/22 06:00	05/10/22 12:43	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.4	%	0.10	0.10	1		05/10/22 16:43		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/12/22 14:07		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.37	mg/kg	1.1	0.37	1	05/11/22 09:50	05/11/22 13:48	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-19 (2-3) **Lab ID: 4024446007** Collected: 05/04/22 10:40 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00055	mg/kg	0.0023	0.00055	1	05/06/22 14:04	05/10/22 14:00	309-00-2	
alpha-BHC	<0.00023	mg/kg	0.0023	0.00023	1	05/06/22 14:04	05/10/22 14:00	319-84-6	
beta-BHC	<0.00070	mg/kg	0.0023	0.00070	1	05/06/22 14:04	05/10/22 14:00	319-85-7	
delta-BHC	<0.00041	mg/kg	0.0023	0.00041	1	05/06/22 14:04	05/10/22 14:00	319-86-8	
gamma-BHC (Lindane)	<0.00022	mg/kg	0.0023	0.00022	1	05/06/22 14:04	05/10/22 14:00	58-89-9	
Chlordane (Technical)	<0.0075	mg/kg	0.023	0.0075	1	05/06/22 14:04	05/10/22 14:00	57-74-9	
alpha-Chlordane	<0.00028	mg/kg	0.0023	0.00028	1	05/06/22 14:04	05/10/22 14:00	5103-71-9	
gamma-Chlordane	<0.00084	mg/kg	0.0023	0.00084	1	05/06/22 14:04	05/10/22 14:00	5103-74-2	
4,4'-DDD	<0.00046	mg/kg	0.0045	0.00046	1	05/06/22 14:04	05/10/22 14:00	72-54-8	
4,4'-DDE	<0.00052	mg/kg	0.0045	0.00052	1	05/06/22 14:04	05/10/22 14:00	72-55-9	
4,4'-DDT	<0.0014	mg/kg	0.0045	0.0014	1	05/06/22 14:04	05/10/22 14:00	50-29-3	
Dieldrin	<0.00043	mg/kg	0.0045	0.00043	1	05/06/22 14:04	05/10/22 14:00	60-57-1	
Endosulfan I	<0.00025	mg/kg	0.0023	0.00025	1	05/06/22 14:04	05/10/22 14:00	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0045	0.0011	1	05/06/22 14:04	05/10/22 14:00	33213-65-9	
Endosulfan sulfate	<0.0011	mg/kg	0.0045	0.0011	1	05/06/22 14:04	05/10/22 14:00	1031-07-8	
Endrin	<0.00051	mg/kg	0.0045	0.00051	1	05/06/22 14:04	05/10/22 14:00	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0045	0.0015	1	05/06/22 14:04	05/10/22 14:00	7421-93-4	
Endrin ketone	<0.0012	mg/kg	0.0045	0.0012	1	05/06/22 14:04	05/10/22 14:00	53494-70-5	
Heptachlor	<0.00061	mg/kg	0.0023	0.00061	1	05/06/22 14:04	05/10/22 14:00	76-44-8	
Heptachlor epoxide	<0.00023	mg/kg	0.0023	0.00023	1	05/06/22 14:04	05/10/22 14:00	1024-57-3	
Methoxychlor	<0.0070	mg/kg	0.023	0.0070	1	05/06/22 14:04	05/10/22 14:00	72-43-5	
Toxaphene	<0.021	mg/kg	0.068	0.021	1	05/06/22 14:04	05/10/22 14:00	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	65	%	53-138		1	05/06/22 14:04	05/10/22 14:00	877-09-8	
Decachlorobiphenyl (S)	50	%	30-150		1	05/06/22 14:04	05/10/22 14:00	2051-24-3	CL
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.021	mg/kg	0.068	0.021	1	05/06/22 08:31	05/10/22 02:05	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.021	mg/kg	0.068	0.021	1	05/06/22 08:31	05/10/22 02:05	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.021	mg/kg	0.068	0.021	1	05/06/22 08:31	05/10/22 02:05	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.021	mg/kg	0.068	0.021	1	05/06/22 08:31	05/10/22 02:05	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.021	mg/kg	0.068	0.021	1	05/06/22 08:31	05/10/22 02:05	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.021	mg/kg	0.068	0.021	1	05/06/22 08:31	05/10/22 02:05	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.021	mg/kg	0.068	0.021	1	05/06/22 08:31	05/10/22 02:05	11096-82-5	
PCB, Total	<0.021	mg/kg	0.068	0.021	1	05/06/22 08:31	05/10/22 02:05	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	86	%	50-99		1	05/06/22 08:31	05/10/22 02:05	877-09-8	
Decachlorobiphenyl (S)	88	%	38-95		1	05/06/22 08:31	05/10/22 02:05	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	13600	mg/kg	39.3	7.9	1	05/09/22 17:19	05/14/22 02:49	7429-90-5	
Antimony	0.17J	mg/kg	0.65	0.13	1	05/09/22 17:19	05/14/22 02:49	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: **SB-19 (2-3)** Lab ID: **40244446007** Collected: 05/04/22 10:40 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	8.9	mg/kg	0.65	0.14	1	05/09/22 17:19	05/14/22 02:49	7440-38-2	
Barium	147	mg/kg	0.39	0.070	1	05/09/22 17:19	05/14/22 02:49	7440-39-3	
Beryllium	0.70	mg/kg	0.26	0.052	1	05/09/22 17:19	05/14/22 02:49	7440-41-7	
Cadmium	0.083J	mg/kg	0.10	0.041	1	05/09/22 17:19	05/14/22 02:49	7440-43-9	
Calcium	3580	mg/kg	131	15.5	1	05/09/22 17:19	05/14/22 02:49	7440-70-2	
Chromium	16.4	mg/kg	2.6	0.18	1	05/09/22 17:19	05/14/22 02:49	7440-47-3	
Cobalt	8.6	mg/kg	0.65	0.13	1	05/09/22 17:19	05/14/22 02:49	7440-48-4	
Copper	15.2	mg/kg	1.3	0.32	1	05/09/22 17:19	05/14/22 02:49	7440-50-8	
Iron	23300	mg/kg	65.5	13.8	1	05/09/22 17:19	05/14/22 02:49	7439-89-6	
Lead	11.4	mg/kg	0.65	0.039	1	05/09/22 17:19	05/14/22 02:49	7439-92-1	
Magnesium	2450	mg/kg	39.3	5.6	1	05/09/22 17:19	05/14/22 02:49	7439-95-4	
Manganese	497	mg/kg	0.65	0.32	1	05/09/22 17:19	05/14/22 02:49	7439-96-5	
Nickel	15.8	mg/kg	0.65	0.26	1	05/09/22 17:19	05/14/22 02:49	7440-02-0	
Potassium	1230	mg/kg	131	15.1	1	05/09/22 17:19	05/14/22 02:49	7440-09-7	
Selenium	0.73	mg/kg	0.65	0.11	1	05/09/22 17:19	05/14/22 02:49	7782-49-2	
Silver	<0.19	mg/kg	0.65	0.19	1	05/09/22 17:19	05/16/22 17:58	7440-22-4	
Sodium	37.1J	mg/kg	65.5	14.5	1	05/09/22 17:19	05/14/22 02:49	7440-23-5	
Thallium	0.18	mg/kg	0.13	0.048	1	05/09/22 17:19	05/14/22 02:49	7440-28-0	
Vanadium	32.2	mg/kg	1.3	0.23	1	05/09/22 17:19	05/14/22 02:49	7440-62-2	
Zinc	43.6	mg/kg	6.5	1.2	1	05/09/22 17:19	05/14/22 02:49	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	1.1	mg/kg	0.044	0.012	1	05/12/22 09:10	05/13/22 09:26	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.077	mg/kg	0.26	0.077	3	05/09/22 12:49	05/09/22 20:30	120-82-1	
1,2-Dichlorobenzene	<0.21	mg/kg	0.71	0.21	3	05/09/22 12:49	05/09/22 20:30	95-50-1	
1,3-Dichlorobenzene	<0.094	mg/kg	0.31	0.094	3	05/09/22 12:49	05/09/22 20:30	541-73-1	
1,4-Dichlorobenzene	<0.095	mg/kg	0.32	0.095	3	05/09/22 12:49	05/09/22 20:30	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.18	mg/kg	0.59	0.18	3	05/09/22 12:49	05/09/22 20:30	108-60-1	
2,4,5-Trichlorophenol	<0.12	mg/kg	0.40	0.12	3	05/09/22 12:49	05/09/22 20:30	95-95-4	
2,4,6-Trichlorophenol	<0.10	mg/kg	0.35	0.10	3	05/09/22 12:49	05/09/22 20:30	88-06-2	
2,4-Dichlorophenol	<0.18	mg/kg	0.61	0.18	3	05/09/22 12:49	05/09/22 20:30	120-83-2	
2,4-Dimethylphenol	<0.13	mg/kg	0.45	0.13	3	05/09/22 12:49	05/09/22 20:30	105-67-9	
2,4-Dinitrophenol	<0.21	mg/kg	0.69	0.21	3	05/09/22 12:49	05/09/22 20:30	51-28-5	
2,4-Dinitrotoluene	<0.098	mg/kg	0.33	0.098	3	05/09/22 12:49	05/09/22 20:30	121-14-2	
2,6-Dinitrotoluene	<0.13	mg/kg	0.43	0.13	3	05/09/22 12:49	05/09/22 20:30	606-20-2	
2-Chloronaphthalene	<0.088	mg/kg	0.29	0.088	3	05/09/22 12:49	05/09/22 20:30	91-58-7	
2-Chlorophenol	<0.17	mg/kg	0.57	0.17	3	05/09/22 12:49	05/09/22 20:30	95-57-8	
2-Methylnaphthalene	<0.18	mg/kg	0.59	0.18	3	05/09/22 12:49	05/09/22 20:30	91-57-6	
2-Methylphenol(o-Cresol)	<0.12	mg/kg	0.41	0.12	3	05/09/22 12:49	05/09/22 20:30	95-48-7	
2-Nitroaniline	<0.19	mg/kg	0.65	0.19	3	05/09/22 12:49	05/09/22 20:30	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-19 (2-3) Lab ID: **40244446007** Collected: 05/04/22 10:40 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.22	mg/kg	0.72	0.22	3	05/09/22 12:49	05/09/22 20:30	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.12	mg/kg	0.42	0.12	3	05/09/22 12:49	05/09/22 20:30		
3,3'-Dichlorobenzidine	<0.19	mg/kg	0.62	0.19	3	05/09/22 12:49	05/09/22 20:30	91-94-1	
3-Nitroaniline	<0.12	mg/kg	0.39	0.12	3	05/09/22 12:49	05/09/22 20:30	99-09-2	
4,6-Dinitro-2-methylphenol	<0.21	mg/kg	0.70	0.21	3	05/09/22 12:49	05/09/22 20:30	534-52-1	
4-Bromophenylphenyl ether	<0.14	mg/kg	0.48	0.14	3	05/09/22 12:49	05/09/22 20:30	101-55-3	
4-Chloro-3-methylphenol	<0.21	mg/kg	0.71	0.21	3	05/09/22 12:49	05/09/22 20:30	59-50-7	
4-Chloroaniline	<0.11	mg/kg	0.37	0.11	3	05/09/22 12:49	05/09/22 20:30	106-47-8	4q
4-Chlorophenylphenyl ether	<0.13	mg/kg	0.42	0.13	3	05/09/22 12:49	05/09/22 20:30	7005-72-3	
4-Nitroaniline	<0.28	mg/kg	0.94	0.28	3	05/09/22 12:49	05/09/22 20:30	100-01-6	
4-Nitrophenol	<0.17	mg/kg	0.57	0.17	3	05/09/22 12:49	05/09/22 20:30	100-02-7	CU
Acenaphthene	<0.24	mg/kg	0.81	0.24	3	05/09/22 12:49	05/09/22 20:30	83-32-9	
Acenaphthylene	<0.24	mg/kg	0.81	0.24	3	05/09/22 12:49	05/09/22 20:30	208-96-8	
Anthracene	<0.11	mg/kg	0.36	0.11	3	05/09/22 12:49	05/09/22 20:30	120-12-7	
Benzo(a)anthracene	<0.11	mg/kg	0.35	0.11	3	05/09/22 12:49	05/09/22 20:30	56-55-3	
Benzo(a)pyrene	<0.10	mg/kg	0.34	0.10	3	05/09/22 12:49	05/09/22 20:30	50-32-8	
Benzo(b)fluoranthene	<0.12	mg/kg	0.39	0.12	3	05/09/22 12:49	05/09/22 20:30	205-99-2	
Benzo(g,h,i)perylene	<0.18	mg/kg	0.59	0.18	3	05/09/22 12:49	05/09/22 20:30	191-24-2	
Benzo(k)fluoranthene	<0.16	mg/kg	0.54	0.16	3	05/09/22 12:49	05/09/22 20:30	207-08-9	
Butylbenzylphthalate	<0.11	mg/kg	0.36	0.11	3	05/09/22 12:49	05/09/22 20:30	85-68-7	
Carbazole	<0.11	mg/kg	0.36	0.11	3	05/09/22 12:49	05/09/22 20:30	86-74-8	
Chrysene	<0.10	mg/kg	0.34	0.10	3	05/09/22 12:49	05/09/22 20:30	218-01-9	
Di-n-butylphthalate	<0.10	mg/kg	0.34	0.10	3	05/09/22 12:49	05/09/22 20:30	84-74-2	
Di-n-octylphthalate	<0.15	mg/kg	0.51	0.15	3	05/09/22 12:49	05/09/22 20:30	117-84-0	
Dibenz(a,h)anthracene	<0.19	mg/kg	0.62	0.19	3	05/09/22 12:49	05/09/22 20:30	53-70-3	
Dibenzofuran	<0.083	mg/kg	0.28	0.083	3	05/09/22 12:49	05/09/22 20:30	132-64-9	
Diethylphthalate	<0.11	mg/kg	0.38	0.11	3	05/09/22 12:49	05/09/22 20:30	84-66-2	
Dimethylphthalate	<0.089	mg/kg	0.30	0.089	3	05/09/22 12:49	05/09/22 20:30	131-11-3	
Fluoranthene	<0.097	mg/kg	0.32	0.097	3	05/09/22 12:49	05/09/22 20:30	206-44-0	
Fluorene	<0.080	mg/kg	0.27	0.080	3	05/09/22 12:49	05/09/22 20:30	86-73-7	
Hexachloro-1,3-butadiene	<0.17	mg/kg	0.58	0.17	3	05/09/22 12:49	05/09/22 20:30	87-68-3	
Hexachlorobenzene	<0.11	mg/kg	0.38	0.11	3	05/09/22 12:49	05/09/22 20:30	118-74-1	
Hexachlorocyclopentadiene	<0.16	mg/kg	0.54	0.16	3	05/09/22 12:49	05/09/22 20:30	77-47-4	
Hexachloroethane	<0.11	mg/kg	0.36	0.11	3	05/09/22 12:49	05/09/22 20:30	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.15	mg/kg	0.49	0.15	3	05/09/22 12:49	05/09/22 20:30	193-39-5	
Isophorone	<0.10	mg/kg	0.35	0.10	3	05/09/22 12:49	05/09/22 20:30	78-59-1	
N-Nitroso-di-n-propylamine	<0.11	mg/kg	0.36	0.11	3	05/09/22 12:49	05/09/22 20:30	621-64-7	
N-Nitrosodiphenylamine	<0.93	mg/kg	3.1	0.93	3	05/09/22 12:49	05/09/22 20:30	86-30-6	
Naphthalene	<0.24	mg/kg	0.79	0.24	3	05/09/22 12:49	05/09/22 20:30	91-20-3	
Nitrobenzene	<0.14	mg/kg	0.46	0.14	3	05/09/22 12:49	05/09/22 20:30	98-95-3	
Pentachlorophenol	<0.15	mg/kg	0.50	0.15	3	05/09/22 12:49	05/09/22 20:30	87-86-5	
Phenanthrene	<0.087	mg/kg	0.29	0.087	3	05/09/22 12:49	05/09/22 20:30	85-01-8	
Phenol	<0.16	mg/kg	0.54	0.16	3	05/09/22 12:49	05/09/22 20:30	108-95-2	D3
Pyrene	<0.15	mg/kg	0.50	0.15	3	05/09/22 12:49	05/09/22 20:30	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-19 (2-3) **Lab ID: 4024446007** Collected: 05/04/22 10:40 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.18	mg/kg	0.61	0.18	3	05/09/22 12:49	05/09/22 20:30	111-91-1	
bis(2-Chloroethyl) ether	<0.21	mg/kg	0.71	0.21	3	05/09/22 12:49	05/09/22 20:30	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.11	mg/kg	0.38	0.11	3	05/09/22 12:49	05/09/22 20:30	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	73	%	10-125		3	05/09/22 12:49	05/09/22 20:30	4165-60-0	
2-Fluorobiphenyl (S)	56	%	12-118		3	05/09/22 12:49	05/09/22 20:30	321-60-8	
Terphenyl-d14 (S)	62	%	10-124		3	05/09/22 12:49	05/09/22 20:30	1718-51-0	
Phenol-d6 (S)	61	%	10-125		3	05/09/22 12:49	05/09/22 20:30	13127-88-3	
2-Fluorophenol (S)	61	%	10-130		3	05/09/22 12:49	05/09/22 20:30	367-12-4	
2,4,6-Tribromophenol (S)	67	%	10-144		3	05/09/22 12:49	05/09/22 20:30	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0058	0.0017	1	05/10/22 06:00	05/10/22 13:08	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0030	mg/kg	0.0058	0.0030	1	05/10/22 06:00	05/10/22 13:08	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0058	0.0017	1	05/10/22 06:00	05/10/22 13:08	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0058	0.0012	1	05/10/22 06:00	05/10/22 13:08	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0058	0.0012	1	05/10/22 06:00	05/10/22 13:08	75-35-4	
1,2-Dichloroethane	<0.00095	mg/kg	0.0058	0.00095	1	05/10/22 06:00	05/10/22 13:08	107-06-2	
1,2-Dichloropropane	<0.0012	mg/kg	0.0058	0.0012	1	05/10/22 06:00	05/10/22 13:08	78-87-5	
2-Butanone (MEK)	<0.018	mg/kg	0.029	0.018	1	05/10/22 06:00	05/10/22 13:08	78-93-3	
2-Hexanone	<0.013	mg/kg	0.029	0.013	1	05/10/22 06:00	05/10/22 13:08	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.023	mg/kg	0.029	0.023	1	05/10/22 06:00	05/10/22 13:08	108-10-1	
Acetone	<0.054	mg/kg	0.12	0.054	1	05/10/22 06:00	05/10/22 13:08	67-64-1	
Benzene	<0.00082	mg/kg	0.0058	0.00082	1	05/10/22 06:00	05/10/22 13:08	71-43-2	
Bromodichloromethane	<0.00078	mg/kg	0.0058	0.00078	1	05/10/22 06:00	05/10/22 13:08	75-27-4	
Bromoform	<0.0094	mg/kg	0.023	0.0094	1	05/10/22 06:00	05/10/22 13:08	75-25-2	
Bromomethane	<0.0051	mg/kg	0.0058	0.0051	1	05/10/22 06:00	05/10/22 13:08	74-83-9	
Carbon disulfide	<0.0013	mg/kg	0.0058	0.0013	1	05/10/22 06:00	05/10/22 13:08	75-15-0	
Carbon tetrachloride	<0.0036	mg/kg	0.0058	0.0036	1	05/10/22 06:00	05/10/22 13:08	56-23-5	
Chlorobenzene	<0.0011	mg/kg	0.0058	0.0011	1	05/10/22 06:00	05/10/22 13:08	108-90-7	
Chloroethane	<0.0042	mg/kg	0.0058	0.0042	1	05/10/22 06:00	05/10/22 13:08	75-00-3	
Chloroform	<0.00098	mg/kg	0.0058	0.00098	1	05/10/22 06:00	05/10/22 13:08	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0058	0.0012	1	05/10/22 06:00	05/10/22 13:08	74-87-3	
Dibromochloromethane	<0.0012	mg/kg	0.0058	0.0012	1	05/10/22 06:00	05/10/22 13:08	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0058	0.0010	1	05/10/22 06:00	05/10/22 13:08	100-41-4	
Methyl-tert-butyl ether	<0.0024	mg/kg	0.0058	0.0024	1	05/10/22 06:00	05/10/22 13:08	1634-04-4	
Methylene Chloride	<0.0046	mg/kg	0.0058	0.0046	1	05/10/22 06:00	05/10/22 13:08	75-09-2	
Styrene	<0.00082	mg/kg	0.0058	0.00082	1	05/10/22 06:00	05/10/22 13:08	100-42-5	
Tetrachloroethene	<0.0010	mg/kg	0.0058	0.0010	1	05/10/22 06:00	05/10/22 13:08	127-18-4	
Toluene	<0.0010	mg/kg	0.0058	0.0010	1	05/10/22 06:00	05/10/22 13:08	108-88-3	
Trichloroethene	<0.00083	mg/kg	0.0058	0.00083	1	05/10/22 06:00	05/10/22 13:08	79-01-6	
Vinyl chloride	<0.0015	mg/kg	0.0058	0.0015	1	05/10/22 06:00	05/10/22 13:08	75-01-4	
Xylene (Total)	<0.0039	mg/kg	0.012	0.0039	1	05/10/22 06:00	05/10/22 13:08	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-19 (2-3) **Lab ID: 40244446007** Collected: 05/04/22 10:40 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.0010	mg/kg	0.0058	0.0010	1	05/10/22 06:00	05/10/22 13:08	156-59-2	
cis-1,3-Dichloropropene	<0.0012	mg/kg	0.0058	0.0012	1	05/10/22 06:00	05/10/22 13:08	10061-01-5	
trans-1,2-Dichloroethene	<0.00083	mg/kg	0.0058	0.00083	1	05/10/22 06:00	05/10/22 13:08	156-60-5	
trans-1,3-Dichloropropene	<0.0012	mg/kg	0.0058	0.0012	1	05/10/22 06:00	05/10/22 13:08	10061-02-6	
Surrogates									
Toluene-d8 (S)	93	%	69-156		1	05/10/22 06:00	05/10/22 13:08	2037-26-5	
4-Bromofluorobenzene (S)	93	%	61-175		1	05/10/22 06:00	05/10/22 13:08	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1	05/10/22 06:00	05/10/22 13:08	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	26.6	%	0.10	0.10	1		05/10/22 16:44		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.7	Std. Units	0.10	0.010	1		05/12/22 14:11		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.34	mg/kg	1.0	0.34	1	05/11/22 09:50	05/11/22 13:49	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-19 (4.0-5.0) **Lab ID: 40244446008** Collected: 05/04/22 10:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00054	mg/kg	0.0022	0.00054	1	05/06/22 14:04	05/10/22 14:57	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 14:57	319-84-6	
beta-BHC	<0.00068	mg/kg	0.0022	0.00068	1	05/06/22 14:04	05/10/22 14:57	319-85-7	
delta-BHC	<0.00040	mg/kg	0.0022	0.00040	1	05/06/22 14:04	05/10/22 14:57	319-86-8	
gamma-BHC (Lindane)	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 14:57	58-89-9	
Chlordane (Technical)	<0.0073	mg/kg	0.022	0.0073	1	05/06/22 14:04	05/10/22 14:57	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/06/22 14:04	05/10/22 14:57	5103-71-9	
gamma-Chlordane	<0.00082	mg/kg	0.0022	0.00082	1	05/06/22 14:04	05/10/22 14:57	5103-74-2	
4,4'-DDD	<0.00045	mg/kg	0.0044	0.00045	1	05/06/22 14:04	05/10/22 14:57	72-54-8	
4,4'-DDE	<0.00051	mg/kg	0.0044	0.00051	1	05/06/22 14:04	05/10/22 14:57	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0044	0.0013	1	05/06/22 14:04	05/10/22 14:57	50-29-3	
Dieldrin	<0.00042	mg/kg	0.0044	0.00042	1	05/06/22 14:04	05/10/22 14:57	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/06/22 14:04	05/10/22 14:57	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0044	0.0010	1	05/06/22 14:04	05/10/22 14:57	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0044	0.0010	1	05/06/22 14:04	05/10/22 14:57	1031-07-8	
Endrin	<0.00049	mg/kg	0.0044	0.00049	1	05/06/22 14:04	05/10/22 14:57	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0044	0.0014	1	05/06/22 14:04	05/10/22 14:57	7421-93-4	
Endrin ketone	<0.0012	mg/kg	0.0044	0.0012	1	05/06/22 14:04	05/10/22 14:57	53494-70-5	
Heptachlor	<0.00060	mg/kg	0.0022	0.00060	1	05/06/22 14:04	05/10/22 14:57	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 14:57	1024-57-3	
Methoxychlor	<0.0068	mg/kg	0.022	0.0068	1	05/06/22 14:04	05/10/22 14:57	72-43-5	
Toxaphene	<0.021	mg/kg	0.066	0.021	1	05/06/22 14:04	05/10/22 14:57	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	62	%	53-138		1	05/06/22 14:04	05/10/22 14:57	877-09-8	
Decachlorobiphenyl (S)	51	%	30-150		1	05/06/22 14:04	05/10/22 14:57	2051-24-3	CL
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 02:26	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 02:26	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 02:26	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 02:26	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 02:26	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 02:26	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 02:26	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 02:26	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	84	%	50-99		1	05/06/22 08:31	05/10/22 02:26	877-09-8	
Decachlorobiphenyl (S)	85	%	38-95		1	05/06/22 08:31	05/10/22 02:26	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	16800	mg/kg	38.6	7.8	1	05/09/22 17:19	05/14/22 02:53	7429-90-5	
Antimony	0.29J	mg/kg	0.64	0.12	1	05/09/22 17:19	05/14/22 02:53	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-19 (4.0-5.0) **Lab ID: 40244446008** Collected: 05/04/22 10:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	26.0	mg/kg	0.64	0.14	1	05/09/22 17:19	05/14/22 02:53	7440-38-2	
Barium	163	mg/kg	0.39	0.069	1	05/09/22 17:19	05/14/22 02:53	7440-39-3	
Beryllium	1.1	mg/kg	0.26	0.051	1	05/09/22 17:19	05/14/22 02:53	7440-41-7	
Cadmium	0.43	mg/kg	0.10	0.040	1	05/09/22 17:19	05/14/22 02:53	7440-43-9	
Calcium	3130	mg/kg	129	15.2	1	05/09/22 17:19	05/14/22 02:53	7440-70-2	
Chromium	20.8	mg/kg	2.6	0.18	1	05/09/22 17:19	05/14/22 02:53	7440-47-3	
Cobalt	12.1	mg/kg	0.64	0.13	1	05/09/22 17:19	05/14/22 02:53	7440-48-4	
Copper	29.0	mg/kg	1.3	0.31	1	05/09/22 17:19	05/14/22 02:53	7440-50-8	
Iron	38300	mg/kg	64.3	13.5	1	05/09/22 17:19	05/14/22 02:53	7439-89-6	
Lead	32.3	mg/kg	0.64	0.038	1	05/09/22 17:19	05/14/22 02:53	7439-92-1	
Magnesium	3050	mg/kg	38.6	5.5	1	05/09/22 17:19	05/14/22 02:53	7439-95-4	
Manganese	674	mg/kg	6.4	3.2	10	05/09/22 17:19	05/16/22 18:05	7439-96-5	
Nickel	28.8	mg/kg	0.64	0.26	1	05/09/22 17:19	05/14/22 02:53	7440-02-0	
Potassium	1000	mg/kg	129	14.8	1	05/09/22 17:19	05/14/22 02:53	7440-09-7	
Selenium	1.0	mg/kg	0.64	0.11	1	05/09/22 17:19	05/14/22 02:53	7782-49-2	
Silver	<0.19	mg/kg	0.64	0.19	1	05/09/22 17:19	05/16/22 18:01	7440-22-4	
Sodium	44.9J	mg/kg	64.3	14.3	1	05/09/22 17:19	05/14/22 02:53	7440-23-5	
Thallium	0.24	mg/kg	0.13	0.047	1	05/09/22 17:19	05/14/22 02:53	7440-28-0	
Vanadium	47.6	mg/kg	1.3	0.23	1	05/09/22 17:19	05/14/22 02:53	7440-62-2	
Zinc	57.6	mg/kg	6.4	1.2	1	05/09/22 17:19	05/14/22 02:53	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.040J	mg/kg	0.042	0.012	1	05/12/22 09:10	05/13/22 09:28	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.083	0.025	1	05/09/22 12:49	05/09/22 19:47	120-82-1	
1,2-Dichlorobenzene	<0.069	mg/kg	0.23	0.069	1	05/09/22 12:49	05/09/22 19:47	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/09/22 19:47	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/09/22 19:47	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.057	mg/kg	0.19	0.057	1	05/09/22 12:49	05/09/22 19:47	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/09/22 12:49	05/09/22 19:47	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 19:47	88-06-2	
2,4-Dichlorophenol	<0.059	mg/kg	0.20	0.059	1	05/09/22 12:49	05/09/22 19:47	120-83-2	
2,4-Dimethylphenol	<0.044	mg/kg	0.15	0.044	1	05/09/22 12:49	05/09/22 19:47	105-67-9	
2,4-Dinitrophenol	<0.067	mg/kg	0.22	0.067	1	05/09/22 12:49	05/09/22 19:47	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/09/22 12:49	05/09/22 19:47	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/09/22 12:49	05/09/22 19:47	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.095	0.028	1	05/09/22 12:49	05/09/22 19:47	91-58-7	
2-Chlorophenol	<0.055	mg/kg	0.18	0.055	1	05/09/22 12:49	05/09/22 19:47	95-57-8	
2-Methylnaphthalene	<0.057	mg/kg	0.19	0.057	1	05/09/22 12:49	05/09/22 19:47	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/09/22 12:49	05/09/22 19:47	95-48-7	
2-Nitroaniline	<0.063	mg/kg	0.21	0.063	1	05/09/22 12:49	05/09/22 19:47	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-19 (4.0-5.0) **Lab ID: 40244446008** Collected: 05/04/22 10:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.070	mg/kg	0.23	0.070	1	05/09/22 12:49	05/09/22 19:47	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.041	mg/kg	0.14	0.041	1	05/09/22 12:49	05/09/22 19:47		
3,3'-Dichlorobenzidine	<0.060	mg/kg	0.20	0.060	1	05/09/22 12:49	05/09/22 19:47	91-94-1	
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/09/22 12:49	05/09/22 19:47	99-09-2	
4,6-Dinitro-2-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/09/22 12:49	05/09/22 19:47	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/09/22 12:49	05/09/22 19:47	101-55-3	
4-Chloro-3-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/09/22 12:49	05/09/22 19:47	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/09/22 12:49	05/09/22 19:47	106-47-8	4q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/09/22 12:49	05/09/22 19:47	7005-72-3	
4-Nitroaniline	<0.092	mg/kg	0.31	0.092	1	05/09/22 12:49	05/09/22 19:47	100-01-6	
4-Nitrophenol	<0.056	mg/kg	0.19	0.056	1	05/09/22 12:49	05/09/22 19:47	100-02-7	CU
Acenaphthene	<0.078	mg/kg	0.26	0.078	1	05/09/22 12:49	05/09/22 19:47	83-32-9	
Acenaphthylene	<0.079	mg/kg	0.26	0.079	1	05/09/22 12:49	05/09/22 19:47	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 19:47	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 19:47	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 19:47	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/09/22 12:49	05/09/22 19:47	205-99-2	
Benzo(g,h,i)perylene	<0.058	mg/kg	0.19	0.058	1	05/09/22 12:49	05/09/22 19:47	191-24-2	
Benzo(k)fluoranthene	<0.053	mg/kg	0.18	0.053	1	05/09/22 12:49	05/09/22 19:47	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 19:47	85-68-7	
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 19:47	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 19:47	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/09/22 12:49	05/09/22 19:47	84-74-2	
Di-n-octylphthalate	<0.050	mg/kg	0.17	0.050	1	05/09/22 12:49	05/09/22 19:47	117-84-0	
Dibenz(a,h)anthracene	<0.060	mg/kg	0.20	0.060	1	05/09/22 12:49	05/09/22 19:47	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.089	0.027	1	05/09/22 12:49	05/09/22 19:47	132-64-9	
Diethylphthalate	<0.037	mg/kg	0.12	0.037	1	05/09/22 12:49	05/09/22 19:47	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.096	0.029	1	05/09/22 12:49	05/09/22 19:47	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/09/22 12:49	05/09/22 19:47	206-44-0	
Fluorene	<0.026	mg/kg	0.086	0.026	1	05/09/22 12:49	05/09/22 19:47	86-73-7	
Hexachloro-1,3-butadiene	<0.056	mg/kg	0.19	0.056	1	05/09/22 12:49	05/09/22 19:47	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/09/22 12:49	05/09/22 19:47	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/09/22 12:49	05/09/22 19:47	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 19:47	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.048	mg/kg	0.16	0.048	1	05/09/22 12:49	05/09/22 19:47	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/09/22 12:49	05/09/22 19:47	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/09/22 12:49	05/09/22 19:47	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	1.0	0.30	1	05/09/22 12:49	05/09/22 19:47	86-30-6	
Naphthalene	<0.077	mg/kg	0.26	0.077	1	05/09/22 12:49	05/09/22 19:47	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/09/22 12:49	05/09/22 19:47	98-95-3	
Pentachlorophenol	<0.049	mg/kg	0.16	0.049	1	05/09/22 12:49	05/09/22 19:47	87-86-5	
Phenanthrene	<0.028	mg/kg	0.095	0.028	1	05/09/22 12:49	05/09/22 19:47	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/09/22 12:49	05/09/22 19:47	108-95-2	
Pyrene	<0.049	mg/kg	0.16	0.049	1	05/09/22 12:49	05/09/22 19:47	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-19 (4.0-5.0) **Lab ID: 40244446008** Collected: 05/04/22 10:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.060	mg/kg	0.20	0.060	1	05/09/22 12:49	05/09/22 19:47	111-91-1	
bis(2-Chloroethyl) ether	<0.069	mg/kg	0.23	0.069	1	05/09/22 12:49	05/09/22 19:47	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/09/22 12:49	05/09/22 19:47	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	84	%	10-125		1	05/09/22 12:49	05/09/22 19:47	4165-60-0	
2-Fluorobiphenyl (S)	58	%	12-118		1	05/09/22 12:49	05/09/22 19:47	321-60-8	
Terphenyl-d14 (S)	73	%	10-124		1	05/09/22 12:49	05/09/22 19:47	1718-51-0	
Phenol-d6 (S)	71	%	10-125		1	05/09/22 12:49	05/09/22 19:47	13127-88-3	
2-Fluorophenol (S)	73	%	10-130		1	05/09/22 12:49	05/09/22 19:47	367-12-4	
2,4,6-Tribromophenol (S)	78	%	10-144		1	05/09/22 12:49	05/09/22 19:47	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0018	mg/kg	0.0058	0.0018	1	05/10/22 06:00	05/10/22 13:33	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0030	mg/kg	0.0058	0.0030	1	05/10/22 06:00	05/10/22 13:33	79-34-5	
1,1,2-Trichloroethane	<0.0018	mg/kg	0.0058	0.0018	1	05/10/22 06:00	05/10/22 13:33	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0058	0.0012	1	05/10/22 06:00	05/10/22 13:33	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0058	0.0012	1	05/10/22 06:00	05/10/22 13:33	75-35-4	
1,2-Dichloroethane	<0.00095	mg/kg	0.0058	0.00095	1	05/10/22 06:00	05/10/22 13:33	107-06-2	
1,2-Dichloropropane	<0.0012	mg/kg	0.0058	0.0012	1	05/10/22 06:00	05/10/22 13:33	78-87-5	
2-Butanone (MEK)	<0.018	mg/kg	0.029	0.018	1	05/10/22 06:00	05/10/22 13:33	78-93-3	
2-Hexanone	<0.013	mg/kg	0.029	0.013	1	05/10/22 06:00	05/10/22 13:33	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.023	mg/kg	0.029	0.023	1	05/10/22 06:00	05/10/22 13:33	108-10-1	
Acetone	<0.055	mg/kg	0.12	0.055	1	05/10/22 06:00	05/10/22 13:33	67-64-1	
Benzene	<0.00082	mg/kg	0.0058	0.00082	1	05/10/22 06:00	05/10/22 13:33	71-43-2	
Bromodichloromethane	<0.00079	mg/kg	0.0058	0.00079	1	05/10/22 06:00	05/10/22 13:33	75-27-4	
Bromoform	<0.0094	mg/kg	0.023	0.0094	1	05/10/22 06:00	05/10/22 13:33	75-25-2	
Bromomethane	<0.0052	mg/kg	0.0058	0.0052	1	05/10/22 06:00	05/10/22 13:33	74-83-9	
Carbon disulfide	<0.0013	mg/kg	0.0058	0.0013	1	05/10/22 06:00	05/10/22 13:33	75-15-0	
Carbon tetrachloride	<0.0037	mg/kg	0.0058	0.0037	1	05/10/22 06:00	05/10/22 13:33	56-23-5	
Chlorobenzene	<0.0011	mg/kg	0.0058	0.0011	1	05/10/22 06:00	05/10/22 13:33	108-90-7	
Chloroethane	<0.0042	mg/kg	0.0058	0.0042	1	05/10/22 06:00	05/10/22 13:33	75-00-3	
Chloroform	<0.00098	mg/kg	0.0058	0.00098	1	05/10/22 06:00	05/10/22 13:33	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0058	0.0012	1	05/10/22 06:00	05/10/22 13:33	74-87-3	
Dibromochloromethane	<0.0012	mg/kg	0.0058	0.0012	1	05/10/22 06:00	05/10/22 13:33	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0058	0.0010	1	05/10/22 06:00	05/10/22 13:33	100-41-4	
Methyl-tert-butyl ether	<0.0024	mg/kg	0.0058	0.0024	1	05/10/22 06:00	05/10/22 13:33	1634-04-4	
Methylene Chloride	<0.0046	mg/kg	0.0058	0.0046	1	05/10/22 06:00	05/10/22 13:33	75-09-2	
Styrene	<0.00082	mg/kg	0.0058	0.00082	1	05/10/22 06:00	05/10/22 13:33	100-42-5	
Tetrachloroethene	<0.0010	mg/kg	0.0058	0.0010	1	05/10/22 06:00	05/10/22 13:33	127-18-4	
Toluene	<0.0010	mg/kg	0.0058	0.0010	1	05/10/22 06:00	05/10/22 13:33	108-88-3	
Trichloroethene	<0.00083	mg/kg	0.0058	0.00083	1	05/10/22 06:00	05/10/22 13:33	79-01-6	
Vinyl chloride	<0.0015	mg/kg	0.0058	0.0015	1	05/10/22 06:00	05/10/22 13:33	75-01-4	
Xylene (Total)	<0.0040	mg/kg	0.012	0.0040	1	05/10/22 06:00	05/10/22 13:33	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-19 (4.0-5.0) **Lab ID: 40244446008** Collected: 05/04/22 10:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.0010	mg/kg	0.0058	0.0010	1	05/10/22 06:00	05/10/22 13:33	156-59-2	
cis-1,3-Dichloropropene	<0.0012	mg/kg	0.0058	0.0012	1	05/10/22 06:00	05/10/22 13:33	10061-01-5	
trans-1,2-Dichloroethene	<0.00083	mg/kg	0.0058	0.00083	1	05/10/22 06:00	05/10/22 13:33	156-60-5	
trans-1,3-Dichloropropene	<0.0012	mg/kg	0.0058	0.0012	1	05/10/22 06:00	05/10/22 13:33	10061-02-6	
Surrogates									
Toluene-d8 (S)	94	%	69-156		1	05/10/22 06:00	05/10/22 13:33	2037-26-5	
4-Bromofluorobenzene (S)	83	%	61-175		1	05/10/22 06:00	05/10/22 13:33	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1	05/10/22 06:00	05/10/22 13:33	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	24.5	%	0.10	0.10	1		05/10/22 16:44		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.7	Std. Units	0.10	0.010	1		05/12/22 14:13		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.31	mg/kg	0.94	0.31	1	05/11/22 09:50	05/11/22 13:50	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-20 (2.0-3.0) **Lab ID: 40244446009** Collected: 05/04/22 12:25 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0021	0.00052	1	05/06/22 14:04	05/10/22 15:16	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0021	0.00022	1	05/06/22 14:04	05/10/22 15:16	319-84-6	
beta-BHC	<0.00066	mg/kg	0.0021	0.00066	1	05/06/22 14:04	05/10/22 15:16	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0021	0.00039	1	05/06/22 14:04	05/10/22 15:16	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/06/22 14:04	05/10/22 15:16	58-89-9	
Chlordane (Technical)	<0.0071	mg/kg	0.021	0.0071	1	05/06/22 14:04	05/10/22 15:16	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0021	0.00027	1	05/06/22 14:04	05/10/22 15:16	5103-71-9	
gamma-Chlordane	<0.00080	mg/kg	0.0021	0.00080	1	05/06/22 14:04	05/10/22 15:16	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0043	0.00043	1	05/06/22 14:04	05/10/22 15:16	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/06/22 14:04	05/10/22 15:16	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/06/22 14:04	05/10/22 15:16	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/06/22 14:04	05/10/22 15:16	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0021	0.00024	1	05/06/22 14:04	05/10/22 15:16	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/06/22 14:04	05/10/22 15:16	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/06/22 14:04	05/10/22 15:16	1031-07-8	
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/06/22 14:04	05/10/22 15:16	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/06/22 14:04	05/10/22 15:16	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/06/22 14:04	05/10/22 15:16	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0021	0.00058	1	05/06/22 14:04	05/10/22 15:16	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0021	0.00022	1	05/06/22 14:04	05/10/22 15:16	1024-57-3	
Methoxychlor	<0.0066	mg/kg	0.021	0.0066	1	05/06/22 14:04	05/10/22 15:16	72-43-5	
Toxaphene	<0.020	mg/kg	0.064	0.020	1	05/06/22 14:04	05/10/22 15:16	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	62	%	53-138		1	05/06/22 14:04	05/10/22 15:16	877-09-8	
Decachlorobiphenyl (S)	50	%	30-150		1	05/06/22 14:04	05/10/22 15:16	2051-24-3	CL
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 03:32	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 03:32	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 03:32	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 03:32	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 03:32	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 03:32	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 03:32	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 03:32	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	87	%	50-99		1	05/06/22 08:31	05/10/22 03:32	877-09-8	
Decachlorobiphenyl (S)	87	%	38-95		1	05/06/22 08:31	05/10/22 03:32	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	12600	mg/kg	37.6	7.6	1	05/09/22 17:19	05/14/22 02:57	7429-90-5	
Antimony	<0.12	mg/kg	0.63	0.12	1	05/09/22 17:19	05/14/22 02:57	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-20 (2.0-3.0) **Lab ID: 40244446009** Collected: 05/04/22 12:25 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	5.5	mg/kg	0.63	0.14	1	05/09/22 17:19	05/14/22 02:57	7440-38-2	
Barium	129	mg/kg	0.38	0.067	1	05/09/22 17:19	05/14/22 02:57	7440-39-3	
Beryllium	0.68	mg/kg	0.25	0.050	1	05/09/22 17:19	05/14/22 02:57	7440-41-7	
Cadmium	0.079J	mg/kg	0.10	0.039	1	05/09/22 17:19	05/14/22 02:57	7440-43-9	
Calcium	4140	mg/kg	125	14.8	1	05/09/22 17:19	05/14/22 02:57	7440-70-2	
Chromium	15.4	mg/kg	2.5	0.18	1	05/09/22 17:19	05/14/22 02:57	7440-47-3	
Cobalt	6.1	mg/kg	0.63	0.12	1	05/09/22 17:19	05/14/22 02:57	7440-48-4	
Copper	13.7	mg/kg	1.3	0.30	1	05/09/22 17:19	05/14/22 02:57	7440-50-8	
Iron	16900	mg/kg	62.7	13.2	1	05/09/22 17:19	05/14/22 02:57	7439-89-6	
Lead	10.3	mg/kg	0.63	0.037	1	05/09/22 17:19	05/14/22 02:57	7439-92-1	
Magnesium	2180	mg/kg	37.6	5.4	1	05/09/22 17:19	05/14/22 02:57	7439-95-4	
Manganese	249	mg/kg	0.63	0.31	1	05/09/22 17:19	05/14/22 02:57	7439-96-5	
Nickel	11.7	mg/kg	0.63	0.25	1	05/09/22 17:19	05/14/22 02:57	7440-02-0	
Potassium	1320	mg/kg	125	14.4	1	05/09/22 17:19	05/14/22 02:57	7440-09-7	
Selenium	0.74	mg/kg	0.63	0.11	1	05/09/22 17:19	05/14/22 02:57	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/09/22 17:19	05/16/22 18:09	7440-22-4	
Sodium	29.0J	mg/kg	62.7	13.9	1	05/09/22 17:19	05/14/22 02:57	7440-23-5	
Thallium	0.17	mg/kg	0.13	0.046	1	05/09/22 17:19	05/14/22 02:57	7440-28-0	
Vanadium	29.6	mg/kg	1.3	0.22	1	05/09/22 17:19	05/14/22 02:57	7440-62-2	
Zinc	43.7	mg/kg	6.3	1.1	1	05/09/22 17:19	05/14/22 02:57	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.014J	mg/kg	0.040	0.012	1	05/12/22 09:10	05/13/22 09:30	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.061	mg/kg	0.20	0.061	2.5	05/10/22 12:26	05/10/22 13:50	120-82-1	
1,2-Dichlorobenzene	<0.17	mg/kg	0.56	0.17	2.5	05/10/22 12:26	05/10/22 13:50	95-50-1	
1,3-Dichlorobenzene	<0.075	mg/kg	0.25	0.075	2.5	05/10/22 12:26	05/10/22 13:50	541-73-1	
1,4-Dichlorobenzene	<0.075	mg/kg	0.25	0.075	2.5	05/10/22 12:26	05/10/22 13:50	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.14	mg/kg	0.46	0.14	2.5	05/10/22 12:26	05/10/22 13:50	108-60-1	
2,4,5-Trichlorophenol	<0.095	mg/kg	0.32	0.095	2.5	05/10/22 12:26	05/10/22 13:50	95-95-4	
2,4,6-Trichlorophenol	<0.082	mg/kg	0.27	0.082	2.5	05/10/22 12:26	05/10/22 13:50	88-06-2	
2,4-Dichlorophenol	<0.14	mg/kg	0.48	0.14	2.5	05/10/22 12:26	05/10/22 13:50	120-83-2	
2,4-Dimethylphenol	<0.11	mg/kg	0.36	0.11	2.5	05/10/22 12:26	05/10/22 13:50	105-67-9	
2,4-Dinitrophenol	<0.16	mg/kg	0.55	0.16	2.5	05/10/22 12:26	05/10/22 13:50	51-28-5	
2,4-Dinitrotoluene	<0.077	mg/kg	0.26	0.077	2.5	05/10/22 12:26	05/10/22 13:50	121-14-2	
2,6-Dinitrotoluene	<0.10	mg/kg	0.34	0.10	2.5	05/10/22 12:26	05/10/22 13:50	606-20-2	
2-Chloronaphthalene	<0.069	mg/kg	0.23	0.069	2.5	05/10/22 12:26	05/10/22 13:50	91-58-7	
2-Chlorophenol	<0.13	mg/kg	0.45	0.13	2.5	05/10/22 12:26	05/10/22 13:50	95-57-8	
2-Methylnaphthalene	<0.14	mg/kg	0.47	0.14	2.5	05/10/22 12:26	05/10/22 13:50	91-57-6	
2-Methylphenol(o-Cresol)	<0.098	mg/kg	0.33	0.098	2.5	05/10/22 12:26	05/10/22 13:50	95-48-7	
2-Nitroaniline	<0.15	mg/kg	0.51	0.15	2.5	05/10/22 12:26	05/10/22 13:50	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: **SB-20 (2.0-3.0)** Lab ID: **40244446009** Collected: 05/04/22 12:25 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.17	mg/kg	0.57	0.17	2.5	05/10/22 12:26	05/10/22 13:50	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.099	mg/kg	0.33	0.099	2.5	05/10/22 12:26	05/10/22 13:50		
3,3'-Dichlorobenzidine	<0.15	mg/kg	0.49	0.15	2.5	05/10/22 12:26	05/10/22 13:50	91-94-1	
3-Nitroaniline	<0.092	mg/kg	0.31	0.092	2.5	05/10/22 12:26	05/10/22 13:50	99-09-2	
4,6-Dinitro-2-methylphenol	<0.17	mg/kg	0.55	0.17	2.5	05/10/22 12:26	05/10/22 13:50	534-52-1	
4-Bromophenylphenyl ether	<0.11	mg/kg	0.38	0.11	2.5	05/10/22 12:26	05/10/22 13:50	101-55-3	
4-Chloro-3-methylphenol	<0.17	mg/kg	0.56	0.17	2.5	05/10/22 12:26	05/10/22 13:50	59-50-7	
4-Chloroaniline	<0.089	mg/kg	0.30	0.089	2.5	05/10/22 12:26	05/10/22 13:50	106-47-8	4q
4-Chlorophenylphenyl ether	<0.10	mg/kg	0.33	0.10	2.5	05/10/22 12:26	05/10/22 13:50	7005-72-3	
4-Nitroaniline	<0.22	mg/kg	0.75	0.22	2.5	05/10/22 12:26	05/10/22 13:50	100-01-6	
4-Nitrophenol	<0.14	mg/kg	0.45	0.14	2.5	05/10/22 12:26	05/10/22 13:50	100-02-7	
Acenaphthene	<0.19	mg/kg	0.64	0.19	2.5	05/10/22 12:26	05/10/22 13:50	83-32-9	
Acenaphthylene	<0.19	mg/kg	0.64	0.19	2.5	05/10/22 12:26	05/10/22 13:50	208-96-8	
Anthracene	<0.086	mg/kg	0.29	0.086	2.5	05/10/22 12:26	05/10/22 13:50	120-12-7	
Benzo(a)anthracene	<0.083	mg/kg	0.28	0.083	2.5	05/10/22 12:26	05/10/22 13:50	56-55-3	
Benzo(a)pyrene	<0.081	mg/kg	0.27	0.081	2.5	05/10/22 12:26	05/10/22 13:50	50-32-8	
Benzo(b)fluoranthene	<0.093	mg/kg	0.31	0.093	2.5	05/10/22 12:26	05/10/22 13:50	205-99-2	
Benzo(g,h,i)perylene	<0.14	mg/kg	0.47	0.14	2.5	05/10/22 12:26	05/10/22 13:50	191-24-2	
Benzo(k)fluoranthene	<0.13	mg/kg	0.43	0.13	2.5	05/10/22 12:26	05/10/22 13:50	207-08-9	
Butylbenzylphthalate	<0.086	mg/kg	0.29	0.086	2.5	05/10/22 12:26	05/10/22 13:50	85-68-7	
Carbazole	<0.084	mg/kg	0.28	0.084	2.5	05/10/22 12:26	05/10/22 13:50	86-74-8	
Chrysene	<0.081	mg/kg	0.27	0.081	2.5	05/10/22 12:26	05/10/22 13:50	218-01-9	
Di-n-butylphthalate	<0.081	mg/kg	0.27	0.081	2.5	05/10/22 12:26	05/10/22 13:50	84-74-2	
Di-n-octylphthalate	<0.12	mg/kg	0.40	0.12	2.5	05/10/22 12:26	05/10/22 13:50	117-84-0	
Dibenz(a,h)anthracene	<0.15	mg/kg	0.49	0.15	2.5	05/10/22 12:26	05/10/22 13:50	53-70-3	
Dibenzofuran	<0.065	mg/kg	0.22	0.065	2.5	05/10/22 12:26	05/10/22 13:50	132-64-9	
Diethylphthalate	<0.089	mg/kg	0.30	0.089	2.5	05/10/22 12:26	05/10/22 13:50	84-66-2	
Dimethylphthalate	<0.070	mg/kg	0.23	0.070	2.5	05/10/22 12:26	05/10/22 13:50	131-11-3	
Fluoranthene	<0.076	mg/kg	0.25	0.076	2.5	05/10/22 12:26	05/10/22 13:50	206-44-0	
Fluorene	<0.063	mg/kg	0.21	0.063	2.5	05/10/22 12:26	05/10/22 13:50	86-73-7	
Hexachloro-1,3-butadiene	<0.14	mg/kg	0.46	0.14	2.5	05/10/22 12:26	05/10/22 13:50	87-68-3	
Hexachlorobenzene	<0.091	mg/kg	0.30	0.091	2.5	05/10/22 12:26	05/10/22 13:50	118-74-1	
Hexachlorocyclopentadiene	<0.13	mg/kg	0.43	0.13	2.5	05/10/22 12:26	05/10/22 13:50	77-47-4	
Hexachloroethane	<0.086	mg/kg	0.29	0.086	2.5	05/10/22 12:26	05/10/22 13:50	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.12	mg/kg	0.39	0.12	2.5	05/10/22 12:26	05/10/22 13:50	193-39-5	
Isophorone	<0.083	mg/kg	0.28	0.083	2.5	05/10/22 12:26	05/10/22 13:50	78-59-1	
N-Nitroso-di-n-propylamine	<0.085	mg/kg	0.28	0.085	2.5	05/10/22 12:26	05/10/22 13:50	621-64-7	
N-Nitrosodiphenylamine	<0.73	mg/kg	2.4	0.73	2.5	05/10/22 12:26	05/10/22 13:50	86-30-6	
Naphthalene	<0.19	mg/kg	0.63	0.19	2.5	05/10/22 12:26	05/10/22 13:50	91-20-3	
Nitrobenzene	<0.11	mg/kg	0.36	0.11	2.5	05/10/22 12:26	05/10/22 13:50	98-95-3	
Pentachlorophenol	<0.12	mg/kg	0.40	0.12	2.5	05/10/22 12:26	05/10/22 13:50	87-86-5	
Phenanthrene	<0.069	mg/kg	0.23	0.069	2.5	05/10/22 12:26	05/10/22 13:50	85-01-8	
Phenol	<0.13	mg/kg	0.43	0.13	2.5	05/10/22 12:26	05/10/22 13:50	108-95-2	D3
Pyrene	<0.12	mg/kg	0.40	0.12	2.5	05/10/22 12:26	05/10/22 13:50	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-20 (2.0-3.0) Lab ID: **40244446009** Collected: 05/04/22 12:25 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.15	mg/kg	0.48	0.15	2.5	05/10/22 12:26	05/10/22 13:50	111-91-1	
bis(2-Chloroethyl) ether	<0.17	mg/kg	0.56	0.17	2.5	05/10/22 12:26	05/10/22 13:50	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.090	mg/kg	0.30	0.090	2.5	05/10/22 12:26	05/10/22 13:50	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	36	%	10-125		2.5	05/10/22 12:26	05/10/22 13:50	4165-60-0	
2-Fluorobiphenyl (S)	42	%	12-118		2.5	05/10/22 12:26	05/10/22 13:50	321-60-8	
Terphenyl-d14 (S)	60	%	10-124		2.5	05/10/22 12:26	05/10/22 13:50	1718-51-0	
Phenol-d6 (S)	33	%	10-125		2.5	05/10/22 12:26	05/10/22 13:50	13127-88-3	
2-Fluorophenol (S)	25	%	10-130		2.5	05/10/22 12:26	05/10/22 13:50	367-12-4	
2,4,6-Tribromophenol (S)	63	%	10-144		2.5	05/10/22 12:26	05/10/22 13:50	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/10/22 06:00	05/10/22 13:58	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0054	0.0028	1	05/10/22 06:00	05/10/22 13:58	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/10/22 06:00	05/10/22 13:58	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0054	0.0012	1	05/10/22 06:00	05/10/22 13:58	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 13:58	75-35-4	
1,2-Dichloroethane	<0.00089	mg/kg	0.0054	0.00089	1	05/10/22 06:00	05/10/22 13:58	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 13:58	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/10/22 06:00	05/10/22 13:58	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/10/22 06:00	05/10/22 13:58	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.027	0.022	1	05/10/22 06:00	05/10/22 13:58	108-10-1	
Acetone	<0.051	mg/kg	0.11	0.051	1	05/10/22 06:00	05/10/22 13:58	67-64-1	
Benzene	<0.00077	mg/kg	0.0054	0.00077	1	05/10/22 06:00	05/10/22 13:58	71-43-2	
Bromodichloromethane	<0.00074	mg/kg	0.0054	0.00074	1	05/10/22 06:00	05/10/22 13:58	75-27-4	
Bromoform	<0.0088	mg/kg	0.022	0.0088	1	05/10/22 06:00	05/10/22 13:58	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0054	0.0048	1	05/10/22 06:00	05/10/22 13:58	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0054	0.0012	1	05/10/22 06:00	05/10/22 13:58	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0054	0.0034	1	05/10/22 06:00	05/10/22 13:58	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0054	0.0010	1	05/10/22 06:00	05/10/22 13:58	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0054	0.0039	1	05/10/22 06:00	05/10/22 13:58	75-00-3	
Chloroform	<0.00092	mg/kg	0.0054	0.00092	1	05/10/22 06:00	05/10/22 13:58	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0054	0.0012	1	05/10/22 06:00	05/10/22 13:58	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 13:58	124-48-1	
Ethylbenzene	<0.00097	mg/kg	0.0054	0.00097	1	05/10/22 06:00	05/10/22 13:58	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0054	0.0022	1	05/10/22 06:00	05/10/22 13:58	1634-04-4	
Methylene Chloride	<0.0043	mg/kg	0.0054	0.0043	1	05/10/22 06:00	05/10/22 13:58	75-09-2	
Styrene	<0.00077	mg/kg	0.0054	0.00077	1	05/10/22 06:00	05/10/22 13:58	100-42-5	
Tetrachloroethene	<0.00096	mg/kg	0.0054	0.00096	1	05/10/22 06:00	05/10/22 13:58	127-18-4	
Toluene	<0.00096	mg/kg	0.0054	0.00096	1	05/10/22 06:00	05/10/22 13:58	108-88-3	
Trichloroethene	<0.00078	mg/kg	0.0054	0.00078	1	05/10/22 06:00	05/10/22 13:58	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0054	0.0014	1	05/10/22 06:00	05/10/22 13:58	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/10/22 06:00	05/10/22 13:58	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-20 (2.0-3.0) **Lab ID: 40244446009** Collected: 05/04/22 12:25 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00096	mg/kg	0.0054	0.00096	1	05/10/22 06:00	05/10/22 13:58	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 13:58	10061-01-5	
trans-1,2-Dichloroethene	<0.00078	mg/kg	0.0054	0.00078	1	05/10/22 06:00	05/10/22 13:58	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 13:58	10061-02-6	
Surrogates									
Toluene-d8 (S)	95	%	69-156		1	05/10/22 06:00	05/10/22 13:58	2037-26-5	
4-Bromofluorobenzene (S)	84	%	61-175		1	05/10/22 06:00	05/10/22 13:58	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1	05/10/22 06:00	05/10/22 13:58	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.6	%	0.10	0.10	1		05/10/22 16:44		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/12/22 14:15		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.34	mg/kg	1.0	0.34	1	05/11/22 09:50	05/11/22 13:50	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: **SB-20 (4.0-5.0)** Lab ID: **40244446010** Collected: 05/04/22 12:30 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00054	mg/kg	0.0022	0.00054	1	05/06/22 14:04	05/17/22 18:12	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/17/22 18:12	319-84-6	
beta-BHC	<0.00068	mg/kg	0.0022	0.00068	1	05/06/22 14:04	05/17/22 18:12	319-85-7	
delta-BHC	<0.00040	mg/kg	0.0022	0.00040	1	05/06/22 14:04	05/17/22 18:12	319-86-8	
gamma-BHC (Lindane)	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/17/22 18:12	58-89-9	
Chlordane (Technical)	<0.0073	mg/kg	0.022	0.0073	1	05/06/22 14:04	05/17/22 18:12	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/06/22 14:04	05/17/22 18:12	5103-71-9	
gamma-Chlordane	<0.00082	mg/kg	0.0022	0.00082	1	05/06/22 14:04	05/17/22 18:12	5103-74-2	
4,4'-DDD	0.0068	mg/kg	0.0044	0.00045	1	05/06/22 14:04	05/17/22 18:12	72-54-8	
4,4'-DDE	<0.00051	mg/kg	0.0044	0.00051	1	05/06/22 14:04	05/17/22 18:12	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0044	0.0013	1	05/06/22 14:04	05/17/22 18:12	50-29-3	
Dieldrin	<0.00042	mg/kg	0.0044	0.00042	1	05/06/22 14:04	05/17/22 18:12	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/06/22 14:04	05/17/22 18:12	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0044	0.0010	1	05/06/22 14:04	05/17/22 18:12	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0044	0.0010	1	05/06/22 14:04	05/17/22 18:12	1031-07-8	
Endrin	<0.00049	mg/kg	0.0044	0.00049	1	05/06/22 14:04	05/17/22 18:12	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0044	0.0014	1	05/06/22 14:04	05/17/22 18:12	7421-93-4	
Endrin ketone	<0.0012	mg/kg	0.0044	0.0012	1	05/06/22 14:04	05/17/22 18:12	53494-70-5	
Heptachlor	<0.00060	mg/kg	0.0022	0.00060	1	05/06/22 14:04	05/17/22 18:12	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/17/22 18:12	1024-57-3	
Methoxychlor	<0.0068	mg/kg	0.022	0.0068	1	05/06/22 14:04	05/17/22 18:12	72-43-5	
Toxaphene	<0.021	mg/kg	0.066	0.021	1	05/06/22 14:04	05/17/22 18:12	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	74	%	53-138		1	05/06/22 14:04	05/17/22 18:12	877-09-8	
Decachlorobiphenyl (S)	55	%	30-150		1	05/06/22 14:04	05/17/22 18:12	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 03:53	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 03:53	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 03:53	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 03:53	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 03:53	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 03:53	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 03:53	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/06/22 08:31	05/10/22 03:53	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	87	%	50-99		1	05/06/22 08:31	05/10/22 03:53	877-09-8	
Decachlorobiphenyl (S)	87	%	38-95		1	05/06/22 08:31	05/10/22 03:53	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	16800	mg/kg	39.0	7.9	1	05/09/22 17:19	05/14/22 03:00	7429-90-5	
Antimony	0.16J	mg/kg	0.65	0.12	1	05/09/22 17:19	05/14/22 03:00	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-20 (4.0-5.0) **Lab ID: 40244446010** Collected: 05/04/22 12:30 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	8.8	mg/kg	0.65	0.14	1	05/09/22 17:19	05/14/22 03:00	7440-38-2	
Barium	159	mg/kg	0.39	0.069	1	05/09/22 17:19	05/14/22 03:00	7440-39-3	
Beryllium	0.83	mg/kg	0.26	0.052	1	05/09/22 17:19	05/14/22 03:00	7440-41-7	
Cadmium	0.12	mg/kg	0.10	0.041	1	05/09/22 17:19	05/14/22 03:00	7440-43-9	
Calcium	3690	mg/kg	130	15.3	1	05/09/22 17:19	05/14/22 03:00	7440-70-2	
Chromium	20.4	mg/kg	2.6	0.18	1	05/09/22 17:19	05/14/22 03:00	7440-47-3	
Cobalt	10.3	mg/kg	0.65	0.13	1	05/09/22 17:19	05/14/22 03:00	7440-48-4	
Copper	17.3	mg/kg	1.3	0.31	1	05/09/22 17:19	05/14/22 03:00	7440-50-8	
Iron	24200	mg/kg	65.0	13.6	1	05/09/22 17:19	05/14/22 03:00	7439-89-6	
Lead	8.7	mg/kg	0.65	0.038	1	05/09/22 17:19	05/14/22 03:00	7439-92-1	
Magnesium	2980	mg/kg	39.0	5.6	1	05/09/22 17:19	05/14/22 03:00	7439-95-4	
Manganese	540	mg/kg	0.65	0.32	1	05/09/22 17:19	05/14/22 03:00	7439-96-5	
Nickel	23.4	mg/kg	0.65	0.26	1	05/09/22 17:19	05/14/22 03:00	7440-02-0	
Potassium	1160	mg/kg	130	14.9	1	05/09/22 17:19	05/14/22 03:00	7440-09-7	
Selenium	0.72	mg/kg	0.65	0.11	1	05/09/22 17:19	05/14/22 03:00	7782-49-2	
Silver	<0.19	mg/kg	0.65	0.19	1	05/09/22 17:19	05/16/22 18:13	7440-22-4	
Sodium	43.3J	mg/kg	65.0	14.4	1	05/09/22 17:19	05/14/22 03:00	7440-23-5	
Thallium	0.22	mg/kg	0.13	0.048	1	05/09/22 17:19	05/14/22 03:00	7440-28-0	
Vanadium	37.5	mg/kg	1.3	0.23	1	05/09/22 17:19	05/14/22 03:00	7440-62-2	
Zinc	54.1	mg/kg	6.5	1.2	1	05/09/22 17:19	05/14/22 03:00	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.052	mg/kg	0.043	0.012	1	05/12/22 09:10	05/13/22 09:33	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.083	0.025	1	05/10/22 12:26	05/10/22 14:12	120-82-1	
1,2-Dichlorobenzene	<0.070	mg/kg	0.23	0.070	1	05/10/22 12:26	05/10/22 14:12	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/10/22 14:12	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/10/22 14:12	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.057	mg/kg	0.19	0.057	1	05/10/22 12:26	05/10/22 14:12	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/10/22 12:26	05/10/22 14:12	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 14:12	88-06-2	
2,4-Dichlorophenol	<0.059	mg/kg	0.20	0.059	1	05/10/22 12:26	05/10/22 14:12	120-83-2	
2,4-Dimethylphenol	<0.044	mg/kg	0.15	0.044	1	05/10/22 12:26	05/10/22 14:12	105-67-9	
2,4-Dinitrophenol	<0.067	mg/kg	0.22	0.067	1	05/10/22 12:26	05/10/22 14:12	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/10/22 14:12	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/10/22 12:26	05/10/22 14:12	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.095	0.028	1	05/10/22 12:26	05/10/22 14:12	91-58-7	
2-Chlorophenol	<0.055	mg/kg	0.18	0.055	1	05/10/22 12:26	05/10/22 14:12	95-57-8	
2-Methylnaphthalene	<0.057	mg/kg	0.19	0.057	1	05/10/22 12:26	05/10/22 14:12	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/10/22 12:26	05/10/22 14:12	95-48-7	
2-Nitroaniline	<0.063	mg/kg	0.21	0.063	1	05/10/22 12:26	05/10/22 14:12	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-20 (4.0-5.0) **Lab ID: 40244446010** Collected: 05/04/22 12:30 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.070	mg/kg	0.23	0.070	1	05/10/22 12:26	05/10/22 14:12	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.041	mg/kg	0.14	0.041	1	05/10/22 12:26	05/10/22 14:12		
3,3'-Dichlorobenzidine	<0.060	mg/kg	0.20	0.060	1	05/10/22 12:26	05/10/22 14:12	91-94-1	
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/10/22 12:26	05/10/22 14:12	99-09-2	
4,6-Dinitro-2-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/10/22 12:26	05/10/22 14:12	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/10/22 12:26	05/10/22 14:12	101-55-3	
4-Chloro-3-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/10/22 12:26	05/10/22 14:12	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 14:12	106-47-8	4q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/10/22 12:26	05/10/22 14:12	7005-72-3	
4-Nitroaniline	<0.092	mg/kg	0.31	0.092	1	05/10/22 12:26	05/10/22 14:12	100-01-6	
4-Nitrophenol	<0.056	mg/kg	0.19	0.056	1	05/10/22 12:26	05/10/22 14:12	100-02-7	
Acenaphthene	<0.078	mg/kg	0.26	0.078	1	05/10/22 12:26	05/10/22 14:12	83-32-9	
Acenaphthylene	<0.079	mg/kg	0.26	0.079	1	05/10/22 12:26	05/10/22 14:12	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 14:12	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 14:12	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 14:12	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/10/22 12:26	05/10/22 14:12	205-99-2	
Benzo(g,h,i)perylene	<0.058	mg/kg	0.19	0.058	1	05/10/22 12:26	05/10/22 14:12	191-24-2	
Benzo(k)fluoranthene	<0.053	mg/kg	0.18	0.053	1	05/10/22 12:26	05/10/22 14:12	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 14:12	85-68-7	
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 14:12	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 14:12	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 14:12	84-74-2	
Di-n-octylphthalate	<0.050	mg/kg	0.17	0.050	1	05/10/22 12:26	05/10/22 14:12	117-84-0	
Dibenz(a,h)anthracene	<0.060	mg/kg	0.20	0.060	1	05/10/22 12:26	05/10/22 14:12	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.089	0.027	1	05/10/22 12:26	05/10/22 14:12	132-64-9	
Diethylphthalate	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/10/22 14:12	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.096	0.029	1	05/10/22 12:26	05/10/22 14:12	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/10/22 14:12	206-44-0	
Fluorene	<0.026	mg/kg	0.086	0.026	1	05/10/22 12:26	05/10/22 14:12	86-73-7	
Hexachloro-1,3-butadiene	<0.056	mg/kg	0.19	0.056	1	05/10/22 12:26	05/10/22 14:12	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/10/22 14:12	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/10/22 12:26	05/10/22 14:12	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 14:12	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.048	mg/kg	0.16	0.048	1	05/10/22 12:26	05/10/22 14:12	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 14:12	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 14:12	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	1.0	0.30	1	05/10/22 12:26	05/10/22 14:12	86-30-6	
Naphthalene	<0.077	mg/kg	0.26	0.077	1	05/10/22 12:26	05/10/22 14:12	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/10/22 12:26	05/10/22 14:12	98-95-3	
Pentachlorophenol	<0.049	mg/kg	0.16	0.049	1	05/10/22 12:26	05/10/22 14:12	87-86-5	
Phenanthrene	<0.028	mg/kg	0.095	0.028	1	05/10/22 12:26	05/10/22 14:12	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/10/22 12:26	05/10/22 14:12	108-95-2	
Pyrene	<0.049	mg/kg	0.16	0.049	1	05/10/22 12:26	05/10/22 14:12	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-20 (4.0-5.0) **Lab ID: 40244446010** Collected: 05/04/22 12:30 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.060	mg/kg	0.20	0.060	1	05/10/22 12:26	05/10/22 14:12	111-91-1	
bis(2-Chloroethyl) ether	<0.069	mg/kg	0.23	0.069	1	05/10/22 12:26	05/10/22 14:12	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/10/22 14:12	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	47	%	10-125		1	05/10/22 12:26	05/10/22 14:12	4165-60-0	
2-Fluorobiphenyl (S)	48	%	12-118		1	05/10/22 12:26	05/10/22 14:12	321-60-8	
Terphenyl-d14 (S)	62	%	10-124		1	05/10/22 12:26	05/10/22 14:12	1718-51-0	
Phenol-d6 (S)	43	%	10-125		1	05/10/22 12:26	05/10/22 14:12	13127-88-3	
2-Fluorophenol (S)	39	%	10-130		1	05/10/22 12:26	05/10/22 14:12	367-12-4	
2,4,6-Tribromophenol (S)	62	%	10-144		1	05/10/22 12:26	05/10/22 14:12	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/10/22 06:00	05/10/22 14:23	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0054	0.0028	1	05/10/22 06:00	05/10/22 14:23	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/10/22 06:00	05/10/22 14:23	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0054	0.0012	1	05/10/22 06:00	05/10/22 14:23	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 14:23	75-35-4	
1,2-Dichloroethane	<0.00090	mg/kg	0.0054	0.00090	1	05/10/22 06:00	05/10/22 14:23	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 14:23	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/10/22 06:00	05/10/22 14:23	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/10/22 06:00	05/10/22 14:23	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.027	0.022	1	05/10/22 06:00	05/10/22 14:23	108-10-1	
Acetone	<0.051	mg/kg	0.11	0.051	1	05/10/22 06:00	05/10/22 14:23	67-64-1	
Benzene	<0.00077	mg/kg	0.0054	0.00077	1	05/10/22 06:00	05/10/22 14:23	71-43-2	
Bromodichloromethane	<0.00074	mg/kg	0.0054	0.00074	1	05/10/22 06:00	05/10/22 14:23	75-27-4	
Bromoform	<0.0088	mg/kg	0.022	0.0088	1	05/10/22 06:00	05/10/22 14:23	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0054	0.0048	1	05/10/22 06:00	05/10/22 14:23	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0054	0.0012	1	05/10/22 06:00	05/10/22 14:23	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0054	0.0034	1	05/10/22 06:00	05/10/22 14:23	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0054	0.0010	1	05/10/22 06:00	05/10/22 14:23	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0054	0.0039	1	05/10/22 06:00	05/10/22 14:23	75-00-3	
Chloroform	<0.00092	mg/kg	0.0054	0.00092	1	05/10/22 06:00	05/10/22 14:23	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0054	0.0012	1	05/10/22 06:00	05/10/22 14:23	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 14:23	124-48-1	
Ethylbenzene	<0.00097	mg/kg	0.0054	0.00097	1	05/10/22 06:00	05/10/22 14:23	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0054	0.0022	1	05/10/22 06:00	05/10/22 14:23	1634-04-4	
Methylene Chloride	<0.0043	mg/kg	0.0054	0.0043	1	05/10/22 06:00	05/10/22 14:23	75-09-2	
Styrene	<0.00077	mg/kg	0.0054	0.00077	1	05/10/22 06:00	05/10/22 14:23	100-42-5	
Tetrachloroethene	<0.00096	mg/kg	0.0054	0.00096	1	05/10/22 06:00	05/10/22 14:23	127-18-4	
Toluene	<0.00096	mg/kg	0.0054	0.00096	1	05/10/22 06:00	05/10/22 14:23	108-88-3	
Trichloroethene	<0.00078	mg/kg	0.0054	0.00078	1	05/10/22 06:00	05/10/22 14:23	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0054	0.0014	1	05/10/22 06:00	05/10/22 14:23	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/10/22 06:00	05/10/22 14:23	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-20 (4.0-5.0) **Lab ID: 40244446010** Collected: 05/04/22 12:30 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00096	mg/kg	0.0054	0.00096	1	05/10/22 06:00	05/10/22 14:23	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 14:23	10061-01-5	
trans-1,2-Dichloroethene	<0.00078	mg/kg	0.0054	0.00078	1	05/10/22 06:00	05/10/22 14:23	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 14:23	10061-02-6	
Surrogates									
Toluene-d8 (S)	87	%	69-156		1	05/10/22 06:00	05/10/22 14:23	2037-26-5	
4-Bromofluorobenzene (S)	81	%	61-175		1	05/10/22 06:00	05/10/22 14:23	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1	05/10/22 06:00	05/10/22 14:23	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	24.6	%	0.10	0.10	1		05/10/22 16:44		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.7	Std. Units	0.10	0.010	1		05/12/22 14:17		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.32	mg/kg	0.95	0.32	1	05/11/22 09:50	05/11/22 13:51	57-12-5	M0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-21 (1.5-2.5) **Lab ID: 40244446011** Collected: 05/04/22 13:00 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00051	mg/kg	0.0021	0.00051	1	05/06/22 14:04	05/17/22 19:08	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/06/22 14:04	05/17/22 19:08	319-84-6	
beta-BHC	<0.00065	mg/kg	0.0021	0.00065	1	05/06/22 14:04	05/17/22 19:08	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0021	0.00039	1	05/06/22 14:04	05/17/22 19:08	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/06/22 14:04	05/17/22 19:08	58-89-9	
Chlordane (Technical)	<0.0070	mg/kg	0.021	0.0070	1	05/06/22 14:04	05/17/22 19:08	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/06/22 14:04	05/17/22 19:08	5103-71-9	
gamma-Chlordane	<0.00079	mg/kg	0.0021	0.00079	1	05/06/22 14:04	05/17/22 19:08	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0042	0.00043	1	05/06/22 14:04	05/17/22 19:08	72-54-8	
4,4'-DDE	<0.00049	mg/kg	0.0042	0.00049	1	05/06/22 14:04	05/17/22 19:08	72-55-9	
4,4'-DDT	0.0016J	mg/kg	0.0042	0.0013	1	05/06/22 14:04	05/17/22 19:08	50-29-3	
Dieldrin	<0.00040	mg/kg	0.0042	0.00040	1	05/06/22 14:04	05/17/22 19:08	60-57-1	
Endosulfan I	<0.00023	mg/kg	0.0021	0.00023	1	05/06/22 14:04	05/17/22 19:08	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0042	0.0010	1	05/06/22 14:04	05/17/22 19:08	33213-65-9	
Endosulfan sulfate	<0.00099	mg/kg	0.0042	0.00099	1	05/06/22 14:04	05/17/22 19:08	1031-07-8	
Endrin	<0.00047	mg/kg	0.0042	0.00047	1	05/06/22 14:04	05/17/22 19:08	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0042	0.0014	1	05/06/22 14:04	05/17/22 19:08	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0042	0.0011	1	05/06/22 14:04	05/17/22 19:08	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0021	0.00057	1	05/06/22 14:04	05/17/22 19:08	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0021	0.00022	1	05/06/22 14:04	05/17/22 19:08	1024-57-3	
Methoxychlor	<0.0065	mg/kg	0.021	0.0065	1	05/06/22 14:04	05/17/22 19:08	72-43-5	
Toxaphene	<0.020	mg/kg	0.063	0.020	1	05/06/22 14:04	05/17/22 19:08	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	86	%	53-138		1	05/06/22 14:04	05/17/22 19:08	877-09-8	
Decachlorobiphenyl (S)	65	%	30-150		1	05/06/22 14:04	05/17/22 19:08	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.064	0.019	1	05/06/22 08:31	05/10/22 04:15	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.064	0.019	1	05/06/22 08:31	05/10/22 04:15	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.064	0.019	1	05/06/22 08:31	05/10/22 04:15	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.064	0.019	1	05/06/22 08:31	05/10/22 04:15	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.064	0.019	1	05/06/22 08:31	05/10/22 04:15	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.064	0.019	1	05/06/22 08:31	05/10/22 04:15	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.064	0.019	1	05/06/22 08:31	05/10/22 04:15	11096-82-5	
PCB, Total	<0.019	mg/kg	0.064	0.019	1	05/06/22 08:31	05/10/22 04:15	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	83	%	50-99		1	05/06/22 08:31	05/10/22 04:15	877-09-8	
Decachlorobiphenyl (S)	86	%	38-95		1	05/06/22 08:31	05/10/22 04:15	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	10200	mg/kg	36.6	7.4	1	05/09/22 17:19	05/14/22 03:04	7429-90-5	
Antimony	0.15J	mg/kg	0.61	0.12	1	05/09/22 17:19	05/14/22 03:04	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-21 (1.5-2.5) **Lab ID: 40244446011** Collected: 05/04/22 13:00 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	5.2	mg/kg	0.61	0.13	1	05/09/22 17:19	05/14/22 03:04	7440-38-2	
Barium	111	mg/kg	0.37	0.065	1	05/09/22 17:19	05/14/22 03:04	7440-39-3	
Beryllium	0.66	mg/kg	0.24	0.048	1	05/09/22 17:19	05/14/22 03:04	7440-41-7	
Cadmium	0.40	mg/kg	0.098	0.038	1	05/09/22 17:19	05/14/22 03:04	7440-43-9	
Calcium	5670	mg/kg	122	14.4	1	05/09/22 17:19	05/14/22 03:04	7440-70-2	
Chromium	13.4	mg/kg	2.4	0.17	1	05/09/22 17:19	05/14/22 03:04	7440-47-3	
Cobalt	4.5	mg/kg	0.61	0.12	1	05/09/22 17:19	05/14/22 03:04	7440-48-4	
Copper	15.0	mg/kg	1.2	0.30	1	05/09/22 17:19	05/14/22 03:04	7440-50-8	
Iron	13800	mg/kg	61.1	12.8	1	05/09/22 17:19	05/14/22 03:04	7439-89-6	
Lead	21.1	mg/kg	0.61	0.036	1	05/09/22 17:19	05/14/22 03:04	7439-92-1	
Magnesium	3210	mg/kg	36.6	5.3	1	05/09/22 17:19	05/14/22 03:04	7439-95-4	
Manganese	142	mg/kg	0.61	0.30	1	05/09/22 17:19	05/14/22 03:04	7439-96-5	
Nickel	10.9	mg/kg	0.61	0.24	1	05/09/22 17:19	05/14/22 03:04	7440-02-0	
Potassium	1110	mg/kg	122	14.0	1	05/09/22 17:19	05/14/22 03:04	7440-09-7	
Selenium	0.62	mg/kg	0.61	0.10	1	05/09/22 17:19	05/14/22 03:04	7782-49-2	
Silver	<0.18	mg/kg	0.61	0.18	1	05/09/22 17:19	05/16/22 18:24	7440-22-4	
Sodium	40.1J	mg/kg	61.1	13.6	1	05/09/22 17:19	05/14/22 03:04	7440-23-5	
Thallium	0.24	mg/kg	0.12	0.045	1	05/09/22 17:19	05/14/22 03:04	7440-28-0	
Vanadium	25.0	mg/kg	1.2	0.21	1	05/09/22 17:19	05/14/22 03:04	7440-62-2	
Zinc	62.7	mg/kg	6.1	1.1	1	05/09/22 17:19	05/14/22 03:04	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.023J	mg/kg	0.041	0.012	1	05/12/22 09:10	05/13/22 09:35	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.19	mg/kg	0.64	0.19	8	05/10/22 12:26	05/10/22 14:33	120-82-1	
1,2-Dichlorobenzene	<0.53	mg/kg	1.8	0.53	8	05/10/22 12:26	05/10/22 14:33	95-50-1	
1,3-Dichlorobenzene	<0.24	mg/kg	0.78	0.24	8	05/10/22 12:26	05/10/22 14:33	541-73-1	
1,4-Dichlorobenzene	<0.24	mg/kg	0.79	0.24	8	05/10/22 12:26	05/10/22 14:33	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.44	mg/kg	1.5	0.44	8	05/10/22 12:26	05/10/22 14:33	108-60-1	
2,4,5-Trichlorophenol	<0.30	mg/kg	1.0	0.30	8	05/10/22 12:26	05/10/22 14:33	95-95-4	
2,4,6-Trichlorophenol	<0.26	mg/kg	0.86	0.26	8	05/10/22 12:26	05/10/22 14:33	88-06-2	
2,4-Dichlorophenol	<0.45	mg/kg	1.5	0.45	8	05/10/22 12:26	05/10/22 14:33	120-83-2	
2,4-Dimethylphenol	<0.34	mg/kg	1.1	0.34	8	05/10/22 12:26	05/10/22 14:33	105-67-9	
2,4-Dinitrophenol	<0.52	mg/kg	1.7	0.52	8	05/10/22 12:26	05/10/22 14:33	51-28-5	
2,4-Dinitrotoluene	<0.24	mg/kg	0.81	0.24	8	05/10/22 12:26	05/10/22 14:33	121-14-2	
2,6-Dinitrotoluene	<0.32	mg/kg	1.1	0.32	8	05/10/22 12:26	05/10/22 14:33	606-20-2	
2-Chloronaphthalene	<0.22	mg/kg	0.73	0.22	8	05/10/22 12:26	05/10/22 14:33	91-58-7	
2-Chlorophenol	<0.42	mg/kg	1.4	0.42	8	05/10/22 12:26	05/10/22 14:33	95-57-8	
2-Methylnaphthalene	<0.44	mg/kg	1.5	0.44	8	05/10/22 12:26	05/10/22 14:33	91-57-6	
2-Methylphenol(o-Cresol)	<0.31	mg/kg	1.0	0.31	8	05/10/22 12:26	05/10/22 14:33	95-48-7	
2-Nitroaniline	<0.48	mg/kg	1.6	0.48	8	05/10/22 12:26	05/10/22 14:33	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-21 (1.5-2.5) **Lab ID: 40244446011** Collected: 05/04/22 13:00 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.54	mg/kg	1.8	0.54	8	05/10/22 12:26	05/10/22 14:33	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.31	mg/kg	1.0	0.31	8	05/10/22 12:26	05/10/22 14:33		
3,3'-Dichlorobenzidine	<0.46	mg/kg	1.5	0.46	8	05/10/22 12:26	05/10/22 14:33	91-94-1	
3-Nitroaniline	<0.29	mg/kg	0.96	0.29	8	05/10/22 12:26	05/10/22 14:33	99-09-2	
4,6-Dinitro-2-methylphenol	<0.52	mg/kg	1.7	0.52	8	05/10/22 12:26	05/10/22 14:33	534-52-1	
4-Bromophenylphenyl ether	<0.36	mg/kg	1.2	0.36	8	05/10/22 12:26	05/10/22 14:33	101-55-3	
4-Chloro-3-methylphenol	<0.53	mg/kg	1.8	0.53	8	05/10/22 12:26	05/10/22 14:33	59-50-7	
4-Chloroaniline	<0.28	mg/kg	0.93	0.28	8	05/10/22 12:26	05/10/22 14:33	106-47-8	4q
4-Chlorophenylphenyl ether	<0.32	mg/kg	1.1	0.32	8	05/10/22 12:26	05/10/22 14:33	7005-72-3	
4-Nitroaniline	<0.70	mg/kg	2.3	0.70	8	05/10/22 12:26	05/10/22 14:33	100-01-6	
4-Nitrophenol	<0.43	mg/kg	1.4	0.43	8	05/10/22 12:26	05/10/22 14:33	100-02-7	
Acenaphthene	<0.60	mg/kg	2.0	0.60	8	05/10/22 12:26	05/10/22 14:33	83-32-9	
Acenaphthylene	<0.61	mg/kg	2.0	0.61	8	05/10/22 12:26	05/10/22 14:33	208-96-8	
Anthracene	<0.27	mg/kg	0.90	0.27	8	05/10/22 12:26	05/10/22 14:33	120-12-7	
Benzo(a)anthracene	<0.26	mg/kg	0.88	0.26	8	05/10/22 12:26	05/10/22 14:33	56-55-3	
Benzo(a)pyrene	<0.26	mg/kg	0.85	0.26	8	05/10/22 12:26	05/10/22 14:33	50-32-8	
Benzo(b)fluoranthene	<0.29	mg/kg	0.97	0.29	8	05/10/22 12:26	05/10/22 14:33	205-99-2	
Benzo(g,h,i)perylene	<0.44	mg/kg	1.5	0.44	8	05/10/22 12:26	05/10/22 14:33	191-24-2	
Benzo(k)fluoranthene	<0.41	mg/kg	1.4	0.41	8	05/10/22 12:26	05/10/22 14:33	207-08-9	
Butylbenzylphthalate	<0.27	mg/kg	0.91	0.27	8	05/10/22 12:26	05/10/22 14:33	85-68-7	
Carbazole	<0.27	mg/kg	0.89	0.27	8	05/10/22 12:26	05/10/22 14:33	86-74-8	
Chrysene	<0.25	mg/kg	0.85	0.25	8	05/10/22 12:26	05/10/22 14:33	218-01-9	
Di-n-butylphthalate	<0.25	mg/kg	0.85	0.25	8	05/10/22 12:26	05/10/22 14:33	84-74-2	
Di-n-octylphthalate	<0.38	mg/kg	1.3	0.38	8	05/10/22 12:26	05/10/22 14:33	117-84-0	
Dibenz(a,h)anthracene	<0.46	mg/kg	1.5	0.46	8	05/10/22 12:26	05/10/22 14:33	53-70-3	
Dibenzofuran	<0.21	mg/kg	0.68	0.21	8	05/10/22 12:26	05/10/22 14:33	132-64-9	
Diethylphthalate	<0.28	mg/kg	0.94	0.28	8	05/10/22 12:26	05/10/22 14:33	84-66-2	
Dimethylphthalate	<0.22	mg/kg	0.74	0.22	8	05/10/22 12:26	05/10/22 14:33	131-11-3	
Fluoranthene	<0.24	mg/kg	0.80	0.24	8	05/10/22 12:26	05/10/22 14:33	206-44-0	
Fluorene	<0.20	mg/kg	0.66	0.20	8	05/10/22 12:26	05/10/22 14:33	86-73-7	
Hexachloro-1,3-butadiene	<0.43	mg/kg	1.4	0.43	8	05/10/22 12:26	05/10/22 14:33	87-68-3	
Hexachlorobenzene	<0.29	mg/kg	0.95	0.29	8	05/10/22 12:26	05/10/22 14:33	118-74-1	
Hexachlorocyclopentadiene	<0.40	mg/kg	1.3	0.40	8	05/10/22 12:26	05/10/22 14:33	77-47-4	
Hexachloroethane	<0.27	mg/kg	0.91	0.27	8	05/10/22 12:26	05/10/22 14:33	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.37	mg/kg	1.2	0.37	8	05/10/22 12:26	05/10/22 14:33	193-39-5	
Isophorone	<0.26	mg/kg	0.87	0.26	8	05/10/22 12:26	05/10/22 14:33	78-59-1	
N-Nitroso-di-n-propylamine	<0.27	mg/kg	0.90	0.27	8	05/10/22 12:26	05/10/22 14:33	621-64-7	
N-Nitrosodiphenylamine	<2.3	mg/kg	7.7	2.3	8	05/10/22 12:26	05/10/22 14:33	86-30-6	
Naphthalene	<0.59	mg/kg	2.0	0.59	8	05/10/22 12:26	05/10/22 14:33	91-20-3	
Nitrobenzene	<0.34	mg/kg	1.1	0.34	8	05/10/22 12:26	05/10/22 14:33	98-95-3	
Pentachlorophenol	<0.37	mg/kg	1.2	0.37	8	05/10/22 12:26	05/10/22 14:33	87-86-5	
Phenanthrene	<0.22	mg/kg	0.73	0.22	8	05/10/22 12:26	05/10/22 14:33	85-01-8	
Phenol	<0.40	mg/kg	1.3	0.40	8	05/10/22 12:26	05/10/22 14:33	108-95-2	D3
Pyrene	<0.38	mg/kg	1.3	0.38	8	05/10/22 12:26	05/10/22 14:33	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: **SB-21 (1.5-2.5)** Lab ID: **40244446011** Collected: 05/04/22 13:00 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.46	mg/kg	1.5	0.46	8	05/10/22 12:26	05/10/22 14:33	111-91-1	
bis(2-Chloroethyl) ether	<0.53	mg/kg	1.8	0.53	8	05/10/22 12:26	05/10/22 14:33	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.28	mg/kg	0.94	0.28	8	05/10/22 12:26	05/10/22 14:33	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	34	%	10-125		8	05/10/22 12:26	05/10/22 14:33	4165-60-0	
2-Fluorobiphenyl (S)	40	%	12-118		8	05/10/22 12:26	05/10/22 14:33	321-60-8	
Terphenyl-d14 (S)	54	%	10-124		8	05/10/22 12:26	05/10/22 14:33	1718-51-0	
Phenol-d6 (S)	31	%	10-125		8	05/10/22 12:26	05/10/22 14:33	13127-88-3	
2-Fluorophenol (S)	29	%	10-130		8	05/10/22 12:26	05/10/22 14:33	367-12-4	
2,4,6-Tribromophenol (S)	54	%	10-144		8	05/10/22 12:26	05/10/22 14:33	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/10/22 06:00	05/10/22 14:48	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0054	0.0028	1	05/10/22 06:00	05/10/22 14:48	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/10/22 06:00	05/10/22 14:48	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0054	0.0012	1	05/10/22 06:00	05/10/22 14:48	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 14:48	75-35-4	
1,2-Dichloroethane	<0.00089	mg/kg	0.0054	0.00089	1	05/10/22 06:00	05/10/22 14:48	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 14:48	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/10/22 06:00	05/10/22 14:48	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/10/22 06:00	05/10/22 14:48	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.027	0.022	1	05/10/22 06:00	05/10/22 14:48	108-10-1	
Acetone	<0.051	mg/kg	0.11	0.051	1	05/10/22 06:00	05/10/22 14:48	67-64-1	
Benzene	<0.00077	mg/kg	0.0054	0.00077	1	05/10/22 06:00	05/10/22 14:48	71-43-2	
Bromodichloromethane	<0.00074	mg/kg	0.0054	0.00074	1	05/10/22 06:00	05/10/22 14:48	75-27-4	
Bromoform	<0.0088	mg/kg	0.022	0.0088	1	05/10/22 06:00	05/10/22 14:48	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0054	0.0048	1	05/10/22 06:00	05/10/22 14:48	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0054	0.0012	1	05/10/22 06:00	05/10/22 14:48	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0054	0.0034	1	05/10/22 06:00	05/10/22 14:48	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0054	0.0010	1	05/10/22 06:00	05/10/22 14:48	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0054	0.0039	1	05/10/22 06:00	05/10/22 14:48	75-00-3	
Chloroform	<0.00092	mg/kg	0.0054	0.00092	1	05/10/22 06:00	05/10/22 14:48	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0054	0.0012	1	05/10/22 06:00	05/10/22 14:48	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 14:48	124-48-1	
Ethylbenzene	<0.00097	mg/kg	0.0054	0.00097	1	05/10/22 06:00	05/10/22 14:48	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0054	0.0022	1	05/10/22 06:00	05/10/22 14:48	1634-04-4	
Methylene Chloride	<0.0043	mg/kg	0.0054	0.0043	1	05/10/22 06:00	05/10/22 14:48	75-09-2	
Styrene	<0.00077	mg/kg	0.0054	0.00077	1	05/10/22 06:00	05/10/22 14:48	100-42-5	
Tetrachloroethene	<0.00096	mg/kg	0.0054	0.00096	1	05/10/22 06:00	05/10/22 14:48	127-18-4	
Toluene	<0.00096	mg/kg	0.0054	0.00096	1	05/10/22 06:00	05/10/22 14:48	108-88-3	
Trichloroethene	<0.00078	mg/kg	0.0054	0.00078	1	05/10/22 06:00	05/10/22 14:48	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0054	0.0014	1	05/10/22 06:00	05/10/22 14:48	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/10/22 06:00	05/10/22 14:48	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-21 (1.5-2.5) **Lab ID: 40244446011** Collected: 05/04/22 13:00 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00096	mg/kg	0.0054	0.00096	1	05/10/22 06:00	05/10/22 14:48	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 14:48	10061-01-5	
trans-1,2-Dichloroethene	<0.00078	mg/kg	0.0054	0.00078	1	05/10/22 06:00	05/10/22 14:48	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/10/22 06:00	05/10/22 14:48	10061-02-6	
Surrogates									
Toluene-d8 (S)	91	%	69-156		1	05/10/22 06:00	05/10/22 14:48	2037-26-5	
4-Bromofluorobenzene (S)	87	%	61-175		1	05/10/22 06:00	05/10/22 14:48	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1	05/10/22 06:00	05/10/22 14:48	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.3	%	0.10	0.10	1		05/10/22 16:44		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.1	Std. Units	0.10	0.010	1		05/13/22 12:28		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.34	mg/kg	1.0	0.34	1	05/11/22 09:50	05/11/22 13:54	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-21 (4.5-5.5) **Lab ID: 40244446012** Collected: 05/04/22 13:05 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0021	0.00052	1	05/06/22 14:04	05/10/22 16:12	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0021	0.00022	1	05/06/22 14:04	05/10/22 16:12	319-84-6	
beta-BHC	<0.00066	mg/kg	0.0021	0.00066	1	05/06/22 14:04	05/10/22 16:12	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0021	0.00039	1	05/06/22 14:04	05/10/22 16:12	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/06/22 14:04	05/10/22 16:12	58-89-9	
Chlordane (Technical)	<0.0071	mg/kg	0.021	0.0071	1	05/06/22 14:04	05/10/22 16:12	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/06/22 14:04	05/10/22 16:12	5103-71-9	
gamma-Chlordane	<0.00080	mg/kg	0.0021	0.00080	1	05/06/22 14:04	05/10/22 16:12	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0043	0.00043	1	05/06/22 14:04	05/10/22 16:12	72-54-8	
4,4'-DDE	<0.00049	mg/kg	0.0043	0.00049	1	05/06/22 14:04	05/10/22 16:12	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/06/22 14:04	05/10/22 16:12	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/06/22 14:04	05/10/22 16:12	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0021	0.00024	1	05/06/22 14:04	05/10/22 16:12	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/06/22 14:04	05/10/22 16:12	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/06/22 14:04	05/10/22 16:12	1031-07-8	
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/06/22 14:04	05/10/22 16:12	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/06/22 14:04	05/10/22 16:12	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/06/22 14:04	05/10/22 16:12	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0021	0.00058	1	05/06/22 14:04	05/10/22 16:12	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0021	0.00022	1	05/06/22 14:04	05/10/22 16:12	1024-57-3	
Methoxychlor	<0.0066	mg/kg	0.021	0.0066	1	05/06/22 14:04	05/10/22 16:12	72-43-5	
Toxaphene	<0.020	mg/kg	0.064	0.020	1	05/06/22 14:04	05/10/22 16:12	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	62	%	53-138		1	05/06/22 14:04	05/10/22 16:12	877-09-8	
Decachlorobiphenyl (S)	46	%	30-150		1	05/06/22 14:04	05/10/22 16:12	2051-24-3	CL
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.064	0.020	1	05/06/22 08:31	05/10/22 04:37	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.064	0.020	1	05/06/22 08:31	05/10/22 04:37	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.064	0.020	1	05/06/22 08:31	05/10/22 04:37	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.064	0.020	1	05/06/22 08:31	05/10/22 04:37	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.064	0.020	1	05/06/22 08:31	05/10/22 04:37	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.064	0.020	1	05/06/22 08:31	05/10/22 04:37	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.064	0.020	1	05/06/22 08:31	05/10/22 04:37	11096-82-5	
PCB, Total	<0.020	mg/kg	0.064	0.020	1	05/06/22 08:31	05/10/22 04:37	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	85	%	50-99		1	05/06/22 08:31	05/10/22 04:37	877-09-8	
Decachlorobiphenyl (S)	87	%	38-95		1	05/06/22 08:31	05/10/22 04:37	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	15100	mg/kg	36.0	7.2	1	05/09/22 17:19	05/14/22 03:08	7429-90-5	
Antimony	0.21J	mg/kg	0.60	0.12	1	05/09/22 17:19	05/14/22 03:08	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: **SB-21 (4.5-5.5)** Lab ID: **40244446012** Collected: 05/04/22 13:05 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	15.4	mg/kg	0.60	0.13	1	05/09/22 17:19	05/14/22 03:08	7440-38-2	
Barium	215	mg/kg	0.36	0.064	1	05/09/22 17:19	05/14/22 03:08	7440-39-3	
Beryllium	0.96	mg/kg	0.24	0.048	1	05/09/22 17:19	05/14/22 03:08	7440-41-7	
Cadmium	0.42	mg/kg	0.096	0.038	1	05/09/22 17:19	05/14/22 03:08	7440-43-9	
Calcium	3870	mg/kg	120	14.2	1	05/09/22 17:19	05/14/22 03:08	7440-70-2	
Chromium	19.8	mg/kg	2.4	0.17	1	05/09/22 17:19	05/14/22 03:08	7440-47-3	
Cobalt	15.9	mg/kg	0.60	0.12	1	05/09/22 17:19	05/14/22 03:08	7440-48-4	
Copper	25.0	mg/kg	1.2	0.29	1	05/09/22 17:19	05/14/22 03:08	7440-50-8	
Iron	27200	mg/kg	60.0	12.6	1	05/09/22 17:19	05/14/22 03:08	7439-89-6	
Lead	22.4	mg/kg	0.60	0.035	1	05/09/22 17:19	05/14/22 03:08	7439-92-1	
Magnesium	3810	mg/kg	36.0	5.2	1	05/09/22 17:19	05/14/22 03:08	7439-95-4	
Manganese	1220	mg/kg	6.0	2.9	10	05/09/22 17:19	05/16/22 18:31	7439-96-5	
Nickel	32.8	mg/kg	0.60	0.24	1	05/09/22 17:19	05/14/22 03:08	7440-02-0	
Potassium	763	mg/kg	120	13.8	1	05/09/22 17:19	05/14/22 03:08	7440-09-7	
Selenium	0.42J	mg/kg	0.60	0.10	1	05/09/22 17:19	05/14/22 03:08	7782-49-2	
Silver	<0.17	mg/kg	0.60	0.17	1	05/09/22 17:19	05/16/22 18:28	7440-22-4	
Sodium	49.7J	mg/kg	60.0	13.3	1	05/09/22 17:19	05/14/22 03:08	7440-23-5	
Thallium	0.18	mg/kg	0.12	0.044	1	05/09/22 17:19	05/14/22 03:08	7440-28-0	
Vanadium	42.5	mg/kg	1.2	0.21	1	05/09/22 17:19	05/14/22 03:08	7440-62-2	
Zinc	59.8	mg/kg	6.0	1.1	1	05/09/22 17:19	05/14/22 03:08	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.038J	mg/kg	0.042	0.012	1	05/12/22 09:10	05/13/22 09:37	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/10/22 12:26	05/11/22 16:50	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/10/22 12:26	05/11/22 16:50	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/10/22 12:26	05/11/22 16:50	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/10/22 12:26	05/11/22 16:50	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/10/22 12:26	05/11/22 16:50	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/10/22 12:26	05/11/22 16:50	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/11/22 16:50	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/10/22 12:26	05/11/22 16:50	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/10/22 12:26	05/11/22 16:50	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/10/22 12:26	05/11/22 16:50	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/11/22 16:50	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/10/22 12:26	05/11/22 16:50	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.092	0.028	1	05/10/22 12:26	05/11/22 16:50	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/10/22 12:26	05/11/22 16:50	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/10/22 12:26	05/11/22 16:50	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/10/22 12:26	05/11/22 16:50	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/10/22 12:26	05/11/22 16:50	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-21 (4.5-5.5) **Lab ID: 40244446012** Collected: 05/04/22 13:05 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/10/22 12:26	05/11/22 16:50	111-91-1	
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/10/22 12:26	05/11/22 16:50	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/11/22 16:50	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	62	%	10-125		1	05/10/22 12:26	05/11/22 16:50	4165-60-0	
2-Fluorobiphenyl (S)	47	%	12-118		1	05/10/22 12:26	05/11/22 16:50	321-60-8	
Terphenyl-d14 (S)	60	%	10-124		1	05/10/22 12:26	05/11/22 16:50	1718-51-0	
Phenol-d6 (S)	56	%	10-125		1	05/10/22 12:26	05/11/22 16:50	13127-88-3	
2-Fluorophenol (S)	50	%	10-130		1	05/10/22 12:26	05/11/22 16:50	367-12-4	
2,4,6-Tribromophenol (S)	61	%	10-144		1	05/10/22 12:26	05/11/22 16:50	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/10/22 06:00	05/10/22 15:13	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/10/22 06:00	05/10/22 15:13	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/10/22 06:00	05/10/22 15:13	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 15:13	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 15:13	75-35-4	
1,2-Dichloroethane	<0.00088	mg/kg	0.0053	0.00088	1	05/10/22 06:00	05/10/22 15:13	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 15:13	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/10/22 06:00	05/10/22 15:13	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/10/22 06:00	05/10/22 15:13	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/10/22 06:00	05/10/22 15:13	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/10/22 06:00	05/10/22 15:13	67-64-1	
Benzene	<0.00075	mg/kg	0.0053	0.00075	1	05/10/22 06:00	05/10/22 15:13	71-43-2	
Bromodichloromethane	<0.00072	mg/kg	0.0053	0.00072	1	05/10/22 06:00	05/10/22 15:13	75-27-4	
Bromoform	<0.0086	mg/kg	0.021	0.0086	1	05/10/22 06:00	05/10/22 15:13	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0053	0.0047	1	05/10/22 06:00	05/10/22 15:13	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/10/22 06:00	05/10/22 15:13	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0053	0.0034	1	05/10/22 06:00	05/10/22 15:13	56-23-5	
Chlorobenzene	<0.00098	mg/kg	0.0053	0.00098	1	05/10/22 06:00	05/10/22 15:13	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0053	0.0039	1	05/10/22 06:00	05/10/22 15:13	75-00-3	
Chloroform	<0.00090	mg/kg	0.0053	0.00090	1	05/10/22 06:00	05/10/22 15:13	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 15:13	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 15:13	124-48-1	
Ethylbenzene	<0.00095	mg/kg	0.0053	0.00095	1	05/10/22 06:00	05/10/22 15:13	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/10/22 06:00	05/10/22 15:13	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/10/22 06:00	05/10/22 15:13	75-09-2	
Styrene	<0.00076	mg/kg	0.0053	0.00076	1	05/10/22 06:00	05/10/22 15:13	100-42-5	
Tetrachloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/10/22 06:00	05/10/22 15:13	127-18-4	
Toluene	<0.00094	mg/kg	0.0053	0.00094	1	05/10/22 06:00	05/10/22 15:13	108-88-3	
Trichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/10/22 06:00	05/10/22 15:13	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/10/22 06:00	05/10/22 15:13	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/10/22 06:00	05/10/22 15:13	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-21 (4.5-5.5) **Lab ID: 40244446012** Collected: 05/04/22 13:05 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/10/22 06:00	05/10/22 15:13	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 15:13	10061-01-5	
trans-1,2-Dichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/10/22 06:00	05/10/22 15:13	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 15:13	10061-02-6	
Surrogates									
Toluene-d8 (S)	90	%	69-156		1	05/10/22 06:00	05/10/22 15:13	2037-26-5	
4-Bromofluorobenzene (S)	91	%	61-175		1	05/10/22 06:00	05/10/22 15:13	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1	05/10/22 06:00	05/10/22 15:13	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.1	%	0.10	0.10	1		05/10/22 16:44		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.0	Std. Units	0.10	0.010	1		05/13/22 12:38		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.33	mg/kg	0.98	0.33	1	05/11/22 09:50	05/11/22 13:54	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-50 (1.3-2.3) **Lab ID: 40244446013** Collected: 05/04/22 13:40 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00054	mg/kg	0.0022	0.00054	1	05/06/22 14:04	05/10/22 16:31	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 16:31	319-84-6	
beta-BHC	0.0011J	mg/kg	0.0022	0.00069	1	05/06/22 14:04	05/10/22 16:31	319-85-7	
delta-BHC	<0.00040	mg/kg	0.0022	0.00040	1	05/06/22 14:04	05/10/22 16:31	319-86-8	
gamma-BHC (Lindane)	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 16:31	58-89-9	
Chlordane (Technical)	<0.0073	mg/kg	0.022	0.0073	1	05/06/22 14:04	05/10/22 16:31	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/06/22 14:04	05/10/22 16:31	5103-71-9	
gamma-Chlordane	<0.00083	mg/kg	0.0022	0.00083	1	05/06/22 14:04	05/10/22 16:31	5103-74-2	
4,4'-DDD	<0.00045	mg/kg	0.0044	0.00045	1	05/06/22 14:04	05/10/22 16:31	72-54-8	
4,4'-DDE	<0.00051	mg/kg	0.0044	0.00051	1	05/06/22 14:04	05/10/22 16:31	72-55-9	
4,4'-DDT	<0.0014	mg/kg	0.0044	0.0014	1	05/06/22 14:04	05/10/22 16:31	50-29-3	
Dieldrin	<0.00042	mg/kg	0.0044	0.00042	1	05/06/22 14:04	05/10/22 16:31	60-57-1	
Endosulfan I	<0.00025	mg/kg	0.0022	0.00025	1	05/06/22 14:04	05/10/22 16:31	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0044	0.0011	1	05/06/22 14:04	05/10/22 16:31	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0044	0.0010	1	05/06/22 14:04	05/10/22 16:31	1031-07-8	
Endrin	<0.00050	mg/kg	0.0044	0.00050	1	05/06/22 14:04	05/10/22 16:31	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0044	0.0014	1	05/06/22 14:04	05/10/22 16:31	7421-93-4	
Endrin ketone	<0.0012	mg/kg	0.0044	0.0012	1	05/06/22 14:04	05/10/22 16:31	53494-70-5	
Heptachlor	<0.00060	mg/kg	0.0022	0.00060	1	05/06/22 14:04	05/10/22 16:31	76-44-8	
Heptachlor epoxide	<0.00023	mg/kg	0.0022	0.00023	1	05/06/22 14:04	05/10/22 16:31	1024-57-3	
Methoxychlor	<0.0068	mg/kg	0.022	0.0068	1	05/06/22 14:04	05/10/22 16:31	72-43-5	
Toxaphene	<0.021	mg/kg	0.067	0.021	1	05/06/22 14:04	05/10/22 16:31	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	57	%	53-138		1	05/06/22 14:04	05/10/22 16:31	877-09-8	
Decachlorobiphenyl (S)	44	%	30-150		1	05/06/22 14:04	05/10/22 16:31	2051-24-3	CL
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.067	0.020	1	05/06/22 08:31	05/10/22 04:59	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.067	0.020	1	05/06/22 08:31	05/10/22 04:59	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.067	0.020	1	05/06/22 08:31	05/10/22 04:59	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.067	0.020	1	05/06/22 08:31	05/10/22 04:59	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.067	0.020	1	05/06/22 08:31	05/10/22 04:59	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.067	0.020	1	05/06/22 08:31	05/10/22 04:59	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.067	0.020	1	05/06/22 08:31	05/10/22 04:59	11096-82-5	
PCB, Total	<0.020	mg/kg	0.067	0.020	1	05/06/22 08:31	05/10/22 04:59	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	82	%	50-99		1	05/06/22 08:31	05/10/22 04:59	877-09-8	
Decachlorobiphenyl (S)	83	%	38-95		1	05/06/22 08:31	05/10/22 04:59	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	5750	mg/kg	37.7	7.6	1	05/09/22 17:19	05/14/22 03:19	7429-90-5	
Antimony	0.25J	mg/kg	0.63	0.12	1	05/09/22 17:19	05/14/22 03:19	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: **SB-50 (1.3-2.3)** Lab ID: **40244446013** Collected: 05/04/22 13:40 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	5.1	mg/kg	0.63	0.14	1	05/09/22 17:19	05/14/22 03:19	7440-38-2	
Barium	133	mg/kg	0.38	0.067	1	05/09/22 17:19	05/14/22 03:19	7440-39-3	
Beryllium	0.60	mg/kg	0.25	0.050	1	05/09/22 17:19	05/14/22 03:19	7440-41-7	
Cadmium	0.42	mg/kg	0.10	0.039	1	05/09/22 17:19	05/14/22 03:19	7440-43-9	
Calcium	4240	mg/kg	126	14.8	1	05/09/22 17:19	05/14/22 03:19	7440-70-2	
Chromium	9.1	mg/kg	2.5	0.18	1	05/09/22 17:19	05/14/22 03:19	7440-47-3	
Cobalt	2.7	mg/kg	0.63	0.12	1	05/09/22 17:19	05/14/22 03:19	7440-48-4	
Copper	14.2	mg/kg	1.3	0.30	1	05/09/22 17:19	05/14/22 03:19	7440-50-8	
Iron	23800	mg/kg	62.8	13.2	1	05/09/22 17:19	05/14/22 03:19	7439-89-6	
Lead	20.7	mg/kg	0.63	0.037	1	05/09/22 17:19	05/14/22 03:19	7439-92-1	
Magnesium	1110	mg/kg	37.7	5.4	1	05/09/22 17:19	05/14/22 03:19	7439-95-4	
Manganese	129	mg/kg	0.63	0.31	1	05/09/22 17:19	05/14/22 03:19	7439-96-5	
Nickel	7.6	mg/kg	0.63	0.25	1	05/09/22 17:19	05/14/22 03:19	7440-02-0	
Potassium	710	mg/kg	126	14.5	1	05/09/22 17:19	05/14/22 03:19	7440-09-7	
Selenium	1.1	mg/kg	0.63	0.11	1	05/09/22 17:19	05/14/22 03:19	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/09/22 17:19	05/16/22 18:35	7440-22-4	
Sodium	76.3	mg/kg	62.8	14.0	1	05/09/22 17:19	05/14/22 03:19	7440-23-5	
Thallium	0.43	mg/kg	0.13	0.046	1	05/09/22 17:19	05/14/22 03:19	7440-28-0	
Vanadium	15.8	mg/kg	1.3	0.22	1	05/09/22 17:19	05/14/22 03:19	7440-62-2	
Zinc	66.6	mg/kg	6.3	1.1	1	05/09/22 17:19	05/14/22 03:19	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.062	mg/kg	0.041	0.012	1	05/12/22 09:10	05/13/22 09:39	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.084	0.025	1	05/10/22 12:26	05/11/22 17:11	120-82-1	
1,2-Dichlorobenzene	<0.070	mg/kg	0.23	0.070	1	05/10/22 12:26	05/11/22 17:11	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/11/22 17:11	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/11/22 17:11	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.057	mg/kg	0.19	0.057	1	05/10/22 12:26	05/11/22 17:11	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/10/22 12:26	05/11/22 17:11	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/11/22 17:11	88-06-2	
2,4-Dichlorophenol	<0.060	mg/kg	0.20	0.060	1	05/10/22 12:26	05/11/22 17:11	120-83-2	
2,4-Dimethylphenol	<0.044	mg/kg	0.15	0.044	1	05/10/22 12:26	05/11/22 17:11	105-67-9	
2,4-Dinitrophenol	<0.068	mg/kg	0.23	0.068	1	05/10/22 12:26	05/11/22 17:11	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/11/22 17:11	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/10/22 12:26	05/11/22 17:11	606-20-2	
2-Chloronaphthalene	<0.029	mg/kg	0.095	0.029	1	05/10/22 12:26	05/11/22 17:11	91-58-7	
2-Chlorophenol	<0.056	mg/kg	0.19	0.056	1	05/10/22 12:26	05/11/22 17:11	95-57-8	
2-Methylnaphthalene	<0.058	mg/kg	0.19	0.058	1	05/10/22 12:26	05/11/22 17:11	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/10/22 12:26	05/11/22 17:11	95-48-7	
2-Nitroaniline	<0.063	mg/kg	0.21	0.063	1	05/10/22 12:26	05/11/22 17:11	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-50 (1.3-2.3) **Lab ID: 40244446013** Collected: 05/04/22 13:40 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.070	mg/kg	0.23	0.070	1	05/10/22 12:26	05/11/22 17:11	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.041	mg/kg	0.14	0.041	1	05/10/22 12:26	05/11/22 17:11		
3,3'-Dichlorobenzidine	<0.060	mg/kg	0.20	0.060	1	05/10/22 12:26	05/11/22 17:11	91-94-1	
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/10/22 12:26	05/11/22 17:11	99-09-2	
4,6-Dinitro-2-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/10/22 12:26	05/11/22 17:11	534-52-1	
4-Bromophenylphenyl ether	<0.047	mg/kg	0.16	0.047	1	05/10/22 12:26	05/11/22 17:11	101-55-3	
4-Chloro-3-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/10/22 12:26	05/11/22 17:11	59-50-7	
4-Chloroaniline	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/11/22 17:11	106-47-8	4q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/10/22 12:26	05/11/22 17:11	7005-72-3	
4-Nitroaniline	<0.092	mg/kg	0.31	0.092	1	05/10/22 12:26	05/11/22 17:11	100-01-6	
4-Nitrophenol	<0.056	mg/kg	0.19	0.056	1	05/10/22 12:26	05/11/22 17:11	100-02-7	CU
Acenaphthene	<0.079	mg/kg	0.26	0.079	1	05/10/22 12:26	05/11/22 17:11	83-32-9	
Acenaphthylene	<0.079	mg/kg	0.26	0.079	1	05/10/22 12:26	05/11/22 17:11	208-96-8	
Anthracene	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/11/22 17:11	120-12-7	
Benzo(a)anthracene	0.038J	mg/kg	0.11	0.034	1	05/10/22 12:26	05/11/22 17:11	56-55-3	
Benzo(a)pyrene	0.053J	mg/kg	0.11	0.034	1	05/10/22 12:26	05/11/22 17:11	50-32-8	
Benzo(b)fluoranthene	0.076J	mg/kg	0.13	0.038	1	05/10/22 12:26	05/11/22 17:11	205-99-2	
Benzo(g,h,i)perylene	<0.058	mg/kg	0.19	0.058	1	05/10/22 12:26	05/11/22 17:11	191-24-2	
Benzo(k)fluoranthene	<0.053	mg/kg	0.18	0.053	1	05/10/22 12:26	05/11/22 17:11	207-08-9	
Butylbenzylphthalate	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/11/22 17:11	85-68-7	
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/11/22 17:11	86-74-8	
Chrysene	0.052J	mg/kg	0.11	0.033	1	05/10/22 12:26	05/11/22 17:11	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/11/22 17:11	84-74-2	
Di-n-octylphthalate	<0.050	mg/kg	0.17	0.050	1	05/10/22 12:26	05/11/22 17:11	117-84-0	
Dibenz(a,h)anthracene	<0.060	mg/kg	0.20	0.060	1	05/10/22 12:26	05/11/22 17:11	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.090	0.027	1	05/10/22 12:26	05/11/22 17:11	132-64-9	
Diethylphthalate	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/11/22 17:11	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.097	0.029	1	05/10/22 12:26	05/11/22 17:11	131-11-3	
Fluoranthene	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/11/22 17:11	206-44-0	
Fluorene	<0.026	mg/kg	0.087	0.026	1	05/10/22 12:26	05/11/22 17:11	86-73-7	
Hexachloro-1,3-butadiene	<0.057	mg/kg	0.19	0.057	1	05/10/22 12:26	05/11/22 17:11	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/11/22 17:11	118-74-1	
Hexachlorocyclopentadiene	<0.053	mg/kg	0.18	0.053	1	05/10/22 12:26	05/11/22 17:11	77-47-4	
Hexachloroethane	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/11/22 17:11	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.048	mg/kg	0.16	0.048	1	05/10/22 12:26	05/11/22 17:11	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/11/22 17:11	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/11/22 17:11	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	1.0	0.30	1	05/10/22 12:26	05/11/22 17:11	86-30-6	
Naphthalene	<0.078	mg/kg	0.26	0.078	1	05/10/22 12:26	05/11/22 17:11	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/10/22 12:26	05/11/22 17:11	98-95-3	
Pentachlorophenol	<0.049	mg/kg	0.16	0.049	1	05/10/22 12:26	05/11/22 17:11	87-86-5	
Phenanthrene	0.055J	mg/kg	0.095	0.029	1	05/10/22 12:26	05/11/22 17:11	85-01-8	
Phenol	<0.053	mg/kg	0.18	0.053	1	05/10/22 12:26	05/11/22 17:11	108-95-2	
Pyrene	<0.049	mg/kg	0.16	0.049	1	05/10/22 12:26	05/11/22 17:11	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-50 (1.3-2.3) **Lab ID: 40244446013** Collected: 05/04/22 13:40 Received: 05/05/22 11:15 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.060	mg/kg	0.20	0.060	1	05/10/22 12:26	05/11/22 17:11	111-91-1	
bis(2-Chloroethyl) ether	<0.070	mg/kg	0.23	0.070	1	05/10/22 12:26	05/11/22 17:11	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/11/22 17:11	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	74	%	10-125		1	05/10/22 12:26	05/11/22 17:11	4165-60-0	
2-Fluorobiphenyl (S)	65	%	12-118		1	05/10/22 12:26	05/11/22 17:11	321-60-8	
Terphenyl-d14 (S)	73	%	10-124		1	05/10/22 12:26	05/11/22 17:11	1718-51-0	
Phenol-d6 (S)	53	%	10-125		1	05/10/22 12:26	05/11/22 17:11	13127-88-3	
2-Fluorophenol (S)	48	%	10-130		1	05/10/22 12:26	05/11/22 17:11	367-12-4	
2,4,6-Tribromophenol (S)	72	%	10-144		1	05/10/22 12:26	05/11/22 17:11	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0018	mg/kg	0.0060	0.0018	1	05/10/22 06:00	05/10/22 15:38	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0031	mg/kg	0.0060	0.0031	1	05/10/22 06:00	05/10/22 15:38	79-34-5	
1,1,2-Trichloroethane	<0.0018	mg/kg	0.0060	0.0018	1	05/10/22 06:00	05/10/22 15:38	79-00-5	
1,1-Dichloroethane	<0.0013	mg/kg	0.0060	0.0013	1	05/10/22 06:00	05/10/22 15:38	75-34-3	
1,1-Dichloroethene	<0.0013	mg/kg	0.0060	0.0013	1	05/10/22 06:00	05/10/22 15:38	75-35-4	
1,2-Dichloroethane	<0.00099	mg/kg	0.0060	0.00099	1	05/10/22 06:00	05/10/22 15:38	107-06-2	
1,2-Dichloropropane	<0.0012	mg/kg	0.0060	0.0012	1	05/10/22 06:00	05/10/22 15:38	78-87-5	
2-Butanone (MEK)	<0.019	mg/kg	0.030	0.019	1	05/10/22 06:00	05/10/22 15:38	78-93-3	
2-Hexanone	<0.014	mg/kg	0.030	0.014	1	05/10/22 06:00	05/10/22 15:38	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.024	mg/kg	0.030	0.024	1	05/10/22 06:00	05/10/22 15:38	108-10-1	
Acetone	<0.056	mg/kg	0.12	0.056	1	05/10/22 06:00	05/10/22 15:38	67-64-1	
Benzene	<0.00085	mg/kg	0.0060	0.00085	1	05/10/22 06:00	05/10/22 15:38	71-43-2	
Bromodichloromethane	<0.00081	mg/kg	0.0060	0.00081	1	05/10/22 06:00	05/10/22 15:38	75-27-4	
Bromoform	<0.0097	mg/kg	0.024	0.0097	1	05/10/22 06:00	05/10/22 15:38	75-25-2	
Bromomethane	<0.0053	mg/kg	0.0060	0.0053	1	05/10/22 06:00	05/10/22 15:38	74-83-9	
Carbon disulfide	0.0039J	mg/kg	0.0060	0.0013	1	05/10/22 06:00	05/10/22 15:38	75-15-0	
Carbon tetrachloride	<0.0038	mg/kg	0.0060	0.0038	1	05/10/22 06:00	05/10/22 15:38	56-23-5	
Chlorobenzene	<0.0011	mg/kg	0.0060	0.0011	1	05/10/22 06:00	05/10/22 15:38	108-90-7	
Chloroethane	<0.0043	mg/kg	0.0060	0.0043	1	05/10/22 06:00	05/10/22 15:38	75-00-3	
Chloroform	<0.0010	mg/kg	0.0060	0.0010	1	05/10/22 06:00	05/10/22 15:38	67-66-3	
Chloromethane	<0.0013	mg/kg	0.0060	0.0013	1	05/10/22 06:00	05/10/22 15:38	74-87-3	
Dibromochloromethane	<0.0012	mg/kg	0.0060	0.0012	1	05/10/22 06:00	05/10/22 15:38	124-48-1	
Ethylbenzene	<0.0011	mg/kg	0.0060	0.0011	1	05/10/22 06:00	05/10/22 15:38	100-41-4	
Methyl-tert-butyl ether	<0.0025	mg/kg	0.0060	0.0025	1	05/10/22 06:00	05/10/22 15:38	1634-04-4	
Methylene Chloride	<0.0047	mg/kg	0.0060	0.0047	1	05/10/22 06:00	05/10/22 15:38	75-09-2	
Styrene	<0.00085	mg/kg	0.0060	0.00085	1	05/10/22 06:00	05/10/22 15:38	100-42-5	
Tetrachloroethene	<0.0011	mg/kg	0.0060	0.0011	1	05/10/22 06:00	05/10/22 15:38	127-18-4	
Toluene	<0.0011	mg/kg	0.0060	0.0011	1	05/10/22 06:00	05/10/22 15:38	108-88-3	
Trichloroethene	<0.00086	mg/kg	0.0060	0.00086	1	05/10/22 06:00	05/10/22 15:38	79-01-6	
Vinyl chloride	<0.0015	mg/kg	0.0060	0.0015	1	05/10/22 06:00	05/10/22 15:38	75-01-4	
Xylene (Total)	<0.0041	mg/kg	0.012	0.0041	1	05/10/22 06:00	05/10/22 15:38	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-50 (1.3-2.3) **Lab ID: 40244446013** Collected: 05/04/22 13:40 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.0011	mg/kg	0.0060	0.0011	1	05/10/22 06:00	05/10/22 15:38	156-59-2	
cis-1,3-Dichloropropene	<0.0012	mg/kg	0.0060	0.0012	1	05/10/22 06:00	05/10/22 15:38	10061-01-5	
trans-1,2-Dichloroethene	<0.00086	mg/kg	0.0060	0.00086	1	05/10/22 06:00	05/10/22 15:38	156-60-5	
trans-1,3-Dichloropropene	<0.0012	mg/kg	0.0060	0.0012	1	05/10/22 06:00	05/10/22 15:38	10061-02-6	
Surrogates									
Toluene-d8 (S)	93	%	69-156		1	05/10/22 06:00	05/10/22 15:38	2037-26-5	
4-Bromofluorobenzene (S)	96	%	61-175		1	05/10/22 06:00	05/10/22 15:38	460-00-4	
1,2-Dichlorobenzene-d4 (S)	113	%	70-130		1	05/10/22 06:00	05/10/22 15:38	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	24.9	%	0.10	0.10	1		05/10/22 16:44		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.0	Std. Units	0.10	0.010	1		05/13/22 12:40		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.32	mg/kg	0.95	0.32	1	05/11/22 09:50	05/11/22 13:55	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-50 (4.5-5.5) **Lab ID: 40244446014** Collected: 05/04/22 13:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0021	0.00052	1	05/06/22 14:04	05/10/22 16:50	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0021	0.00022	1	05/06/22 14:04	05/10/22 16:50	319-84-6	
beta-BHC	<0.00066	mg/kg	0.0021	0.00066	1	05/06/22 14:04	05/10/22 16:50	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0021	0.00039	1	05/06/22 14:04	05/10/22 16:50	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/06/22 14:04	05/10/22 16:50	58-89-9	
Chlordane (Technical)	<0.0071	mg/kg	0.021	0.0071	1	05/06/22 14:04	05/10/22 16:50	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/06/22 14:04	05/10/22 16:50	5103-71-9	
gamma-Chlordane	<0.00080	mg/kg	0.0021	0.00080	1	05/06/22 14:04	05/10/22 16:50	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0043	0.00043	1	05/06/22 14:04	05/10/22 16:50	72-54-8	
4,4'-DDE	<0.00049	mg/kg	0.0043	0.00049	1	05/06/22 14:04	05/10/22 16:50	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/06/22 14:04	05/10/22 16:50	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/06/22 14:04	05/10/22 16:50	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0021	0.00024	1	05/06/22 14:04	05/10/22 16:50	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/06/22 14:04	05/10/22 16:50	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/06/22 14:04	05/10/22 16:50	1031-07-8	
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/06/22 14:04	05/10/22 16:50	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/06/22 14:04	05/10/22 16:50	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/06/22 14:04	05/10/22 16:50	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0021	0.00058	1	05/06/22 14:04	05/10/22 16:50	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0021	0.00022	1	05/06/22 14:04	05/10/22 16:50	1024-57-3	
Methoxychlor	<0.0066	mg/kg	0.021	0.0066	1	05/06/22 14:04	05/10/22 16:50	72-43-5	
Toxaphene	<0.020	mg/kg	0.064	0.020	1	05/06/22 14:04	05/10/22 16:50	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	65	%	53-138		1	05/06/22 14:04	05/10/22 16:50	877-09-8	
Decachlorobiphenyl (S)	48	%	30-150		1	05/06/22 14:04	05/10/22 16:50	2051-24-3	CL
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.064	0.019	1	05/06/22 08:31	05/10/22 05:21	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.064	0.019	1	05/06/22 08:31	05/10/22 05:21	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.064	0.019	1	05/06/22 08:31	05/10/22 05:21	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.064	0.019	1	05/06/22 08:31	05/10/22 05:21	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.064	0.019	1	05/06/22 08:31	05/10/22 05:21	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.064	0.019	1	05/06/22 08:31	05/10/22 05:21	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.064	0.019	1	05/06/22 08:31	05/10/22 05:21	11096-82-5	
PCB, Total	<0.019	mg/kg	0.064	0.019	1	05/06/22 08:31	05/10/22 05:21	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	88	%	50-99		1	05/06/22 08:31	05/10/22 05:21	877-09-8	
Decachlorobiphenyl (S)	89	%	38-95		1	05/06/22 08:31	05/10/22 05:21	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	14000	mg/kg	37.1	7.5	1	05/09/22 17:19	05/14/22 03:23	7429-90-5	
Antimony	0.18J	mg/kg	0.62	0.12	1	05/09/22 17:19	05/14/22 03:23	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-50 (4.5-5.5) **Lab ID: 40244446014** Collected: 05/04/22 13:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	12.6	mg/kg	0.62	0.13	1	05/09/22 17:19	05/14/22 03:23	7440-38-2	
Barium	246	mg/kg	0.37	0.066	1	05/09/22 17:19	05/14/22 03:23	7440-39-3	
Beryllium	0.97	mg/kg	0.25	0.049	1	05/09/22 17:19	05/14/22 03:23	7440-41-7	
Cadmium	0.35	mg/kg	0.099	0.039	1	05/09/22 17:19	05/14/22 03:23	7440-43-9	
Calcium	3260	mg/kg	124	14.6	1	05/09/22 17:19	05/14/22 03:23	7440-70-2	
Chromium	17.4	mg/kg	2.5	0.17	1	05/09/22 17:19	05/14/22 03:23	7440-47-3	
Cobalt	13.8	mg/kg	0.62	0.12	1	05/09/22 17:19	05/14/22 03:23	7440-48-4	
Copper	21.9	mg/kg	1.2	0.30	1	05/09/22 17:19	05/14/22 03:23	7440-50-8	
Iron	22800	mg/kg	61.8	13.0	1	05/09/22 17:19	05/14/22 03:23	7439-89-6	
Lead	23.1	mg/kg	0.62	0.036	1	05/09/22 17:19	05/14/22 03:23	7439-92-1	
Magnesium	3300	mg/kg	37.1	5.3	1	05/09/22 17:19	05/14/22 03:23	7439-95-4	
Manganese	1510	mg/kg	6.2	3.0	10	05/09/22 17:19	05/16/22 18:43	7439-96-5	
Nickel	25.2	mg/kg	0.62	0.25	1	05/09/22 17:19	05/14/22 03:23	7440-02-0	
Potassium	646	mg/kg	124	14.2	1	05/09/22 17:19	05/14/22 03:23	7440-09-7	
Selenium	0.31J	mg/kg	0.62	0.11	1	05/09/22 17:19	05/14/22 03:23	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/09/22 17:19	05/16/22 18:39	7440-22-4	
Sodium	49.5J	mg/kg	61.8	13.7	1	05/09/22 17:19	05/14/22 03:23	7440-23-5	
Thallium	0.18	mg/kg	0.12	0.045	1	05/09/22 17:19	05/14/22 03:23	7440-28-0	
Vanadium	35.4	mg/kg	1.2	0.22	1	05/09/22 17:19	05/14/22 03:23	7440-62-2	
Zinc	51.9	mg/kg	6.2	1.1	1	05/09/22 17:19	05/14/22 03:23	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.049	mg/kg	0.041	0.012	1	05/12/22 09:10	05/13/22 09:42	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/10/22 12:26	05/10/22 19:34	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/10/22 12:26	05/10/22 19:34	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/10/22 12:26	05/10/22 19:34	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/10/22 12:26	05/10/22 19:34	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/10/22 12:26	05/10/22 19:34	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/10/22 12:26	05/10/22 19:34	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 19:34	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/10/22 12:26	05/10/22 19:34	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/10/22 12:26	05/10/22 19:34	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/10/22 12:26	05/10/22 19:34	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/10/22 19:34	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/10/22 12:26	05/10/22 19:34	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.092	0.028	1	05/10/22 12:26	05/10/22 19:34	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/10/22 12:26	05/10/22 19:34	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/10/22 12:26	05/10/22 19:34	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/10/22 12:26	05/10/22 19:34	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/10/22 12:26	05/10/22 19:34	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: **SB-50 (4.5-5.5)** Lab ID: **40244446014** Collected: 05/04/22 13:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/10/22 12:26	05/10/22 19:34	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/10/22 12:26	05/10/22 19:34		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/10/22 12:26	05/10/22 19:34	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 19:34	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/10/22 12:26	05/10/22 19:34	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/10/22 12:26	05/10/22 19:34	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/10/22 12:26	05/10/22 19:34	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 19:34	106-47-8	4q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/10/22 12:26	05/10/22 19:34	7005-72-3	
4-Nitroaniline	<0.089	mg/kg	0.30	0.089	1	05/10/22 12:26	05/10/22 19:34	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/10/22 12:26	05/10/22 19:34	100-02-7	
Acenaphthene	<0.076	mg/kg	0.25	0.076	1	05/10/22 12:26	05/10/22 19:34	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/10/22 12:26	05/10/22 19:34	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 19:34	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 19:34	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/10/22 19:34	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/10/22 19:34	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/10/22 12:26	05/10/22 19:34	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/10/22 12:26	05/10/22 19:34	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 19:34	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 19:34	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/10/22 19:34	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/10/22 19:34	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/10/22 12:26	05/10/22 19:34	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/10/22 12:26	05/10/22 19:34	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/10/22 12:26	05/10/22 19:34	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 19:34	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.093	0.028	1	05/10/22 12:26	05/10/22 19:34	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/10/22 12:26	05/10/22 19:34	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/10/22 12:26	05/10/22 19:34	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/10/22 12:26	05/10/22 19:34	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 19:34	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/10/22 12:26	05/10/22 19:34	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 19:34	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/10/22 12:26	05/10/22 19:34	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 19:34	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 19:34	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.97	0.29	1	05/10/22 12:26	05/10/22 19:34	86-30-6	
Naphthalene	<0.075	mg/kg	0.25	0.075	1	05/10/22 12:26	05/10/22 19:34	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/10/22 12:26	05/10/22 19:34	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/10/22 12:26	05/10/22 19:34	87-86-5	
Phenanthrene	<0.028	mg/kg	0.092	0.028	1	05/10/22 12:26	05/10/22 19:34	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/10/22 12:26	05/10/22 19:34	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/10/22 12:26	05/10/22 19:34	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-50 (4.5-5.5) **Lab ID: 40244446014** Collected: 05/04/22 13:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/10/22 12:26	05/10/22 19:34	111-91-1	
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/10/22 12:26	05/10/22 19:34	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 19:34	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	44	%	10-125		1	05/10/22 12:26	05/10/22 19:34	4165-60-0	
2-Fluorobiphenyl (S)	41	%	12-118		1	05/10/22 12:26	05/10/22 19:34	321-60-8	
Terphenyl-d14 (S)	55	%	10-124		1	05/10/22 12:26	05/10/22 19:34	1718-51-0	
Phenol-d6 (S)	32	%	10-125		1	05/10/22 12:26	05/10/22 19:34	13127-88-3	
2-Fluorophenol (S)	30	%	10-130		1	05/10/22 12:26	05/10/22 19:34	367-12-4	
2,4,6-Tribromophenol (S)	53	%	10-144		1	05/10/22 12:26	05/10/22 19:34	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/10/22 06:00	05/10/22 16:03	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0029	mg/kg	0.0056	0.0029	1	05/10/22 06:00	05/10/22 16:03	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/10/22 06:00	05/10/22 16:03	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0056	0.0012	1	05/10/22 06:00	05/10/22 16:03	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0056	0.0012	1	05/10/22 06:00	05/10/22 16:03	75-35-4	
1,2-Dichloroethane	<0.00093	mg/kg	0.0056	0.00093	1	05/10/22 06:00	05/10/22 16:03	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0056	0.0011	1	05/10/22 06:00	05/10/22 16:03	78-87-5	
2-Butanone (MEK)	<0.018	mg/kg	0.028	0.018	1	05/10/22 06:00	05/10/22 16:03	78-93-3	
2-Hexanone	<0.013	mg/kg	0.028	0.013	1	05/10/22 06:00	05/10/22 16:03	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.028	0.022	1	05/10/22 06:00	05/10/22 16:03	108-10-1	
Acetone	<0.053	mg/kg	0.11	0.053	1	05/10/22 06:00	05/10/22 16:03	67-64-1	
Benzene	<0.00080	mg/kg	0.0056	0.00080	1	05/10/22 06:00	05/10/22 16:03	71-43-2	
Bromodichloromethane	<0.00076	mg/kg	0.0056	0.00076	1	05/10/22 06:00	05/10/22 16:03	75-27-4	
Bromoform	<0.0091	mg/kg	0.022	0.0091	1	05/10/22 06:00	05/10/22 16:03	75-25-2	
Bromomethane	<0.0050	mg/kg	0.0056	0.0050	1	05/10/22 06:00	05/10/22 16:03	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0056	0.0012	1	05/10/22 06:00	05/10/22 16:03	75-15-0	
Carbon tetrachloride	<0.0036	mg/kg	0.0056	0.0036	1	05/10/22 06:00	05/10/22 16:03	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/10/22 06:00	05/10/22 16:03	108-90-7	
Chloroethane	<0.0041	mg/kg	0.0056	0.0041	1	05/10/22 06:00	05/10/22 16:03	75-00-3	
Chloroform	<0.00095	mg/kg	0.0056	0.00095	1	05/10/22 06:00	05/10/22 16:03	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0056	0.0012	1	05/10/22 06:00	05/10/22 16:03	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0056	0.0011	1	05/10/22 06:00	05/10/22 16:03	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/10/22 06:00	05/10/22 16:03	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0056	0.0023	1	05/10/22 06:00	05/10/22 16:03	1634-04-4	
Methylene Chloride	<0.0044	mg/kg	0.0056	0.0044	1	05/10/22 06:00	05/10/22 16:03	75-09-2	
Styrene	<0.00080	mg/kg	0.0056	0.00080	1	05/10/22 06:00	05/10/22 16:03	100-42-5	
Tetrachloroethene	<0.0010	mg/kg	0.0056	0.0010	1	05/10/22 06:00	05/10/22 16:03	127-18-4	
Toluene	<0.00099	mg/kg	0.0056	0.00099	1	05/10/22 06:00	05/10/22 16:03	108-88-3	
Trichloroethene	<0.00080	mg/kg	0.0056	0.00080	1	05/10/22 06:00	05/10/22 16:03	79-01-6	
Vinyl chloride	<0.0015	mg/kg	0.0056	0.0015	1	05/10/22 06:00	05/10/22 16:03	75-01-4	
Xylene (Total)	<0.0038	mg/kg	0.011	0.0038	1	05/10/22 06:00	05/10/22 16:03	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-50 (4.5-5.5) **Lab ID: 40244446014** Collected: 05/04/22 13:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay								
cis-1,2-Dichloroethene	<0.00099	mg/kg	0.0056	0.00099	1	05/10/22 06:00	05/10/22 16:03	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/10/22 06:00	05/10/22 16:03	10061-01-5	
trans-1,2-Dichloroethene	<0.00081	mg/kg	0.0056	0.00081	1	05/10/22 06:00	05/10/22 16:03	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/10/22 06:00	05/10/22 16:03	10061-02-6	
Surrogates									
Toluene-d8 (S)	91	%	69-156		1	05/10/22 06:00	05/10/22 16:03	2037-26-5	
4-Bromofluorobenzene (S)	82	%	61-175		1	05/10/22 06:00	05/10/22 16:03	460-00-4	
1,2-Dichlorobenzene-d4 (S)	94	%	70-130		1	05/10/22 06:00	05/10/22 16:03	2199-69-1	
Percent Moisture	Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay								
Percent Moisture	22.2	%	0.10	0.10	1		05/10/22 16:44		
9040 pH	Analytical Method: EPA 9040 Pace Analytical Services - Green Bay								
pH at 25 Degrees C	8.2	Std. Units	0.10	0.010	1		05/13/22 12:42		1q,H6
9012 Cyanide, Total	Analytical Method: EPA 9012B Preparation Method: EPA 9012B Pace Analytical Services - Green Bay								
Cyanide	<0.35	mg/kg	1.1	0.35	1	05/11/22 09:50	05/11/22 13:56	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-51 (1.2-2.2) **Lab ID: 40244446015** Collected: 05/04/22 14:15 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00057	mg/kg	0.0024	0.00057	1	05/06/22 14:04	05/10/22 17:09	309-00-2	
alpha-BHC	<0.00024	mg/kg	0.0024	0.00024	1	05/06/22 14:04	05/10/22 17:09	319-84-6	
beta-BHC	<0.00073	mg/kg	0.0024	0.00073	1	05/06/22 14:04	05/10/22 17:09	319-85-7	
delta-BHC	<0.00043	mg/kg	0.0024	0.00043	1	05/06/22 14:04	05/10/22 17:09	319-86-8	
gamma-BHC (Lindane)	<0.00023	mg/kg	0.0024	0.00023	1	05/06/22 14:04	05/10/22 17:09	58-89-9	
Chlordane (Technical)	<0.0078	mg/kg	0.024	0.0078	1	05/06/22 14:04	05/10/22 17:09	57-74-9	
alpha-Chlordane	<0.00029	mg/kg	0.0024	0.00029	1	05/06/22 14:04	05/10/22 17:09	5103-71-9	
gamma-Chlordane	<0.00088	mg/kg	0.0024	0.00088	1	05/06/22 14:04	05/10/22 17:09	5103-74-2	
4,4'-DDD	<0.00048	mg/kg	0.0047	0.00048	1	05/06/22 14:04	05/10/22 17:09	72-54-8	
4,4'-DDE	<0.00055	mg/kg	0.0047	0.00055	1	05/06/22 14:04	05/10/22 17:09	72-55-9	
4,4'-DDT	<0.0014	mg/kg	0.0047	0.0014	1	05/06/22 14:04	05/10/22 17:09	50-29-3	
Dieldrin	<0.00045	mg/kg	0.0047	0.00045	1	05/06/22 14:04	05/10/22 17:09	60-57-1	
Endosulfan I	<0.00026	mg/kg	0.0024	0.00026	1	05/06/22 14:04	05/10/22 17:09	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0047	0.0011	1	05/06/22 14:04	05/10/22 17:09	33213-65-9	
Endosulfan sulfate	<0.0011	mg/kg	0.0047	0.0011	1	05/06/22 14:04	05/10/22 17:09	1031-07-8	
Endrin	<0.00053	mg/kg	0.0047	0.00053	1	05/06/22 14:04	05/10/22 17:09	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0047	0.0015	1	05/06/22 14:04	05/10/22 17:09	7421-93-4	
Endrin ketone	<0.0012	mg/kg	0.0047	0.0012	1	05/06/22 14:04	05/10/22 17:09	53494-70-5	
Heptachlor	<0.00064	mg/kg	0.0024	0.00064	1	05/06/22 14:04	05/10/22 17:09	76-44-8	
Heptachlor epoxide	<0.00024	mg/kg	0.0024	0.00024	1	05/06/22 14:04	05/10/22 17:09	1024-57-3	
Methoxychlor	<0.0073	mg/kg	0.024	0.0073	1	05/06/22 14:04	05/10/22 17:09	72-43-5	
Toxaphene	<0.022	mg/kg	0.071	0.022	1	05/06/22 14:04	05/10/22 17:09	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	65	%	53-138		1	05/06/22 14:04	05/10/22 17:09	877-09-8	
Decachlorobiphenyl (S)	48	%	30-150		1	05/06/22 14:04	05/10/22 17:09	2051-24-3	CL
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.022	mg/kg	0.071	0.022	1	05/06/22 08:31	05/10/22 05:43	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.022	mg/kg	0.071	0.022	1	05/06/22 08:31	05/10/22 05:43	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.022	mg/kg	0.071	0.022	1	05/06/22 08:31	05/10/22 05:43	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.022	mg/kg	0.071	0.022	1	05/06/22 08:31	05/10/22 05:43	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.022	mg/kg	0.071	0.022	1	05/06/22 08:31	05/10/22 05:43	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.022	mg/kg	0.071	0.022	1	05/06/22 08:31	05/10/22 05:43	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.022	mg/kg	0.071	0.022	1	05/06/22 08:31	05/10/22 05:43	11096-82-5	
PCB, Total	<0.022	mg/kg	0.071	0.022	1	05/06/22 08:31	05/10/22 05:43	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	81	%	50-99		1	05/06/22 08:31	05/10/22 05:43	877-09-8	
Decachlorobiphenyl (S)	80	%	38-95		1	05/06/22 08:31	05/10/22 05:43	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	12200	mg/kg	41.3	8.3	1	05/09/22 17:19	05/14/22 03:27	7429-90-5	
Antimony	0.14J	mg/kg	0.69	0.13	1	05/09/22 17:19	05/14/22 03:27	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-51 (1.2-2.2) Lab ID: 40244446015 Collected: 05/04/22 14:15 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	5.1	mg/kg	0.69	0.15	1	05/09/22 17:19	05/14/22 03:27	7440-38-2	
Barium	139	mg/kg	0.41	0.074	1	05/09/22 17:19	05/14/22 03:27	7440-39-3	
Beryllium	0.77	mg/kg	0.28	0.055	1	05/09/22 17:19	05/14/22 03:27	7440-41-7	
Cadmium	0.36	mg/kg	0.11	0.043	1	05/09/22 17:19	05/14/22 03:27	7440-43-9	
Calcium	5440	mg/kg	138	16.3	1	05/09/22 17:19	05/14/22 03:27	7440-70-2	
Chromium	15.5	mg/kg	2.8	0.19	1	05/09/22 17:19	05/14/22 03:27	7440-47-3	
Cobalt	5.8	mg/kg	0.69	0.14	1	05/09/22 17:19	05/14/22 03:27	7440-48-4	
Copper	15.4	mg/kg	1.4	0.33	1	05/09/22 17:19	05/14/22 03:27	7440-50-8	
Iron	18800	mg/kg	68.9	14.5	1	05/09/22 17:19	05/14/22 03:27	7439-89-6	
Lead	11.9	mg/kg	0.69	0.041	1	05/09/22 17:19	05/14/22 03:27	7439-92-1	
Magnesium	2320	mg/kg	41.3	5.9	1	05/09/22 17:19	05/14/22 03:27	7439-95-4	
Manganese	606	mg/kg	0.69	0.34	1	05/09/22 17:19	05/14/22 03:27	7439-96-5	
Nickel	14.6	mg/kg	0.69	0.27	1	05/09/22 17:19	05/14/22 03:27	7440-02-0	
Potassium	1290	mg/kg	138	15.8	1	05/09/22 17:19	05/14/22 03:27	7440-09-7	
Selenium	0.70	mg/kg	0.69	0.12	1	05/09/22 17:19	05/14/22 03:27	7782-49-2	
Silver	<0.20	mg/kg	0.69	0.20	1	05/09/22 17:19	05/16/22 18:46	7440-22-4	
Sodium	22.9J	mg/kg	68.9	15.3	1	05/09/22 17:19	05/14/22 03:27	7440-23-5	
Thallium	0.25	mg/kg	0.14	0.050	1	05/09/22 17:19	05/14/22 03:27	7440-28-0	
Vanadium	25.9	mg/kg	1.4	0.24	1	05/09/22 17:19	05/14/22 03:27	7440-62-2	
Zinc	78.3	mg/kg	6.9	1.2	1	05/09/22 17:19	05/14/22 03:27	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.030J	mg/kg	0.047	0.014	1	05/12/22 09:10	05/13/22 09:44	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.11	mg/kg	0.36	0.11	4	05/10/22 12:26	05/11/22 18:37	120-82-1	
1,2-Dichlorobenzene	<0.30	mg/kg	0.99	0.30	4	05/10/22 12:26	05/11/22 18:37	95-50-1	
1,3-Dichlorobenzene	<0.13	mg/kg	0.44	0.13	4	05/10/22 12:26	05/11/22 18:37	541-73-1	
1,4-Dichlorobenzene	<0.13	mg/kg	0.44	0.13	4	05/10/22 12:26	05/11/22 18:37	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.24	mg/kg	0.81	0.24	4	05/10/22 12:26	05/11/22 18:37	108-60-1	
2,4,5-Trichlorophenol	<0.17	mg/kg	0.56	0.17	4	05/10/22 12:26	05/11/22 18:37	95-95-4	
2,4,6-Trichlorophenol	<0.14	mg/kg	0.48	0.14	4	05/10/22 12:26	05/11/22 18:37	88-06-2	
2,4-Dichlorophenol	<0.25	mg/kg	0.84	0.25	4	05/10/22 12:26	05/11/22 18:37	120-83-2	
2,4-Dimethylphenol	<0.19	mg/kg	0.62	0.19	4	05/10/22 12:26	05/11/22 18:37	105-67-9	
2,4-Dinitrophenol	<0.29	mg/kg	0.96	0.29	4	05/10/22 12:26	05/11/22 18:37	51-28-5	
2,4-Dinitrotoluene	<0.14	mg/kg	0.45	0.14	4	05/10/22 12:26	05/11/22 18:37	121-14-2	
2,6-Dinitrotoluene	<0.18	mg/kg	0.60	0.18	4	05/10/22 12:26	05/11/22 18:37	606-20-2	
2-Chloronaphthalene	<0.12	mg/kg	0.41	0.12	4	05/10/22 12:26	05/11/22 18:37	91-58-7	
2-Chlorophenol	<0.24	mg/kg	0.79	0.24	4	05/10/22 12:26	05/11/22 18:37	95-57-8	
2-Methylnaphthalene	<0.25	mg/kg	0.82	0.25	4	05/10/22 12:26	05/11/22 18:37	91-57-6	
2-Methylphenol(o-Cresol)	<0.17	mg/kg	0.57	0.17	4	05/10/22 12:26	05/11/22 18:37	95-48-7	
2-Nitroaniline	<0.27	mg/kg	0.90	0.27	4	05/10/22 12:26	05/11/22 18:37	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-51 (1.2-2.2) **Lab ID: 40244446015** Collected: 05/04/22 14:15 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.30	mg/kg	1.0	0.30	4	05/10/22 12:26	05/11/22 18:37	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.17	mg/kg	0.58	0.17	4	05/10/22 12:26	05/11/22 18:37		
3,3'-Dichlorobenzidine	<0.26	mg/kg	0.86	0.26	4	05/10/22 12:26	05/11/22 18:37	91-94-1	
3-Nitroaniline	<0.16	mg/kg	0.54	0.16	4	05/10/22 12:26	05/11/22 18:37	99-09-2	
4,6-Dinitro-2-methylphenol	<0.29	mg/kg	0.97	0.29	4	05/10/22 12:26	05/11/22 18:37	534-52-1	
4-Bromophenylphenyl ether	<0.20	mg/kg	0.66	0.20	4	05/10/22 12:26	05/11/22 18:37	101-55-3	
4-Chloro-3-methylphenol	<0.29	mg/kg	0.98	0.29	4	05/10/22 12:26	05/11/22 18:37	59-50-7	
4-Chloroaniline	<0.16	mg/kg	0.52	0.16	4	05/10/22 12:26	05/11/22 18:37	106-47-8	4q
4-Chlorophenylphenyl ether	<0.18	mg/kg	0.59	0.18	4	05/10/22 12:26	05/11/22 18:37	7005-72-3	
4-Nitroaniline	<0.39	mg/kg	1.3	0.39	4	05/10/22 12:26	05/11/22 18:37	100-01-6	
4-Nitrophenol	<0.24	mg/kg	0.79	0.24	4	05/10/22 12:26	05/11/22 18:37	100-02-7	CU
Acenaphthene	<0.34	mg/kg	1.1	0.34	4	05/10/22 12:26	05/11/22 18:37	83-32-9	
Acenaphthylene	<0.34	mg/kg	1.1	0.34	4	05/10/22 12:26	05/11/22 18:37	208-96-8	
Anthracene	<0.15	mg/kg	0.50	0.15	4	05/10/22 12:26	05/11/22 18:37	120-12-7	
Benzo(a)anthracene	<0.15	mg/kg	0.49	0.15	4	05/10/22 12:26	05/11/22 18:37	56-55-3	
Benzo(a)pyrene	<0.14	mg/kg	0.47	0.14	4	05/10/22 12:26	05/11/22 18:37	50-32-8	
Benzo(b)fluoranthene	<0.16	mg/kg	0.54	0.16	4	05/10/22 12:26	05/11/22 18:37	205-99-2	
Benzo(g,h,i)perylene	<0.25	mg/kg	0.83	0.25	4	05/10/22 12:26	05/11/22 18:37	191-24-2	
Benzo(k)fluoranthene	<0.23	mg/kg	0.76	0.23	4	05/10/22 12:26	05/11/22 18:37	207-08-9	
Butylbenzylphthalate	<0.15	mg/kg	0.51	0.15	4	05/10/22 12:26	05/11/22 18:37	85-68-7	
Carbazole	<0.15	mg/kg	0.49	0.15	4	05/10/22 12:26	05/11/22 18:37	86-74-8	
Chrysene	<0.14	mg/kg	0.47	0.14	4	05/10/22 12:26	05/11/22 18:37	218-01-9	
Di-n-butylphthalate	<0.14	mg/kg	0.47	0.14	4	05/10/22 12:26	05/11/22 18:37	84-74-2	
Di-n-octylphthalate	<0.21	mg/kg	0.71	0.21	4	05/10/22 12:26	05/11/22 18:37	117-84-0	
Dibenz(a,h)anthracene	<0.26	mg/kg	0.86	0.26	4	05/10/22 12:26	05/11/22 18:37	53-70-3	
Dibenzofuran	<0.11	mg/kg	0.38	0.11	4	05/10/22 12:26	05/11/22 18:37	132-64-9	
Diethylphthalate	<0.16	mg/kg	0.52	0.16	4	05/10/22 12:26	05/11/22 18:37	84-66-2	
Dimethylphthalate	<0.12	mg/kg	0.41	0.12	4	05/10/22 12:26	05/11/22 18:37	131-11-3	
Fluoranthene	<0.13	mg/kg	0.45	0.13	4	05/10/22 12:26	05/11/22 18:37	206-44-0	
Fluorene	<0.11	mg/kg	0.37	0.11	4	05/10/22 12:26	05/11/22 18:37	86-73-7	
Hexachloro-1,3-butadiene	<0.24	mg/kg	0.80	0.24	4	05/10/22 12:26	05/11/22 18:37	87-68-3	
Hexachlorobenzene	<0.16	mg/kg	0.53	0.16	4	05/10/22 12:26	05/11/22 18:37	118-74-1	
Hexachlorocyclopentadiene	<0.22	mg/kg	0.75	0.22	4	05/10/22 12:26	05/11/22 18:37	77-47-4	
Hexachloroethane	<0.15	mg/kg	0.51	0.15	4	05/10/22 12:26	05/11/22 18:37	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.20	mg/kg	0.68	0.20	4	05/10/22 12:26	05/11/22 18:37	193-39-5	
Isophorone	<0.15	mg/kg	0.49	0.15	4	05/10/22 12:26	05/11/22 18:37	78-59-1	
N-Nitroso-di-n-propylamine	<0.15	mg/kg	0.50	0.15	4	05/10/22 12:26	05/11/22 18:37	621-64-7	
N-Nitrosodiphenylamine	<1.3	mg/kg	4.3	1.3	4	05/10/22 12:26	05/11/22 18:37	86-30-6	
Naphthalene	<0.33	mg/kg	1.1	0.33	4	05/10/22 12:26	05/11/22 18:37	91-20-3	
Nitrobenzene	<0.19	mg/kg	0.64	0.19	4	05/10/22 12:26	05/11/22 18:37	98-95-3	
Pentachlorophenol	<0.21	mg/kg	0.70	0.21	4	05/10/22 12:26	05/11/22 18:37	87-86-5	
Phenanthrene	<0.12	mg/kg	0.40	0.12	4	05/10/22 12:26	05/11/22 18:37	85-01-8	
Phenol	<0.22	mg/kg	0.75	0.22	4	05/10/22 12:26	05/11/22 18:37	108-95-2	D3
Pyrene	<0.21	mg/kg	0.70	0.21	4	05/10/22 12:26	05/11/22 18:37	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-51 (1.2-2.2) **Lab ID: 40244446015** Collected: 05/04/22 14:15 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.26	mg/kg	0.85	0.26	4	05/10/22 12:26	05/11/22 18:37	111-91-1	
bis(2-Chloroethyl) ether	<0.30	mg/kg	0.99	0.30	4	05/10/22 12:26	05/11/22 18:37	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.16	mg/kg	0.52	0.16	4	05/10/22 12:26	05/11/22 18:37	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	55	%	10-125		4	05/10/22 12:26	05/11/22 18:37	4165-60-0	
2-Fluorobiphenyl (S)	42	%	12-118		4	05/10/22 12:26	05/11/22 18:37	321-60-8	
Terphenyl-d14 (S)	51	%	10-124		4	05/10/22 12:26	05/11/22 18:37	1718-51-0	
Phenol-d6 (S)	43	%	10-125		4	05/10/22 12:26	05/11/22 18:37	13127-88-3	
2-Fluorophenol (S)	39	%	10-130		4	05/10/22 12:26	05/11/22 18:37	367-12-4	
2,4,6-Tribromophenol (S)	50	%	10-144		4	05/10/22 12:26	05/11/22 18:37	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0057	0.0017	1	05/10/22 06:00	05/10/22 16:28	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0029	mg/kg	0.0057	0.0029	1	05/10/22 06:00	05/10/22 16:28	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0057	0.0017	1	05/10/22 06:00	05/10/22 16:28	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0057	0.0012	1	05/10/22 06:00	05/10/22 16:28	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0057	0.0012	1	05/10/22 06:00	05/10/22 16:28	75-35-4	
1,2-Dichloroethane	<0.00094	mg/kg	0.0057	0.00094	1	05/10/22 06:00	05/10/22 16:28	107-06-2	
1,2-Dichloropropane	<0.0012	mg/kg	0.0057	0.0012	1	05/10/22 06:00	05/10/22 16:28	78-87-5	
2-Butanone (MEK)	0.018J	mg/kg	0.029	0.018	1	05/10/22 06:00	05/10/22 16:28	78-93-3	
2-Hexanone	<0.013	mg/kg	0.029	0.013	1	05/10/22 06:00	05/10/22 16:28	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.023	mg/kg	0.029	0.023	1	05/10/22 06:00	05/10/22 16:28	108-10-1	
Acetone	<0.054	mg/kg	0.11	0.054	1	05/10/22 06:00	05/10/22 16:28	67-64-1	
Benzene	<0.00081	mg/kg	0.0057	0.00081	1	05/10/22 06:00	05/10/22 16:28	71-43-2	
Bromodichloromethane	<0.00078	mg/kg	0.0057	0.00078	1	05/10/22 06:00	05/10/22 16:28	75-27-4	
Bromoform	<0.0093	mg/kg	0.023	0.0093	1	05/10/22 06:00	05/10/22 16:28	75-25-2	
Bromomethane	<0.0051	mg/kg	0.0057	0.0051	1	05/10/22 06:00	05/10/22 16:28	74-83-9	
Carbon disulfide	<0.0013	mg/kg	0.0057	0.0013	1	05/10/22 06:00	05/10/22 16:28	75-15-0	
Carbon tetrachloride	<0.0036	mg/kg	0.0057	0.0036	1	05/10/22 06:00	05/10/22 16:28	56-23-5	
Chlorobenzene	<0.0011	mg/kg	0.0057	0.0011	1	05/10/22 06:00	05/10/22 16:28	108-90-7	
Chloroethane	<0.0042	mg/kg	0.0057	0.0042	1	05/10/22 06:00	05/10/22 16:28	75-00-3	
Chloroform	<0.00097	mg/kg	0.0057	0.00097	1	05/10/22 06:00	05/10/22 16:28	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0057	0.0012	1	05/10/22 06:00	05/10/22 16:28	74-87-3	
Dibromochloromethane	<0.0012	mg/kg	0.0057	0.0012	1	05/10/22 06:00	05/10/22 16:28	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0057	0.0010	1	05/10/22 06:00	05/10/22 16:28	100-41-4	
Methyl-tert-butyl ether	<0.0024	mg/kg	0.0057	0.0024	1	05/10/22 06:00	05/10/22 16:28	1634-04-4	
Methylene Chloride	<0.0045	mg/kg	0.0057	0.0045	1	05/10/22 06:00	05/10/22 16:28	75-09-2	
Styrene	<0.00081	mg/kg	0.0057	0.00081	1	05/10/22 06:00	05/10/22 16:28	100-42-5	
Tetrachloroethene	<0.0010	mg/kg	0.0057	0.0010	1	05/10/22 06:00	05/10/22 16:28	127-18-4	
Toluene	<0.0010	mg/kg	0.0057	0.0010	1	05/10/22 06:00	05/10/22 16:28	108-88-3	
Trichloroethene	<0.00082	mg/kg	0.0057	0.00082	1	05/10/22 06:00	05/10/22 16:28	79-01-6	
Vinyl chloride	<0.0015	mg/kg	0.0057	0.0015	1	05/10/22 06:00	05/10/22 16:28	75-01-4	
Xylene (Total)	<0.0039	mg/kg	0.011	0.0039	1	05/10/22 06:00	05/10/22 16:28	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-51 (1.2-2.2) **Lab ID: 40244446015** Collected: 05/04/22 14:15 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay								
cis-1,2-Dichloroethene	<0.0010	mg/kg	0.0057	0.0010	1	05/10/22 06:00	05/10/22 16:28	156-59-2	
cis-1,3-Dichloropropene	<0.0012	mg/kg	0.0057	0.0012	1	05/10/22 06:00	05/10/22 16:28	10061-01-5	
trans-1,2-Dichloroethene	<0.00082	mg/kg	0.0057	0.00082	1	05/10/22 06:00	05/10/22 16:28	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0057	0.0011	1	05/10/22 06:00	05/10/22 16:28	10061-02-6	
Surrogates									
Toluene-d8 (S)	99	%	69-156		1	05/10/22 06:00	05/10/22 16:28	2037-26-5	
4-Bromofluorobenzene (S)	84	%	61-175		1	05/10/22 06:00	05/10/22 16:28	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1	05/10/22 06:00	05/10/22 16:28	2199-69-1	
Percent Moisture	Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay								
Percent Moisture	29.5	%	0.10	0.10	1		05/10/22 16:45		
9040 pH	Analytical Method: EPA 9040 Pace Analytical Services - Green Bay								
pH at 25 Degrees C	8.0	Std. Units	0.10	0.010	1		05/13/22 12:45		1q,H6
9012 Cyanide, Total	Analytical Method: EPA 9012B Preparation Method: EPA 9012B Pace Analytical Services - Green Bay								
Cyanide	<0.40	mg/kg	1.2	0.40	1	05/11/22 09:50	05/11/22 13:56	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-51 (4.4-5.4) **Lab ID: 40244446016** Collected: 05/04/22 14:20 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0022	0.00052	1	05/06/22 14:04	05/10/22 17:28	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 17:28	319-84-6	
beta-BHC	<0.00067	mg/kg	0.0022	0.00067	1	05/06/22 14:04	05/10/22 17:28	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0022	0.00039	1	05/06/22 14:04	05/10/22 17:28	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/06/22 14:04	05/10/22 17:28	58-89-9	
Chlordane (Technical)	<0.0071	mg/kg	0.022	0.0071	1	05/06/22 14:04	05/10/22 17:28	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/06/22 14:04	05/10/22 17:28	5103-71-9	
gamma-Chlordane	<0.00080	mg/kg	0.0022	0.00080	1	05/06/22 14:04	05/10/22 17:28	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0043	0.00044	1	05/06/22 14:04	05/10/22 17:28	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/06/22 14:04	05/10/22 17:28	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/06/22 14:04	05/10/22 17:28	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/06/22 14:04	05/10/22 17:28	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/06/22 14:04	05/10/22 17:28	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/06/22 14:04	05/10/22 17:28	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/06/22 14:04	05/10/22 17:28	1031-07-8	
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/06/22 14:04	05/10/22 17:28	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/06/22 14:04	05/10/22 17:28	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/06/22 14:04	05/10/22 17:28	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0022	0.00058	1	05/06/22 14:04	05/10/22 17:28	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 17:28	1024-57-3	
Methoxychlor	<0.0066	mg/kg	0.022	0.0066	1	05/06/22 14:04	05/10/22 17:28	72-43-5	
Toxaphene	<0.020	mg/kg	0.065	0.020	1	05/06/22 14:04	05/10/22 17:28	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	63	%	53-138		1	05/06/22 14:04	05/10/22 17:28	877-09-8	
Decachlorobiphenyl (S)	47	%	30-150		1	05/06/22 14:04	05/10/22 17:28	2051-24-3	CL
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 06:04	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 06:04	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 06:04	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 06:04	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 06:04	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 06:04	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 06:04	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 06:04	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	88	%	50-99		1	05/06/22 08:31	05/10/22 06:04	877-09-8	
Decachlorobiphenyl (S)	87	%	38-95		1	05/06/22 08:31	05/10/22 06:04	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	14000	mg/kg	35.6	7.2	1	05/09/22 17:19	05/14/22 03:31	7429-90-5	
Antimony	<0.11	mg/kg	0.59	0.11	1	05/09/22 17:19	05/14/22 03:31	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-51 (4.4-5.4) **Lab ID: 40244446016** Collected: 05/04/22 14:20 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	7.2	mg/kg	0.59	0.13	1	05/09/22 17:19	05/14/22 03:31	7440-38-2	
Barium	172	mg/kg	0.36	0.063	1	05/09/22 17:19	05/14/22 03:31	7440-39-3	
Beryllium	0.75	mg/kg	0.24	0.047	1	05/09/22 17:19	05/14/22 03:31	7440-41-7	
Cadmium	0.17	mg/kg	0.095	0.037	1	05/09/22 17:19	05/14/22 03:31	7440-43-9	
Calcium	4630	mg/kg	119	14.0	1	05/09/22 17:19	05/14/22 03:31	7440-70-2	
Chromium	18.9	mg/kg	2.4	0.17	1	05/09/22 17:19	05/14/22 03:31	7440-47-3	
Cobalt	4.9	mg/kg	0.59	0.12	1	05/09/22 17:19	05/14/22 03:31	7440-48-4	
Copper	16.4	mg/kg	1.2	0.29	1	05/09/22 17:19	05/14/22 03:31	7440-50-8	
Iron	20900	mg/kg	59.3	12.5	1	05/09/22 17:19	05/14/22 03:31	7439-89-6	
Lead	9.4	mg/kg	0.59	0.035	1	05/09/22 17:19	05/14/22 03:31	7439-92-1	
Magnesium	3490	mg/kg	35.6	5.1	1	05/09/22 17:19	05/14/22 03:31	7439-95-4	
Manganese	364	mg/kg	0.59	0.29	1	05/09/22 17:19	05/14/22 03:31	7439-96-5	
Nickel	16.6	mg/kg	0.59	0.24	1	05/09/22 17:19	05/14/22 03:31	7440-02-0	
Potassium	755	mg/kg	119	13.6	1	05/09/22 17:19	05/14/22 03:31	7440-09-7	
Selenium	0.22J	mg/kg	0.59	0.10	1	05/09/22 17:19	05/14/22 03:31	7782-49-2	
Silver	<0.17	mg/kg	0.59	0.17	1	05/09/22 17:19	05/16/22 18:50	7440-22-4	
Sodium	32.3J	mg/kg	59.3	13.2	1	05/09/22 17:19	05/14/22 03:31	7440-23-5	
Thallium	0.13	mg/kg	0.12	0.043	1	05/09/22 17:19	05/14/22 03:31	7440-28-0	
Vanadium	28.1	mg/kg	1.2	0.21	1	05/09/22 17:19	05/14/22 03:31	7440-62-2	
Zinc	57.7	mg/kg	5.9	1.1	1	05/09/22 17:19	05/14/22 03:31	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.051	mg/kg	0.042	0.012	1	05/12/22 09:25	05/13/22 10:51	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/10/22 12:26	05/10/22 13:29	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/10/22 12:26	05/10/22 13:29	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/10/22 12:26	05/10/22 13:29	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/10/22 12:26	05/10/22 13:29	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/10/22 12:26	05/10/22 13:29	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/10/22 12:26	05/10/22 13:29	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 13:29	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/10/22 12:26	05/10/22 13:29	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/10/22 12:26	05/10/22 13:29	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/10/22 12:26	05/10/22 13:29	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/10/22 13:29	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/10/22 12:26	05/10/22 13:29	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/10/22 12:26	05/10/22 13:29	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/10/22 12:26	05/10/22 13:29	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/10/22 12:26	05/10/22 13:29	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/10/22 12:26	05/10/22 13:29	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/10/22 12:26	05/10/22 13:29	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-51 (4.4-5.4) **Lab ID: 40244446016** Collected: 05/04/22 14:20 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/10/22 12:26	05/10/22 13:29	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/10/22 12:26	05/10/22 13:29		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/10/22 12:26	05/10/22 13:29	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/10/22 13:29	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/10/22 12:26	05/10/22 13:29	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/10/22 12:26	05/10/22 13:29	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/10/22 12:26	05/10/22 13:29	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 13:29	106-47-8	4q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/10/22 12:26	05/10/22 13:29	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/10/22 12:26	05/10/22 13:29	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/10/22 12:26	05/10/22 13:29	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/10/22 12:26	05/10/22 13:29	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/10/22 12:26	05/10/22 13:29	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 13:29	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 13:29	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 13:29	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/10/22 13:29	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/10/22 12:26	05/10/22 13:29	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/10/22 12:26	05/10/22 13:29	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 13:29	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 13:29	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/10/22 13:29	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/10/22 13:29	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/10/22 12:26	05/10/22 13:29	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/10/22 12:26	05/10/22 13:29	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/10/22 12:26	05/10/22 13:29	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 13:29	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/10/22 12:26	05/10/22 13:29	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/10/22 13:29	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/10/22 12:26	05/10/22 13:29	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/10/22 12:26	05/10/22 13:29	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 13:29	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/10/22 12:26	05/10/22 13:29	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 13:29	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/10/22 12:26	05/10/22 13:29	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 13:29	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 13:29	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/10/22 12:26	05/10/22 13:29	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/10/22 12:26	05/10/22 13:29	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/10/22 12:26	05/10/22 13:29	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/10/22 12:26	05/10/22 13:29	87-86-5	
Phenanthrene	<0.028	mg/kg	0.092	0.028	1	05/10/22 12:26	05/10/22 13:29	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/10/22 12:26	05/10/22 13:29	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/10/22 12:26	05/10/22 13:29	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-51 (4.4-5.4) **Lab ID: 40244446016** Collected: 05/04/22 14:20 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/10/22 12:26	05/10/22 13:29	111-91-1	
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/10/22 12:26	05/10/22 13:29	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 13:29	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	76	%	10-125		1	05/10/22 12:26	05/10/22 13:29	4165-60-0	
2-Fluorobiphenyl (S)	62	%	12-118		1	05/10/22 12:26	05/10/22 13:29	321-60-8	
Terphenyl-d14 (S)	59	%	10-124		1	05/10/22 12:26	05/10/22 13:29	1718-51-0	
Phenol-d6 (S)	65	%	10-125		1	05/10/22 12:26	05/10/22 13:29	13127-88-3	
2-Fluorophenol (S)	68	%	10-130		1	05/10/22 12:26	05/10/22 13:29	367-12-4	
2,4,6-Tribromophenol (S)	57	%	10-144		1	05/10/22 12:26	05/10/22 13:29	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/10/22 06:00	05/10/22 16:53	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0051	0.0026	1	05/10/22 06:00	05/10/22 16:53	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/10/22 06:00	05/10/22 16:53	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0051	0.0011	1	05/10/22 06:00	05/10/22 16:53	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0051	0.0011	1	05/10/22 06:00	05/10/22 16:53	75-35-4	
1,2-Dichloroethane	<0.00083	mg/kg	0.0051	0.00083	1	05/10/22 06:00	05/10/22 16:53	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0051	0.0010	1	05/10/22 06:00	05/10/22 16:53	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/10/22 06:00	05/10/22 16:53	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/10/22 06:00	05/10/22 16:53	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/10/22 06:00	05/10/22 16:53	108-10-1	
Acetone	<0.048	mg/kg	0.10	0.048	1	05/10/22 06:00	05/10/22 16:53	67-64-1	
Benzene	<0.00072	mg/kg	0.0051	0.00072	1	05/10/22 06:00	05/10/22 16:53	71-43-2	
Bromodichloromethane	<0.00069	mg/kg	0.0051	0.00069	1	05/10/22 06:00	05/10/22 16:53	75-27-4	
Bromoform	<0.0082	mg/kg	0.020	0.0082	1	05/10/22 06:00	05/10/22 16:53	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0051	0.0045	1	05/10/22 06:00	05/10/22 16:53	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0051	0.0011	1	05/10/22 06:00	05/10/22 16:53	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0051	0.0032	1	05/10/22 06:00	05/10/22 16:53	56-23-5	
Chlorobenzene	<0.00093	mg/kg	0.0051	0.00093	1	05/10/22 06:00	05/10/22 16:53	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0051	0.0037	1	05/10/22 06:00	05/10/22 16:53	75-00-3	
Chloroform	<0.00085	mg/kg	0.0051	0.00085	1	05/10/22 06:00	05/10/22 16:53	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0051	0.0011	1	05/10/22 06:00	05/10/22 16:53	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0051	0.0010	1	05/10/22 06:00	05/10/22 16:53	124-48-1	
Ethylbenzene	<0.00090	mg/kg	0.0051	0.00090	1	05/10/22 06:00	05/10/22 16:53	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0051	0.0021	1	05/10/22 06:00	05/10/22 16:53	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0051	0.0040	1	05/10/22 06:00	05/10/22 16:53	75-09-2	
Styrene	<0.00072	mg/kg	0.0051	0.00072	1	05/10/22 06:00	05/10/22 16:53	100-42-5	
Tetrachloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/10/22 06:00	05/10/22 16:53	127-18-4	
Toluene	<0.00089	mg/kg	0.0051	0.00089	1	05/10/22 06:00	05/10/22 16:53	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0051	0.00072	1	05/10/22 06:00	05/10/22 16:53	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0051	0.0013	1	05/10/22 06:00	05/10/22 16:53	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/10/22 06:00	05/10/22 16:53	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-51 (4.4-5.4) **Lab ID: 40244446016** Collected: 05/04/22 14:20 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00089	mg/kg	0.0051	0.00089	1	05/10/22 06:00	05/10/22 16:53	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/10/22 06:00	05/10/22 16:53	10061-01-5	
trans-1,2-Dichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/10/22 06:00	05/10/22 16:53	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/10/22 06:00	05/10/22 16:53	10061-02-6	
Surrogates									
Toluene-d8 (S)	95	%	69-156		1	05/10/22 06:00	05/10/22 16:53	2037-26-5	
4-Bromofluorobenzene (S)	81	%	61-175		1	05/10/22 06:00	05/10/22 16:53	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1	05/10/22 06:00	05/10/22 16:53	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.7	%	0.10	0.10	1		05/10/22 16:45		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/13/22 12:47		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.33	mg/kg	1.0	0.33	1	05/11/22 09:50	05/11/22 13:57	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-52 (1.4-2.4) **Lab ID: 40244446017** Collected: 05/04/22 15:05 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00054	mg/kg	0.0022	0.00054	1	05/06/22 14:04	05/10/22 17:47	309-00-2	
alpha-BHC	<0.00023	mg/kg	0.0022	0.00023	1	05/06/22 14:04	05/10/22 17:47	319-84-6	
beta-BHC	<0.00069	mg/kg	0.0022	0.00069	1	05/06/22 14:04	05/10/22 17:47	319-85-7	
delta-BHC	<0.00041	mg/kg	0.0022	0.00041	1	05/06/22 14:04	05/10/22 17:47	319-86-8	
gamma-BHC (Lindane)	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 17:47	58-89-9	
Chlordane (Technical)	<0.0074	mg/kg	0.022	0.0074	1	05/06/22 14:04	05/10/22 17:47	57-74-9	
alpha-Chlordane	<0.00028	mg/kg	0.0022	0.00028	1	05/06/22 14:04	05/10/22 17:47	5103-71-9	
gamma-Chlordane	<0.00084	mg/kg	0.0022	0.00084	1	05/06/22 14:04	05/10/22 17:47	5103-74-2	
4,4'-DDD	<0.00045	mg/kg	0.0045	0.00045	1	05/06/22 14:04	05/10/22 17:47	72-54-8	
4,4'-DDE	<0.00052	mg/kg	0.0045	0.00052	1	05/06/22 14:04	05/10/22 17:47	72-55-9	
4,4'-DDT	<0.0014	mg/kg	0.0045	0.0014	1	05/06/22 14:04	05/10/22 17:47	50-29-3	
Dieldrin	<0.00043	mg/kg	0.0045	0.00043	1	05/06/22 14:04	05/10/22 17:47	60-57-1	
Endosulfan I	<0.00025	mg/kg	0.0022	0.00025	1	05/06/22 14:04	05/10/22 17:47	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0045	0.0011	1	05/06/22 14:04	05/10/22 17:47	33213-65-9	
Endosulfan sulfate	<0.0011	mg/kg	0.0045	0.0011	1	05/06/22 14:04	05/10/22 17:47	1031-07-8	
Endrin	<0.00050	mg/kg	0.0045	0.00050	1	05/06/22 14:04	05/10/22 17:47	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0045	0.0014	1	05/06/22 14:04	05/10/22 17:47	7421-93-4	
Endrin ketone	<0.0012	mg/kg	0.0045	0.0012	1	05/06/22 14:04	05/10/22 17:47	53494-70-5	
Heptachlor	<0.00061	mg/kg	0.0022	0.00061	1	05/06/22 14:04	05/10/22 17:47	76-44-8	
Heptachlor epoxide	<0.00023	mg/kg	0.0022	0.00023	1	05/06/22 14:04	05/10/22 17:47	1024-57-3	
Methoxychlor	<0.0069	mg/kg	0.022	0.0069	1	05/06/22 14:04	05/10/22 17:47	72-43-5	
Toxaphene	<0.021	mg/kg	0.067	0.021	1	05/06/22 14:04	05/10/22 17:47	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	70	%	53-138		1	05/06/22 14:04	05/10/22 17:47	877-09-8	
Decachlorobiphenyl (S)	49	%	30-150		1	05/06/22 14:04	05/10/22 17:47	2051-24-3	CL
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.021	mg/kg	0.068	0.021	1	05/06/22 08:31	05/10/22 06:26	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.021	mg/kg	0.068	0.021	1	05/06/22 08:31	05/10/22 06:26	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.021	mg/kg	0.068	0.021	1	05/06/22 08:31	05/10/22 06:26	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.021	mg/kg	0.068	0.021	1	05/06/22 08:31	05/10/22 06:26	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.021	mg/kg	0.068	0.021	1	05/06/22 08:31	05/10/22 06:26	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.021	mg/kg	0.068	0.021	1	05/06/22 08:31	05/10/22 06:26	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.021	mg/kg	0.068	0.021	1	05/06/22 08:31	05/10/22 06:26	11096-82-5	
PCB, Total	<0.021	mg/kg	0.068	0.021	1	05/06/22 08:31	05/10/22 06:26	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	78	%	50-99		1	05/06/22 08:31	05/10/22 06:26	877-09-8	
Decachlorobiphenyl (S)	80	%	38-95		1	05/06/22 08:31	05/10/22 06:26	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	11900	mg/kg	38.3	7.7	1	05/09/22 17:19	05/14/22 03:34	7429-90-5	
Antimony	<0.12	mg/kg	0.64	0.12	1	05/09/22 17:19	05/14/22 03:34	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: **SB-52 (1.4-2.4)** Lab ID: **40244446017** Collected: 05/04/22 15:05 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	3.6	mg/kg	0.64	0.14	1	05/09/22 17:19	05/14/22 03:34	7440-38-2	
Barium	166	mg/kg	0.38	0.068	1	05/09/22 17:19	05/14/22 03:34	7440-39-3	
Beryllium	0.81	mg/kg	0.26	0.051	1	05/09/22 17:19	05/14/22 03:34	7440-41-7	
Cadmium	0.21	mg/kg	0.10	0.040	1	05/09/22 17:19	05/14/22 03:34	7440-43-9	
Calcium	5960	mg/kg	128	15.0	1	05/09/22 17:19	05/14/22 03:34	7440-70-2	
Chromium	15.4	mg/kg	2.6	0.18	1	05/09/22 17:19	05/14/22 03:34	7440-47-3	
Cobalt	3.6	mg/kg	0.64	0.13	1	05/09/22 17:19	05/14/22 03:34	7440-48-4	
Copper	18.0	mg/kg	1.3	0.31	1	05/09/22 17:19	05/14/22 03:34	7440-50-8	
Iron	13800	mg/kg	63.8	13.4	1	05/09/22 17:19	05/14/22 03:34	7439-89-6	
Lead	13.5	mg/kg	0.64	0.037	1	05/09/22 17:19	05/14/22 03:34	7439-92-1	
Magnesium	2180	mg/kg	38.3	5.5	1	05/09/22 17:19	05/14/22 03:34	7439-95-4	
Manganese	134	mg/kg	0.64	0.31	1	05/09/22 17:19	05/14/22 03:34	7439-96-5	
Nickel	10.9	mg/kg	0.64	0.25	1	05/09/22 17:19	05/14/22 03:34	7440-02-0	
Potassium	1500	mg/kg	128	14.7	1	05/09/22 17:19	05/14/22 03:34	7440-09-7	
Selenium	0.89	mg/kg	0.64	0.11	1	05/09/22 17:19	05/14/22 03:34	7782-49-2	
Silver	<0.18	mg/kg	0.64	0.18	1	05/09/22 17:19	05/16/22 18:54	7440-22-4	
Sodium	38.4J	mg/kg	63.8	14.2	1	05/09/22 17:19	05/14/22 03:34	7440-23-5	
Thallium	0.18	mg/kg	0.13	0.047	1	05/09/22 17:19	05/14/22 03:34	7440-28-0	
Vanadium	24.9	mg/kg	1.3	0.22	1	05/09/22 17:19	05/14/22 03:34	7440-62-2	
Zinc	60.7	mg/kg	6.4	1.1	1	05/09/22 17:19	05/14/22 03:34	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.035J	mg/kg	0.043	0.012	1	05/12/22 09:25	05/13/22 10:54	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.026	mg/kg	0.085	0.026	1	05/10/22 12:26	05/11/22 17:33	120-82-1	
1,2-Dichlorobenzene	<0.071	mg/kg	0.24	0.071	1	05/10/22 12:26	05/11/22 17:33	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/11/22 17:33	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/11/22 17:33	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.058	mg/kg	0.19	0.058	1	05/10/22 12:26	05/11/22 17:33	108-60-1	
2,4,5-Trichlorophenol	<0.040	mg/kg	0.13	0.040	1	05/10/22 12:26	05/11/22 17:33	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/11/22 17:33	88-06-2	
2,4-Dichlorophenol	<0.060	mg/kg	0.20	0.060	1	05/10/22 12:26	05/11/22 17:33	120-83-2	
2,4-Dimethylphenol	<0.045	mg/kg	0.15	0.045	1	05/10/22 12:26	05/11/22 17:33	105-67-9	
2,4-Dinitrophenol	<0.069	mg/kg	0.23	0.069	1	05/10/22 12:26	05/11/22 17:33	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/11/22 17:33	121-14-2	
2,6-Dinitrotoluene	<0.043	mg/kg	0.14	0.043	1	05/10/22 12:26	05/11/22 17:33	606-20-2	
2-Chloronaphthalene	<0.029	mg/kg	0.097	0.029	1	05/10/22 12:26	05/11/22 17:33	91-58-7	
2-Chlorophenol	<0.056	mg/kg	0.19	0.056	1	05/10/22 12:26	05/11/22 17:33	95-57-8	
2-Methylnaphthalene	<0.059	mg/kg	0.20	0.059	1	05/10/22 12:26	05/11/22 17:33	91-57-6	
2-Methylphenol(o-Cresol)	<0.041	mg/kg	0.14	0.041	1	05/10/22 12:26	05/11/22 17:33	95-48-7	
2-Nitroaniline	<0.064	mg/kg	0.21	0.064	1	05/10/22 12:26	05/11/22 17:33	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: **SB-52 (1.4-2.4)** Lab ID: **40244446017** Collected: 05/04/22 15:05 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.071	mg/kg	0.24	0.071	1	05/10/22 12:26	05/11/22 17:33	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.041	mg/kg	0.14	0.041	1	05/10/22 12:26	05/11/22 17:33		
3,3'-Dichlorobenzidine	<0.061	mg/kg	0.20	0.061	1	05/10/22 12:26	05/11/22 17:33	91-94-1	
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/10/22 12:26	05/11/22 17:33	99-09-2	
4,6-Dinitro-2-methylphenol	<0.070	mg/kg	0.23	0.070	1	05/10/22 12:26	05/11/22 17:33	534-52-1	
4-Bromophenylphenyl ether	<0.047	mg/kg	0.16	0.047	1	05/10/22 12:26	05/11/22 17:33	101-55-3	
4-Chloro-3-methylphenol	<0.070	mg/kg	0.23	0.070	1	05/10/22 12:26	05/11/22 17:33	59-50-7	
4-Chloroaniline	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/11/22 17:33	106-47-8	4q
4-Chlorophenylphenyl ether	<0.042	mg/kg	0.14	0.042	1	05/10/22 12:26	05/11/22 17:33	7005-72-3	
4-Nitroaniline	<0.094	mg/kg	0.31	0.094	1	05/10/22 12:26	05/11/22 17:33	100-01-6	
4-Nitrophenol	<0.057	mg/kg	0.19	0.057	1	05/10/22 12:26	05/11/22 17:33	100-02-7	CU
Acenaphthene	<0.080	mg/kg	0.27	0.080	1	05/10/22 12:26	05/11/22 17:33	83-32-9	
Acenaphthylene	<0.081	mg/kg	0.27	0.081	1	05/10/22 12:26	05/11/22 17:33	208-96-8	
Anthracene	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/11/22 17:33	120-12-7	
Benzo(a)anthracene	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/11/22 17:33	56-55-3	
Benzo(a)pyrene	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/11/22 17:33	50-32-8	
Benzo(b)fluoranthene	<0.039	mg/kg	0.13	0.039	1	05/10/22 12:26	05/11/22 17:33	205-99-2	
Benzo(g,h,i)perylene	<0.059	mg/kg	0.20	0.059	1	05/10/22 12:26	05/11/22 17:33	191-24-2	
Benzo(k)fluoranthene	<0.054	mg/kg	0.18	0.054	1	05/10/22 12:26	05/11/22 17:33	207-08-9	
Butylbenzylphthalate	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/11/22 17:33	85-68-7	
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/11/22 17:33	86-74-8	
Chrysene	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/11/22 17:33	218-01-9	
Di-n-butylphthalate	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/11/22 17:33	84-74-2	
Di-n-octylphthalate	<0.051	mg/kg	0.17	0.051	1	05/10/22 12:26	05/11/22 17:33	117-84-0	
Dibenz(a,h)anthracene	<0.061	mg/kg	0.20	0.061	1	05/10/22 12:26	05/11/22 17:33	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.091	0.027	1	05/10/22 12:26	05/11/22 17:33	132-64-9	
Diethylphthalate	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/11/22 17:33	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.098	0.029	1	05/10/22 12:26	05/11/22 17:33	131-11-3	
Fluoranthene	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/11/22 17:33	206-44-0	
Fluorene	<0.026	mg/kg	0.088	0.026	1	05/10/22 12:26	05/11/22 17:33	86-73-7	
Hexachloro-1,3-butadiene	<0.057	mg/kg	0.19	0.057	1	05/10/22 12:26	05/11/22 17:33	87-68-3	
Hexachlorobenzene	<0.038	mg/kg	0.13	0.038	1	05/10/22 12:26	05/11/22 17:33	118-74-1	
Hexachlorocyclopentadiene	<0.053	mg/kg	0.18	0.053	1	05/10/22 12:26	05/11/22 17:33	77-47-4	
Hexachloroethane	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/11/22 17:33	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.049	mg/kg	0.16	0.049	1	05/10/22 12:26	05/11/22 17:33	193-39-5	
Isophorone	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/11/22 17:33	78-59-1	
N-Nitroso-di-n-propylamine	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/11/22 17:33	621-64-7	
N-Nitrosodiphenylamine	<0.31	mg/kg	1.0	0.31	1	05/10/22 12:26	05/11/22 17:33	86-30-6	
Naphthalene	<0.079	mg/kg	0.26	0.079	1	05/10/22 12:26	05/11/22 17:33	91-20-3	
Nitrobenzene	<0.046	mg/kg	0.15	0.046	1	05/10/22 12:26	05/11/22 17:33	98-95-3	
Pentachlorophenol	<0.050	mg/kg	0.17	0.050	1	05/10/22 12:26	05/11/22 17:33	87-86-5	
Phenanthrene	0.049J	mg/kg	0.097	0.029	1	05/10/22 12:26	05/11/22 17:33	85-01-8	
Phenol	<0.054	mg/kg	0.18	0.054	1	05/10/22 12:26	05/11/22 17:33	108-95-2	
Pyrene	<0.050	mg/kg	0.17	0.050	1	05/10/22 12:26	05/11/22 17:33	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-52 (1.4-2.4) **Lab ID: 40244446017** Collected: 05/04/22 15:05 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.061	mg/kg	0.20	0.061	1	05/10/22 12:26	05/11/22 17:33	111-91-1	
bis(2-Chloroethyl) ether	<0.070	mg/kg	0.23	0.070	1	05/10/22 12:26	05/11/22 17:33	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.038	mg/kg	0.13	0.038	1	05/10/22 12:26	05/11/22 17:33	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	80	%	10-125		1	05/10/22 12:26	05/11/22 17:33	4165-60-0	
2-Fluorobiphenyl (S)	60	%	12-118		1	05/10/22 12:26	05/11/22 17:33	321-60-8	
Terphenyl-d14 (S)	69	%	10-124		1	05/10/22 12:26	05/11/22 17:33	1718-51-0	
Phenol-d6 (S)	66	%	10-125		1	05/10/22 12:26	05/11/22 17:33	13127-88-3	
2-Fluorophenol (S)	67	%	10-130		1	05/10/22 12:26	05/11/22 17:33	367-12-4	
2,4,6-Tribromophenol (S)	74	%	10-144		1	05/10/22 12:26	05/11/22 17:33	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/10/22 06:00	05/10/22 17:18	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0029	mg/kg	0.0056	0.0029	1	05/10/22 06:00	05/10/22 17:18	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/10/22 06:00	05/10/22 17:18	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0056	0.0012	1	05/10/22 06:00	05/10/22 17:18	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0056	0.0012	1	05/10/22 06:00	05/10/22 17:18	75-35-4	
1,2-Dichloroethane	<0.00092	mg/kg	0.0056	0.00092	1	05/10/22 06:00	05/10/22 17:18	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0056	0.0011	1	05/10/22 06:00	05/10/22 17:18	78-87-5	
2-Butanone (MEK)	<0.018	mg/kg	0.028	0.018	1	05/10/22 06:00	05/10/22 17:18	78-93-3	
2-Hexanone	<0.013	mg/kg	0.028	0.013	1	05/10/22 06:00	05/10/22 17:18	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.028	0.022	1	05/10/22 06:00	05/10/22 17:18	108-10-1	
Acetone	<0.053	mg/kg	0.11	0.053	1	05/10/22 06:00	05/10/22 17:18	67-64-1	
Benzene	<0.00079	mg/kg	0.0056	0.00079	1	05/10/22 06:00	05/10/22 17:18	71-43-2	
Bromodichloromethane	<0.00076	mg/kg	0.0056	0.00076	1	05/10/22 06:00	05/10/22 17:18	75-27-4	
Bromoform	<0.0091	mg/kg	0.022	0.0091	1	05/10/22 06:00	05/10/22 17:18	75-25-2	
Bromomethane	<0.0050	mg/kg	0.0056	0.0050	1	05/10/22 06:00	05/10/22 17:18	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0056	0.0012	1	05/10/22 06:00	05/10/22 17:18	75-15-0	
Carbon tetrachloride	<0.0035	mg/kg	0.0056	0.0035	1	05/10/22 06:00	05/10/22 17:18	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/10/22 06:00	05/10/22 17:18	108-90-7	
Chloroethane	<0.0041	mg/kg	0.0056	0.0041	1	05/10/22 06:00	05/10/22 17:18	75-00-3	
Chloroform	<0.00095	mg/kg	0.0056	0.00095	1	05/10/22 06:00	05/10/22 17:18	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0056	0.0012	1	05/10/22 06:00	05/10/22 17:18	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0056	0.0011	1	05/10/22 06:00	05/10/22 17:18	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/10/22 06:00	05/10/22 17:18	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0056	0.0023	1	05/10/22 06:00	05/10/22 17:18	1634-04-4	
Methylene Chloride	<0.0044	mg/kg	0.0056	0.0044	1	05/10/22 06:00	05/10/22 17:18	75-09-2	
Styrene	<0.00080	mg/kg	0.0056	0.00080	1	05/10/22 06:00	05/10/22 17:18	100-42-5	
Tetrachloroethene	<0.00099	mg/kg	0.0056	0.00099	1	05/10/22 06:00	05/10/22 17:18	127-18-4	
Toluene	<0.00099	mg/kg	0.0056	0.00099	1	05/10/22 06:00	05/10/22 17:18	108-88-3	
Trichloroethene	<0.00080	mg/kg	0.0056	0.00080	1	05/10/22 06:00	05/10/22 17:18	79-01-6	
Vinyl chloride	<0.0015	mg/kg	0.0056	0.0015	1	05/10/22 06:00	05/10/22 17:18	75-01-4	
Xylene (Total)	<0.0038	mg/kg	0.011	0.0038	1	05/10/22 06:00	05/10/22 17:18	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-52 (1.4-2.4) **Lab ID: 40244446017** Collected: 05/04/22 15:05 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00099	mg/kg	0.0056	0.00099	1	05/10/22 06:00	05/10/22 17:18	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/10/22 06:00	05/10/22 17:18	10061-01-5	
trans-1,2-Dichloroethene	<0.00080	mg/kg	0.0056	0.00080	1	05/10/22 06:00	05/10/22 17:18	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/10/22 06:00	05/10/22 17:18	10061-02-6	
Surrogates									
Toluene-d8 (S)	91	%	69-156		1	05/10/22 06:00	05/10/22 17:18	2037-26-5	
4-Bromofluorobenzene (S)	89	%	61-175		1	05/10/22 06:00	05/10/22 17:18	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1	05/10/22 06:00	05/10/22 17:18	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	26.0	%	0.10	0.10	1		05/10/22 16:45		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.9	Std. Units	0.10	0.010	1		05/13/22 12:50		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.34	mg/kg	1.0	0.34	1	05/11/22 09:50	05/11/22 13:57	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-52 (4.5-5.5) **Lab ID: 40244446018** Collected: 05/04/22 15:10 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00053	mg/kg	0.0022	0.00053	1	05/06/22 14:04	05/10/22 18:06	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 18:06	319-84-6	
beta-BHC	<0.00067	mg/kg	0.0022	0.00067	1	05/06/22 14:04	05/10/22 18:06	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0022	0.00039	1	05/06/22 14:04	05/10/22 18:06	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/06/22 14:04	05/10/22 18:06	58-89-9	
Chlordane (Technical)	<0.0071	mg/kg	0.022	0.0071	1	05/06/22 14:04	05/10/22 18:06	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/06/22 14:04	05/10/22 18:06	5103-71-9	
gamma-Chlordane	<0.00081	mg/kg	0.0022	0.00081	1	05/06/22 14:04	05/10/22 18:06	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0043	0.00044	1	05/06/22 14:04	05/10/22 18:06	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/06/22 14:04	05/10/22 18:06	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/06/22 14:04	05/10/22 18:06	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/06/22 14:04	05/10/22 18:06	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/06/22 14:04	05/10/22 18:06	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/06/22 14:04	05/10/22 18:06	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/06/22 14:04	05/10/22 18:06	1031-07-8	
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/06/22 14:04	05/10/22 18:06	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/06/22 14:04	05/10/22 18:06	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/06/22 14:04	05/10/22 18:06	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0022	0.00058	1	05/06/22 14:04	05/10/22 18:06	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 14:04	05/10/22 18:06	1024-57-3	
Methoxychlor	<0.0067	mg/kg	0.022	0.0067	1	05/06/22 14:04	05/10/22 18:06	72-43-5	
Toxaphene	<0.020	mg/kg	0.065	0.020	1	05/06/22 14:04	05/10/22 18:06	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	66	%	53-138		1	05/06/22 14:04	05/10/22 18:06	877-09-8	
Decachlorobiphenyl (S)	49	%	30-150		1	05/06/22 14:04	05/10/22 18:06	2051-24-3	CL
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 06:48	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 06:48	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 06:48	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 06:48	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 06:48	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 06:48	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 06:48	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/06/22 08:31	05/10/22 06:48	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	90	%	50-99		1	05/06/22 08:31	05/10/22 06:48	877-09-8	
Decachlorobiphenyl (S)	89	%	38-95		1	05/06/22 08:31	05/10/22 06:48	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	14600	mg/kg	37.9	7.6	1	05/09/22 17:19	05/14/22 03:38	7429-90-5	
Antimony	0.19J	mg/kg	0.63	0.12	1	05/09/22 17:19	05/14/22 03:38	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-52 (4.5-5.5) **Lab ID: 40244446018** Collected: 05/04/22 15:10 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	9.3	mg/kg	0.63	0.14	1	05/09/22 17:19	05/14/22 03:38	7440-38-2	
Barium	139	mg/kg	0.38	0.067	1	05/09/22 17:19	05/14/22 03:38	7440-39-3	
Beryllium	0.86	mg/kg	0.25	0.050	1	05/09/22 17:19	05/14/22 03:38	7440-41-7	
Cadmium	0.20	mg/kg	0.10	0.040	1	05/09/22 17:19	05/14/22 03:38	7440-43-9	
Calcium	5500	mg/kg	126	14.9	1	05/09/22 17:19	05/14/22 03:38	7440-70-2	
Chromium	20.4	mg/kg	2.5	0.18	1	05/09/22 17:19	05/14/22 03:38	7440-47-3	
Cobalt	9.0	mg/kg	0.63	0.13	1	05/09/22 17:19	05/14/22 03:38	7440-48-4	
Copper	23.4	mg/kg	1.3	0.31	1	05/09/22 17:19	05/14/22 03:38	7440-50-8	
Iron	22700	mg/kg	63.1	13.3	1	05/09/22 17:19	05/14/22 03:38	7439-89-6	
Lead	15.8	mg/kg	0.63	0.037	1	05/09/22 17:19	05/14/22 03:38	7439-92-1	
Magnesium	4310	mg/kg	37.9	5.4	1	05/09/22 17:19	05/14/22 03:38	7439-95-4	
Manganese	254	mg/kg	0.63	0.31	1	05/09/22 17:19	05/14/22 03:38	7439-96-5	
Nickel	21.8	mg/kg	0.63	0.25	1	05/09/22 17:19	05/14/22 03:38	7440-02-0	
Potassium	1210	mg/kg	126	14.5	1	05/09/22 17:19	05/14/22 03:38	7440-09-7	
Selenium	0.23J	mg/kg	0.63	0.11	1	05/09/22 17:19	05/14/22 03:38	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/09/22 17:19	05/16/22 18:57	7440-22-4	
Sodium	41.1J	mg/kg	63.1	14.0	1	05/09/22 17:19	05/14/22 03:38	7440-23-5	
Thallium	0.13	mg/kg	0.13	0.046	1	05/09/22 17:19	05/14/22 03:38	7440-28-0	
Vanadium	39.4	mg/kg	1.3	0.22	1	05/09/22 17:19	05/14/22 03:38	7440-62-2	
Zinc	62.6	mg/kg	6.3	1.1	1	05/09/22 17:19	05/14/22 03:38	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.054	mg/kg	0.044	0.013	1	05/12/22 09:25	05/13/22 10:56	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.082	0.025	1	05/10/22 12:26	05/10/22 20:38	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/10/22 12:26	05/10/22 20:38	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/10/22 12:26	05/10/22 20:38	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/10/22 12:26	05/10/22 20:38	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/10/22 12:26	05/10/22 20:38	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/10/22 12:26	05/10/22 20:38	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 20:38	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/10/22 12:26	05/10/22 20:38	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/10/22 12:26	05/10/22 20:38	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/10/22 12:26	05/10/22 20:38	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/10/22 20:38	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/10/22 12:26	05/10/22 20:38	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/10/22 12:26	05/10/22 20:38	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/10/22 12:26	05/10/22 20:38	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/10/22 12:26	05/10/22 20:38	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/10/22 12:26	05/10/22 20:38	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/10/22 12:26	05/10/22 20:38	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-52 (4.5-5.5) **Lab ID: 40244446018** Collected: 05/04/22 15:10 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/10/22 12:26	05/10/22 20:38	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/10/22 12:26	05/10/22 20:38		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/10/22 12:26	05/10/22 20:38	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/10/22 20:38	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/10/22 12:26	05/10/22 20:38	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/10/22 12:26	05/10/22 20:38	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/10/22 12:26	05/10/22 20:38	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 20:38	106-47-8	4q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/10/22 12:26	05/10/22 20:38	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/10/22 12:26	05/10/22 20:38	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/10/22 12:26	05/10/22 20:38	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/10/22 12:26	05/10/22 20:38	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/10/22 12:26	05/10/22 20:38	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 20:38	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 20:38	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 20:38	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/10/22 20:38	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/10/22 12:26	05/10/22 20:38	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/10/22 12:26	05/10/22 20:38	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 20:38	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 20:38	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/10/22 20:38	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/10/22 20:38	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/10/22 12:26	05/10/22 20:38	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/10/22 12:26	05/10/22 20:38	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.088	0.026	1	05/10/22 12:26	05/10/22 20:38	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 20:38	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/10/22 12:26	05/10/22 20:38	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/10/22 20:38	206-44-0	
Fluorene	<0.025	mg/kg	0.085	0.025	1	05/10/22 12:26	05/10/22 20:38	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/10/22 12:26	05/10/22 20:38	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 20:38	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/10/22 12:26	05/10/22 20:38	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 20:38	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/10/22 12:26	05/10/22 20:38	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 20:38	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 20:38	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/10/22 12:26	05/10/22 20:38	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/10/22 12:26	05/10/22 20:38	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/10/22 12:26	05/10/22 20:38	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/10/22 12:26	05/10/22 20:38	87-86-5	
Phenanthrene	<0.028	mg/kg	0.093	0.028	1	05/10/22 12:26	05/10/22 20:38	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/10/22 12:26	05/10/22 20:38	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/10/22 12:26	05/10/22 20:38	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-52 (4.5-5.5) **Lab ID: 40244446018** Collected: 05/04/22 15:10 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/10/22 12:26	05/10/22 20:38	111-91-1	
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/10/22 12:26	05/10/22 20:38	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 20:38	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	63	%	10-125		1	05/10/22 12:26	05/10/22 20:38	4165-60-0	
2-Fluorobiphenyl (S)	48	%	12-118		1	05/10/22 12:26	05/10/22 20:38	321-60-8	
Terphenyl-d14 (S)	59	%	10-124		1	05/10/22 12:26	05/10/22 20:38	1718-51-0	
Phenol-d6 (S)	61	%	10-125		1	05/10/22 12:26	05/10/22 20:38	13127-88-3	
2-Fluorophenol (S)	55	%	10-130		1	05/10/22 12:26	05/10/22 20:38	367-12-4	
2,4,6-Tribromophenol (S)	72	%	10-144		1	05/10/22 12:26	05/10/22 20:38	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/10/22 06:00	05/10/22 17:43	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/10/22 06:00	05/10/22 17:43	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/10/22 06:00	05/10/22 17:43	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 17:43	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 17:43	75-35-4	
1,2-Dichloroethane	<0.00087	mg/kg	0.0053	0.00087	1	05/10/22 06:00	05/10/22 17:43	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 17:43	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.026	0.017	1	05/10/22 06:00	05/10/22 17:43	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/10/22 06:00	05/10/22 17:43	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.026	0.021	1	05/10/22 06:00	05/10/22 17:43	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/10/22 06:00	05/10/22 17:43	67-64-1	
Benzene	<0.00075	mg/kg	0.0053	0.00075	1	05/10/22 06:00	05/10/22 17:43	71-43-2	
Bromodichloromethane	<0.00072	mg/kg	0.0053	0.00072	1	05/10/22 06:00	05/10/22 17:43	75-27-4	
Bromoform	<0.0086	mg/kg	0.021	0.0086	1	05/10/22 06:00	05/10/22 17:43	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0053	0.0047	1	05/10/22 06:00	05/10/22 17:43	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/10/22 06:00	05/10/22 17:43	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0053	0.0033	1	05/10/22 06:00	05/10/22 17:43	56-23-5	
Chlorobenzene	<0.00097	mg/kg	0.0053	0.00097	1	05/10/22 06:00	05/10/22 17:43	108-90-7	
Chloroethane	<0.0038	mg/kg	0.0053	0.0038	1	05/10/22 06:00	05/10/22 17:43	75-00-3	
Chloroform	<0.00089	mg/kg	0.0053	0.00089	1	05/10/22 06:00	05/10/22 17:43	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 17:43	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 17:43	124-48-1	
Ethylbenzene	<0.00094	mg/kg	0.0053	0.00094	1	05/10/22 06:00	05/10/22 17:43	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/10/22 06:00	05/10/22 17:43	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/10/22 06:00	05/10/22 17:43	75-09-2	
Styrene	<0.00075	mg/kg	0.0053	0.00075	1	05/10/22 06:00	05/10/22 17:43	100-42-5	
Tetrachloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/10/22 06:00	05/10/22 17:43	127-18-4	
Toluene	<0.00093	mg/kg	0.0053	0.00093	1	05/10/22 06:00	05/10/22 17:43	108-88-3	
Trichloroethene	<0.00075	mg/kg	0.0053	0.00075	1	05/10/22 06:00	05/10/22 17:43	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/10/22 06:00	05/10/22 17:43	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/10/22 06:00	05/10/22 17:43	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-52 (4.5-5.5) **Lab ID: 40244446018** Collected: 05/04/22 15:10 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00093	mg/kg	0.0053	0.00093	1	05/10/22 06:00	05/10/22 17:43	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 17:43	10061-01-5	
trans-1,2-Dichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/10/22 06:00	05/10/22 17:43	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 17:43	10061-02-6	
Surrogates									
Toluene-d8 (S)	89	%	69-156		1	05/10/22 06:00	05/10/22 17:43	2037-26-5	
4-Bromofluorobenzene (S)	85	%	61-175		1	05/10/22 06:00	05/10/22 17:43	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1	05/10/22 06:00	05/10/22 17:43	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.1	%	0.10	0.10	1		05/10/22 16:45		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.0	Std. Units	0.10	0.010	1		05/13/22 12:59		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.35	mg/kg	1.0	0.35	1	05/11/22 09:50	05/11/22 13:58	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-53 (1.8-2.8) **Lab ID: 40244446019** Collected: 05/04/22 15:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00050	mg/kg	0.0021	0.00050	1	05/06/22 14:04	05/10/22 11:09	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/06/22 14:04	05/10/22 11:09	319-84-6	
beta-BHC	<0.00064	mg/kg	0.0021	0.00064	1	05/06/22 14:04	05/10/22 11:09	319-85-7	
delta-BHC	<0.00037	mg/kg	0.0021	0.00037	1	05/06/22 14:04	05/10/22 11:09	319-86-8	
gamma-BHC (Lindane)	<0.00020	mg/kg	0.0021	0.00020	1	05/06/22 14:04	05/10/22 11:09	58-89-9	
Chlordane (Technical)	<0.0068	mg/kg	0.021	0.0068	1	05/06/22 14:04	05/10/22 11:09	57-74-9	
alpha-Chlordane	<0.00025	mg/kg	0.0021	0.00025	1	05/06/22 14:04	05/10/22 11:09	5103-71-9	
gamma-Chlordane	<0.00077	mg/kg	0.0021	0.00077	1	05/06/22 14:04	05/10/22 11:09	5103-74-2	
4,4'-DDD	<0.00042	mg/kg	0.0041	0.00042	1	05/06/22 14:04	05/10/22 11:09	72-54-8	
4,4'-DDE	<0.00047	mg/kg	0.0041	0.00047	1	05/06/22 14:04	05/10/22 11:09	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0041	0.0013	1	05/06/22 14:04	05/10/22 11:09	50-29-3	
Dieldrin	<0.00039	mg/kg	0.0041	0.00039	1	05/06/22 14:04	05/10/22 11:09	60-57-1	
Endosulfan I	<0.00023	mg/kg	0.0021	0.00023	1	05/06/22 14:04	05/10/22 11:09	959-98-8	
Endosulfan II	<0.00098	mg/kg	0.0041	0.00098	1	05/06/22 14:04	05/10/22 11:09	33213-65-9	
Endosulfan sulfate	<0.00097	mg/kg	0.0041	0.00097	1	05/06/22 14:04	05/10/22 11:09	1031-07-8	
Endrin	<0.00046	mg/kg	0.0041	0.00046	1	05/06/22 14:04	05/10/22 11:09	72-20-8	
Endrin aldehyde	<0.0013	mg/kg	0.0041	0.0013	1	05/06/22 14:04	05/10/22 11:09	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0041	0.0011	1	05/06/22 14:04	05/10/22 11:09	53494-70-5	
Heptachlor	<0.00056	mg/kg	0.0021	0.00056	1	05/06/22 14:04	05/10/22 11:09	76-44-8	
Heptachlor epoxide	<0.00021	mg/kg	0.0021	0.00021	1	05/06/22 14:04	05/10/22 11:09	1024-57-3	
Methoxychlor	<0.0063	mg/kg	0.021	0.0063	1	05/06/22 14:04	05/10/22 11:09	72-43-5	
Toxaphene	<0.019	mg/kg	0.062	0.019	1	05/06/22 14:04	05/10/22 11:09	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	67	%	53-138		1	05/06/22 14:04	05/10/22 11:09	877-09-8	
Decachlorobiphenyl (S)	52	%	30-150		1	05/06/22 14:04	05/10/22 11:09	2051-24-3	CL
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.062	0.019	1	05/06/22 08:31	05/10/22 07:10	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.062	0.019	1	05/06/22 08:31	05/10/22 07:10	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.062	0.019	1	05/06/22 08:31	05/10/22 07:10	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.062	0.019	1	05/06/22 08:31	05/10/22 07:10	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.062	0.019	1	05/06/22 08:31	05/10/22 07:10	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.062	0.019	1	05/06/22 08:31	05/10/22 07:10	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.062	0.019	1	05/06/22 08:31	05/10/22 07:10	11096-82-5	
PCB, Total	<0.019	mg/kg	0.062	0.019	1	05/06/22 08:31	05/10/22 07:10	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	85	%	50-99		1	05/06/22 08:31	05/10/22 07:10	877-09-8	
Decachlorobiphenyl (S)	89	%	38-95		1	05/06/22 08:31	05/10/22 07:10	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	8360	mg/kg	36.3	7.3	1	05/09/22 17:19	05/14/22 03:42	7429-90-5	
Antimony	<0.12	mg/kg	0.61	0.12	1	05/09/22 17:19	05/14/22 03:42	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-53 (1.8-2.8) **Lab ID: 40244446019** Collected: 05/04/22 15:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	5.8	mg/kg	0.61	0.13	1	05/09/22 17:19	05/14/22 03:42	7440-38-2	
Barium	82.4	mg/kg	0.36	0.065	1	05/09/22 17:19	05/14/22 03:42	7440-39-3	
Beryllium	0.50	mg/kg	0.24	0.048	1	05/09/22 17:19	05/14/22 03:42	7440-41-7	
Cadmium	0.17	mg/kg	0.097	0.038	1	05/09/22 17:19	05/14/22 03:42	7440-43-9	
Calcium	22900	mg/kg	121	14.3	1	05/09/22 17:19	05/14/22 03:42	7440-70-2	
Chromium	13.2	mg/kg	2.4	0.17	1	05/09/22 17:19	05/14/22 03:42	7440-47-3	
Cobalt	5.8	mg/kg	0.61	0.12	1	05/09/22 17:19	05/14/22 03:42	7440-48-4	
Copper	13.5	mg/kg	1.2	0.29	1	05/09/22 17:19	05/14/22 03:42	7440-50-8	
Iron	13400	mg/kg	60.6	12.7	1	05/09/22 17:19	05/14/22 03:42	7439-89-6	
Lead	9.6	mg/kg	0.61	0.036	1	05/09/22 17:19	05/14/22 03:42	7439-92-1	
Magnesium	13000	mg/kg	36.3	5.2	1	05/09/22 17:19	05/14/22 03:42	7439-95-4	
Manganese	264	mg/kg	0.61	0.30	1	05/09/22 17:19	05/14/22 03:42	7439-96-5	
Nickel	14.2	mg/kg	0.61	0.24	1	05/09/22 17:19	05/14/22 03:42	7440-02-0	
Potassium	1120	mg/kg	121	13.9	1	05/09/22 17:19	05/14/22 03:42	7440-09-7	
Selenium	0.27J	mg/kg	0.61	0.10	1	05/09/22 17:19	05/14/22 03:42	7782-49-2	
Silver	<0.18	mg/kg	0.61	0.18	1	05/09/22 17:19	05/16/22 19:12	7440-22-4	
Sodium	67.4	mg/kg	60.6	13.4	1	05/09/22 17:19	05/14/22 03:42	7440-23-5	
Thallium	0.12J	mg/kg	0.12	0.044	1	05/09/22 17:19	05/14/22 03:42	7440-28-0	
Vanadium	23.4	mg/kg	1.2	0.21	1	05/09/22 17:19	05/14/22 03:42	7440-62-2	
Zinc	42.9	mg/kg	6.1	1.1	1	05/09/22 17:19	05/14/22 03:42	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.031J	mg/kg	0.039	0.011	1	05/12/22 09:25	05/13/22 10:58	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.023	mg/kg	0.078	0.023	1	05/10/22 12:26	05/11/22 17:54	120-82-1	
1,2-Dichlorobenzene	<0.065	mg/kg	0.22	0.065	1	05/10/22 12:26	05/11/22 17:54	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.095	0.029	1	05/10/22 12:26	05/11/22 17:54	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.096	0.029	1	05/10/22 12:26	05/11/22 17:54	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.053	mg/kg	0.18	0.053	1	05/10/22 12:26	05/11/22 17:54	108-60-1	
2,4,5-Trichlorophenol	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/11/22 17:54	95-95-4	
2,4,6-Trichlorophenol	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/11/22 17:54	88-06-2	
2,4-Dichlorophenol	<0.055	mg/kg	0.18	0.055	1	05/10/22 12:26	05/11/22 17:54	120-83-2	
2,4-Dimethylphenol	<0.041	mg/kg	0.14	0.041	1	05/10/22 12:26	05/11/22 17:54	105-67-9	
2,4-Dinitrophenol	<0.063	mg/kg	0.21	0.063	1	05/10/22 12:26	05/11/22 17:54	51-28-5	
2,4-Dinitrotoluene	<0.029	mg/kg	0.098	0.029	1	05/10/22 12:26	05/11/22 17:54	121-14-2	
2,6-Dinitrotoluene	<0.039	mg/kg	0.13	0.039	1	05/10/22 12:26	05/11/22 17:54	606-20-2	
2-Chloronaphthalene	<0.026	mg/kg	0.088	0.026	1	05/10/22 12:26	05/11/22 17:54	91-58-7	
2-Chlorophenol	<0.051	mg/kg	0.17	0.051	1	05/10/22 12:26	05/11/22 17:54	95-57-8	
2-Methylnaphthalene	<0.053	mg/kg	0.18	0.053	1	05/10/22 12:26	05/11/22 17:54	91-57-6	
2-Methylphenol(o-Cresol)	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/11/22 17:54	95-48-7	
2-Nitroaniline	<0.059	mg/kg	0.20	0.059	1	05/10/22 12:26	05/11/22 17:54	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-53 (1.8-2.8) **Lab ID: 40244446019** Collected: 05/04/22 15:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.065	mg/kg	0.22	0.065	1	05/10/22 12:26	05/11/22 17:54	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.038	mg/kg	0.13	0.038	1	05/10/22 12:26	05/11/22 17:54		
3,3'-Dichlorobenzidine	<0.056	mg/kg	0.19	0.056	1	05/10/22 12:26	05/11/22 17:54	91-94-1	
3-Nitroaniline	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/11/22 17:54	99-09-2	
4,6-Dinitro-2-methylphenol	<0.063	mg/kg	0.21	0.063	1	05/10/22 12:26	05/11/22 17:54	534-52-1	
4-Bromophenylphenyl ether	<0.043	mg/kg	0.14	0.043	1	05/10/22 12:26	05/11/22 17:54	101-55-3	
4-Chloro-3-methylphenol	<0.064	mg/kg	0.21	0.064	1	05/10/22 12:26	05/11/22 17:54	59-50-7	
4-Chloroaniline	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/11/22 17:54	106-47-8	4q
4-Chlorophenylphenyl ether	<0.038	mg/kg	0.13	0.038	1	05/10/22 12:26	05/11/22 17:54	7005-72-3	
4-Nitroaniline	<0.085	mg/kg	0.28	0.085	1	05/10/22 12:26	05/11/22 17:54	100-01-6	
4-Nitrophenol	<0.052	mg/kg	0.17	0.052	1	05/10/22 12:26	05/11/22 17:54	100-02-7	CU
Acenaphthene	<0.073	mg/kg	0.24	0.073	1	05/10/22 12:26	05/11/22 17:54	83-32-9	
Acenaphthylene	<0.073	mg/kg	0.24	0.073	1	05/10/22 12:26	05/11/22 17:54	208-96-8	
Anthracene	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/11/22 17:54	120-12-7	
Benzo(a)anthracene	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/11/22 17:54	56-55-3	
Benzo(a)pyrene	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/11/22 17:54	50-32-8	
Benzo(b)fluoranthene	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/11/22 17:54	205-99-2	
Benzo(g,h,i)perylene	<0.054	mg/kg	0.18	0.054	1	05/10/22 12:26	05/11/22 17:54	191-24-2	
Benzo(k)fluoranthene	<0.049	mg/kg	0.16	0.049	1	05/10/22 12:26	05/11/22 17:54	207-08-9	
Butylbenzylphthalate	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/11/22 17:54	85-68-7	
Carbazole	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/11/22 17:54	86-74-8	
Chrysene	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/11/22 17:54	218-01-9	
Di-n-butylphthalate	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/11/22 17:54	84-74-2	
Di-n-octylphthalate	<0.046	mg/kg	0.15	0.046	1	05/10/22 12:26	05/11/22 17:54	117-84-0	
Dibenz(a,h)anthracene	<0.056	mg/kg	0.19	0.056	1	05/10/22 12:26	05/11/22 17:54	53-70-3	
Dibenzofuran	<0.025	mg/kg	0.083	0.025	1	05/10/22 12:26	05/11/22 17:54	132-64-9	
Diethylphthalate	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/11/22 17:54	84-66-2	
Dimethylphthalate	<0.027	mg/kg	0.089	0.027	1	05/10/22 12:26	05/11/22 17:54	131-11-3	
Fluoranthene	<0.029	mg/kg	0.097	0.029	1	05/10/22 12:26	05/11/22 17:54	206-44-0	
Fluorene	<0.024	mg/kg	0.080	0.024	1	05/10/22 12:26	05/11/22 17:54	86-73-7	
Hexachloro-1,3-butadiene	<0.052	mg/kg	0.17	0.052	1	05/10/22 12:26	05/11/22 17:54	87-68-3	
Hexachlorobenzene	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/11/22 17:54	118-74-1	
Hexachlorocyclopentadiene	<0.049	mg/kg	0.16	0.049	1	05/10/22 12:26	05/11/22 17:54	77-47-4	
Hexachloroethane	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/11/22 17:54	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.045	mg/kg	0.15	0.045	1	05/10/22 12:26	05/11/22 17:54	193-39-5	
Isophorone	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/11/22 17:54	78-59-1	
N-Nitroso-di-n-propylamine	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/11/22 17:54	621-64-7	
N-Nitrosodiphenylamine	<0.28	mg/kg	0.93	0.28	1	05/10/22 12:26	05/11/22 17:54	86-30-6	
Naphthalene	<0.072	mg/kg	0.24	0.072	1	05/10/22 12:26	05/11/22 17:54	91-20-3	
Nitrobenzene	<0.042	mg/kg	0.14	0.042	1	05/10/22 12:26	05/11/22 17:54	98-95-3	
Pentachlorophenol	<0.045	mg/kg	0.15	0.045	1	05/10/22 12:26	05/11/22 17:54	87-86-5	
Phenanthrene	<0.026	mg/kg	0.088	0.026	1	05/10/22 12:26	05/11/22 17:54	85-01-8	
Phenol	<0.049	mg/kg	0.16	0.049	1	05/10/22 12:26	05/11/22 17:54	108-95-2	
Pyrene	<0.046	mg/kg	0.15	0.046	1	05/10/22 12:26	05/11/22 17:54	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-53 (1.8-2.8) **Lab ID: 40244446019** Collected: 05/04/22 15:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.055	mg/kg	0.18	0.055	1	05/10/22 12:26	05/11/22 17:54	111-91-1	
bis(2-Chloroethyl) ether	<0.064	mg/kg	0.21	0.064	1	05/10/22 12:26	05/11/22 17:54	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/11/22 17:54	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	77	%	10-125		1	05/10/22 12:26	05/11/22 17:54	4165-60-0	
2-Fluorobiphenyl (S)	55	%	12-118		1	05/10/22 12:26	05/11/22 17:54	321-60-8	
Terphenyl-d14 (S)	66	%	10-124		1	05/10/22 12:26	05/11/22 17:54	1718-51-0	
Phenol-d6 (S)	67	%	10-125		1	05/10/22 12:26	05/11/22 17:54	13127-88-3	
2-Fluorophenol (S)	63	%	10-130		1	05/10/22 12:26	05/11/22 17:54	367-12-4	
2,4,6-Tribromophenol (S)	72	%	10-144		1	05/10/22 12:26	05/11/22 17:54	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0049	0.0015	1	05/10/22 06:00	05/10/22 18:08	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0025	mg/kg	0.0049	0.0025	1	05/10/22 06:00	05/10/22 18:08	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0049	0.0015	1	05/10/22 06:00	05/10/22 18:08	79-00-5	
1,1-Dichloroethane	<0.0010	mg/kg	0.0049	0.0010	1	05/10/22 06:00	05/10/22 18:08	75-34-3	
1,1-Dichloroethene	<0.0010	mg/kg	0.0049	0.0010	1	05/10/22 06:00	05/10/22 18:08	75-35-4	
1,2-Dichloroethane	<0.00080	mg/kg	0.0049	0.00080	1	05/10/22 06:00	05/10/22 18:08	107-06-2	
1,2-Dichloropropane	<0.00098	mg/kg	0.0049	0.00098	1	05/10/22 06:00	05/10/22 18:08	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.024	0.015	1	05/10/22 06:00	05/10/22 18:08	78-93-3	
2-Hexanone	<0.011	mg/kg	0.024	0.011	1	05/10/22 06:00	05/10/22 18:08	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.019	mg/kg	0.024	0.019	1	05/10/22 06:00	05/10/22 18:08	108-10-1	
Acetone	<0.046	mg/kg	0.097	0.046	1	05/10/22 06:00	05/10/22 18:08	67-64-1	
Benzene	<0.00069	mg/kg	0.0049	0.00069	1	05/10/22 06:00	05/10/22 18:08	71-43-2	
Bromodichloromethane	<0.00066	mg/kg	0.0049	0.00066	1	05/10/22 06:00	05/10/22 18:08	75-27-4	
Bromoform	<0.0079	mg/kg	0.019	0.0079	1	05/10/22 06:00	05/10/22 18:08	75-25-2	
Bromomethane	<0.0043	mg/kg	0.0049	0.0043	1	05/10/22 06:00	05/10/22 18:08	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0049	0.0011	1	05/10/22 06:00	05/10/22 18:08	75-15-0	
Carbon tetrachloride	<0.0031	mg/kg	0.0049	0.0031	1	05/10/22 06:00	05/10/22 18:08	56-23-5	
Chlorobenzene	<0.00090	mg/kg	0.0049	0.00090	1	05/10/22 06:00	05/10/22 18:08	108-90-7	
Chloroethane	<0.0035	mg/kg	0.0049	0.0035	1	05/10/22 06:00	05/10/22 18:08	75-00-3	
Chloroform	<0.00082	mg/kg	0.0049	0.00082	1	05/10/22 06:00	05/10/22 18:08	67-66-3	
Chloromethane	<0.0010	mg/kg	0.0049	0.0010	1	05/10/22 06:00	05/10/22 18:08	74-87-3	
Dibromochloromethane	<0.00098	mg/kg	0.0049	0.00098	1	05/10/22 06:00	05/10/22 18:08	124-48-1	
Ethylbenzene	<0.00087	mg/kg	0.0049	0.00087	1	05/10/22 06:00	05/10/22 18:08	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0049	0.0020	1	05/10/22 06:00	05/10/22 18:08	1634-04-4	
Methylene Chloride	<0.0038	mg/kg	0.0049	0.0038	1	05/10/22 06:00	05/10/22 18:08	75-09-2	
Styrene	<0.00069	mg/kg	0.0049	0.00069	1	05/10/22 06:00	05/10/22 18:08	100-42-5	
Tetrachloroethene	<0.00086	mg/kg	0.0049	0.00086	1	05/10/22 06:00	05/10/22 18:08	127-18-4	
Toluene	<0.00086	mg/kg	0.0049	0.00086	1	05/10/22 06:00	05/10/22 18:08	108-88-3	
Trichloroethene	<0.00069	mg/kg	0.0049	0.00069	1	05/10/22 06:00	05/10/22 18:08	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0049	0.0013	1	05/10/22 06:00	05/10/22 18:08	75-01-4	
Xylene (Total)	<0.0033	mg/kg	0.0097	0.0033	1	05/10/22 06:00	05/10/22 18:08	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-53 (1.8-2.8) **Lab ID: 40244446019** Collected: 05/04/22 15:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00086	mg/kg	0.0049	0.00086	1	05/10/22 06:00	05/10/22 18:08	156-59-2	
cis-1,3-Dichloropropene	<0.00099	mg/kg	0.0049	0.00099	1	05/10/22 06:00	05/10/22 18:08	10061-01-5	
trans-1,2-Dichloroethene	<0.00070	mg/kg	0.0049	0.00070	1	05/10/22 06:00	05/10/22 18:08	156-60-5	
trans-1,3-Dichloropropene	<0.00097	mg/kg	0.0049	0.00097	1	05/10/22 06:00	05/10/22 18:08	10061-02-6	
Surrogates									
Toluene-d8 (S)	100	%	69-156		1	05/10/22 06:00	05/10/22 18:08	2037-26-5	
4-Bromofluorobenzene (S)	82	%	61-175		1	05/10/22 06:00	05/10/22 18:08	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1	05/10/22 06:00	05/10/22 18:08	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	19.1	%	0.10	0.10	1		05/10/22 16:45		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.32	Std. Units	0.100	0.0100	1		05/13/22 12:24		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.26	mg/kg	0.77	0.26	1	05/11/22 09:50	05/11/22 14:00	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-53 (4.4-5.4) **Lab ID: 40244446020** Collected: 05/04/22 15:50 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00051	mg/kg	0.0021	0.00051	1	05/06/22 14:04	05/17/22 20:05	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/06/22 14:04	05/17/22 20:05	319-84-6	
beta-BHC	<0.00065	mg/kg	0.0021	0.00065	1	05/06/22 14:04	05/17/22 20:05	319-85-7	
delta-BHC	<0.00038	mg/kg	0.0021	0.00038	1	05/06/22 14:04	05/17/22 20:05	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/06/22 14:04	05/17/22 20:05	58-89-9	
Chlordane (Technical)	<0.0069	mg/kg	0.021	0.0069	1	05/06/22 14:04	05/17/22 20:05	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/06/22 14:04	05/17/22 20:05	5103-71-9	
gamma-Chlordane	<0.00078	mg/kg	0.0021	0.00078	1	05/06/22 14:04	05/17/22 20:05	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0042	0.00043	1	05/06/22 14:04	05/17/22 20:05	72-54-8	
4,4'-DDE	<0.00049	mg/kg	0.0042	0.00049	1	05/06/22 14:04	05/17/22 20:05	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0042	0.0013	1	05/06/22 14:04	05/17/22 20:05	50-29-3	
Dieldrin	<0.00040	mg/kg	0.0042	0.00040	1	05/06/22 14:04	05/17/22 20:05	60-57-1	
Endosulfan I	<0.00023	mg/kg	0.0021	0.00023	1	05/06/22 14:04	05/17/22 20:05	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0042	0.0010	1	05/06/22 14:04	05/17/22 20:05	33213-65-9	
Endosulfan sulfate	<0.00099	mg/kg	0.0042	0.00099	1	05/06/22 14:04	05/17/22 20:05	1031-07-8	
Endrin	<0.00047	mg/kg	0.0042	0.00047	1	05/06/22 14:04	05/17/22 20:05	72-20-8	
Endrin aldehyde	<0.0013	mg/kg	0.0042	0.0013	1	05/06/22 14:04	05/17/22 20:05	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0042	0.0011	1	05/06/22 14:04	05/17/22 20:05	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0021	0.00057	1	05/06/22 14:04	05/17/22 20:05	76-44-8	
Heptachlor epoxide	<0.00021	mg/kg	0.0021	0.00021	1	05/06/22 14:04	05/17/22 20:05	1024-57-3	
Methoxychlor	<0.0065	mg/kg	0.021	0.0065	1	05/06/22 14:04	05/17/22 20:05	72-43-5	
Toxaphene	<0.020	mg/kg	0.063	0.020	1	05/06/22 14:04	05/17/22 20:05	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	96	%	53-138		1	05/06/22 14:04	05/17/22 20:05	877-09-8	
Decachlorobiphenyl (S)	76	%	30-150		1	05/06/22 14:04	05/17/22 20:05	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.063	0.019	1	05/06/22 08:31	05/10/22 07:32	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.063	0.019	1	05/06/22 08:31	05/10/22 07:32	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.063	0.019	1	05/06/22 08:31	05/10/22 07:32	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.063	0.019	1	05/06/22 08:31	05/10/22 07:32	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.063	0.019	1	05/06/22 08:31	05/10/22 07:32	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.063	0.019	1	05/06/22 08:31	05/10/22 07:32	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.063	0.019	1	05/06/22 08:31	05/10/22 07:32	11096-82-5	
PCB, Total	<0.019	mg/kg	0.063	0.019	1	05/06/22 08:31	05/10/22 07:32	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	88	%	50-99		1	05/06/22 08:31	05/10/22 07:32	877-09-8	
Decachlorobiphenyl (S)	90	%	38-95		1	05/06/22 08:31	05/10/22 07:32	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	11000	mg/kg	35.8	7.2	1	05/09/22 17:19	05/14/22 03:46	7429-90-5	
Antimony	0.18J	mg/kg	0.60	0.11	1	05/09/22 17:19	05/14/22 03:46	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: **SB-53 (4.4-5.4)** Lab ID: **40244446020** Collected: 05/04/22 15:50 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	13.9	mg/kg	0.60	0.13	1	05/09/22 17:19	05/14/22 03:46	7440-38-2	
Barium	113	mg/kg	0.36	0.064	1	05/09/22 17:19	05/14/22 03:46	7440-39-3	
Beryllium	0.71	mg/kg	0.24	0.047	1	05/09/22 17:19	05/14/22 03:46	7440-41-7	
Cadmium	0.18	mg/kg	0.095	0.037	1	05/09/22 17:19	05/14/22 03:46	7440-43-9	
Calcium	3750	mg/kg	119	14.1	1	05/09/22 17:19	05/14/22 03:46	7440-70-2	
Chromium	14.8	mg/kg	2.4	0.17	1	05/09/22 17:19	05/14/22 03:46	7440-47-3	
Cobalt	10	mg/kg	0.60	0.12	1	05/09/22 17:19	05/14/22 03:46	7440-48-4	
Copper	15.1	mg/kg	1.2	0.29	1	05/09/22 17:19	05/14/22 03:46	7440-50-8	
Iron	22200	mg/kg	59.7	12.5	1	05/09/22 17:19	05/14/22 03:46	7439-89-6	
Lead	11.6	mg/kg	0.60	0.035	1	05/09/22 17:19	05/14/22 03:46	7439-92-1	
Magnesium	2860	mg/kg	35.8	5.1	1	05/09/22 17:19	05/14/22 03:46	7439-95-4	
Manganese	275	mg/kg	0.60	0.29	1	05/09/22 17:19	05/14/22 03:46	7439-96-5	
Nickel	15.7	mg/kg	0.60	0.24	1	05/09/22 17:19	05/14/22 03:46	7440-02-0	
Potassium	579	mg/kg	119	13.7	1	05/09/22 17:19	05/14/22 03:46	7440-09-7	
Selenium	0.38J	mg/kg	0.60	0.10	1	05/09/22 17:19	05/14/22 03:46	7782-49-2	
Silver	<0.17	mg/kg	0.60	0.17	1	05/09/22 17:19	05/16/22 19:16	7440-22-4	
Sodium	90.0	mg/kg	59.7	13.2	1	05/09/22 17:19	05/14/22 03:46	7440-23-5	
Thallium	0.12	mg/kg	0.12	0.044	1	05/09/22 17:19	05/14/22 03:46	7440-28-0	
Vanadium	31.4	mg/kg	1.2	0.21	1	05/09/22 17:19	05/14/22 03:46	7440-62-2	
Zinc	45.3	mg/kg	6.0	1.1	1	05/09/22 17:19	05/14/22 03:46	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.041J	mg/kg	0.043	0.012	1	05/12/22 09:25	05/13/22 11:01	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/10/22 12:26	05/11/22 16:29	120-82-1	
1,2-Dichlorobenzene	<0.066	mg/kg	0.22	0.066	1	05/10/22 12:26	05/11/22 16:29	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/10/22 12:26	05/11/22 16:29	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/10/22 12:26	05/11/22 16:29	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.054	mg/kg	0.18	0.054	1	05/10/22 12:26	05/11/22 16:29	108-60-1	
2,4,5-Trichlorophenol	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/11/22 16:29	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/11/22 16:29	88-06-2	
2,4-Dichlorophenol	<0.056	mg/kg	0.19	0.056	1	05/10/22 12:26	05/11/22 16:29	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/10/22 12:26	05/11/22 16:29	105-67-9	
2,4-Dinitrophenol	<0.064	mg/kg	0.21	0.064	1	05/10/22 12:26	05/11/22 16:29	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/10/22 12:26	05/11/22 16:29	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/10/22 12:26	05/11/22 16:29	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.090	0.027	1	05/10/22 12:26	05/11/22 16:29	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/10/22 12:26	05/11/22 16:29	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/10/22 12:26	05/11/22 16:29	91-57-6	
2-Methylphenol(o-Cresol)	<0.038	mg/kg	0.13	0.038	1	05/10/22 12:26	05/11/22 16:29	95-48-7	
2-Nitroaniline	<0.060	mg/kg	0.20	0.060	1	05/10/22 12:26	05/11/22 16:29	88-74-4	CU

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-53 (4.4-5.4) **Lab ID: 40244446020** Collected: 05/04/22 15:50 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/10/22 12:26	05/11/22 16:29	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/10/22 12:26	05/11/22 16:29		
3,3'-Dichlorobenzidine	<0.057	mg/kg	0.19	0.057	1	05/10/22 12:26	05/11/22 16:29	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/11/22 16:29	99-09-2	
4,6-Dinitro-2-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/10/22 12:26	05/11/22 16:29	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/10/22 12:26	05/11/22 16:29	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/10/22 12:26	05/11/22 16:29	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/11/22 16:29	106-47-8	4q
4-Chlorophenylphenyl ether	<0.039	mg/kg	0.13	0.039	1	05/10/22 12:26	05/11/22 16:29	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/10/22 12:26	05/11/22 16:29	100-01-6	
4-Nitrophenol	<0.053	mg/kg	0.18	0.053	1	05/10/22 12:26	05/11/22 16:29	100-02-7	CU
Acenaphthene	<0.075	mg/kg	0.25	0.075	1	05/10/22 12:26	05/11/22 16:29	83-32-9	
Acenaphthylene	<0.075	mg/kg	0.25	0.075	1	05/10/22 12:26	05/11/22 16:29	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/11/22 16:29	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/11/22 16:29	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/11/22 16:29	50-32-8	
Benzo(b)fluoranthene	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/11/22 16:29	205-99-2	
Benzo(g,h,i)perylene	<0.055	mg/kg	0.18	0.055	1	05/10/22 12:26	05/11/22 16:29	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/10/22 12:26	05/11/22 16:29	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/11/22 16:29	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/11/22 16:29	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/11/22 16:29	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/11/22 16:29	84-74-2	
Di-n-octylphthalate	<0.047	mg/kg	0.16	0.047	1	05/10/22 12:26	05/11/22 16:29	117-84-0	
Dibenz(a,h)anthracene	<0.057	mg/kg	0.19	0.057	1	05/10/22 12:26	05/11/22 16:29	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.085	0.026	1	05/10/22 12:26	05/11/22 16:29	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/11/22 16:29	84-66-2	
Dimethylphthalate	<0.027	mg/kg	0.092	0.027	1	05/10/22 12:26	05/11/22 16:29	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/10/22 12:26	05/11/22 16:29	206-44-0	
Fluorene	<0.025	mg/kg	0.082	0.025	1	05/10/22 12:26	05/11/22 16:29	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/10/22 12:26	05/11/22 16:29	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/11/22 16:29	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/10/22 12:26	05/11/22 16:29	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/11/22 16:29	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/10/22 12:26	05/11/22 16:29	193-39-5	
Isophorone	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/11/22 16:29	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/11/22 16:29	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/10/22 12:26	05/11/22 16:29	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/10/22 12:26	05/11/22 16:29	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/10/22 12:26	05/11/22 16:29	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/10/22 12:26	05/11/22 16:29	87-86-5	
Phenanthrene	<0.027	mg/kg	0.090	0.027	1	05/10/22 12:26	05/11/22 16:29	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/10/22 12:26	05/11/22 16:29	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/10/22 12:26	05/11/22 16:29	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-53 (4.4-5.4) **Lab ID: 40244446020** Collected: 05/04/22 15:50 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/10/22 12:26	05/11/22 16:29	111-91-1	
bis(2-Chloroethyl) ether	<0.066	mg/kg	0.22	0.066	1	05/10/22 12:26	05/11/22 16:29	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/11/22 16:29	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	68	%	10-125		1	05/10/22 12:26	05/11/22 16:29	4165-60-0	
2-Fluorobiphenyl (S)	56	%	12-118		1	05/10/22 12:26	05/11/22 16:29	321-60-8	
Terphenyl-d14 (S)	53	%	10-124		1	05/10/22 12:26	05/11/22 16:29	1718-51-0	
Phenol-d6 (S)	67	%	10-125		1	05/10/22 12:26	05/11/22 16:29	13127-88-3	
2-Fluorophenol (S)	67	%	10-130		1	05/10/22 12:26	05/11/22 16:29	367-12-4	
2,4,6-Tribromophenol (S)	51	%	10-144		1	05/10/22 12:26	05/11/22 16:29	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/10/22 06:00	05/10/22 18:34	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/10/22 06:00	05/10/22 18:34	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/10/22 06:00	05/10/22 18:34	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 18:34	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 18:34	75-35-4	
1,2-Dichloroethane	<0.00087	mg/kg	0.0053	0.00087	1	05/10/22 06:00	05/10/22 18:34	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 18:34	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.026	0.017	1	05/10/22 06:00	05/10/22 18:34	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/10/22 06:00	05/10/22 18:34	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.026	0.021	1	05/10/22 06:00	05/10/22 18:34	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/10/22 06:00	05/10/22 18:34	67-64-1	
Benzene	<0.00075	mg/kg	0.0053	0.00075	1	05/10/22 06:00	05/10/22 18:34	71-43-2	
Bromodichloromethane	<0.00072	mg/kg	0.0053	0.00072	1	05/10/22 06:00	05/10/22 18:34	75-27-4	
Bromoform	<0.0086	mg/kg	0.021	0.0086	1	05/10/22 06:00	05/10/22 18:34	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0053	0.0047	1	05/10/22 06:00	05/10/22 18:34	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/10/22 06:00	05/10/22 18:34	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0053	0.0034	1	05/10/22 06:00	05/10/22 18:34	56-23-5	
Chlorobenzene	<0.00098	mg/kg	0.0053	0.00098	1	05/10/22 06:00	05/10/22 18:34	108-90-7	
Chloroethane	<0.0038	mg/kg	0.0053	0.0038	1	05/10/22 06:00	05/10/22 18:34	75-00-3	
Chloroform	<0.00090	mg/kg	0.0053	0.00090	1	05/10/22 06:00	05/10/22 18:34	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 18:34	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 18:34	124-48-1	
Ethylbenzene	<0.00095	mg/kg	0.0053	0.00095	1	05/10/22 06:00	05/10/22 18:34	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/10/22 06:00	05/10/22 18:34	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/10/22 06:00	05/10/22 18:34	75-09-2	
Styrene	<0.00075	mg/kg	0.0053	0.00075	1	05/10/22 06:00	05/10/22 18:34	100-42-5	
Tetrachloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/10/22 06:00	05/10/22 18:34	127-18-4	
Toluene	<0.00093	mg/kg	0.0053	0.00093	1	05/10/22 06:00	05/10/22 18:34	108-88-3	
Trichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/10/22 06:00	05/10/22 18:34	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/10/22 06:00	05/10/22 18:34	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/10/22 06:00	05/10/22 18:34	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-53 (4.4-5.4) **Lab ID: 40244446020** Collected: 05/04/22 15:50 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00093	mg/kg	0.0053	0.00093	1	05/10/22 06:00	05/10/22 18:34	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 18:34	10061-01-5	
trans-1,2-Dichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/10/22 06:00	05/10/22 18:34	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/10/22 06:00	05/10/22 18:34	10061-02-6	
Surrogates									
Toluene-d8 (S)	89	%	69-156		1	05/10/22 06:00	05/10/22 18:34	2037-26-5	
4-Bromofluorobenzene (S)	76	%	61-175		1	05/10/22 06:00	05/10/22 18:34	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1	05/10/22 06:00	05/10/22 18:34	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.0	%	0.10	0.10	1		05/11/22 16:20		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.0	Std. Units	0.10	0.010	1		05/13/22 13:01		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.35	mg/kg	1.0	0.35	1	05/11/22 09:50	05/11/22 14:00	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-54 (1.5-2.5) **Lab ID: 4024446021** Collected: 05/04/22 16:40 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00053	mg/kg	0.0022	0.00053	1	05/06/22 13:20	05/09/22 14:23	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 13:20	05/09/22 14:23	319-84-6	
beta-BHC	<0.00068	mg/kg	0.0022	0.00068	1	05/06/22 13:20	05/09/22 14:23	319-85-7	
delta-BHC	<0.00040	mg/kg	0.0022	0.00040	1	05/06/22 13:20	05/09/22 14:23	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/06/22 13:20	05/09/22 14:23	58-89-9	
Chlordane (Technical)	<0.0072	mg/kg	0.022	0.0072	1	05/06/22 13:20	05/09/22 14:23	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/06/22 13:20	05/09/22 14:23	5103-71-9	
gamma-Chlordane	<0.00081	mg/kg	0.0022	0.00081	1	05/06/22 13:20	05/09/22 14:23	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0044	0.00044	1	05/06/22 13:20	05/09/22 14:23	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0044	0.00050	1	05/06/22 13:20	05/09/22 14:23	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0044	0.0013	1	05/06/22 13:20	05/09/22 14:23	50-29-3	
Dieldrin	<0.00042	mg/kg	0.0044	0.00042	1	05/06/22 13:20	05/09/22 14:23	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/06/22 13:20	05/09/22 14:23	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0044	0.0010	1	05/06/22 13:20	05/09/22 14:23	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0044	0.0010	1	05/06/22 13:20	05/09/22 14:23	1031-07-8	L2
Endrin	<0.00049	mg/kg	0.0044	0.00049	1	05/06/22 13:20	05/09/22 14:23	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0044	0.0014	1	05/06/22 13:20	05/09/22 14:23	7421-93-4	
Endrin ketone	<0.0012	mg/kg	0.0044	0.0012	1	05/06/22 13:20	05/09/22 14:23	53494-70-5	
Heptachlor	<0.00059	mg/kg	0.0022	0.00059	1	05/06/22 13:20	05/09/22 14:23	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 13:20	05/09/22 14:23	1024-57-3	
Methoxychlor	<0.0067	mg/kg	0.022	0.0067	1	05/06/22 13:20	05/09/22 14:23	72-43-5	
Toxaphene	<0.021	mg/kg	0.066	0.021	1	05/06/22 13:20	05/09/22 14:23	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	68	%	53-138		1	05/06/22 13:20	05/09/22 14:23	877-09-8	
Decachlorobiphenyl (S)	57	%	30-150		1	05/06/22 13:20	05/09/22 14:23	2051-24-3	CL
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/09/22 08:38	05/10/22 16:07	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/09/22 08:38	05/10/22 16:07	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/09/22 08:38	05/10/22 16:07	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/09/22 08:38	05/10/22 16:07	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/09/22 08:38	05/10/22 16:07	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/09/22 08:38	05/10/22 16:07	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/09/22 08:38	05/10/22 16:07	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/09/22 08:38	05/10/22 16:07	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	71	%	50-99		1	05/09/22 08:38	05/10/22 16:07	877-09-8	
Decachlorobiphenyl (S)	84	%	38-95		1	05/09/22 08:38	05/10/22 16:07	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	14100	mg/kg	37.9	7.6	1	05/09/22 17:19	05/13/22 23:36	7429-90-5	P6
Antimony	0.18J	mg/kg	0.63	0.12	1	05/09/22 17:19	05/13/22 23:36	7440-36-0	M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: **SB-54 (1.5-2.5)** Lab ID: **40244446021** Collected: 05/04/22 16:40 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	9.2	mg/kg	0.63	0.14	1	05/09/22 17:19	05/13/22 23:36	7440-38-2	
Barium	169	mg/kg	0.38	0.067	1	05/09/22 17:19	05/13/22 23:36	7440-39-3	M1
Beryllium	0.89	mg/kg	0.25	0.050	1	05/09/22 17:19	05/13/22 23:36	7440-41-7	
Cadmium	0.30	mg/kg	0.10	0.040	1	05/09/22 17:19	05/13/22 23:36	7440-43-9	
Calcium	5490	mg/kg	126	14.9	1	05/09/22 17:19	05/13/22 23:36	7440-70-2	P6
Chromium	20.0	mg/kg	2.5	0.18	1	05/09/22 17:19	05/13/22 23:36	7440-47-3	
Cobalt	8.9	mg/kg	0.63	0.13	1	05/09/22 17:19	05/13/22 23:36	7440-48-4	
Copper	19.4	mg/kg	1.3	0.31	1	05/09/22 17:19	05/13/22 23:36	7440-50-8	
Iron	25300	mg/kg	63.2	13.3	1	05/09/22 17:19	05/13/22 23:36	7439-89-6	P6
Lead	14.4	mg/kg	0.63	0.037	1	05/09/22 17:19	05/13/22 23:36	7439-92-1	
Magnesium	3840	mg/kg	37.9	5.4	1	05/09/22 17:19	05/13/22 23:36	7439-95-4	
Manganese	1290	mg/kg	6.3	3.1	10	05/09/22 17:19	05/16/22 20:12	7439-96-5	P6,R1
Nickel	23.2	mg/kg	0.63	0.25	1	05/09/22 17:19	05/13/22 23:36	7440-02-0	
Potassium	1040	mg/kg	126	14.5	1	05/09/22 17:19	05/13/22 23:36	7440-09-7	
Selenium	0.48J	mg/kg	0.63	0.11	1	05/09/22 17:19	05/13/22 23:36	7782-49-2	
Silver	0.19J	mg/kg	0.63	0.18	1	05/09/22 17:19	05/16/22 19:54	7440-22-4	
Sodium	79.7	mg/kg	63.2	14.0	1	05/09/22 17:19	05/13/22 23:36	7440-23-5	
Thallium	0.23	mg/kg	0.13	0.046	1	05/09/22 17:19	05/13/22 23:36	7440-28-0	
Vanadium	35.0	mg/kg	1.3	0.22	1	05/09/22 17:19	05/13/22 23:36	7440-62-2	
Zinc	65.0	mg/kg	6.3	1.1	1	05/09/22 17:19	05/13/22 23:36	7440-66-6	M1
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.038J	mg/kg	0.041	0.012	1	05/12/22 09:25	05/13/22 11:03	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.083	0.025	1	05/10/22 12:26	05/10/22 17:47	120-82-1	
1,2-Dichlorobenzene	<0.069	mg/kg	0.23	0.069	1	05/10/22 12:26	05/10/22 17:47	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/10/22 12:26	05/10/22 17:47	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/10/22 17:47	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.057	mg/kg	0.19	0.057	1	05/10/22 12:26	05/10/22 17:47	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/10/22 12:26	05/10/22 17:47	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 17:47	88-06-2	
2,4-Dichlorophenol	<0.059	mg/kg	0.20	0.059	1	05/10/22 12:26	05/10/22 17:47	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/10/22 12:26	05/10/22 17:47	105-67-9	
2,4-Dinitrophenol	<0.067	mg/kg	0.22	0.067	1	05/10/22 12:26	05/10/22 17:47	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/10/22 17:47	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/10/22 12:26	05/10/22 17:47	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.094	0.028	1	05/10/22 12:26	05/10/22 17:47	91-58-7	
2-Chlorophenol	<0.055	mg/kg	0.18	0.055	1	05/10/22 12:26	05/10/22 17:47	95-57-8	
2-Methylnaphthalene	0.48	mg/kg	0.19	0.057	1	05/10/22 12:26	05/10/22 17:47	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/10/22 12:26	05/10/22 17:47	95-48-7	
2-Nitroaniline	<0.063	mg/kg	0.21	0.063	1	05/10/22 12:26	05/10/22 17:47	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-54 (1.5-2.5) **Lab ID: 40244446021** Collected: 05/04/22 16:40 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.069	mg/kg	0.23	0.069	1	05/10/22 12:26	05/10/22 17:47	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/10/22 12:26	05/10/22 17:47		
3,3'-Dichlorobenzidine	<0.060	mg/kg	0.20	0.060	1	05/10/22 12:26	05/10/22 17:47	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/10/22 17:47	99-09-2	
4,6-Dinitro-2-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/10/22 12:26	05/10/22 17:47	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/10/22 12:26	05/10/22 17:47	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/10/22 12:26	05/10/22 17:47	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 17:47	106-47-8	4q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/10/22 12:26	05/10/22 17:47	7005-72-3	
4-Nitroaniline	<0.091	mg/kg	0.30	0.091	1	05/10/22 12:26	05/10/22 17:47	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/10/22 12:26	05/10/22 17:47	100-02-7	
Acenaphthene	0.25J	mg/kg	0.26	0.078	1	05/10/22 12:26	05/10/22 17:47	83-32-9	
Acenaphthylene	<0.078	mg/kg	0.26	0.078	1	05/10/22 12:26	05/10/22 17:47	208-96-8	
Anthracene	0.13	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 17:47	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 17:47	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 17:47	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/10/22 12:26	05/10/22 17:47	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/10/22 12:26	05/10/22 17:47	191-24-2	
Benzo(k)fluoranthene	<0.053	mg/kg	0.18	0.053	1	05/10/22 12:26	05/10/22 17:47	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 17:47	85-68-7	
Carbazole	0.91	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 17:47	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 17:47	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 17:47	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/10/22 12:26	05/10/22 17:47	117-84-0	
Dibenz(a,h)anthracene	<0.060	mg/kg	0.20	0.060	1	05/10/22 12:26	05/10/22 17:47	53-70-3	
Dibenzofuran	0.25	mg/kg	0.089	0.027	1	05/10/22 12:26	05/10/22 17:47	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 17:47	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.095	0.029	1	05/10/22 12:26	05/10/22 17:47	131-11-3	
Fluoranthene	0.11	mg/kg	0.10	0.031	1	05/10/22 12:26	05/10/22 17:47	206-44-0	
Fluorene	0.40	mg/kg	0.086	0.026	1	05/10/22 12:26	05/10/22 17:47	86-73-7	
Hexachloro-1,3-butadiene	<0.056	mg/kg	0.19	0.056	1	05/10/22 12:26	05/10/22 17:47	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/10/22 17:47	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/10/22 12:26	05/10/22 17:47	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 17:47	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.048	mg/kg	0.16	0.048	1	05/10/22 12:26	05/10/22 17:47	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 17:47	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 17:47	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	0.99	0.30	1	05/10/22 12:26	05/10/22 17:47	86-30-6	
Naphthalene	2.4	mg/kg	0.26	0.077	1	05/10/22 12:26	05/10/22 17:47	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/10/22 12:26	05/10/22 17:47	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/10/22 12:26	05/10/22 17:47	87-86-5	
Phenanthrene	0.58	mg/kg	0.094	0.028	1	05/10/22 12:26	05/10/22 17:47	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/10/22 12:26	05/10/22 17:47	108-95-2	
Pyrene	0.10J	mg/kg	0.16	0.049	1	05/10/22 12:26	05/10/22 17:47	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: **SB-54 (1.5-2.5)** Lab ID: **40244446021** Collected: 05/04/22 16:40 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/10/22 12:26	05/10/22 17:47	111-91-1	
bis(2-Chloroethyl) ether	<0.069	mg/kg	0.23	0.069	1	05/10/22 12:26	05/10/22 17:47	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/10/22 17:47	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	68	%	10-125		1	05/10/22 12:26	05/10/22 17:47	4165-60-0	
2-Fluorobiphenyl (S)	62	%	12-118		1	05/10/22 12:26	05/10/22 17:47	321-60-8	
Terphenyl-d14 (S)	65	%	10-124		1	05/10/22 12:26	05/10/22 17:47	1718-51-0	
Phenol-d6 (S)	69	%	10-125		1	05/10/22 12:26	05/10/22 17:47	13127-88-3	
2-Fluorophenol (S)	68	%	10-130		1	05/10/22 12:26	05/10/22 17:47	367-12-4	
2,4,6-Tribromophenol (S)	73	%	10-144		1	05/10/22 12:26	05/10/22 17:47	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0048	0.0015	1	05/10/22 06:00	05/10/22 18:59	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0025	mg/kg	0.0048	0.0025	1	05/10/22 06:00	05/10/22 18:59	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0048	0.0015	1	05/10/22 06:00	05/10/22 18:59	79-00-5	
1,1-Dichloroethane	<0.0010	mg/kg	0.0048	0.0010	1	05/10/22 06:00	05/10/22 18:59	75-34-3	
1,1-Dichloroethene	<0.0010	mg/kg	0.0048	0.0010	1	05/10/22 06:00	05/10/22 18:59	75-35-4	
1,2-Dichloroethane	<0.00080	mg/kg	0.0048	0.00080	1	05/10/22 06:00	05/10/22 18:59	107-06-2	
1,2-Dichloropropane	<0.00098	mg/kg	0.0048	0.00098	1	05/10/22 06:00	05/10/22 18:59	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.024	0.015	1	05/10/22 06:00	05/10/22 18:59	78-93-3	
2-Hexanone	<0.011	mg/kg	0.024	0.011	1	05/10/22 06:00	05/10/22 18:59	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.019	mg/kg	0.024	0.019	1	05/10/22 06:00	05/10/22 18:59	108-10-1	
Acetone	<0.046	mg/kg	0.097	0.046	1	05/10/22 06:00	05/10/22 18:59	67-64-1	
Benzene	<0.00069	mg/kg	0.0048	0.00069	1	05/10/22 06:00	05/10/22 18:59	71-43-2	
Bromodichloromethane	<0.00066	mg/kg	0.0048	0.00066	1	05/10/22 06:00	05/10/22 18:59	75-27-4	
Bromoform	<0.0078	mg/kg	0.019	0.0078	1	05/10/22 06:00	05/10/22 18:59	75-25-2	
Bromomethane	<0.0043	mg/kg	0.0048	0.0043	1	05/10/22 06:00	05/10/22 18:59	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0048	0.0011	1	05/10/22 06:00	05/10/22 18:59	75-15-0	
Carbon tetrachloride	<0.0031	mg/kg	0.0048	0.0031	1	05/10/22 06:00	05/10/22 18:59	56-23-5	
Chlorobenzene	<0.00089	mg/kg	0.0048	0.00089	1	05/10/22 06:00	05/10/22 18:59	108-90-7	
Chloroethane	<0.0035	mg/kg	0.0048	0.0035	1	05/10/22 06:00	05/10/22 18:59	75-00-3	
Chloroform	<0.00082	mg/kg	0.0048	0.00082	1	05/10/22 06:00	05/10/22 18:59	67-66-3	
Chloromethane	<0.0010	mg/kg	0.0048	0.0010	1	05/10/22 06:00	05/10/22 18:59	74-87-3	
Dibromochloromethane	<0.00097	mg/kg	0.0048	0.00097	1	05/10/22 06:00	05/10/22 18:59	124-48-1	
Ethylbenzene	0.0011J	mg/kg	0.0048	0.00086	1	05/10/22 06:00	05/10/22 18:59	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0048	0.0020	1	05/10/22 06:00	05/10/22 18:59	1634-04-4	
Methylene Chloride	<0.0038	mg/kg	0.0048	0.0038	1	05/10/22 06:00	05/10/22 18:59	75-09-2	
Styrene	<0.00069	mg/kg	0.0048	0.00069	1	05/10/22 06:00	05/10/22 18:59	100-42-5	
Tetrachloroethene	<0.00086	mg/kg	0.0048	0.00086	1	05/10/22 06:00	05/10/22 18:59	127-18-4	
Toluene	<0.00085	mg/kg	0.0048	0.00085	1	05/10/22 06:00	05/10/22 18:59	108-88-3	
Trichloroethene	<0.00069	mg/kg	0.0048	0.00069	1	05/10/22 06:00	05/10/22 18:59	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0048	0.0013	1	05/10/22 06:00	05/10/22 18:59	75-01-4	
Xylene (Total)	<0.0033	mg/kg	0.0097	0.0033	1	05/10/22 06:00	05/10/22 18:59	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-54 (1.5-2.5) **Lab ID: 40244446021** Collected: 05/04/22 16:40 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00085	mg/kg	0.0048	0.00085	1	05/10/22 06:00	05/10/22 18:59	156-59-2	
cis-1,3-Dichloropropene	<0.00099	mg/kg	0.0048	0.00099	1	05/10/22 06:00	05/10/22 18:59	10061-01-5	
trans-1,2-Dichloroethene	<0.00069	mg/kg	0.0048	0.00069	1	05/10/22 06:00	05/10/22 18:59	156-60-5	
trans-1,3-Dichloropropene	<0.00097	mg/kg	0.0048	0.00097	1	05/10/22 06:00	05/10/22 18:59	10061-02-6	
Surrogates									
Toluene-d8 (S)	92	%	69-156		1	05/10/22 06:00	05/10/22 18:59	2037-26-5	
4-Bromofluorobenzene (S)	84	%	61-175		1	05/10/22 06:00	05/10/22 18:59	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1	05/10/22 06:00	05/10/22 18:59	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.9	%	0.10	0.10	1		05/11/22 16:21		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.0	Std. Units	0.10	0.010	1		05/13/22 13:03		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.40	mg/kg	1.2	0.40	1	05/11/22 11:10	05/11/22 14:03	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-54 (4.5-5.5) **Lab ID: 4024446022** Collected: 05/04/22 16:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0022	0.00052	1	05/06/22 13:20	05/09/22 15:20	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 13:20	05/09/22 15:20	319-84-6	
beta-BHC	<0.00067	mg/kg	0.0022	0.00067	1	05/06/22 13:20	05/09/22 15:20	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0022	0.00039	1	05/06/22 13:20	05/09/22 15:20	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/06/22 13:20	05/09/22 15:20	58-89-9	
Chlordane (Technical)	<0.0071	mg/kg	0.022	0.0071	1	05/06/22 13:20	05/09/22 15:20	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/06/22 13:20	05/09/22 15:20	5103-71-9	
gamma-Chlordane	<0.00080	mg/kg	0.0022	0.00080	1	05/06/22 13:20	05/09/22 15:20	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0043	0.00044	1	05/06/22 13:20	05/09/22 15:20	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/06/22 13:20	05/09/22 15:20	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/06/22 13:20	05/09/22 15:20	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/06/22 13:20	05/09/22 15:20	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/06/22 13:20	05/09/22 15:20	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/06/22 13:20	05/09/22 15:20	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/06/22 13:20	05/09/22 15:20	1031-07-8	L2
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/06/22 13:20	05/09/22 15:20	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/06/22 13:20	05/09/22 15:20	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/06/22 13:20	05/09/22 15:20	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0022	0.00058	1	05/06/22 13:20	05/09/22 15:20	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/06/22 13:20	05/09/22 15:20	1024-57-3	
Methoxychlor	<0.0067	mg/kg	0.022	0.0067	1	05/06/22 13:20	05/09/22 15:20	72-43-5	
Toxaphene	<0.020	mg/kg	0.065	0.020	1	05/06/22 13:20	05/09/22 15:20	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	63	%	53-138		1	05/06/22 13:20	05/09/22 15:20	877-09-8	
Decachlorobiphenyl (S)	55	%	30-150		1	05/06/22 13:20	05/09/22 15:20	2051-24-3	CL
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/09/22 08:38	05/10/22 16:29	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/09/22 08:38	05/10/22 16:29	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/09/22 08:38	05/10/22 16:29	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/09/22 08:38	05/10/22 16:29	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/09/22 08:38	05/10/22 16:29	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/09/22 08:38	05/10/22 16:29	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/09/22 08:38	05/10/22 16:29	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/09/22 08:38	05/10/22 16:29	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	79	%	50-99		1	05/09/22 08:38	05/10/22 16:29	877-09-8	
Decachlorobiphenyl (S)	87	%	38-95		1	05/09/22 08:38	05/10/22 16:29	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	13100	mg/kg	38.6	7.8	1	05/09/22 17:19	05/13/22 23:55	7429-90-5	
Antimony	<0.12	mg/kg	0.64	0.12	1	05/09/22 17:19	05/13/22 23:55	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: SB-54 (4.5-5.5) **Lab ID: 40244446022** Collected: 05/04/22 16:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	10.7	mg/kg	0.64	0.14	1	05/09/22 17:19	05/13/22 23:55	7440-38-2	
Barium	176	mg/kg	0.39	0.069	1	05/09/22 17:19	05/13/22 23:55	7440-39-3	
Beryllium	0.91	mg/kg	0.26	0.051	1	05/09/22 17:19	05/13/22 23:55	7440-41-7	
Cadmium	0.16	mg/kg	0.10	0.040	1	05/09/22 17:19	05/13/22 23:55	7440-43-9	
Calcium	3030	mg/kg	129	15.2	1	05/09/22 17:19	05/13/22 23:55	7440-70-2	
Chromium	16.3	mg/kg	2.6	0.18	1	05/09/22 17:19	05/13/22 23:55	7440-47-3	
Cobalt	9.9	mg/kg	0.64	0.13	1	05/09/22 17:19	05/13/22 23:55	7440-48-4	
Copper	16.4	mg/kg	1.3	0.31	1	05/09/22 17:19	05/13/22 23:55	7440-50-8	
Iron	19500	mg/kg	64.3	13.5	1	05/09/22 17:19	05/13/22 23:55	7439-89-6	
Lead	17.1	mg/kg	0.64	0.038	1	05/09/22 17:19	05/13/22 23:55	7439-92-1	
Magnesium	2820	mg/kg	38.6	5.5	1	05/09/22 17:19	05/13/22 23:55	7439-95-4	
Manganese	522	mg/kg	0.64	0.32	1	05/09/22 17:19	05/13/22 23:55	7439-96-5	
Nickel	16.1	mg/kg	0.64	0.26	1	05/09/22 17:19	05/13/22 23:55	7440-02-0	
Potassium	674	mg/kg	129	14.8	1	05/09/22 17:19	05/13/22 23:55	7440-09-7	
Selenium	0.42J	mg/kg	0.64	0.11	1	05/09/22 17:19	05/13/22 23:55	7782-49-2	
Silver	<0.19	mg/kg	0.64	0.19	1	05/09/22 17:19	05/16/22 19:20	7440-22-4	
Sodium	71.6	mg/kg	64.3	14.3	1	05/09/22 17:19	05/13/22 23:55	7440-23-5	
Thallium	0.17	mg/kg	0.13	0.047	1	05/09/22 17:19	05/13/22 23:55	7440-28-0	
Vanadium	31.5	mg/kg	1.3	0.23	1	05/09/22 17:19	05/13/22 23:55	7440-62-2	
Zinc	46.2	mg/kg	6.4	1.2	1	05/09/22 17:19	05/13/22 23:55	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.050	mg/kg	0.041	0.012	1	05/12/22 09:25	05/13/22 11:05	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.082	0.025	1	05/10/22 12:26	05/10/22 17:25	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/10/22 12:26	05/10/22 17:25	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/10/22 12:26	05/10/22 17:25	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/10/22 12:26	05/10/22 17:25	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/10/22 12:26	05/10/22 17:25	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/10/22 12:26	05/10/22 17:25	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 17:25	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/10/22 12:26	05/10/22 17:25	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/10/22 12:26	05/10/22 17:25	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/10/22 12:26	05/10/22 17:25	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/10/22 17:25	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/10/22 12:26	05/10/22 17:25	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/10/22 12:26	05/10/22 17:25	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/10/22 12:26	05/10/22 17:25	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/10/22 12:26	05/10/22 17:25	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/10/22 12:26	05/10/22 17:25	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/10/22 12:26	05/10/22 17:25	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-54 (4.5-5.5) **Lab ID: 40244446022** Collected: 05/04/22 16:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/10/22 12:26	05/10/22 17:25	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/10/22 12:26	05/10/22 17:25		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/10/22 12:26	05/10/22 17:25	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/10/22 17:25	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/10/22 12:26	05/10/22 17:25	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/10/22 12:26	05/10/22 17:25	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/10/22 12:26	05/10/22 17:25	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 17:25	106-47-8	4q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/10/22 12:26	05/10/22 17:25	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/10/22 12:26	05/10/22 17:25	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/10/22 12:26	05/10/22 17:25	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/10/22 12:26	05/10/22 17:25	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/10/22 12:26	05/10/22 17:25	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 17:25	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 17:25	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 17:25	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/10/22 17:25	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/10/22 12:26	05/10/22 17:25	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/10/22 12:26	05/10/22 17:25	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 17:25	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 17:25	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/10/22 17:25	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/10/22 17:25	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/10/22 12:26	05/10/22 17:25	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/10/22 12:26	05/10/22 17:25	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.088	0.026	1	05/10/22 12:26	05/10/22 17:25	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 17:25	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/10/22 12:26	05/10/22 17:25	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/10/22 17:25	206-44-0	
Fluorene	<0.025	mg/kg	0.085	0.025	1	05/10/22 12:26	05/10/22 17:25	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/10/22 12:26	05/10/22 17:25	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 17:25	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/10/22 12:26	05/10/22 17:25	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 17:25	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/10/22 12:26	05/10/22 17:25	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 17:25	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 17:25	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/10/22 12:26	05/10/22 17:25	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/10/22 12:26	05/10/22 17:25	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/10/22 12:26	05/10/22 17:25	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/10/22 12:26	05/10/22 17:25	87-86-5	
Phenanthrene	<0.028	mg/kg	0.093	0.028	1	05/10/22 12:26	05/10/22 17:25	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/10/22 12:26	05/10/22 17:25	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/10/22 12:26	05/10/22 17:25	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: **SB-54 (4.5-5.5)** Lab ID: **40244446022** Collected: 05/04/22 16:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/10/22 12:26	05/10/22 17:25	111-91-1	
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/10/22 12:26	05/10/22 17:25	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 17:25	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	63	%	10-125		1	05/10/22 12:26	05/10/22 17:25	4165-60-0	
2-Fluorobiphenyl (S)	53	%	12-118		1	05/10/22 12:26	05/10/22 17:25	321-60-8	
Terphenyl-d14 (S)	72	%	10-124		1	05/10/22 12:26	05/10/22 17:25	1718-51-0	
Phenol-d6 (S)	59	%	10-125		1	05/10/22 12:26	05/10/22 17:25	13127-88-3	
2-Fluorophenol (S)	56	%	10-130		1	05/10/22 12:26	05/10/22 17:25	367-12-4	
2,4,6-Tribromophenol (S)	67	%	10-144		1	05/10/22 12:26	05/10/22 17:25	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/10/22 06:00	05/10/22 19:23	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0056	0.0028	1	05/10/22 06:00	05/10/22 19:23	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/10/22 06:00	05/10/22 19:23	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0056	0.0012	1	05/10/22 06:00	05/10/22 19:23	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0056	0.0012	1	05/10/22 06:00	05/10/22 19:23	75-35-4	
1,2-Dichloroethane	<0.00092	mg/kg	0.0056	0.00092	1	05/10/22 06:00	05/10/22 19:23	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0056	0.0011	1	05/10/22 06:00	05/10/22 19:23	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.028	0.017	1	05/10/22 06:00	05/10/22 19:23	78-93-3	
2-Hexanone	<0.013	mg/kg	0.028	0.013	1	05/10/22 06:00	05/10/22 19:23	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.028	0.022	1	05/10/22 06:00	05/10/22 19:23	108-10-1	
Acetone	<0.052	mg/kg	0.11	0.052	1	05/10/22 06:00	05/10/22 19:23	67-64-1	
Benzene	<0.00079	mg/kg	0.0056	0.00079	1	05/10/22 06:00	05/10/22 19:23	71-43-2	
Bromodichloromethane	<0.00076	mg/kg	0.0056	0.00076	1	05/10/22 06:00	05/10/22 19:23	75-27-4	
Bromoform	<0.0090	mg/kg	0.022	0.0090	1	05/10/22 06:00	05/10/22 19:23	75-25-2	
Bromomethane	<0.0050	mg/kg	0.0056	0.0050	1	05/10/22 06:00	05/10/22 19:23	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0056	0.0012	1	05/10/22 06:00	05/10/22 19:23	75-15-0	
Carbon tetrachloride	<0.0035	mg/kg	0.0056	0.0035	1	05/10/22 06:00	05/10/22 19:23	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/10/22 06:00	05/10/22 19:23	108-90-7	
Chloroethane	<0.0040	mg/kg	0.0056	0.0040	1	05/10/22 06:00	05/10/22 19:23	75-00-3	
Chloroform	<0.00094	mg/kg	0.0056	0.00094	1	05/10/22 06:00	05/10/22 19:23	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0056	0.0012	1	05/10/22 06:00	05/10/22 19:23	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0056	0.0011	1	05/10/22 06:00	05/10/22 19:23	124-48-1	
Ethylbenzene	<0.00099	mg/kg	0.0056	0.00099	1	05/10/22 06:00	05/10/22 19:23	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0056	0.0023	1	05/10/22 06:00	05/10/22 19:23	1634-04-4	
Methylene Chloride	<0.0044	mg/kg	0.0056	0.0044	1	05/10/22 06:00	05/10/22 19:23	75-09-2	
Styrene	<0.00079	mg/kg	0.0056	0.00079	1	05/10/22 06:00	05/10/22 19:23	100-42-5	
Tetrachloroethene	<0.00099	mg/kg	0.0056	0.00099	1	05/10/22 06:00	05/10/22 19:23	127-18-4	
Toluene	<0.00098	mg/kg	0.0056	0.00098	1	05/10/22 06:00	05/10/22 19:23	108-88-3	
Trichloroethene	<0.00079	mg/kg	0.0056	0.00079	1	05/10/22 06:00	05/10/22 19:23	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0056	0.0014	1	05/10/22 06:00	05/10/22 19:23	75-01-4	
Xylene (Total)	<0.0038	mg/kg	0.011	0.0038	1	05/10/22 06:00	05/10/22 19:23	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Sample: SB-54 (4.5-5.5) **Lab ID: 40244446022** Collected: 05/04/22 16:45 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00098	mg/kg	0.0056	0.00098	1	05/10/22 06:00	05/10/22 19:23	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/10/22 06:00	05/10/22 19:23	10061-01-5	
trans-1,2-Dichloroethene	<0.00080	mg/kg	0.0056	0.00080	1	05/10/22 06:00	05/10/22 19:23	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/10/22 06:00	05/10/22 19:23	10061-02-6	
Surrogates									
Toluene-d8 (S)	91	%	69-156		1	05/10/22 06:00	05/10/22 19:23	2037-26-5	
4-Bromofluorobenzene (S)	90	%	61-175		1	05/10/22 06:00	05/10/22 19:23	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1	05/10/22 06:00	05/10/22 19:23	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.0	%	0.10	0.10	1		05/11/22 16:21		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.9	Std. Units	0.10	0.010	1		05/13/22 13:07		1q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.32	mg/kg	0.96	0.32	1	05/11/22 11:10	05/11/22 14:04	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Sample: TB-02 **Lab ID:** 40244446023 Collected: 05/04/22 17:00 Received: 05/05/22 11:15 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay							
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/10/22 06:00	05/11/22 08:07	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0050	0.0026	1	05/10/22 06:00	05/11/22 08:07	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/10/22 06:00	05/11/22 08:07	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/10/22 06:00	05/11/22 08:07	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0050	0.0011	1	05/10/22 06:00	05/11/22 08:07	75-35-4	
1,2-Dichloroethane	<0.00082	mg/kg	0.0050	0.00082	1	05/10/22 06:00	05/11/22 08:07	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/10/22 06:00	05/11/22 08:07	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/10/22 06:00	05/11/22 08:07	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/10/22 06:00	05/11/22 08:07	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/10/22 06:00	05/11/22 08:07	108-10-1	
Acetone	<0.047	mg/kg	0.10	0.047	1	05/10/22 06:00	05/11/22 08:07	67-64-1	
Benzene	<0.00071	mg/kg	0.0050	0.00071	1	05/10/22 06:00	05/11/22 08:07	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/10/22 06:00	05/11/22 08:07	75-27-4	
Bromoform	<0.0081	mg/kg	0.020	0.0081	1	05/10/22 06:00	05/11/22 08:07	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0050	0.0045	1	05/10/22 06:00	05/11/22 08:07	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/10/22 06:00	05/11/22 08:07	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0050	0.0032	1	05/10/22 06:00	05/11/22 08:07	56-23-5	
Chlorobenzene	<0.00092	mg/kg	0.0050	0.00092	1	05/10/22 06:00	05/11/22 08:07	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0050	0.0036	1	05/10/22 06:00	05/11/22 08:07	75-00-3	
Chloroform	<0.00084	mg/kg	0.0050	0.00084	1	05/10/22 06:00	05/11/22 08:07	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/10/22 06:00	05/11/22 08:07	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/10/22 06:00	05/11/22 08:07	124-48-1	
Ethylbenzene	<0.00089	mg/kg	0.0050	0.00089	1	05/10/22 06:00	05/11/22 08:07	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0050	0.0020	1	05/10/22 06:00	05/11/22 08:07	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0050	0.0040	1	05/10/22 06:00	05/11/22 08:07	75-09-2	
Styrene	<0.00071	mg/kg	0.0050	0.00071	1	05/10/22 06:00	05/11/22 08:07	100-42-5	
Tetrachloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/10/22 06:00	05/11/22 08:07	127-18-4	
Toluene	<0.00088	mg/kg	0.0050	0.00088	1	05/10/22 06:00	05/11/22 08:07	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/10/22 06:00	05/11/22 08:07	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/10/22 06:00	05/11/22 08:07	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.010	0.0034	1	05/10/22 06:00	05/11/22 08:07	1330-20-7	
cis-1,2-Dichloroethene	<0.00088	mg/kg	0.0050	0.00088	1	05/10/22 06:00	05/11/22 08:07	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/10/22 06:00	05/11/22 08:07	10061-01-5	
trans-1,2-Dichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/10/22 06:00	05/11/22 08:07	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/10/22 06:00	05/11/22 08:07	10061-02-6	
Surrogates									
Toluene-d8 (S)	100	%	69-156		1	05/10/22 06:00	05/11/22 08:07	2037-26-5	
4-Bromofluorobenzene (S)	91	%	61-175		1	05/10/22 06:00	05/11/22 08:07	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1	05/10/22 06:00	05/11/22 08:07	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

QC Batch:	415535	Analysis Method:	EPA 7471
QC Batch Method:	EPA 7471	Analysis Description:	7471 Mercury
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244446001, 40244446002, 40244446003, 40244446004, 40244446005, 40244446006, 40244446007, 40244446008, 40244446009, 40244446010, 40244446011, 40244446012, 40244446013, 40244446014, 40244446015

METHOD BLANK: 2392256 Matrix: Solid
Associated Lab Samples: 40244446001, 40244446002, 40244446003, 40244446004, 40244446005, 40244446006, 40244446007, 40244446008, 40244446009, 40244446010, 40244446011, 40244446012, 40244446013, 40244446014, 40244446015

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	0.010	05/13/22 08:58	

LABORATORY CONTROL SAMPLE: 2392257

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.84	100	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2392258 2392259

Parameter	Units	40244446001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	0.019J	1.1	1.1	1.1	1.1	101	101	85-115	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

QC Batch: 415536

Analysis Method: EPA 7471

QC Batch Method: EPA 7471

Analysis Description: 7471 Mercury

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244446016, 40244446017, 40244446018, 40244446019, 40244446020, 40244446021, 40244446022

METHOD BLANK: 2392260

Matrix: Solid

Associated Lab Samples: 40244446016, 40244446017, 40244446018, 40244446019, 40244446020, 40244446021, 40244446022

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	0.010	05/13/22 10:03	

LABORATORY CONTROL SAMPLE: 2392261

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.87	105	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2392262 2392263

Parameter	Units	2392262		2392263		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Mercury	mg/kg	0.035J	1.1	1.1	1.1	100	101	85-115	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

QC Batch:	813860	Analysis Method:	EPA 6020B
QC Batch Method:	EPA 3050B	Analysis Description:	6020B Solids UPD5
		Laboratory:	Pace Analytical Services - Minneapolis

Associated Lab Samples: 40244446001, 40244446002, 40244446003, 40244446004, 40244446005, 40244446006, 40244446007, 40244446008, 40244446009, 40244446010, 40244446011, 40244446012, 40244446013, 40244446014, 40244446015, 40244446016, 40244446017, 40244446018, 40244446019, 40244446020

METHOD BLANK: 4315247 Matrix: Solid

Associated Lab Samples: 40244446001, 40244446002, 40244446003, 40244446004, 40244446005, 40244446006, 40244446007, 40244446008, 40244446009, 40244446010, 40244446011, 40244446012, 40244446013, 40244446014, 40244446015, 40244446016, 40244446017, 40244446018, 40244446019, 40244446020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Aluminum	mg/kg	<5.9	29.1	5.9	05/14/22 01:56	
Antimony	mg/kg	<0.093	0.49	0.093	05/14/22 01:56	
Arsenic	mg/kg	<0.11	0.49	0.11	05/14/22 01:56	
Barium	mg/kg	<0.052	0.29	0.052	05/14/22 01:56	
Beryllium	mg/kg	<0.039	0.19	0.039	05/14/22 01:56	
Cadmium	mg/kg	<0.030	0.078	0.030	05/14/22 01:56	
Calcium	mg/kg	<11.5	97.1	11.5	05/14/22 01:56	
Chromium	mg/kg	<0.14	1.9	0.14	05/14/22 01:56	
Cobalt	mg/kg	<0.096	0.49	0.096	05/14/22 01:56	
Copper	mg/kg	<0.23	0.97	0.23	05/14/22 01:56	
Iron	mg/kg	<10.2	48.5	10.2	05/14/22 01:56	
Lead	mg/kg	<0.029	0.49	0.029	05/14/22 01:56	
Magnesium	mg/kg	4.3J	29.1	4.2	05/14/22 01:56	
Manganese	mg/kg	<0.24	0.49	0.24	05/14/22 01:56	
Nickel	mg/kg	<0.19	0.49	0.19	05/14/22 01:56	
Potassium	mg/kg	<11.2	97.1	11.2	05/14/22 01:56	
Selenium	mg/kg	<0.083	0.49	0.083	05/14/22 01:56	
Silver	mg/kg	<0.14	0.49	0.14	05/16/22 16:54	
Sodium	mg/kg	<10.8	48.5	10.8	05/14/22 01:56	
Thallium	mg/kg	<0.036	0.097	0.036	05/14/22 01:56	
Vanadium	mg/kg	<0.17	0.97	0.17	05/14/22 01:56	
Zinc	mg/kg	<0.87	4.9	0.87	05/14/22 01:56	

LABORATORY CONTROL SAMPLE: 4315248

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Aluminum	mg/kg	990	956	97	80-120	
Antimony	mg/kg	49.5	39.8	80	80-120	
Arsenic	mg/kg	49.5	40.2	81	80-120	
Barium	mg/kg	49.5	40.0	81	80-120	
Beryllium	mg/kg	49.5	57.1	115	80-120	
Cadmium	mg/kg	49.5	40.1	81	80-120	
Calcium	mg/kg	990	795	80	80-120	
Chromium	mg/kg	49.5	41.9	85	80-120	
Cobalt	mg/kg	49.5	41.7	84	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

LABORATORY CONTROL SAMPLE: 4315248

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Copper	mg/kg	49.5	41.4	84	80-120	
Iron	mg/kg	990	818	83	80-120	
Lead	mg/kg	49.5	41.7	84	80-120	
Magnesium	mg/kg	990	999	101	80-120	
Manganese	mg/kg	49.5	41.0	83	80-120	
Nickel	mg/kg	49.5	42.0	85	80-120	
Potassium	mg/kg	990	811	82	80-120	
Selenium	mg/kg	49.5	55.5	112	80-120	
Silver	mg/kg	24.8	25.7	104	80-120	
Sodium	mg/kg	990	792	80	80-120	
Thallium	mg/kg	49.5	43.3	87	80-120	
Vanadium	mg/kg	49.5	40.2	81	80-120	
Zinc	mg/kg	49.5	40.9	83	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4315249 4315250

Parameter	Units	40244446001		MS	MSD	4315249		4315250		% Rec Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec				
Aluminum	mg/kg	16600	1220	1200	23200	21100	539	371	75-125	10	20	P6	
Antimony	mg/kg	0.17J	61.1	60.1	19.0	16.9	31	28	75-125	11	20	M1	
Arsenic	mg/kg	9.7	61.1	60.1	63.1	57.9	87	80	75-125	9	20		
Barium	mg/kg	218	61.1	60.1	219	249	2	52	75-125	13	20	M1	
Beryllium	mg/kg	1.0	61.1	60.1	57.6	55.8	93	91	75-125	3	20		
Cadmium	mg/kg	0.61	61.1	60.1	52.8	48.3	85	80	75-125	9	20		
Calcium	mg/kg	3660	1220	1200	4910	4560	102	75	75-125	7	20		
Chromium	mg/kg	20.9	61.1	60.1	79.8	73.2	96	87	75-125	9	20		
Cobalt	mg/kg	15.5	61.1	60.1	68.3	63.6	86	80	75-125	7	20		
Copper	mg/kg	19.7	61.1	60.1	74.5	70.0	90	84	75-125	6	20		
Iron	mg/kg	24000	1220	1200	27500	25300	291	114	75-125	8	20	P6	
Lead	mg/kg	16.5	61.1	60.1	72.3	69.2	91	88	75-125	4	20		
Magnesium	mg/kg	3550	1220	1200	5160	4730	132	98	75-125	9	20	M1	
Manganese	mg/kg	2020	61.1	60.1	1060	1170	-1570	-1410	75-125	10	20	E,P6	
Nickel	mg/kg	36.1	61.1	60.1	86.2	82.4	82	77	75-125	4	20		
Potassium	mg/kg	925	1220	1200	2260	2030	109	92	75-125	10	20		
Selenium	mg/kg	0.60J	61.1	60.1	56.4	54.4	91	90	75-125	3	20		
Silver	mg/kg	<0.18	30.6	30	28.0	25.7	91	85	75-125	9	20		
Sodium	mg/kg	53.7J	1220	1200	1080	986	84	78	75-125	9	20		
Thallium	mg/kg	0.31	61.1	60.1	55.2	50.6	90	84	75-125	9	20		
Vanadium	mg/kg	39.3	61.1	60.1	103	93.5	104	90	75-125	9	20		
Zinc	mg/kg	58.1	61.1	60.1	117	107	97	82	75-125	9	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

QC Batch: 813861 Analysis Method: EPA 6020B
QC Batch Method: EPA 3050B Analysis Description: 6020B Solids UPD5
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 40244446021, 40244446022

METHOD BLANK: 4315251 Matrix: Solid

Associated Lab Samples: 40244446021, 40244446022

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Aluminum	mg/kg	<5.8	28.8	5.8	05/13/22 23:29	
Antimony	mg/kg	<0.092	0.48	0.092	05/13/22 23:29	
Arsenic	mg/kg	<0.10	0.48	0.10	05/13/22 23:29	
Barium	mg/kg	<0.051	0.29	0.051	05/13/22 23:29	
Beryllium	mg/kg	<0.038	0.19	0.038	05/13/22 23:29	
Cadmium	mg/kg	<0.030	0.077	0.030	05/13/22 23:29	
Calcium	mg/kg	23.3J	96.2	11.3	05/13/22 23:29	
Chromium	mg/kg	<0.13	1.9	0.13	05/13/22 23:29	
Cobalt	mg/kg	<0.095	0.48	0.095	05/13/22 23:29	
Copper	mg/kg	<0.23	0.96	0.23	05/13/22 23:29	
Iron	mg/kg	<10.1	48.1	10.1	05/13/22 23:29	
Lead	mg/kg	<0.028	0.48	0.028	05/13/22 23:29	
Magnesium	mg/kg	<4.1	28.8	4.1	05/13/22 23:29	
Manganese	mg/kg	<0.24	0.48	0.24	05/13/22 23:29	
Nickel	mg/kg	<0.19	0.48	0.19	05/13/22 23:29	
Potassium	mg/kg	<11.1	96.2	11.1	05/13/22 23:29	
Selenium	mg/kg	<0.082	0.48	0.082	05/13/22 23:29	
Silver	mg/kg	<0.14	0.48	0.14	05/16/22 19:09	
Sodium	mg/kg	<10.7	48.1	10.7	05/13/22 23:29	
Thallium	mg/kg	<0.035	0.096	0.035	05/13/22 23:29	
Vanadium	mg/kg	<0.17	0.96	0.17	05/13/22 23:29	
Zinc	mg/kg	<0.86	4.8	0.86	05/13/22 23:29	

LABORATORY CONTROL SAMPLE: 4315252

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Aluminum	mg/kg	971	826	85	80-120	
Antimony	mg/kg	48.5	42.2	87	80-120	
Arsenic	mg/kg	48.5	42.4	87	80-120	
Barium	mg/kg	48.5	42.7	88	80-120	
Beryllium	mg/kg	48.5	46.6	96	80-120	
Cadmium	mg/kg	48.5	42.4	87	80-120	
Calcium	mg/kg	971	841	87	80-120	
Chromium	mg/kg	48.5	44.5	92	80-120	
Cobalt	mg/kg	48.5	43.8	90	80-120	
Copper	mg/kg	48.5	43.8	90	80-120	
Iron	mg/kg	971	867	89	80-120	
Lead	mg/kg	48.5	44.2	91	80-120	
Magnesium	mg/kg	971	829	85	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

LABORATORY CONTROL SAMPLE: 4315252

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Manganese	mg/kg	48.5	43.6	90	80-120	
Nickel	mg/kg	48.5	44.5	92	80-120	
Potassium	mg/kg	971	857	88	80-120	
Selenium	mg/kg	48.5	46.2	95	80-120	
Silver	mg/kg	24.3	21.4	88	80-120	
Sodium	mg/kg	971	838	86	80-120	
Thallium	mg/kg	48.5	45.4	94	80-120	
Vanadium	mg/kg	48.5	42.6	88	80-120	
Zinc	mg/kg	48.5	43.0	89	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4315253 4315254

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244446021 Result	Spike Conc.	Spike Conc.	Result								
Aluminum	mg/kg	14100	1240	1220	20100	17700	484	294	75-125	13	20	P6	
Antimony	mg/kg	0.18J	62	60.8	22.6	19.4	36	32	75-125	15	20	M1	
Arsenic	mg/kg	9.2	62	60.8	66.6	58.6	93	81	75-125	13	20		
Barium	mg/kg	169	62	60.8	227	210	93	67	75-125	8	20	M1	
Beryllium	mg/kg	0.89	62	60.8	58.4	51.7	93	84	75-125	12	20		
Cadmium	mg/kg	0.30	62	60.8	55.2	47.8	89	78	75-125	14	20		
Calcium	mg/kg	5490	1240	1220	5410	6290	-7	66	75-125	15	20	P6	
Chromium	mg/kg	20.0	62	60.8	82.6	70.7	101	83	75-125	16	20		
Cobalt	mg/kg	8.9	62	60.8	67.5	58.1	95	81	75-125	15	20		
Copper	mg/kg	19.4	62	60.8	77.0	66.6	93	78	75-125	14	20		
Iron	mg/kg	25300	1240	1220	29600	25000	349	-23	75-125	17	20	P6	
Lead	mg/kg	14.4	62	60.8	69.6	63.3	89	80	75-125	9	20		
Magnesium	mg/kg	3840	1240	1220	5180	5140	108	107	75-125	1	20		
Manganese	mg/kg	1290	62	60.8	723	927	-920	-602	75-125	25	20	E,P6, R1	
Nickel	mg/kg	23.2	62	60.8	87.3	73.9	103	83	75-125	17	20		
Potassium	mg/kg	1040	1240	1220	2460	2170	115	93	75-125	13	20		
Selenium	mg/kg	0.48J	62	60.8	58.3	51.6	93	84	75-125	12	20		
Silver	mg/kg	0.19J	31	30.4	28.5	27.3	91	89	75-125	4	20		
Sodium	mg/kg	79.7	1240	1220	1160	998	87	75	75-125	15	20		
Thallium	mg/kg	0.23	62	60.8	58.2	49.8	94	81	75-125	16	20		
Vanadium	mg/kg	35.0	62	60.8	103	89.0	110	89	75-125	15	20		
Zinc	mg/kg	65.0	62	60.8	124	106	96	67	75-125	16	20	M1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

QC Batch: 415290 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030 Analysis Description: 8260 MSV Low
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244446001, 40244446002, 40244446003, 40244446004

METHOD BLANK: 2391124 Matrix: Solid
Associated Lab Samples: 40244446001, 40244446002, 40244446003, 40244446004

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/09/22 09:14	
1,1,2,2-Tetrachloroethane	mg/kg	<0.0026	0.0050	0.0026	05/09/22 09:14	
1,1,2-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/09/22 09:14	
1,1-Dichloroethane	mg/kg	<0.0011	0.0050	0.0011	05/09/22 09:14	
1,1-Dichloroethene	mg/kg	<0.0011	0.0050	0.0011	05/09/22 09:14	
1,2-Dichloroethane	mg/kg	<0.00082	0.0050	0.00082	05/09/22 09:14	
1,2-Dichloropropane	mg/kg	<0.0010	0.0050	0.0010	05/09/22 09:14	
2-Butanone (MEK)	mg/kg	<0.016	0.025	0.016	05/09/22 09:14	
2-Hexanone	mg/kg	<0.011	0.025	0.011	05/09/22 09:14	
4-Methyl-2-pentanone (MIBK)	mg/kg	<0.020	0.025	0.020	05/09/22 09:14	
Acetone	mg/kg	<0.047	0.10	0.047	05/09/22 09:14	
Benzene	mg/kg	<0.00071	0.0050	0.00071	05/09/22 09:14	
Bromodichloromethane	mg/kg	<0.00068	0.0050	0.00068	05/09/22 09:14	
Bromoform	mg/kg	<0.0081	0.020	0.0081	05/09/22 09:14	
Bromomethane	mg/kg	<0.0045	0.0050	0.0045	05/09/22 09:14	
Carbon disulfide	mg/kg	<0.0011	0.0050	0.0011	05/09/22 09:14	
Carbon tetrachloride	mg/kg	<0.0032	0.0050	0.0032	05/09/22 09:14	
Chlorobenzene	mg/kg	<0.00092	0.0050	0.00092	05/09/22 09:14	
Chloroethane	mg/kg	<0.0036	0.0050	0.0036	05/09/22 09:14	
Chloroform	mg/kg	<0.00084	0.0050	0.00084	05/09/22 09:14	
Chloromethane	mg/kg	<0.0011	0.0050	0.0011	05/09/22 09:14	
cis-1,2-Dichloroethene	mg/kg	<0.00088	0.0050	0.00088	05/09/22 09:14	
cis-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/09/22 09:14	
Dibromochloromethane	mg/kg	<0.0010	0.0050	0.0010	05/09/22 09:14	
Ethylbenzene	mg/kg	<0.00089	0.0050	0.00089	05/09/22 09:14	
Methyl-tert-butyl ether	mg/kg	<0.0020	0.0050	0.0020	05/09/22 09:14	
Methylene Chloride	mg/kg	<0.0040	0.0050	0.0040	05/09/22 09:14	
Styrene	mg/kg	<0.00071	0.0050	0.00071	05/09/22 09:14	
Tetrachloroethene	mg/kg	<0.00089	0.0050	0.00089	05/09/22 09:14	
Toluene	mg/kg	<0.00088	0.0050	0.00088	05/09/22 09:14	
trans-1,2-Dichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/09/22 09:14	
trans-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/09/22 09:14	
Trichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/09/22 09:14	
Vinyl chloride	mg/kg	<0.0013	0.0050	0.0013	05/09/22 09:14	
Xylene (Total)	mg/kg	<0.0034	0.010	0.0034	05/09/22 09:14	
1,2-Dichlorobenzene-d4 (S)	%	88	70-130		05/09/22 09:14	
4-Bromofluorobenzene (S)	%	83	61-175		05/09/22 09:14	
Toluene-d8 (S)	%	101	69-156		05/09/22 09:14	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Parameter	Units	2391125		2391126		% Rec	LCS	LCS	% Rec	Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCS Result	LCS % Rec								
1,1,1-Trichloroethane	mg/kg	0.05	0.041	0.048	83	96	57-126	15	22				
1,1,2,2-Tetrachloroethane	mg/kg	0.05	0.039	0.045	79	89	70-170	12	20				
1,1,2-Trichloroethane	mg/kg	0.05	0.044	0.050	89	100	59-128	12	20				
1,1-Dichloroethane	mg/kg	0.05	0.044	0.051	88	103	70-130	15	20				
1,1-Dichloroethene	mg/kg	0.05	0.041	0.047	81	94	57-118	15	23				
1,2-Dichloroethane	mg/kg	0.05	0.043	0.047	87	93	75-137	7	23				
1,2-Dichloropropane	mg/kg	0.05	0.042	0.051	83	102	74-132	20	22				
Benzene	mg/kg	0.05	0.041	0.048	82	97	68-130	17	24				
Bromodichloromethane	mg/kg	0.05	0.046	0.050	93	100	57-139	8	23				
Bromoform	mg/kg	0.05	0.046	0.054	92	108	62-131	16	20				
Bromomethane	mg/kg	0.05	0.055	0.057	111	115	20-175	3	28				
Carbon disulfide	mg/kg	0.05	0.037	0.043	73	86	40-128	17	22				
Carbon tetrachloride	mg/kg	0.05	0.043	0.054	87	108	50-128	21	24				
Chlorobenzene	mg/kg	0.05	0.043	0.054	86	108	70-130	23	20	R1			
Chloroethane	mg/kg	0.05	0.042	0.047	84	94	49-129	11	25				
Chloroform	mg/kg	0.05	0.044	0.049	89	98	65-128	10	23				
Chloromethane	mg/kg	0.05	0.044	0.041	87	82	39-134	6	25				
cis-1,2-Dichloroethene	mg/kg	0.05	0.045	0.049	89	98	69-130	9	24				
cis-1,3-Dichloropropene	mg/kg	0.05	0.043	0.047	85	94	67-132	9	23				
Dibromochloromethane	mg/kg	0.05	0.045	0.052	90	104	60-127	15	20				
Ethylbenzene	mg/kg	0.05	0.039	0.047	78	95	64-128	20	21				
Methyl-tert-butyl ether	mg/kg	0.05	0.043	0.045	86	90	64-126	4	25				
Methylene Chloride	mg/kg	0.05	0.045	0.049	90	98	54-133	8	22				
Styrene	mg/kg	0.05	0.041	0.052	82	105	64-130	24	21	R1			
Tetrachloroethene	mg/kg	0.05	0.043	0.054	87	107	62-130	21	23				
Toluene	mg/kg	0.05	0.038	0.046	76	92	71-117	19	21				
trans-1,2-Dichloroethene	mg/kg	0.05	0.043	0.047	87	95	67-130	9	20				
trans-1,3-Dichloropropene	mg/kg	0.05	0.036	0.043	71	86	63-130	19	22				
Trichloroethene	mg/kg	0.05	0.044	0.051	87	101	67-130	15	22				
Vinyl chloride	mg/kg	0.05	0.044	0.044	89	89	47-138	0	24				
Xylene (Total)	mg/kg	0.15	0.12	0.15	79	98	60-125	22	21	RS			
1,2-Dichlorobenzene-d4 (S)	%				91	102	70-130						
4-Bromofluorobenzene (S)	%				83	88	61-175						
Toluene-d8 (S)	%				91	98	69-156						

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

QC Batch:	415379	Analysis Method:	EPA 8260
QC Batch Method:	EPA 5035/5030	Analysis Description:	8260 MSV Low
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244446005, 40244446006, 40244446007, 40244446008, 40244446009, 40244446010, 40244446011, 40244446012, 40244446013, 40244446014, 40244446015, 40244446016, 40244446017, 40244446018, 40244446019, 40244446020, 40244446021, 40244446022, 40244446023

METHOD BLANK: 2391494 Matrix: Solid
Associated Lab Samples: 40244446005, 40244446006, 40244446007, 40244446008, 40244446009, 40244446010, 40244446011, 40244446012, 40244446013, 40244446014, 40244446015, 40244446016, 40244446017, 40244446018, 40244446019, 40244446020, 40244446021, 40244446022, 40244446023

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/10/22 09:23	
1,1,2,2-Tetrachloroethane	mg/kg	<0.0026	0.0050	0.0026	05/10/22 09:23	
1,1,2-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/10/22 09:23	
1,1-Dichloroethane	mg/kg	<0.0011	0.0050	0.0011	05/10/22 09:23	
1,1-Dichloroethene	mg/kg	<0.0011	0.0050	0.0011	05/10/22 09:23	
1,2-Dichloroethane	mg/kg	<0.00082	0.0050	0.00082	05/10/22 09:23	
1,2-Dichloropropane	mg/kg	<0.0010	0.0050	0.0010	05/10/22 09:23	
2-Butanone (MEK)	mg/kg	<0.016	0.025	0.016	05/10/22 09:23	
2-Hexanone	mg/kg	<0.011	0.025	0.011	05/10/22 09:23	
4-Methyl-2-pentanone (MIBK)	mg/kg	<0.020	0.025	0.020	05/10/22 09:23	
Acetone	mg/kg	<0.047	0.10	0.047	05/10/22 09:23	
Benzene	mg/kg	<0.00071	0.0050	0.00071	05/10/22 09:23	
Bromodichloromethane	mg/kg	<0.00068	0.0050	0.00068	05/10/22 09:23	
Bromoform	mg/kg	<0.0081	0.020	0.0081	05/10/22 09:23	
Bromomethane	mg/kg	<0.0045	0.0050	0.0045	05/10/22 09:23	
Carbon disulfide	mg/kg	<0.0011	0.0050	0.0011	05/10/22 09:23	
Carbon tetrachloride	mg/kg	<0.0032	0.0050	0.0032	05/10/22 09:23	
Chlorobenzene	mg/kg	<0.00092	0.0050	0.00092	05/10/22 09:23	
Chloroethane	mg/kg	<0.0036	0.0050	0.0036	05/10/22 09:23	
Chloroform	mg/kg	<0.00084	0.0050	0.00084	05/10/22 09:23	
Chloromethane	mg/kg	<0.0011	0.0050	0.0011	05/10/22 09:23	
cis-1,2-Dichloroethene	mg/kg	<0.00088	0.0050	0.00088	05/10/22 09:23	
cis-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/10/22 09:23	
Dibromochloromethane	mg/kg	<0.0010	0.0050	0.0010	05/10/22 09:23	
Ethylbenzene	mg/kg	<0.00089	0.0050	0.00089	05/10/22 09:23	
Methyl-tert-butyl ether	mg/kg	<0.0020	0.0050	0.0020	05/10/22 09:23	
Methylene Chloride	mg/kg	<0.0040	0.0050	0.0040	05/10/22 09:23	
Styrene	mg/kg	<0.00071	0.0050	0.00071	05/10/22 09:23	
Tetrachloroethane	mg/kg	<0.00089	0.0050	0.00089	05/10/22 09:23	
Toluene	mg/kg	<0.00088	0.0050	0.00088	05/10/22 09:23	
trans-1,2-Dichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/10/22 09:23	
trans-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/10/22 09:23	
Trichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/10/22 09:23	
Vinyl chloride	mg/kg	<0.0013	0.0050	0.0013	05/10/22 09:23	
Xylene (Total)	mg/kg	<0.0034	0.010	0.0034	05/10/22 09:23	
1,2-Dichlorobenzene-d4 (S)	%	103	70-130		05/10/22 09:23	
4-Bromofluorobenzene (S)	%	85	61-175		05/10/22 09:23	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

METHOD BLANK: 2391494 Matrix: Solid
Associated Lab Samples: 40244446005, 40244446006, 40244446007, 40244446008, 40244446009, 40244446010, 40244446011, 40244446012, 40244446013, 40244446014, 40244446015, 40244446016, 40244446017, 40244446018, 40244446019, 40244446020, 40244446021, 40244446022, 40244446023

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Toluene-d8 (S)	%	94	69-156		05/10/22 09:23	

Parameter	Units	2391495		2391496		% Rec Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCSD Result	LCS % Rec				
1,1,1-Trichloroethane	mg/kg	0.05	0.043	0.049	87	98	57-126	12	22
1,1,2,2-Tetrachloroethane	mg/kg	0.05	0.042	0.046	84	92	70-170	8	20
1,1,2-Trichloroethane	mg/kg	0.05	0.044	0.046	89	92	59-128	3	20
1,1-Dichloroethane	mg/kg	0.05	0.043	0.048	86	96	70-130	11	20
1,1-Dichloroethene	mg/kg	0.05	0.036	0.042	72	85	57-118	17	23
1,2-Dichloroethane	mg/kg	0.05	0.043	0.049	86	99	75-137	13	23
1,2-Dichloropropane	mg/kg	0.05	0.042	0.046	85	92	74-132	9	22
Benzene	mg/kg	0.05	0.041	0.046	82	92	68-130	11	24
Bromodichloromethane	mg/kg	0.05	0.047	0.051	93	101	57-139	8	23
Bromoform	mg/kg	0.05	0.049	0.053	98	107	62-131	8	20
Bromomethane	mg/kg	0.05	0.049	0.059	98	117	20-175	17	28
Carbon disulfide	mg/kg	0.05	0.033	0.038	66	75	40-128	13	22
Carbon tetrachloride	mg/kg	0.05	0.044	0.051	88	102	50-128	15	24
Chlorobenzene	mg/kg	0.05	0.045	0.047	89	95	70-130	6	20
Chloroethane	mg/kg	0.05	0.040	0.043	80	87	49-129	8	25
Chloroform	mg/kg	0.05	0.044	0.048	88	96	65-128	9	23
Chloromethane	mg/kg	0.05	0.035	0.047	71	94	39-134	29	25 R1
cis-1,2-Dichloroethene	mg/kg	0.05	0.043	0.049	86	98	69-130	13	24
cis-1,3-Dichloropropene	mg/kg	0.05	0.042	0.047	84	94	67-132	11	23
Dibromochloromethane	mg/kg	0.05	0.050	0.049	99	99	60-127	1	20
Ethylbenzene	mg/kg	0.05	0.041	0.044	82	89	64-128	8	21
Methyl-tert-butyl ether	mg/kg	0.05	0.042	0.042	84	84	64-126	1	25
Methylene Chloride	mg/kg	0.05	0.043	0.048	85	96	54-133	12	22
Styrene	mg/kg	0.05	0.045	0.049	90	97	64-130	8	21
Tetrachloroethene	mg/kg	0.05	0.048	0.049	96	98	62-130	3	23
Toluene	mg/kg	0.05	0.039	0.043	79	85	71-117	8	21
trans-1,2-Dichloroethene	mg/kg	0.05	0.041	0.052	82	103	67-130	24	20 R1
trans-1,3-Dichloropropene	mg/kg	0.05	0.040	0.041	81	82	63-130	2	22
Trichloroethene	mg/kg	0.05	0.042	0.048	84	95	67-130	13	22
Vinyl chloride	mg/kg	0.05	0.038	0.048	75	96	47-138	25	24 R1
Xylene (Total)	mg/kg	0.15	0.13	0.13	85	89	60-125	4	21
1,2-Dichlorobenzene-d4 (S)	%				98	98	70-130		
4-Bromofluorobenzene (S)	%				87	92	61-175		
Toluene-d8 (S)	%				94	88	69-156		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

QC Batch:	813680	Analysis Method:	EPA 8081B
QC Batch Method:	EPA 3550	Analysis Description:	8081B GCS Pesticides
		Laboratory:	Pace Analytical Services - Minneapolis

Associated Lab Samples: 40244446001, 40244446002, 40244446003, 40244446004, 40244446005, 40244446006, 40244446007, 40244446008, 40244446009, 40244446010, 40244446011, 40244446012, 40244446013, 40244446014, 40244446015, 40244446016, 40244446017, 40244446018, 40244446019, 40244446020

METHOD BLANK: 4314089 Matrix: Solid
Associated Lab Samples: 40244446001, 40244446002, 40244446003, 40244446004, 40244446005, 40244446006, 40244446007, 40244446008, 40244446009, 40244446010, 40244446011, 40244446012, 40244446013, 40244446014, 40244446015, 40244446016, 40244446017, 40244446018, 40244446019, 40244446020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	mg/kg	<0.00034	0.0033	0.00034	05/10/22 10:13	
4,4'-DDE	mg/kg	<0.00038	0.0033	0.00038	05/10/22 10:13	
4,4'-DDT	mg/kg	<0.0010	0.0033	0.0010	05/10/22 10:13	
Aldrin	mg/kg	<0.00040	0.0017	0.00040	05/10/22 10:13	
alpha-BHC	mg/kg	<0.00017	0.0017	0.00017	05/10/22 10:13	
alpha-Chlordane	mg/kg	<0.00021	0.0017	0.00021	05/10/22 10:13	
beta-BHC	mg/kg	<0.00052	0.0017	0.00052	05/10/22 10:13	
Chlordane (Technical)	mg/kg	<0.0055	0.017	0.0055	05/10/22 10:13	
delta-BHC	mg/kg	<0.00030	0.0017	0.00030	05/10/22 10:13	
Dieldrin	mg/kg	<0.00032	0.0033	0.00032	05/10/22 10:13	
Endosulfan I	mg/kg	<0.00018	0.0017	0.00018	05/10/22 10:13	
Endosulfan II	mg/kg	<0.00079	0.0033	0.00079	05/10/22 10:13	
Endosulfan sulfate	mg/kg	<0.00078	0.0033	0.00078	05/10/22 10:13	
Endrin	mg/kg	<0.00037	0.0033	0.00037	05/10/22 10:13	
Endrin aldehyde	mg/kg	<0.0011	0.0033	0.0011	05/10/22 10:13	
Endrin ketone	mg/kg	<0.00088	0.0033	0.00088	05/10/22 10:13	
gamma-BHC (Lindane)	mg/kg	<0.00016	0.0017	0.00016	05/10/22 10:13	
gamma-Chlordane	mg/kg	<0.00062	0.0017	0.00062	05/10/22 10:13	
Heptachlor	mg/kg	<0.00045	0.0017	0.00045	05/10/22 10:13	
Heptachlor epoxide	mg/kg	<0.00017	0.0017	0.00017	05/10/22 10:13	
Methoxychlor	mg/kg	<0.0051	0.017	0.0051	05/10/22 10:13	
Toxaphene	mg/kg	<0.016	0.050	0.016	05/10/22 10:13	
Decachlorobiphenyl (S)	%	66	30-150		05/10/22 10:13	CL
Tetrachloro-m-xylene (S)	%	82	53-138		05/10/22 10:13	

LABORATORY CONTROL SAMPLE: 4314090

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	mg/kg	0.033	0.028	84	73-128	
4,4'-DDE	mg/kg	0.033	0.029	88	75-128	
4,4'-DDT	mg/kg	0.033	0.030	90	74-128	
Aldrin	mg/kg	0.017	0.014	84	72-125	
alpha-BHC	mg/kg	0.017	0.014	86	73-125	
alpha-Chlordane	mg/kg	0.017	0.014	83	69-125	
beta-BHC	mg/kg	0.017	0.013	81	73-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

LABORATORY CONTROL SAMPLE: 4314090

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
delta-BHC	mg/kg	0.017	0.011	65	37-125	
Dieldrin	mg/kg	0.033	0.029	86	75-125	
Endosulfan I	mg/kg	0.017	0.014	81	67-125	
Endosulfan II	mg/kg	0.033	0.028	83	75-125	
Endosulfan sulfate	mg/kg	0.033	0.026	79	75-125	
Endrin	mg/kg	0.033	0.029	86	75-125	
Endrin aldehyde	mg/kg	0.033	0.027	80	71-125	
Endrin ketone	mg/kg	0.033	0.028	84	75-125	
gamma-BHC (Lindane)	mg/kg	0.017	0.014	85	74-125	
gamma-Chlordane	mg/kg	0.017	0.014	83	70-125	
Heptachlor	mg/kg	0.017	0.014	84	75-125	
Heptachlor epoxide	mg/kg	0.017	0.014	83	73-125	
Methoxychlor	mg/kg	0.17	0.15	90	75-128	
Decachlorobiphenyl (S)	%			70	30-150	CL
Tetrachloro-m-xylene (S)	%			84	53-138	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4314241 4314242

Parameter	Units	40244446019		4314241		4314242		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Result						
4,4'-DDD	mg/kg	<0.00042	0.0408	0.0408	0.029	0.031	71	75	36-150	6	20		
4,4'-DDE	mg/kg	<0.00047	0.0408	0.0408	0.030	0.032	72	77	39-147	6	20		
4,4'-DDT	mg/kg	<0.0013	0.0408	0.0408	0.031	0.033	75	79	43-143	5	20		
Aldrin	mg/kg	<0.00050	0.021	0.021	0.014	0.015	69	73	41-136	6	20		
alpha-BHC	mg/kg	<0.00021	0.021	0.021	0.015	0.016	72	78	48-132	8	20		
alpha-Chlordane	mg/kg	<0.00025	0.021	0.021	0.014	0.015	68	72	32-149	6	20		
beta-BHC	mg/kg	<0.00064	0.021	0.021	0.015	0.016	71	76	45-142	7	20		
delta-BHC	mg/kg	<0.00037	0.021	0.021	0.012	0.013	57	61	30-125	7	20		
Dieldrin	mg/kg	<0.00039	0.0408	0.0408	0.029	0.031	71	75	39-140	6	20		
Endosulfan I	mg/kg	<0.00023	0.021	0.021	0.014	0.015	68	72	39-134	5	20		
Endosulfan II	mg/kg	<0.00098	0.0408	0.0408	0.029	0.031	71	75	43-138	6	20		
Endosulfan sulfate	mg/kg	<0.00097	0.0408	0.0408	0.028	0.029	68	71	43-131	5	20		
Endrin	mg/kg	<0.00046	0.0408	0.0408	0.029	0.031	72	76	47-134	6	20		
Endrin aldehyde	mg/kg	<0.0013	0.0408	0.0408	0.028	0.029	68	71	40-144	4	20		
Endrin ketone	mg/kg	<0.0011	0.0408	0.0408	0.029	0.031	72	75	42-145	5	20		
gamma-BHC (Lindane)	mg/kg	<0.00020	0.021	0.021	0.015	0.016	72	78	52-129	7	20		
gamma-Chlordane	mg/kg	<0.00077	0.021	0.021	0.014	0.015	67	71	38-136	6	20		
Heptachlor	mg/kg	<0.00056	0.021	0.021	0.014	0.015	69	74	43-142	7	20		
Heptachlor epoxide	mg/kg	<0.00021	0.021	0.021	0.014	0.015	68	73	37-144	6	20		
Methoxychlor	mg/kg	<0.0063	0.21	0.21	0.16	0.17	77	80	35-150	4	20		
Decachlorobiphenyl (S)	%						64	65	30-150				CL
Tetrachloro-m-xylene (S)	%						75	80	53-138				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

QC Batch: 813681 Analysis Method: EPA 8081B
QC Batch Method: EPA 3550 Analysis Description: 8081B GCS Pesticides
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 40244446021, 40244446022

METHOD BLANK: 4314097 Matrix: Solid

Associated Lab Samples: 40244446021, 40244446022

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	mg/kg	<0.00034	0.0033	0.00034	05/09/22 13:45	
4,4'-DDE	mg/kg	<0.00038	0.0033	0.00038	05/09/22 13:45	
4,4'-DDT	mg/kg	<0.0010	0.0033	0.0010	05/09/22 13:45	
Aldrin	mg/kg	<0.00040	0.0017	0.00040	05/09/22 13:45	
alpha-BHC	mg/kg	<0.00017	0.0017	0.00017	05/09/22 13:45	
alpha-Chlordane	mg/kg	<0.00021	0.0017	0.00021	05/09/22 13:45	
beta-BHC	mg/kg	<0.00052	0.0017	0.00052	05/09/22 13:45	
Chlordane (Technical)	mg/kg	<0.0055	0.017	0.0055	05/09/22 13:45	
delta-BHC	mg/kg	<0.00030	0.0017	0.00030	05/09/22 13:45	
Dieldrin	mg/kg	<0.00032	0.0033	0.00032	05/09/22 13:45	
Endosulfan I	mg/kg	<0.00018	0.0017	0.00018	05/09/22 13:45	
Endosulfan II	mg/kg	<0.00079	0.0033	0.00079	05/09/22 13:45	
Endosulfan sulfate	mg/kg	<0.00078	0.0033	0.00078	05/09/22 13:45	
Endrin	mg/kg	<0.00037	0.0033	0.00037	05/09/22 13:45	
Endrin aldehyde	mg/kg	<0.0011	0.0033	0.0011	05/09/22 13:45	
Endrin ketone	mg/kg	<0.00088	0.0033	0.00088	05/09/22 13:45	
gamma-BHC (Lindane)	mg/kg	<0.00016	0.0017	0.00016	05/09/22 13:45	
gamma-Chlordane	mg/kg	<0.00062	0.0017	0.00062	05/09/22 13:45	
Heptachlor	mg/kg	<0.00045	0.0017	0.00045	05/09/22 13:45	
Heptachlor epoxide	mg/kg	<0.00017	0.0017	0.00017	05/09/22 13:45	
Methoxychlor	mg/kg	<0.0051	0.017	0.0051	05/09/22 13:45	
Toxaphene	mg/kg	<0.016	0.050	0.016	05/09/22 13:45	
Decachlorobiphenyl (S)	%	68	30-150		05/09/22 13:45	CL
Tetrachloro-m-xylene (S)	%	84	53-138		05/09/22 13:45	

LABORATORY CONTROL SAMPLE: 4314098

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	mg/kg	0.033	0.026	79	73-128	
4,4'-DDE	mg/kg	0.033	0.027	81	75-128	
4,4'-DDT	mg/kg	0.033	0.028	84	74-128	
Aldrin	mg/kg	0.017	0.013	79	72-125	
alpha-BHC	mg/kg	0.017	0.013	80	73-125	
alpha-Chlordane	mg/kg	0.017	0.013	77	69-125	
beta-BHC	mg/kg	0.017	0.013	75	73-125	
delta-BHC	mg/kg	0.017	0.010	60	37-125	
Dieldrin	mg/kg	0.033	0.026	79	75-125	
Endosulfan I	mg/kg	0.017	0.013	76	67-125	
Endosulfan II	mg/kg	0.033	0.026	77	75-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

LABORATORY CONTROL SAMPLE: 4314098

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endosulfan sulfate	mg/kg	0.033	0.024	73	75-125	L2
Endrin	mg/kg	0.033	0.027	80	75-125	
Endrin aldehyde	mg/kg	0.033	0.025	75	71-125	
Endrin ketone	mg/kg	0.033	0.026	78	75-125	
gamma-BHC (Lindane)	mg/kg	0.017	0.013	79	74-125	
gamma-Chlordane	mg/kg	0.017	0.013	77	70-125	
Heptachlor	mg/kg	0.017	0.013	78	75-125	
Heptachlor epoxide	mg/kg	0.017	0.013	77	73-125	
Methoxychlor	mg/kg	0.17	0.14	85	75-128	
Decachlorobiphenyl (S)	%			67	30-150	CL
Tetrachloro-m-xylene (S)	%			81	53-138	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4314099 4314100

Parameter	Units	40244446021		MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.								
4,4'-DDD	mg/kg	<0.00044	0.0434	0.0434	0.030	0.029	68	67	36-150	2	20		
4,4'-DDE	mg/kg	<0.00050	0.0434	0.0434	0.031	0.030	70	68	39-147	2	20		
4,4'-DDT	mg/kg	<0.0013	0.0434	0.0434	0.031	0.030	70	70	43-143	1	20		
Aldrin	mg/kg	<0.00053	0.0223	0.0223	0.014	0.014	66	65	41-136	2	20		
alpha-BHC	mg/kg	<0.00022	0.0223	0.0223	0.015	0.015	68	67	48-132	1	20		
alpha-Chlordane	mg/kg	<0.00027	0.0223	0.0223	0.014	0.014	66	64	32-149	3	20		
beta-BHC	mg/kg	<0.00068	0.0223	0.0223	0.015	0.015	68	68	45-142	0	20		
delta-BHC	mg/kg	<0.00040	0.0223	0.0223	0.012	0.012	55	53	30-125	2	20		
Dieldrin	mg/kg	<0.00042	0.0434	0.0434	0.029	0.029	67	66	39-140	2	20		
Endosulfan I	mg/kg	<0.00024	0.0223	0.0223	0.014	0.014	65	64	39-134	2	20		
Endosulfan II	mg/kg	<0.0010	0.0434	0.0434	0.029	0.028	67	65	43-138	3	20		
Endosulfan sulfate	mg/kg	<0.0010	0.0434	0.0434	0.027	0.027	62	61	43-131	2	20		
Endrin	mg/kg	<0.00049	0.0434	0.0434	0.030	0.029	69	67	47-134	3	20		
Endrin aldehyde	mg/kg	<0.0014	0.0434	0.0434	0.029	0.028	66	65	40-144	2	20		
Endrin ketone	mg/kg	<0.0012	0.0434	0.0434	0.030	0.029	68	66	42-145	3	20		
gamma-BHC (Lindane)	mg/kg	<0.00021	0.0223	0.0223	0.017	0.015	76	71	52-129	7	20		
gamma-Chlordane	mg/kg	<0.00081	0.0223	0.0223	0.014	0.014	66	65	38-136	2	20		
Heptachlor	mg/kg	<0.00059	0.0223	0.0223	0.015	0.014	67	66	43-142	3	20		
Heptachlor epoxide	mg/kg	<0.00022	0.0223	0.0223	0.014	0.014	66	64	37-144	2	20		
Methoxychlor	mg/kg	<0.0067	0.223	0.223	0.15	0.15	70	69	35-150	1	20		
Decachlorobiphenyl (S)	%						60	59	30-150			CL	
Tetrachloro-m-xylene (S)	%						70	71	53-138				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

QC Batch: 415004 Analysis Method: EPA 8082A
QC Batch Method: EPA 3541 Analysis Description: 8082 GCS PCB
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244446001, 40244446002, 40244446003, 40244446004, 40244446005, 40244446006, 40244446007, 40244446008, 40244446009, 40244446010, 40244446011, 40244446012, 40244446013, 40244446014, 40244446015, 40244446016, 40244446017, 40244446018, 40244446019, 40244446020

METHOD BLANK: 2389507 Matrix: Solid
Associated Lab Samples: 40244446001, 40244446002, 40244446003, 40244446004, 40244446005, 40244446006, 40244446007, 40244446008, 40244446009, 40244446010, 40244446011, 40244446012, 40244446013, 40244446014, 40244446015, 40244446016, 40244446017, 40244446018, 40244446019, 40244446020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	0.015	05/09/22 22:26	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	0.015	05/09/22 22:26	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	0.015	05/09/22 22:26	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	0.015	05/09/22 22:26	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	0.015	05/09/22 22:26	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	0.015	05/09/22 22:26	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	0.015	05/09/22 22:26	
Decachlorobiphenyl (S)	%	89	38-95		05/09/22 22:26	
Tetrachloro-m-xylene (S)	%	87	50-99		05/09/22 22:26	

LABORATORY CONTROL SAMPLE: 2389508

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.45	89	71-104	
Decachlorobiphenyl (S)	%			93	38-95	
Tetrachloro-m-xylene (S)	%			90	50-99	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2389509 2389510

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244446003 Result	Spike Conc.	Spike Conc.	Result						
PCB-1016 (Aroclor 1016)	mg/kg	<0.020			<0.020	<0.020				20	
PCB-1221 (Aroclor 1221)	mg/kg	<0.020			<0.020	<0.020				20	
PCB-1232 (Aroclor 1232)	mg/kg	<0.020			<0.020	<0.020				20	
PCB-1242 (Aroclor 1242)	mg/kg	<0.020			<0.020	<0.020				20	
PCB-1248 (Aroclor 1248)	mg/kg	<0.020			<0.020	<0.020				20	
PCB-1254 (Aroclor 1254)	mg/kg	<0.020			<0.020	<0.020				20	
PCB-1260 (Aroclor 1260)	mg/kg	<0.020	0.67	0.67	0.58	0.58	87	87	42-109	1	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2389509 2389510												
Parameter	Units	40244446003 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	Spike Conc.								
Decachlorobiphenyl (S)	%							86	87	38-95		
Tetrachloro-m-xylene (S)	%							87	84	50-99		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

QC Batch: 415111 Analysis Method: EPA 8082A
QC Batch Method: EPA 3541 Analysis Description: 8082 GCS PCB
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244446021, 40244446022

METHOD BLANK: 2390378 Matrix: Solid
Associated Lab Samples: 40244446021, 40244446022

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	0.015	05/10/22 08:50	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	0.015	05/10/22 08:50	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	0.015	05/10/22 08:50	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	0.015	05/10/22 08:50	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	0.015	05/10/22 08:50	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	0.015	05/10/22 08:50	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	0.015	05/10/22 08:50	
Decachlorobiphenyl (S)	%	89	38-95		05/10/22 08:50	
Tetrachloro-m-xylene (S)	%	87	50-99		05/10/22 08:50	

LABORATORY CONTROL SAMPLE: 2390379

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.43	85	71-104	
Decachlorobiphenyl (S)	%			87	38-95	
Tetrachloro-m-xylene (S)	%			86	50-99	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2390380 2390381

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244527010	Spike Conc.	Spike Conc.	Result						
PCB-1016 (Aroclor 1016)	mg/kg	<15.7 ug/kg			<0.016	<0.016					20
PCB-1221 (Aroclor 1221)	mg/kg	<15.7 ug/kg			<0.016	<0.016					20
PCB-1232 (Aroclor 1232)	mg/kg	<15.7 ug/kg			<0.016	<0.016					20
PCB-1242 (Aroclor 1242)	mg/kg	<15.7 ug/kg			<0.016	<0.016					20
PCB-1248 (Aroclor 1248)	mg/kg	<15.7 ug/kg			<0.016	<0.016					20
PCB-1254 (Aroclor 1254)	mg/kg	<15.7 ug/kg			<0.016	<0.016					20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Parameter	Units	40244527010		2390380		2390381		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec							
PCB-1260 (Aroclor 1260)	mg/kg	<15.7 ug/kg	0.52	0.52	0.44	0.43	85	84	42-109	1	20			
Decachlorobiphenyl (S)	%						87	85	38-95					
Tetrachloro-m-xylene (S)	%						85	82	50-99					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

QC Batch: 415099 Analysis Method: EPA 8270E
QC Batch Method: EPA 3546 Analysis Description: 8270E Solid MSSV Microwave
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244446001, 40244446002, 40244446003, 40244446004, 40244446005, 40244446006, 40244446007, 40244446008

METHOD BLANK: 2390340 Matrix: Solid
Associated Lab Samples: 40244446001, 40244446002, 40244446003, 40244446004, 40244446005, 40244446006, 40244446007, 40244446008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	<0.019	0.063	0.019	05/10/22 11:04	
1,2-Dichlorobenzene	mg/kg	<0.052	0.17	0.052	05/10/22 11:04	
1,3-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/10/22 11:04	
1,4-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/10/22 11:04	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.043	0.14	0.043	05/10/22 11:04	
2,4,5-Trichlorophenol	mg/kg	<0.029	0.098	0.029	05/10/22 11:04	
2,4,6-Trichlorophenol	mg/kg	<0.025	0.085	0.025	05/10/22 11:04	
2,4-Dichlorophenol	mg/kg	<0.045	0.15	0.045	05/10/22 11:04	
2,4-Dimethylphenol	mg/kg	<0.033	0.11	0.033	05/10/22 11:04	
2,4-Dinitrophenol	mg/kg	<0.051	0.17	0.051	05/10/22 11:04	
2,4-Dinitrotoluene	mg/kg	<0.024	0.080	0.024	05/10/22 11:04	
2,6-Dinitrotoluene	mg/kg	<0.032	0.11	0.032	05/10/22 11:04	
2-Chloronaphthalene	mg/kg	<0.021	0.071	0.021	05/10/22 11:04	
2-Chlorophenol	mg/kg	<0.042	0.14	0.042	05/10/22 11:04	
2-Methylnaphthalene	mg/kg	<0.043	0.14	0.043	05/10/22 11:04	
2-Methylphenol(o-Cresol)	mg/kg	<0.030	0.10	0.030	05/10/22 11:04	
2-Nitroaniline	mg/kg	<0.048	0.16	0.048	05/10/22 11:04	
2-Nitrophenol	mg/kg	<0.053	0.18	0.053	05/10/22 11:04	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.031	0.10	0.031	05/10/22 11:04	
3,3'-Dichlorobenzidine	mg/kg	<0.045	0.15	0.045	05/10/22 11:04	
3-Nitroaniline	mg/kg	<0.028	0.095	0.028	05/10/22 11:04	
4,6-Dinitro-2-methylphenol	mg/kg	<0.051	0.17	0.051	05/10/22 11:04	
4-Bromophenylphenyl ether	mg/kg	<0.035	0.12	0.035	05/10/22 11:04	
4-Chloro-3-methylphenol	mg/kg	<0.052	0.17	0.052	05/10/22 11:04	
4-Chloroaniline	mg/kg	<0.027	0.091	0.027	05/10/22 11:04	4q
4-Chlorophenylphenyl ether	mg/kg	<0.031	0.10	0.031	05/10/22 11:04	
4-Nitroaniline	mg/kg	<0.069	0.23	0.069	05/10/22 11:04	
4-Nitrophenol	mg/kg	<0.042	0.14	0.042	05/10/22 11:04	
Acenaphthene	mg/kg	<0.059	0.20	0.059	05/10/22 11:04	
Acenaphthylene	mg/kg	<0.060	0.20	0.060	05/10/22 11:04	
Anthracene	mg/kg	<0.027	0.089	0.027	05/10/22 11:04	
Benzo(a)anthracene	mg/kg	<0.026	0.086	0.026	05/10/22 11:04	
Benzo(a)pyrene	mg/kg	<0.025	0.084	0.025	05/10/22 11:04	
Benzo(b)fluoranthene	mg/kg	<0.029	0.096	0.029	05/10/22 11:04	
Benzo(g,h,i)perylene	mg/kg	<0.044	0.15	0.044	05/10/22 11:04	
Benzo(k)fluoranthene	mg/kg	<0.040	0.13	0.040	05/10/22 11:04	
bis(2-Chloroethoxy)methane	mg/kg	<0.045	0.15	0.045	05/10/22 11:04	
bis(2-Chloroethyl) ether	mg/kg	<0.052	0.17	0.052	05/10/22 11:04	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.028	0.092	0.028	05/10/22 11:04	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

METHOD BLANK: 2390340

Matrix: Solid

Associated Lab Samples: 40244446001, 40244446002, 40244446003, 40244446004, 40244446005, 40244446006, 40244446007, 40244446008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Butylbenzylphthalate	mg/kg	<0.027	0.089	0.027	05/10/22 11:04	
Carbazole	mg/kg	<0.026	0.087	0.026	05/10/22 11:04	
Chrysene	mg/kg	<0.025	0.083	0.025	05/10/22 11:04	
Di-n-butylphthalate	mg/kg	<0.025	0.083	0.025	05/10/22 11:04	
Di-n-octylphthalate	mg/kg	<0.038	0.13	0.038	05/10/22 11:04	
Dibenz(a,h)anthracene	mg/kg	<0.045	0.15	0.045	05/10/22 11:04	
Dibenzofuran	mg/kg	<0.020	0.067	0.020	05/10/22 11:04	
Diethylphthalate	mg/kg	<0.028	0.092	0.028	05/10/22 11:04	
Dimethylphthalate	mg/kg	<0.022	0.072	0.022	05/10/22 11:04	
Fluoranthene	mg/kg	<0.024	0.079	0.024	05/10/22 11:04	
Fluorene	mg/kg	<0.020	0.065	0.020	05/10/22 11:04	
Hexachloro-1,3-butadiene	mg/kg	<0.043	0.14	0.043	05/10/22 11:04	
Hexachlorobenzene	mg/kg	<0.028	0.094	0.028	05/10/22 11:04	
Hexachlorocyclopentadiene	mg/kg	<0.039	0.13	0.039	05/10/22 11:04	
Hexachloroethane	mg/kg	<0.027	0.089	0.027	05/10/22 11:04	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.036	0.12	0.036	05/10/22 11:04	
Isophorone	mg/kg	<0.026	0.086	0.026	05/10/22 11:04	
N-Nitroso-di-n-propylamine	mg/kg	<0.026	0.088	0.026	05/10/22 11:04	
N-Nitrosodiphenylamine	mg/kg	<0.23	0.75	0.23	05/10/22 11:04	
Naphthalene	mg/kg	<0.058	0.19	0.058	05/10/22 11:04	
Nitrobenzene	mg/kg	<0.034	0.11	0.034	05/10/22 11:04	
Pentachlorophenol	mg/kg	<0.037	0.12	0.037	05/10/22 11:04	
Phenanthrene	mg/kg	<0.021	0.071	0.021	05/10/22 11:04	
Phenol	mg/kg	<0.040	0.13	0.040	05/10/22 11:04	
Pyrene	mg/kg	<0.037	0.12	0.037	05/10/22 11:04	
2,4,6-Tribromophenol (S)	%	80	10-144		05/10/22 11:04	
2-Fluorobiphenyl (S)	%	70	12-118		05/10/22 11:04	
2-Fluorophenol (S)	%	59	10-130		05/10/22 11:04	
Nitrobenzene-d5 (S)	%	75	10-125		05/10/22 11:04	
Phenol-d6 (S)	%	61	10-125		05/10/22 11:04	
Terphenyl-d14 (S)	%	96	10-124		05/10/22 11:04	

LABORATORY CONTROL SAMPLE: 2390341

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	1.7	1.6	95	70-130	
1,2-Dichlorobenzene	mg/kg	1.7	1.5	91	66-130	
1,3-Dichlorobenzene	mg/kg	1.7	1.4	86	66-130	
1,4-Dichlorobenzene	mg/kg	1.7	1.4	85	64-130	
2,2'-Oxybis(1-chloropropane)	mg/kg	1.7	1.5	91	65-130	
2,4,5-Trichlorophenol	mg/kg	1.7	1.8	106	70-125	
2,4,6-Trichlorophenol	mg/kg	1.7	1.8	108	70-124	
2,4-Dichlorophenol	mg/kg	1.7	1.7	100	70-121	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

LABORATORY CONTROL SAMPLE: 2390341

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dimethylphenol	mg/kg	1.7	1.7	103	70-130	
2,4-Dinitrophenol	mg/kg	1.7	1.3	76	26-103	
2,4-Dinitrotoluene	mg/kg	1.7	1.9	113	70-130	
2,6-Dinitrotoluene	mg/kg	1.7	1.8	105	70-130	
2-Chloronaphthalene	mg/kg	1.7	1.7	100	70-130	
2-Chlorophenol	mg/kg	1.7	1.6	96	67-130	
2-Methylnaphthalene	mg/kg	1.7	1.7	100	70-130	
2-Methylphenol(o-Cresol)	mg/kg	1.7	1.7	105	69-130	
2-Nitroaniline	mg/kg	1.7	2.0	118	70-124	CH
2-Nitrophenol	mg/kg	1.7	1.7	103	70-130	
3&4-Methylphenol(m&p Cresol)	mg/kg	1.7	1.7	99	70-130	
3,3'-Dichlorobenzidine	mg/kg	1.7	1.2	70	48-112	
3-Nitroaniline	mg/kg	1.7	1.4	86	57-121	
4,6-Dinitro-2-methylphenol	mg/kg	1.7	1.5	93	59-115	
4-Bromophenylphenyl ether	mg/kg	1.7	1.7	104	70-130	
4-Chloro-3-methylphenol	mg/kg	1.7	1.8	107	70-130	
4-Chloroaniline	mg/kg	1.7	0.87	52	45-130	4q
4-Chlorophenylphenyl ether	mg/kg	1.7	1.7	101	70-130	
4-Nitroaniline	mg/kg	1.7	1.8	108	62-127	
4-Nitrophenol	mg/kg	1.7	2.0	119	50-126	
Acenaphthene	mg/kg	1.7	1.6	98	70-130	
Acenaphthylene	mg/kg	1.7	1.8	106	70-130	
Anthracene	mg/kg	1.7	1.7	100	70-130	
Benzo(a)anthracene	mg/kg	1.7	1.7	102	70-130	
Benzo(a)pyrene	mg/kg	1.7	1.8	107	70-130	
Benzo(b)fluoranthene	mg/kg	1.7	1.8	106	70-130	
Benzo(g,h,i)perylene	mg/kg	1.7	1.7	103	65-130	
Benzo(k)fluoranthene	mg/kg	1.7	1.7	103	70-130	
bis(2-Chloroethoxy)methane	mg/kg	1.7	1.7	99	70-130	
bis(2-Chloroethyl) ether	mg/kg	1.7	1.5	91	68-130	
bis(2-Ethylhexyl)phthalate	mg/kg	1.7	1.8	106	70-130	
Butylbenzylphthalate	mg/kg	1.7	2.0	119	70-130	
Carbazole	mg/kg	1.7	1.8	108	70-130	
Chrysene	mg/kg	1.7	1.7	105	70-130	
Di-n-butylphthalate	mg/kg	1.7	1.8	107	70-130	
Di-n-octylphthalate	mg/kg	1.7	1.9	111	67-134	
Dibenz(a,h)anthracene	mg/kg	1.7	1.7	101	68-130	
Dibenzofuran	mg/kg	1.7	1.7	101	70-130	
Diethylphthalate	mg/kg	1.7	1.7	102	70-130	
Dimethylphthalate	mg/kg	1.7	1.7	104	70-130	
Fluoranthene	mg/kg	1.7	1.7	103	70-130	
Fluorene	mg/kg	1.7	1.7	101	70-130	
Hexachloro-1,3-butadiene	mg/kg	1.7	1.5	92	67-130	
Hexachlorobenzene	mg/kg	1.7	1.7	102	70-130	
Hexachlorocyclopentadiene	mg/kg	1.7	1.6	95	54-114	
Hexachloroethane	mg/kg	1.7	1.5	89	64-130	
Indeno(1,2,3-cd)pyrene	mg/kg	1.7	1.6	96	63-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

LABORATORY CONTROL SAMPLE: 2390341

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Isophorone	mg/kg	1.7	1.8	110	70-130	
N-Nitroso-di-n-propylamine	mg/kg	1.7	1.8	107	70-130	
N-Nitrosodiphenylamine	mg/kg	1.7	1.8	106	70-130	
Naphthalene	mg/kg	1.7	1.6	98	70-130	
Nitrobenzene	mg/kg	1.7	1.7	103	70-130	
Pentachlorophenol	mg/kg	1.7	1.6	94	47-108	
Phenanthrene	mg/kg	1.7	1.7	102	70-130	
Phenol	mg/kg	1.7	1.6	96	67-130	
Pyrene	mg/kg	1.7	1.7	101	70-130	
2,4,6-Tribromophenol (S)	%			105	10-144	
2-Fluorobiphenyl (S)	%			100	12-118	
2-Fluorophenol (S)	%			94	10-130	
Nitrobenzene-d5 (S)	%			106	10-125	
Phenol-d6 (S)	%			96	10-125	
Terphenyl-d14 (S)	%			98	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2390342 2390343

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244446002	Spike Conc.	Spike Conc.	Result								
1,2,4-Trichlorobenzene	mg/kg	<0.023	2.1	2.1	1.8	1.7	87	81	45-130	7	28		
1,2-Dichlorobenzene	mg/kg	<0.065	2.1	2.1	1.8	1.5	87	72	45-130	19	29		
1,3-Dichlorobenzene	mg/kg	<0.029	2.1	2.1	1.6	1.5	78	70	42-130	10	30		
1,4-Dichlorobenzene	mg/kg	<0.029	2.1	2.1	1.8	1.4	86	69	42-130	22	32		
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.054	2.1	2.1	1.8	1.6	85	78	44-130	9	26		
2,4,5-Trichlorophenol	mg/kg	<0.037	2.1	2.1	1.8	2.0	89	95	11-125	7	30		
2,4,6-Trichlorophenol	mg/kg	<0.032	2.1	2.1	1.9	1.9	92	91	16-124	1	31		
2,4-Dichlorophenol	mg/kg	<0.055	2.1	2.1	1.7	1.6	81	79	19-121	2	29		
2,4-Dimethylphenol	mg/kg	<0.041	2.1	2.1	1.5	1.5	72	73	29-130	2	32		
2,4-Dinitrophenol	mg/kg	<0.063	2.1	2.1	1.2	1.1	56	54	10-103	4	50		
2,4-Dinitrotoluene	mg/kg	<0.030	2.1	2.1	2.1	2.1	99	103	38-130	4	27		
2,6-Dinitrotoluene	mg/kg	<0.039	2.1	2.1	2.0	2.2	95	104	41-130	9	28		
2-Chloronaphthalene	mg/kg	<0.027	2.1	2.1	1.9	1.9	91	91	44-130	0	24		
2-Chlorophenol	mg/kg	<0.052	2.1	2.1	1.8	1.6	89	79	33-130	12	30		
2-Methylnaphthalene	mg/kg	<0.054	2.1	2.1	1.8	1.7	89	83	46-130	6	23		
2-Methylphenol(o-Cresol)	mg/kg	<0.038	2.1	2.1	1.7	1.6	83	78	30-130	6	30		
2-Nitroaniline	mg/kg	<0.059	2.1	2.1	2.2	2.4	108	115	27-124	7	25	CH	
2-Nitrophenol	mg/kg	<0.066	2.1	2.1	2.0	1.8	96	89	10-130	8	27		
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.038	2.1	2.1	1.5	1.5	74	72	28-130	2	33		
3,3'-Dichlorobenzidine	mg/kg	<0.056	2.1	2.1	1.4	1.7	70	81	10-112	15	43		
3-Nitroaniline	mg/kg	<0.035	2.1	2.1	1.9	1.8	90	87	10-121	4	33		
4,6-Dinitro-2-methylphenol	mg/kg	<0.064	2.1	2.1	1.7	1.7	83	84	10-115	2	50		
4-Bromophenylphenyl ether	mg/kg	<0.043	2.1	2.1	1.8	1.8	89	89	40-130	0	25		
4-Chloro-3-methylphenol	mg/kg	<0.065	2.1	2.1	1.8	1.9	87	89	30-130	3	29		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		2390342			2390343								
Parameter	Units	40244446002 Result	MS	MSD	MS	MSD	MS	MSD	% Rec Limits	RPD	Max RPD	Qual	
			Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
4-Chloroaniline	mg/kg	<0.034	2.1	2.1	1.5	1.3	71	65	16-130	9	33	4q	
4-Chlorophenylphenyl ether	mg/kg	<0.039	2.1	2.1	1.9	1.8	93	88	46-130	5	24		
4-Nitroaniline	mg/kg	<0.086	2.1	2.1	2.0	2.1	98	102	10-127	4	40		
4-Nitrophenol	mg/kg	<0.052	2.1	2.1	2.2	2.1	105	100	10-128	4	50	CH	
Acenaphthene	mg/kg	<0.074	2.1	2.1	1.9	1.8	94	86	47-130	8	21		
Acenaphthylene	mg/kg	<0.074	2.1	2.1	2.0	1.9	98	92	49-130	6	22		
Anthracene	mg/kg	<0.033	2.1	2.1	1.9	1.9	90	90	46-130	1	27		
Benzo(a)anthracene	mg/kg	<0.032	2.1	2.1	1.8	1.9	88	93	45-130	6	24		
Benzo(a)pyrene	mg/kg	<0.031	2.1	2.1	2.0	2.1	98	100	48-130	2	27		
Benzo(b)fluoranthene	mg/kg	<0.036	2.1	2.1	1.9	2.0	94	94	41-130	0	31		
Benzo(g,h,i)perylene	mg/kg	<0.054	2.1	2.1	1.8	1.9	88	90	37-130	3	31		
Benzo(k)fluoranthene	mg/kg	<0.050	2.1	2.1	1.9	2.1	93	100	46-130	7	27		
bis(2-Chloroethoxy)methane	mg/kg	<0.056	2.1	2.1	1.8	1.8	87	87	38-130	0	26		
bis(2-Chloroethyl) ether	mg/kg	<0.065	2.1	2.1	1.8	1.6	86	76	42-130	12	29		
bis(2-Ethylhexyl)phthalate	mg/kg	<0.035	2.1	2.1	1.9	2.0	93	97	39-130	4	27		
Butylbenzylphthalate	mg/kg	<0.033	2.1	2.1	2.2	2.3	107	108	39-130	1	27		
Carbazole	mg/kg	<0.033	2.1	2.1	1.9	2.0	91	95	44-130	4	24		
Chrysene	mg/kg	<0.031	2.1	2.1	1.8	2.0	87	95	44-130	9	25		
Di-n-butylphthalate	mg/kg	<0.031	2.1	2.1	2.0	2.0	95	96	45-130	1	26		
Di-n-octylphthalate	mg/kg	<0.047	2.1	2.1	2.0	2.1	96	102	40-134	6	27		
Dibenz(a,h)anthracene	mg/kg	<0.056	2.1	2.1	1.8	1.8	86	89	41-130	4	33		
Dibenzofuran	mg/kg	<0.025	2.1	2.1	2.0	1.9	96	92	47-130	4	23		
Diethylphthalate	mg/kg	<0.034	2.1	2.1	2.0	1.9	95	90	46-130	5	24		
Dimethylphthalate	mg/kg	<0.027	2.1	2.1	1.9	2.0	90	95	47-130	5	24		
Fluoranthene	mg/kg	<0.029	2.1	2.1	1.9	1.9	92	90	50-130	2	27		
Fluorene	mg/kg	<0.024	2.1	2.1	1.9	2.0	92	95	48-130	3	25		
Hexachloro-1,3-butadiene	mg/kg	<0.053	2.1	2.1	1.7	1.6	81	78	42-130	4	27		
Hexachlorobenzene	mg/kg	<0.035	2.1	2.1	1.8	1.8	89	85	51-130	4	24		
Hexachlorocyclopentadiene	mg/kg	<0.049	2.1	2.1	1.8	1.8	85	87	10-114	3	50		
Hexachloroethane	mg/kg	<0.033	2.1	2.1	1.9	1.6	92	76	33-130	19	35		
Indeno(1,2,3-cd)pyrene	mg/kg	<0.045	2.1	2.1	1.7	1.9	82	90	34-130	9	38		
Isophorone	mg/kg	<0.032	2.1	2.1	2.0	1.9	97	91	45-130	6	28		
N-Nitroso-di-n-propylamine	mg/kg	<0.033	2.1	2.1	2.0	1.9	96	91	47-130	5	27		
N-Nitrosodiphenylamine	mg/kg	<0.28	2.1	2.1	1.9	1.9	92	90	42-130	3	25		
Naphthalene	mg/kg	<0.073	2.1	2.1	1.8	1.7	87	83	48-130	5	24		
Nitrobenzene	mg/kg	<0.042	2.1	2.1	2.0	1.9	98	93	42-130	5	25		
Pentachlorophenol	mg/kg	<0.046	2.1	2.1	1.6	1.7	77	80	10-108	4	50		
Phenanthrene	mg/kg	<0.027	2.1	2.1	1.8	1.9	87	89	50-130	2	27		
Phenol	mg/kg	<0.049	2.1	2.1	1.8	1.6	85	78	37-130	8	30		
Pyrene	mg/kg	<0.046	2.1	2.1	1.8	2.0	88	95	43-130	7	29		
2,4,6-Tribromophenol (S)	%						86	95	10-144				
2-Fluorobiphenyl (S)	%						95	88	12-118				
2-Fluorophenol (S)	%						82	69	10-130				
Nitrobenzene-d5 (S)	%						95	90	10-125				
Phenol-d6 (S)	%						79	75	10-125				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2390342 2390343												
Parameter	Units	40244446002 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	Spike Conc.								
Terphenyl-d14 (S)	%						83	91	10-124			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

QC Batch:	415239	Analysis Method:	EPA 8270E
QC Batch Method:	EPA 3546	Analysis Description:	8270E Solid MSSV Microwave
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244446009, 40244446010, 40244446011, 40244446012, 40244446013, 40244446014, 40244446015, 40244446016, 40244446017, 40244446018, 40244446019, 40244446020, 40244446021, 40244446022

METHOD BLANK: 2390906 Matrix: Solid
Associated Lab Samples: 40244446009, 40244446010, 40244446011, 40244446012, 40244446013, 40244446014, 40244446015, 40244446016, 40244446017, 40244446018, 40244446019, 40244446020, 40244446021, 40244446022

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	<0.019	0.063	0.019	05/10/22 12:46	
1,2-Dichlorobenzene	mg/kg	<0.053	0.18	0.053	05/10/22 12:46	
1,3-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/10/22 12:46	
1,4-Dichlorobenzene	mg/kg	<0.023	0.078	0.023	05/10/22 12:46	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.043	0.14	0.043	05/10/22 12:46	
2,4,5-Trichlorophenol	mg/kg	<0.030	0.098	0.030	05/10/22 12:46	
2,4,6-Trichlorophenol	mg/kg	<0.025	0.085	0.025	05/10/22 12:46	
2,4-Dichlorophenol	mg/kg	<0.045	0.15	0.045	05/10/22 12:46	
2,4-Dimethylphenol	mg/kg	<0.033	0.11	0.033	05/10/22 12:46	
2,4-Dinitrophenol	mg/kg	<0.051	0.17	0.051	05/10/22 12:46	
2,4-Dinitrotoluene	mg/kg	<0.024	0.080	0.024	05/10/22 12:46	
2,6-Dinitrotoluene	mg/kg	<0.032	0.11	0.032	05/10/22 12:46	
2-Chloronaphthalene	mg/kg	<0.021	0.072	0.021	05/10/22 12:46	
2-Chlorophenol	mg/kg	<0.042	0.14	0.042	05/10/22 12:46	
2-Methylnaphthalene	mg/kg	<0.043	0.14	0.043	05/10/22 12:46	
2-Methylphenol(o-Cresol)	mg/kg	<0.030	0.10	0.030	05/10/22 12:46	
2-Nitroaniline	mg/kg	<0.048	0.16	0.048	05/10/22 12:46	
2-Nitrophenol	mg/kg	<0.053	0.18	0.053	05/10/22 12:46	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.031	0.10	0.031	05/10/22 12:46	
3,3'-Dichlorobenzidine	mg/kg	<0.045	0.15	0.045	05/10/22 12:46	
3-Nitroaniline	mg/kg	<0.028	0.095	0.028	05/10/22 12:46	
4,6-Dinitro-2-methylphenol	mg/kg	<0.052	0.17	0.052	05/10/22 12:46	
4-Bromophenylphenyl ether	mg/kg	<0.035	0.12	0.035	05/10/22 12:46	
4-Chloro-3-methylphenol	mg/kg	<0.052	0.17	0.052	05/10/22 12:46	
4-Chloroaniline	mg/kg	<0.027	0.092	0.027	05/10/22 12:46	4q
4-Chlorophenylphenyl ether	mg/kg	<0.031	0.10	0.031	05/10/22 12:46	
4-Nitroaniline	mg/kg	<0.069	0.23	0.069	05/10/22 12:46	
4-Nitrophenol	mg/kg	<0.042	0.14	0.042	05/10/22 12:46	
Acenaphthene	mg/kg	<0.059	0.20	0.059	05/10/22 12:46	
Acenaphthylene	mg/kg	<0.060	0.20	0.060	05/10/22 12:46	
Anthracene	mg/kg	<0.027	0.089	0.027	05/10/22 12:46	
Benzo(a)anthracene	mg/kg	<0.026	0.086	0.026	05/10/22 12:46	
Benzo(a)pyrene	mg/kg	<0.025	0.084	0.025	05/10/22 12:46	
Benzo(b)fluoranthene	mg/kg	<0.029	0.096	0.029	05/10/22 12:46	
Benzo(g,h,i)perylene	mg/kg	<0.044	0.15	0.044	05/10/22 12:46	
Benzo(k)fluoranthene	mg/kg	<0.040	0.13	0.040	05/10/22 12:46	
bis(2-Chloroethoxy)methane	mg/kg	<0.045	0.15	0.045	05/10/22 12:46	
bis(2-Chloroethyl) ether	mg/kg	<0.052	0.17	0.052	05/10/22 12:46	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.028	0.093	0.028	05/10/22 12:46	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

METHOD BLANK: 2390906

Matrix: Solid

Associated Lab Samples: 40244446009, 40244446010, 40244446011, 40244446012, 40244446013, 40244446014, 40244446015, 40244446016, 40244446017, 40244446018, 40244446019, 40244446020, 40244446021, 40244446022

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Butylbenzylphthalate	mg/kg	<0.027	0.089	0.027	05/10/22 12:46	
Carbazole	mg/kg	<0.026	0.087	0.026	05/10/22 12:46	
Chrysene	mg/kg	<0.025	0.083	0.025	05/10/22 12:46	
Di-n-butylphthalate	mg/kg	<0.025	0.083	0.025	05/10/22 12:46	
Di-n-octylphthalate	mg/kg	<0.038	0.13	0.038	05/10/22 12:46	
Dibenz(a,h)anthracene	mg/kg	<0.045	0.15	0.045	05/10/22 12:46	
Dibenzofuran	mg/kg	<0.020	0.067	0.020	05/10/22 12:46	
Diethylphthalate	mg/kg	<0.028	0.092	0.028	05/10/22 12:46	
Dimethylphthalate	mg/kg	<0.022	0.072	0.022	05/10/22 12:46	
Fluoranthene	mg/kg	<0.024	0.079	0.024	05/10/22 12:46	
Fluorene	mg/kg	<0.020	0.065	0.020	05/10/22 12:46	
Hexachloro-1,3-butadiene	mg/kg	<0.043	0.14	0.043	05/10/22 12:46	
Hexachlorobenzene	mg/kg	<0.028	0.094	0.028	05/10/22 12:46	
Hexachlorocyclopentadiene	mg/kg	<0.040	0.13	0.040	05/10/22 12:46	
Hexachloroethane	mg/kg	<0.027	0.089	0.027	05/10/22 12:46	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.036	0.12	0.036	05/10/22 12:46	
Isophorone	mg/kg	<0.026	0.086	0.026	05/10/22 12:46	
N-Nitroso-di-n-propylamine	mg/kg	<0.027	0.088	0.027	05/10/22 12:46	
N-Nitrosodiphenylamine	mg/kg	<0.23	0.76	0.23	05/10/22 12:46	
Naphthalene	mg/kg	<0.058	0.19	0.058	05/10/22 12:46	
Nitrobenzene	mg/kg	<0.034	0.11	0.034	05/10/22 12:46	
Pentachlorophenol	mg/kg	<0.037	0.12	0.037	05/10/22 12:46	
Phenanthrene	mg/kg	<0.021	0.071	0.021	05/10/22 12:46	
Phenol	mg/kg	<0.040	0.13	0.040	05/10/22 12:46	
Pyrene	mg/kg	<0.037	0.12	0.037	05/10/22 12:46	
2,4,6-Tribromophenol (S)	%	86	10-144		05/10/22 12:46	
2-Fluorobiphenyl (S)	%	89	12-118		05/10/22 12:46	
2-Fluorophenol (S)	%	90	10-130		05/10/22 12:46	
Nitrobenzene-d5 (S)	%	93	10-125		05/10/22 12:46	
Phenol-d6 (S)	%	91	10-125		05/10/22 12:46	
Terphenyl-d14 (S)	%	100	10-124		05/10/22 12:46	

LABORATORY CONTROL SAMPLE: 2390907

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	1.7	1.3	75	70-130	
1,2-Dichlorobenzene	mg/kg	1.7	1.2	70	66-130	
1,3-Dichlorobenzene	mg/kg	1.7	1.1	66	66-130	
1,4-Dichlorobenzene	mg/kg	1.7	1.1	66	64-130	
2,2'-Oxybis(1-chloropropane)	mg/kg	1.7	1.2	74	65-130	
2,4,5-Trichlorophenol	mg/kg	1.7	1.7	100	70-125	
2,4,6-Trichlorophenol	mg/kg	1.7	1.4	84	70-124	
2,4-Dichlorophenol	mg/kg	1.7	1.4	82	70-121	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

LABORATORY CONTROL SAMPLE: 2390907

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dimethylphenol	mg/kg	1.7	1.4	87	70-130	
2,4-Dinitrophenol	mg/kg	1.7	1.2	74	26-103	
2,4-Dinitrotoluene	mg/kg	1.7	1.6	98	70-130	
2,6-Dinitrotoluene	mg/kg	1.7	1.6	96	70-130	
2-Chloronaphthalene	mg/kg	1.7	1.5	88	70-130	
2-Chlorophenol	mg/kg	1.7	1.2	74	67-130	
2-Methylnaphthalene	mg/kg	1.7	1.4	87	70-130	
2-Methylphenol(o-Cresol)	mg/kg	1.7	1.4	84	69-130	
2-Nitroaniline	mg/kg	1.7	1.8	108	70-124	
2-Nitrophenol	mg/kg	1.7	1.5	90	70-130	
3&4-Methylphenol(m&p Cresol)	mg/kg	1.7	1.4	86	70-130	
3,3'-Dichlorobenzidine	mg/kg	1.7	1.2	69	48-112	
3-Nitroaniline	mg/kg	1.7	1.3	77	57-121	
4,6-Dinitro-2-methylphenol	mg/kg	1.7	1.4	82	59-115	
4-Bromophenylphenyl ether	mg/kg	1.7	1.5	90	70-130	
4-Chloro-3-methylphenol	mg/kg	1.7	1.5	92	70-130	
4-Chloroaniline	mg/kg	1.7	0.88	53	45-130	4q
4-Chlorophenylphenyl ether	mg/kg	1.7	1.5	91	70-130	
4-Nitroaniline	mg/kg	1.7	1.6	98	62-127	
4-Nitrophenol	mg/kg	1.7	1.7	102	50-126	
Acenaphthene	mg/kg	1.7	1.5	87	70-130	
Acenaphthylene	mg/kg	1.7	1.6	94	70-130	
Anthracene	mg/kg	1.7	1.5	88	70-130	
Benzo(a)anthracene	mg/kg	1.7	1.5	88	70-130	
Benzo(a)pyrene	mg/kg	1.7	1.5	91	70-130	
Benzo(b)fluoranthene	mg/kg	1.7	1.5	89	70-130	
Benzo(g,h,i)perylene	mg/kg	1.7	1.5	91	65-130	
Benzo(k)fluoranthene	mg/kg	1.7	1.4	85	70-130	
bis(2-Chloroethoxy)methane	mg/kg	1.7	1.4	81	70-130	
bis(2-Chloroethyl) ether	mg/kg	1.7	1.2	71	68-130	
bis(2-Ethylhexyl)phthalate	mg/kg	1.7	1.5	91	70-130	
Butylbenzylphthalate	mg/kg	1.7	1.7	101	70-130	
Carbazole	mg/kg	1.7	1.5	93	70-130	
Chrysene	mg/kg	1.7	1.4	85	70-130	
Di-n-butylphthalate	mg/kg	1.7	1.5	93	70-130	
Di-n-octylphthalate	mg/kg	1.7	1.6	98	67-134	
Dibenz(a,h)anthracene	mg/kg	1.7	1.4	87	68-130	
Dibenzofuran	mg/kg	1.7	1.5	93	70-130	
Diethylphthalate	mg/kg	1.7	1.5	91	70-130	
Dimethylphthalate	mg/kg	1.7	1.6	94	70-130	
Fluoranthene	mg/kg	1.7	1.5	91	70-130	
Fluorene	mg/kg	1.7	1.6	93	70-130	
Hexachloro-1,3-butadiene	mg/kg	1.7	1.3	77	67-130	
Hexachlorobenzene	mg/kg	1.7	1.4	84	70-130	
Hexachlorocyclopentadiene	mg/kg	1.7	1.3	75	54-114	
Hexachloroethane	mg/kg	1.7	1.2	70	64-130	
Indeno(1,2,3-cd)pyrene	mg/kg	1.7	1.4	87	63-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

LABORATORY CONTROL SAMPLE: 2390907

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Isophorone	mg/kg	1.7	1.6	94	70-130	
N-Nitroso-di-n-propylamine	mg/kg	1.7	1.5	87	70-130	
N-Nitrosodiphenylamine	mg/kg	1.7	1.4	85	70-130	
Naphthalene	mg/kg	1.7	1.3	80	70-130	
Nitrobenzene	mg/kg	1.7	1.4	82	70-130	
Pentachlorophenol	mg/kg	1.7	1.3	77	47-108	
Phenanthrene	mg/kg	1.7	1.4	86	70-130	
Phenol	mg/kg	1.7	1.3	80	67-130	
Pyrene	mg/kg	1.7	1.4	86	70-130	
2,4,6-Tribromophenol (S)	%			96	10-144	
2-Fluorobiphenyl (S)	%			86	12-118	
2-Fluorophenol (S)	%			68	10-130	
Nitrobenzene-d5 (S)	%			85	10-125	
Phenol-d6 (S)	%			79	10-125	
Terphenyl-d14 (S)	%			88	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2390908 2390909

Parameter	Units	MS 40244446016		MSD		MS 2390909		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
1,2,4-Trichlorobenzene	mg/kg	<0.024	2.2	2.2	1.8	1.4	81	65	45-130	23	28		
1,2-Dichlorobenzene	mg/kg	<0.068	2.2	2.2	1.7	1.4	80	64	45-130	22	29		
1,3-Dichlorobenzene	mg/kg	<0.030	2.2	2.2	1.7	1.3	77	62	42-130	22	30		
1,4-Dichlorobenzene	mg/kg	<0.030	2.2	2.2	1.5	1.4	71	65	42-130	9	32		
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.056	2.2	2.2	1.6	1.5	76	70	44-130	9	26		
2,4,5-Trichlorophenol	mg/kg	<0.038	2.2	2.2	1.8	1.8	86	85	11-125	0	30		
2,4,6-Trichlorophenol	mg/kg	<0.033	2.2	2.2	1.7	1.6	79	74	16-124	8	31		
2,4-Dichlorophenol	mg/kg	<0.058	2.2	2.2	1.8	1.6	82	73	19-121	11	29		
2,4-Dimethylphenol	mg/kg	<0.043	2.2	2.2	1.3	1.3	62	62	29-130	0	32		
2,4-Dinitrophenol	mg/kg	<0.066	2.2	2.2	1.2	1.3	55	62	10-103	12	50		
2,4-Dinitrotoluene	mg/kg	<0.031	2.2	2.2	1.8	1.9	85	88	38-130	3	27		
2,6-Dinitrotoluene	mg/kg	<0.041	2.2	2.2	1.9	1.9	90	89	41-130	2	28		
2-Chloronaphthalene	mg/kg	<0.028	2.2	2.2	1.8	1.7	83	81	44-130	4	24		
2-Chlorophenol	mg/kg	<0.054	2.2	2.2	1.7	1.5	77	70	33-130	10	30		
2-Methylnaphthalene	mg/kg	<0.056	2.2	2.2	1.6	1.6	76	72	46-130	4	23		
2-Methylphenol(o-Cresol)	mg/kg	<0.039	2.2	2.2	1.5	1.6	72	72	30-130	1	30		
2-Nitroaniline	mg/kg	<0.062	2.2	2.2	2.2	2.2	101	101	27-124	1	25		
2-Nitrophenol	mg/kg	<0.068	2.2	2.2	1.8	1.7	85	78	10-130	9	27		
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.040	2.2	2.2	1.4	1.4	64	67	28-130	4	33		
3,3'-Dichlorobenzidine	mg/kg	<0.059	2.2	2.2	1.6	1.6	74	72	10-112	2	43		
3-Nitroaniline	mg/kg	<0.037	2.2	2.2	1.8	1.7	84	79	10-121	7	33		
4,6-Dinitro-2-methylphenol	mg/kg	<0.067	2.2	2.2	1.6	1.7	72	78	10-115	7	50		
4-Bromophenylphenyl ether	mg/kg	<0.045	2.2	2.2	1.8	1.6	82	75	40-130	10	25		
4-Chloro-3-methylphenol	mg/kg	<0.067	2.2	2.2	1.6	1.7	75	78	30-130	3	29		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Parameter	Units	2390908		2390909		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40244446016 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
4-Chloroaniline	mg/kg	<0.036	2.2	2.2	1.5	1.2	69	57	16-130	19	33	4q	
4-Chlorophenylphenyl ether	mg/kg	<0.040	2.2	2.2	1.7	1.7	79	79	46-130	0	24		
4-Nitroaniline	mg/kg	<0.090	2.2	2.2	2.1	2.0	95	92	10-127	3	40		
4-Nitrophenol	mg/kg	<0.054	2.2	2.2	1.9	2.1	89	100	10-128	11	50		
Acenaphthene	mg/kg	<0.077	2.2	2.2	1.8	1.8	83	81	47-130	3	21		
Acenaphthylene	mg/kg	<0.077	2.2	2.2	1.8	1.8	84	86	49-130	2	22		
Anthracene	mg/kg	<0.035	2.2	2.2	1.8	1.7	85	80	46-130	6	27		
Benzo(a)anthracene	mg/kg	<0.033	2.2	2.2	1.7	1.7	80	79	45-130	1	24		
Benzo(a)pyrene	mg/kg	<0.033	2.2	2.2	1.8	1.7	82	81	48-130	2	27		
Benzo(b)fluoranthene	mg/kg	<0.037	2.2	2.2	1.6	1.7	75	77	41-130	3	31		
Benzo(g,h,i)perylene	mg/kg	<0.057	2.2	2.2	1.7	1.8	81	85	37-130	5	31		
Benzo(k)fluoranthene	mg/kg	<0.052	2.2	2.2	1.7	1.8	79	82	46-130	5	27		
bis(2-Chloroethoxy)methane	mg/kg	<0.058	2.2	2.2	1.7	1.6	80	74	38-130	8	26		
bis(2-Chloroethyl) ether	mg/kg	<0.067	2.2	2.2	1.7	1.5	79	68	42-130	15	29		
bis(2-Ethylhexyl)phthalate	mg/kg	<0.036	2.2	2.2	1.9	1.9	89	87	39-130	2	27		
Butylbenzylphthalate	mg/kg	<0.035	2.2	2.2	2.1	2.2	99	100	39-130	2	27		
Carbazole	mg/kg	<0.034	2.2	2.2	1.8	1.8	85	86	44-130	1	24		
Chrysene	mg/kg	<0.032	2.2	2.2	1.8	1.9	84	88	44-130	4	25		
Di-n-butylphthalate	mg/kg	<0.032	2.2	2.2	1.9	1.8	89	84	45-130	5	26		
Di-n-octylphthalate	mg/kg	<0.049	2.2	2.2	2.0	1.9	93	90	40-134	3	27		
Dibenz(a,h)anthracene	mg/kg	<0.059	2.2	2.2	1.8	1.8	82	82	41-130	0	33		
Dibenzofuran	mg/kg	<0.026	2.2	2.2	1.8	1.7	81	81	47-130	1	23		
Diethylphthalate	mg/kg	<0.036	2.2	2.2	1.9	1.9	89	88	46-130	1	24		
Dimethylphthalate	mg/kg	<0.028	2.2	2.2	1.8	1.8	82	82	47-130	0	24		
Fluoranthene	mg/kg	<0.031	2.2	2.2	1.8	1.7	83	77	50-130	7	27		
Fluorene	mg/kg	<0.025	2.2	2.2	1.9	1.9	87	86	48-130	2	25		
Hexachloro-1,3-butadiene	mg/kg	<0.055	2.2	2.2	1.7	1.4	80	66	42-130	18	27		
Hexachlorobenzene	mg/kg	<0.036	2.2	2.2	1.5	1.7	70	78	51-130	11	24		
Hexachlorocyclopentadiene	mg/kg	<0.051	2.2	2.2	1.6	1.5	73	70	10-114	4	50		
Hexachloroethane	mg/kg	<0.035	2.2	2.2	1.8	1.5	83	69	33-130	19	35		
Indeno(1,2,3-cd)pyrene	mg/kg	<0.047	2.2	2.2	1.6	1.6	74	76	34-130	2	38		
Isophorone	mg/kg	<0.033	2.2	2.2	1.8	1.7	86	80	45-130	7	28		
N-Nitroso-di-n-propylamine	mg/kg	<0.034	2.2	2.2	1.8	1.8	83	82	47-130	1	27		
N-Nitrosodiphenylamine	mg/kg	<0.29	2.2	2.2	1.7	1.7	81	80	42-130	0	25		
Naphthalene	mg/kg	<0.076	2.2	2.2	1.8	1.5	81	70	48-130	15	24		
Nitrobenzene	mg/kg	<0.044	2.2	2.2	1.9	1.7	86	77	42-130	11	25		
Pentachlorophenol	mg/kg	<0.048	2.2	2.2	1.4	1.4	66	64	10-108	3	50		
Phenanthrene	mg/kg	<0.028	2.2	2.2	1.6	1.7	76	81	50-130	6	27		
Phenol	mg/kg	<0.051	2.2	2.2	1.5	1.5	68	70	37-130	3	30		
Pyrene	mg/kg	<0.048	2.2	2.2	1.7	1.8	79	83	43-130	5	29		
2,4,6-Tribromophenol (S)	%						80	87	10-144				
2-Fluorobiphenyl (S)	%						84	78	12-118				
2-Fluorophenol (S)	%						73	61	10-130				
Nitrobenzene-d5 (S)	%						89	77	10-125				
Phenol-d6 (S)	%						69	68	10-125				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2390908 2390909											
Parameter	Units	40244446016 Result	MS	MSD	MS	MSD	MS	MSD	% Rec	Max	Qual
			Spike	Spike							
Terphenyl-d14 (S)	%						76	77	10-124		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

QC Batch:	415339	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244446001, 40244446002, 40244446003, 40244446004, 40244446005, 40244446006, 40244446007, 40244446008, 40244446009, 40244446010, 40244446011, 40244446012, 40244446013, 40244446014, 40244446015, 40244446016, 40244446017, 40244446018, 40244446019

SAMPLE DUPLICATE: 2391304

Parameter	Units	40244350022 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	23.4	23.6	1	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

QC Batch:	415473	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244446020, 40244446021, 40244446022

SAMPLE DUPLICATE: 2391937

Parameter	Units	40244446021 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	23.9	24.6	3	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

QC Batch: 415531

Analysis Method: EPA 9040

QC Batch Method: EPA 9040

Analysis Description: 9040 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244446001, 40244446003, 40244446004, 40244446005, 40244446006, 40244446007, 40244446008, 40244446009, 40244446010

SAMPLE DUPLICATE: 2392248

Parameter	Units	40244350022 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.5	7.6	1	20	2q,H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

QC Batch:	415691	Analysis Method:	EPA 9040
QC Batch Method:	EPA 9040	Analysis Description:	9040 pH
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244446011, 40244446012, 40244446013, 40244446014, 40244446015, 40244446016, 40244446017, 40244446018, 40244446020, 40244446021, 40244446022

SAMPLE DUPLICATE: 2393232

Parameter	Units	40244446011 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	8.1	8.1	0	20	2q,H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

QC Batch: 415530

Analysis Method: EPA 9045

QC Batch Method: EPA 9045

Analysis Description: 9045 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244446002

SAMPLE DUPLICATE: 2392247

Parameter	Units	40244350020 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	8.03	8.01	0	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

QC Batch: 415690

Analysis Method: EPA 9045

QC Batch Method: EPA 9045

Analysis Description: 9045 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244446019

SAMPLE DUPLICATE: 2393231

Parameter	Units	40244446019 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	8.32	8.38	1	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

QC Batch:	415362	Analysis Method:	EPA 9012B
QC Batch Method:	EPA 9012B	Analysis Description:	9012 Cyanide
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244446001, 40244446002, 40244446003, 40244446004, 40244446005, 40244446006, 40244446007, 40244446008, 40244446009, 40244446010, 40244446011, 40244446012, 40244446013, 40244446014, 40244446015, 40244446016, 40244446017, 40244446018, 40244446019, 40244446020

METHOD BLANK: 2391413 Matrix: Solid
Associated Lab Samples: 40244446001, 40244446002, 40244446003, 40244446004, 40244446005, 40244446006, 40244446007, 40244446008, 40244446009, 40244446010, 40244446011, 40244446012, 40244446013, 40244446014, 40244446015, 40244446016, 40244446017, 40244446018, 40244446019, 40244446020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Cyanide	mg/kg	<0.31	0.92	0.31	05/11/22 13:43	

LABORATORY CONTROL SAMPLE: 2391414

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/kg	3	3.1	104	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2391415 2391416

Parameter	Units	40244446010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Cyanide	mg/kg	<0.32	2.9	2.9	2.4	2.2	76	74	80-120	6	20	M0

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2391417 2391418

Parameter	Units	40244446020 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Cyanide	mg/kg	<0.35	3.5	3.4	3.4	3.1	94	92	80-120	7	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

QC Batch: 415363 Analysis Method: EPA 9012B
QC Batch Method: EPA 9012B Analysis Description: 9012 Cyanide
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244446021, 40244446022

METHOD BLANK: 2391419 Matrix: Solid
Associated Lab Samples: 40244446021, 40244446022

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Cyanide	mg/kg	<0.31	0.92	0.31	05/11/22 14:02	

LABORATORY CONTROL SAMPLE: 2391420

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/kg	3	2.9	97	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2391421 2391422

Parameter	Units	402444491008		2391421		2391422		% Rec	% Rec	Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Cyanide	mg/kg	<0.37	3.7	3.6	3.6	3.3	3.3	95	90	80-120	9	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2391423 2391424

Parameter	Units	40244491018		2391423		2391424		% Rec	% Rec	Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Cyanide	mg/kg	<0.28	2.8	2.7	2.7	2.1	2.1	89	70	80-120	26	20	M0,R1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.
ND - Not Detected at or above adjusted reporting limit.
TNTC - Too Numerous To Count
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.
MDL - Adjusted Method Detection Limit.
PQL - Practical Quantitation Limit.
RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.
S - Surrogate
1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.
Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.
LCS(D) - Laboratory Control Sample (Duplicate)
MS(D) - Matrix Spike (Duplicate)
DUP - Sample Duplicate
RPD - Relative Percent Difference
NC - Not Calculable.
SG - Silica Gel - Clean-Up
U - Indicates the compound was analyzed for, but not detected.
N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.
Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.
Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.
TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: 415293

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 415380

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

1q Due to the sample matrix, DI water was added to this sample on a one to one basis and the sample was stirred before analysis
2q Due to the sample matrix, DI water was added to this sample on a one to one basis and the sample was stirred before analysis.
3q The internal standard recoveries were low for both times this sample was analyzed.
4q This analyte's recovery was below secondary source verification limits. The results may be biased low.
CH The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
CL The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.
CU The continuing calibration for this analyte is above laboratory acceptance limits. Analyte was not detected above the reporting limit in any of the associated samples.

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

ANALYTE QUALIFIERS

- E Analyte concentration exceeded the calibration range. The reported result is estimated.
- H6 Analysis initiated outside of the 15 minute EPA required holding time.
- L2 Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.
- M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
- M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
- P6 Matrix spike recovery was outside laboratory control limits due to a parent sample concentration notably higher than the spike level.
- R1 RPD value was outside control limits.
- RS The RPD value in one of the constituent analytes was outside the control limits.
- S0 Surrogate recovery outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244446001	SB-16 (1.5-2.5')	EPA 3550	813680	EPA 8081B	814195
40244446002	SB-16 (4.0-5.0)	EPA 3550	813680	EPA 8081B	814195
40244446003	SB-17 (1.6-2.3)	EPA 3550	813680	EPA 8081B	814195
40244446004	SB-17 (4.5-5.5)	EPA 3550	813680	EPA 8081B	814195
40244446005	SB-18 (1.5-2.0)	EPA 3550	813680	EPA 8081B	814195
40244446006	SB-18 (4.5-5.5)	EPA 3550	813680	EPA 8081B	814195
40244446007	SB-19 (2-3)	EPA 3550	813680	EPA 8081B	814195
40244446008	SB-19 (4.0-5.0)	EPA 3550	813680	EPA 8081B	814195
40244446009	SB-20 (2.0-3.0)	EPA 3550	813680	EPA 8081B	814195
40244446010	SB-20 (4.0-5.0)	EPA 3550	813680	EPA 8081B	814195
40244446011	SB-21 (1.5-2.5)	EPA 3550	813680	EPA 8081B	814195
40244446012	SB-21 (4.5-5.5)	EPA 3550	813680	EPA 8081B	814195
40244446013	SB-50 (1.3-2.3)	EPA 3550	813680	EPA 8081B	814195
40244446014	SB-50 (4.5-5.5)	EPA 3550	813680	EPA 8081B	814195
40244446015	SB-51 (1.2-2.2)	EPA 3550	813680	EPA 8081B	814195
40244446016	SB-51 (4.4-5.4)	EPA 3550	813680	EPA 8081B	814195
40244446017	SB-52 (1.4-2.4)	EPA 3550	813680	EPA 8081B	814195
40244446018	SB-52 (4.5-5.5)	EPA 3550	813680	EPA 8081B	814195
40244446019	SB-53 (1.8-2.8)	EPA 3550	813680	EPA 8081B	814195
40244446020	SB-53 (4.4-5.4)	EPA 3550	813680	EPA 8081B	814195
40244446021	SB-54 (1.5-2.5)	EPA 3550	813681	EPA 8081B	813956
40244446022	SB-54 (4.5-5.5)	EPA 3550	813681	EPA 8081B	813956
40244446001	SB-16 (1.5-2.5')	EPA 3541	415004	EPA 8082A	415065
40244446002	SB-16 (4.0-5.0)	EPA 3541	415004	EPA 8082A	415065
40244446003	SB-17 (1.6-2.3)	EPA 3541	415004	EPA 8082A	415065
40244446004	SB-17 (4.5-5.5)	EPA 3541	415004	EPA 8082A	415065
40244446005	SB-18 (1.5-2.0)	EPA 3541	415004	EPA 8082A	415065
40244446006	SB-18 (4.5-5.5)	EPA 3541	415004	EPA 8082A	415065
40244446007	SB-19 (2-3)	EPA 3541	415004	EPA 8082A	415065
40244446008	SB-19 (4.0-5.0)	EPA 3541	415004	EPA 8082A	415065
40244446009	SB-20 (2.0-3.0)	EPA 3541	415004	EPA 8082A	415065
40244446010	SB-20 (4.0-5.0)	EPA 3541	415004	EPA 8082A	415065
40244446011	SB-21 (1.5-2.5)	EPA 3541	415004	EPA 8082A	415065
40244446012	SB-21 (4.5-5.5)	EPA 3541	415004	EPA 8082A	415065
40244446013	SB-50 (1.3-2.3)	EPA 3541	415004	EPA 8082A	415065
40244446014	SB-50 (4.5-5.5)	EPA 3541	415004	EPA 8082A	415065
40244446015	SB-51 (1.2-2.2)	EPA 3541	415004	EPA 8082A	415065
40244446016	SB-51 (4.4-5.4)	EPA 3541	415004	EPA 8082A	415065
40244446017	SB-52 (1.4-2.4)	EPA 3541	415004	EPA 8082A	415065
40244446018	SB-52 (4.5-5.5)	EPA 3541	415004	EPA 8082A	415065
40244446019	SB-53 (1.8-2.8)	EPA 3541	415004	EPA 8082A	415065
40244446020	SB-53 (4.4-5.4)	EPA 3541	415004	EPA 8082A	415065
40244446021	SB-54 (1.5-2.5)	EPA 3541	415111	EPA 8082A	415195
40244446022	SB-54 (4.5-5.5)	EPA 3541	415111	EPA 8082A	415195
40244446001	SB-16 (1.5-2.5')	EPA 3050B	813860	EPA 6020B	814116
40244446002	SB-16 (4.0-5.0)	EPA 3050B	813860	EPA 6020B	814116
40244446003	SB-17 (1.6-2.3)	EPA 3050B	813860	EPA 6020B	814116

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244446

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244446004	SB-17 (4.5-5.5)	EPA 3050B	813860	EPA 6020B	814116
40244446005	SB-18 (1.5-2.0)	EPA 3050B	813860	EPA 6020B	814116
40244446006	SB-18 (4.5-5.5)	EPA 3050B	813860	EPA 6020B	814116
40244446007	SB-19 (2-3)	EPA 3050B	813860	EPA 6020B	814116
40244446008	SB-19 (4.0-5.0)	EPA 3050B	813860	EPA 6020B	814116
40244446009	SB-20 (2.0-3.0)	EPA 3050B	813860	EPA 6020B	814116
40244446010	SB-20 (4.0-5.0)	EPA 3050B	813860	EPA 6020B	814116
40244446011	SB-21 (1.5-2.5)	EPA 3050B	813860	EPA 6020B	814116
40244446012	SB-21 (4.5-5.5)	EPA 3050B	813860	EPA 6020B	814116
40244446013	SB-50 (1.3-2.3)	EPA 3050B	813860	EPA 6020B	814116
40244446014	SB-50 (4.5-5.5)	EPA 3050B	813860	EPA 6020B	814116
40244446015	SB-51 (1.2-2.2)	EPA 3050B	813860	EPA 6020B	814116
40244446016	SB-51 (4.4-5.4)	EPA 3050B	813860	EPA 6020B	814116
40244446017	SB-52 (1.4-2.4)	EPA 3050B	813860	EPA 6020B	814116
40244446018	SB-52 (4.5-5.5)	EPA 3050B	813860	EPA 6020B	814116
40244446019	SB-53 (1.8-2.8)	EPA 3050B	813860	EPA 6020B	814116
40244446020	SB-53 (4.4-5.4)	EPA 3050B	813860	EPA 6020B	814116
40244446021	SB-54 (1.5-2.5)	EPA 3050B	813861	EPA 6020B	814115
40244446022	SB-54 (4.5-5.5)	EPA 3050B	813861	EPA 6020B	814115
40244446001	SB-16 (1.5-2.5')	EPA 7471	415535	EPA 7471	415609
40244446002	SB-16 (4.0-5.0)	EPA 7471	415535	EPA 7471	415609
40244446003	SB-17 (1.6-2.3)	EPA 7471	415535	EPA 7471	415609
40244446004	SB-17 (4.5-5.5)	EPA 7471	415535	EPA 7471	415609
40244446005	SB-18 (1.5-2.0)	EPA 7471	415535	EPA 7471	415609
40244446006	SB-18 (4.5-5.5)	EPA 7471	415535	EPA 7471	415609
40244446007	SB-19 (2-3)	EPA 7471	415535	EPA 7471	415609
40244446008	SB-19 (4.0-5.0)	EPA 7471	415535	EPA 7471	415609
40244446009	SB-20 (2.0-3.0)	EPA 7471	415535	EPA 7471	415609
40244446010	SB-20 (4.0-5.0)	EPA 7471	415535	EPA 7471	415609
40244446011	SB-21 (1.5-2.5)	EPA 7471	415535	EPA 7471	415609
40244446012	SB-21 (4.5-5.5)	EPA 7471	415535	EPA 7471	415609
40244446013	SB-50 (1.3-2.3)	EPA 7471	415535	EPA 7471	415609
40244446014	SB-50 (4.5-5.5)	EPA 7471	415535	EPA 7471	415609
40244446015	SB-51 (1.2-2.2)	EPA 7471	415535	EPA 7471	415609
40244446016	SB-51 (4.4-5.4)	EPA 7471	415536	EPA 7471	415610
40244446017	SB-52 (1.4-2.4)	EPA 7471	415536	EPA 7471	415610
40244446018	SB-52 (4.5-5.5)	EPA 7471	415536	EPA 7471	415610
40244446019	SB-53 (1.8-2.8)	EPA 7471	415536	EPA 7471	415610
40244446020	SB-53 (4.4-5.4)	EPA 7471	415536	EPA 7471	415610
40244446021	SB-54 (1.5-2.5)	EPA 7471	415536	EPA 7471	415610
40244446022	SB-54 (4.5-5.5)	EPA 7471	415536	EPA 7471	415610
40244446001	SB-16 (1.5-2.5')	EPA 3546	415099	EPA 8270E	415174
40244446002	SB-16 (4.0-5.0)	EPA 3546	415099	EPA 8270E	415174
40244446003	SB-17 (1.6-2.3)	EPA 3546	415099	EPA 8270E	415174
40244446004	SB-17 (4.5-5.5)	EPA 3546	415099	EPA 8270E	415174
40244446005	SB-18 (1.5-2.0)	EPA 3546	415099	EPA 8270E	415174
40244446006	SB-18 (4.5-5.5)	EPA 3546	415099	EPA 8270E	415174

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244446007	SB-19 (2-3)	EPA 3546	415099	EPA 8270E	415174
40244446008	SB-19 (4.0-5.0)	EPA 3546	415099	EPA 8270E	415174
40244446009	SB-20 (2.0-3.0)	EPA 3546	415239	EPA 8270E	415300
40244446010	SB-20 (4.0-5.0)	EPA 3546	415239	EPA 8270E	415300
40244446011	SB-21 (1.5-2.5)	EPA 3546	415239	EPA 8270E	415300
40244446012	SB-21 (4.5-5.5)	EPA 3546	415239	EPA 8270E	415300
40244446013	SB-50 (1.3-2.3)	EPA 3546	415239	EPA 8270E	415300
40244446014	SB-50 (4.5-5.5)	EPA 3546	415239	EPA 8270E	415300
40244446015	SB-51 (1.2-2.2)	EPA 3546	415239	EPA 8270E	415300
40244446016	SB-51 (4.4-5.4)	EPA 3546	415239	EPA 8270E	415300
40244446017	SB-52 (1.4-2.4)	EPA 3546	415239	EPA 8270E	415300
40244446018	SB-52 (4.5-5.5)	EPA 3546	415239	EPA 8270E	415300
40244446019	SB-53 (1.8-2.8)	EPA 3546	415239	EPA 8270E	415300
40244446020	SB-53 (4.4-5.4)	EPA 3546	415239	EPA 8270E	415300
40244446021	SB-54 (1.5-2.5)	EPA 3546	415239	EPA 8270E	415300
40244446022	SB-54 (4.5-5.5)	EPA 3546	415239	EPA 8270E	415300
40244446001	SB-16 (1.5-2.5')	EPA 5035/5030	415290	EPA 8260	415293
40244446002	SB-16 (4.0-5.0)	EPA 5035/5030	415290	EPA 8260	415293
40244446003	SB-17 (1.6-2.3)	EPA 5035/5030	415290	EPA 8260	415293
40244446004	SB-17 (4.5-5.5)	EPA 5035/5030	415290	EPA 8260	415293
40244446005	SB-18 (1.5-2.0)	EPA 5035/5030	415379	EPA 8260	415380
40244446006	SB-18 (4.5-5.5)	EPA 5035/5030	415379	EPA 8260	415380
40244446007	SB-19 (2-3)	EPA 5035/5030	415379	EPA 8260	415380
40244446008	SB-19 (4.0-5.0)	EPA 5035/5030	415379	EPA 8260	415380
40244446009	SB-20 (2.0-3.0)	EPA 5035/5030	415379	EPA 8260	415380
40244446010	SB-20 (4.0-5.0)	EPA 5035/5030	415379	EPA 8260	415380
40244446011	SB-21 (1.5-2.5)	EPA 5035/5030	415379	EPA 8260	415380
40244446012	SB-21 (4.5-5.5)	EPA 5035/5030	415379	EPA 8260	415380
40244446013	SB-50 (1.3-2.3)	EPA 5035/5030	415379	EPA 8260	415380
40244446014	SB-50 (4.5-5.5)	EPA 5035/5030	415379	EPA 8260	415380
40244446015	SB-51 (1.2-2.2)	EPA 5035/5030	415379	EPA 8260	415380
40244446016	SB-51 (4.4-5.4)	EPA 5035/5030	415379	EPA 8260	415380
40244446017	SB-52 (1.4-2.4)	EPA 5035/5030	415379	EPA 8260	415380
40244446018	SB-52 (4.5-5.5)	EPA 5035/5030	415379	EPA 8260	415380
40244446019	SB-53 (1.8-2.8)	EPA 5035/5030	415379	EPA 8260	415380
40244446020	SB-53 (4.4-5.4)	EPA 5035/5030	415379	EPA 8260	415380
40244446021	SB-54 (1.5-2.5)	EPA 5035/5030	415379	EPA 8260	415380
40244446022	SB-54 (4.5-5.5)	EPA 5035/5030	415379	EPA 8260	415380
40244446023	TB-02	EPA 5035/5030	415379	EPA 8260	415380
40244446001	SB-16 (1.5-2.5')	ASTM D2974-87	415339		
40244446002	SB-16 (4.0-5.0)	ASTM D2974-87	415339		
40244446003	SB-17 (1.6-2.3)	ASTM D2974-87	415339		
40244446004	SB-17 (4.5-5.5)	ASTM D2974-87	415339		
40244446005	SB-18 (1.5-2.0)	ASTM D2974-87	415339		
40244446006	SB-18 (4.5-5.5)	ASTM D2974-87	415339		
40244446007	SB-19 (2-3)	ASTM D2974-87	415339		
40244446008	SB-19 (4.0-5.0)	ASTM D2974-87	415339		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244446009	SB-20 (2.0-3.0)	ASTM D2974-87	415339		
40244446010	SB-20 (4.0-5.0)	ASTM D2974-87	415339		
40244446011	SB-21 (1.5-2.5)	ASTM D2974-87	415339		
40244446012	SB-21 (4.5-5.5)	ASTM D2974-87	415339		
40244446013	SB-50 (1.3-2.3)	ASTM D2974-87	415339		
40244446014	SB-50 (4.5-5.5)	ASTM D2974-87	415339		
40244446015	SB-51 (1.2-2.2)	ASTM D2974-87	415339		
40244446016	SB-51 (4.4-5.4)	ASTM D2974-87	415339		
40244446017	SB-52 (1.4-2.4)	ASTM D2974-87	415339		
40244446018	SB-52 (4.5-5.5)	ASTM D2974-87	415339		
40244446019	SB-53 (1.8-2.8)	ASTM D2974-87	415339		
40244446020	SB-53 (4.4-5.4)	ASTM D2974-87	415473		
40244446021	SB-54 (1.5-2.5)	ASTM D2974-87	415473		
40244446022	SB-54 (4.5-5.5)	ASTM D2974-87	415473		
40244446001	SB-16 (1.5-2.5')	EPA 9040	415531		
40244446003	SB-17 (1.6-2.3)	EPA 9040	415531		
40244446004	SB-17 (4.5-5.5)	EPA 9040	415531		
40244446005	SB-18 (1.5-2.0)	EPA 9040	415531		
40244446006	SB-18 (4.5-5.5)	EPA 9040	415531		
40244446007	SB-19 (2-3)	EPA 9040	415531		
40244446008	SB-19 (4.0-5.0)	EPA 9040	415531		
40244446009	SB-20 (2.0-3.0)	EPA 9040	415531		
40244446010	SB-20 (4.0-5.0)	EPA 9040	415531		
40244446011	SB-21 (1.5-2.5)	EPA 9040	415691		
40244446012	SB-21 (4.5-5.5)	EPA 9040	415691		
40244446013	SB-50 (1.3-2.3)	EPA 9040	415691		
40244446014	SB-50 (4.5-5.5)	EPA 9040	415691		
40244446015	SB-51 (1.2-2.2)	EPA 9040	415691		
40244446016	SB-51 (4.4-5.4)	EPA 9040	415691		
40244446017	SB-52 (1.4-2.4)	EPA 9040	415691		
40244446018	SB-52 (4.5-5.5)	EPA 9040	415691		
40244446020	SB-53 (4.4-5.4)	EPA 9040	415691		
40244446021	SB-54 (1.5-2.5)	EPA 9040	415691		
40244446022	SB-54 (4.5-5.5)	EPA 9040	415691		
40244446002	SB-16 (4.0-5.0)	EPA 9045	415530		
40244446019	SB-53 (1.8-2.8)	EPA 9045	415690		
40244446001	SB-16 (1.5-2.5')	EPA 9012B	415362	EPA 9012B	415436
40244446002	SB-16 (4.0-5.0)	EPA 9012B	415362	EPA 9012B	415436
40244446003	SB-17 (1.6-2.3)	EPA 9012B	415362	EPA 9012B	415436
40244446004	SB-17 (4.5-5.5)	EPA 9012B	415362	EPA 9012B	415436
40244446005	SB-18 (1.5-2.0)	EPA 9012B	415362	EPA 9012B	415436
40244446006	SB-18 (4.5-5.5)	EPA 9012B	415362	EPA 9012B	415436
40244446007	SB-19 (2-3)	EPA 9012B	415362	EPA 9012B	415436
40244446008	SB-19 (4.0-5.0)	EPA 9012B	415362	EPA 9012B	415436
40244446009	SB-20 (2.0-3.0)	EPA 9012B	415362	EPA 9012B	415436
40244446010	SB-20 (4.0-5.0)	EPA 9012B	415362	EPA 9012B	415436

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244446

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244446011	SB-21 (1.5-2.5)	EPA 9012B	415362	EPA 9012B	415436
40244446012	SB-21 (4.5-5.5)	EPA 9012B	415362	EPA 9012B	415436
40244446013	SB-50 (1.3-2.3)	EPA 9012B	415362	EPA 9012B	415436
40244446014	SB-50 (4.5-5.5)	EPA 9012B	415362	EPA 9012B	415436
40244446015	SB-51 (1.2-2.2)	EPA 9012B	415362	EPA 9012B	415436
40244446016	SB-51 (4.4-5.4)	EPA 9012B	415362	EPA 9012B	415436
40244446017	SB-52 (1.4-2.4)	EPA 9012B	415362	EPA 9012B	415436
40244446018	SB-52 (4.5-5.5)	EPA 9012B	415362	EPA 9012B	415436
40244446019	SB-53 (1.8-2.8)	EPA 9012B	415362	EPA 9012B	415436
40244446020	SB-53 (4.4-5.4)	EPA 9012B	415362	EPA 9012B	415436
40244446021	SB-54 (1.5-2.5)	EPA 9012B	415363	EPA 9012B	415437
40244446022	SB-54 (4.5-5.5)	EPA 9012B	415363	EPA 9012B	415437

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: Fehr Graham
 Branch/Location: Rockford, IL
 Project Contact: Tony Guajardo
 Phone: 815-394-4700
 Project Number: 22-521 PH01
 Project Name: Pillsbury
 Project State: Illinois
 Sampled By (Print): Hannah Insko
 Sampled By (Sign): *Hannah Insko*
 PO #: 22-521 PH01
 Regulatory Program:

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	ANALYSES REQUESTED
		DATE	TIME		
001	SB-16 (1.5-2.5')	5/4/22	0835	S	X X X
002	SB-16 (4.0-5.0')	5/4	0840	S	X X X
003	SB-17 (1.6-2.3')	6/4	0915	S	X X X
004	SB-17 (4.5-5.5')	5/4	0920	S	X X X
005	SB-18 (1.5-2.0')	5/4	1005	S	X X X
006	SB-18 (4.5-5.5')	5/4	1010	S	X X X
007	SB-19 (2-3')	6/4	1040	S	X X X
008	SB-19 (4.0-5.0')	5/4	1045	S	X X X
009	SB-20 (2.0-3.0')	6/4	1225	S	X X X
010	SB-20 (4.0-5.0')	5/4	1230	S	X X X
011	SB-21 (1.5-2.5')	5/4	1300	S	X X X
012	SB-21 (4.5-5.5')	5/4	1305	S	X X X
013	SB-50 (1.3-2.3')	5/4	1340	S	X X X



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

40244446 of 2
 Page
 (3 Coolers)

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED? (YES/NO)	PRESERVATION (CODE)*	Y/N	N	N	N									
			N	N	N									
		Pick Letter	EiF	A	A									
		Analyses Requested				VOLs	PESTICIDES	SVOCs, PCBs, CM	TRIAL METALS, PH					

Quote #:

Mail To Contact: Tony Guajardo

Mail To Company: Fehr Graham

Mail To Address: 200 Prairie Street Suite 208 Rockford IL 61107

Invoice To Contact: Tony Guajardo

Invoice To Company: Fehr Graham

Invoice To Address: 200 Prairie Street Suite 208 Rockford IL 61107

Invoice To Phone: 815-394-4700

CLIENT COMMENTS

LAB COMMENTS (Lab Use Only)

Profile #

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed:	Relinquished By: <i>Hannah Insko</i> Date/Time: 5/4/22 1730	Received By:	Date/Time:	PACE Project No. 40244446
	Transmit Prelim Rush Results by (complete what you want): UPS	Date/Time: 5:5:22 1115	Received By: <i>John P. [Signature]</i>	
Email #1:	Relinquished By:	Date/Time:	Received By:	Date/Time:
Email #2:	Relinquished By:	Date/Time:	Received By:	Date/Time:
Telephone:	Relinquished By:	Date/Time:	Received By:	Date/Time:
Fax:	Relinquished By:	Date/Time:	Received By:	Date/Time:
Samples on HOLD are subject to special pricing and release of liability	Relinquished By:	Date/Time:	Received By:	Date/Time:

Receipt Temp = 21.1/11.1 °C

Sample Receipt pH OK / Adjusted

Cooler Custody Seal Present / Not Present Intact / Not Intact

(Please Print Clearly)

Company Name: Fehr Graham
 Branch/Location: Rockford Illinois
 Project Contact: Tony Guajardo
 Phone: 815-394-4700
 Project Number: 22-521 PH01
 Project Name: Pillsbury
 Project State: Illinois
 Sampled By (Print): Hannah Insko
 Sampled By (Sign): [Signature]
 PO #: 22-521 PH01 Regulatory Program:



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

40244446 (3 coolers)

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N							
Y	N	N	N							
EF	#	Y								
Analyses Requested	VOLs	PESTICIDES	SVOCs, PCBs, CN, TAL METALS, PH							

Quote #:

Mail To Contact: Tony Guajardo

Mail To Company: Fehr Graham

Mail To Address: 200 Prairie St
Rockford IL 61107
Suite 208

Invoice To Contact: Tony Guajardo

Invoice To Company: Fehr Graham

Invoice To Address: 200 Prairie St
Suite 208
Rockford IL 61107

Invoice To Phone: 815-394-4700

CLIENT COMMENTS | **LAB COMMENTS (Lab Use Only)** | **Profile #**

HI

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	DATE	TIME	S	X	X	X
		DATE	TIME							
014	SB-50 (4.5-5.5)	5/4/22	1345	S	5/4	1345		X	X	X
015	SB-51 (1.2-2.2)	5/4	1415	S	5/4	1415		X	X	X
016	SB-51 (4.4-5.4)	5/4	1420	S	5/4	1420		X	X	X
017	SB-52 (1.4-2.4)	5/4	1505	S	5/4	1505		X	X	X
018	SB-52 (4.5-5.5)	5/4	1510	S	5/4	1510		X	X	X
019	SB-53 (1.8-2.8)	5/4	1545	S	5/4	1545		X	X	X
020	SB-53 (4.4-5.4)	5/4	1550	S	5/4	1550		X	X	X
021	SB-54 (1.5-2.5)	5/4	1640	S	5/4	1640		X	X	X
022	SB-54 (4.5-5.5)	5/4	1645	S	5/4	1645		X	X	X
023	TB-02	5/4	1700	S	5/4	1700		X		

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed:

Relinquished By: [Signature] Date/Time: 5/4/22 1730

Received By: _____ Date/Time: _____

Transmit Prelim Rush Results by (complete what you want): UPS Date/Time: 5:5:22 1115

Relinquished By: [Signature] Date/Time: 5:5:22 1115

Received By: [Signature] Date/Time: 5:5:22 1115

PACE Project No. 40244446

Receipt Temp = 21.1, 1.1, 1.1 °C

Sample Receipt pH OK / Adjusted

Cooler Custody Seal Present / Not Present
Intact / Not Intact

Samples on HOLD are subject to special pricing and release of liability

Sample Preservation Receipt Form

Client Name: Fehr Graham

Project # 40244446

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed:

Date/Time:

Lab Lot# of pH paper:

Lab Std #/ID of preservation (if pH adjusted):

Pace Lab #	Glass							Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ±2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)						
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T								ZPLC	GN				
001																																					2.5 / 5 / 10
002																																					2.5 / 5 / 10
003																																					2.5 / 5 / 10
004																																					2.5 / 5 / 10
005																																					2.5 / 5 / 10
006																																					2.5 / 5 / 10
007																																					2.5 / 5 / 10
008																																					2.5 / 5 / 10
009																																					2.5 / 5 / 10
010																																					2.5 / 5 / 10
011																																					2.5 / 5 / 10
012																																					2.5 / 5 / 10
013																																					2.5 / 5 / 10
014																																					2.5 / 5 / 10
015																																					2.5 / 5 / 10
016																																					2.5 / 5 / 10
017																																					2.5 / 5 / 10
018																																					2.5 / 5 / 10
019																																					2.5 / 5 / 10
020																																					2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm): Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9A	40 mL clear ascorbic	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG5U	100 mL amber glass unpres			VG9D	40 mL clear vial DI	ZPLC	ziploc bag
AG2S	500 mL amber glass H2SO4					GN	
BG3U	250 mL clear glass unpres						

Page ^{55.72g} 20 of ~~X~~
1 of 3

Sample Preservation Receipt Form

Client Name: Fehr Graham

Project #: 40244440

Pace Lab #	Glass					Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H ₂ SO ₄ pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO ₃ pH ≤2	pH after adjusted	Volume (mL)								
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JG9U	JG9U	WG9U								WPFU	SP5T	ZPLC	GN				
021																1	2			1	1													2.5 / 5 / 10			
022																1	2			1	1																2.5 / 5 / 10
023																1	2			1	1																2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10
																																					2.5 / 5 / 10

55.22
[Signature]

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Fehr Graham

WO# : 40244446

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____



Tracking #: 1Z 90E 6F3 13 9522 2293

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 116 Type of Ice: Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 2.1, 1 / Corr: 2.1, 1, 1, 1

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 5-5-22 / Initials: AP
 Labeled By Initials: NK

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>S</u>		
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample login

Page 4 of 3
3 of 3

May 18, 2022

Annie Ray
Fehr Graham
200 Prairie St
Suite 208
Rockford, IL 61107

RE: Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Dear Annie Ray:

Enclosed are the analytical results for sample(s) received by the laboratory on May 06, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay
- Pace Analytical Services - Indianapolis
- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
A2LA Certification #: 2926.01*
1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009*
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014*
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605*
Georgia Certification #: 959
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086*
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064*
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137*
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240*
Mississippi Certification #: MN00064

Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081*
New Jersey Certification #: MN002
New York Certification #: 11647*
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification (A2LA) #: R-036
North Dakota Certification (MN) #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Ohio VAP Certification (1800) #: CL110*
Oklahoma Certification #: 9507*
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001*
Pennsylvania Certification #: 68-00563*
Puerto Rico Certification #: MN00064
South Carolina Certification #:74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192*
Utah Certification #: MN00064*
Vermont Certification #: VT-027053137
Virginia Certification #: 460163*
Washington Certification #: C486*
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification #: via A2LA 2926.01
USDA Permit #: P330-19-00208
Please Note: Applicable air certifications are denoted with an asterisk ().

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019

Michigan Drinking Water Laboratory #9050
Ohio VAP Certified Laboratory #: CL0065
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Wisconsin Laboratory #: 999788130
USDA Soil Permit #: P330-19-00257

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40244491001	SB-55 (1.0-2.0)	Solid	05/05/22 08:15	05/06/22 12:32
40244491002	SB-55 (5.0-6.0)	Solid	05/05/22 08:20	05/06/22 12:32
40244491003	SB-26 (1.5-2.5)	Solid	05/05/22 09:15	05/06/22 12:32
40244491004	SB-26 (4.0-5.0)	Solid	05/05/22 09:20	05/06/22 12:32
40244491005	SB-27 (1.0-2.0)	Solid	05/05/22 10:05	05/06/22 12:32
40244491006	SB-27 (4.0-5.0)	Solid	05/05/22 10:10	05/06/22 12:32
40244491007	SB-28 (1.0-2.0)	Solid	05/05/22 10:40	05/06/22 12:32
40244491008	SB-28 (4.0-5.0)	Solid	05/05/22 10:45	05/06/22 12:32
40244491009	SB-40 (1.5-2.5)	Solid	05/05/22 11:20	05/06/22 12:32
40244491010	SB-40 (4.0-5.0)	Solid	05/05/22 11:25	05/06/22 12:32
40244491011	SB-30 (1.5-2.5)	Solid	05/05/22 13:25	05/06/22 12:32
40244491012	SB-30 (4.0-5.0)	Solid	05/05/22 13:30	05/06/22 12:32
40244491013	SB-31 (1.5-2.5)	Solid	05/05/22 14:10	05/06/22 12:32
40244491014	SB-31 (4.0-5.0)	Solid	05/05/22 14:15	05/06/22 12:32
40244491015	SB-32 (0.5-1.5)	Solid	05/05/22 14:50	05/06/22 12:32
40244491016	SB-32 (4.0-5.0)	Solid	05/05/22 14:55	05/06/22 12:32
40244491017	SB-34 (1.0-2.0)	Solid	05/05/22 15:35	05/06/22 12:32
40244491018	SB-34 (4.0-5.0)	Solid	05/03/22 15:40	05/06/22 12:32
40244491019	TB-03	Solid	05/05/22 16:30	05/06/22 12:32

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244491001	SB-55 (1.0-2.0)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244491002	SB-55 (5.0-6.0)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244491003	SB-26 (1.5-2.5)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244491004	SB-26 (4.0-5.0)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244491005	SB-27 (1.0-2.0)	EPA 8081	KAV	23	PASI-I

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244491006	SB-27 (4.0-5.0)	EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
40244491007	SB-28 (1.0-2.0)	ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
40244491008	SB-28 (4.0-5.0)	EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
40244491009	SB-40 (1.5-2.5)	EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 8082A	BLM	10	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244491010	SB-40 (4.0-5.0)	EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
40244491011	SB-30 (1.5-2.5)	EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
40244491012	SB-30 (4.0-5.0)	EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
40244491013	SB-31 (1.5-2.5)	EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 6020B	RJS	22	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244491014	SB-31 (4.0-5.0)	EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
40244491015	SB-32 (0.5-1.5)	EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
40244491016	SB-32 (4.0-5.0)	EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244491017	SB-34 (1.0-2.0)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244491018	SB-34 (4.0-5.0)	EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9045	HNT	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244491019	TB-03	EPA 8260	LAP	38	PASI-G

PASI-G = Pace Analytical Services - Green Bay
PASI-I = Pace Analytical Services - Indianapolis
PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244491001	SB-55 (1.0-2.0)					
EPA 8082A	PCB-1260 (Aroclor 1260)	0.035J	mg/kg	0.064	05/10/22 16:51	
EPA 8082A	PCB, Total	0.035J	mg/kg	0.064	05/10/22 16:51	
EPA 6020B	Aluminum	10300	mg/kg	37.6	05/13/22 23:59	
EPA 6020B	Antimony	0.13J	mg/kg	0.63	05/13/22 23:59	
EPA 6020B	Arsenic	6.5	mg/kg	0.63	05/13/22 23:59	
EPA 6020B	Barium	106	mg/kg	0.38	05/13/22 23:59	
EPA 6020B	Beryllium	0.65	mg/kg	0.25	05/13/22 23:59	
EPA 6020B	Cadmium	0.28	mg/kg	0.10	05/13/22 23:59	
EPA 6020B	Calcium	22200	mg/kg	125	05/13/22 23:59	
EPA 6020B	Chromium	15.3	mg/kg	2.5	05/13/22 23:59	
EPA 6020B	Cobalt	6.7	mg/kg	0.63	05/13/22 23:59	
EPA 6020B	Copper	20.1	mg/kg	1.3	05/13/22 23:59	
EPA 6020B	Iron	16800	mg/kg	62.7	05/13/22 23:59	
EPA 6020B	Lead	19.5	mg/kg	0.63	05/13/22 23:59	
EPA 6020B	Magnesium	12000	mg/kg	37.6	05/13/22 23:59	
EPA 6020B	Manganese	739	mg/kg	6.3	05/14/22 00:03	
EPA 6020B	Nickel	16.5	mg/kg	0.63	05/13/22 23:59	
EPA 6020B	Potassium	985	mg/kg	125	05/13/22 23:59	
EPA 6020B	Selenium	0.39J	mg/kg	0.63	05/13/22 23:59	
EPA 6020B	Sodium	95.1	mg/kg	62.7	05/13/22 23:59	
EPA 6020B	Thallium	0.18	mg/kg	0.13	05/13/22 23:59	
EPA 6020B	Vanadium	26.3	mg/kg	1.3	05/13/22 23:59	
EPA 6020B	Zinc	51.2	mg/kg	6.3	05/13/22 23:59	
EPA 7471	Mercury	0.035J	mg/kg	0.044	05/13/22 10:07	
ASTM D2974-87	Percent Moisture	21.8	%	0.10	05/11/22 16:21	
EPA 9040	pH at 25 Degrees C	8.2	Std. Units	0.10	05/16/22 10:29	2q,H6
40244491002	SB-55 (5.0-6.0)					
EPA 6020B	Aluminum	16200	mg/kg	37.1	05/14/22 00:14	
EPA 6020B	Antimony	0.30J	mg/kg	0.62	05/14/22 00:14	
EPA 6020B	Arsenic	18.7	mg/kg	0.62	05/14/22 00:14	
EPA 6020B	Barium	245	mg/kg	0.37	05/14/22 00:14	
EPA 6020B	Beryllium	1.1	mg/kg	0.25	05/14/22 00:14	
EPA 6020B	Cadmium	1.7	mg/kg	0.099	05/14/22 00:14	
EPA 6020B	Calcium	5070	mg/kg	124	05/14/22 00:14	
EPA 6020B	Chromium	21.1	mg/kg	2.5	05/14/22 00:14	
EPA 6020B	Cobalt	22.7	mg/kg	0.62	05/14/22 00:14	
EPA 6020B	Copper	28.0	mg/kg	1.2	05/14/22 00:14	
EPA 6020B	Iron	32600	mg/kg	61.9	05/14/22 00:14	
EPA 6020B	Lead	19.1	mg/kg	0.62	05/14/22 00:14	
EPA 6020B	Magnesium	3860	mg/kg	37.1	05/14/22 00:14	
EPA 6020B	Manganese	4900	mg/kg	12.4	05/16/22 19:35	
EPA 6020B	Nickel	48.2	mg/kg	0.62	05/14/22 00:14	
EPA 6020B	Potassium	871	mg/kg	124	05/14/22 00:14	
EPA 6020B	Selenium	0.49J	mg/kg	0.62	05/14/22 00:14	
EPA 6020B	Sodium	170	mg/kg	61.9	05/14/22 00:14	
EPA 6020B	Thallium	0.39	mg/kg	0.12	05/14/22 00:14	
EPA 6020B	Vanadium	53.2	mg/kg	1.2	05/14/22 00:14	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244491002	SB-55 (5.0-6.0)					
EPA 6020B	Zinc	67.2	mg/kg	6.2	05/14/22 00:14	
EPA 7471	Mercury	0.055	mg/kg	0.042	05/13/22 10:14	
ASTM D2974-87	Percent Moisture	21.5	%	0.10	05/11/22 16:21	
EPA 9040	pH at 25 Degrees C	8.3	Std. Units	0.10	05/16/22 10:34	2q,H6
40244491003	SB-26 (1.5-2.5)					
EPA 6020B	Aluminum	15800	mg/kg	38.2	05/14/22 00:18	
EPA 6020B	Antimony	0.18J	mg/kg	0.64	05/14/22 00:18	
EPA 6020B	Arsenic	11.2	mg/kg	0.64	05/14/22 00:18	
EPA 6020B	Barium	180	mg/kg	0.38	05/14/22 00:18	
EPA 6020B	Beryllium	0.88	mg/kg	0.25	05/14/22 00:18	
EPA 6020B	Cadmium	0.10	mg/kg	0.10	05/14/22 00:18	
EPA 6020B	Calcium	3500	mg/kg	127	05/14/22 00:18	
EPA 6020B	Chromium	18.9	mg/kg	2.5	05/14/22 00:18	
EPA 6020B	Cobalt	10.1	mg/kg	0.64	05/14/22 00:18	
EPA 6020B	Copper	14.9	mg/kg	1.3	05/14/22 00:18	
EPA 6020B	Iron	24500	mg/kg	63.7	05/14/22 00:18	
EPA 6020B	Lead	14.6	mg/kg	0.64	05/14/22 00:18	
EPA 6020B	Magnesium	2900	mg/kg	38.2	05/14/22 00:18	
EPA 6020B	Manganese	706	mg/kg	6.4	05/16/22 19:42	
EPA 6020B	Nickel	18.6	mg/kg	0.64	05/14/22 00:18	
EPA 6020B	Potassium	1050	mg/kg	127	05/14/22 00:18	
EPA 6020B	Selenium	0.98	mg/kg	0.64	05/14/22 00:18	
EPA 6020B	Sodium	47.0J	mg/kg	63.7	05/14/22 00:18	
EPA 6020B	Thallium	0.24	mg/kg	0.13	05/14/22 00:18	
EPA 6020B	Vanadium	38.9	mg/kg	1.3	05/14/22 00:18	
EPA 6020B	Zinc	53.2	mg/kg	6.4	05/14/22 00:18	
EPA 7471	Mercury	0.053	mg/kg	0.043	05/13/22 10:21	
ASTM D2974-87	Percent Moisture	25.3	%	0.10	05/11/22 16:21	
EPA 9040	pH at 25 Degrees C	7.9	Std. Units	0.10	05/16/22 10:42	2q,H6
40244491004	SB-26 (4.0-5.0)					
EPA 6020B	Aluminum	14200	mg/kg	36.3	05/14/22 00:22	
EPA 6020B	Antimony	0.24J	mg/kg	0.60	05/14/22 00:22	
EPA 6020B	Arsenic	8.8	mg/kg	0.60	05/14/22 00:22	
EPA 6020B	Barium	155	mg/kg	0.36	05/14/22 00:22	
EPA 6020B	Beryllium	0.79	mg/kg	0.24	05/14/22 00:22	
EPA 6020B	Cadmium	0.11	mg/kg	0.097	05/14/22 00:22	
EPA 6020B	Calcium	2670	mg/kg	121	05/14/22 00:22	
EPA 6020B	Chromium	19.4	mg/kg	2.4	05/14/22 00:22	
EPA 6020B	Cobalt	4.2	mg/kg	0.60	05/14/22 00:22	
EPA 6020B	Copper	19.5	mg/kg	1.2	05/14/22 00:22	
EPA 6020B	Iron	28500	mg/kg	60.4	05/14/22 00:22	
EPA 6020B	Lead	8.0	mg/kg	0.60	05/14/22 00:22	
EPA 6020B	Magnesium	3060	mg/kg	36.3	05/14/22 00:22	
EPA 6020B	Manganese	87.8	mg/kg	0.60	05/14/22 00:22	
EPA 6020B	Nickel	21.1	mg/kg	0.60	05/14/22 00:22	
EPA 6020B	Potassium	790	mg/kg	121	05/14/22 00:22	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244491004	SB-26 (4.0-5.0)					
EPA 6020B	Selenium	0.40J	mg/kg	0.60	05/14/22 00:22	
EPA 6020B	Silver	0.20J	mg/kg	0.60	05/16/22 20:24	
EPA 6020B	Sodium	40.6J	mg/kg	60.4	05/14/22 00:22	
EPA 6020B	Thallium	0.21	mg/kg	0.12	05/14/22 00:22	
EPA 6020B	Vanadium	35.3	mg/kg	1.2	05/14/22 00:22	
EPA 6020B	Zinc	57.3	mg/kg	6.0	05/14/22 00:22	
EPA 7471	Mercury	0.030J	mg/kg	0.042	05/13/22 10:23	
ASTM D2974-87	Percent Moisture	19.7	%	0.10	05/11/22 16:21	
EPA 9045	pH at 25 Degrees C	7.89	Std. Units	0.100	05/16/22 11:30	H6
40244491005	SB-27 (1.0-2.0)					
EPA 6020B	Aluminum	15500	mg/kg	35.1	05/14/22 00:26	
EPA 6020B	Antimony	0.26J	mg/kg	0.58	05/14/22 00:26	
EPA 6020B	Arsenic	9.7	mg/kg	0.58	05/14/22 00:26	
EPA 6020B	Barium	170	mg/kg	0.35	05/14/22 00:26	
EPA 6020B	Beryllium	0.79	mg/kg	0.23	05/14/22 00:26	
EPA 6020B	Cadmium	0.13	mg/kg	0.094	05/14/22 00:26	
EPA 6020B	Calcium	2910	mg/kg	117	05/14/22 00:26	
EPA 6020B	Chromium	21.1	mg/kg	2.3	05/14/22 00:26	
EPA 6020B	Cobalt	4.6	mg/kg	0.58	05/14/22 00:26	
EPA 6020B	Copper	21.2	mg/kg	1.2	05/14/22 00:26	
EPA 6020B	Iron	31200	mg/kg	58.5	05/14/22 00:26	
EPA 6020B	Lead	8.7	mg/kg	0.58	05/14/22 00:26	
EPA 6020B	Magnesium	3350	mg/kg	35.1	05/14/22 00:26	
EPA 6020B	Manganese	95.4	mg/kg	0.58	05/14/22 00:26	
EPA 6020B	Nickel	22.7	mg/kg	0.58	05/14/22 00:26	
EPA 6020B	Potassium	862	mg/kg	117	05/14/22 00:26	
EPA 6020B	Selenium	0.42J	mg/kg	0.58	05/14/22 00:26	
EPA 6020B	Sodium	35.9J	mg/kg	58.5	05/14/22 00:26	
EPA 6020B	Thallium	0.23	mg/kg	0.12	05/14/22 00:26	
EPA 6020B	Vanadium	38.2	mg/kg	1.2	05/14/22 00:26	
EPA 6020B	Zinc	62.3	mg/kg	5.8	05/14/22 00:26	
EPA 7471	Mercury	0.019J	mg/kg	0.042	05/13/22 10:26	
ASTM D2974-87	Percent Moisture	18.6	%	0.10	05/11/22 16:21	
EPA 9045	pH at 25 Degrees C	7.85	Std. Units	0.100	05/16/22 11:33	H6
40244491006	SB-27 (4.0-5.0)					
EPA 6020B	Aluminum	9930	mg/kg	35.3	05/14/22 00:33	
EPA 6020B	Antimony	0.16J	mg/kg	0.59	05/14/22 00:33	
EPA 6020B	Arsenic	7.6	mg/kg	0.59	05/14/22 00:33	
EPA 6020B	Barium	97.8	mg/kg	0.35	05/14/22 00:33	
EPA 6020B	Beryllium	0.63	mg/kg	0.24	05/14/22 00:33	
EPA 6020B	Cadmium	0.16	mg/kg	0.094	05/14/22 00:33	
EPA 6020B	Calcium	16800	mg/kg	118	05/14/22 00:33	
EPA 6020B	Chromium	14.3	mg/kg	2.4	05/14/22 00:33	
EPA 6020B	Cobalt	5.8	mg/kg	0.59	05/14/22 00:33	
EPA 6020B	Copper	15.8	mg/kg	1.2	05/14/22 00:33	
EPA 6020B	Iron	17600	mg/kg	58.9	05/14/22 00:33	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244491006	SB-27 (4.0-5.0)					
EPA 6020B	Lead	12.2	mg/kg	0.59	05/14/22 00:33	
EPA 6020B	Magnesium	9980	mg/kg	35.3	05/14/22 00:33	
EPA 6020B	Manganese	348	mg/kg	0.59	05/14/22 00:33	
EPA 6020B	Nickel	15.3	mg/kg	0.59	05/14/22 00:33	
EPA 6020B	Potassium	757	mg/kg	118	05/14/22 00:33	
EPA 6020B	Selenium	0.33J	mg/kg	0.59	05/14/22 00:33	
EPA 6020B	Sodium	78.0	mg/kg	58.9	05/14/22 00:33	
EPA 6020B	Thallium	0.20	mg/kg	0.12	05/14/22 00:33	
EPA 6020B	Vanadium	26.4	mg/kg	1.2	05/14/22 00:33	
EPA 6020B	Zinc	48.4	mg/kg	5.9	05/14/22 00:33	
EPA 7471	Mercury	0.018J	mg/kg	0.041	05/13/22 10:28	
ASTM D2974-87	Percent Moisture	20.7	%	0.10	05/11/22 16:21	
EPA 9040	pH at 25 Degrees C	7.8	Std. Units	0.10	05/16/22 10:47	2q,H6
40244491007	SB-28 (1.0-2.0)					
EPA 6020B	Aluminum	14700	mg/kg	38.0	05/14/22 00:37	
EPA 6020B	Antimony	0.29J	mg/kg	0.63	05/14/22 00:37	
EPA 6020B	Arsenic	14.6	mg/kg	0.63	05/14/22 00:37	
EPA 6020B	Barium	170	mg/kg	0.38	05/14/22 00:37	
EPA 6020B	Beryllium	0.98	mg/kg	0.25	05/14/22 00:37	
EPA 6020B	Cadmium	0.17	mg/kg	0.10	05/14/22 00:37	
EPA 6020B	Calcium	3640	mg/kg	127	05/14/22 00:37	
EPA 6020B	Chromium	18.1	mg/kg	2.5	05/14/22 00:37	
EPA 6020B	Cobalt	15.3	mg/kg	0.63	05/14/22 00:37	
EPA 6020B	Copper	18.3	mg/kg	1.3	05/14/22 00:37	
EPA 6020B	Iron	27300	mg/kg	63.3	05/14/22 00:37	
EPA 6020B	Lead	21.9	mg/kg	0.63	05/14/22 00:37	
EPA 6020B	Magnesium	2840	mg/kg	38.0	05/14/22 00:37	
EPA 6020B	Manganese	1490	mg/kg	6.3	05/16/22 20:46	
EPA 6020B	Nickel	20.2	mg/kg	0.63	05/14/22 00:37	
EPA 6020B	Potassium	939	mg/kg	127	05/14/22 00:37	
EPA 6020B	Selenium	1.1	mg/kg	0.63	05/14/22 00:37	
EPA 6020B	Sodium	64.8	mg/kg	63.3	05/14/22 00:37	
EPA 6020B	Thallium	0.23	mg/kg	0.13	05/14/22 00:37	
EPA 6020B	Vanadium	40.6	mg/kg	1.3	05/14/22 00:37	
EPA 6020B	Zinc	51.8	mg/kg	6.3	05/14/22 00:37	
EPA 7471	Mercury	0.058	mg/kg	0.043	05/13/22 10:30	
ASTM D2974-87	Percent Moisture	24.1	%	0.10	05/11/22 16:21	
EPA 9040	pH at 25 Degrees C	7.7	Std. Units	0.10	05/16/22 10:51	2q,H6
40244491008	SB-28 (4.0-5.0)					
EPA 6020B	Aluminum	12500	mg/kg	37.6	05/14/22 00:41	
EPA 6020B	Antimony	0.17J	mg/kg	0.63	05/14/22 00:41	
EPA 6020B	Arsenic	8.5	mg/kg	0.63	05/14/22 00:41	
EPA 6020B	Barium	101	mg/kg	0.38	05/14/22 00:41	
EPA 6020B	Beryllium	0.73	mg/kg	0.25	05/14/22 00:41	
EPA 6020B	Cadmium	0.14	mg/kg	0.10	05/14/22 00:41	
EPA 6020B	Calcium	3100	mg/kg	125	05/14/22 00:41	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244491008	SB-28 (4.0-5.0)					
EPA 6020B	Chromium	19.4	mg/kg	2.5	05/14/22 00:41	
EPA 6020B	Cobalt	5.3	mg/kg	0.63	05/14/22 00:41	
EPA 6020B	Copper	19.9	mg/kg	1.3	05/14/22 00:41	
EPA 6020B	Iron	21400	mg/kg	62.7	05/14/22 00:41	
EPA 6020B	Lead	8.9	mg/kg	0.63	05/14/22 00:41	
EPA 6020B	Magnesium	3480	mg/kg	37.6	05/14/22 00:41	
EPA 6020B	Manganese	147	mg/kg	0.63	05/14/22 00:41	
EPA 6020B	Nickel	19.8	mg/kg	0.63	05/14/22 00:41	
EPA 6020B	Potassium	818	mg/kg	125	05/14/22 00:41	
EPA 6020B	Selenium	0.25J	mg/kg	0.63	05/14/22 00:41	
EPA 6020B	Sodium	64.7	mg/kg	62.7	05/14/22 00:41	
EPA 6020B	Thallium	0.20	mg/kg	0.13	05/14/22 00:41	
EPA 6020B	Vanadium	33.2	mg/kg	1.3	05/14/22 00:41	
EPA 6020B	Zinc	57.5	mg/kg	6.3	05/14/22 00:41	
EPA 7471	Mercury	0.035J	mg/kg	0.042	05/13/22 10:33	
ASTM D2974-87	Percent Moisture	21.8	%	0.10	05/11/22 16:22	
EPA 9040	pH at 25 Degrees C	7.8	Std. Units	0.10	05/16/22 10:54	2q,H6
40244491009	SB-40 (1.5-2.5)					
EPA 6020B	Aluminum	12100	mg/kg	37.2	05/14/22 00:44	
EPA 6020B	Arsenic	7.1	mg/kg	0.62	05/14/22 00:44	
EPA 6020B	Barium	126	mg/kg	0.37	05/14/22 00:44	
EPA 6020B	Beryllium	0.71	mg/kg	0.25	05/14/22 00:44	
EPA 6020B	Cadmium	0.089J	mg/kg	0.099	05/14/22 00:44	
EPA 6020B	Calcium	3960	mg/kg	124	05/14/22 00:44	
EPA 6020B	Chromium	15.2	mg/kg	2.5	05/14/22 00:44	
EPA 6020B	Cobalt	5.5	mg/kg	0.62	05/14/22 00:44	
EPA 6020B	Copper	13.6	mg/kg	1.2	05/14/22 00:44	
EPA 6020B	Iron	17400	mg/kg	62.1	05/14/22 00:44	
EPA 6020B	Lead	11.8	mg/kg	0.62	05/14/22 00:44	
EPA 6020B	Magnesium	2480	mg/kg	37.2	05/14/22 00:44	
EPA 6020B	Manganese	203	mg/kg	0.62	05/14/22 00:44	
EPA 6020B	Nickel	11.0	mg/kg	0.62	05/14/22 00:44	
EPA 6020B	Potassium	970	mg/kg	124	05/14/22 00:44	
EPA 6020B	Selenium	0.93	mg/kg	0.62	05/14/22 00:44	
EPA 6020B	Sodium	73.1	mg/kg	62.1	05/14/22 00:44	
EPA 6020B	Thallium	0.15	mg/kg	0.12	05/14/22 00:44	
EPA 6020B	Vanadium	30.9	mg/kg	1.2	05/14/22 00:44	
EPA 6020B	Zinc	42.9	mg/kg	6.2	05/14/22 00:44	
EPA 7471	Mercury	0.031J	mg/kg	0.039	05/13/22 10:35	
ASTM D2974-87	Percent Moisture	21.0	%	0.10	05/11/22 16:22	
EPA 9040	pH at 25 Degrees C	7.5	Std. Units	0.10	05/16/22 10:57	2q,H6
40244491010	SB-40 (4.0-5.0)					
EPA 6020B	Aluminum	13700	mg/kg	37.8	05/14/22 01:00	
EPA 6020B	Antimony	0.20J	mg/kg	0.63	05/14/22 01:00	
EPA 6020B	Arsenic	11.4	mg/kg	0.63	05/14/22 01:00	
EPA 6020B	Barium	134	mg/kg	0.38	05/14/22 01:00	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244491010	SB-40 (4.0-5.0)					
EPA 6020B	Beryllium	0.69	mg/kg	0.25	05/14/22 01:00	
EPA 6020B	Cadmium	0.24	mg/kg	0.10	05/14/22 01:00	
EPA 6020B	Calcium	20700	mg/kg	126	05/14/22 01:00	
EPA 6020B	Chromium	20.0	mg/kg	2.5	05/14/22 01:00	
EPA 6020B	Cobalt	6.1	mg/kg	0.63	05/14/22 01:00	
EPA 6020B	Copper	17.6	mg/kg	1.3	05/14/22 01:00	
EPA 6020B	Iron	24800	mg/kg	62.9	05/14/22 01:00	
EPA 6020B	Lead	10.7	mg/kg	0.63	05/14/22 01:00	
EPA 6020B	Magnesium	9590	mg/kg	37.8	05/14/22 01:00	
EPA 6020B	Manganese	147	mg/kg	0.63	05/14/22 01:00	
EPA 6020B	Nickel	18.8	mg/kg	0.63	05/14/22 01:00	
EPA 6020B	Potassium	810	mg/kg	126	05/14/22 01:00	
EPA 6020B	Selenium	0.26J	mg/kg	0.63	05/14/22 01:00	
EPA 6020B	Sodium	64.7	mg/kg	62.9	05/14/22 01:00	
EPA 6020B	Thallium	0.18	mg/kg	0.13	05/14/22 01:00	
EPA 6020B	Vanadium	33.7	mg/kg	1.3	05/14/22 01:00	
EPA 6020B	Zinc	60.0	mg/kg	6.3	05/14/22 01:00	
EPA 7471	Mercury	0.030J	mg/kg	0.043	05/13/22 10:37	
ASTM D2974-87	Percent Moisture	21.3	%	0.10	05/11/22 16:22	
EPA 9040	pH at 25 Degrees C	7.8	Std. Units	0.10	05/16/22 11:01	2q,H6
40244491011	SB-30 (1.5-2.5)					
EPA 6020B	Aluminum	19800	mg/kg	37.0	05/14/22 01:03	
EPA 6020B	Antimony	0.13J	mg/kg	0.62	05/14/22 01:03	
EPA 6020B	Arsenic	8.0	mg/kg	0.62	05/14/22 01:03	
EPA 6020B	Barium	214	mg/kg	0.37	05/14/22 01:03	
EPA 6020B	Beryllium	0.92	mg/kg	0.25	05/14/22 01:03	
EPA 6020B	Cadmium	0.072J	mg/kg	0.099	05/14/22 01:03	
EPA 6020B	Calcium	5290	mg/kg	123	05/14/22 01:03	
EPA 6020B	Chromium	23.7	mg/kg	2.5	05/14/22 01:03	
EPA 6020B	Cobalt	6.9	mg/kg	0.62	05/14/22 01:03	
EPA 6020B	Copper	18.0	mg/kg	1.2	05/14/22 01:03	
EPA 6020B	Iron	24300	mg/kg	61.7	05/14/22 01:03	
EPA 6020B	Lead	18.1	mg/kg	0.62	05/14/22 01:03	
EPA 6020B	Magnesium	3400	mg/kg	37.0	05/14/22 01:03	
EPA 6020B	Manganese	345	mg/kg	0.62	05/14/22 01:03	
EPA 6020B	Nickel	16.9	mg/kg	0.62	05/14/22 01:03	
EPA 6020B	Potassium	1260	mg/kg	123	05/14/22 01:03	
EPA 6020B	Selenium	0.98	mg/kg	0.62	05/14/22 01:03	
EPA 6020B	Sodium	49.9J	mg/kg	61.7	05/14/22 01:03	
EPA 6020B	Thallium	0.24	mg/kg	0.12	05/14/22 01:03	
EPA 6020B	Vanadium	40.5	mg/kg	1.2	05/14/22 01:03	
EPA 6020B	Zinc	64.9	mg/kg	6.2	05/14/22 01:03	
EPA 7471	Mercury	0.049	mg/kg	0.041	05/13/22 10:40	
ASTM D2974-87	Percent Moisture	23.6	%	0.10	05/11/22 16:22	
EPA 9040	pH at 25 Degrees C	8.0	Std. Units	0.10	05/16/22 11:04	2q,H6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244491012	SB-30 (4.0-5.0)					
EPA 6020B	Aluminum	7820	mg/kg	36.3	05/14/22 01:07	
EPA 6020B	Antimony	0.17J	mg/kg	0.61	05/14/22 01:07	
EPA 6020B	Arsenic	9.4	mg/kg	0.61	05/14/22 01:07	
EPA 6020B	Barium	83.2	mg/kg	0.36	05/14/22 01:07	
EPA 6020B	Beryllium	0.52	mg/kg	0.24	05/14/22 01:07	
EPA 6020B	Cadmium	0.20	mg/kg	0.097	05/14/22 01:07	
EPA 6020B	Calcium	27500	mg/kg	121	05/14/22 01:07	
EPA 6020B	Chromium	14.8	mg/kg	2.4	05/14/22 01:07	
EPA 6020B	Cobalt	8.2	mg/kg	0.61	05/14/22 01:07	
EPA 6020B	Copper	19.3	mg/kg	1.2	05/14/22 01:07	
EPA 6020B	Iron	15800	mg/kg	60.5	05/14/22 01:07	
EPA 6020B	Lead	13.2	mg/kg	0.61	05/14/22 01:07	
EPA 6020B	Magnesium	16900	mg/kg	36.3	05/14/22 01:07	
EPA 6020B	Manganese	245	mg/kg	0.61	05/14/22 01:07	
EPA 6020B	Nickel	18.4	mg/kg	0.61	05/14/22 01:07	
EPA 6020B	Potassium	649	mg/kg	121	05/14/22 01:07	
EPA 6020B	Selenium	0.22J	mg/kg	0.61	05/14/22 01:07	
EPA 6020B	Sodium	98.5	mg/kg	60.5	05/14/22 01:07	
EPA 6020B	Thallium	0.22	mg/kg	0.12	05/14/22 01:07	
EPA 6020B	Vanadium	27.1	mg/kg	1.2	05/14/22 01:07	
EPA 6020B	Zinc	56.2	mg/kg	6.1	05/14/22 01:07	
EPA 7471	Mercury	0.022J	mg/kg	0.041	05/13/22 10:42	
ASTM D2974-87	Percent Moisture	22.0	%	0.10	05/11/22 16:22	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/16/22 11:13	2q,H6
40244491013	SB-31 (1.5-2.5)					
EPA 8081	alpha-Chlordane	0.00076J	mg/kg	0.0032	05/11/22 15:03	
EPA 8081	Heptachlor epoxide	0.00071J	mg/kg	0.0032	05/11/22 15:03	
EPA 6020B	Aluminum	15100	mg/kg	36.8	05/14/22 01:11	
EPA 6020B	Antimony	0.17J	mg/kg	0.61	05/14/22 01:11	
EPA 6020B	Arsenic	8.7	mg/kg	0.61	05/14/22 01:11	
EPA 6020B	Barium	154	mg/kg	0.37	05/14/22 01:11	
EPA 6020B	Beryllium	0.76	mg/kg	0.25	05/14/22 01:11	
EPA 6020B	Cadmium	0.085J	mg/kg	0.098	05/14/22 01:11	
EPA 6020B	Calcium	4050	mg/kg	123	05/14/22 01:11	
EPA 6020B	Chromium	18.3	mg/kg	2.5	05/14/22 01:11	
EPA 6020B	Cobalt	12.2	mg/kg	0.61	05/14/22 01:11	
EPA 6020B	Copper	15.9	mg/kg	1.2	05/14/22 01:11	
EPA 6020B	Iron	23300	mg/kg	61.3	05/14/22 01:11	
EPA 6020B	Lead	16.8	mg/kg	0.61	05/14/22 01:11	
EPA 6020B	Magnesium	2880	mg/kg	36.8	05/14/22 01:11	
EPA 6020B	Manganese	615	mg/kg	6.1	05/16/22 21:12	
EPA 6020B	Nickel	17.2	mg/kg	0.61	05/14/22 01:11	
EPA 6020B	Potassium	1010	mg/kg	123	05/14/22 01:11	
EPA 6020B	Selenium	0.69	mg/kg	0.61	05/14/22 01:11	
EPA 6020B	Sodium	26.3J	mg/kg	61.3	05/14/22 01:11	
EPA 6020B	Thallium	0.22	mg/kg	0.12	05/14/22 01:11	
EPA 6020B	Vanadium	36.1	mg/kg	1.2	05/14/22 01:11	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244491013	SB-31 (1.5-2.5)					
EPA 6020B	Zinc	49.2	mg/kg	6.1	05/14/22 01:11	
EPA 7471	Mercury	0.026J	mg/kg	0.044	05/13/22 12:01	
ASTM D2974-87	Percent Moisture	23.8	%	0.10	05/11/22 16:57	
EPA 9040	pH at 25 Degrees C	7.8	Std. Units	0.10	05/16/22 11:16	2q,H6
40244491014	SB-31 (4.0-5.0)					
EPA 8081	alpha-Chlordane	0.0015J	mg/kg	0.0031	05/11/22 15:16	
EPA 8081	gamma-Chlordane	0.00092J	mg/kg	0.0031	05/11/22 15:16	
EPA 6020B	Aluminum	6820	mg/kg	37.3	05/14/22 01:18	
EPA 6020B	Arsenic	3.2	mg/kg	0.62	05/14/22 01:18	
EPA 6020B	Barium	63.9	mg/kg	0.37	05/14/22 01:18	
EPA 6020B	Beryllium	0.37	mg/kg	0.25	05/14/22 01:18	
EPA 6020B	Cadmium	0.092J	mg/kg	0.10	05/14/22 01:18	
EPA 6020B	Calcium	47700	mg/kg	124	05/14/22 01:18	
EPA 6020B	Chromium	12.6	mg/kg	2.5	05/14/22 01:18	
EPA 6020B	Cobalt	3.5	mg/kg	0.62	05/14/22 01:18	
EPA 6020B	Copper	11.7	mg/kg	1.2	05/14/22 01:18	
EPA 6020B	Iron	9560	mg/kg	62.2	05/14/22 01:18	
EPA 6020B	Lead	8.3	mg/kg	0.62	05/14/22 01:18	
EPA 6020B	Magnesium	27200	mg/kg	37.3	05/14/22 01:18	
EPA 6020B	Manganese	152	mg/kg	0.62	05/14/22 01:18	
EPA 6020B	Nickel	10.4	mg/kg	0.62	05/14/22 01:18	
EPA 6020B	Potassium	625	mg/kg	124	05/14/22 01:18	
EPA 6020B	Selenium	0.11J	mg/kg	0.62	05/14/22 01:18	
EPA 6020B	Sodium	67.0	mg/kg	62.2	05/14/22 01:18	
EPA 6020B	Thallium	0.23	mg/kg	0.12	05/14/22 01:18	
EPA 6020B	Vanadium	18.2	mg/kg	1.2	05/14/22 01:18	
EPA 6020B	Zinc	41.1	mg/kg	6.2	05/14/22 01:18	
ASTM D2974-87	Percent Moisture	20.4	%	0.10	05/11/22 16:22	
EPA 9040	pH at 25 Degrees C	7.9	Std. Units	0.10	05/16/22 11:20	2q,H6
40244491015	SB-32 (0.5-1.5)					
EPA 6020B	Aluminum	10100	mg/kg	36.9	05/14/22 01:22	
EPA 6020B	Antimony	0.19J	mg/kg	0.62	05/14/22 01:22	
EPA 6020B	Arsenic	6.3	mg/kg	0.62	05/14/22 01:22	
EPA 6020B	Barium	147	mg/kg	0.37	05/14/22 01:22	
EPA 6020B	Beryllium	0.65	mg/kg	0.25	05/14/22 01:22	
EPA 6020B	Cadmium	0.48	mg/kg	0.098	05/14/22 01:22	
EPA 6020B	Calcium	16000	mg/kg	123	05/14/22 01:22	
EPA 6020B	Chromium	15.4	mg/kg	2.5	05/14/22 01:22	
EPA 6020B	Cobalt	6.6	mg/kg	0.62	05/14/22 01:22	
EPA 6020B	Copper	18.0	mg/kg	1.2	05/14/22 01:22	
EPA 6020B	Iron	17700	mg/kg	61.5	05/14/22 01:22	
EPA 6020B	Lead	28.8	mg/kg	0.62	05/14/22 01:22	
EPA 6020B	Magnesium	9430	mg/kg	36.9	05/14/22 01:22	
EPA 6020B	Manganese	704	mg/kg	6.2	05/16/22 21:31	
EPA 6020B	Nickel	15.8	mg/kg	0.62	05/14/22 01:22	
EPA 6020B	Potassium	924	mg/kg	123	05/14/22 01:22	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244491015	SB-32 (0.5-1.5)					
EPA 6020B	Selenium	0.37J	mg/kg	0.62	05/14/22 01:22	
EPA 6020B	Sodium	44.8J	mg/kg	61.5	05/14/22 01:22	
EPA 6020B	Thallium	0.28	mg/kg	0.12	05/14/22 01:22	
EPA 6020B	Vanadium	27.8	mg/kg	1.2	05/14/22 01:22	
EPA 6020B	Zinc	72.2	mg/kg	6.2	05/14/22 01:22	
EPA 7471	Mercury	0.029J	mg/kg	0.040	05/13/22 12:06	
ASTM D2974-87	Percent Moisture	20.4	%	0.10	05/11/22 16:22	
EPA 9040	pH at 25 Degrees C	8.0	Std. Units	0.10	05/16/22 11:23	2q,H6
40244491016	SB-32 (4.0-5.0)					
EPA 6020B	Aluminum	14600	mg/kg	37.6	05/14/22 01:26	
EPA 6020B	Antimony	0.22J	mg/kg	0.63	05/14/22 01:26	
EPA 6020B	Arsenic	15.1	mg/kg	0.63	05/14/22 01:26	
EPA 6020B	Barium	222	mg/kg	0.38	05/14/22 01:26	
EPA 6020B	Beryllium	0.82	mg/kg	0.25	05/14/22 01:26	
EPA 6020B	Cadmium	0.64	mg/kg	0.10	05/14/22 01:26	
EPA 6020B	Calcium	3740	mg/kg	125	05/14/22 01:26	
EPA 6020B	Chromium	20.5	mg/kg	2.5	05/14/22 01:26	
EPA 6020B	Cobalt	19.9	mg/kg	0.63	05/14/22 01:26	
EPA 6020B	Copper	22.0	mg/kg	1.3	05/14/22 01:26	
EPA 6020B	Iron	23500	mg/kg	62.6	05/14/22 01:26	
EPA 6020B	Lead	21.7	mg/kg	0.63	05/14/22 01:26	
EPA 6020B	Magnesium	3800	mg/kg	37.6	05/14/22 01:26	
EPA 6020B	Manganese	1470	mg/kg	6.3	05/16/22 21:38	
EPA 6020B	Nickel	37.7	mg/kg	0.63	05/14/22 01:26	
EPA 6020B	Potassium	814	mg/kg	125	05/14/22 01:26	
EPA 6020B	Selenium	0.30J	mg/kg	0.63	05/14/22 01:26	
EPA 6020B	Sodium	36.4J	mg/kg	62.6	05/14/22 01:26	
EPA 6020B	Thallium	0.24	mg/kg	0.13	05/14/22 01:26	
EPA 6020B	Vanadium	39.4	mg/kg	1.3	05/14/22 01:26	
EPA 6020B	Zinc	62.7	mg/kg	6.3	05/14/22 01:26	
EPA 7471	Mercury	0.039J	mg/kg	0.041	05/13/22 12:08	
ASTM D2974-87	Percent Moisture	21.7	%	0.10	05/11/22 16:22	
EPA 9040	pH at 25 Degrees C	7.9	Std. Units	0.10	05/16/22 11:26	2q,H6
40244491017	SB-34 (1.0-2.0)					
EPA 8081	alpha-Chlordane	0.030	mg/kg	0.0031	05/11/22 15:54	
EPA 8081	gamma-Chlordane	0.013	mg/kg	0.0031	05/11/22 15:41	
EPA 8081	4,4'-DDE	0.0037J	mg/kg	0.0061	05/11/22 15:41	
EPA 8081	Heptachlor epoxide	0.0053	mg/kg	0.0031	05/11/22 15:54	C2
EPA 6020B	Aluminum	9260	mg/kg	35.8	05/14/22 01:37	
EPA 6020B	Antimony	0.14J	mg/kg	0.60	05/14/22 01:37	
EPA 6020B	Arsenic	7.4	mg/kg	0.60	05/14/22 01:37	
EPA 6020B	Barium	110	mg/kg	0.36	05/14/22 01:37	
EPA 6020B	Beryllium	0.56	mg/kg	0.24	05/14/22 01:37	
EPA 6020B	Cadmium	0.23	mg/kg	0.095	05/14/22 01:37	
EPA 6020B	Calcium	19600	mg/kg	119	05/14/22 01:37	
EPA 6020B	Chromium	15.3	mg/kg	2.4	05/14/22 01:37	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244491017	SB-34 (1.0-2.0)					
EPA 6020B	Cobalt	7.5	mg/kg	0.60	05/14/22 01:37	
EPA 6020B	Copper	14.0	mg/kg	1.2	05/14/22 01:37	
EPA 6020B	Iron	16300	mg/kg	59.6	05/14/22 01:37	
EPA 6020B	Lead	14.8	mg/kg	0.60	05/14/22 01:37	
EPA 6020B	Magnesium	10200	mg/kg	35.8	05/14/22 01:37	
EPA 6020B	Manganese	439	mg/kg	0.60	05/14/22 01:37	
EPA 6020B	Nickel	14.4	mg/kg	0.60	05/14/22 01:37	
EPA 6020B	Potassium	671	mg/kg	119	05/14/22 01:37	
EPA 6020B	Selenium	0.34J	mg/kg	0.60	05/14/22 01:37	
EPA 6020B	Sodium	32.3J	mg/kg	59.6	05/14/22 01:37	
EPA 6020B	Thallium	0.18	mg/kg	0.12	05/14/22 01:37	
EPA 6020B	Vanadium	25.4	mg/kg	1.2	05/14/22 01:37	
EPA 6020B	Zinc	51.0	mg/kg	6.0	05/14/22 01:37	
EPA 7471	Mercury	0.027J	mg/kg	0.041	05/13/22 12:15	
EPA 8270E	Fluoranthene	0.032J	mg/kg	0.10	05/13/22 11:54	
ASTM D2974-87	Percent Moisture	21.6	%	0.10	05/11/22 16:22	
EPA 9040	pH at 25 Degrees C	7.9	Std. Units	0.10	05/16/22 11:29	2q,H6
40244491018	SB-34 (4.0-5.0)					
EPA 8081	alpha-Chlordane	0.0060	mg/kg	0.0025	05/17/22 14:46	R1
EPA 8081	gamma-Chlordane	0.0021J	mg/kg	0.0025	05/17/22 14:34	C2
EPA 8081	4,4'-DDE	0.0013J	mg/kg	0.0050	05/17/22 14:46	
EPA 8081	Heptachlor epoxide	0.0019J	mg/kg	0.0025	05/17/22 14:46	
EPA 6020B	Aluminum	7910	mg/kg	30.4	05/14/22 01:41	
EPA 6020B	Arsenic	3.8	mg/kg	0.51	05/14/22 01:41	
EPA 6020B	Barium	96.3	mg/kg	0.30	05/14/22 01:41	
EPA 6020B	Beryllium	0.49	mg/kg	0.20	05/14/22 01:41	
EPA 6020B	Cadmium	0.10	mg/kg	0.081	05/14/22 01:41	
EPA 6020B	Calcium	5700	mg/kg	101	05/14/22 01:41	
EPA 6020B	Chromium	10.5	mg/kg	2.0	05/14/22 01:41	
EPA 6020B	Cobalt	3.1	mg/kg	0.51	05/14/22 01:41	
EPA 6020B	Copper	10.7	mg/kg	1.0	05/14/22 01:41	
EPA 6020B	Iron	10500	mg/kg	50.7	05/14/22 01:41	
EPA 6020B	Lead	8.1	mg/kg	0.51	05/14/22 01:41	
EPA 6020B	Magnesium	2510	mg/kg	30.4	05/14/22 01:41	
EPA 6020B	Manganese	204	mg/kg	0.51	05/14/22 01:41	
EPA 6020B	Nickel	8.8	mg/kg	0.51	05/14/22 01:41	
EPA 6020B	Potassium	672	mg/kg	101	05/14/22 01:41	
EPA 6020B	Selenium	0.42J	mg/kg	0.51	05/14/22 01:41	
EPA 6020B	Sodium	15.4J	mg/kg	50.7	05/14/22 01:41	
EPA 6020B	Thallium	0.13	mg/kg	0.10	05/14/22 01:41	
EPA 6020B	Vanadium	18.9	mg/kg	1.0	05/14/22 01:41	
EPA 6020B	Zinc	33.1	mg/kg	5.1	05/14/22 01:41	
ASTM D2974-87	Percent Moisture	3.4	%	0.10	05/11/22 16:57	
EPA 9045	pH at 25 Degrees C	8.28	Std. Units	0.100	05/13/22 14:41	H6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-55 (1.0-2.0) **Lab ID: 40244491001** Collected: 05/05/22 08:15 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00061	mg/kg	0.0031	0.00061	1	05/09/22 14:20	05/12/22 16:41	309-00-2	
alpha-BHC	<0.00066	mg/kg	0.0031	0.00066	1	05/09/22 14:20	05/12/22 16:41	319-84-6	
beta-BHC	<0.00059	mg/kg	0.0031	0.00059	1	05/09/22 14:20	05/12/22 16:41	319-85-7	
delta-BHC	<0.00083	mg/kg	0.0031	0.00083	1	05/09/22 14:20	05/12/22 16:41	319-86-8	
gamma-BHC (Lindane)	<0.00057	mg/kg	0.0031	0.00057	1	05/09/22 14:20	05/12/22 16:41	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.063	0.013	1	05/09/22 14:20	05/12/22 16:41	57-74-9	
alpha-Chlordane	<0.00056	mg/kg	0.0031	0.00056	1	05/09/22 14:20	05/12/22 16:41	5103-71-9	
gamma-Chlordane	<0.00066	mg/kg	0.0031	0.00066	1	05/09/22 14:20	05/12/22 16:41	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0063	0.0012	1	05/09/22 14:20	05/12/22 16:41	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0063	0.0010	1	05/09/22 14:20	05/12/22 16:41	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0063	0.0020	1	05/09/22 14:20	05/12/22 16:28	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0063	0.0011	1	05/09/22 14:20	05/12/22 16:41	60-57-1	
Endosulfan I	<0.00052	mg/kg	0.0031	0.00052	1	05/09/22 14:20	05/12/22 16:41	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0063	0.0010	1	05/09/22 14:20	05/12/22 16:41	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0063	0.0012	1	05/09/22 14:20	05/12/22 16:41	1031-07-8	
Endrin	<0.0011	mg/kg	0.0063	0.0011	1	05/09/22 14:20	05/12/22 16:41	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0063	0.0014	1	05/09/22 14:20	05/12/22 16:41	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0063	0.0016	1	05/09/22 14:20	05/12/22 16:41	53494-70-5	
Heptachlor	<0.00056	mg/kg	0.0031	0.00056	1	05/09/22 14:20	05/12/22 16:41	76-44-8	
Heptachlor epoxide	<0.00053	mg/kg	0.0031	0.00053	1	05/09/22 14:20	05/12/22 16:41	1024-57-3	
Methoxychlor	<0.0072	mg/kg	0.031	0.0072	1	05/09/22 14:20	05/12/22 16:41	72-43-5	
Toxaphene	<0.022	mg/kg	0.063	0.022	1	05/09/22 14:20	05/12/22 16:41	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	50	%	10-147		1	05/09/22 14:20	05/12/22 16:41	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.064	0.019	1	05/09/22 08:38	05/10/22 16:51	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.064	0.019	1	05/09/22 08:38	05/10/22 16:51	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.064	0.019	1	05/09/22 08:38	05/10/22 16:51	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.064	0.019	1	05/09/22 08:38	05/10/22 16:51	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.064	0.019	1	05/09/22 08:38	05/10/22 16:51	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.064	0.019	1	05/09/22 08:38	05/10/22 16:51	11097-69-1	
PCB-1260 (Aroclor 1260)	0.035J	mg/kg	0.064	0.019	1	05/09/22 08:38	05/10/22 16:51	11096-82-5	
PCB, Total	0.035J	mg/kg	0.064	0.019	1	05/09/22 08:38	05/10/22 16:51	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	74	%	50-99		1	05/09/22 08:38	05/10/22 16:51	877-09-8	
Decachlorobiphenyl (S)	79	%	38-95		1	05/09/22 08:38	05/10/22 16:51	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	10300	mg/kg	37.6	7.6	1	05/09/22 17:19	05/13/22 23:59	7429-90-5	
Antimony	0.13J	mg/kg	0.63	0.12	1	05/09/22 17:19	05/13/22 23:59	7440-36-0	
Arsenic	6.5	mg/kg	0.63	0.14	1	05/09/22 17:19	05/13/22 23:59	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-55 (1.0-2.0) **Lab ID: 40244491001** Collected: 05/05/22 08:15 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	106	mg/kg	0.38	0.067	1	05/09/22 17:19	05/13/22 23:59	7440-39-3	
Beryllium	0.65	mg/kg	0.25	0.050	1	05/09/22 17:19	05/13/22 23:59	7440-41-7	
Cadmium	0.28	mg/kg	0.10	0.039	1	05/09/22 17:19	05/13/22 23:59	7440-43-9	
Calcium	22200	mg/kg	125	14.8	1	05/09/22 17:19	05/13/22 23:59	7440-70-2	
Chromium	15.3	mg/kg	2.5	0.18	1	05/09/22 17:19	05/13/22 23:59	7440-47-3	
Cobalt	6.7	mg/kg	0.63	0.12	1	05/09/22 17:19	05/13/22 23:59	7440-48-4	
Copper	20.1	mg/kg	1.3	0.30	1	05/09/22 17:19	05/13/22 23:59	7440-50-8	
Iron	16800	mg/kg	62.7	13.2	1	05/09/22 17:19	05/13/22 23:59	7439-89-6	
Lead	19.5	mg/kg	0.63	0.037	1	05/09/22 17:19	05/13/22 23:59	7439-92-1	
Magnesium	12000	mg/kg	37.6	5.4	1	05/09/22 17:19	05/13/22 23:59	7439-95-4	
Manganese	739	mg/kg	6.3	3.1	10	05/09/22 17:19	05/14/22 00:03	7439-96-5	
Nickel	16.5	mg/kg	0.63	0.25	1	05/09/22 17:19	05/13/22 23:59	7440-02-0	
Potassium	985	mg/kg	125	14.4	1	05/09/22 17:19	05/13/22 23:59	7440-09-7	
Selenium	0.39J	mg/kg	0.63	0.11	1	05/09/22 17:19	05/13/22 23:59	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/09/22 17:19	05/16/22 19:24	7440-22-4	
Sodium	95.1	mg/kg	62.7	13.9	1	05/09/22 17:19	05/13/22 23:59	7440-23-5	
Thallium	0.18	mg/kg	0.13	0.046	1	05/09/22 17:19	05/13/22 23:59	7440-28-0	
Vanadium	26.3	mg/kg	1.3	0.22	1	05/09/22 17:19	05/13/22 23:59	7440-62-2	
Zinc	51.2	mg/kg	6.3	1.1	1	05/09/22 17:19	05/13/22 23:59	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.035J	mg/kg	0.044	0.013	1	05/12/22 09:25	05/13/22 10:07	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.072	mg/kg	0.24	0.072	3	05/10/22 12:26	05/10/22 16:21	120-82-1	
1,2-Dichlorobenzene	<0.20	mg/kg	0.67	0.20	3	05/10/22 12:26	05/10/22 16:21	95-50-1	
1,3-Dichlorobenzene	<0.089	mg/kg	0.30	0.089	3	05/10/22 12:26	05/10/22 16:21	541-73-1	
1,4-Dichlorobenzene	<0.089	mg/kg	0.30	0.089	3	05/10/22 12:26	05/10/22 16:21	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.16	mg/kg	0.55	0.16	3	05/10/22 12:26	05/10/22 16:21	108-60-1	
2,4,5-Trichlorophenol	<0.11	mg/kg	0.38	0.11	3	05/10/22 12:26	05/10/22 16:21	95-95-4	
2,4,6-Trichlorophenol	<0.098	mg/kg	0.33	0.098	3	05/10/22 12:26	05/10/22 16:21	88-06-2	
2,4-Dichlorophenol	<0.17	mg/kg	0.57	0.17	3	05/10/22 12:26	05/10/22 16:21	120-83-2	
2,4-Dimethylphenol	<0.13	mg/kg	0.42	0.13	3	05/10/22 12:26	05/10/22 16:21	105-67-9	
2,4-Dinitrophenol	<0.19	mg/kg	0.65	0.19	3	05/10/22 12:26	05/10/22 16:21	51-28-5	
2,4-Dinitrotoluene	<0.091	mg/kg	0.30	0.091	3	05/10/22 12:26	05/10/22 16:21	121-14-2	
2,6-Dinitrotoluene	<0.12	mg/kg	0.40	0.12	3	05/10/22 12:26	05/10/22 16:21	606-20-2	
2-Chloronaphthalene	<0.082	mg/kg	0.27	0.082	3	05/10/22 12:26	05/10/22 16:21	91-58-7	
2-Chlorophenol	<0.16	mg/kg	0.53	0.16	3	05/10/22 12:26	05/10/22 16:21	95-57-8	
2-Methylnaphthalene	<0.17	mg/kg	0.55	0.17	3	05/10/22 12:26	05/10/22 16:21	91-57-6	
2-Methylphenol(o-Cresol)	<0.12	mg/kg	0.39	0.12	3	05/10/22 12:26	05/10/22 16:21	95-48-7	
2-Nitroaniline	<0.18	mg/kg	0.61	0.18	3	05/10/22 12:26	05/10/22 16:21	88-74-4	
2-Nitrophenol	<0.20	mg/kg	0.67	0.20	3	05/10/22 12:26	05/10/22 16:21	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-55 (1.0-2.0) **Lab ID: 40244491001** Collected: 05/05/22 08:15 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.12	mg/kg	0.39	0.12	3	05/10/22 12:26	05/10/22 16:21		
3,3'-Dichlorobenzidine	<0.17	mg/kg	0.58	0.17	3	05/10/22 12:26	05/10/22 16:21	91-94-1	
3-Nitroaniline	<0.11	mg/kg	0.36	0.11	3	05/10/22 12:26	05/10/22 16:21	99-09-2	
4,6-Dinitro-2-methylphenol	<0.20	mg/kg	0.66	0.20	3	05/10/22 12:26	05/10/22 16:21	534-52-1	
4-Bromophenylphenyl ether	<0.13	mg/kg	0.45	0.13	3	05/10/22 12:26	05/10/22 16:21	101-55-3	
4-Chloro-3-methylphenol	<0.20	mg/kg	0.66	0.20	3	05/10/22 12:26	05/10/22 16:21	59-50-7	
4-Chloroaniline	<0.11	mg/kg	0.35	0.11	3	05/10/22 12:26	05/10/22 16:21	106-47-8	3q
4-Chlorophenylphenyl ether	<0.12	mg/kg	0.40	0.12	3	05/10/22 12:26	05/10/22 16:21	7005-72-3	
4-Nitroaniline	<0.27	mg/kg	0.89	0.27	3	05/10/22 12:26	05/10/22 16:21	100-01-6	
4-Nitrophenol	<0.16	mg/kg	0.54	0.16	3	05/10/22 12:26	05/10/22 16:21	100-02-7	
Acenaphthene	<0.23	mg/kg	0.76	0.23	3	05/10/22 12:26	05/10/22 16:21	83-32-9	
Acenaphthylene	<0.23	mg/kg	0.76	0.23	3	05/10/22 12:26	05/10/22 16:21	208-96-8	
Anthracene	<0.10	mg/kg	0.34	0.10	3	05/10/22 12:26	05/10/22 16:21	120-12-7	
Benzo(a)anthracene	<0.099	mg/kg	0.33	0.099	3	05/10/22 12:26	05/10/22 16:21	56-55-3	
Benzo(a)pyrene	<0.096	mg/kg	0.32	0.096	3	05/10/22 12:26	05/10/22 16:21	50-32-8	
Benzo(b)fluoranthene	<0.11	mg/kg	0.37	0.11	3	05/10/22 12:26	05/10/22 16:21	205-99-2	
Benzo(g,h,i)perylene	<0.17	mg/kg	0.56	0.17	3	05/10/22 12:26	05/10/22 16:21	191-24-2	
Benzo(k)fluoranthene	<0.15	mg/kg	0.51	0.15	3	05/10/22 12:26	05/10/22 16:21	207-08-9	
Butylbenzylphthalate	<0.10	mg/kg	0.34	0.10	3	05/10/22 12:26	05/10/22 16:21	85-68-7	
Carbazole	<0.10	mg/kg	0.33	0.10	3	05/10/22 12:26	05/10/22 16:21	86-74-8	
Chrysene	<0.096	mg/kg	0.32	0.096	3	05/10/22 12:26	05/10/22 16:21	218-01-9	
Di-n-butylphthalate	<0.096	mg/kg	0.32	0.096	3	05/10/22 12:26	05/10/22 16:21	84-74-2	
Di-n-octylphthalate	<0.14	mg/kg	0.48	0.14	3	05/10/22 12:26	05/10/22 16:21	117-84-0	
Dibenz(a,h)anthracene	<0.17	mg/kg	0.58	0.17	3	05/10/22 12:26	05/10/22 16:21	53-70-3	
Dibenzofuran	<0.077	mg/kg	0.26	0.077	3	05/10/22 12:26	05/10/22 16:21	132-64-9	
Diethylphthalate	<0.11	mg/kg	0.35	0.11	3	05/10/22 12:26	05/10/22 16:21	84-66-2	
Dimethylphthalate	<0.083	mg/kg	0.28	0.083	3	05/10/22 12:26	05/10/22 16:21	131-11-3	
Fluoranthene	<0.091	mg/kg	0.30	0.091	3	05/10/22 12:26	05/10/22 16:21	206-44-0	
Fluorene	<0.075	mg/kg	0.25	0.075	3	05/10/22 12:26	05/10/22 16:21	86-73-7	
Hexachloro-1,3-butadiene	<0.16	mg/kg	0.54	0.16	3	05/10/22 12:26	05/10/22 16:21	87-68-3	
Hexachlorobenzene	<0.11	mg/kg	0.36	0.11	3	05/10/22 12:26	05/10/22 16:21	118-74-1	
Hexachlorocyclopentadiene	<0.15	mg/kg	0.50	0.15	3	05/10/22 12:26	05/10/22 16:21	77-47-4	
Hexachloroethane	<0.10	mg/kg	0.34	0.10	3	05/10/22 12:26	05/10/22 16:21	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.14	mg/kg	0.46	0.14	3	05/10/22 12:26	05/10/22 16:21	193-39-5	
Isophorone	<0.098	mg/kg	0.33	0.098	3	05/10/22 12:26	05/10/22 16:21	78-59-1	
N-Nitroso-di-n-propylamine	<0.10	mg/kg	0.34	0.10	3	05/10/22 12:26	05/10/22 16:21	621-64-7	
N-Nitrosodiphenylamine	<0.87	mg/kg	2.9	0.87	3	05/10/22 12:26	05/10/22 16:21	86-30-6	
Naphthalene	<0.22	mg/kg	0.75	0.22	3	05/10/22 12:26	05/10/22 16:21	91-20-3	
Nitrobenzene	<0.13	mg/kg	0.43	0.13	3	05/10/22 12:26	05/10/22 16:21	98-95-3	
Pentachlorophenol	<0.14	mg/kg	0.47	0.14	3	05/10/22 12:26	05/10/22 16:21	87-86-5	
Phenanthrene	<0.082	mg/kg	0.27	0.082	3	05/10/22 12:26	05/10/22 16:21	85-01-8	
Phenol	<0.15	mg/kg	0.51	0.15	3	05/10/22 12:26	05/10/22 16:21	108-95-2	D3
Pyrene	<0.14	mg/kg	0.47	0.14	3	05/10/22 12:26	05/10/22 16:21	129-00-0	
bis(2-Chloroethoxy)methane	<0.17	mg/kg	0.57	0.17	3	05/10/22 12:26	05/10/22 16:21	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
 Pace Project No.: 40244491

Sample: SB-55 (1.0-2.0) **Lab ID: 40244491001** Collected: 05/05/22 08:15 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.20	mg/kg	0.67	0.20	3	05/10/22 12:26	05/10/22 16:21	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.11	mg/kg	0.35	0.11	3	05/10/22 12:26	05/10/22 16:21	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	74	%	10-125		3	05/10/22 12:26	05/10/22 16:21	4165-60-0	
2-Fluorobiphenyl (S)	63	%	12-118		3	05/10/22 12:26	05/10/22 16:21	321-60-8	
Terphenyl-d14 (S)	72	%	10-124		3	05/10/22 12:26	05/10/22 16:21	1718-51-0	
Phenol-d6 (S)	63	%	10-125		3	05/10/22 12:26	05/10/22 16:21	13127-88-3	
2-Fluorophenol (S)	65	%	10-130		3	05/10/22 12:26	05/10/22 16:21	367-12-4	
2,4,6-Tribromophenol (S)	67	%	10-144		3	05/10/22 12:26	05/10/22 16:21	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/12/22 06:00	05/12/22 09:46	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0052	0.0026	1	05/12/22 06:00	05/12/22 09:46	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/12/22 06:00	05/12/22 09:46	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0052	0.0011	1	05/12/22 06:00	05/12/22 09:46	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0052	0.0011	1	05/12/22 06:00	05/12/22 09:46	75-35-4	
1,2-Dichloroethane	<0.00085	mg/kg	0.0052	0.00085	1	05/12/22 06:00	05/12/22 09:46	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0052	0.0010	1	05/12/22 06:00	05/12/22 09:46	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.026	0.016	1	05/12/22 06:00	05/12/22 09:46	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/12/22 06:00	05/12/22 09:46	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.026	0.020	1	05/12/22 06:00	05/12/22 09:46	108-10-1	
Acetone	<0.049	mg/kg	0.10	0.049	1	05/12/22 06:00	05/12/22 09:46	67-64-1	
Benzene	<0.00073	mg/kg	0.0052	0.00073	1	05/12/22 06:00	05/12/22 09:46	71-43-2	
Bromodichloromethane	<0.00070	mg/kg	0.0052	0.00070	1	05/12/22 06:00	05/12/22 09:46	75-27-4	
Bromoform	<0.0084	mg/kg	0.021	0.0084	1	05/12/22 06:00	05/12/22 09:46	75-25-2	
Bromomethane	<0.0046	mg/kg	0.0052	0.0046	1	05/12/22 06:00	05/12/22 09:46	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0052	0.0011	1	05/12/22 06:00	05/12/22 09:46	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0052	0.0033	1	05/12/22 06:00	05/12/22 09:46	56-23-5	
Chlorobenzene	<0.00095	mg/kg	0.0052	0.00095	1	05/12/22 06:00	05/12/22 09:46	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0052	0.0037	1	05/12/22 06:00	05/12/22 09:46	75-00-3	
Chloroform	<0.00087	mg/kg	0.0052	0.00087	1	05/12/22 06:00	05/12/22 09:46	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0052	0.0011	1	05/12/22 06:00	05/12/22 09:46	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0052	0.0010	1	05/12/22 06:00	05/12/22 09:46	124-48-1	
Ethylbenzene	<0.00092	mg/kg	0.0052	0.00092	1	05/12/22 06:00	05/12/22 09:46	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0052	0.0021	1	05/12/22 06:00	05/12/22 09:46	1634-04-4	
Methylene Chloride	<0.0041	mg/kg	0.0052	0.0041	1	05/12/22 06:00	05/12/22 09:46	75-09-2	
Styrene	<0.00073	mg/kg	0.0052	0.00073	1	05/12/22 06:00	05/12/22 09:46	100-42-5	
Tetrachloroethene	<0.00091	mg/kg	0.0052	0.00091	1	05/12/22 06:00	05/12/22 09:46	127-18-4	
Toluene	<0.00091	mg/kg	0.0052	0.00091	1	05/12/22 06:00	05/12/22 09:46	108-88-3	
Trichloroethene	<0.00074	mg/kg	0.0052	0.00074	1	05/12/22 06:00	05/12/22 09:46	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0052	0.0013	1	05/12/22 06:00	05/12/22 09:46	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/12/22 06:00	05/12/22 09:46	1330-20-7	
cis-1,2-Dichloroethene	<0.00091	mg/kg	0.0052	0.00091	1	05/12/22 06:00	05/12/22 09:46	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-55 (1.0-2.0) **Lab ID: 40244491001** Collected: 05/05/22 08:15 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0052	0.0011	1	05/12/22 06:00	05/12/22 09:46	10061-01-5	
trans-1,2-Dichloroethene	<0.00074	mg/kg	0.0052	0.00074	1	05/12/22 06:00	05/12/22 09:46	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0052	0.0010	1	05/12/22 06:00	05/12/22 09:46	10061-02-6	
Surrogates									
Toluene-d8 (S)	95	%	69-156		1	05/12/22 06:00	05/12/22 09:46	2037-26-5	
4-Bromofluorobenzene (S)	93	%	61-175		1	05/12/22 06:00	05/12/22 09:46	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1	05/12/22 06:00	05/12/22 09:46	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.8	%	0.10	0.10	1		05/11/22 16:21		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.2	Std. Units	0.10	0.010	1		05/16/22 10:29		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.36	mg/kg	1.1	0.36	1	05/11/22 11:10	05/11/22 14:05	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-55 (5.0-6.0) **Lab ID: 40244491002** Collected: 05/05/22 08:20 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00059	mg/kg	0.0030	0.00059	1	05/09/22 14:20	05/12/22 16:54	309-00-2	
alpha-BHC	<0.00064	mg/kg	0.0030	0.00064	1	05/09/22 14:20	05/12/22 16:54	319-84-6	
beta-BHC	<0.00057	mg/kg	0.0030	0.00057	1	05/09/22 14:20	05/12/22 16:54	319-85-7	
delta-BHC	<0.00080	mg/kg	0.0030	0.00080	1	05/09/22 14:20	05/12/22 16:54	319-86-8	
gamma-BHC (Lindane)	<0.00055	mg/kg	0.0030	0.00055	1	05/09/22 14:20	05/12/22 16:54	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.061	0.013	1	05/09/22 14:20	05/12/22 16:54	57-74-9	
alpha-Chlordane	<0.00054	mg/kg	0.0030	0.00054	1	05/09/22 14:20	05/12/22 16:54	5103-71-9	
gamma-Chlordane	<0.00064	mg/kg	0.0030	0.00064	1	05/09/22 14:20	05/12/22 16:54	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0061	0.0012	1	05/09/22 14:20	05/12/22 16:54	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0061	0.0010	1	05/09/22 14:20	05/12/22 16:54	72-55-9	
4,4'-DDT	<0.0019	mg/kg	0.0061	0.0019	1	05/09/22 14:20	05/12/22 16:54	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0061	0.0011	1	05/09/22 14:20	05/12/22 16:54	60-57-1	
Endosulfan I	<0.00051	mg/kg	0.0030	0.00051	1	05/09/22 14:20	05/12/22 16:54	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0061	0.0010	1	05/09/22 14:20	05/12/22 16:54	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0061	0.0012	1	05/09/22 14:20	05/12/22 16:54	1031-07-8	
Endrin	<0.0011	mg/kg	0.0061	0.0011	1	05/09/22 14:20	05/12/22 16:54	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0061	0.0014	1	05/09/22 14:20	05/12/22 16:54	7421-93-4	
Endrin ketone	<0.0015	mg/kg	0.0061	0.0015	1	05/09/22 14:20	05/12/22 16:54	53494-70-5	
Heptachlor	<0.00054	mg/kg	0.0030	0.00054	1	05/09/22 14:20	05/12/22 16:54	76-44-8	
Heptachlor epoxide	<0.00051	mg/kg	0.0030	0.00051	1	05/09/22 14:20	05/12/22 16:54	1024-57-3	
Methoxychlor	<0.0070	mg/kg	0.030	0.0070	1	05/09/22 14:20	05/12/22 16:54	72-43-5	
Toxaphene	<0.022	mg/kg	0.061	0.022	1	05/09/22 14:20	05/12/22 16:54	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	47	%	10-147		1	05/09/22 14:20	05/12/22 16:54	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.064	0.019	1	05/09/22 08:38	05/10/22 17:13	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.064	0.019	1	05/09/22 08:38	05/10/22 17:13	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.064	0.019	1	05/09/22 08:38	05/10/22 17:13	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.064	0.019	1	05/09/22 08:38	05/10/22 17:13	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.064	0.019	1	05/09/22 08:38	05/10/22 17:13	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.064	0.019	1	05/09/22 08:38	05/10/22 17:13	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.064	0.019	1	05/09/22 08:38	05/10/22 17:13	11096-82-5	
PCB, Total	<0.019	mg/kg	0.064	0.019	1	05/09/22 08:38	05/10/22 17:13	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	79	%	50-99		1	05/09/22 08:38	05/10/22 17:13	877-09-8	
Decachlorobiphenyl (S)	82	%	38-95		1	05/09/22 08:38	05/10/22 17:13	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	16200	mg/kg	37.1	7.5	1	05/09/22 17:19	05/14/22 00:14	7429-90-5	
Antimony	0.30J	mg/kg	0.62	0.12	1	05/09/22 17:19	05/14/22 00:14	7440-36-0	
Arsenic	18.7	mg/kg	0.62	0.13	1	05/09/22 17:19	05/14/22 00:14	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: **SB-55 (5.0-6.0)** Lab ID: **40244491002** Collected: 05/05/22 08:20 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	245	mg/kg	0.37	0.066	1	05/09/22 17:19	05/14/22 00:14	7440-39-3	
Beryllium	1.1	mg/kg	0.25	0.049	1	05/09/22 17:19	05/14/22 00:14	7440-41-7	
Cadmium	1.7	mg/kg	0.099	0.039	1	05/09/22 17:19	05/14/22 00:14	7440-43-9	
Calcium	5070	mg/kg	124	14.6	1	05/09/22 17:19	05/14/22 00:14	7440-70-2	
Chromium	21.1	mg/kg	2.5	0.17	1	05/09/22 17:19	05/14/22 00:14	7440-47-3	
Cobalt	22.7	mg/kg	0.62	0.12	1	05/09/22 17:19	05/14/22 00:14	7440-48-4	
Copper	28.0	mg/kg	1.2	0.30	1	05/09/22 17:19	05/14/22 00:14	7440-50-8	
Iron	32600	mg/kg	61.9	13.0	1	05/09/22 17:19	05/14/22 00:14	7439-89-6	
Lead	19.1	mg/kg	0.62	0.036	1	05/09/22 17:19	05/14/22 00:14	7439-92-1	
Magnesium	3860	mg/kg	37.1	5.3	1	05/09/22 17:19	05/14/22 00:14	7439-95-4	
Manganese	4900	mg/kg	12.4	6.1	20	05/09/22 17:19	05/16/22 19:35	7439-96-5	
Nickel	48.2	mg/kg	0.62	0.25	1	05/09/22 17:19	05/14/22 00:14	7440-02-0	
Potassium	871	mg/kg	124	14.2	1	05/09/22 17:19	05/14/22 00:14	7440-09-7	
Selenium	0.49J	mg/kg	0.62	0.11	1	05/09/22 17:19	05/14/22 00:14	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/09/22 17:19	05/16/22 19:27	7440-22-4	
Sodium	170	mg/kg	61.9	13.7	1	05/09/22 17:19	05/14/22 00:14	7440-23-5	
Thallium	0.39	mg/kg	0.12	0.045	1	05/09/22 17:19	05/14/22 00:14	7440-28-0	
Vanadium	53.2	mg/kg	1.2	0.22	1	05/09/22 17:19	05/14/22 00:14	7440-62-2	
Zinc	67.2	mg/kg	6.2	1.1	1	05/09/22 17:19	05/14/22 00:14	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.055	mg/kg	0.042	0.012	1	05/12/22 09:25	05/13/22 10:14	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/10/22 12:26	05/11/22 16:07	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/10/22 12:26	05/11/22 16:07	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/10/22 12:26	05/11/22 16:07	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/10/22 12:26	05/11/22 16:07	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/10/22 12:26	05/11/22 16:07	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/10/22 12:26	05/11/22 16:07	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/11/22 16:07	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/10/22 12:26	05/11/22 16:07	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/10/22 12:26	05/11/22 16:07	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/10/22 12:26	05/11/22 16:07	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/10/22 12:26	05/11/22 16:07	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/10/22 12:26	05/11/22 16:07	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/10/22 12:26	05/11/22 16:07	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/10/22 12:26	05/11/22 16:07	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/10/22 12:26	05/11/22 16:07	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/10/22 12:26	05/11/22 16:07	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/10/22 12:26	05/11/22 16:07	88-74-4	CU
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/10/22 12:26	05/11/22 16:07	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-55 (5.0-6.0) Lab ID: **40244491002** Collected: 05/05/22 08:20 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/10/22 12:26	05/11/22 16:07		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/10/22 12:26	05/11/22 16:07	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/11/22 16:07	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/10/22 12:26	05/11/22 16:07	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/10/22 12:26	05/11/22 16:07	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/10/22 12:26	05/11/22 16:07	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/11/22 16:07	106-47-8	3q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/10/22 12:26	05/11/22 16:07	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/10/22 12:26	05/11/22 16:07	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/10/22 12:26	05/11/22 16:07	100-02-7	CU
Acenaphthene	<0.076	mg/kg	0.25	0.076	1	05/10/22 12:26	05/11/22 16:07	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/10/22 12:26	05/11/22 16:07	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/11/22 16:07	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/11/22 16:07	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/11/22 16:07	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/11/22 16:07	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/10/22 12:26	05/11/22 16:07	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/10/22 12:26	05/11/22 16:07	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/11/22 16:07	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/11/22 16:07	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/11/22 16:07	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/11/22 16:07	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/10/22 12:26	05/11/22 16:07	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/10/22 12:26	05/11/22 16:07	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/10/22 12:26	05/11/22 16:07	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/11/22 16:07	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.092	0.028	1	05/10/22 12:26	05/11/22 16:07	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/10/22 12:26	05/11/22 16:07	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/10/22 12:26	05/11/22 16:07	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/10/22 12:26	05/11/22 16:07	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/11/22 16:07	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/10/22 12:26	05/11/22 16:07	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/11/22 16:07	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/10/22 12:26	05/11/22 16:07	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/11/22 16:07	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/11/22 16:07	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/10/22 12:26	05/11/22 16:07	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/10/22 12:26	05/11/22 16:07	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/10/22 12:26	05/11/22 16:07	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/10/22 12:26	05/11/22 16:07	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/10/22 12:26	05/11/22 16:07	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/10/22 12:26	05/11/22 16:07	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/10/22 12:26	05/11/22 16:07	129-00-0	
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/10/22 12:26	05/11/22 16:07	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Sample Project No.: 40244491

Sample: **SB-55 (5.0-6.0)** Lab ID: **40244491002** Collected: 05/05/22 08:20 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.066	mg/kg	0.22	0.066	1	05/10/22 12:26	05/11/22 16:07	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/11/22 16:07	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	79	%	10-125		1	05/10/22 12:26	05/11/22 16:07	4165-60-0	
2-Fluorobiphenyl (S)	58	%	12-118		1	05/10/22 12:26	05/11/22 16:07	321-60-8	
Terphenyl-d14 (S)	71	%	10-124		1	05/10/22 12:26	05/11/22 16:07	1718-51-0	
Phenol-d6 (S)	74	%	10-125		1	05/10/22 12:26	05/11/22 16:07	13127-88-3	
2-Fluorophenol (S)	79	%	10-130		1	05/10/22 12:26	05/11/22 16:07	367-12-4	
2,4,6-Tribromophenol (S)	73	%	10-144		1	05/10/22 12:26	05/11/22 16:07	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/12/22 06:00	05/12/22 12:40	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/12/22 06:00	05/12/22 12:40	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/12/22 06:00	05/12/22 12:40	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/12/22 06:00	05/12/22 12:40	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/12/22 06:00	05/12/22 12:40	75-35-4	
1,2-Dichloroethane	<0.00087	mg/kg	0.0053	0.00087	1	05/12/22 06:00	05/12/22 12:40	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/12/22 06:00	05/12/22 12:40	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.026	0.017	1	05/12/22 06:00	05/12/22 12:40	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/12/22 06:00	05/12/22 12:40	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.026	0.021	1	05/12/22 06:00	05/12/22 12:40	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/12/22 06:00	05/12/22 12:40	67-64-1	
Benzene	<0.00075	mg/kg	0.0053	0.00075	1	05/12/22 06:00	05/12/22 12:40	71-43-2	
Bromodichloromethane	<0.00072	mg/kg	0.0053	0.00072	1	05/12/22 06:00	05/12/22 12:40	75-27-4	
Bromoform	<0.0086	mg/kg	0.021	0.0086	1	05/12/22 06:00	05/12/22 12:40	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0053	0.0047	1	05/12/22 06:00	05/12/22 12:40	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/12/22 06:00	05/12/22 12:40	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0053	0.0033	1	05/12/22 06:00	05/12/22 12:40	56-23-5	
Chlorobenzene	<0.00098	mg/kg	0.0053	0.00098	1	05/12/22 06:00	05/12/22 12:40	108-90-7	
Chloroethane	<0.0038	mg/kg	0.0053	0.0038	1	05/12/22 06:00	05/12/22 12:40	75-00-3	
Chloroform	<0.00089	mg/kg	0.0053	0.00089	1	05/12/22 06:00	05/12/22 12:40	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/12/22 06:00	05/12/22 12:40	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/12/22 06:00	05/12/22 12:40	124-48-1	
Ethylbenzene	<0.00095	mg/kg	0.0053	0.00095	1	05/12/22 06:00	05/12/22 12:40	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/12/22 06:00	05/12/22 12:40	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/12/22 06:00	05/12/22 12:40	75-09-2	
Styrene	<0.00075	mg/kg	0.0053	0.00075	1	05/12/22 06:00	05/12/22 12:40	100-42-5	
Tetrachloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/12/22 06:00	05/12/22 12:40	127-18-4	
Toluene	<0.00093	mg/kg	0.0053	0.00093	1	05/12/22 06:00	05/12/22 12:40	108-88-3	
Trichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/12/22 06:00	05/12/22 12:40	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/12/22 06:00	05/12/22 12:40	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/12/22 06:00	05/12/22 12:40	1330-20-7	
cis-1,2-Dichloroethene	<0.00093	mg/kg	0.0053	0.00093	1	05/12/22 06:00	05/12/22 12:40	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-55 (5.0-6.0) **Lab ID: 40244491002** Collected: 05/05/22 08:20 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/12/22 06:00	05/12/22 12:40	10061-01-5	
trans-1,2-Dichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/12/22 06:00	05/12/22 12:40	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/12/22 06:00	05/12/22 12:40	10061-02-6	
Surrogates									
Toluene-d8 (S)	94	%	69-156		1	05/12/22 06:00	05/12/22 12:40	2037-26-5	
4-Bromofluorobenzene (S)	85	%	61-175		1	05/12/22 06:00	05/12/22 12:40	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1	05/12/22 06:00	05/12/22 12:40	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.5	%	0.10	0.10	1		05/11/22 16:21		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.3	Std. Units	0.10	0.010	1		05/16/22 10:34		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.32	mg/kg	0.95	0.32	1	05/11/22 11:10	05/11/22 14:05	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-26 (1.5-2.5) **Lab ID: 40244491003** Collected: 05/05/22 09:15 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00062	mg/kg	0.0032	0.00062	1	05/09/22 14:20	05/11/22 12:45	309-00-2	
alpha-BHC	<0.00067	mg/kg	0.0032	0.00067	1	05/09/22 14:20	05/11/22 12:45	319-84-6	
beta-BHC	<0.00061	mg/kg	0.0032	0.00061	1	05/09/22 14:20	05/11/22 12:45	319-85-7	
delta-BHC	<0.00085	mg/kg	0.0032	0.00085	1	05/09/22 14:20	05/11/22 12:45	319-86-8	
gamma-BHC (Lindane)	<0.00059	mg/kg	0.0032	0.00059	1	05/09/22 14:20	05/11/22 12:45	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.065	0.013	1	05/09/22 14:20	05/11/22 12:45	57-74-9	
alpha-Chlordane	<0.00057	mg/kg	0.0032	0.00057	1	05/09/22 14:20	05/11/22 12:45	5103-71-9	
gamma-Chlordane	<0.00068	mg/kg	0.0032	0.00068	1	05/09/22 14:20	05/11/22 12:45	5103-74-2	
4,4'-DDD	<0.0013	mg/kg	0.0065	0.0013	1	05/09/22 14:20	05/11/22 12:45	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 14:20	05/11/22 12:45	72-55-9	
4,4'-DDT	<0.0021	mg/kg	0.0065	0.0021	1	05/09/22 14:20	05/11/22 12:45	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 14:20	05/11/22 12:45	60-57-1	
Endosulfan I	<0.00054	mg/kg	0.0032	0.00054	1	05/09/22 14:20	05/11/22 12:45	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 14:20	05/11/22 12:45	33213-65-9	
Endosulfan sulfate	<0.0013	mg/kg	0.0065	0.0013	1	05/09/22 14:20	05/11/22 12:45	1031-07-8	
Endrin	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 14:20	05/11/22 12:45	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0065	0.0015	1	05/09/22 14:20	05/11/22 12:45	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0065	0.0016	1	05/09/22 14:20	05/11/22 12:45	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0032	0.00058	1	05/09/22 14:20	05/11/22 12:45	76-44-8	
Heptachlor epoxide	<0.00055	mg/kg	0.0032	0.00055	1	05/09/22 14:20	05/11/22 12:45	1024-57-3	
Methoxychlor	<0.0074	mg/kg	0.032	0.0074	1	05/09/22 14:20	05/11/22 12:45	72-43-5	
Toxaphene	<0.023	mg/kg	0.065	0.023	1	05/09/22 14:20	05/11/22 12:45	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	46	%	10-147		1	05/09/22 14:20	05/11/22 12:45	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.067	0.020	1	05/09/22 08:38	05/10/22 17:35	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.067	0.020	1	05/09/22 08:38	05/10/22 17:35	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.067	0.020	1	05/09/22 08:38	05/10/22 17:35	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.067	0.020	1	05/09/22 08:38	05/10/22 17:35	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.067	0.020	1	05/09/22 08:38	05/10/22 17:35	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.067	0.020	1	05/09/22 08:38	05/10/22 17:35	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.067	0.020	1	05/09/22 08:38	05/10/22 17:35	11096-82-5	
PCB, Total	<0.020	mg/kg	0.067	0.020	1	05/09/22 08:38	05/10/22 17:35	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	76	%	50-99		1	05/09/22 08:38	05/10/22 17:35	877-09-8	
Decachlorobiphenyl (S)	81	%	38-95		1	05/09/22 08:38	05/10/22 17:35	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	15800	mg/kg	38.2	7.7	1	05/09/22 17:19	05/14/22 00:18	7429-90-5	
Antimony	0.18J	mg/kg	0.64	0.12	1	05/09/22 17:19	05/14/22 00:18	7440-36-0	
Arsenic	11.2	mg/kg	0.64	0.14	1	05/09/22 17:19	05/14/22 00:18	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: **SB-26 (1.5-2.5)** Lab ID: **40244491003** Collected: 05/05/22 09:15 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	180	mg/kg	0.38	0.068	1	05/09/22 17:19	05/14/22 00:18	7440-39-3	
Beryllium	0.88	mg/kg	0.25	0.051	1	05/09/22 17:19	05/14/22 00:18	7440-41-7	
Cadmium	0.10	mg/kg	0.10	0.040	1	05/09/22 17:19	05/14/22 00:18	7440-43-9	
Calcium	3500	mg/kg	127	15.0	1	05/09/22 17:19	05/14/22 00:18	7440-70-2	
Chromium	18.9	mg/kg	2.5	0.18	1	05/09/22 17:19	05/14/22 00:18	7440-47-3	
Cobalt	10.1	mg/kg	0.64	0.13	1	05/09/22 17:19	05/14/22 00:18	7440-48-4	
Copper	14.9	mg/kg	1.3	0.31	1	05/09/22 17:19	05/14/22 00:18	7440-50-8	
Iron	24500	mg/kg	63.7	13.4	1	05/09/22 17:19	05/14/22 00:18	7439-89-6	
Lead	14.6	mg/kg	0.64	0.037	1	05/09/22 17:19	05/14/22 00:18	7439-92-1	
Magnesium	2900	mg/kg	38.2	5.5	1	05/09/22 17:19	05/14/22 00:18	7439-95-4	
Manganese	706	mg/kg	6.4	3.1	10	05/09/22 17:19	05/16/22 19:42	7439-96-5	
Nickel	18.6	mg/kg	0.64	0.25	1	05/09/22 17:19	05/14/22 00:18	7440-02-0	
Potassium	1050	mg/kg	127	14.7	1	05/09/22 17:19	05/14/22 00:18	7440-09-7	
Selenium	0.98	mg/kg	0.64	0.11	1	05/09/22 17:19	05/14/22 00:18	7782-49-2	
Silver	<0.18	mg/kg	0.64	0.18	1	05/09/22 17:19	05/16/22 19:39	7440-22-4	
Sodium	47.0J	mg/kg	63.7	14.1	1	05/09/22 17:19	05/14/22 00:18	7440-23-5	
Thallium	0.24	mg/kg	0.13	0.047	1	05/09/22 17:19	05/14/22 00:18	7440-28-0	
Vanadium	38.9	mg/kg	1.3	0.22	1	05/09/22 17:19	05/14/22 00:18	7440-62-2	
Zinc	53.2	mg/kg	6.4	1.1	1	05/09/22 17:19	05/14/22 00:18	7440-66-6	

7471 Mercury

Analytical Method: EPA 7471 Preparation Method: EPA 7471

Pace Analytical Services - Green Bay

Mercury	0.053	mg/kg	0.043	0.012	1	05/12/22 09:25	05/13/22 10:21	7439-97-6	
---------	--------------	-------	-------	-------	---	----------------	----------------	-----------	--

8270E MSSV FULL LIST MICROWAVE

Analytical Method: EPA 8270E Preparation Method: EPA 3546

Pace Analytical Services - Green Bay

1,2,4-Trichlorobenzene	<0.025	mg/kg	0.084	0.025	1	05/12/22 10:47	05/12/22 13:38	120-82-1	
1,2-Dichlorobenzene	<0.070	mg/kg	0.23	0.070	1	05/12/22 10:47	05/12/22 13:38	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/12/22 13:38	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/12/22 13:38	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/12/22 13:38	108-60-1	
2,4,5-Trichlorophenol	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/12/22 13:38	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 13:38	88-06-2	
2,4-Dichlorophenol	<0.060	mg/kg	0.20	0.060	1	05/12/22 10:47	05/12/22 13:38	120-83-2	
2,4-Dimethylphenol	<0.044	mg/kg	0.15	0.044	1	05/12/22 10:47	05/12/22 13:38	105-67-9	
2,4-Dinitrophenol	<0.068	mg/kg	0.23	0.068	1	05/12/22 10:47	05/12/22 13:38	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/12/22 13:38	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/12/22 10:47	05/12/22 13:38	606-20-2	
2-Chloronaphthalene	<0.029	mg/kg	0.096	0.029	1	05/12/22 10:47	05/12/22 13:38	91-58-7	
2-Chlorophenol	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/12/22 13:38	95-57-8	
2-Methylnaphthalene	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/12/22 13:38	91-57-6	
2-Methylphenol(o-Cresol)	<0.041	mg/kg	0.14	0.041	1	05/12/22 10:47	05/12/22 13:38	95-48-7	
2-Nitroaniline	<0.064	mg/kg	0.21	0.064	1	05/12/22 10:47	05/12/22 13:38	88-74-4	
2-Nitrophenol	<0.071	mg/kg	0.24	0.071	1	05/12/22 10:47	05/12/22 13:38	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-26 (1.5-2.5) **Lab ID: 40244491003** Collected: 05/05/22 09:15 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.041	mg/kg	0.14	0.041	1	05/12/22 10:47	05/12/22 13:38		
3,3'-Dichlorobenzidine	<0.061	mg/kg	0.20	0.061	1	05/12/22 10:47	05/12/22 13:38	91-94-1	
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/12/22 13:38	99-09-2	
4,6-Dinitro-2-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/12/22 10:47	05/12/22 13:38	534-52-1	
4-Bromophenylphenyl ether	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/12/22 13:38	101-55-3	
4-Chloro-3-methylphenol	<0.070	mg/kg	0.23	0.070	1	05/12/22 10:47	05/12/22 13:38	59-50-7	
4-Chloroaniline	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/12/22 13:38	106-47-8	3q
4-Chlorophenylphenyl ether	<0.042	mg/kg	0.14	0.042	1	05/12/22 10:47	05/12/22 13:38	7005-72-3	
4-Nitroaniline	<0.093	mg/kg	0.31	0.093	1	05/12/22 10:47	05/12/22 13:38	100-01-6	
4-Nitrophenol	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/12/22 13:38	100-02-7	
Acenaphthene	<0.079	mg/kg	0.26	0.079	1	05/12/22 10:47	05/12/22 13:38	83-32-9	
Acenaphthylene	<0.080	mg/kg	0.27	0.080	1	05/12/22 10:47	05/12/22 13:38	208-96-8	
Anthracene	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 13:38	120-12-7	
Benzo(a)anthracene	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 13:38	56-55-3	
Benzo(a)pyrene	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 13:38	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/12/22 13:38	205-99-2	
Benzo(g,h,i)perylene	<0.059	mg/kg	0.20	0.059	1	05/12/22 10:47	05/12/22 13:38	191-24-2	
Benzo(k)fluoranthene	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/12/22 13:38	207-08-9	
Butylbenzylphthalate	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 13:38	85-68-7	
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 13:38	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 13:38	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 13:38	84-74-2	
Di-n-octylphthalate	<0.050	mg/kg	0.17	0.050	1	05/12/22 10:47	05/12/22 13:38	117-84-0	
Dibenz(a,h)anthracene	<0.061	mg/kg	0.20	0.061	1	05/12/22 10:47	05/12/22 13:38	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.090	0.027	1	05/12/22 10:47	05/12/22 13:38	132-64-9	
Diethylphthalate	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/12/22 13:38	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.097	0.029	1	05/12/22 10:47	05/12/22 13:38	131-11-3	
Fluoranthene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/12/22 13:38	206-44-0	
Fluorene	<0.026	mg/kg	0.087	0.026	1	05/12/22 10:47	05/12/22 13:38	86-73-7	
Hexachloro-1,3-butadiene	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/12/22 13:38	87-68-3	
Hexachlorobenzene	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/12/22 13:38	118-74-1	
Hexachlorocyclopentadiene	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/12/22 13:38	77-47-4	
Hexachloroethane	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 13:38	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.048	mg/kg	0.16	0.048	1	05/12/22 10:47	05/12/22 13:38	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 13:38	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 13:38	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	1.0	0.30	1	05/12/22 10:47	05/12/22 13:38	86-30-6	
Naphthalene	<0.078	mg/kg	0.26	0.078	1	05/12/22 10:47	05/12/22 13:38	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/12/22 10:47	05/12/22 13:38	98-95-3	
Pentachlorophenol	<0.049	mg/kg	0.16	0.049	1	05/12/22 10:47	05/12/22 13:38	87-86-5	
Phenanthrene	<0.029	mg/kg	0.096	0.029	1	05/12/22 10:47	05/12/22 13:38	85-01-8	
Phenol	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/12/22 13:38	108-95-2	
Pyrene	<0.050	mg/kg	0.17	0.050	1	05/12/22 10:47	05/12/22 13:38	129-00-0	
bis(2-Chloroethoxy)methane	<0.060	mg/kg	0.20	0.060	1	05/12/22 10:47	05/12/22 13:38	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-26 (1.5-2.5) **Lab ID: 40244491003** Collected: 05/05/22 09:15 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.070	mg/kg	0.23	0.070	1	05/12/22 10:47	05/12/22 13:38	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/12/22 13:38	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	49	%	10-125		1	05/12/22 10:47	05/12/22 13:38	4165-60-0	
2-Fluorobiphenyl (S)	46	%	12-118		1	05/12/22 10:47	05/12/22 13:38	321-60-8	
Terphenyl-d14 (S)	62	%	10-124		1	05/12/22 10:47	05/12/22 13:38	1718-51-0	
Phenol-d6 (S)	41	%	10-125		1	05/12/22 10:47	05/12/22 13:38	13127-88-3	
2-Fluorophenol (S)	45	%	10-130		1	05/12/22 10:47	05/12/22 13:38	367-12-4	
2,4,6-Tribromophenol (S)	63	%	10-144		1	05/12/22 10:47	05/12/22 13:38	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/12/22 06:00	05/12/22 13:31	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/12/22 06:00	05/12/22 13:31	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/12/22 06:00	05/12/22 13:31	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/12/22 06:00	05/12/22 13:31	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/12/22 06:00	05/12/22 13:31	75-35-4	
1,2-Dichloroethane	<0.00088	mg/kg	0.0053	0.00088	1	05/12/22 06:00	05/12/22 13:31	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/12/22 06:00	05/12/22 13:31	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/12/22 06:00	05/12/22 13:31	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/12/22 06:00	05/12/22 13:31	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/12/22 06:00	05/12/22 13:31	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/12/22 06:00	05/12/22 13:31	67-64-1	
Benzene	<0.00075	mg/kg	0.0053	0.00075	1	05/12/22 06:00	05/12/22 13:31	71-43-2	
Bromodichloromethane	<0.00072	mg/kg	0.0053	0.00072	1	05/12/22 06:00	05/12/22 13:31	75-27-4	
Bromoform	<0.0086	mg/kg	0.021	0.0086	1	05/12/22 06:00	05/12/22 13:31	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0053	0.0047	1	05/12/22 06:00	05/12/22 13:31	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/12/22 06:00	05/12/22 13:31	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0053	0.0034	1	05/12/22 06:00	05/12/22 13:31	56-23-5	
Chlorobenzene	<0.00098	mg/kg	0.0053	0.00098	1	05/12/22 06:00	05/12/22 13:31	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0053	0.0039	1	05/12/22 06:00	05/12/22 13:31	75-00-3	
Chloroform	<0.00090	mg/kg	0.0053	0.00090	1	05/12/22 06:00	05/12/22 13:31	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/12/22 06:00	05/12/22 13:31	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/12/22 06:00	05/12/22 13:31	124-48-1	
Ethylbenzene	<0.00095	mg/kg	0.0053	0.00095	1	05/12/22 06:00	05/12/22 13:31	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/12/22 06:00	05/12/22 13:31	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/12/22 06:00	05/12/22 13:31	75-09-2	
Styrene	<0.00076	mg/kg	0.0053	0.00076	1	05/12/22 06:00	05/12/22 13:31	100-42-5	
Tetrachloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/12/22 06:00	05/12/22 13:31	127-18-4	
Toluene	<0.00094	mg/kg	0.0053	0.00094	1	05/12/22 06:00	05/12/22 13:31	108-88-3	
Trichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/12/22 06:00	05/12/22 13:31	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/12/22 06:00	05/12/22 13:31	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/12/22 06:00	05/12/22 13:31	1330-20-7	
cis-1,2-Dichloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/12/22 06:00	05/12/22 13:31	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-26 (1.5-2.5) **Lab ID: 40244491003** Collected: 05/05/22 09:15 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/12/22 06:00	05/12/22 13:31	10061-01-5	
trans-1,2-Dichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/12/22 06:00	05/12/22 13:31	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/12/22 06:00	05/12/22 13:31	10061-02-6	
Surrogates									
Toluene-d8 (S)	91	%	69-156		1	05/12/22 06:00	05/12/22 13:31	2037-26-5	
4-Bromofluorobenzene (S)	80	%	61-175		1	05/12/22 06:00	05/12/22 13:31	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1	05/12/22 06:00	05/12/22 13:31	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	25.3	%	0.10	0.10	1		05/11/22 16:21		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.9	Std. Units	0.10	0.010	1		05/16/22 10:42		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.27	mg/kg	0.81	0.27	1	05/11/22 11:10	05/11/22 14:07	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: **SB-26 (4.0-5.0)** Lab ID: **40244491004** Collected: 05/05/22 09:20 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00058	mg/kg	0.0030	0.00058	1	05/09/22 14:20	05/11/22 12:57	309-00-2	
alpha-BHC	<0.00063	mg/kg	0.0030	0.00063	1	05/09/22 14:20	05/11/22 12:57	319-84-6	
beta-BHC	<0.00057	mg/kg	0.0030	0.00057	1	05/09/22 14:20	05/11/22 12:57	319-85-7	
delta-BHC	<0.00079	mg/kg	0.0030	0.00079	1	05/09/22 14:20	05/11/22 12:57	319-86-8	
gamma-BHC (Lindane)	<0.00055	mg/kg	0.0030	0.00055	1	05/09/22 14:20	05/11/22 12:57	58-89-9	
Chlordane (Technical)	<0.012	mg/kg	0.060	0.012	1	05/09/22 14:20	05/11/22 12:57	57-74-9	
alpha-Chlordane	<0.00053	mg/kg	0.0030	0.00053	1	05/09/22 14:20	05/11/22 12:57	5103-71-9	
gamma-Chlordane	<0.00063	mg/kg	0.0030	0.00063	1	05/09/22 14:20	05/11/22 12:57	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0060	0.0012	1	05/09/22 14:20	05/11/22 12:57	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0060	0.0010	1	05/09/22 14:20	05/11/22 12:57	72-55-9	
4,4'-DDT	<0.0019	mg/kg	0.0060	0.0019	1	05/09/22 14:20	05/11/22 12:57	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0060	0.0011	1	05/09/22 14:20	05/11/22 12:57	60-57-1	
Endosulfan I	<0.00050	mg/kg	0.0030	0.00050	1	05/09/22 14:20	05/11/22 12:57	959-98-8	
Endosulfan II	<0.00099	mg/kg	0.0060	0.00099	1	05/09/22 14:20	05/11/22 12:57	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0060	0.0012	1	05/09/22 14:20	05/11/22 12:57	1031-07-8	
Endrin	<0.0011	mg/kg	0.0060	0.0011	1	05/09/22 14:20	05/11/22 12:57	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0060	0.0014	1	05/09/22 14:20	05/11/22 12:57	7421-93-4	
Endrin ketone	<0.0015	mg/kg	0.0060	0.0015	1	05/09/22 14:20	05/11/22 12:57	53494-70-5	
Heptachlor	<0.00054	mg/kg	0.0030	0.00054	1	05/09/22 14:20	05/11/22 12:57	76-44-8	
Heptachlor epoxide	<0.00051	mg/kg	0.0030	0.00051	1	05/09/22 14:20	05/11/22 12:57	1024-57-3	
Methoxychlor	<0.0069	mg/kg	0.030	0.0069	1	05/09/22 14:20	05/11/22 12:57	72-43-5	
Toxaphene	<0.021	mg/kg	0.060	0.021	1	05/09/22 14:20	05/11/22 12:57	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	50	%	10-147		1	05/09/22 14:20	05/11/22 12:57	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.062	0.019	1	05/09/22 08:38	05/10/22 17:56	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.062	0.019	1	05/09/22 08:38	05/10/22 17:56	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.062	0.019	1	05/09/22 08:38	05/10/22 17:56	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.062	0.019	1	05/09/22 08:38	05/10/22 17:56	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.062	0.019	1	05/09/22 08:38	05/10/22 17:56	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.062	0.019	1	05/09/22 08:38	05/10/22 17:56	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.062	0.019	1	05/09/22 08:38	05/10/22 17:56	11096-82-5	
PCB, Total	<0.019	mg/kg	0.062	0.019	1	05/09/22 08:38	05/10/22 17:56	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	74	%	50-99		1	05/09/22 08:38	05/10/22 17:56	877-09-8	
Decachlorobiphenyl (S)	79	%	38-95		1	05/09/22 08:38	05/10/22 17:56	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	14200	mg/kg	36.3	7.3	1	05/09/22 17:19	05/14/22 00:22	7429-90-5	
Antimony	0.24J	mg/kg	0.60	0.12	1	05/09/22 17:19	05/14/22 00:22	7440-36-0	
Arsenic	8.8	mg/kg	0.60	0.13	1	05/09/22 17:19	05/14/22 00:22	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: **SB-26 (4.0-5.0)** Lab ID: **40244491004** Collected: 05/05/22 09:20 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	155	mg/kg	0.36	0.065	1	05/09/22 17:19	05/14/22 00:22	7440-39-3	
Beryllium	0.79	mg/kg	0.24	0.048	1	05/09/22 17:19	05/14/22 00:22	7440-41-7	
Cadmium	0.11	mg/kg	0.097	0.038	1	05/09/22 17:19	05/14/22 00:22	7440-43-9	
Calcium	2670	mg/kg	121	14.3	1	05/09/22 17:19	05/14/22 00:22	7440-70-2	
Chromium	19.4	mg/kg	2.4	0.17	1	05/09/22 17:19	05/14/22 00:22	7440-47-3	
Cobalt	4.2	mg/kg	0.60	0.12	1	05/09/22 17:19	05/14/22 00:22	7440-48-4	
Copper	19.5	mg/kg	1.2	0.29	1	05/09/22 17:19	05/14/22 00:22	7440-50-8	
Iron	28500	mg/kg	60.4	12.7	1	05/09/22 17:19	05/14/22 00:22	7439-89-6	
Lead	8.0	mg/kg	0.60	0.036	1	05/09/22 17:19	05/14/22 00:22	7439-92-1	
Magnesium	3060	mg/kg	36.3	5.2	1	05/09/22 17:19	05/14/22 00:22	7439-95-4	
Manganese	87.8	mg/kg	0.60	0.30	1	05/09/22 17:19	05/14/22 00:22	7439-96-5	
Nickel	21.1	mg/kg	0.60	0.24	1	05/09/22 17:19	05/14/22 00:22	7440-02-0	
Potassium	790	mg/kg	121	13.9	1	05/09/22 17:19	05/14/22 00:22	7440-09-7	
Selenium	0.40J	mg/kg	0.60	0.10	1	05/09/22 17:19	05/14/22 00:22	7782-49-2	
Silver	0.20J	mg/kg	0.60	0.18	1	05/09/22 17:19	05/16/22 20:24	7440-22-4	
Sodium	40.6J	mg/kg	60.4	13.4	1	05/09/22 17:19	05/14/22 00:22	7440-23-5	
Thallium	0.21	mg/kg	0.12	0.044	1	05/09/22 17:19	05/14/22 00:22	7440-28-0	
Vanadium	35.3	mg/kg	1.2	0.21	1	05/09/22 17:19	05/14/22 00:22	7440-62-2	
Zinc	57.3	mg/kg	6.0	1.1	1	05/09/22 17:19	05/14/22 00:22	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.030J	mg/kg	0.042	0.012	1	05/12/22 09:25	05/13/22 10:23	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.078	0.024	1	05/12/22 10:47	05/12/22 13:59	120-82-1	
1,2-Dichlorobenzene	<0.065	mg/kg	0.22	0.065	1	05/12/22 10:47	05/12/22 13:59	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.096	0.029	1	05/12/22 10:47	05/12/22 13:59	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.097	0.029	1	05/12/22 10:47	05/12/22 13:59	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/12/22 13:59	108-60-1	
2,4,5-Trichlorophenol	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/12/22 13:59	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/12/22 13:59	88-06-2	
2,4-Dichlorophenol	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/12/22 13:59	120-83-2	
2,4-Dimethylphenol	<0.041	mg/kg	0.14	0.041	1	05/12/22 10:47	05/12/22 13:59	105-67-9	
2,4-Dinitrophenol	<0.063	mg/kg	0.21	0.063	1	05/12/22 10:47	05/12/22 13:59	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.099	0.030	1	05/12/22 10:47	05/12/22 13:59	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/12/22 13:59	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.089	0.027	1	05/12/22 10:47	05/12/22 13:59	91-58-7	
2-Chlorophenol	<0.052	mg/kg	0.17	0.052	1	05/12/22 10:47	05/12/22 13:59	95-57-8	
2-Methylnaphthalene	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/12/22 13:59	91-57-6	
2-Methylphenol(o-Cresol)	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/12/22 13:59	95-48-7	
2-Nitroaniline	<0.059	mg/kg	0.20	0.059	1	05/12/22 10:47	05/12/22 13:59	88-74-4	
2-Nitrophenol	<0.066	mg/kg	0.22	0.066	1	05/12/22 10:47	05/12/22 13:59	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-26 (4.0-5.0) **Lab ID: 40244491004** Collected: 05/05/22 09:20 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/12/22 13:59		
3,3'-Dichlorobenzidine	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/12/22 13:59	91-94-1	
3-Nitroaniline	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 13:59	99-09-2	
4,6-Dinitro-2-methylphenol	<0.064	mg/kg	0.21	0.064	1	05/12/22 10:47	05/12/22 13:59	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/12/22 10:47	05/12/22 13:59	101-55-3	
4-Chloro-3-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/12/22 10:47	05/12/22 13:59	59-50-7	
4-Chloroaniline	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 13:59	106-47-8	3q
4-Chlorophenylphenyl ether	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/12/22 13:59	7005-72-3	
4-Nitroaniline	<0.086	mg/kg	0.29	0.086	1	05/12/22 10:47	05/12/22 13:59	100-01-6	
4-Nitrophenol	<0.052	mg/kg	0.17	0.052	1	05/12/22 10:47	05/12/22 13:59	100-02-7	
Acenaphthene	<0.074	mg/kg	0.25	0.074	1	05/12/22 10:47	05/12/22 13:59	83-32-9	
Acenaphthylene	<0.074	mg/kg	0.25	0.074	1	05/12/22 10:47	05/12/22 13:59	208-96-8	
Anthracene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 13:59	120-12-7	
Benzo(a)anthracene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/12/22 13:59	56-55-3	
Benzo(a)pyrene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/12/22 13:59	50-32-8	
Benzo(b)fluoranthene	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 13:59	205-99-2	
Benzo(g,h,i)perylene	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/12/22 13:59	191-24-2	
Benzo(k)fluoranthene	<0.050	mg/kg	0.17	0.050	1	05/12/22 10:47	05/12/22 13:59	207-08-9	
Butylbenzylphthalate	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 13:59	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 13:59	86-74-8	
Chrysene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/12/22 13:59	218-01-9	
Di-n-butylphthalate	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/12/22 13:59	84-74-2	
Di-n-octylphthalate	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/12/22 13:59	117-84-0	
Dibenz(a,h)anthracene	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/12/22 13:59	53-70-3	
Dibenzofuran	<0.025	mg/kg	0.084	0.025	1	05/12/22 10:47	05/12/22 13:59	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 13:59	84-66-2	
Dimethylphthalate	<0.027	mg/kg	0.090	0.027	1	05/12/22 10:47	05/12/22 13:59	131-11-3	
Fluoranthene	<0.029	mg/kg	0.098	0.029	1	05/12/22 10:47	05/12/22 13:59	206-44-0	
Fluorene	<0.024	mg/kg	0.081	0.024	1	05/12/22 10:47	05/12/22 13:59	86-73-7	
Hexachloro-1,3-butadiene	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/12/22 13:59	87-68-3	
Hexachlorobenzene	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 13:59	118-74-1	
Hexachlorocyclopentadiene	<0.049	mg/kg	0.16	0.049	1	05/12/22 10:47	05/12/22 13:59	77-47-4	
Hexachloroethane	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 13:59	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.045	mg/kg	0.15	0.045	1	05/12/22 10:47	05/12/22 13:59	193-39-5	
Isophorone	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/12/22 13:59	78-59-1	
N-Nitroso-di-n-propylamine	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 13:59	621-64-7	
N-Nitrosodiphenylamine	<0.28	mg/kg	0.94	0.28	1	05/12/22 10:47	05/12/22 13:59	86-30-6	
Naphthalene	<0.073	mg/kg	0.24	0.073	1	05/12/22 10:47	05/12/22 13:59	91-20-3	
Nitrobenzene	<0.042	mg/kg	0.14	0.042	1	05/12/22 10:47	05/12/22 13:59	98-95-3	
Pentachlorophenol	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/12/22 13:59	87-86-5	
Phenanthrene	<0.027	mg/kg	0.089	0.027	1	05/12/22 10:47	05/12/22 13:59	85-01-8	
Phenol	<0.049	mg/kg	0.16	0.049	1	05/12/22 10:47	05/12/22 13:59	108-95-2	
Pyrene	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/12/22 13:59	129-00-0	
bis(2-Chloroethoxy)methane	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/12/22 13:59	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-26 (4.0-5.0) **Lab ID: 40244491004** Collected: 05/05/22 09:20 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.065	mg/kg	0.22	0.065	1	05/12/22 10:47	05/12/22 13:59	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 13:59	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	52	%	10-125		1	05/12/22 10:47	05/12/22 13:59	4165-60-0	
2-Fluorobiphenyl (S)	41	%	12-118		1	05/12/22 10:47	05/12/22 13:59	321-60-8	
Terphenyl-d14 (S)	63	%	10-124		1	05/12/22 10:47	05/12/22 13:59	1718-51-0	
Phenol-d6 (S)	44	%	10-125		1	05/12/22 10:47	05/12/22 13:59	13127-88-3	
2-Fluorophenol (S)	50	%	10-130		1	05/12/22 10:47	05/12/22 13:59	367-12-4	
2,4,6-Tribromophenol (S)	55	%	10-144		1	05/12/22 10:47	05/12/22 13:59	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/12/22 06:00	05/12/22 13:56	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0050	0.0026	1	05/12/22 06:00	05/12/22 13:56	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/12/22 06:00	05/12/22 13:56	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/12/22 06:00	05/12/22 13:56	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0050	0.0011	1	05/12/22 06:00	05/12/22 13:56	75-35-4	
1,2-Dichloroethane	<0.00083	mg/kg	0.0050	0.00083	1	05/12/22 06:00	05/12/22 13:56	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/12/22 06:00	05/12/22 13:56	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/12/22 06:00	05/12/22 13:56	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/12/22 06:00	05/12/22 13:56	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/12/22 06:00	05/12/22 13:56	108-10-1	
Acetone	<0.047	mg/kg	0.10	0.047	1	05/12/22 06:00	05/12/22 13:56	67-64-1	
Benzene	<0.00071	mg/kg	0.0050	0.00071	1	05/12/22 06:00	05/12/22 13:56	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/12/22 06:00	05/12/22 13:56	75-27-4	
Bromoform	<0.0081	mg/kg	0.020	0.0081	1	05/12/22 06:00	05/12/22 13:56	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0050	0.0045	1	05/12/22 06:00	05/12/22 13:56	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/12/22 06:00	05/12/22 13:56	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0050	0.0032	1	05/12/22 06:00	05/12/22 13:56	56-23-5	
Chlorobenzene	<0.00093	mg/kg	0.0050	0.00093	1	05/12/22 06:00	05/12/22 13:56	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0050	0.0036	1	05/12/22 06:00	05/12/22 13:56	75-00-3	
Chloroform	<0.00085	mg/kg	0.0050	0.00085	1	05/12/22 06:00	05/12/22 13:56	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/12/22 06:00	05/12/22 13:56	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/12/22 06:00	05/12/22 13:56	124-48-1	
Ethylbenzene	<0.00090	mg/kg	0.0050	0.00090	1	05/12/22 06:00	05/12/22 13:56	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0050	0.0021	1	05/12/22 06:00	05/12/22 13:56	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0050	0.0040	1	05/12/22 06:00	05/12/22 13:56	75-09-2	
Styrene	<0.00071	mg/kg	0.0050	0.00071	1	05/12/22 06:00	05/12/22 13:56	100-42-5	
Tetrachloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/12/22 06:00	05/12/22 13:56	127-18-4	
Toluene	<0.00089	mg/kg	0.0050	0.00089	1	05/12/22 06:00	05/12/22 13:56	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/12/22 06:00	05/12/22 13:56	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/12/22 06:00	05/12/22 13:56	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.010	0.0034	1	05/12/22 06:00	05/12/22 13:56	1330-20-7	
cis-1,2-Dichloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/12/22 06:00	05/12/22 13:56	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-26 (4.0-5.0) **Lab ID: 40244491004** Collected: 05/05/22 09:20 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/12/22 06:00	05/12/22 13:56	10061-01-5	
trans-1,2-Dichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/12/22 06:00	05/12/22 13:56	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/12/22 06:00	05/12/22 13:56	10061-02-6	
Surrogates									
Toluene-d8 (S)	92	%	69-156		1	05/12/22 06:00	05/12/22 13:56	2037-26-5	
4-Bromofluorobenzene (S)	85	%	61-175		1	05/12/22 06:00	05/12/22 13:56	460-00-4	
1,2-Dichlorobenzene-d4 (S)	110	%	70-130		1	05/12/22 06:00	05/12/22 13:56	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	19.7	%	0.10	0.10	1		05/11/22 16:21		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.89	Std. Units	0.100	0.0100	1		05/16/22 11:30		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.27	mg/kg	0.82	0.27	1	05/11/22 11:10	05/11/22 14:08	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-27 (1.0-2.0) **Lab ID: 40244491005** Collected: 05/05/22 10:05 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00057	mg/kg	0.0030	0.00057	1	05/09/22 14:20	05/11/22 13:10	309-00-2	
alpha-BHC	<0.00062	mg/kg	0.0030	0.00062	1	05/09/22 14:20	05/11/22 13:10	319-84-6	
beta-BHC	<0.00056	mg/kg	0.0030	0.00056	1	05/09/22 14:20	05/11/22 13:10	319-85-7	
delta-BHC	<0.00078	mg/kg	0.0030	0.00078	1	05/09/22 14:20	05/11/22 13:10	319-86-8	
gamma-BHC (Lindane)	<0.00054	mg/kg	0.0030	0.00054	1	05/09/22 14:20	05/11/22 13:10	58-89-9	
Chlordane (Technical)	<0.012	mg/kg	0.060	0.012	1	05/09/22 14:20	05/11/22 13:10	57-74-9	
alpha-Chlordane	<0.00053	mg/kg	0.0030	0.00053	1	05/09/22 14:20	05/11/22 13:10	5103-71-9	
gamma-Chlordane	<0.00062	mg/kg	0.0030	0.00062	1	05/09/22 14:20	05/11/22 13:10	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0060	0.0012	1	05/09/22 14:20	05/11/22 13:10	72-54-8	
4,4'-DDE	<0.00098	mg/kg	0.0060	0.00098	1	05/09/22 14:20	05/11/22 13:10	72-55-9	
4,4'-DDT	<0.0019	mg/kg	0.0060	0.0019	1	05/09/22 14:20	05/11/22 13:10	50-29-3	
Dieldrin	<0.0010	mg/kg	0.0060	0.0010	1	05/09/22 14:20	05/11/22 13:10	60-57-1	
Endosulfan I	<0.00049	mg/kg	0.0030	0.00049	1	05/09/22 14:20	05/11/22 13:10	959-98-8	
Endosulfan II	<0.00098	mg/kg	0.0060	0.00098	1	05/09/22 14:20	05/11/22 13:10	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0060	0.0012	1	05/09/22 14:20	05/11/22 13:10	1031-07-8	
Endrin	<0.0010	mg/kg	0.0060	0.0010	1	05/09/22 14:20	05/11/22 13:10	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0060	0.0014	1	05/09/22 14:20	05/11/22 13:10	7421-93-4	
Endrin ketone	<0.0015	mg/kg	0.0060	0.0015	1	05/09/22 14:20	05/11/22 13:10	53494-70-5	
Heptachlor	<0.00053	mg/kg	0.0030	0.00053	1	05/09/22 14:20	05/11/22 13:10	76-44-8	
Heptachlor epoxide	<0.00050	mg/kg	0.0030	0.00050	1	05/09/22 14:20	05/11/22 13:10	1024-57-3	
Methoxychlor	<0.0068	mg/kg	0.030	0.0068	1	05/09/22 14:20	05/11/22 13:10	72-43-5	
Toxaphene	<0.021	mg/kg	0.060	0.021	1	05/09/22 14:20	05/11/22 13:10	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	64	%	10-147		1	05/09/22 14:20	05/11/22 13:10	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.061	0.019	1	05/09/22 08:38	05/10/22 18:18	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.061	0.019	1	05/09/22 08:38	05/10/22 18:18	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.061	0.019	1	05/09/22 08:38	05/10/22 18:18	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.061	0.019	1	05/09/22 08:38	05/10/22 18:18	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.061	0.019	1	05/09/22 08:38	05/10/22 18:18	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.061	0.019	1	05/09/22 08:38	05/10/22 18:18	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.061	0.019	1	05/09/22 08:38	05/10/22 18:18	11096-82-5	
PCB, Total	<0.019	mg/kg	0.061	0.019	1	05/09/22 08:38	05/10/22 18:18	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	75	%	50-99		1	05/09/22 08:38	05/10/22 18:18	877-09-8	
Decachlorobiphenyl (S)	80	%	38-95		1	05/09/22 08:38	05/10/22 18:18	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	15500	mg/kg	35.1	7.1	1	05/09/22 17:19	05/14/22 00:26	7429-90-5	
Antimony	0.26J	mg/kg	0.58	0.11	1	05/09/22 17:19	05/14/22 00:26	7440-36-0	
Arsenic	9.7	mg/kg	0.58	0.13	1	05/09/22 17:19	05/14/22 00:26	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-27 (1.0-2.0) **Lab ID: 40244491005** Collected: 05/05/22 10:05 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	170	mg/kg	0.35	0.062	1	05/09/22 17:19	05/14/22 00:26	7440-39-3	
Beryllium	0.79	mg/kg	0.23	0.046	1	05/09/22 17:19	05/14/22 00:26	7440-41-7	
Cadmium	0.13	mg/kg	0.094	0.037	1	05/09/22 17:19	05/14/22 00:26	7440-43-9	
Calcium	2910	mg/kg	117	13.8	1	05/09/22 17:19	05/14/22 00:26	7440-70-2	
Chromium	21.1	mg/kg	2.3	0.16	1	05/09/22 17:19	05/14/22 00:26	7440-47-3	
Cobalt	4.6	mg/kg	0.58	0.12	1	05/09/22 17:19	05/14/22 00:26	7440-48-4	
Copper	21.2	mg/kg	1.2	0.28	1	05/09/22 17:19	05/14/22 00:26	7440-50-8	
Iron	31200	mg/kg	58.5	12.3	1	05/09/22 17:19	05/14/22 00:26	7439-89-6	
Lead	8.7	mg/kg	0.58	0.034	1	05/09/22 17:19	05/14/22 00:26	7439-92-1	
Magnesium	3350	mg/kg	35.1	5.0	1	05/09/22 17:19	05/14/22 00:26	7439-95-4	
Manganese	95.4	mg/kg	0.58	0.29	1	05/09/22 17:19	05/14/22 00:26	7439-96-5	
Nickel	22.7	mg/kg	0.58	0.23	1	05/09/22 17:19	05/14/22 00:26	7440-02-0	
Potassium	862	mg/kg	117	13.4	1	05/09/22 17:19	05/14/22 00:26	7440-09-7	
Selenium	0.42J	mg/kg	0.58	0.10	1	05/09/22 17:19	05/14/22 00:26	7782-49-2	
Silver	<0.17	mg/kg	0.58	0.17	1	05/09/22 17:19	05/16/22 20:27	7440-22-4	
Sodium	35.9J	mg/kg	58.5	13.0	1	05/09/22 17:19	05/14/22 00:26	7440-23-5	
Thallium	0.23	mg/kg	0.12	0.043	1	05/09/22 17:19	05/14/22 00:26	7440-28-0	
Vanadium	38.2	mg/kg	1.2	0.21	1	05/09/22 17:19	05/14/22 00:26	7440-62-2	
Zinc	62.3	mg/kg	5.8	1.1	1	05/09/22 17:19	05/14/22 00:26	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.019J	mg/kg	0.042	0.012	1	05/12/22 09:25	05/13/22 10:26	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.023	mg/kg	0.077	0.023	1	05/12/22 10:47	05/12/22 15:03	120-82-1	
1,2-Dichlorobenzene	<0.064	mg/kg	0.21	0.064	1	05/12/22 10:47	05/12/22 15:03	95-50-1	
1,3-Dichlorobenzene	<0.028	mg/kg	0.095	0.028	1	05/12/22 10:47	05/12/22 15:03	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.095	0.029	1	05/12/22 10:47	05/12/22 15:03	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/12/22 15:03	108-60-1	
2,4,5-Trichlorophenol	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 15:03	95-95-4	
2,4,6-Trichlorophenol	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/12/22 15:03	88-06-2	
2,4-Dichlorophenol	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/12/22 15:03	120-83-2	
2,4-Dimethylphenol	<0.041	mg/kg	0.14	0.041	1	05/12/22 10:47	05/12/22 15:03	105-67-9	
2,4-Dinitrophenol	<0.062	mg/kg	0.21	0.062	1	05/12/22 10:47	05/12/22 15:03	51-28-5	
2,4-Dinitrotoluene	<0.029	mg/kg	0.098	0.029	1	05/12/22 10:47	05/12/22 15:03	121-14-2	
2,6-Dinitrotoluene	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/12/22 15:03	606-20-2	
2-Chloronaphthalene	<0.026	mg/kg	0.088	0.026	1	05/12/22 10:47	05/12/22 15:03	91-58-7	
2-Chlorophenol	<0.051	mg/kg	0.17	0.051	1	05/12/22 10:47	05/12/22 15:03	95-57-8	
2-Methylnaphthalene	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/12/22 15:03	91-57-6	
2-Methylphenol(o-Cresol)	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/12/22 15:03	95-48-7	
2-Nitroaniline	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/12/22 15:03	88-74-4	
2-Nitrophenol	<0.065	mg/kg	0.22	0.065	1	05/12/22 10:47	05/12/22 15:03	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-27 (1.0-2.0) **Lab ID: 40244491005** Collected: 05/05/22 10:05 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/12/22 15:03		
3,3'-Dichlorobenzidine	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/12/22 15:03	91-94-1	
3-Nitroaniline	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 15:03	99-09-2	
4,6-Dinitro-2-methylphenol	<0.063	mg/kg	0.21	0.063	1	05/12/22 10:47	05/12/22 15:03	534-52-1	
4-Bromophenylphenyl ether	<0.043	mg/kg	0.14	0.043	1	05/12/22 10:47	05/12/22 15:03	101-55-3	
4-Chloro-3-methylphenol	<0.064	mg/kg	0.21	0.064	1	05/12/22 10:47	05/12/22 15:03	59-50-7	
4-Chloroaniline	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 15:03	106-47-8	3q
4-Chlorophenylphenyl ether	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/12/22 15:03	7005-72-3	
4-Nitroaniline	<0.085	mg/kg	0.28	0.085	1	05/12/22 10:47	05/12/22 15:03	100-01-6	
4-Nitrophenol	<0.052	mg/kg	0.17	0.052	1	05/12/22 10:47	05/12/22 15:03	100-02-7	
Acenaphthene	<0.073	mg/kg	0.24	0.073	1	05/12/22 10:47	05/12/22 15:03	83-32-9	
Acenaphthylene	<0.073	mg/kg	0.24	0.073	1	05/12/22 10:47	05/12/22 15:03	208-96-8	
Anthracene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 15:03	120-12-7	
Benzo(a)anthracene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/12/22 15:03	56-55-3	
Benzo(a)pyrene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/12/22 15:03	50-32-8	
Benzo(b)fluoranthene	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 15:03	205-99-2	
Benzo(g,h,i)perylene	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/12/22 15:03	191-24-2	
Benzo(k)fluoranthene	<0.049	mg/kg	0.16	0.049	1	05/12/22 10:47	05/12/22 15:03	207-08-9	
Butylbenzylphthalate	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 15:03	85-68-7	
Carbazole	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/12/22 15:03	86-74-8	
Chrysene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/12/22 15:03	218-01-9	
Di-n-butylphthalate	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/12/22 15:03	84-74-2	
Di-n-octylphthalate	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/12/22 15:03	117-84-0	
Dibenz(a,h)anthracene	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/12/22 15:03	53-70-3	
Dibenzofuran	<0.025	mg/kg	0.083	0.025	1	05/12/22 10:47	05/12/22 15:03	132-64-9	
Diethylphthalate	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 15:03	84-66-2	
Dimethylphthalate	<0.027	mg/kg	0.089	0.027	1	05/12/22 10:47	05/12/22 15:03	131-11-3	
Fluoranthene	<0.029	mg/kg	0.097	0.029	1	05/12/22 10:47	05/12/22 15:03	206-44-0	
Fluorene	<0.024	mg/kg	0.080	0.024	1	05/12/22 10:47	05/12/22 15:03	86-73-7	
Hexachloro-1,3-butadiene	<0.052	mg/kg	0.17	0.052	1	05/12/22 10:47	05/12/22 15:03	87-68-3	
Hexachlorobenzene	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 15:03	118-74-1	
Hexachlorocyclopentadiene	<0.049	mg/kg	0.16	0.049	1	05/12/22 10:47	05/12/22 15:03	77-47-4	
Hexachloroethane	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 15:03	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.044	mg/kg	0.15	0.044	1	05/12/22 10:47	05/12/22 15:03	193-39-5	
Isophorone	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/12/22 15:03	78-59-1	
N-Nitroso-di-n-propylamine	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 15:03	621-64-7	
N-Nitrosodiphenylamine	<0.28	mg/kg	0.93	0.28	1	05/12/22 10:47	05/12/22 15:03	86-30-6	
Naphthalene	<0.072	mg/kg	0.24	0.072	1	05/12/22 10:47	05/12/22 15:03	91-20-3	
Nitrobenzene	<0.042	mg/kg	0.14	0.042	1	05/12/22 10:47	05/12/22 15:03	98-95-3	
Pentachlorophenol	<0.045	mg/kg	0.15	0.045	1	05/12/22 10:47	05/12/22 15:03	87-86-5	
Phenanthrene	<0.026	mg/kg	0.088	0.026	1	05/12/22 10:47	05/12/22 15:03	85-01-8	
Phenol	<0.049	mg/kg	0.16	0.049	1	05/12/22 10:47	05/12/22 15:03	108-95-2	
Pyrene	<0.045	mg/kg	0.15	0.045	1	05/12/22 10:47	05/12/22 15:03	129-00-0	
bis(2-Chloroethoxy)methane	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/12/22 15:03	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-27 (1.0-2.0) **Lab ID: 40244491005** Collected: 05/05/22 10:05 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.064	mg/kg	0.21	0.064	1	05/12/22 10:47	05/12/22 15:03	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 15:03	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	50	%	10-125		1	05/12/22 10:47	05/12/22 15:03	4165-60-0	
2-Fluorobiphenyl (S)	46	%	12-118		1	05/12/22 10:47	05/12/22 15:03	321-60-8	
Terphenyl-d14 (S)	59	%	10-124		1	05/12/22 10:47	05/12/22 15:03	1718-51-0	
Phenol-d6 (S)	46	%	10-125		1	05/12/22 10:47	05/12/22 15:03	13127-88-3	
2-Fluorophenol (S)	54	%	10-130		1	05/12/22 10:47	05/12/22 15:03	367-12-4	
2,4,6-Tribromophenol (S)	59	%	10-144		1	05/12/22 10:47	05/12/22 15:03	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0049	0.0015	1	05/12/22 06:00	05/12/22 14:21	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0025	mg/kg	0.0049	0.0025	1	05/12/22 06:00	05/12/22 14:21	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0049	0.0015	1	05/12/22 06:00	05/12/22 14:21	79-00-5	
1,1-Dichloroethane	<0.0010	mg/kg	0.0049	0.0010	1	05/12/22 06:00	05/12/22 14:21	75-34-3	
1,1-Dichloroethene	<0.0010	mg/kg	0.0049	0.0010	1	05/12/22 06:00	05/12/22 14:21	75-35-4	
1,2-Dichloroethane	<0.00081	mg/kg	0.0049	0.00081	1	05/12/22 06:00	05/12/22 14:21	107-06-2	
1,2-Dichloropropane	<0.00099	mg/kg	0.0049	0.00099	1	05/12/22 06:00	05/12/22 14:21	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.024	0.015	1	05/12/22 06:00	05/12/22 14:21	78-93-3	
2-Hexanone	<0.011	mg/kg	0.024	0.011	1	05/12/22 06:00	05/12/22 14:21	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.019	mg/kg	0.024	0.019	1	05/12/22 06:00	05/12/22 14:21	108-10-1	
Acetone	<0.046	mg/kg	0.098	0.046	1	05/12/22 06:00	05/12/22 14:21	67-64-1	
Benzene	<0.00069	mg/kg	0.0049	0.00069	1	05/12/22 06:00	05/12/22 14:21	71-43-2	
Bromodichloromethane	<0.00067	mg/kg	0.0049	0.00067	1	05/12/22 06:00	05/12/22 14:21	75-27-4	
Bromoform	<0.0079	mg/kg	0.020	0.0079	1	05/12/22 06:00	05/12/22 14:21	75-25-2	
Bromomethane	<0.0044	mg/kg	0.0049	0.0044	1	05/12/22 06:00	05/12/22 14:21	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0049	0.0011	1	05/12/22 06:00	05/12/22 14:21	75-15-0	
Carbon tetrachloride	<0.0031	mg/kg	0.0049	0.0031	1	05/12/22 06:00	05/12/22 14:21	56-23-5	
Chlorobenzene	<0.00090	mg/kg	0.0049	0.00090	1	05/12/22 06:00	05/12/22 14:21	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0049	0.0036	1	05/12/22 06:00	05/12/22 14:21	75-00-3	
Chloroform	<0.00083	mg/kg	0.0049	0.00083	1	05/12/22 06:00	05/12/22 14:21	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0049	0.0011	1	05/12/22 06:00	05/12/22 14:21	74-87-3	
Dibromochloromethane	<0.00099	mg/kg	0.0049	0.00099	1	05/12/22 06:00	05/12/22 14:21	124-48-1	
Ethylbenzene	<0.00088	mg/kg	0.0049	0.00088	1	05/12/22 06:00	05/12/22 14:21	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0049	0.0020	1	05/12/22 06:00	05/12/22 14:21	1634-04-4	
Methylene Chloride	<0.0039	mg/kg	0.0049	0.0039	1	05/12/22 06:00	05/12/22 14:21	75-09-2	
Styrene	<0.00070	mg/kg	0.0049	0.00070	1	05/12/22 06:00	05/12/22 14:21	100-42-5	
Tetrachloroethene	<0.00087	mg/kg	0.0049	0.00087	1	05/12/22 06:00	05/12/22 14:21	127-18-4	
Toluene	<0.00086	mg/kg	0.0049	0.00086	1	05/12/22 06:00	05/12/22 14:21	108-88-3	
Trichloroethene	<0.00070	mg/kg	0.0049	0.00070	1	05/12/22 06:00	05/12/22 14:21	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0049	0.0013	1	05/12/22 06:00	05/12/22 14:21	75-01-4	
Xylene (Total)	<0.0033	mg/kg	0.0098	0.0033	1	05/12/22 06:00	05/12/22 14:21	1330-20-7	
cis-1,2-Dichloroethene	<0.00086	mg/kg	0.0049	0.00086	1	05/12/22 06:00	05/12/22 14:21	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-27 (1.0-2.0) **Lab ID: 40244491005** Collected: 05/05/22 10:05 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0049	0.0010	1	05/12/22 06:00	05/12/22 14:21	10061-01-5	
trans-1,2-Dichloroethene	<0.00070	mg/kg	0.0049	0.00070	1	05/12/22 06:00	05/12/22 14:21	156-60-5	
trans-1,3-Dichloropropene	<0.00098	mg/kg	0.0049	0.00098	1	05/12/22 06:00	05/12/22 14:21	10061-02-6	
Surrogates									
Toluene-d8 (S)	89	%	69-156		1	05/12/22 06:00	05/12/22 14:21	2037-26-5	
4-Bromofluorobenzene (S)	87	%	61-175		1	05/12/22 06:00	05/12/22 14:21	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1	05/12/22 06:00	05/12/22 14:21	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	18.6	%	0.10	0.10	1		05/11/22 16:21		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.85	Std. Units	0.100	0.0100	1		05/16/22 11:33		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.28	mg/kg	0.85	0.28	1	05/11/22 11:10	05/11/22 14:08	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-27 (4.0-5.0) **Lab ID: 40244491006** Collected: 05/05/22 10:10 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00060	mg/kg	0.0031	0.00060	1	05/09/22 14:20	05/11/22 13:22	309-00-2	
alpha-BHC	<0.00065	mg/kg	0.0031	0.00065	1	05/09/22 14:20	05/11/22 13:22	319-84-6	
beta-BHC	<0.00058	mg/kg	0.0031	0.00058	1	05/09/22 14:20	05/11/22 13:22	319-85-7	
delta-BHC	<0.00081	mg/kg	0.0031	0.00081	1	05/09/22 14:20	05/11/22 13:22	319-86-8	
gamma-BHC (Lindane)	<0.00056	mg/kg	0.0031	0.00056	1	05/09/22 14:20	05/11/22 13:22	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.062	0.013	1	05/09/22 14:20	05/11/22 13:22	57-74-9	
alpha-Chlordane	<0.00055	mg/kg	0.0031	0.00055	1	05/09/22 14:20	05/11/22 13:22	5103-71-9	
gamma-Chlordane	<0.00065	mg/kg	0.0031	0.00065	1	05/09/22 14:20	05/11/22 13:22	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0062	0.0012	1	05/09/22 14:20	05/11/22 13:22	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0062	0.0010	1	05/09/22 14:20	05/11/22 13:22	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0062	0.0020	1	05/09/22 14:20	05/11/22 13:22	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0062	0.0011	1	05/09/22 14:20	05/11/22 13:22	60-57-1	
Endosulfan I	<0.00052	mg/kg	0.0031	0.00052	1	05/09/22 14:20	05/11/22 13:22	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0062	0.0010	1	05/09/22 14:20	05/11/22 13:22	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0062	0.0012	1	05/09/22 14:20	05/11/22 13:22	1031-07-8	
Endrin	<0.0011	mg/kg	0.0062	0.0011	1	05/09/22 14:20	05/11/22 13:22	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0062	0.0014	1	05/09/22 14:20	05/11/22 13:22	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0062	0.0016	1	05/09/22 14:20	05/11/22 13:22	53494-70-5	
Heptachlor	<0.00055	mg/kg	0.0031	0.00055	1	05/09/22 14:20	05/11/22 13:22	76-44-8	
Heptachlor epoxide	<0.00052	mg/kg	0.0031	0.00052	1	05/09/22 14:20	05/11/22 13:22	1024-57-3	
Methoxychlor	<0.0071	mg/kg	0.031	0.0071	1	05/09/22 14:20	05/11/22 13:22	72-43-5	
Toxaphene	<0.022	mg/kg	0.062	0.022	1	05/09/22 14:20	05/11/22 13:22	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	46	%	10-147		1	05/09/22 14:20	05/11/22 13:22	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 09:13	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 09:13	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 09:13	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 09:13	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 09:13	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 09:13	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 09:13	11096-82-5	
PCB, Total	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 09:13	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	89	%	50-99		1	05/09/22 18:42	05/11/22 09:13	877-09-8	
Decachlorobiphenyl (S)	87	%	38-95		1	05/09/22 18:42	05/11/22 09:13	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	9930	mg/kg	35.3	7.1	1	05/09/22 17:19	05/14/22 00:33	7429-90-5	
Antimony	0.16J	mg/kg	0.59	0.11	1	05/09/22 17:19	05/14/22 00:33	7440-36-0	
Arsenic	7.6	mg/kg	0.59	0.13	1	05/09/22 17:19	05/14/22 00:33	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-27 (4.0-5.0) **Lab ID: 40244491006** Collected: 05/05/22 10:10 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	97.8	mg/kg	0.35	0.063	1	05/09/22 17:19	05/14/22 00:33	7440-39-3	
Beryllium	0.63	mg/kg	0.24	0.047	1	05/09/22 17:19	05/14/22 00:33	7440-41-7	
Cadmium	0.16	mg/kg	0.094	0.037	1	05/09/22 17:19	05/14/22 00:33	7440-43-9	
Calcium	16800	mg/kg	118	13.9	1	05/09/22 17:19	05/14/22 00:33	7440-70-2	
Chromium	14.3	mg/kg	2.4	0.16	1	05/09/22 17:19	05/14/22 00:33	7440-47-3	
Cobalt	5.8	mg/kg	0.59	0.12	1	05/09/22 17:19	05/14/22 00:33	7440-48-4	
Copper	15.8	mg/kg	1.2	0.29	1	05/09/22 17:19	05/14/22 00:33	7440-50-8	
Iron	17600	mg/kg	58.9	12.4	1	05/09/22 17:19	05/14/22 00:33	7439-89-6	
Lead	12.2	mg/kg	0.59	0.035	1	05/09/22 17:19	05/14/22 00:33	7439-92-1	
Magnesium	9980	mg/kg	35.3	5.1	1	05/09/22 17:19	05/14/22 00:33	7439-95-4	
Manganese	348	mg/kg	0.59	0.29	1	05/09/22 17:19	05/14/22 00:33	7439-96-5	
Nickel	15.3	mg/kg	0.59	0.23	1	05/09/22 17:19	05/14/22 00:33	7440-02-0	
Potassium	757	mg/kg	118	13.5	1	05/09/22 17:19	05/14/22 00:33	7440-09-7	
Selenium	0.33J	mg/kg	0.59	0.10	1	05/09/22 17:19	05/14/22 00:33	7782-49-2	
Silver	<0.17	mg/kg	0.59	0.17	1	05/09/22 17:19	05/16/22 20:39	7440-22-4	
Sodium	78.0	mg/kg	58.9	13.1	1	05/09/22 17:19	05/14/22 00:33	7440-23-5	
Thallium	0.20	mg/kg	0.12	0.043	1	05/09/22 17:19	05/14/22 00:33	7440-28-0	
Vanadium	26.4	mg/kg	1.2	0.21	1	05/09/22 17:19	05/14/22 00:33	7440-62-2	
Zinc	48.4	mg/kg	5.9	1.1	1	05/09/22 17:19	05/14/22 00:33	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.018J	mg/kg	0.041	0.012	1	05/12/22 09:25	05/13/22 10:28	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.079	0.024	1	05/12/22 10:47	05/13/22 16:10	120-82-1	
1,2-Dichlorobenzene	<0.066	mg/kg	0.22	0.066	1	05/12/22 10:47	05/13/22 16:10	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.097	0.029	1	05/12/22 10:47	05/13/22 16:10	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/12/22 10:47	05/13/22 16:10	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/13/22 16:10	108-60-1	
2,4,5-Trichlorophenol	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/13/22 16:10	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 16:10	88-06-2	
2,4-Dichlorophenol	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/13/22 16:10	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/12/22 10:47	05/13/22 16:10	105-67-9	
2,4-Dinitrophenol	<0.064	mg/kg	0.21	0.064	1	05/12/22 10:47	05/13/22 16:10	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/13/22 16:10	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/13/22 16:10	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.090	0.027	1	05/12/22 10:47	05/13/22 16:10	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/13/22 16:10	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/13/22 16:10	91-57-6	
2-Methylphenol(o-Cresol)	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/13/22 16:10	95-48-7	
2-Nitroaniline	<0.060	mg/kg	0.20	0.060	1	05/12/22 10:47	05/13/22 16:10	88-74-4	
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/13/22 16:10	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-27 (4.0-5.0) Lab ID: **40244491006** Collected: 05/05/22 10:10 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/13/22 16:10		
3,3'-Dichlorobenzidine	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/13/22 16:10	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/13/22 16:10	99-09-2	
4,6-Dinitro-2-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/12/22 10:47	05/13/22 16:10	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/12/22 10:47	05/13/22 16:10	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/12/22 10:47	05/13/22 16:10	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 16:10	106-47-8	1q
4-Chlorophenylphenyl ether	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/13/22 16:10	7005-72-3	
4-Nitroaniline	<0.087	mg/kg	0.29	0.087	1	05/12/22 10:47	05/13/22 16:10	100-01-6	
4-Nitrophenol	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/13/22 16:10	100-02-7	
Acenaphthene	<0.075	mg/kg	0.25	0.075	1	05/12/22 10:47	05/13/22 16:10	83-32-9	
Acenaphthylene	<0.075	mg/kg	0.25	0.075	1	05/12/22 10:47	05/13/22 16:10	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 16:10	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 16:10	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 16:10	50-32-8	
Benzo(b)fluoranthene	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/13/22 16:10	205-99-2	
Benzo(g,h,i)perylene	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/13/22 16:10	191-24-2	
Benzo(k)fluoranthene	<0.050	mg/kg	0.17	0.050	1	05/12/22 10:47	05/13/22 16:10	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 16:10	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 16:10	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 16:10	218-01-9	
Di-n-butylphthalate	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/13/22 16:10	84-74-2	
Di-n-octylphthalate	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/13/22 16:10	117-84-0	
Dibenz(a,h)anthracene	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/13/22 16:10	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.085	0.026	1	05/12/22 10:47	05/13/22 16:10	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 16:10	84-66-2	
Dimethylphthalate	<0.027	mg/kg	0.091	0.027	1	05/12/22 10:47	05/13/22 16:10	131-11-3	
Fluoranthene	<0.030	mg/kg	0.099	0.030	1	05/12/22 10:47	05/13/22 16:10	206-44-0	
Fluorene	<0.025	mg/kg	0.082	0.025	1	05/12/22 10:47	05/13/22 16:10	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/13/22 16:10	87-68-3	
Hexachlorobenzene	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 16:10	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/12/22 10:47	05/13/22 16:10	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 16:10	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/13/22 16:10	193-39-5	
Isophorone	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 16:10	78-59-1	
N-Nitroso-di-n-propylamine	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 16:10	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.95	0.29	1	05/12/22 10:47	05/13/22 16:10	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/12/22 10:47	05/13/22 16:10	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/12/22 10:47	05/13/22 16:10	98-95-3	
Pentachlorophenol	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/13/22 16:10	87-86-5	
Phenanthrene	<0.027	mg/kg	0.090	0.027	1	05/12/22 10:47	05/13/22 16:10	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/12/22 10:47	05/13/22 16:10	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/13/22 16:10	129-00-0	
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/13/22 16:10	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-27 (4.0-5.0) **Lab ID: 40244491006** Collected: 05/05/22 10:10 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.066	mg/kg	0.22	0.066	1	05/12/22 10:47	05/13/22 16:10	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 16:10	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	53	%	10-125		1	05/12/22 10:47	05/13/22 16:10	4165-60-0	
2-Fluorobiphenyl (S)	38	%	12-118		1	05/12/22 10:47	05/13/22 16:10	321-60-8	
Terphenyl-d14 (S)	54	%	10-124		1	05/12/22 10:47	05/13/22 16:10	1718-51-0	
Phenol-d6 (S)	43	%	10-125		1	05/12/22 10:47	05/13/22 16:10	13127-88-3	
2-Fluorophenol (S)	44	%	10-130		1	05/12/22 10:47	05/13/22 16:10	367-12-4	
2,4,6-Tribromophenol (S)	52	%	10-144		1	05/12/22 10:47	05/13/22 16:10	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/12/22 06:00	05/12/22 14:46	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0050	0.0026	1	05/12/22 06:00	05/12/22 14:46	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/12/22 06:00	05/12/22 14:46	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/12/22 06:00	05/12/22 14:46	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0050	0.0011	1	05/12/22 06:00	05/12/22 14:46	75-35-4	
1,2-Dichloroethane	<0.00083	mg/kg	0.0050	0.00083	1	05/12/22 06:00	05/12/22 14:46	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/12/22 06:00	05/12/22 14:46	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/12/22 06:00	05/12/22 14:46	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/12/22 06:00	05/12/22 14:46	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/12/22 06:00	05/12/22 14:46	108-10-1	
Acetone	<0.047	mg/kg	0.10	0.047	1	05/12/22 06:00	05/12/22 14:46	67-64-1	
Benzene	<0.00071	mg/kg	0.0050	0.00071	1	05/12/22 06:00	05/12/22 14:46	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/12/22 06:00	05/12/22 14:46	75-27-4	
Bromoform	<0.0081	mg/kg	0.020	0.0081	1	05/12/22 06:00	05/12/22 14:46	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0050	0.0045	1	05/12/22 06:00	05/12/22 14:46	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/12/22 06:00	05/12/22 14:46	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0050	0.0032	1	05/12/22 06:00	05/12/22 14:46	56-23-5	
Chlorobenzene	<0.00092	mg/kg	0.0050	0.00092	1	05/12/22 06:00	05/12/22 14:46	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0050	0.0036	1	05/12/22 06:00	05/12/22 14:46	75-00-3	
Chloroform	<0.00085	mg/kg	0.0050	0.00085	1	05/12/22 06:00	05/12/22 14:46	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/12/22 06:00	05/12/22 14:46	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/12/22 06:00	05/12/22 14:46	124-48-1	
Ethylbenzene	<0.00090	mg/kg	0.0050	0.00090	1	05/12/22 06:00	05/12/22 14:46	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0050	0.0021	1	05/12/22 06:00	05/12/22 14:46	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0050	0.0040	1	05/12/22 06:00	05/12/22 14:46	75-09-2	
Styrene	<0.00071	mg/kg	0.0050	0.00071	1	05/12/22 06:00	05/12/22 14:46	100-42-5	
Tetrachloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/12/22 06:00	05/12/22 14:46	127-18-4	
Toluene	<0.00088	mg/kg	0.0050	0.00088	1	05/12/22 06:00	05/12/22 14:46	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/12/22 06:00	05/12/22 14:46	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/12/22 06:00	05/12/22 14:46	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.010	0.0034	1	05/12/22 06:00	05/12/22 14:46	1330-20-7	
cis-1,2-Dichloroethene	<0.00088	mg/kg	0.0050	0.00088	1	05/12/22 06:00	05/12/22 14:46	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-27 (4.0-5.0) **Lab ID: 40244491006** Collected: 05/05/22 10:10 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/12/22 06:00	05/12/22 14:46	10061-01-5	
trans-1,2-Dichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/12/22 06:00	05/12/22 14:46	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/12/22 06:00	05/12/22 14:46	10061-02-6	
Surrogates									
Toluene-d8 (S)	90	%	69-156		1	05/12/22 06:00	05/12/22 14:46	2037-26-5	
4-Bromofluorobenzene (S)	81	%	61-175		1	05/12/22 06:00	05/12/22 14:46	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1	05/12/22 06:00	05/12/22 14:46	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	20.7	%	0.10	0.10	1		05/11/22 16:21		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.8	Std. Units	0.10	0.010	1		05/16/22 10:47		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.33	mg/kg	0.98	0.33	1	05/11/22 11:10	05/11/22 14:09	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-28 (1.0-2.0) **Lab ID: 40244491007** Collected: 05/05/22 10:40 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00063	mg/kg	0.0033	0.00063	1	05/09/22 14:20	05/12/22 17:06	309-00-2	
alpha-BHC	<0.00068	mg/kg	0.0033	0.00068	1	05/09/22 14:20	05/12/22 17:06	319-84-6	
beta-BHC	<0.00061	mg/kg	0.0033	0.00061	1	05/09/22 14:20	05/12/22 17:06	319-85-7	
delta-BHC	<0.00085	mg/kg	0.0033	0.00085	1	05/09/22 14:20	05/12/22 17:06	319-86-8	
gamma-BHC (Lindane)	<0.00059	mg/kg	0.0033	0.00059	1	05/09/22 14:20	05/12/22 17:06	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.065	0.013	1	05/09/22 14:20	05/12/22 17:06	57-74-9	
alpha-Chlordane	<0.00058	mg/kg	0.0033	0.00058	1	05/09/22 14:20	05/12/22 17:06	5103-71-9	
gamma-Chlordane	<0.00068	mg/kg	0.0033	0.00068	1	05/09/22 14:20	05/12/22 17:06	5103-74-2	
4,4'-DDD	<0.0013	mg/kg	0.0065	0.0013	1	05/09/22 14:20	05/12/22 17:06	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 14:20	05/12/22 17:06	72-55-9	
4,4'-DDT	<0.0021	mg/kg	0.0065	0.0021	1	05/09/22 14:20	05/12/22 17:06	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 14:20	05/12/22 17:06	60-57-1	
Endosulfan I	<0.00054	mg/kg	0.0033	0.00054	1	05/09/22 14:20	05/12/22 17:06	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 14:20	05/12/22 17:06	33213-65-9	
Endosulfan sulfate	<0.0013	mg/kg	0.0065	0.0013	1	05/09/22 14:20	05/12/22 17:06	1031-07-8	
Endrin	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 14:20	05/12/22 17:06	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0065	0.0015	1	05/09/22 14:20	05/12/22 17:06	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0065	0.0016	1	05/09/22 14:20	05/12/22 17:06	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0033	0.00058	1	05/09/22 14:20	05/12/22 17:06	76-44-8	
Heptachlor epoxide	<0.00055	mg/kg	0.0033	0.00055	1	05/09/22 14:20	05/12/22 17:06	1024-57-3	
Methoxychlor	<0.0075	mg/kg	0.033	0.0075	1	05/09/22 14:20	05/12/22 17:06	72-43-5	
Toxaphene	<0.023	mg/kg	0.065	0.023	1	05/09/22 14:20	05/12/22 17:06	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	50	%	10-147		1	05/09/22 14:20	05/12/22 17:06	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/09/22 18:42	05/11/22 09:34	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/09/22 18:42	05/11/22 09:34	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/09/22 18:42	05/11/22 09:34	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/09/22 18:42	05/11/22 09:34	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/09/22 18:42	05/11/22 09:34	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/09/22 18:42	05/11/22 09:34	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/09/22 18:42	05/11/22 09:34	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/09/22 18:42	05/11/22 09:34	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	87	%	50-99		1	05/09/22 18:42	05/11/22 09:34	877-09-8	
Decachlorobiphenyl (S)	87	%	38-95		1	05/09/22 18:42	05/11/22 09:34	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	14700	mg/kg	38.0	7.6	1	05/09/22 17:19	05/14/22 00:37	7429-90-5	
Antimony	0.29J	mg/kg	0.63	0.12	1	05/09/22 17:19	05/14/22 00:37	7440-36-0	
Arsenic	14.6	mg/kg	0.63	0.14	1	05/09/22 17:19	05/14/22 00:37	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-28 (1.0-2.0) **Lab ID: 40244491007** Collected: 05/05/22 10:40 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	170	mg/kg	0.38	0.068	1	05/09/22 17:19	05/14/22 00:37	7440-39-3	
Beryllium	0.98	mg/kg	0.25	0.050	1	05/09/22 17:19	05/14/22 00:37	7440-41-7	
Cadmium	0.17	mg/kg	0.10	0.040	1	05/09/22 17:19	05/14/22 00:37	7440-43-9	
Calcium	3640	mg/kg	127	14.9	1	05/09/22 17:19	05/14/22 00:37	7440-70-2	
Chromium	18.1	mg/kg	2.5	0.18	1	05/09/22 17:19	05/14/22 00:37	7440-47-3	
Cobalt	15.3	mg/kg	0.63	0.13	1	05/09/22 17:19	05/14/22 00:37	7440-48-4	
Copper	18.3	mg/kg	1.3	0.31	1	05/09/22 17:19	05/14/22 00:37	7440-50-8	
Iron	27300	mg/kg	63.3	13.3	1	05/09/22 17:19	05/14/22 00:37	7439-89-6	
Lead	21.9	mg/kg	0.63	0.037	1	05/09/22 17:19	05/14/22 00:37	7439-92-1	
Magnesium	2840	mg/kg	38.0	5.4	1	05/09/22 17:19	05/14/22 00:37	7439-95-4	
Manganese	1490	mg/kg	6.3	3.1	10	05/09/22 17:19	05/16/22 20:46	7439-96-5	
Nickel	20.2	mg/kg	0.63	0.25	1	05/09/22 17:19	05/14/22 00:37	7440-02-0	
Potassium	939	mg/kg	127	14.6	1	05/09/22 17:19	05/14/22 00:37	7440-09-7	
Selenium	1.1	mg/kg	0.63	0.11	1	05/09/22 17:19	05/14/22 00:37	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/09/22 17:19	05/16/22 20:42	7440-22-4	
Sodium	64.8	mg/kg	63.3	14.1	1	05/09/22 17:19	05/14/22 00:37	7440-23-5	
Thallium	0.23	mg/kg	0.13	0.046	1	05/09/22 17:19	05/14/22 00:37	7440-28-0	
Vanadium	40.6	mg/kg	1.3	0.22	1	05/09/22 17:19	05/14/22 00:37	7440-62-2	
Zinc	51.8	mg/kg	6.3	1.1	1	05/09/22 17:19	05/14/22 00:37	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.058	mg/kg	0.043	0.012	1	05/12/22 09:25	05/13/22 10:30	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.083	0.025	1	05/12/22 10:47	05/16/22 15:25	120-82-1	
1,2-Dichlorobenzene	<0.069	mg/kg	0.23	0.069	1	05/12/22 10:47	05/16/22 15:25	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/16/22 15:25	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/16/22 15:25	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/16/22 15:25	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/16/22 15:25	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/16/22 15:25	88-06-2	
2,4-Dichlorophenol	<0.059	mg/kg	0.20	0.059	1	05/12/22 10:47	05/16/22 15:25	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/12/22 10:47	05/16/22 15:25	105-67-9	
2,4-Dinitrophenol	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/16/22 15:25	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/16/22 15:25	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/12/22 10:47	05/16/22 15:25	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.094	0.028	1	05/12/22 10:47	05/16/22 15:25	91-58-7	
2-Chlorophenol	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/16/22 15:25	95-57-8	
2-Methylnaphthalene	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/16/22 15:25	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/16/22 15:25	95-48-7	
2-Nitroaniline	<0.063	mg/kg	0.21	0.063	1	05/12/22 10:47	05/16/22 15:25	88-74-4	
2-Nitrophenol	<0.069	mg/kg	0.23	0.069	1	05/12/22 10:47	05/16/22 15:25	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-28 (1.0-2.0) Lab ID: **40244491007** Collected: 05/05/22 10:40 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/16/22 15:25		
3,3'-Dichlorobenzidine	<0.060	mg/kg	0.20	0.060	1	05/12/22 10:47	05/16/22 15:25	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/16/22 15:25	99-09-2	
4,6-Dinitro-2-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/12/22 10:47	05/16/22 15:25	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/16/22 15:25	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/12/22 10:47	05/16/22 15:25	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/16/22 15:25	106-47-8	1q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/12/22 10:47	05/16/22 15:25	7005-72-3	
4-Nitroaniline	<0.091	mg/kg	0.30	0.091	1	05/12/22 10:47	05/16/22 15:25	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/16/22 15:25	100-02-7	
Acenaphthene	<0.078	mg/kg	0.26	0.078	1	05/12/22 10:47	05/16/22 15:25	83-32-9	
Acenaphthylene	<0.078	mg/kg	0.26	0.078	1	05/12/22 10:47	05/16/22 15:25	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/16/22 15:25	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/16/22 15:25	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/16/22 15:25	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/16/22 15:25	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/16/22 15:25	191-24-2	
Benzo(k)fluoranthene	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/16/22 15:25	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/16/22 15:25	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/16/22 15:25	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/16/22 15:25	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/16/22 15:25	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/12/22 10:47	05/16/22 15:25	117-84-0	
Dibenz(a,h)anthracene	<0.060	mg/kg	0.20	0.060	1	05/12/22 10:47	05/16/22 15:25	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.089	0.027	1	05/12/22 10:47	05/16/22 15:25	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/16/22 15:25	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.095	0.029	1	05/12/22 10:47	05/16/22 15:25	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/16/22 15:25	206-44-0	
Fluorene	<0.026	mg/kg	0.086	0.026	1	05/12/22 10:47	05/16/22 15:25	86-73-7	
Hexachloro-1,3-butadiene	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/16/22 15:25	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/16/22 15:25	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/12/22 10:47	05/16/22 15:25	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/16/22 15:25	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.048	mg/kg	0.16	0.048	1	05/12/22 10:47	05/16/22 15:25	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/16/22 15:25	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/16/22 15:25	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	0.99	0.30	1	05/12/22 10:47	05/16/22 15:25	86-30-6	
Naphthalene	<0.077	mg/kg	0.26	0.077	1	05/12/22 10:47	05/16/22 15:25	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/12/22 10:47	05/16/22 15:25	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/12/22 10:47	05/16/22 15:25	87-86-5	
Phenanthrene	<0.028	mg/kg	0.094	0.028	1	05/12/22 10:47	05/16/22 15:25	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/12/22 10:47	05/16/22 15:25	108-95-2	
Pyrene	<0.049	mg/kg	0.16	0.049	1	05/12/22 10:47	05/16/22 15:25	129-00-0	
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/12/22 10:47	05/16/22 15:25	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-28 (1.0-2.0) **Lab ID: 40244491007** Collected: 05/05/22 10:40 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.069	mg/kg	0.23	0.069	1	05/12/22 10:47	05/16/22 15:25	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/16/22 15:25	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	45	%	10-125		1	05/12/22 10:47	05/16/22 15:25	4165-60-0	
2-Fluorobiphenyl (S)	36	%	12-118		1	05/12/22 10:47	05/16/22 15:25	321-60-8	
Terphenyl-d14 (S)	54	%	10-124		1	05/12/22 10:47	05/16/22 15:25	1718-51-0	
Phenol-d6 (S)	27	%	10-125		1	05/12/22 10:47	05/16/22 15:25	13127-88-3	
2-Fluorophenol (S)	35	%	10-130		1	05/12/22 10:47	05/16/22 15:25	367-12-4	
2,4,6-Tribromophenol (S)	47	%	10-144		1	05/12/22 10:47	05/16/22 15:25	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/12/22 06:00	05/12/22 15:15	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0052	0.0026	1	05/12/22 06:00	05/12/22 15:15	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/12/22 06:00	05/12/22 15:15	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0052	0.0011	1	05/12/22 06:00	05/12/22 15:15	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0052	0.0011	1	05/12/22 06:00	05/12/22 15:15	75-35-4	
1,2-Dichloroethane	<0.00085	mg/kg	0.0052	0.00085	1	05/12/22 06:00	05/12/22 15:15	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0052	0.0010	1	05/12/22 06:00	05/12/22 15:15	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.026	0.016	1	05/12/22 06:00	05/12/22 15:15	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/12/22 06:00	05/12/22 15:15	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.026	0.021	1	05/12/22 06:00	05/12/22 15:15	108-10-1	
Acetone	<0.049	mg/kg	0.10	0.049	1	05/12/22 06:00	05/12/22 15:15	67-64-1	
Benzene	<0.00073	mg/kg	0.0052	0.00073	1	05/12/22 06:00	05/12/22 15:15	71-43-2	
Bromodichloromethane	<0.00070	mg/kg	0.0052	0.00070	1	05/12/22 06:00	05/12/22 15:15	75-27-4	
Bromoform	<0.0084	mg/kg	0.021	0.0084	1	05/12/22 06:00	05/12/22 15:15	75-25-2	
Bromomethane	<0.0046	mg/kg	0.0052	0.0046	1	05/12/22 06:00	05/12/22 15:15	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0052	0.0011	1	05/12/22 06:00	05/12/22 15:15	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0052	0.0033	1	05/12/22 06:00	05/12/22 15:15	56-23-5	
Chlorobenzene	<0.00095	mg/kg	0.0052	0.00095	1	05/12/22 06:00	05/12/22 15:15	108-90-7	
Chloroethane	<0.0038	mg/kg	0.0052	0.0038	1	05/12/22 06:00	05/12/22 15:15	75-00-3	
Chloroform	<0.00087	mg/kg	0.0052	0.00087	1	05/12/22 06:00	05/12/22 15:15	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0052	0.0011	1	05/12/22 06:00	05/12/22 15:15	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0052	0.0010	1	05/12/22 06:00	05/12/22 15:15	124-48-1	
Ethylbenzene	<0.00092	mg/kg	0.0052	0.00092	1	05/12/22 06:00	05/12/22 15:15	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0052	0.0021	1	05/12/22 06:00	05/12/22 15:15	1634-04-4	
Methylene Chloride	<0.0041	mg/kg	0.0052	0.0041	1	05/12/22 06:00	05/12/22 15:15	75-09-2	
Styrene	<0.00073	mg/kg	0.0052	0.00073	1	05/12/22 06:00	05/12/22 15:15	100-42-5	
Tetrachloroethene	<0.00092	mg/kg	0.0052	0.00092	1	05/12/22 06:00	05/12/22 15:15	127-18-4	
Toluene	<0.00091	mg/kg	0.0052	0.00091	1	05/12/22 06:00	05/12/22 15:15	108-88-3	
Trichloroethene	<0.00074	mg/kg	0.0052	0.00074	1	05/12/22 06:00	05/12/22 15:15	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0052	0.0013	1	05/12/22 06:00	05/12/22 15:15	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/12/22 06:00	05/12/22 15:15	1330-20-7	
cis-1,2-Dichloroethene	<0.00091	mg/kg	0.0052	0.00091	1	05/12/22 06:00	05/12/22 15:15	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-28 (1.0-2.0) **Lab ID: 40244491007** Collected: 05/05/22 10:40 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0052	0.0011	1	05/12/22 06:00	05/12/22 15:15	10061-01-5	
trans-1,2-Dichloroethene	<0.00074	mg/kg	0.0052	0.00074	1	05/12/22 06:00	05/12/22 15:15	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0052	0.0010	1	05/12/22 06:00	05/12/22 15:15	10061-02-6	
Surrogates									
Toluene-d8 (S)	89	%	69-156		1	05/12/22 06:00	05/12/22 15:15	2037-26-5	
4-Bromofluorobenzene (S)	82	%	61-175		1	05/12/22 06:00	05/12/22 15:15	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1	05/12/22 06:00	05/12/22 15:15	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	24.1	%	0.10	0.10	1		05/11/22 16:21		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.7	Std. Units	0.10	0.010	1		05/16/22 10:51		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.36	mg/kg	1.1	0.36	1	05/11/22 11:10	05/11/22 14:09	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-28 (4.0-5.0) **Lab ID: 40244491008** Collected: 05/05/22 10:45 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00060	mg/kg	0.0031	0.00060	1	05/09/22 14:20	05/11/22 13:48	309-00-2	
alpha-BHC	<0.00065	mg/kg	0.0031	0.00065	1	05/09/22 14:20	05/11/22 13:48	319-84-6	
beta-BHC	<0.00059	mg/kg	0.0031	0.00059	1	05/09/22 14:20	05/11/22 13:48	319-85-7	
delta-BHC	<0.00082	mg/kg	0.0031	0.00082	1	05/09/22 14:20	05/11/22 13:48	319-86-8	
gamma-BHC (Lindane)	<0.00057	mg/kg	0.0031	0.00057	1	05/09/22 14:20	05/11/22 13:48	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.062	0.013	1	05/09/22 14:20	05/11/22 13:48	57-74-9	
alpha-Chlordane	<0.00055	mg/kg	0.0031	0.00055	1	05/09/22 14:20	05/11/22 13:48	5103-71-9	
gamma-Chlordane	<0.00065	mg/kg	0.0031	0.00065	1	05/09/22 14:20	05/11/22 13:48	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0062	0.0012	1	05/09/22 14:20	05/11/22 13:48	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0062	0.0010	1	05/09/22 14:20	05/11/22 13:48	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0062	0.0020	1	05/09/22 14:20	05/11/22 13:48	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0062	0.0011	1	05/09/22 14:20	05/11/22 13:48	60-57-1	
Endosulfan I	<0.00052	mg/kg	0.0031	0.00052	1	05/09/22 14:20	05/11/22 13:48	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0062	0.0010	1	05/09/22 14:20	05/11/22 13:48	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0062	0.0012	1	05/09/22 14:20	05/11/22 13:48	1031-07-8	
Endrin	<0.0011	mg/kg	0.0062	0.0011	1	05/09/22 14:20	05/11/22 13:48	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0062	0.0014	1	05/09/22 14:20	05/11/22 13:48	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0062	0.0016	1	05/09/22 14:20	05/11/22 13:48	53494-70-5	
Heptachlor	<0.00056	mg/kg	0.0031	0.00056	1	05/09/22 14:20	05/11/22 13:48	76-44-8	
Heptachlor epoxide	<0.00053	mg/kg	0.0031	0.00053	1	05/09/22 14:20	05/11/22 13:48	1024-57-3	
Methoxychlor	<0.0071	mg/kg	0.031	0.0071	1	05/09/22 14:20	05/11/22 13:48	72-43-5	
Toxaphene	<0.022	mg/kg	0.062	0.022	1	05/09/22 14:20	05/11/22 13:48	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	53	%	10-147		1	05/09/22 14:20	05/11/22 13:48	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 11:02	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 11:02	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 11:02	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 11:02	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 11:02	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 11:02	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 11:02	11096-82-5	
PCB, Total	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 11:02	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	88	%	50-99		1	05/09/22 18:42	05/11/22 11:02	877-09-8	
Decachlorobiphenyl (S)	88	%	38-95		1	05/09/22 18:42	05/11/22 11:02	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	12500	mg/kg	37.6	7.6	1	05/09/22 17:19	05/14/22 00:41	7429-90-5	
Antimony	0.17J	mg/kg	0.63	0.12	1	05/09/22 17:19	05/14/22 00:41	7440-36-0	
Arsenic	8.5	mg/kg	0.63	0.14	1	05/09/22 17:19	05/14/22 00:41	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-28 (4.0-5.0) **Lab ID: 40244491008** Collected: 05/05/22 10:45 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	101	mg/kg	0.38	0.067	1	05/09/22 17:19	05/14/22 00:41	7440-39-3	
Beryllium	0.73	mg/kg	0.25	0.050	1	05/09/22 17:19	05/14/22 00:41	7440-41-7	
Cadmium	0.14	mg/kg	0.10	0.039	1	05/09/22 17:19	05/14/22 00:41	7440-43-9	
Calcium	3100	mg/kg	125	14.8	1	05/09/22 17:19	05/14/22 00:41	7440-70-2	
Chromium	19.4	mg/kg	2.5	0.18	1	05/09/22 17:19	05/14/22 00:41	7440-47-3	
Cobalt	5.3	mg/kg	0.63	0.12	1	05/09/22 17:19	05/14/22 00:41	7440-48-4	
Copper	19.9	mg/kg	1.3	0.30	1	05/09/22 17:19	05/14/22 00:41	7440-50-8	
Iron	21400	mg/kg	62.7	13.2	1	05/09/22 17:19	05/14/22 00:41	7439-89-6	
Lead	8.9	mg/kg	0.63	0.037	1	05/09/22 17:19	05/14/22 00:41	7439-92-1	
Magnesium	3480	mg/kg	37.6	5.4	1	05/09/22 17:19	05/14/22 00:41	7439-95-4	
Manganese	147	mg/kg	0.63	0.31	1	05/09/22 17:19	05/14/22 00:41	7439-96-5	
Nickel	19.8	mg/kg	0.63	0.25	1	05/09/22 17:19	05/14/22 00:41	7440-02-0	
Potassium	818	mg/kg	125	14.4	1	05/09/22 17:19	05/14/22 00:41	7440-09-7	
Selenium	0.25J	mg/kg	0.63	0.11	1	05/09/22 17:19	05/14/22 00:41	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/09/22 17:19	05/16/22 20:50	7440-22-4	
Sodium	64.7	mg/kg	62.7	13.9	1	05/09/22 17:19	05/14/22 00:41	7440-23-5	
Thallium	0.20	mg/kg	0.13	0.046	1	05/09/22 17:19	05/14/22 00:41	7440-28-0	
Vanadium	33.2	mg/kg	1.3	0.22	1	05/09/22 17:19	05/14/22 00:41	7440-62-2	
Zinc	57.5	mg/kg	6.3	1.1	1	05/09/22 17:19	05/14/22 00:41	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.035J	mg/kg	0.042	0.012	1	05/12/22 09:25	05/13/22 10:33	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/12/22 10:47	05/12/22 16:08	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/12/22 16:08	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/12/22 10:47	05/12/22 16:08	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/12/22 10:47	05/12/22 16:08	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/12/22 16:08	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/12/22 16:08	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 16:08	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/12/22 16:08	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/12/22 10:47	05/12/22 16:08	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/12/22 10:47	05/12/22 16:08	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/12/22 16:08	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/12/22 10:47	05/12/22 16:08	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/12/22 10:47	05/12/22 16:08	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/12/22 16:08	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/12/22 16:08	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/12/22 16:08	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/12/22 10:47	05/12/22 16:08	88-74-4	
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/12/22 16:08	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-28 (4.0-5.0) **Lab ID: 40244491008** Collected: 05/05/22 10:45 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/12/22 16:08		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/12/22 16:08	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 16:08	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/12/22 10:47	05/12/22 16:08	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/12/22 10:47	05/12/22 16:08	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/12/22 10:47	05/12/22 16:08	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 16:08	106-47-8	3q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/12/22 16:08	7005-72-3	
4-Nitroaniline	<0.089	mg/kg	0.30	0.089	1	05/12/22 10:47	05/12/22 16:08	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/12/22 16:08	100-02-7	
Acenaphthene	<0.076	mg/kg	0.25	0.076	1	05/12/22 10:47	05/12/22 16:08	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/12/22 10:47	05/12/22 16:08	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 16:08	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 16:08	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/12/22 16:08	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/12/22 16:08	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/12/22 16:08	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/12/22 10:47	05/12/22 16:08	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 16:08	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 16:08	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/12/22 16:08	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/12/22 16:08	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/12/22 10:47	05/12/22 16:08	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/12/22 16:08	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/12/22 10:47	05/12/22 16:08	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 16:08	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.093	0.028	1	05/12/22 10:47	05/12/22 16:08	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/12/22 16:08	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/12/22 10:47	05/12/22 16:08	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/12/22 16:08	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 16:08	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/12/22 10:47	05/12/22 16:08	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 16:08	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/12/22 16:08	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 16:08	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 16:08	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.97	0.29	1	05/12/22 10:47	05/12/22 16:08	86-30-6	
Naphthalene	<0.075	mg/kg	0.25	0.075	1	05/12/22 10:47	05/12/22 16:08	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/12/22 10:47	05/12/22 16:08	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/12/22 16:08	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/12/22 10:47	05/12/22 16:08	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/12/22 10:47	05/12/22 16:08	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/12/22 16:08	129-00-0	
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/12/22 16:08	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-28 (4.0-5.0) **Lab ID: 40244491008** Collected: 05/05/22 10:45 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/12/22 16:08	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 16:08	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	56	%	10-125		1	05/12/22 10:47	05/12/22 16:08	4165-60-0	
2-Fluorobiphenyl (S)	48	%	12-118		1	05/12/22 10:47	05/12/22 16:08	321-60-8	
Terphenyl-d14 (S)	66	%	10-124		1	05/12/22 10:47	05/12/22 16:08	1718-51-0	
Phenol-d6 (S)	47	%	10-125		1	05/12/22 10:47	05/12/22 16:08	13127-88-3	
2-Fluorophenol (S)	45	%	10-130		1	05/12/22 10:47	05/12/22 16:08	367-12-4	
2,4,6-Tribromophenol (S)	60	%	10-144		1	05/12/22 10:47	05/12/22 16:08	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/12/22 06:00	05/12/22 15:49	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0025	mg/kg	0.0050	0.0025	1	05/12/22 06:00	05/12/22 15:49	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/12/22 06:00	05/12/22 15:49	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/12/22 06:00	05/12/22 15:49	75-34-3	
1,1-Dichloroethene	<0.0010	mg/kg	0.0050	0.0010	1	05/12/22 06:00	05/12/22 15:49	75-35-4	
1,2-Dichloroethane	<0.00082	mg/kg	0.0050	0.00082	1	05/12/22 06:00	05/12/22 15:49	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/12/22 06:00	05/12/22 15:49	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/12/22 06:00	05/12/22 15:49	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/12/22 06:00	05/12/22 15:49	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/12/22 06:00	05/12/22 15:49	108-10-1	
Acetone	<0.047	mg/kg	0.099	0.047	1	05/12/22 06:00	05/12/22 15:49	67-64-1	
Benzene	<0.00070	mg/kg	0.0050	0.00070	1	05/12/22 06:00	05/12/22 15:49	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/12/22 06:00	05/12/22 15:49	75-27-4	
Bromoform	<0.0081	mg/kg	0.020	0.0081	1	05/12/22 06:00	05/12/22 15:49	75-25-2	
Bromomethane	<0.0044	mg/kg	0.0050	0.0044	1	05/12/22 06:00	05/12/22 15:49	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/12/22 06:00	05/12/22 15:49	75-15-0	
Carbon tetrachloride	<0.0031	mg/kg	0.0050	0.0031	1	05/12/22 06:00	05/12/22 15:49	56-23-5	
Chlorobenzene	<0.00092	mg/kg	0.0050	0.00092	1	05/12/22 06:00	05/12/22 15:49	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0050	0.0036	1	05/12/22 06:00	05/12/22 15:49	75-00-3	
Chloroform	<0.00084	mg/kg	0.0050	0.00084	1	05/12/22 06:00	05/12/22 15:49	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/12/22 06:00	05/12/22 15:49	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/12/22 06:00	05/12/22 15:49	124-48-1	
Ethylbenzene	<0.00089	mg/kg	0.0050	0.00089	1	05/12/22 06:00	05/12/22 15:49	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0050	0.0020	1	05/12/22 06:00	05/12/22 15:49	1634-04-4	
Methylene Chloride	<0.0039	mg/kg	0.0050	0.0039	1	05/12/22 06:00	05/12/22 15:49	75-09-2	
Styrene	<0.00071	mg/kg	0.0050	0.00071	1	05/12/22 06:00	05/12/22 15:49	100-42-5	
Tetrachloroethene	<0.00088	mg/kg	0.0050	0.00088	1	05/12/22 06:00	05/12/22 15:49	127-18-4	
Toluene	<0.00088	mg/kg	0.0050	0.00088	1	05/12/22 06:00	05/12/22 15:49	108-88-3	
Trichloroethene	<0.00071	mg/kg	0.0050	0.00071	1	05/12/22 06:00	05/12/22 15:49	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/12/22 06:00	05/12/22 15:49	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.0099	0.0034	1	05/12/22 06:00	05/12/22 15:49	1330-20-7	
cis-1,2-Dichloroethene	<0.00088	mg/kg	0.0050	0.00088	1	05/12/22 06:00	05/12/22 15:49	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-28 (4.0-5.0) **Lab ID: 40244491008** Collected: 05/05/22 10:45 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/12/22 06:00	05/12/22 15:49	10061-01-5	
trans-1,2-Dichloroethene	<0.00071	mg/kg	0.0050	0.00071	1	05/12/22 06:00	05/12/22 15:49	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/12/22 06:00	05/12/22 15:49	10061-02-6	
Surrogates									
Toluene-d8 (S)	92	%	69-156		1	05/12/22 06:00	05/12/22 15:49	2037-26-5	
4-Bromofluorobenzene (S)	80	%	61-175		1	05/12/22 06:00	05/12/22 15:49	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1	05/12/22 06:00	05/12/22 15:49	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.8	%	0.10	0.10	1		05/11/22 16:22		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.8	Std. Units	0.10	0.010	1		05/16/22 10:54		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.37	mg/kg	1.1	0.37	1	05/11/22 11:10	05/11/22 14:10	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-40 (1.5-2.5) **Lab ID: 40244491009** Collected: 05/05/22 11:20 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00061	mg/kg	0.0031	0.00061	1	05/09/22 14:20	05/11/22 14:00	309-00-2	
alpha-BHC	<0.00066	mg/kg	0.0031	0.00066	1	05/09/22 14:20	05/11/22 14:00	319-84-6	
beta-BHC	<0.00059	mg/kg	0.0031	0.00059	1	05/09/22 14:20	05/11/22 14:00	319-85-7	
delta-BHC	<0.00083	mg/kg	0.0031	0.00083	1	05/09/22 14:20	05/11/22 14:00	319-86-8	
gamma-BHC (Lindane)	<0.00057	mg/kg	0.0031	0.00057	1	05/09/22 14:20	05/11/22 14:00	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.063	0.013	1	05/09/22 14:20	05/11/22 14:00	57-74-9	
alpha-Chlordane	<0.00056	mg/kg	0.0031	0.00056	1	05/09/22 14:20	05/11/22 14:00	5103-71-9	
gamma-Chlordane	<0.00066	mg/kg	0.0031	0.00066	1	05/09/22 14:20	05/11/22 14:00	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0063	0.0012	1	05/09/22 14:20	05/11/22 14:00	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0063	0.0010	1	05/09/22 14:20	05/11/22 14:00	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0063	0.0020	1	05/09/22 14:20	05/11/22 14:00	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0063	0.0011	1	05/09/22 14:20	05/11/22 14:00	60-57-1	
Endosulfan I	<0.00052	mg/kg	0.0031	0.00052	1	05/09/22 14:20	05/11/22 14:00	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0063	0.0010	1	05/09/22 14:20	05/11/22 14:00	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0063	0.0012	1	05/09/22 14:20	05/11/22 14:00	1031-07-8	
Endrin	<0.0011	mg/kg	0.0063	0.0011	1	05/09/22 14:20	05/11/22 14:00	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0063	0.0014	1	05/09/22 14:20	05/11/22 14:00	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0063	0.0016	1	05/09/22 14:20	05/11/22 14:00	53494-70-5	
Heptachlor	<0.00056	mg/kg	0.0031	0.00056	1	05/09/22 14:20	05/11/22 14:00	76-44-8	
Heptachlor epoxide	<0.00053	mg/kg	0.0031	0.00053	1	05/09/22 14:20	05/11/22 14:00	1024-57-3	
Methoxychlor	<0.0072	mg/kg	0.031	0.0072	1	05/09/22 14:20	05/11/22 14:00	72-43-5	
Toxaphene	<0.022	mg/kg	0.063	0.022	1	05/09/22 14:20	05/11/22 14:00	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	54	%	10-147		1	05/09/22 14:20	05/11/22 14:00	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 11:23	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 11:23	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 11:23	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 11:23	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 11:23	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 11:23	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 11:23	11096-82-5	
PCB, Total	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 11:23	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	92	%	50-99		1	05/09/22 18:42	05/11/22 11:23	877-09-8	
Decachlorobiphenyl (S)	92	%	38-95		1	05/09/22 18:42	05/11/22 11:23	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	12100	mg/kg	37.2	7.5	1	05/09/22 17:19	05/14/22 00:44	7429-90-5	
Antimony	<0.12	mg/kg	0.62	0.12	1	05/09/22 17:19	05/14/22 00:44	7440-36-0	
Arsenic	7.1	mg/kg	0.62	0.14	1	05/09/22 17:19	05/14/22 00:44	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-40 (1.5-2.5) **Lab ID: 40244491009** Collected: 05/05/22 11:20 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	126	mg/kg	0.37	0.066	1	05/09/22 17:19	05/14/22 00:44	7440-39-3	
Beryllium	0.71	mg/kg	0.25	0.049	1	05/09/22 17:19	05/14/22 00:44	7440-41-7	
Cadmium	0.089J	mg/kg	0.099	0.039	1	05/09/22 17:19	05/14/22 00:44	7440-43-9	
Calcium	3960	mg/kg	124	14.6	1	05/09/22 17:19	05/14/22 00:44	7440-70-2	
Chromium	15.2	mg/kg	2.5	0.17	1	05/09/22 17:19	05/14/22 00:44	7440-47-3	
Cobalt	5.5	mg/kg	0.62	0.12	1	05/09/22 17:19	05/14/22 00:44	7440-48-4	
Copper	13.6	mg/kg	1.2	0.30	1	05/09/22 17:19	05/14/22 00:44	7440-50-8	
Iron	17400	mg/kg	62.1	13.0	1	05/09/22 17:19	05/14/22 00:44	7439-89-6	
Lead	11.8	mg/kg	0.62	0.036	1	05/09/22 17:19	05/14/22 00:44	7439-92-1	
Magnesium	2480	mg/kg	37.2	5.3	1	05/09/22 17:19	05/14/22 00:44	7439-95-4	
Manganese	203	mg/kg	0.62	0.30	1	05/09/22 17:19	05/14/22 00:44	7439-96-5	
Nickel	11.0	mg/kg	0.62	0.25	1	05/09/22 17:19	05/14/22 00:44	7440-02-0	
Potassium	970	mg/kg	124	14.3	1	05/09/22 17:19	05/14/22 00:44	7440-09-7	
Selenium	0.93	mg/kg	0.62	0.11	1	05/09/22 17:19	05/14/22 00:44	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/09/22 17:19	05/16/22 20:54	7440-22-4	
Sodium	73.1	mg/kg	62.1	13.8	1	05/09/22 17:19	05/14/22 00:44	7440-23-5	
Thallium	0.15	mg/kg	0.12	0.045	1	05/09/22 17:19	05/14/22 00:44	7440-28-0	
Vanadium	30.9	mg/kg	1.2	0.22	1	05/09/22 17:19	05/14/22 00:44	7440-62-2	
Zinc	42.9	mg/kg	6.2	1.1	1	05/09/22 17:19	05/14/22 00:44	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.031J	mg/kg	0.039	0.011	1	05/12/22 09:25	05/13/22 10:35	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.048	mg/kg	0.16	0.048	2	05/12/22 10:47	05/13/22 15:06	120-82-1	
1,2-Dichlorobenzene	<0.13	mg/kg	0.44	0.13	2	05/12/22 10:47	05/13/22 15:06	95-50-1	
1,3-Dichlorobenzene	<0.058	mg/kg	0.19	0.058	2	05/12/22 10:47	05/13/22 15:06	541-73-1	
1,4-Dichlorobenzene	<0.059	mg/kg	0.20	0.059	2	05/12/22 10:47	05/13/22 15:06	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.11	mg/kg	0.36	0.11	2	05/12/22 10:47	05/13/22 15:06	108-60-1	
2,4,5-Trichlorophenol	<0.075	mg/kg	0.25	0.075	2	05/12/22 10:47	05/13/22 15:06	95-95-4	
2,4,6-Trichlorophenol	<0.064	mg/kg	0.21	0.064	2	05/12/22 10:47	05/13/22 15:06	88-06-2	
2,4-Dichlorophenol	<0.11	mg/kg	0.38	0.11	2	05/12/22 10:47	05/13/22 15:06	120-83-2	
2,4-Dimethylphenol	<0.083	mg/kg	0.28	0.083	2	05/12/22 10:47	05/13/22 15:06	105-67-9	
2,4-Dinitrophenol	<0.13	mg/kg	0.43	0.13	2	05/12/22 10:47	05/13/22 15:06	51-28-5	
2,4-Dinitrotoluene	<0.060	mg/kg	0.20	0.060	2	05/12/22 10:47	05/13/22 15:06	121-14-2	
2,6-Dinitrotoluene	<0.080	mg/kg	0.27	0.080	2	05/12/22 10:47	05/13/22 15:06	606-20-2	
2-Chloronaphthalene	<0.054	mg/kg	0.18	0.054	2	05/12/22 10:47	05/13/22 15:06	91-58-7	
2-Chlorophenol	<0.11	mg/kg	0.35	0.11	2	05/12/22 10:47	05/13/22 15:06	95-57-8	
2-Methylnaphthalene	<0.11	mg/kg	0.37	0.11	2	05/12/22 10:47	05/13/22 15:06	91-57-6	
2-Methylphenol(o-Cresol)	<0.077	mg/kg	0.26	0.077	2	05/12/22 10:47	05/13/22 15:06	95-48-7	
2-Nitroaniline	<0.12	mg/kg	0.40	0.12	2	05/12/22 10:47	05/13/22 15:06	88-74-4	
2-Nitrophenol	<0.13	mg/kg	0.44	0.13	2	05/12/22 10:47	05/13/22 15:06	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-40 (1.5-2.5) Lab ID: **40244491009** Collected: 05/05/22 11:20 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.077	mg/kg	0.26	0.077	2	05/12/22 10:47	05/13/22 15:06		
3,3'-Dichlorobenzidine	<0.11	mg/kg	0.38	0.11	2	05/12/22 10:47	05/13/22 15:06	91-94-1	
3-Nitroaniline	<0.072	mg/kg	0.24	0.072	2	05/12/22 10:47	05/13/22 15:06	99-09-2	
4,6-Dinitro-2-methylphenol	<0.13	mg/kg	0.43	0.13	2	05/12/22 10:47	05/13/22 15:06	534-52-1	
4-Bromophenylphenyl ether	<0.088	mg/kg	0.29	0.088	2	05/12/22 10:47	05/13/22 15:06	101-55-3	
4-Chloro-3-methylphenol	<0.13	mg/kg	0.44	0.13	2	05/12/22 10:47	05/13/22 15:06	59-50-7	
4-Chloroaniline	<0.069	mg/kg	0.23	0.069	2	05/12/22 10:47	05/13/22 15:06	106-47-8	1q
4-Chlorophenylphenyl ether	<0.079	mg/kg	0.26	0.079	2	05/12/22 10:47	05/13/22 15:06	7005-72-3	
4-Nitroaniline	<0.18	mg/kg	0.58	0.18	2	05/12/22 10:47	05/13/22 15:06	100-01-6	
4-Nitrophenol	<0.11	mg/kg	0.35	0.11	2	05/12/22 10:47	05/13/22 15:06	100-02-7	
Acenaphthene	<0.15	mg/kg	0.50	0.15	2	05/12/22 10:47	05/13/22 15:06	83-32-9	
Acenaphthylene	<0.15	mg/kg	0.50	0.15	2	05/12/22 10:47	05/13/22 15:06	208-96-8	
Anthracene	<0.067	mg/kg	0.22	0.067	2	05/12/22 10:47	05/13/22 15:06	120-12-7	
Benzo(a)anthracene	<0.065	mg/kg	0.22	0.065	2	05/12/22 10:47	05/13/22 15:06	56-55-3	
Benzo(a)pyrene	<0.063	mg/kg	0.21	0.063	2	05/12/22 10:47	05/13/22 15:06	50-32-8	
Benzo(b)fluoranthene	<0.072	mg/kg	0.24	0.072	2	05/12/22 10:47	05/13/22 15:06	205-99-2	
Benzo(g,h,i)perylene	<0.11	mg/kg	0.37	0.11	2	05/12/22 10:47	05/13/22 15:06	191-24-2	
Benzo(k)fluoranthene	<0.10	mg/kg	0.34	0.10	2	05/12/22 10:47	05/13/22 15:06	207-08-9	
Butylbenzylphthalate	<0.068	mg/kg	0.23	0.068	2	05/12/22 10:47	05/13/22 15:06	85-68-7	
Carbazole	<0.066	mg/kg	0.22	0.066	2	05/12/22 10:47	05/13/22 15:06	86-74-8	
Chrysene	<0.063	mg/kg	0.21	0.063	2	05/12/22 10:47	05/13/22 15:06	218-01-9	
Di-n-butylphthalate	<0.063	mg/kg	0.21	0.063	2	05/12/22 10:47	05/13/22 15:06	84-74-2	
Di-n-octylphthalate	<0.095	mg/kg	0.32	0.095	2	05/12/22 10:47	05/13/22 15:06	117-84-0	
Dibenz(a,h)anthracene	<0.11	mg/kg	0.38	0.11	2	05/12/22 10:47	05/13/22 15:06	53-70-3	
Dibenzofuran	<0.051	mg/kg	0.17	0.051	2	05/12/22 10:47	05/13/22 15:06	132-64-9	
Diethylphthalate	<0.070	mg/kg	0.23	0.070	2	05/12/22 10:47	05/13/22 15:06	84-66-2	
Dimethylphthalate	<0.055	mg/kg	0.18	0.055	2	05/12/22 10:47	05/13/22 15:06	131-11-3	
Fluoranthene	<0.060	mg/kg	0.20	0.060	2	05/12/22 10:47	05/13/22 15:06	206-44-0	
Fluorene	<0.049	mg/kg	0.16	0.049	2	05/12/22 10:47	05/13/22 15:06	86-73-7	
Hexachloro-1,3-butadiene	<0.11	mg/kg	0.36	0.11	2	05/12/22 10:47	05/13/22 15:06	87-68-3	
Hexachlorobenzene	<0.071	mg/kg	0.24	0.071	2	05/12/22 10:47	05/13/22 15:06	118-74-1	
Hexachlorocyclopentadiene	<0.10	mg/kg	0.33	0.10	2	05/12/22 10:47	05/13/22 15:06	77-47-4	
Hexachloroethane	<0.068	mg/kg	0.23	0.068	2	05/12/22 10:47	05/13/22 15:06	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.091	mg/kg	0.30	0.091	2	05/12/22 10:47	05/13/22 15:06	193-39-5	
Isophorone	<0.065	mg/kg	0.22	0.065	2	05/12/22 10:47	05/13/22 15:06	78-59-1	
N-Nitroso-di-n-propylamine	<0.067	mg/kg	0.22	0.067	2	05/12/22 10:47	05/13/22 15:06	621-64-7	
N-Nitrosodiphenylamine	<0.57	mg/kg	1.9	0.57	2	05/12/22 10:47	05/13/22 15:06	86-30-6	
Naphthalene	<0.15	mg/kg	0.49	0.15	2	05/12/22 10:47	05/13/22 15:06	91-20-3	
Nitrobenzene	<0.086	mg/kg	0.29	0.086	2	05/12/22 10:47	05/13/22 15:06	98-95-3	
Pentachlorophenol	<0.093	mg/kg	0.31	0.093	2	05/12/22 10:47	05/13/22 15:06	87-86-5	
Phenanthrene	<0.054	mg/kg	0.18	0.054	2	05/12/22 10:47	05/13/22 15:06	85-01-8	
Phenol	<0.10	mg/kg	0.33	0.10	2	05/12/22 10:47	05/13/22 15:06	108-95-2	D3
Pyrene	<0.094	mg/kg	0.31	0.094	2	05/12/22 10:47	05/13/22 15:06	129-00-0	
bis(2-Chloroethoxy)methane	<0.11	mg/kg	0.38	0.11	2	05/12/22 10:47	05/13/22 15:06	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-40 (1.5-2.5) **Lab ID: 40244491009** Collected: 05/05/22 11:20 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.13	mg/kg	0.44	0.13	2	05/12/22 10:47	05/13/22 15:06	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.070	mg/kg	0.23	0.070	2	05/12/22 10:47	05/13/22 15:06	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	58	%	10-125		2	05/12/22 10:47	05/13/22 15:06	4165-60-0	
2-Fluorobiphenyl (S)	50	%	12-118		2	05/12/22 10:47	05/13/22 15:06	321-60-8	
Terphenyl-d14 (S)	65	%	10-124		2	05/12/22 10:47	05/13/22 15:06	1718-51-0	
Phenol-d6 (S)	46	%	10-125		2	05/12/22 10:47	05/13/22 15:06	13127-88-3	
2-Fluorophenol (S)	50	%	10-130		2	05/12/22 10:47	05/13/22 15:06	367-12-4	
2,4,6-Tribromophenol (S)	67	%	10-144		2	05/12/22 10:47	05/13/22 15:06	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0049	0.0015	1	05/12/22 06:00	05/12/22 16:14	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0025	mg/kg	0.0049	0.0025	1	05/12/22 06:00	05/12/22 16:14	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0049	0.0015	1	05/12/22 06:00	05/12/22 16:14	79-00-5	
1,1-Dichloroethane	<0.0010	mg/kg	0.0049	0.0010	1	05/12/22 06:00	05/12/22 16:14	75-34-3	
1,1-Dichloroethene	<0.0010	mg/kg	0.0049	0.0010	1	05/12/22 06:00	05/12/22 16:14	75-35-4	
1,2-Dichloroethane	<0.00080	mg/kg	0.0049	0.00080	1	05/12/22 06:00	05/12/22 16:14	107-06-2	
1,2-Dichloropropane	<0.00099	mg/kg	0.0049	0.00099	1	05/12/22 06:00	05/12/22 16:14	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.024	0.015	1	05/12/22 06:00	05/12/22 16:14	78-93-3	
2-Hexanone	<0.011	mg/kg	0.024	0.011	1	05/12/22 06:00	05/12/22 16:14	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.019	mg/kg	0.024	0.019	1	05/12/22 06:00	05/12/22 16:14	108-10-1	
Acetone	<0.046	mg/kg	0.098	0.046	1	05/12/22 06:00	05/12/22 16:14	67-64-1	
Benzene	<0.00069	mg/kg	0.0049	0.00069	1	05/12/22 06:00	05/12/22 16:14	71-43-2	
Bromodichloromethane	<0.00066	mg/kg	0.0049	0.00066	1	05/12/22 06:00	05/12/22 16:14	75-27-4	
Bromoform	<0.0079	mg/kg	0.020	0.0079	1	05/12/22 06:00	05/12/22 16:14	75-25-2	
Bromomethane	<0.0044	mg/kg	0.0049	0.0044	1	05/12/22 06:00	05/12/22 16:14	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0049	0.0011	1	05/12/22 06:00	05/12/22 16:14	75-15-0	
Carbon tetrachloride	<0.0031	mg/kg	0.0049	0.0031	1	05/12/22 06:00	05/12/22 16:14	56-23-5	
Chlorobenzene	<0.00090	mg/kg	0.0049	0.00090	1	05/12/22 06:00	05/12/22 16:14	108-90-7	
Chloroethane	<0.0035	mg/kg	0.0049	0.0035	1	05/12/22 06:00	05/12/22 16:14	75-00-3	
Chloroform	<0.00083	mg/kg	0.0049	0.00083	1	05/12/22 06:00	05/12/22 16:14	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0049	0.0011	1	05/12/22 06:00	05/12/22 16:14	74-87-3	
Dibromochloromethane	<0.00098	mg/kg	0.0049	0.00098	1	05/12/22 06:00	05/12/22 16:14	124-48-1	
Ethylbenzene	<0.00087	mg/kg	0.0049	0.00087	1	05/12/22 06:00	05/12/22 16:14	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0049	0.0020	1	05/12/22 06:00	05/12/22 16:14	1634-04-4	
Methylene Chloride	<0.0039	mg/kg	0.0049	0.0039	1	05/12/22 06:00	05/12/22 16:14	75-09-2	
Styrene	<0.00069	mg/kg	0.0049	0.00069	1	05/12/22 06:00	05/12/22 16:14	100-42-5	
Tetrachloroethene	<0.00087	mg/kg	0.0049	0.00087	1	05/12/22 06:00	05/12/22 16:14	127-18-4	
Toluene	<0.00086	mg/kg	0.0049	0.00086	1	05/12/22 06:00	05/12/22 16:14	108-88-3	
Trichloroethene	<0.00070	mg/kg	0.0049	0.00070	1	05/12/22 06:00	05/12/22 16:14	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0049	0.0013	1	05/12/22 06:00	05/12/22 16:14	75-01-4	
Xylene (Total)	<0.0033	mg/kg	0.0098	0.0033	1	05/12/22 06:00	05/12/22 16:14	1330-20-7	
cis-1,2-Dichloroethene	<0.00086	mg/kg	0.0049	0.00086	1	05/12/22 06:00	05/12/22 16:14	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-40 (1.5-2.5) Lab ID: 40244491009 Collected: 05/05/22 11:20 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0049	0.0010	1	05/12/22 06:00	05/12/22 16:14	10061-01-5	
trans-1,2-Dichloroethene	<0.00070	mg/kg	0.0049	0.00070	1	05/12/22 06:00	05/12/22 16:14	156-60-5	
trans-1,3-Dichloropropene	<0.00098	mg/kg	0.0049	0.00098	1	05/12/22 06:00	05/12/22 16:14	10061-02-6	
Surrogates									
Toluene-d8 (S)	95	%	69-156		1	05/12/22 06:00	05/12/22 16:14	2037-26-5	
4-Bromofluorobenzene (S)	84	%	61-175		1	05/12/22 06:00	05/12/22 16:14	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1	05/12/22 06:00	05/12/22 16:14	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.0	%	0.10	0.10	1		05/11/22 16:22		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.5	Std. Units	0.10	0.010	1		05/16/22 10:57		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.28	mg/kg	0.84	0.28	1	05/11/22 11:10	05/11/22 14:12	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-40 (4.0-5.0) **Lab ID: 40244491010** Collected: 05/05/22 11:25 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00059	mg/kg	0.0031	0.00059	1	05/09/22 14:20	05/11/22 14:13	309-00-2	
alpha-BHC	<0.00064	mg/kg	0.0031	0.00064	1	05/09/22 14:20	05/11/22 14:13	319-84-6	
beta-BHC	<0.00058	mg/kg	0.0031	0.00058	1	05/09/22 14:20	05/11/22 14:13	319-85-7	
delta-BHC	<0.00080	mg/kg	0.0031	0.00080	1	05/09/22 14:20	05/11/22 14:13	319-86-8	
gamma-BHC (Lindane)	<0.00056	mg/kg	0.0031	0.00056	1	05/09/22 14:20	05/11/22 14:13	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.061	0.013	1	05/09/22 14:20	05/11/22 14:13	57-74-9	
alpha-Chlordane	<0.00054	mg/kg	0.0031	0.00054	1	05/09/22 14:20	05/11/22 14:13	5103-71-9	
gamma-Chlordane	<0.00064	mg/kg	0.0031	0.00064	1	05/09/22 14:20	05/11/22 14:13	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0061	0.0012	1	05/09/22 14:20	05/11/22 14:13	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0061	0.0010	1	05/09/22 14:20	05/11/22 14:13	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0061	0.0020	1	05/09/22 14:20	05/11/22 14:13	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0061	0.0011	1	05/09/22 14:20	05/11/22 14:13	60-57-1	
Endosulfan I	<0.00051	mg/kg	0.0031	0.00051	1	05/09/22 14:20	05/11/22 14:13	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0061	0.0010	1	05/09/22 14:20	05/11/22 14:13	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0061	0.0012	1	05/09/22 14:20	05/11/22 14:13	1031-07-8	
Endrin	<0.0011	mg/kg	0.0061	0.0011	1	05/09/22 14:20	05/11/22 14:13	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0061	0.0014	1	05/09/22 14:20	05/11/22 14:13	7421-93-4	
Endrin ketone	<0.0015	mg/kg	0.0061	0.0015	1	05/09/22 14:20	05/11/22 14:13	53494-70-5	
Heptachlor	<0.00055	mg/kg	0.0031	0.00055	1	05/09/22 14:20	05/11/22 14:13	76-44-8	
Heptachlor epoxide	<0.00052	mg/kg	0.0031	0.00052	1	05/09/22 14:20	05/11/22 14:13	1024-57-3	
Methoxychlor	<0.0070	mg/kg	0.031	0.0070	1	05/09/22 14:20	05/11/22 14:13	72-43-5	
Toxaphene	<0.022	mg/kg	0.061	0.022	1	05/09/22 14:20	05/11/22 14:13	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	42	%	10-147		1	05/09/22 14:20	05/11/22 14:13	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 11:45	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 11:45	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 11:45	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 11:45	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 11:45	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 11:45	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 11:45	11096-82-5	
PCB, Total	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 11:45	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	91	%	50-99		1	05/09/22 18:42	05/11/22 11:45	877-09-8	
Decachlorobiphenyl (S)	92	%	38-95		1	05/09/22 18:42	05/11/22 11:45	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	13700	mg/kg	37.8	7.6	1	05/09/22 17:19	05/14/22 01:00	7429-90-5	
Antimony	0.20J	mg/kg	0.63	0.12	1	05/09/22 17:19	05/14/22 01:00	7440-36-0	
Arsenic	11.4	mg/kg	0.63	0.14	1	05/09/22 17:19	05/14/22 01:00	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-40 (4.0-5.0) **Lab ID: 40244491010** Collected: 05/05/22 11:25 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	134	mg/kg	0.38	0.067	1	05/09/22 17:19	05/14/22 01:00	7440-39-3	
Beryllium	0.69	mg/kg	0.25	0.050	1	05/09/22 17:19	05/14/22 01:00	7440-41-7	
Cadmium	0.24	mg/kg	0.10	0.040	1	05/09/22 17:19	05/14/22 01:00	7440-43-9	
Calcium	20700	mg/kg	126	14.9	1	05/09/22 17:19	05/14/22 01:00	7440-70-2	
Chromium	20.0	mg/kg	2.5	0.18	1	05/09/22 17:19	05/14/22 01:00	7440-47-3	
Cobalt	6.1	mg/kg	0.63	0.12	1	05/09/22 17:19	05/14/22 01:00	7440-48-4	
Copper	17.6	mg/kg	1.3	0.30	1	05/09/22 17:19	05/14/22 01:00	7440-50-8	
Iron	24800	mg/kg	62.9	13.2	1	05/09/22 17:19	05/14/22 01:00	7439-89-6	
Lead	10.7	mg/kg	0.63	0.037	1	05/09/22 17:19	05/14/22 01:00	7439-92-1	
Magnesium	9590	mg/kg	37.8	5.4	1	05/09/22 17:19	05/14/22 01:00	7439-95-4	
Manganese	147	mg/kg	0.63	0.31	1	05/09/22 17:19	05/14/22 01:00	7439-96-5	
Nickel	18.8	mg/kg	0.63	0.25	1	05/09/22 17:19	05/14/22 01:00	7440-02-0	
Potassium	810	mg/kg	126	14.5	1	05/09/22 17:19	05/14/22 01:00	7440-09-7	
Selenium	0.26J	mg/kg	0.63	0.11	1	05/09/22 17:19	05/14/22 01:00	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/09/22 17:19	05/16/22 20:57	7440-22-4	
Sodium	64.7	mg/kg	62.9	14.0	1	05/09/22 17:19	05/14/22 01:00	7440-23-5	
Thallium	0.18	mg/kg	0.13	0.046	1	05/09/22 17:19	05/14/22 01:00	7440-28-0	
Vanadium	33.7	mg/kg	1.3	0.22	1	05/09/22 17:19	05/14/22 01:00	7440-62-2	
Zinc	60.0	mg/kg	6.3	1.1	1	05/09/22 17:19	05/14/22 01:00	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.030J	mg/kg	0.043	0.012	1	05/12/22 09:25	05/13/22 10:37	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/12/22 10:47	05/13/22 15:27	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/13/22 15:27	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/12/22 10:47	05/13/22 15:27	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/12/22 10:47	05/13/22 15:27	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/13/22 15:27	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/13/22 15:27	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 15:27	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/13/22 15:27	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/12/22 10:47	05/13/22 15:27	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/12/22 10:47	05/13/22 15:27	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/13/22 15:27	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/13/22 15:27	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/12/22 10:47	05/13/22 15:27	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/13/22 15:27	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/13/22 15:27	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/13/22 15:27	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/12/22 10:47	05/13/22 15:27	88-74-4	
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/13/22 15:27	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-40 (4.0-5.0) **Lab ID: 40244491010** Collected: 05/05/22 11:25 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/13/22 15:27		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/13/22 15:27	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/13/22 15:27	99-09-2	
4,6-Dinitro-2-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/12/22 10:47	05/13/22 15:27	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/12/22 10:47	05/13/22 15:27	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/12/22 10:47	05/13/22 15:27	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 15:27	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/13/22 15:27	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/12/22 10:47	05/13/22 15:27	100-01-6	
4-Nitrophenol	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/13/22 15:27	100-02-7	
Acenaphthene	<0.075	mg/kg	0.25	0.075	1	05/12/22 10:47	05/13/22 15:27	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/12/22 10:47	05/13/22 15:27	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 15:27	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 15:27	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 15:27	50-32-8	
Benzo(b)fluoranthene	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/13/22 15:27	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/13/22 15:27	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/12/22 10:47	05/13/22 15:27	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 15:27	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 15:27	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 15:27	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 15:27	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/12/22 10:47	05/13/22 15:27	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/13/22 15:27	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/12/22 10:47	05/13/22 15:27	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 15:27	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.092	0.028	1	05/12/22 10:47	05/13/22 15:27	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/13/22 15:27	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/12/22 10:47	05/13/22 15:27	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/13/22 15:27	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/13/22 15:27	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/12/22 10:47	05/13/22 15:27	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 15:27	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/13/22 15:27	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 15:27	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 15:27	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/12/22 10:47	05/13/22 15:27	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/12/22 10:47	05/13/22 15:27	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/12/22 10:47	05/13/22 15:27	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/13/22 15:27	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/12/22 10:47	05/13/22 15:27	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/12/22 10:47	05/13/22 15:27	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/13/22 15:27	129-00-0	
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/13/22 15:27	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-40 (4.0-5.0) **Lab ID: 40244491010** Collected: 05/05/22 11:25 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.066	mg/kg	0.22	0.066	1	05/12/22 10:47	05/13/22 15:27	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 15:27	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	60	%	10-125		1	05/12/22 10:47	05/13/22 15:27	4165-60-0	
2-Fluorobiphenyl (S)	43	%	12-118		1	05/12/22 10:47	05/13/22 15:27	321-60-8	
Terphenyl-d14 (S)	62	%	10-124		1	05/12/22 10:47	05/13/22 15:27	1718-51-0	
Phenol-d6 (S)	53	%	10-125		1	05/12/22 10:47	05/13/22 15:27	13127-88-3	
2-Fluorophenol (S)	57	%	10-130		1	05/12/22 10:47	05/13/22 15:27	367-12-4	
2,4,6-Tribromophenol (S)	68	%	10-144		1	05/12/22 10:47	05/13/22 15:27	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0014	mg/kg	0.0047	0.0014	1	05/12/22 06:00	05/12/22 16:38	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0024	mg/kg	0.0047	0.0024	1	05/12/22 06:00	05/12/22 16:38	79-34-5	
1,1,2-Trichloroethane	<0.0014	mg/kg	0.0047	0.0014	1	05/12/22 06:00	05/12/22 16:38	79-00-5	
1,1-Dichloroethane	<0.0010	mg/kg	0.0047	0.0010	1	05/12/22 06:00	05/12/22 16:38	75-34-3	
1,1-Dichloroethene	<0.00099	mg/kg	0.0047	0.00099	1	05/12/22 06:00	05/12/22 16:38	75-35-4	
1,2-Dichloroethane	<0.00078	mg/kg	0.0047	0.00078	1	05/12/22 06:00	05/12/22 16:38	107-06-2	
1,2-Dichloropropane	<0.00095	mg/kg	0.0047	0.00095	1	05/12/22 06:00	05/12/22 16:38	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.024	0.015	1	05/12/22 06:00	05/12/22 16:38	78-93-3	
2-Hexanone	<0.011	mg/kg	0.024	0.011	1	05/12/22 06:00	05/12/22 16:38	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.019	mg/kg	0.024	0.019	1	05/12/22 06:00	05/12/22 16:38	108-10-1	
Acetone	<0.045	mg/kg	0.094	0.045	1	05/12/22 06:00	05/12/22 16:38	67-64-1	
Benzene	<0.00067	mg/kg	0.0047	0.00067	1	05/12/22 06:00	05/12/22 16:38	71-43-2	
Bromodichloromethane	<0.00064	mg/kg	0.0047	0.00064	1	05/12/22 06:00	05/12/22 16:38	75-27-4	
Bromoform	<0.0077	mg/kg	0.019	0.0077	1	05/12/22 06:00	05/12/22 16:38	75-25-2	
Bromomethane	<0.0042	mg/kg	0.0047	0.0042	1	05/12/22 06:00	05/12/22 16:38	74-83-9	
Carbon disulfide	<0.0010	mg/kg	0.0047	0.0010	1	05/12/22 06:00	05/12/22 16:38	75-15-0	
Carbon tetrachloride	<0.0030	mg/kg	0.0047	0.0030	1	05/12/22 06:00	05/12/22 16:38	56-23-5	
Chlorobenzene	<0.00087	mg/kg	0.0047	0.00087	1	05/12/22 06:00	05/12/22 16:38	108-90-7	
Chloroethane	<0.0034	mg/kg	0.0047	0.0034	1	05/12/22 06:00	05/12/22 16:38	75-00-3	
Chloroform	<0.00080	mg/kg	0.0047	0.00080	1	05/12/22 06:00	05/12/22 16:38	67-66-3	
Chloromethane	<0.0010	mg/kg	0.0047	0.0010	1	05/12/22 06:00	05/12/22 16:38	74-87-3	
Dibromochloromethane	<0.00095	mg/kg	0.0047	0.00095	1	05/12/22 06:00	05/12/22 16:38	124-48-1	
Ethylbenzene	<0.00084	mg/kg	0.0047	0.00084	1	05/12/22 06:00	05/12/22 16:38	100-41-4	
Methyl-tert-butyl ether	<0.0019	mg/kg	0.0047	0.0019	1	05/12/22 06:00	05/12/22 16:38	1634-04-4	
Methylene Chloride	<0.0037	mg/kg	0.0047	0.0037	1	05/12/22 06:00	05/12/22 16:38	75-09-2	
Styrene	<0.00067	mg/kg	0.0047	0.00067	1	05/12/22 06:00	05/12/22 16:38	100-42-5	
Tetrachloroethene	<0.00084	mg/kg	0.0047	0.00084	1	05/12/22 06:00	05/12/22 16:38	127-18-4	
Toluene	<0.00083	mg/kg	0.0047	0.00083	1	05/12/22 06:00	05/12/22 16:38	108-88-3	
Trichloroethene	<0.00067	mg/kg	0.0047	0.00067	1	05/12/22 06:00	05/12/22 16:38	79-01-6	
Vinyl chloride	<0.0012	mg/kg	0.0047	0.0012	1	05/12/22 06:00	05/12/22 16:38	75-01-4	
Xylene (Total)	<0.0032	mg/kg	0.0094	0.0032	1	05/12/22 06:00	05/12/22 16:38	1330-20-7	
cis-1,2-Dichloroethene	<0.00083	mg/kg	0.0047	0.00083	1	05/12/22 06:00	05/12/22 16:38	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-40 (4.0-5.0) **Lab ID: 40244491010** Collected: 05/05/22 11:25 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.00096	mg/kg	0.0047	0.00096	1	05/12/22 06:00	05/12/22 16:38	10061-01-5	
trans-1,2-Dichloroethene	<0.00068	mg/kg	0.0047	0.00068	1	05/12/22 06:00	05/12/22 16:38	156-60-5	
trans-1,3-Dichloropropene	<0.00094	mg/kg	0.0047	0.00094	1	05/12/22 06:00	05/12/22 16:38	10061-02-6	
Surrogates									
Toluene-d8 (S)	100	%	69-156		1	05/12/22 06:00	05/12/22 16:38	2037-26-5	
4-Bromofluorobenzene (S)	79	%	61-175		1	05/12/22 06:00	05/12/22 16:38	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1	05/12/22 06:00	05/12/22 16:38	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.3	%	0.10	0.10	1		05/11/22 16:22		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.8	Std. Units	0.10	0.010	1		05/16/22 11:01		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.34	mg/kg	1.0	0.34	1	05/11/22 11:10	05/11/22 14:12	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-30 (1.5-2.5) **Lab ID: 40244491011** Collected: 05/05/22 13:25 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00063	mg/kg	0.0033	0.00063	1	05/09/22 14:20	05/11/22 14:25	309-00-2	
alpha-BHC	<0.00068	mg/kg	0.0033	0.00068	1	05/09/22 14:20	05/11/22 14:25	319-84-6	
beta-BHC	<0.00061	mg/kg	0.0033	0.00061	1	05/09/22 14:20	05/11/22 14:25	319-85-7	
delta-BHC	<0.00085	mg/kg	0.0033	0.00085	1	05/09/22 14:20	05/11/22 14:25	319-86-8	
gamma-BHC (Lindane)	<0.00059	mg/kg	0.0033	0.00059	1	05/09/22 14:20	05/11/22 14:25	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.065	0.013	1	05/09/22 14:20	05/11/22 14:25	57-74-9	
alpha-Chlordane	<0.00057	mg/kg	0.0033	0.00057	1	05/09/22 14:20	05/11/22 14:25	5103-71-9	
gamma-Chlordane	<0.00068	mg/kg	0.0033	0.00068	1	05/09/22 14:20	05/11/22 14:25	5103-74-2	
4,4'-DDD	<0.0013	mg/kg	0.0065	0.0013	1	05/09/22 14:20	05/11/22 14:25	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 14:20	05/11/22 14:25	72-55-9	
4,4'-DDT	<0.0021	mg/kg	0.0065	0.0021	1	05/09/22 14:20	05/11/22 14:25	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 14:20	05/11/22 14:25	60-57-1	
Endosulfan I	<0.00054	mg/kg	0.0033	0.00054	1	05/09/22 14:20	05/11/22 14:25	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 14:20	05/11/22 14:25	33213-65-9	
Endosulfan sulfate	<0.0013	mg/kg	0.0065	0.0013	1	05/09/22 14:20	05/11/22 14:25	1031-07-8	
Endrin	<0.0011	mg/kg	0.0065	0.0011	1	05/09/22 14:20	05/11/22 14:25	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0065	0.0015	1	05/09/22 14:20	05/11/22 14:25	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0065	0.0016	1	05/09/22 14:20	05/11/22 14:25	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0033	0.00058	1	05/09/22 14:20	05/11/22 14:25	76-44-8	
Heptachlor epoxide	<0.00055	mg/kg	0.0033	0.00055	1	05/09/22 14:20	05/11/22 14:25	1024-57-3	
Methoxychlor	<0.0074	mg/kg	0.033	0.0074	1	05/09/22 14:20	05/11/22 14:25	72-43-5	
Toxaphene	<0.023	mg/kg	0.065	0.023	1	05/09/22 14:20	05/11/22 14:25	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	63	%	10-147		1	05/09/22 14:20	05/11/22 14:25	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/09/22 18:42	05/11/22 12:07	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/09/22 18:42	05/11/22 12:07	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/09/22 18:42	05/11/22 12:07	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/09/22 18:42	05/11/22 12:07	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/09/22 18:42	05/11/22 12:07	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/09/22 18:42	05/11/22 12:07	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/09/22 18:42	05/11/22 12:07	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/09/22 18:42	05/11/22 12:07	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	90	%	50-99		1	05/09/22 18:42	05/11/22 12:07	877-09-8	
Decachlorobiphenyl (S)	88	%	38-95		1	05/09/22 18:42	05/11/22 12:07	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	19800	mg/kg	37.0	7.5	1	05/09/22 17:19	05/14/22 01:03	7429-90-5	
Antimony	0.13J	mg/kg	0.62	0.12	1	05/09/22 17:19	05/14/22 01:03	7440-36-0	
Arsenic	8.0	mg/kg	0.62	0.13	1	05/09/22 17:19	05/14/22 01:03	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-30 (1.5-2.5) **Lab ID: 40244491011** Collected: 05/05/22 13:25 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	214	mg/kg	0.37	0.066	1	05/09/22 17:19	05/14/22 01:03	7440-39-3	
Beryllium	0.92	mg/kg	0.25	0.049	1	05/09/22 17:19	05/14/22 01:03	7440-41-7	
Cadmium	0.072J	mg/kg	0.099	0.039	1	05/09/22 17:19	05/14/22 01:03	7440-43-9	
Calcium	5290	mg/kg	123	14.6	1	05/09/22 17:19	05/14/22 01:03	7440-70-2	
Chromium	23.7	mg/kg	2.5	0.17	1	05/09/22 17:19	05/14/22 01:03	7440-47-3	
Cobalt	6.9	mg/kg	0.62	0.12	1	05/09/22 17:19	05/14/22 01:03	7440-48-4	
Copper	18.0	mg/kg	1.2	0.30	1	05/09/22 17:19	05/14/22 01:03	7440-50-8	
Iron	24300	mg/kg	61.7	13.0	1	05/09/22 17:19	05/14/22 01:03	7439-89-6	
Lead	18.1	mg/kg	0.62	0.036	1	05/09/22 17:19	05/14/22 01:03	7439-92-1	
Magnesium	3400	mg/kg	37.0	5.3	1	05/09/22 17:19	05/14/22 01:03	7439-95-4	
Manganese	345	mg/kg	0.62	0.30	1	05/09/22 17:19	05/14/22 01:03	7439-96-5	
Nickel	16.9	mg/kg	0.62	0.25	1	05/09/22 17:19	05/14/22 01:03	7440-02-0	
Potassium	1260	mg/kg	123	14.2	1	05/09/22 17:19	05/14/22 01:03	7440-09-7	
Selenium	0.98	mg/kg	0.62	0.11	1	05/09/22 17:19	05/14/22 01:03	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/09/22 17:19	05/16/22 21:01	7440-22-4	
Sodium	49.9J	mg/kg	61.7	13.7	1	05/09/22 17:19	05/14/22 01:03	7440-23-5	
Thallium	0.24	mg/kg	0.12	0.045	1	05/09/22 17:19	05/14/22 01:03	7440-28-0	
Vanadium	40.5	mg/kg	1.2	0.22	1	05/09/22 17:19	05/14/22 01:03	7440-62-2	
Zinc	64.9	mg/kg	6.2	1.1	1	05/09/22 17:19	05/14/22 01:03	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.049	mg/kg	0.041	0.012	1	05/12/22 09:25	05/13/22 10:40	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.082	0.025	1	05/12/22 10:47	05/12/22 17:12	120-82-1	
1,2-Dichlorobenzene	<0.069	mg/kg	0.23	0.069	1	05/12/22 10:47	05/12/22 17:12	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/12/22 17:12	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/12/22 17:12	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/12/22 17:12	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/12/22 17:12	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 17:12	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/12/22 17:12	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/12/22 10:47	05/12/22 17:12	105-67-9	
2,4-Dinitrophenol	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/12/22 17:12	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/12/22 17:12	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/12/22 10:47	05/12/22 17:12	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/12/22 10:47	05/12/22 17:12	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/12/22 17:12	95-57-8	
2-Methylnaphthalene	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/12/22 17:12	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/12/22 17:12	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/12/22 10:47	05/12/22 17:12	88-74-4	
2-Nitrophenol	<0.069	mg/kg	0.23	0.069	1	05/12/22 10:47	05/12/22 17:12	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-30 (1.5-2.5) **Lab ID: 40244491011** Collected: 05/05/22 13:25 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/12/22 17:12		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/12/22 10:47	05/12/22 17:12	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/12/22 17:12	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/12/22 17:12	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/12/22 17:12	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/12/22 10:47	05/12/22 17:12	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 17:12	106-47-8	3q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/12/22 10:47	05/12/22 17:12	7005-72-3	
4-Nitroaniline	<0.091	mg/kg	0.30	0.091	1	05/12/22 10:47	05/12/22 17:12	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/12/22 17:12	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/12/22 10:47	05/12/22 17:12	83-32-9	
Acenaphthylene	<0.078	mg/kg	0.26	0.078	1	05/12/22 10:47	05/12/22 17:12	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 17:12	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 17:12	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 17:12	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/12/22 17:12	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/12/22 17:12	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/12/22 10:47	05/12/22 17:12	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 17:12	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 17:12	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 17:12	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 17:12	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/12/22 10:47	05/12/22 17:12	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/12/22 10:47	05/12/22 17:12	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.088	0.026	1	05/12/22 10:47	05/12/22 17:12	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 17:12	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.095	0.028	1	05/12/22 10:47	05/12/22 17:12	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/12/22 17:12	206-44-0	
Fluorene	<0.026	mg/kg	0.085	0.026	1	05/12/22 10:47	05/12/22 17:12	86-73-7	
Hexachloro-1,3-butadiene	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/12/22 17:12	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/12/22 17:12	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/12/22 10:47	05/12/22 17:12	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 17:12	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/12/22 17:12	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 17:12	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 17:12	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	0.99	0.30	1	05/12/22 10:47	05/12/22 17:12	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/12/22 10:47	05/12/22 17:12	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/12/22 10:47	05/12/22 17:12	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/12/22 10:47	05/12/22 17:12	87-86-5	
Phenanthrene	<0.028	mg/kg	0.093	0.028	1	05/12/22 10:47	05/12/22 17:12	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/12/22 10:47	05/12/22 17:12	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/12/22 10:47	05/12/22 17:12	129-00-0	
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/12/22 10:47	05/12/22 17:12	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-30 (1.5-2.5) **Lab ID: 40244491011** Collected: 05/05/22 13:25 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/12/22 10:47	05/12/22 17:12	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 17:12	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	46	%	10-125		1	05/12/22 10:47	05/12/22 17:12	4165-60-0	
2-Fluorobiphenyl (S)	33	%	12-118		1	05/12/22 10:47	05/12/22 17:12	321-60-8	
Terphenyl-d14 (S)	62	%	10-124		1	05/12/22 10:47	05/12/22 17:12	1718-51-0	
Phenol-d6 (S)	42	%	10-125		1	05/12/22 10:47	05/12/22 17:12	13127-88-3	
2-Fluorophenol (S)	42	%	10-130		1	05/12/22 10:47	05/12/22 17:12	367-12-4	
2,4,6-Tribromophenol (S)	50	%	10-144		1	05/12/22 10:47	05/12/22 17:12	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/11/22 06:00	05/11/22 10:32	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0050	0.0026	1	05/11/22 06:00	05/11/22 10:32	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/11/22 06:00	05/11/22 10:32	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/11/22 06:00	05/11/22 10:32	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0050	0.0011	1	05/11/22 06:00	05/11/22 10:32	75-35-4	
1,2-Dichloroethane	<0.00082	mg/kg	0.0050	0.00082	1	05/11/22 06:00	05/11/22 10:32	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/11/22 06:00	05/11/22 10:32	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/11/22 06:00	05/11/22 10:32	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/11/22 06:00	05/11/22 10:32	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/11/22 06:00	05/11/22 10:32	108-10-1	
Acetone	<0.047	mg/kg	0.10	0.047	1	05/11/22 06:00	05/11/22 10:32	67-64-1	
Benzene	<0.00071	mg/kg	0.0050	0.00071	1	05/11/22 06:00	05/11/22 10:32	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/11/22 06:00	05/11/22 10:32	75-27-4	
Bromoform	<0.0081	mg/kg	0.020	0.0081	1	05/11/22 06:00	05/11/22 10:32	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0050	0.0045	1	05/11/22 06:00	05/11/22 10:32	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/11/22 06:00	05/11/22 10:32	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0050	0.0032	1	05/11/22 06:00	05/11/22 10:32	56-23-5	
Chlorobenzene	<0.00092	mg/kg	0.0050	0.00092	1	05/11/22 06:00	05/11/22 10:32	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0050	0.0036	1	05/11/22 06:00	05/11/22 10:32	75-00-3	
Chloroform	<0.00085	mg/kg	0.0050	0.00085	1	05/11/22 06:00	05/11/22 10:32	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/11/22 06:00	05/11/22 10:32	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/11/22 06:00	05/11/22 10:32	124-48-1	
Ethylbenzene	<0.00089	mg/kg	0.0050	0.00089	1	05/11/22 06:00	05/11/22 10:32	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0050	0.0021	1	05/11/22 06:00	05/11/22 10:32	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0050	0.0040	1	05/11/22 06:00	05/11/22 10:32	75-09-2	
Styrene	<0.00071	mg/kg	0.0050	0.00071	1	05/11/22 06:00	05/11/22 10:32	100-42-5	
Tetrachloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/11/22 06:00	05/11/22 10:32	127-18-4	
Toluene	<0.00088	mg/kg	0.0050	0.00088	1	05/11/22 06:00	05/11/22 10:32	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/11/22 06:00	05/11/22 10:32	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/11/22 06:00	05/11/22 10:32	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.010	0.0034	1	05/11/22 06:00	05/11/22 10:32	1330-20-7	
cis-1,2-Dichloroethene	<0.00088	mg/kg	0.0050	0.00088	1	05/11/22 06:00	05/11/22 10:32	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-30 (1.5-2.5) **Lab ID: 40244491011** Collected: 05/05/22 13:25 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/11/22 06:00	05/11/22 10:32	10061-01-5	
trans-1,2-Dichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/11/22 06:00	05/11/22 10:32	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/11/22 06:00	05/11/22 10:32	10061-02-6	
Surrogates									
Toluene-d8 (S)	96	%	69-156		1	05/11/22 06:00	05/11/22 10:32	2037-26-5	
4-Bromofluorobenzene (S)	85	%	61-175		1	05/11/22 06:00	05/11/22 10:32	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1	05/11/22 06:00	05/11/22 10:32	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.6	%	0.10	0.10	1		05/11/22 16:22		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.0	Std. Units	0.10	0.010	1		05/16/22 11:04		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.31	mg/kg	0.94	0.31	1	05/11/22 11:10	05/11/22 14:14	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-30 (4.0-5.0) **Lab ID: 40244491012** Collected: 05/05/22 13:30 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00059	mg/kg	0.0031	0.00059	1	05/09/22 14:20	05/11/22 14:38	309-00-2	
alpha-BHC	<0.00064	mg/kg	0.0031	0.00064	1	05/09/22 14:20	05/11/22 14:38	319-84-6	
beta-BHC	<0.00058	mg/kg	0.0031	0.00058	1	05/09/22 14:20	05/11/22 14:38	319-85-7	
delta-BHC	<0.00080	mg/kg	0.0031	0.00080	1	05/09/22 14:20	05/11/22 14:38	319-86-8	
gamma-BHC (Lindane)	<0.00056	mg/kg	0.0031	0.00056	1	05/09/22 14:20	05/11/22 14:38	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.061	0.013	1	05/09/22 14:20	05/11/22 14:38	57-74-9	
alpha-Chlordane	<0.00054	mg/kg	0.0031	0.00054	1	05/09/22 14:20	05/11/22 14:38	5103-71-9	
gamma-Chlordane	<0.00064	mg/kg	0.0031	0.00064	1	05/09/22 14:20	05/11/22 14:38	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0061	0.0012	1	05/09/22 14:20	05/11/22 14:38	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0061	0.0010	1	05/09/22 14:20	05/11/22 14:38	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0061	0.0020	1	05/09/22 14:20	05/11/22 14:38	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0061	0.0011	1	05/09/22 14:20	05/11/22 14:38	60-57-1	
Endosulfan I	<0.00051	mg/kg	0.0031	0.00051	1	05/09/22 14:20	05/11/22 14:38	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0061	0.0010	1	05/09/22 14:20	05/11/22 14:38	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0061	0.0012	1	05/09/22 14:20	05/11/22 14:38	1031-07-8	
Endrin	<0.0011	mg/kg	0.0061	0.0011	1	05/09/22 14:20	05/11/22 14:38	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0061	0.0014	1	05/09/22 14:20	05/11/22 14:38	7421-93-4	
Endrin ketone	<0.0015	mg/kg	0.0061	0.0015	1	05/09/22 14:20	05/11/22 14:38	53494-70-5	
Heptachlor	<0.00055	mg/kg	0.0031	0.00055	1	05/09/22 14:20	05/11/22 14:38	76-44-8	
Heptachlor epoxide	<0.00052	mg/kg	0.0031	0.00052	1	05/09/22 14:20	05/11/22 14:38	1024-57-3	
Methoxychlor	<0.0070	mg/kg	0.031	0.0070	1	05/09/22 14:20	05/11/22 14:38	72-43-5	
Toxaphene	<0.022	mg/kg	0.061	0.022	1	05/09/22 14:20	05/11/22 14:38	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	51	%	10-147		1	05/09/22 14:20	05/11/22 14:38	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 12:29	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 12:29	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 12:29	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 12:29	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 12:29	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 12:29	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 12:29	11096-82-5	
PCB, Total	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 12:29	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	85	%	50-99		1	05/09/22 18:42	05/11/22 12:29	877-09-8	
Decachlorobiphenyl (S)	84	%	38-95		1	05/09/22 18:42	05/11/22 12:29	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	7820	mg/kg	36.3	7.3	1	05/09/22 17:19	05/14/22 01:07	7429-90-5	
Antimony	0.17J	mg/kg	0.61	0.12	1	05/09/22 17:19	05/14/22 01:07	7440-36-0	
Arsenic	9.4	mg/kg	0.61	0.13	1	05/09/22 17:19	05/14/22 01:07	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-30 (4.0-5.0) **Lab ID: 40244491012** Collected: 05/05/22 13:30 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	83.2	mg/kg	0.36	0.065	1	05/09/22 17:19	05/14/22 01:07	7440-39-3	
Beryllium	0.52	mg/kg	0.24	0.048	1	05/09/22 17:19	05/14/22 01:07	7440-41-7	
Cadmium	0.20	mg/kg	0.097	0.038	1	05/09/22 17:19	05/14/22 01:07	7440-43-9	
Calcium	27500	mg/kg	121	14.3	1	05/09/22 17:19	05/14/22 01:07	7440-70-2	
Chromium	14.8	mg/kg	2.4	0.17	1	05/09/22 17:19	05/14/22 01:07	7440-47-3	
Cobalt	8.2	mg/kg	0.61	0.12	1	05/09/22 17:19	05/14/22 01:07	7440-48-4	
Copper	19.3	mg/kg	1.2	0.29	1	05/09/22 17:19	05/14/22 01:07	7440-50-8	
Iron	15800	mg/kg	60.5	12.7	1	05/09/22 17:19	05/14/22 01:07	7439-89-6	
Lead	13.2	mg/kg	0.61	0.036	1	05/09/22 17:19	05/14/22 01:07	7439-92-1	
Magnesium	16900	mg/kg	36.3	5.2	1	05/09/22 17:19	05/14/22 01:07	7439-95-4	
Manganese	245	mg/kg	0.61	0.30	1	05/09/22 17:19	05/14/22 01:07	7439-96-5	
Nickel	18.4	mg/kg	0.61	0.24	1	05/09/22 17:19	05/14/22 01:07	7440-02-0	
Potassium	649	mg/kg	121	13.9	1	05/09/22 17:19	05/14/22 01:07	7440-09-7	
Selenium	0.22J	mg/kg	0.61	0.10	1	05/09/22 17:19	05/14/22 01:07	7782-49-2	
Silver	<0.18	mg/kg	0.61	0.18	1	05/09/22 17:19	05/16/22 21:05	7440-22-4	
Sodium	98.5	mg/kg	60.5	13.4	1	05/09/22 17:19	05/14/22 01:07	7440-23-5	
Thallium	0.22	mg/kg	0.12	0.044	1	05/09/22 17:19	05/14/22 01:07	7440-28-0	
Vanadium	27.1	mg/kg	1.2	0.21	1	05/09/22 17:19	05/14/22 01:07	7440-62-2	
Zinc	56.2	mg/kg	6.1	1.1	1	05/09/22 17:19	05/14/22 01:07	7440-66-6	

7471 Mercury

Analytical Method: EPA 7471 Preparation Method: EPA 7471

Pace Analytical Services - Green Bay

Mercury	0.022J	mg/kg	0.041	0.012	1	05/12/22 09:25	05/13/22 10:42	7439-97-6	
---------	--------	-------	-------	-------	---	----------------	----------------	-----------	--

8270E MSSV FULL LIST MICROWAVE

Analytical Method: EPA 8270E Preparation Method: EPA 3546

Pace Analytical Services - Green Bay

1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/12/22 10:47	05/12/22 17:33	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/12/22 17:33	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/12/22 10:47	05/12/22 17:33	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/12/22 17:33	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/12/22 17:33	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/12/22 17:33	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 17:33	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/12/22 17:33	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/12/22 10:47	05/12/22 17:33	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/12/22 10:47	05/12/22 17:33	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/12/22 17:33	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/12/22 10:47	05/12/22 17:33	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.092	0.028	1	05/12/22 10:47	05/12/22 17:33	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/12/22 17:33	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/12/22 17:33	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/12/22 17:33	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/12/22 10:47	05/12/22 17:33	88-74-4	
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/12/22 10:47	05/12/22 17:33	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-30 (4.0-5.0) **Lab ID: 40244491012** Collected: 05/05/22 13:30 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/12/22 17:33		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/12/22 17:33	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 17:33	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/12/22 10:47	05/12/22 17:33	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/12/22 10:47	05/12/22 17:33	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/12/22 17:33	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 17:33	106-47-8	3q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/12/22 17:33	7005-72-3	
4-Nitroaniline	<0.089	mg/kg	0.30	0.089	1	05/12/22 10:47	05/12/22 17:33	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/12/22 17:33	100-02-7	
Acenaphthene	<0.076	mg/kg	0.25	0.076	1	05/12/22 10:47	05/12/22 17:33	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/12/22 10:47	05/12/22 17:33	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 17:33	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 17:33	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/12/22 17:33	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/12/22 17:33	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/12/22 17:33	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/12/22 10:47	05/12/22 17:33	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 17:33	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 17:33	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/12/22 17:33	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/12/22 17:33	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/12/22 10:47	05/12/22 17:33	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/12/22 17:33	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/12/22 10:47	05/12/22 17:33	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 17:33	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.093	0.028	1	05/12/22 10:47	05/12/22 17:33	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/12/22 17:33	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/12/22 10:47	05/12/22 17:33	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/12/22 17:33	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 17:33	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/12/22 10:47	05/12/22 17:33	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 17:33	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/12/22 17:33	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 17:33	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 17:33	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.97	0.29	1	05/12/22 10:47	05/12/22 17:33	86-30-6	
Naphthalene	<0.075	mg/kg	0.25	0.075	1	05/12/22 10:47	05/12/22 17:33	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/12/22 10:47	05/12/22 17:33	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/12/22 17:33	87-86-5	
Phenanthrene	<0.027	mg/kg	0.092	0.027	1	05/12/22 10:47	05/12/22 17:33	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/12/22 10:47	05/12/22 17:33	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/12/22 10:47	05/12/22 17:33	129-00-0	
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/12/22 17:33	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-30 (4.0-5.0) **Lab ID: 40244491012** Collected: 05/05/22 13:30 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/12/22 17:33	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 17:33	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	51	%	10-125		1	05/12/22 10:47	05/12/22 17:33	4165-60-0	
2-Fluorobiphenyl (S)	49	%	12-118		1	05/12/22 10:47	05/12/22 17:33	321-60-8	
Terphenyl-d14 (S)	58	%	10-124		1	05/12/22 10:47	05/12/22 17:33	1718-51-0	
Phenol-d6 (S)	38	%	10-125		1	05/12/22 10:47	05/12/22 17:33	13127-88-3	
2-Fluorophenol (S)	39	%	10-130		1	05/12/22 10:47	05/12/22 17:33	367-12-4	
2,4,6-Tribromophenol (S)	54	%	10-144		1	05/12/22 10:47	05/12/22 17:33	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/11/22 06:00	05/11/22 10:57	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/11/22 06:00	05/11/22 10:57	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/11/22 06:00	05/11/22 10:57	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 10:57	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 10:57	75-35-4	
1,2-Dichloroethane	<0.00088	mg/kg	0.0053	0.00088	1	05/11/22 06:00	05/11/22 10:57	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 10:57	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/11/22 06:00	05/11/22 10:57	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/11/22 06:00	05/11/22 10:57	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/11/22 06:00	05/11/22 10:57	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/11/22 06:00	05/11/22 10:57	67-64-1	
Benzene	<0.00075	mg/kg	0.0053	0.00075	1	05/11/22 06:00	05/11/22 10:57	71-43-2	
Bromodichloromethane	<0.00072	mg/kg	0.0053	0.00072	1	05/11/22 06:00	05/11/22 10:57	75-27-4	
Bromoform	<0.0086	mg/kg	0.021	0.0086	1	05/11/22 06:00	05/11/22 10:57	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0053	0.0047	1	05/11/22 06:00	05/11/22 10:57	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/11/22 06:00	05/11/22 10:57	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0053	0.0034	1	05/11/22 06:00	05/11/22 10:57	56-23-5	
Chlorobenzene	<0.00098	mg/kg	0.0053	0.00098	1	05/11/22 06:00	05/11/22 10:57	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0053	0.0039	1	05/11/22 06:00	05/11/22 10:57	75-00-3	
Chloroform	<0.00090	mg/kg	0.0053	0.00090	1	05/11/22 06:00	05/11/22 10:57	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 10:57	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 10:57	124-48-1	
Ethylbenzene	<0.00095	mg/kg	0.0053	0.00095	1	05/11/22 06:00	05/11/22 10:57	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/11/22 06:00	05/11/22 10:57	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/11/22 06:00	05/11/22 10:57	75-09-2	
Styrene	<0.00076	mg/kg	0.0053	0.00076	1	05/11/22 06:00	05/11/22 10:57	100-42-5	
Tetrachloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/11/22 06:00	05/11/22 10:57	127-18-4	
Toluene	<0.00094	mg/kg	0.0053	0.00094	1	05/11/22 06:00	05/11/22 10:57	108-88-3	
Trichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/11/22 06:00	05/11/22 10:57	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/11/22 06:00	05/11/22 10:57	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/11/22 06:00	05/11/22 10:57	1330-20-7	
cis-1,2-Dichloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/11/22 06:00	05/11/22 10:57	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-30 (4.0-5.0) **Lab ID: 40244491012** Collected: 05/05/22 13:30 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 10:57	10061-01-5	
trans-1,2-Dichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/11/22 06:00	05/11/22 10:57	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 10:57	10061-02-6	
Surrogates									
Toluene-d8 (S)	93	%	69-156		1	05/11/22 06:00	05/11/22 10:57	2037-26-5	
4-Bromofluorobenzene (S)	82	%	61-175		1	05/11/22 06:00	05/11/22 10:57	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1	05/11/22 06:00	05/11/22 10:57	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.0	%	0.10	0.10	1		05/11/22 16:22		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/16/22 11:13		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.31	mg/kg	0.94	0.31	1	05/11/22 11:10	05/11/22 14:15	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: **SB-31 (1.5-2.5)** Lab ID: **40244491013** Collected: 05/05/22 14:10 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00062	mg/kg	0.0032	0.00062	1	05/09/22 14:20	05/11/22 14:51	309-00-2	
alpha-BHC	<0.00067	mg/kg	0.0032	0.00067	1	05/09/22 14:20	05/11/22 14:51	319-84-6	
beta-BHC	<0.00060	mg/kg	0.0032	0.00060	1	05/09/22 14:20	05/11/22 14:51	319-85-7	
delta-BHC	<0.00084	mg/kg	0.0032	0.00084	1	05/09/22 14:20	05/11/22 14:51	319-86-8	
gamma-BHC (Lindane)	<0.00058	mg/kg	0.0032	0.00058	1	05/09/22 14:20	05/11/22 14:51	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.064	0.013	1	05/09/22 14:20	05/11/22 14:51	57-74-9	
alpha-Chlordane	0.00076J	mg/kg	0.0032	0.00057	1	05/09/22 14:20	05/11/22 15:03	5103-71-9	
gamma-Chlordane	<0.00067	mg/kg	0.0032	0.00067	1	05/09/22 14:20	05/11/22 14:51	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0064	0.0012	1	05/09/22 14:20	05/11/22 14:51	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 14:20	05/11/22 14:51	72-55-9	
4,4'-DDT	<0.0021	mg/kg	0.0064	0.0021	1	05/09/22 14:20	05/11/22 14:51	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 14:20	05/11/22 14:51	60-57-1	
Endosulfan I	<0.00053	mg/kg	0.0032	0.00053	1	05/09/22 14:20	05/11/22 14:51	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 14:20	05/11/22 14:51	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0064	0.0012	1	05/09/22 14:20	05/11/22 14:51	1031-07-8	
Endrin	<0.0011	mg/kg	0.0064	0.0011	1	05/09/22 14:20	05/11/22 14:51	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0064	0.0015	1	05/09/22 14:20	05/11/22 14:51	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0064	0.0016	1	05/09/22 14:20	05/11/22 14:51	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0032	0.00057	1	05/09/22 14:20	05/11/22 14:51	76-44-8	
Heptachlor epoxide	0.00071J	mg/kg	0.0032	0.00054	1	05/09/22 14:20	05/11/22 15:03	1024-57-3	
Methoxychlor	<0.0074	mg/kg	0.032	0.0074	1	05/09/22 14:20	05/11/22 14:51	72-43-5	
Toxaphene	<0.023	mg/kg	0.064	0.023	1	05/09/22 14:20	05/11/22 14:51	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	56	%	10-147		1	05/09/22 14:20	05/11/22 15:03	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/09/22 18:42	05/11/22 12:51	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/09/22 18:42	05/11/22 12:51	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/09/22 18:42	05/11/22 12:51	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/09/22 18:42	05/11/22 12:51	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/09/22 18:42	05/11/22 12:51	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/09/22 18:42	05/11/22 12:51	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/09/22 18:42	05/11/22 12:51	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/09/22 18:42	05/11/22 12:51	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	87	%	50-99		1	05/09/22 18:42	05/11/22 12:51	877-09-8	
Decachlorobiphenyl (S)	88	%	38-95		1	05/09/22 18:42	05/11/22 12:51	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	15100	mg/kg	36.8	7.4	1	05/09/22 17:19	05/14/22 01:11	7429-90-5	
Antimony	0.17J	mg/kg	0.61	0.12	1	05/09/22 17:19	05/14/22 01:11	7440-36-0	
Arsenic	8.7	mg/kg	0.61	0.13	1	05/09/22 17:19	05/14/22 01:11	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-31 (1.5-2.5) **Lab ID: 40244491013** Collected: 05/05/22 14:10 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	154	mg/kg	0.37	0.065	1	05/09/22 17:19	05/14/22 01:11	7440-39-3	
Beryllium	0.76	mg/kg	0.25	0.049	1	05/09/22 17:19	05/14/22 01:11	7440-41-7	
Cadmium	0.085J	mg/kg	0.098	0.038	1	05/09/22 17:19	05/14/22 01:11	7440-43-9	
Calcium	4050	mg/kg	123	14.5	1	05/09/22 17:19	05/14/22 01:11	7440-70-2	
Chromium	18.3	mg/kg	2.5	0.17	1	05/09/22 17:19	05/14/22 01:11	7440-47-3	
Cobalt	12.2	mg/kg	0.61	0.12	1	05/09/22 17:19	05/14/22 01:11	7440-48-4	
Copper	15.9	mg/kg	1.2	0.30	1	05/09/22 17:19	05/14/22 01:11	7440-50-8	
Iron	23300	mg/kg	61.3	12.9	1	05/09/22 17:19	05/14/22 01:11	7439-89-6	
Lead	16.8	mg/kg	0.61	0.036	1	05/09/22 17:19	05/14/22 01:11	7439-92-1	
Magnesium	2880	mg/kg	36.8	5.3	1	05/09/22 17:19	05/14/22 01:11	7439-95-4	
Manganese	615	mg/kg	6.1	3.0	10	05/09/22 17:19	05/16/22 21:12	7439-96-5	
Nickel	17.2	mg/kg	0.61	0.24	1	05/09/22 17:19	05/14/22 01:11	7440-02-0	
Potassium	1010	mg/kg	123	14.1	1	05/09/22 17:19	05/14/22 01:11	7440-09-7	
Selenium	0.69	mg/kg	0.61	0.11	1	05/09/22 17:19	05/14/22 01:11	7782-49-2	
Silver	<0.18	mg/kg	0.61	0.18	1	05/09/22 17:19	05/16/22 21:09	7440-22-4	
Sodium	26.3J	mg/kg	61.3	13.6	1	05/09/22 17:19	05/14/22 01:11	7440-23-5	
Thallium	0.22	mg/kg	0.12	0.045	1	05/09/22 17:19	05/14/22 01:11	7440-28-0	
Vanadium	36.1	mg/kg	1.2	0.22	1	05/09/22 17:19	05/14/22 01:11	7440-62-2	
Zinc	49.2	mg/kg	6.1	1.1	1	05/09/22 17:19	05/14/22 01:11	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.026J	mg/kg	0.044	0.013	1	05/12/22 12:50	05/13/22 12:01	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.082	0.025	1	05/12/22 10:47	05/12/22 17:54	120-82-1	
1,2-Dichlorobenzene	<0.069	mg/kg	0.23	0.069	1	05/12/22 10:47	05/12/22 17:54	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/12/22 17:54	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/12/22 17:54	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/12/22 17:54	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/12/22 17:54	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 17:54	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/12/22 17:54	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/12/22 10:47	05/12/22 17:54	105-67-9	
2,4-Dinitrophenol	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/12/22 17:54	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/12/22 17:54	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/12/22 10:47	05/12/22 17:54	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.094	0.028	1	05/12/22 10:47	05/12/22 17:54	91-58-7	
2-Chlorophenol	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/12/22 17:54	95-57-8	
2-Methylnaphthalene	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/12/22 17:54	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/12/22 17:54	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/12/22 10:47	05/12/22 17:54	88-74-4	
2-Nitrophenol	<0.069	mg/kg	0.23	0.069	1	05/12/22 10:47	05/12/22 17:54	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-31 (1.5-2.5) Lab ID: **40244491013** Collected: 05/05/22 14:10 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/12/22 17:54		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/12/22 10:47	05/12/22 17:54	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/12/22 17:54	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/12/22 17:54	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/12/22 17:54	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/12/22 10:47	05/12/22 17:54	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 17:54	106-47-8	3q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/12/22 10:47	05/12/22 17:54	7005-72-3	
4-Nitroaniline	<0.091	mg/kg	0.30	0.091	1	05/12/22 10:47	05/12/22 17:54	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/12/22 17:54	100-02-7	
Acenaphthene	<0.078	mg/kg	0.26	0.078	1	05/12/22 10:47	05/12/22 17:54	83-32-9	
Acenaphthylene	<0.078	mg/kg	0.26	0.078	1	05/12/22 10:47	05/12/22 17:54	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 17:54	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 17:54	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 17:54	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/12/22 17:54	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/12/22 17:54	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/12/22 10:47	05/12/22 17:54	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 17:54	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 17:54	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 17:54	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 17:54	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/12/22 10:47	05/12/22 17:54	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/12/22 10:47	05/12/22 17:54	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.088	0.026	1	05/12/22 10:47	05/12/22 17:54	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 17:54	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.095	0.028	1	05/12/22 10:47	05/12/22 17:54	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/12/22 17:54	206-44-0	
Fluorene	<0.026	mg/kg	0.085	0.026	1	05/12/22 10:47	05/12/22 17:54	86-73-7	
Hexachloro-1,3-butadiene	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/12/22 17:54	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/12/22 17:54	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/12/22 10:47	05/12/22 17:54	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 17:54	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/12/22 17:54	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 17:54	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 17:54	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	0.99	0.30	1	05/12/22 10:47	05/12/22 17:54	86-30-6	
Naphthalene	<0.077	mg/kg	0.26	0.077	1	05/12/22 10:47	05/12/22 17:54	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/12/22 10:47	05/12/22 17:54	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/12/22 10:47	05/12/22 17:54	87-86-5	
Phenanthrene	<0.028	mg/kg	0.094	0.028	1	05/12/22 10:47	05/12/22 17:54	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/12/22 10:47	05/12/22 17:54	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/12/22 10:47	05/12/22 17:54	129-00-0	
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/12/22 10:47	05/12/22 17:54	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-31 (1.5-2.5) **Lab ID: 40244491013** Collected: 05/05/22 14:10 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/12/22 10:47	05/12/22 17:54	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 17:54	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	47	%	10-125		1	05/12/22 10:47	05/12/22 17:54	4165-60-0	
2-Fluorobiphenyl (S)	42	%	12-118		1	05/12/22 10:47	05/12/22 17:54	321-60-8	
Terphenyl-d14 (S)	45	%	10-124		1	05/12/22 10:47	05/12/22 17:54	1718-51-0	
Phenol-d6 (S)	49	%	10-125		1	05/12/22 10:47	05/12/22 17:54	13127-88-3	
2-Fluorophenol (S)	52	%	10-130		1	05/12/22 10:47	05/12/22 17:54	367-12-4	
2,4,6-Tribromophenol (S)	44	%	10-144		1	05/12/22 10:47	05/12/22 17:54	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/11/22 06:00	05/11/22 11:21	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0029	mg/kg	0.0056	0.0029	1	05/11/22 06:00	05/11/22 11:21	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/11/22 06:00	05/11/22 11:21	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0056	0.0012	1	05/11/22 06:00	05/11/22 11:21	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0056	0.0012	1	05/11/22 06:00	05/11/22 11:21	75-35-4	
1,2-Dichloroethane	<0.00092	mg/kg	0.0056	0.00092	1	05/11/22 06:00	05/11/22 11:21	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0056	0.0011	1	05/11/22 06:00	05/11/22 11:21	78-87-5	
2-Butanone (MEK)	<0.018	mg/kg	0.028	0.018	1	05/11/22 06:00	05/11/22 11:21	78-93-3	
2-Hexanone	<0.013	mg/kg	0.028	0.013	1	05/11/22 06:00	05/11/22 11:21	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.028	0.022	1	05/11/22 06:00	05/11/22 11:21	108-10-1	
Acetone	<0.053	mg/kg	0.11	0.053	1	05/11/22 06:00	05/11/22 11:21	67-64-1	
Benzene	<0.00079	mg/kg	0.0056	0.00079	1	05/11/22 06:00	05/11/22 11:21	71-43-2	
Bromodichloromethane	<0.00076	mg/kg	0.0056	0.00076	1	05/11/22 06:00	05/11/22 11:21	75-27-4	
Bromoform	<0.0091	mg/kg	0.022	0.0091	1	05/11/22 06:00	05/11/22 11:21	75-25-2	
Bromomethane	<0.0050	mg/kg	0.0056	0.0050	1	05/11/22 06:00	05/11/22 11:21	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0056	0.0012	1	05/11/22 06:00	05/11/22 11:21	75-15-0	
Carbon tetrachloride	<0.0035	mg/kg	0.0056	0.0035	1	05/11/22 06:00	05/11/22 11:21	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/11/22 06:00	05/11/22 11:21	108-90-7	
Chloroethane	<0.0041	mg/kg	0.0056	0.0041	1	05/11/22 06:00	05/11/22 11:21	75-00-3	
Chloroform	<0.00094	mg/kg	0.0056	0.00094	1	05/11/22 06:00	05/11/22 11:21	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0056	0.0012	1	05/11/22 06:00	05/11/22 11:21	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0056	0.0011	1	05/11/22 06:00	05/11/22 11:21	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/11/22 06:00	05/11/22 11:21	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0056	0.0023	1	05/11/22 06:00	05/11/22 11:21	1634-04-4	
Methylene Chloride	<0.0044	mg/kg	0.0056	0.0044	1	05/11/22 06:00	05/11/22 11:21	75-09-2	
Styrene	<0.00079	mg/kg	0.0056	0.00079	1	05/11/22 06:00	05/11/22 11:21	100-42-5	
Tetrachloroethene	<0.00099	mg/kg	0.0056	0.00099	1	05/11/22 06:00	05/11/22 11:21	127-18-4	
Toluene	<0.00099	mg/kg	0.0056	0.00099	1	05/11/22 06:00	05/11/22 11:21	108-88-3	
Trichloroethene	<0.00080	mg/kg	0.0056	0.00080	1	05/11/22 06:00	05/11/22 11:21	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0056	0.0014	1	05/11/22 06:00	05/11/22 11:21	75-01-4	
Xylene (Total)	<0.0038	mg/kg	0.011	0.0038	1	05/11/22 06:00	05/11/22 11:21	1330-20-7	
cis-1,2-Dichloroethene	<0.00099	mg/kg	0.0056	0.00099	1	05/11/22 06:00	05/11/22 11:21	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-31 (1.5-2.5) **Lab ID: 40244491013** Collected: 05/05/22 14:10 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/11/22 06:00	05/11/22 11:21	10061-01-5	
trans-1,2-Dichloroethene	<0.00080	mg/kg	0.0056	0.00080	1	05/11/22 06:00	05/11/22 11:21	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/11/22 06:00	05/11/22 11:21	10061-02-6	
Surrogates									
Toluene-d8 (S)	97	%	69-156		1	05/11/22 06:00	05/11/22 11:21	2037-26-5	
4-Bromofluorobenzene (S)	80	%	61-175		1	05/11/22 06:00	05/11/22 11:21	460-00-4	
1,2-Dichlorobenzene-d4 (S)	93	%	70-130		1	05/11/22 06:00	05/11/22 11:21	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.8	%	0.10	0.10	1		05/11/22 16:57		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.8	Std. Units	0.10	0.010	1		05/16/22 11:16		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.37	mg/kg	1.1	0.37	1	05/11/22 11:10	05/11/22 14:15	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-31 (4.0-5.0) **Lab ID: 40244491014** Collected: 05/05/22 14:15 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00059	mg/kg	0.0031	0.00059	1	05/09/22 14:20	05/11/22 15:03	309-00-2	
alpha-BHC	<0.00064	mg/kg	0.0031	0.00064	1	05/09/22 14:20	05/11/22 15:03	319-84-6	
beta-BHC	<0.00058	mg/kg	0.0031	0.00058	1	05/09/22 14:20	05/11/22 15:03	319-85-7	
delta-BHC	<0.00080	mg/kg	0.0031	0.00080	1	05/09/22 14:20	05/11/22 15:03	319-86-8	
gamma-BHC (Lindane)	<0.00056	mg/kg	0.0031	0.00056	1	05/09/22 14:20	05/11/22 15:03	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.061	0.013	1	05/09/22 14:20	05/11/22 15:03	57-74-9	
alpha-Chlordane	0.0015J	mg/kg	0.0031	0.00054	1	05/09/22 14:20	05/11/22 15:16	5103-71-9	
gamma-Chlordane	0.00092J	mg/kg	0.0031	0.00064	1	05/09/22 14:20	05/11/22 15:16	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0061	0.0012	1	05/09/22 14:20	05/11/22 15:03	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0061	0.0010	1	05/09/22 14:20	05/11/22 15:03	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0061	0.0020	1	05/09/22 14:20	05/11/22 15:03	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0061	0.0011	1	05/09/22 14:20	05/11/22 15:03	60-57-1	
Endosulfan I	<0.00051	mg/kg	0.0031	0.00051	1	05/09/22 14:20	05/11/22 15:03	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0061	0.0010	1	05/09/22 14:20	05/11/22 15:03	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0061	0.0012	1	05/09/22 14:20	05/11/22 15:03	1031-07-8	
Endrin	<0.0011	mg/kg	0.0061	0.0011	1	05/09/22 14:20	05/11/22 15:03	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0061	0.0014	1	05/09/22 14:20	05/11/22 15:03	7421-93-4	
Endrin ketone	<0.0015	mg/kg	0.0061	0.0015	1	05/09/22 14:20	05/11/22 15:03	53494-70-5	
Heptachlor	<0.00055	mg/kg	0.0031	0.00055	1	05/09/22 14:20	05/11/22 15:03	76-44-8	
Heptachlor epoxide	<0.00052	mg/kg	0.0031	0.00052	1	05/09/22 14:20	05/11/22 15:16	1024-57-3	
Methoxychlor	<0.0070	mg/kg	0.031	0.0070	1	05/09/22 14:20	05/11/22 15:03	72-43-5	
Toxaphene	<0.022	mg/kg	0.061	0.022	1	05/09/22 14:20	05/11/22 15:03	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	43	%	10-147		1	05/09/22 14:20	05/11/22 15:16	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 13:13	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 13:13	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 13:13	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 13:13	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 13:13	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 13:13	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 13:13	11096-82-5	
PCB, Total	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 13:13	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	92	%	50-99		1	05/09/22 18:42	05/11/22 13:13	877-09-8	
Decachlorobiphenyl (S)	89	%	38-95		1	05/09/22 18:42	05/11/22 13:13	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	6820	mg/kg	37.3	7.5	1	05/09/22 17:19	05/14/22 01:18	7429-90-5	
Antimony	<0.12	mg/kg	0.62	0.12	1	05/09/22 17:19	05/14/22 01:18	7440-36-0	
Arsenic	3.2	mg/kg	0.62	0.14	1	05/09/22 17:19	05/14/22 01:18	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-31 (4.0-5.0) **Lab ID: 40244491014** Collected: 05/05/22 14:15 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	63.9	mg/kg	0.37	0.066	1	05/09/22 17:19	05/14/22 01:18	7440-39-3	
Beryllium	0.37	mg/kg	0.25	0.049	1	05/09/22 17:19	05/14/22 01:18	7440-41-7	
Cadmium	0.092J	mg/kg	0.10	0.039	1	05/09/22 17:19	05/14/22 01:18	7440-43-9	
Calcium	47700	mg/kg	124	14.7	1	05/09/22 17:19	05/14/22 01:18	7440-70-2	
Chromium	12.6	mg/kg	2.5	0.17	1	05/09/22 17:19	05/14/22 01:18	7440-47-3	
Cobalt	3.5	mg/kg	0.62	0.12	1	05/09/22 17:19	05/14/22 01:18	7440-48-4	
Copper	11.7	mg/kg	1.2	0.30	1	05/09/22 17:19	05/14/22 01:18	7440-50-8	
Iron	9560	mg/kg	62.2	13.1	1	05/09/22 17:19	05/14/22 01:18	7439-89-6	
Lead	8.3	mg/kg	0.62	0.037	1	05/09/22 17:19	05/14/22 01:18	7439-92-1	
Magnesium	27200	mg/kg	37.3	5.4	1	05/09/22 17:19	05/14/22 01:18	7439-95-4	
Manganese	152	mg/kg	0.62	0.30	1	05/09/22 17:19	05/14/22 01:18	7439-96-5	
Nickel	10.4	mg/kg	0.62	0.25	1	05/09/22 17:19	05/14/22 01:18	7440-02-0	
Potassium	625	mg/kg	124	14.3	1	05/09/22 17:19	05/14/22 01:18	7440-09-7	
Selenium	0.11J	mg/kg	0.62	0.11	1	05/09/22 17:19	05/14/22 01:18	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/09/22 17:19	05/16/22 21:23	7440-22-4	
Sodium	67.0	mg/kg	62.2	13.8	1	05/09/22 17:19	05/14/22 01:18	7440-23-5	
Thallium	0.23	mg/kg	0.12	0.046	1	05/09/22 17:19	05/14/22 01:18	7440-28-0	
Vanadium	18.2	mg/kg	1.2	0.22	1	05/09/22 17:19	05/14/22 01:18	7440-62-2	
Zinc	41.1	mg/kg	6.2	1.1	1	05/09/22 17:19	05/14/22 01:18	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	<0.011	mg/kg	0.040	0.011	1	05/12/22 12:50	05/13/22 12:03	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.079	0.024	1	05/12/22 10:47	05/12/22 18:15	120-82-1	
1,2-Dichlorobenzene	<0.066	mg/kg	0.22	0.066	1	05/12/22 10:47	05/12/22 18:15	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.097	0.029	1	05/12/22 10:47	05/12/22 18:15	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.097	0.029	1	05/12/22 10:47	05/12/22 18:15	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/12/22 18:15	108-60-1	
2,4,5-Trichlorophenol	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/12/22 18:15	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/12/22 18:15	88-06-2	
2,4-Dichlorophenol	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/12/22 18:15	120-83-2	
2,4-Dimethylphenol	<0.041	mg/kg	0.14	0.041	1	05/12/22 10:47	05/12/22 18:15	105-67-9	
2,4-Dinitrophenol	<0.064	mg/kg	0.21	0.064	1	05/12/22 10:47	05/12/22 18:15	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/12/22 18:15	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/12/22 18:15	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.090	0.027	1	05/12/22 10:47	05/12/22 18:15	91-58-7	
2-Chlorophenol	<0.052	mg/kg	0.17	0.052	1	05/12/22 10:47	05/12/22 18:15	95-57-8	
2-Methylnaphthalene	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/12/22 18:15	91-57-6	
2-Methylphenol(o-Cresol)	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/12/22 18:15	95-48-7	
2-Nitroaniline	<0.060	mg/kg	0.20	0.060	1	05/12/22 10:47	05/12/22 18:15	88-74-4	
2-Nitrophenol	<0.066	mg/kg	0.22	0.066	1	05/12/22 10:47	05/12/22 18:15	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-31 (4.0-5.0) **Lab ID: 40244491014** Collected: 05/05/22 14:15 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/12/22 18:15		
3,3'-Dichlorobenzidine	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/12/22 18:15	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 18:15	99-09-2	
4,6-Dinitro-2-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/12/22 10:47	05/12/22 18:15	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/12/22 10:47	05/12/22 18:15	101-55-3	
4-Chloro-3-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/12/22 10:47	05/12/22 18:15	59-50-7	
4-Chloroaniline	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 18:15	106-47-8	3q
4-Chlorophenylphenyl ether	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/12/22 18:15	7005-72-3	
4-Nitroaniline	<0.087	mg/kg	0.29	0.087	1	05/12/22 10:47	05/12/22 18:15	100-01-6	
4-Nitrophenol	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/12/22 18:15	100-02-7	
Acenaphthene	<0.074	mg/kg	0.25	0.074	1	05/12/22 10:47	05/12/22 18:15	83-32-9	
Acenaphthylene	<0.075	mg/kg	0.25	0.075	1	05/12/22 10:47	05/12/22 18:15	208-96-8	
Anthracene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 18:15	120-12-7	
Benzo(a)anthracene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/12/22 18:15	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/12/22 18:15	50-32-8	
Benzo(b)fluoranthene	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 18:15	205-99-2	
Benzo(g,h,i)perylene	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/12/22 18:15	191-24-2	
Benzo(k)fluoranthene	<0.050	mg/kg	0.17	0.050	1	05/12/22 10:47	05/12/22 18:15	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 18:15	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 18:15	86-74-8	
Chrysene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/12/22 18:15	218-01-9	
Di-n-butylphthalate	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/12/22 18:15	84-74-2	
Di-n-octylphthalate	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/12/22 18:15	117-84-0	
Dibenz(a,h)anthracene	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/12/22 18:15	53-70-3	
Dibenzofuran	<0.025	mg/kg	0.085	0.025	1	05/12/22 10:47	05/12/22 18:15	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 18:15	84-66-2	
Dimethylphthalate	<0.027	mg/kg	0.091	0.027	1	05/12/22 10:47	05/12/22 18:15	131-11-3	
Fluoranthene	<0.030	mg/kg	0.099	0.030	1	05/12/22 10:47	05/12/22 18:15	206-44-0	
Fluorene	<0.024	mg/kg	0.082	0.024	1	05/12/22 10:47	05/12/22 18:15	86-73-7	
Hexachloro-1,3-butadiene	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/12/22 18:15	87-68-3	
Hexachlorobenzene	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 18:15	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/12/22 10:47	05/12/22 18:15	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 18:15	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.045	mg/kg	0.15	0.045	1	05/12/22 10:47	05/12/22 18:15	193-39-5	
Isophorone	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/12/22 18:15	78-59-1	
N-Nitroso-di-n-propylamine	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 18:15	621-64-7	
N-Nitrosodiphenylamine	<0.28	mg/kg	0.95	0.28	1	05/12/22 10:47	05/12/22 18:15	86-30-6	
Naphthalene	<0.073	mg/kg	0.24	0.073	1	05/12/22 10:47	05/12/22 18:15	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/12/22 10:47	05/12/22 18:15	98-95-3	
Pentachlorophenol	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/12/22 18:15	87-86-5	
Phenanthrene	<0.027	mg/kg	0.090	0.027	1	05/12/22 10:47	05/12/22 18:15	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/12/22 10:47	05/12/22 18:15	108-95-2	
Pyrene	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/12/22 18:15	129-00-0	
bis(2-Chloroethoxy)methane	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/12/22 18:15	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-31 (4.0-5.0) **Lab ID: 40244491014** Collected: 05/05/22 14:15 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.065	mg/kg	0.22	0.065	1	05/12/22 10:47	05/12/22 18:15	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/12/22 18:15	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	64	%	10-125		1	05/12/22 10:47	05/12/22 18:15	4165-60-0	
2-Fluorobiphenyl (S)	51	%	12-118		1	05/12/22 10:47	05/12/22 18:15	321-60-8	
Terphenyl-d14 (S)	62	%	10-124		1	05/12/22 10:47	05/12/22 18:15	1718-51-0	
Phenol-d6 (S)	52	%	10-125		1	05/12/22 10:47	05/12/22 18:15	13127-88-3	
2-Fluorophenol (S)	55	%	10-130		1	05/12/22 10:47	05/12/22 18:15	367-12-4	
2,4,6-Tribromophenol (S)	57	%	10-144		1	05/12/22 10:47	05/12/22 18:15	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/11/22 06:00	05/11/22 11:45	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/11/22 06:00	05/11/22 11:45	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/11/22 06:00	05/11/22 11:45	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 11:45	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 11:45	75-35-4	
1,2-Dichloroethane	<0.00087	mg/kg	0.0053	0.00087	1	05/11/22 06:00	05/11/22 11:45	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 11:45	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.026	0.017	1	05/11/22 06:00	05/11/22 11:45	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/11/22 06:00	05/11/22 11:45	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.026	0.021	1	05/11/22 06:00	05/11/22 11:45	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/11/22 06:00	05/11/22 11:45	67-64-1	
Benzene	<0.00075	mg/kg	0.0053	0.00075	1	05/11/22 06:00	05/11/22 11:45	71-43-2	
Bromodichloromethane	<0.00072	mg/kg	0.0053	0.00072	1	05/11/22 06:00	05/11/22 11:45	75-27-4	
Bromoform	<0.0086	mg/kg	0.021	0.0086	1	05/11/22 06:00	05/11/22 11:45	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0053	0.0047	1	05/11/22 06:00	05/11/22 11:45	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/11/22 06:00	05/11/22 11:45	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0053	0.0034	1	05/11/22 06:00	05/11/22 11:45	56-23-5	
Chlorobenzene	<0.00098	mg/kg	0.0053	0.00098	1	05/11/22 06:00	05/11/22 11:45	108-90-7	
Chloroethane	<0.0038	mg/kg	0.0053	0.0038	1	05/11/22 06:00	05/11/22 11:45	75-00-3	
Chloroform	<0.00090	mg/kg	0.0053	0.00090	1	05/11/22 06:00	05/11/22 11:45	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 11:45	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 11:45	124-48-1	
Ethylbenzene	<0.00095	mg/kg	0.0053	0.00095	1	05/11/22 06:00	05/11/22 11:45	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/11/22 06:00	05/11/22 11:45	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/11/22 06:00	05/11/22 11:45	75-09-2	
Styrene	<0.00075	mg/kg	0.0053	0.00075	1	05/11/22 06:00	05/11/22 11:45	100-42-5	
Tetrachloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/11/22 06:00	05/11/22 11:45	127-18-4	
Toluene	<0.00093	mg/kg	0.0053	0.00093	1	05/11/22 06:00	05/11/22 11:45	108-88-3	
Trichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/11/22 06:00	05/11/22 11:45	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/11/22 06:00	05/11/22 11:45	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/11/22 06:00	05/11/22 11:45	1330-20-7	
cis-1,2-Dichloroethene	<0.00093	mg/kg	0.0053	0.00093	1	05/11/22 06:00	05/11/22 11:45	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-31 (4.0-5.0) **Lab ID: 40244491014** Collected: 05/05/22 14:15 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 11:45	10061-01-5	
trans-1,2-Dichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/11/22 06:00	05/11/22 11:45	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 11:45	10061-02-6	
Surrogates									
Toluene-d8 (S)	93	%	69-156		1	05/11/22 06:00	05/11/22 11:45	2037-26-5	
4-Bromofluorobenzene (S)	84	%	61-175		1	05/11/22 06:00	05/11/22 11:45	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1	05/11/22 06:00	05/11/22 11:45	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	20.4	%	0.10	0.10	1		05/11/22 16:22		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.9	Std. Units	0.10	0.010	1		05/16/22 11:20		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.27	mg/kg	0.82	0.27	1	05/11/22 11:10	05/11/22 14:16	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-32 (0.5-1.5) **Lab ID: 40244491015** Collected: 05/05/22 14:50 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00059	mg/kg	0.0031	0.00059	1	05/09/22 14:20	05/11/22 15:16	309-00-2	
alpha-BHC	<0.00064	mg/kg	0.0031	0.00064	1	05/09/22 14:20	05/11/22 15:16	319-84-6	
beta-BHC	<0.00058	mg/kg	0.0031	0.00058	1	05/09/22 14:20	05/11/22 15:16	319-85-7	
delta-BHC	<0.00080	mg/kg	0.0031	0.00080	1	05/09/22 14:20	05/11/22 15:16	319-86-8	
gamma-BHC (Lindane)	<0.00055	mg/kg	0.0031	0.00055	1	05/09/22 14:20	05/11/22 15:16	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.061	0.013	1	05/09/22 14:20	05/11/22 15:16	57-74-9	
alpha-Chlordane	<0.00054	mg/kg	0.0031	0.00054	1	05/09/22 14:20	05/11/22 15:16	5103-71-9	
gamma-Chlordane	<0.00064	mg/kg	0.0031	0.00064	1	05/09/22 14:20	05/11/22 15:16	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0061	0.0012	1	05/09/22 14:20	05/11/22 15:16	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0061	0.0010	1	05/09/22 14:20	05/11/22 15:16	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0061	0.0020	1	05/09/22 14:20	05/11/22 15:16	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0061	0.0011	1	05/09/22 14:20	05/11/22 15:16	60-57-1	
Endosulfan I	<0.00051	mg/kg	0.0031	0.00051	1	05/09/22 14:20	05/11/22 15:16	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0061	0.0010	1	05/09/22 14:20	05/11/22 15:16	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0061	0.0012	1	05/09/22 14:20	05/11/22 15:16	1031-07-8	
Endrin	<0.0011	mg/kg	0.0061	0.0011	1	05/09/22 14:20	05/11/22 15:16	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0061	0.0014	1	05/09/22 14:20	05/11/22 15:16	7421-93-4	
Endrin ketone	<0.0015	mg/kg	0.0061	0.0015	1	05/09/22 14:20	05/11/22 15:16	53494-70-5	
Heptachlor	<0.00055	mg/kg	0.0031	0.00055	1	05/09/22 14:20	05/11/22 15:16	76-44-8	
Heptachlor epoxide	<0.00052	mg/kg	0.0031	0.00052	1	05/09/22 14:20	05/11/22 15:16	1024-57-3	
Methoxychlor	<0.0070	mg/kg	0.031	0.0070	1	05/09/22 14:20	05/11/22 15:16	72-43-5	
Toxaphene	<0.022	mg/kg	0.061	0.022	1	05/09/22 14:20	05/11/22 15:16	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	56	%	10-147		1	05/09/22 14:20	05/11/22 15:16	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 13:34	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 13:34	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 13:34	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 13:34	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 13:34	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 13:34	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 13:34	11096-82-5	
PCB, Total	<0.019	mg/kg	0.063	0.019	1	05/09/22 18:42	05/11/22 13:34	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	87	%	50-99		1	05/09/22 18:42	05/11/22 13:34	877-09-8	
Decachlorobiphenyl (S)	86	%	38-95		1	05/09/22 18:42	05/11/22 13:34	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	10100	mg/kg	36.9	7.4	1	05/09/22 17:19	05/14/22 01:22	7429-90-5	
Antimony	0.19J	mg/kg	0.62	0.12	1	05/09/22 17:19	05/14/22 01:22	7440-36-0	
Arsenic	6.3	mg/kg	0.62	0.13	1	05/09/22 17:19	05/14/22 01:22	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-32 (0.5-1.5) **Lab ID: 40244491015** Collected: 05/05/22 14:50 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	147	mg/kg	0.37	0.066	1	05/09/22 17:19	05/14/22 01:22	7440-39-3	
Beryllium	0.65	mg/kg	0.25	0.049	1	05/09/22 17:19	05/14/22 01:22	7440-41-7	
Cadmium	0.48	mg/kg	0.098	0.039	1	05/09/22 17:19	05/14/22 01:22	7440-43-9	
Calcium	16000	mg/kg	123	14.5	1	05/09/22 17:19	05/14/22 01:22	7440-70-2	
Chromium	15.4	mg/kg	2.5	0.17	1	05/09/22 17:19	05/14/22 01:22	7440-47-3	
Cobalt	6.6	mg/kg	0.62	0.12	1	05/09/22 17:19	05/14/22 01:22	7440-48-4	
Copper	18.0	mg/kg	1.2	0.30	1	05/09/22 17:19	05/14/22 01:22	7440-50-8	
Iron	17700	mg/kg	61.5	12.9	1	05/09/22 17:19	05/14/22 01:22	7439-89-6	
Lead	28.8	mg/kg	0.62	0.036	1	05/09/22 17:19	05/14/22 01:22	7439-92-1	
Magnesium	9430	mg/kg	36.9	5.3	1	05/09/22 17:19	05/14/22 01:22	7439-95-4	
Manganese	704	mg/kg	6.2	3.0	10	05/09/22 17:19	05/16/22 21:31	7439-96-5	
Nickel	15.8	mg/kg	0.62	0.24	1	05/09/22 17:19	05/14/22 01:22	7440-02-0	
Potassium	924	mg/kg	123	14.2	1	05/09/22 17:19	05/14/22 01:22	7440-09-7	
Selenium	0.37J	mg/kg	0.62	0.11	1	05/09/22 17:19	05/14/22 01:22	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/09/22 17:19	05/16/22 21:27	7440-22-4	
Sodium	44.8J	mg/kg	61.5	13.7	1	05/09/22 17:19	05/14/22 01:22	7440-23-5	
Thallium	0.28	mg/kg	0.12	0.045	1	05/09/22 17:19	05/14/22 01:22	7440-28-0	
Vanadium	27.8	mg/kg	1.2	0.22	1	05/09/22 17:19	05/14/22 01:22	7440-62-2	
Zinc	72.2	mg/kg	6.2	1.1	1	05/09/22 17:19	05/14/22 01:22	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.029J	mg/kg	0.040	0.011	1	05/12/22 12:50	05/13/22 12:06	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.079	0.024	1	05/12/22 10:47	05/13/22 17:14	120-82-1	
1,2-Dichlorobenzene	<0.066	mg/kg	0.22	0.066	1	05/12/22 10:47	05/13/22 17:14	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.097	0.029	1	05/12/22 10:47	05/13/22 17:14	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.097	0.029	1	05/12/22 10:47	05/13/22 17:14	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/13/22 17:14	108-60-1	
2,4,5-Trichlorophenol	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/13/22 17:14	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 17:14	88-06-2	
2,4-Dichlorophenol	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/13/22 17:14	120-83-2	
2,4-Dimethylphenol	<0.041	mg/kg	0.14	0.041	1	05/12/22 10:47	05/13/22 17:14	105-67-9	
2,4-Dinitrophenol	<0.064	mg/kg	0.21	0.064	1	05/12/22 10:47	05/13/22 17:14	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/13/22 17:14	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/13/22 17:14	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.090	0.027	1	05/12/22 10:47	05/13/22 17:14	91-58-7	
2-Chlorophenol	<0.052	mg/kg	0.17	0.052	1	05/12/22 10:47	05/13/22 17:14	95-57-8	
2-Methylnaphthalene	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/13/22 17:14	91-57-6	
2-Methylphenol(o-Cresol)	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/13/22 17:14	95-48-7	
2-Nitroaniline	<0.060	mg/kg	0.20	0.060	1	05/12/22 10:47	05/13/22 17:14	88-74-4	
2-Nitrophenol	<0.066	mg/kg	0.22	0.066	1	05/12/22 10:47	05/13/22 17:14	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-32 (0.5-1.5) **Lab ID: 40244491015** Collected: 05/05/22 14:50 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/13/22 17:14		
3,3'-Dichlorobenzidine	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/13/22 17:14	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/13/22 17:14	99-09-2	
4,6-Dinitro-2-methylphenol	<0.064	mg/kg	0.21	0.064	1	05/12/22 10:47	05/13/22 17:14	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/12/22 10:47	05/13/22 17:14	101-55-3	
4-Chloro-3-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/12/22 10:47	05/13/22 17:14	59-50-7	
4-Chloroaniline	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 17:14	106-47-8	1q
4-Chlorophenylphenyl ether	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/13/22 17:14	7005-72-3	
4-Nitroaniline	<0.087	mg/kg	0.29	0.087	1	05/12/22 10:47	05/13/22 17:14	100-01-6	
4-Nitrophenol	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/13/22 17:14	100-02-7	
Acenaphthene	<0.074	mg/kg	0.25	0.074	1	05/12/22 10:47	05/13/22 17:14	83-32-9	
Acenaphthylene	<0.075	mg/kg	0.25	0.075	1	05/12/22 10:47	05/13/22 17:14	208-96-8	
Anthracene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 17:14	120-12-7	
Benzo(a)anthracene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 17:14	56-55-3	
Benzo(a)pyrene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/13/22 17:14	50-32-8	
Benzo(b)fluoranthene	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/13/22 17:14	205-99-2	
Benzo(g,h,i)perylene	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/13/22 17:14	191-24-2	
Benzo(k)fluoranthene	<0.050	mg/kg	0.17	0.050	1	05/12/22 10:47	05/13/22 17:14	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 17:14	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 17:14	86-74-8	
Chrysene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/13/22 17:14	218-01-9	
Di-n-butylphthalate	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/13/22 17:14	84-74-2	
Di-n-octylphthalate	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/13/22 17:14	117-84-0	
Dibenz(a,h)anthracene	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/13/22 17:14	53-70-3	
Dibenzofuran	<0.025	mg/kg	0.084	0.025	1	05/12/22 10:47	05/13/22 17:14	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 17:14	84-66-2	
Dimethylphthalate	<0.027	mg/kg	0.091	0.027	1	05/12/22 10:47	05/13/22 17:14	131-11-3	
Fluoranthene	<0.030	mg/kg	0.099	0.030	1	05/12/22 10:47	05/13/22 17:14	206-44-0	
Fluorene	<0.024	mg/kg	0.082	0.024	1	05/12/22 10:47	05/13/22 17:14	86-73-7	
Hexachloro-1,3-butadiene	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/13/22 17:14	87-68-3	
Hexachlorobenzene	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 17:14	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/12/22 10:47	05/13/22 17:14	77-47-4	
Hexachloroethane	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 17:14	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.045	mg/kg	0.15	0.045	1	05/12/22 10:47	05/13/22 17:14	193-39-5	
Isophorone	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 17:14	78-59-1	
N-Nitroso-di-n-propylamine	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 17:14	621-64-7	
N-Nitrosodiphenylamine	<0.28	mg/kg	0.95	0.28	1	05/12/22 10:47	05/13/22 17:14	86-30-6	
Naphthalene	<0.073	mg/kg	0.24	0.073	1	05/12/22 10:47	05/13/22 17:14	91-20-3	
Nitrobenzene	<0.042	mg/kg	0.14	0.042	1	05/12/22 10:47	05/13/22 17:14	98-95-3	
Pentachlorophenol	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/13/22 17:14	87-86-5	
Phenanthrene	<0.027	mg/kg	0.089	0.027	1	05/12/22 10:47	05/13/22 17:14	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/12/22 10:47	05/13/22 17:14	108-95-2	
Pyrene	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/13/22 17:14	129-00-0	
bis(2-Chloroethoxy)methane	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/13/22 17:14	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-32 (0.5-1.5) **Lab ID: 40244491015** Collected: 05/05/22 14:50 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.065	mg/kg	0.22	0.065	1	05/12/22 10:47	05/13/22 17:14	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 17:14	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	49	%	10-125		1	05/12/22 10:47	05/13/22 17:14	4165-60-0	
2-Fluorobiphenyl (S)	44	%	12-118		1	05/12/22 10:47	05/13/22 17:14	321-60-8	
Terphenyl-d14 (S)	57	%	10-124		1	05/12/22 10:47	05/13/22 17:14	1718-51-0	
Phenol-d6 (S)	52	%	10-125		1	05/12/22 10:47	05/13/22 17:14	13127-88-3	
2-Fluorophenol (S)	54	%	10-130		1	05/12/22 10:47	05/13/22 17:14	367-12-4	
2,4,6-Tribromophenol (S)	52	%	10-144		1	05/12/22 10:47	05/13/22 17:14	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0014	mg/kg	0.0047	0.0014	1	05/11/22 06:00	05/11/22 12:10	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0024	mg/kg	0.0047	0.0024	1	05/11/22 06:00	05/11/22 12:10	79-34-5	
1,1,2-Trichloroethane	<0.0014	mg/kg	0.0047	0.0014	1	05/11/22 06:00	05/11/22 12:10	79-00-5	
1,1-Dichloroethane	<0.0010	mg/kg	0.0047	0.0010	1	05/11/22 06:00	05/11/22 12:10	75-34-3	
1,1-Dichloroethene	<0.0010	mg/kg	0.0047	0.0010	1	05/11/22 06:00	05/11/22 12:10	75-35-4	
1,2-Dichloroethane	<0.00078	mg/kg	0.0047	0.00078	1	05/11/22 06:00	05/11/22 12:10	107-06-2	
1,2-Dichloropropane	<0.00096	mg/kg	0.0047	0.00096	1	05/11/22 06:00	05/11/22 12:10	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.024	0.015	1	05/11/22 06:00	05/11/22 12:10	78-93-3	
2-Hexanone	<0.011	mg/kg	0.024	0.011	1	05/11/22 06:00	05/11/22 12:10	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.019	mg/kg	0.024	0.019	1	05/11/22 06:00	05/11/22 12:10	108-10-1	
Acetone	<0.045	mg/kg	0.095	0.045	1	05/11/22 06:00	05/11/22 12:10	67-64-1	
Benzene	<0.00067	mg/kg	0.0047	0.00067	1	05/11/22 06:00	05/11/22 12:10	71-43-2	
Bromodichloromethane	<0.00065	mg/kg	0.0047	0.00065	1	05/11/22 06:00	05/11/22 12:10	75-27-4	
Bromoform	<0.0077	mg/kg	0.019	0.0077	1	05/11/22 06:00	05/11/22 12:10	75-25-2	
Bromomethane	<0.0042	mg/kg	0.0047	0.0042	1	05/11/22 06:00	05/11/22 12:10	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0047	0.0011	1	05/11/22 06:00	05/11/22 12:10	75-15-0	
Carbon tetrachloride	<0.0030	mg/kg	0.0047	0.0030	1	05/11/22 06:00	05/11/22 12:10	56-23-5	
Chlorobenzene	<0.00088	mg/kg	0.0047	0.00088	1	05/11/22 06:00	05/11/22 12:10	108-90-7	
Chloroethane	<0.0034	mg/kg	0.0047	0.0034	1	05/11/22 06:00	05/11/22 12:10	75-00-3	
Chloroform	<0.00080	mg/kg	0.0047	0.00080	1	05/11/22 06:00	05/11/22 12:10	67-66-3	
Chloromethane	<0.0010	mg/kg	0.0047	0.0010	1	05/11/22 06:00	05/11/22 12:10	74-87-3	
Dibromochloromethane	<0.00096	mg/kg	0.0047	0.00096	1	05/11/22 06:00	05/11/22 12:10	124-48-1	
Ethylbenzene	<0.00085	mg/kg	0.0047	0.00085	1	05/11/22 06:00	05/11/22 12:10	100-41-4	
Methyl-tert-butyl ether	<0.0019	mg/kg	0.0047	0.0019	1	05/11/22 06:00	05/11/22 12:10	1634-04-4	
Methylene Chloride	<0.0038	mg/kg	0.0047	0.0038	1	05/11/22 06:00	05/11/22 12:10	75-09-2	
Styrene	<0.00067	mg/kg	0.0047	0.00067	1	05/11/22 06:00	05/11/22 12:10	100-42-5	
Tetrachloroethene	<0.00084	mg/kg	0.0047	0.00084	1	05/11/22 06:00	05/11/22 12:10	127-18-4	
Toluene	<0.00084	mg/kg	0.0047	0.00084	1	05/11/22 06:00	05/11/22 12:10	108-88-3	
Trichloroethene	<0.00068	mg/kg	0.0047	0.00068	1	05/11/22 06:00	05/11/22 12:10	79-01-6	
Vinyl chloride	<0.0012	mg/kg	0.0047	0.0012	1	05/11/22 06:00	05/11/22 12:10	75-01-4	
Xylene (Total)	<0.0032	mg/kg	0.0095	0.0032	1	05/11/22 06:00	05/11/22 12:10	1330-20-7	
cis-1,2-Dichloroethene	<0.00084	mg/kg	0.0047	0.00084	1	05/11/22 06:00	05/11/22 12:10	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-32 (0.5-1.5) **Lab ID: 40244491015** Collected: 05/05/22 14:50 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.00097	mg/kg	0.0047	0.00097	1	05/11/22 06:00	05/11/22 12:10	10061-01-5	
trans-1,2-Dichloroethene	<0.00068	mg/kg	0.0047	0.00068	1	05/11/22 06:00	05/11/22 12:10	156-60-5	
trans-1,3-Dichloropropene	<0.00095	mg/kg	0.0047	0.00095	1	05/11/22 06:00	05/11/22 12:10	10061-02-6	
Surrogates									
Toluene-d8 (S)	99	%	69-156		1	05/11/22 06:00	05/11/22 12:10	2037-26-5	
4-Bromofluorobenzene (S)	80	%	61-175		1	05/11/22 06:00	05/11/22 12:10	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1	05/11/22 06:00	05/11/22 12:10	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	20.4	%	0.10	0.10	1		05/11/22 16:22		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.0	Std. Units	0.10	0.010	1		05/16/22 11:23		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.29	mg/kg	0.88	0.29	1	05/11/22 11:10	05/11/22 14:16	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-32 (4.0-5.0) **Lab ID: 40244491016** Collected: 05/05/22 14:55 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00060	mg/kg	0.0031	0.00060	1	05/09/22 14:20	05/11/22 15:28	309-00-2	
alpha-BHC	<0.00065	mg/kg	0.0031	0.00065	1	05/09/22 14:20	05/11/22 15:28	319-84-6	
beta-BHC	<0.00059	mg/kg	0.0031	0.00059	1	05/09/22 14:20	05/11/22 15:28	319-85-7	
delta-BHC	<0.00082	mg/kg	0.0031	0.00082	1	05/09/22 14:20	05/11/22 15:28	319-86-8	
gamma-BHC (Lindane)	<0.00057	mg/kg	0.0031	0.00057	1	05/09/22 14:20	05/11/22 15:28	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.063	0.013	1	05/09/22 14:20	05/11/22 15:28	57-74-9	
alpha-Chlordane	<0.00055	mg/kg	0.0031	0.00055	1	05/09/22 14:20	05/11/22 15:28	5103-71-9	
gamma-Chlordane	<0.00066	mg/kg	0.0031	0.00066	1	05/09/22 14:20	05/11/22 15:28	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0063	0.0012	1	05/09/22 14:20	05/11/22 15:28	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0063	0.0010	1	05/09/22 14:20	05/11/22 15:28	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0063	0.0020	1	05/09/22 14:20	05/11/22 15:28	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0063	0.0011	1	05/09/22 14:20	05/11/22 15:28	60-57-1	
Endosulfan I	<0.00052	mg/kg	0.0031	0.00052	1	05/09/22 14:20	05/11/22 15:28	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0063	0.0010	1	05/09/22 14:20	05/11/22 15:28	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0063	0.0012	1	05/09/22 14:20	05/11/22 15:28	1031-07-8	
Endrin	<0.0011	mg/kg	0.0063	0.0011	1	05/09/22 14:20	05/11/22 15:28	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0063	0.0014	1	05/09/22 14:20	05/11/22 15:28	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0063	0.0016	1	05/09/22 14:20	05/11/22 15:28	53494-70-5	
Heptachlor	<0.00056	mg/kg	0.0031	0.00056	1	05/09/22 14:20	05/11/22 15:28	76-44-8	
Heptachlor epoxide	<0.00053	mg/kg	0.0031	0.00053	1	05/09/22 14:20	05/11/22 15:28	1024-57-3	
Methoxychlor	<0.0072	mg/kg	0.031	0.0072	1	05/09/22 14:20	05/11/22 15:28	72-43-5	
Toxaphene	<0.022	mg/kg	0.063	0.022	1	05/09/22 14:20	05/11/22 15:28	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	44	%	10-147		1	05/09/22 14:20	05/11/22 15:28	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.064	0.020	1	05/09/22 18:42	05/11/22 13:56	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.064	0.020	1	05/09/22 18:42	05/11/22 13:56	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.064	0.020	1	05/09/22 18:42	05/11/22 13:56	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.064	0.020	1	05/09/22 18:42	05/11/22 13:56	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.064	0.020	1	05/09/22 18:42	05/11/22 13:56	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.064	0.020	1	05/09/22 18:42	05/11/22 13:56	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.064	0.020	1	05/09/22 18:42	05/11/22 13:56	11096-82-5	
PCB, Total	<0.020	mg/kg	0.064	0.020	1	05/09/22 18:42	05/11/22 13:56	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	85	%	50-99		1	05/09/22 18:42	05/11/22 13:56	877-09-8	
Decachlorobiphenyl (S)	89	%	38-95		1	05/09/22 18:42	05/11/22 13:56	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	14600	mg/kg	37.6	7.6	1	05/09/22 17:19	05/14/22 01:26	7429-90-5	
Antimony	0.22J	mg/kg	0.63	0.12	1	05/09/22 17:19	05/14/22 01:26	7440-36-0	
Arsenic	15.1	mg/kg	0.63	0.14	1	05/09/22 17:19	05/14/22 01:26	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-32 (4.0-5.0) **Lab ID: 40244491016** Collected: 05/05/22 14:55 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	222	mg/kg	0.38	0.067	1	05/09/22 17:19	05/14/22 01:26	7440-39-3	
Beryllium	0.82	mg/kg	0.25	0.050	1	05/09/22 17:19	05/14/22 01:26	7440-41-7	
Cadmium	0.64	mg/kg	0.10	0.039	1	05/09/22 17:19	05/14/22 01:26	7440-43-9	
Calcium	3740	mg/kg	125	14.8	1	05/09/22 17:19	05/14/22 01:26	7440-70-2	
Chromium	20.5	mg/kg	2.5	0.18	1	05/09/22 17:19	05/14/22 01:26	7440-47-3	
Cobalt	19.9	mg/kg	0.63	0.12	1	05/09/22 17:19	05/14/22 01:26	7440-48-4	
Copper	22.0	mg/kg	1.3	0.30	1	05/09/22 17:19	05/14/22 01:26	7440-50-8	
Iron	23500	mg/kg	62.6	13.2	1	05/09/22 17:19	05/14/22 01:26	7439-89-6	
Lead	21.7	mg/kg	0.63	0.037	1	05/09/22 17:19	05/14/22 01:26	7439-92-1	
Magnesium	3800	mg/kg	37.6	5.4	1	05/09/22 17:19	05/14/22 01:26	7439-95-4	
Manganese	1470	mg/kg	6.3	3.1	10	05/09/22 17:19	05/16/22 21:38	7439-96-5	
Nickel	37.7	mg/kg	0.63	0.25	1	05/09/22 17:19	05/14/22 01:26	7440-02-0	
Potassium	814	mg/kg	125	14.4	1	05/09/22 17:19	05/14/22 01:26	7440-09-7	
Selenium	0.30J	mg/kg	0.63	0.11	1	05/09/22 17:19	05/14/22 01:26	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/09/22 17:19	05/16/22 21:35	7440-22-4	
Sodium	36.4J	mg/kg	62.6	13.9	1	05/09/22 17:19	05/14/22 01:26	7440-23-5	
Thallium	0.24	mg/kg	0.13	0.046	1	05/09/22 17:19	05/14/22 01:26	7440-28-0	
Vanadium	39.4	mg/kg	1.3	0.22	1	05/09/22 17:19	05/14/22 01:26	7440-62-2	
Zinc	62.7	mg/kg	6.3	1.1	1	05/09/22 17:19	05/14/22 01:26	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.039J	mg/kg	0.041	0.012	1	05/12/22 12:50	05/13/22 12:08	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/12/22 10:47	05/13/22 11:33	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/13/22 11:33	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/12/22 10:47	05/13/22 11:33	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/12/22 10:47	05/13/22 11:33	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/13/22 11:33	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/13/22 11:33	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 11:33	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/13/22 11:33	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/12/22 10:47	05/13/22 11:33	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/12/22 10:47	05/13/22 11:33	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/13/22 11:33	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/12/22 10:47	05/13/22 11:33	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/12/22 10:47	05/13/22 11:33	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/13/22 11:33	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/13/22 11:33	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/13/22 11:33	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/12/22 10:47	05/13/22 11:33	88-74-4	
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/13/22 11:33	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-32 (4.0-5.0) **Lab ID: 40244491016** Collected: 05/05/22 14:55 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/13/22 11:33		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/13/22 11:33	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/13/22 11:33	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/12/22 10:47	05/13/22 11:33	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/12/22 10:47	05/13/22 11:33	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/12/22 10:47	05/13/22 11:33	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 11:33	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/13/22 11:33	7005-72-3	
4-Nitroaniline	<0.089	mg/kg	0.30	0.089	1	05/12/22 10:47	05/13/22 11:33	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/13/22 11:33	100-02-7	
Acenaphthene	<0.076	mg/kg	0.25	0.076	1	05/12/22 10:47	05/13/22 11:33	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/12/22 10:47	05/13/22 11:33	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 11:33	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 11:33	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 11:33	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/13/22 11:33	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/13/22 11:33	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/12/22 10:47	05/13/22 11:33	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 11:33	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 11:33	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 11:33	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 11:33	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/12/22 10:47	05/13/22 11:33	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/13/22 11:33	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/12/22 10:47	05/13/22 11:33	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 11:33	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.093	0.028	1	05/12/22 10:47	05/13/22 11:33	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/13/22 11:33	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/12/22 10:47	05/13/22 11:33	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/13/22 11:33	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/13/22 11:33	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/12/22 10:47	05/13/22 11:33	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 11:33	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/13/22 11:33	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 11:33	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 11:33	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.97	0.29	1	05/12/22 10:47	05/13/22 11:33	86-30-6	
Naphthalene	<0.075	mg/kg	0.25	0.075	1	05/12/22 10:47	05/13/22 11:33	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/12/22 10:47	05/13/22 11:33	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/13/22 11:33	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/12/22 10:47	05/13/22 11:33	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/12/22 10:47	05/13/22 11:33	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/13/22 11:33	129-00-0	
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/13/22 11:33	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-32 (4.0-5.0) **Lab ID: 40244491016** Collected: 05/05/22 14:55 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/13/22 11:33	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 11:33	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	61	%	10-125		1	05/12/22 10:47	05/13/22 11:33	4165-60-0	
2-Fluorobiphenyl (S)	43	%	12-118		1	05/12/22 10:47	05/13/22 11:33	321-60-8	
Terphenyl-d14 (S)	64	%	10-124		1	05/12/22 10:47	05/13/22 11:33	1718-51-0	
Phenol-d6 (S)	56	%	10-125		1	05/12/22 10:47	05/13/22 11:33	13127-88-3	
2-Fluorophenol (S)	60	%	10-130		1	05/12/22 10:47	05/13/22 11:33	367-12-4	
2,4,6-Tribromophenol (S)	59	%	10-144		1	05/12/22 10:47	05/13/22 11:33	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/11/22 06:00	05/11/22 12:34	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0051	0.0026	1	05/11/22 06:00	05/11/22 12:34	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/11/22 06:00	05/11/22 12:34	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0051	0.0011	1	05/11/22 06:00	05/11/22 12:34	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0051	0.0011	1	05/11/22 06:00	05/11/22 12:34	75-35-4	
1,2-Dichloroethane	<0.00084	mg/kg	0.0051	0.00084	1	05/11/22 06:00	05/11/22 12:34	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0051	0.0010	1	05/11/22 06:00	05/11/22 12:34	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/11/22 06:00	05/11/22 12:34	78-93-3	
2-Hexanone	<0.012	mg/kg	0.025	0.012	1	05/11/22 06:00	05/11/22 12:34	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/11/22 06:00	05/11/22 12:34	108-10-1	
Acetone	<0.048	mg/kg	0.10	0.048	1	05/11/22 06:00	05/11/22 12:34	67-64-1	
Benzene	<0.00072	mg/kg	0.0051	0.00072	1	05/11/22 06:00	05/11/22 12:34	71-43-2	
Bromodichloromethane	<0.00069	mg/kg	0.0051	0.00069	1	05/11/22 06:00	05/11/22 12:34	75-27-4	
Bromoform	<0.0083	mg/kg	0.020	0.0083	1	05/11/22 06:00	05/11/22 12:34	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0051	0.0045	1	05/11/22 06:00	05/11/22 12:34	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0051	0.0011	1	05/11/22 06:00	05/11/22 12:34	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0051	0.0032	1	05/11/22 06:00	05/11/22 12:34	56-23-5	
Chlorobenzene	<0.00094	mg/kg	0.0051	0.00094	1	05/11/22 06:00	05/11/22 12:34	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0051	0.0037	1	05/11/22 06:00	05/11/22 12:34	75-00-3	
Chloroform	<0.00086	mg/kg	0.0051	0.00086	1	05/11/22 06:00	05/11/22 12:34	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0051	0.0011	1	05/11/22 06:00	05/11/22 12:34	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0051	0.0010	1	05/11/22 06:00	05/11/22 12:34	124-48-1	
Ethylbenzene	<0.00091	mg/kg	0.0051	0.00091	1	05/11/22 06:00	05/11/22 12:34	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0051	0.0021	1	05/11/22 06:00	05/11/22 12:34	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0051	0.0040	1	05/11/22 06:00	05/11/22 12:34	75-09-2	
Styrene	<0.00072	mg/kg	0.0051	0.00072	1	05/11/22 06:00	05/11/22 12:34	100-42-5	
Tetrachloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/11/22 06:00	05/11/22 12:34	127-18-4	
Toluene	<0.00090	mg/kg	0.0051	0.00090	1	05/11/22 06:00	05/11/22 12:34	108-88-3	
Trichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/11/22 06:00	05/11/22 12:34	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0051	0.0013	1	05/11/22 06:00	05/11/22 12:34	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/11/22 06:00	05/11/22 12:34	1330-20-7	
cis-1,2-Dichloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/11/22 06:00	05/11/22 12:34	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-32 (4.0-5.0) **Lab ID: 40244491016** Collected: 05/05/22 14:55 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/11/22 06:00	05/11/22 12:34	10061-01-5	
trans-1,2-Dichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/11/22 06:00	05/11/22 12:34	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/11/22 06:00	05/11/22 12:34	10061-02-6	
Surrogates									
Toluene-d8 (S)	95	%	69-156		1	05/11/22 06:00	05/11/22 12:34	2037-26-5	
4-Bromofluorobenzene (S)	81	%	61-175		1	05/11/22 06:00	05/11/22 12:34	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1	05/11/22 06:00	05/11/22 12:34	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.7	%	0.10	0.10	1		05/11/22 16:22		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.9	Std. Units	0.10	0.010	1		05/16/22 11:26		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.36	mg/kg	1.1	0.36	1	05/11/22 11:10	05/11/22 14:17	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-34 (1.0-2.0) **Lab ID: 40244491017** Collected: 05/05/22 15:35 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00059	mg/kg	0.0031	0.00059	1	05/09/22 14:20	05/11/22 15:41	309-00-2	
alpha-BHC	<0.00064	mg/kg	0.0031	0.00064	1	05/09/22 14:20	05/11/22 15:41	319-84-6	
beta-BHC	<0.00057	mg/kg	0.0031	0.00057	1	05/09/22 14:20	05/11/22 15:41	319-85-7	
delta-BHC	<0.00080	mg/kg	0.0031	0.00080	1	05/09/22 14:20	05/11/22 15:41	319-86-8	
gamma-BHC (Lindane)	<0.00055	mg/kg	0.0031	0.00055	1	05/09/22 14:20	05/11/22 15:41	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.061	0.013	1	05/09/22 14:20	05/11/22 15:41	57-74-9	
alpha-Chlordane	0.030	mg/kg	0.0031	0.00054	1	05/09/22 14:20	05/11/22 15:54	5103-71-9	
gamma-Chlordane	0.013	mg/kg	0.0031	0.00064	1	05/09/22 14:20	05/11/22 15:41	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0061	0.0012	1	05/09/22 14:20	05/11/22 15:41	72-54-8	
4,4'-DDE	0.0037J	mg/kg	0.0061	0.0010	1	05/09/22 14:20	05/11/22 15:41	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0061	0.0020	1	05/09/22 14:20	05/11/22 15:41	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0061	0.0011	1	05/09/22 14:20	05/11/22 15:41	60-57-1	
Endosulfan I	<0.00051	mg/kg	0.0031	0.00051	1	05/09/22 14:20	05/11/22 15:41	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0061	0.0010	1	05/09/22 14:20	05/11/22 15:41	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0061	0.0012	1	05/09/22 14:20	05/11/22 15:41	1031-07-8	
Endrin	<0.0011	mg/kg	0.0061	0.0011	1	05/09/22 14:20	05/11/22 15:41	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0061	0.0014	1	05/09/22 14:20	05/11/22 15:41	7421-93-4	
Endrin ketone	<0.0015	mg/kg	0.0061	0.0015	1	05/09/22 14:20	05/11/22 15:41	53494-70-5	
Heptachlor	<0.00054	mg/kg	0.0031	0.00054	1	05/09/22 14:20	05/11/22 15:54	76-44-8	
Heptachlor epoxide	0.0053	mg/kg	0.0031	0.00052	1	05/09/22 14:20	05/11/22 15:54	1024-57-3	C2
Methoxychlor	<0.0070	mg/kg	0.031	0.0070	1	05/09/22 14:20	05/11/22 15:41	72-43-5	
Toxaphene	<0.022	mg/kg	0.061	0.022	1	05/09/22 14:20	05/11/22 15:41	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	50	%	10-147		1	05/09/22 14:20	05/11/22 15:54	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 14:18	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 14:18	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 14:18	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 14:18	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 14:18	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 14:18	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 14:18	11096-82-5	
PCB, Total	<0.019	mg/kg	0.064	0.019	1	05/09/22 18:42	05/11/22 14:18	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	90	%	50-99		1	05/09/22 18:42	05/11/22 14:18	877-09-8	
Decachlorobiphenyl (S)	87	%	38-95		1	05/09/22 18:42	05/11/22 14:18	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	9260	mg/kg	35.8	7.2	1	05/09/22 17:19	05/14/22 01:37	7429-90-5	
Antimony	0.14J	mg/kg	0.60	0.11	1	05/09/22 17:19	05/14/22 01:37	7440-36-0	
Arsenic	7.4	mg/kg	0.60	0.13	1	05/09/22 17:19	05/14/22 01:37	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-34 (1.0-2.0) **Lab ID: 40244491017** Collected: 05/05/22 15:35 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	110	mg/kg	0.36	0.064	1	05/09/22 17:19	05/14/22 01:37	7440-39-3	
Beryllium	0.56	mg/kg	0.24	0.047	1	05/09/22 17:19	05/14/22 01:37	7440-41-7	
Cadmium	0.23	mg/kg	0.095	0.037	1	05/09/22 17:19	05/14/22 01:37	7440-43-9	
Calcium	19600	mg/kg	119	14.1	1	05/09/22 17:19	05/14/22 01:37	7440-70-2	
Chromium	15.3	mg/kg	2.4	0.17	1	05/09/22 17:19	05/14/22 01:37	7440-47-3	
Cobalt	7.5	mg/kg	0.60	0.12	1	05/09/22 17:19	05/14/22 01:37	7440-48-4	
Copper	14.0	mg/kg	1.2	0.29	1	05/09/22 17:19	05/14/22 01:37	7440-50-8	
Iron	16300	mg/kg	59.6	12.5	1	05/09/22 17:19	05/14/22 01:37	7439-89-6	
Lead	14.8	mg/kg	0.60	0.035	1	05/09/22 17:19	05/14/22 01:37	7439-92-1	
Magnesium	10200	mg/kg	35.8	5.1	1	05/09/22 17:19	05/14/22 01:37	7439-95-4	
Manganese	439	mg/kg	0.60	0.29	1	05/09/22 17:19	05/14/22 01:37	7439-96-5	
Nickel	14.4	mg/kg	0.60	0.24	1	05/09/22 17:19	05/14/22 01:37	7440-02-0	
Potassium	671	mg/kg	119	13.7	1	05/09/22 17:19	05/14/22 01:37	7440-09-7	
Selenium	0.34J	mg/kg	0.60	0.10	1	05/09/22 17:19	05/14/22 01:37	7782-49-2	
Silver	<0.17	mg/kg	0.60	0.17	1	05/09/22 17:19	05/16/22 21:42	7440-22-4	
Sodium	32.3J	mg/kg	59.6	13.2	1	05/09/22 17:19	05/14/22 01:37	7440-23-5	
Thallium	0.18	mg/kg	0.12	0.044	1	05/09/22 17:19	05/14/22 01:37	7440-28-0	
Vanadium	25.4	mg/kg	1.2	0.21	1	05/09/22 17:19	05/14/22 01:37	7440-62-2	
Zinc	51.0	mg/kg	6.0	1.1	1	05/09/22 17:19	05/14/22 01:37	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.027J	mg/kg	0.041	0.012	1	05/12/22 12:50	05/13/22 12:15	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/12/22 10:47	05/13/22 11:54	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/13/22 11:54	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.098	0.030	1	05/12/22 10:47	05/13/22 11:54	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/12/22 10:47	05/13/22 11:54	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/13/22 11:54	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/13/22 11:54	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 11:54	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/13/22 11:54	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/12/22 10:47	05/13/22 11:54	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/12/22 10:47	05/13/22 11:54	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/13/22 11:54	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/13/22 11:54	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/12/22 10:47	05/13/22 11:54	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/13/22 11:54	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/13/22 11:54	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/13/22 11:54	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/12/22 10:47	05/13/22 11:54	88-74-4	
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/13/22 11:54	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-34 (1.0-2.0) **Lab ID: 40244491017** Collected: 05/05/22 15:35 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/13/22 11:54		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/13/22 11:54	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/13/22 11:54	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/12/22 10:47	05/13/22 11:54	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/12/22 10:47	05/13/22 11:54	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/12/22 10:47	05/13/22 11:54	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 11:54	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/13/22 11:54	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/12/22 10:47	05/13/22 11:54	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/13/22 11:54	100-02-7	
Acenaphthene	<0.076	mg/kg	0.25	0.076	1	05/12/22 10:47	05/13/22 11:54	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/12/22 10:47	05/13/22 11:54	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 11:54	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 11:54	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 11:54	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/13/22 11:54	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/13/22 11:54	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/12/22 10:47	05/13/22 11:54	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 11:54	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 11:54	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 11:54	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 11:54	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/12/22 10:47	05/13/22 11:54	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/13/22 11:54	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/12/22 10:47	05/13/22 11:54	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 11:54	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.092	0.028	1	05/12/22 10:47	05/13/22 11:54	131-11-3	
Fluoranthene	0.032J	mg/kg	0.10	0.030	1	05/12/22 10:47	05/13/22 11:54	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/12/22 10:47	05/13/22 11:54	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/13/22 11:54	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/13/22 11:54	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/12/22 10:47	05/13/22 11:54	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 11:54	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/13/22 11:54	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 11:54	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 11:54	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/12/22 10:47	05/13/22 11:54	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/12/22 10:47	05/13/22 11:54	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/12/22 10:47	05/13/22 11:54	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/13/22 11:54	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/12/22 10:47	05/13/22 11:54	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/12/22 10:47	05/13/22 11:54	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/13/22 11:54	129-00-0	
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/13/22 11:54	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-34 (1.0-2.0) **Lab ID: 40244491017** Collected: 05/05/22 15:35 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/13/22 11:54	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 11:54	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	64	%	10-125		1	05/12/22 10:47	05/13/22 11:54	4165-60-0	
2-Fluorobiphenyl (S)	58	%	12-118		1	05/12/22 10:47	05/13/22 11:54	321-60-8	
Terphenyl-d14 (S)	68	%	10-124		1	05/12/22 10:47	05/13/22 11:54	1718-51-0	
Phenol-d6 (S)	58	%	10-125		1	05/12/22 10:47	05/13/22 11:54	13127-88-3	
2-Fluorophenol (S)	57	%	10-130		1	05/12/22 10:47	05/13/22 11:54	367-12-4	
2,4,6-Tribromophenol (S)	70	%	10-144		1	05/12/22 10:47	05/13/22 11:54	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/11/22 06:00	05/11/22 12:58	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/11/22 06:00	05/11/22 12:58	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/11/22 06:00	05/11/22 12:58	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 12:58	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 12:58	75-35-4	
1,2-Dichloroethane	<0.00088	mg/kg	0.0053	0.00088	1	05/11/22 06:00	05/11/22 12:58	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 12:58	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/11/22 06:00	05/11/22 12:58	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/11/22 06:00	05/11/22 12:58	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/11/22 06:00	05/11/22 12:58	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/11/22 06:00	05/11/22 12:58	67-64-1	
Benzene	<0.00076	mg/kg	0.0053	0.00076	1	05/11/22 06:00	05/11/22 12:58	71-43-2	
Bromodichloromethane	<0.00073	mg/kg	0.0053	0.00073	1	05/11/22 06:00	05/11/22 12:58	75-27-4	
Bromoform	<0.0087	mg/kg	0.021	0.0087	1	05/11/22 06:00	05/11/22 12:58	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0053	0.0048	1	05/11/22 06:00	05/11/22 12:58	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/11/22 06:00	05/11/22 12:58	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0053	0.0034	1	05/11/22 06:00	05/11/22 12:58	56-23-5	
Chlorobenzene	<0.00098	mg/kg	0.0053	0.00098	1	05/11/22 06:00	05/11/22 12:58	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0053	0.0039	1	05/11/22 06:00	05/11/22 12:58	75-00-3	
Chloroform	<0.00090	mg/kg	0.0053	0.00090	1	05/11/22 06:00	05/11/22 12:58	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 12:58	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 12:58	124-48-1	
Ethylbenzene	<0.00095	mg/kg	0.0053	0.00095	1	05/11/22 06:00	05/11/22 12:58	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/11/22 06:00	05/11/22 12:58	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/11/22 06:00	05/11/22 12:58	75-09-2	
Styrene	<0.00076	mg/kg	0.0053	0.00076	1	05/11/22 06:00	05/11/22 12:58	100-42-5	
Tetrachloroethene	<0.00095	mg/kg	0.0053	0.00095	1	05/11/22 06:00	05/11/22 12:58	127-18-4	
Toluene	<0.00094	mg/kg	0.0053	0.00094	1	05/11/22 06:00	05/11/22 12:58	108-88-3	
Trichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/11/22 06:00	05/11/22 12:58	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/11/22 06:00	05/11/22 12:58	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/11/22 06:00	05/11/22 12:58	1330-20-7	
cis-1,2-Dichloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/11/22 06:00	05/11/22 12:58	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-34 (1.0-2.0) **Lab ID: 40244491017** Collected: 05/05/22 15:35 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 12:58	10061-01-5	
trans-1,2-Dichloroethene	<0.00077	mg/kg	0.0053	0.00077	1	05/11/22 06:00	05/11/22 12:58	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/11/22 06:00	05/11/22 12:58	10061-02-6	
Surrogates									
Toluene-d8 (S)	98	%	69-156		1	05/11/22 06:00	05/11/22 12:58	2037-26-5	
4-Bromofluorobenzene (S)	81	%	61-175		1	05/11/22 06:00	05/11/22 12:58	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1	05/11/22 06:00	05/11/22 12:58	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.6	%	0.10	0.10	1		05/11/22 16:22		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.9	Std. Units	0.10	0.010	1		05/16/22 11:29		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.28	mg/kg	0.83	0.28	1	05/11/22 11:10	05/11/22 14:18	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-34 (4.0-5.0) **Lab ID: 40244491018** Collected: 05/03/22 15:40 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00048	mg/kg	0.0025	0.00048	1	05/13/22 10:43	05/17/22 14:46	309-00-2	
alpha-BHC	<0.00052	mg/kg	0.0025	0.00052	1	05/13/22 10:43	05/17/22 14:46	319-84-6	
beta-BHC	<0.00047	mg/kg	0.0025	0.00047	1	05/13/22 10:43	05/17/22 14:46	319-85-7	
delta-BHC	<0.00066	mg/kg	0.0025	0.00066	1	05/13/22 10:43	05/17/22 14:46	319-86-8	
gamma-BHC (Lindane)	<0.00046	mg/kg	0.0025	0.00046	1	05/13/22 10:43	05/17/22 14:46	58-89-9	
Chlordane (Technical)	<0.010	mg/kg	0.050	0.010	1	05/13/22 10:43	05/17/22 14:46	57-74-9	
alpha-Chlordane	0.0060	mg/kg	0.0025	0.00044	1	05/13/22 10:43	05/17/22 14:46	5103-71-9	R1
gamma-Chlordane	0.0021J	mg/kg	0.0025	0.00053	1	05/13/22 10:43	05/17/22 14:34	5103-74-2	C2
4,4'-DDD	<0.00098	mg/kg	0.0050	0.00098	1	05/13/22 10:43	05/17/22 14:46	72-54-8	
4,4'-DDE	0.0013J	mg/kg	0.0050	0.00083	1	05/13/22 10:43	05/17/22 14:46	72-55-9	
4,4'-DDT	<0.0016	mg/kg	0.0050	0.0016	1	05/13/22 10:43	05/17/22 14:46	50-29-3	
Dieldrin	<0.00088	mg/kg	0.0050	0.00088	1	05/13/22 10:43	05/17/22 14:46	60-57-1	
Endosulfan I	<0.00042	mg/kg	0.0025	0.00042	1	05/13/22 10:43	05/17/22 14:46	959-98-8	
Endosulfan II	<0.00082	mg/kg	0.0050	0.00082	1	05/13/22 10:43	05/17/22 14:46	33213-65-9	
Endosulfan sulfate	<0.00097	mg/kg	0.0050	0.00097	1	05/13/22 10:43	05/17/22 14:46	1031-07-8	
Endrin	<0.00088	mg/kg	0.0050	0.00088	1	05/13/22 10:43	05/17/22 14:46	72-20-8	
Endrin aldehyde	<0.0011	mg/kg	0.0050	0.0011	1	05/13/22 10:43	05/17/22 14:46	7421-93-4	
Endrin ketone	<0.0013	mg/kg	0.0050	0.0013	1	05/13/22 10:43	05/17/22 14:46	53494-70-5	
Heptachlor	<0.00045	mg/kg	0.0025	0.00045	1	05/13/22 10:43	05/17/22 14:46	76-44-8	
Heptachlor epoxide	0.0019J	mg/kg	0.0025	0.00042	1	05/13/22 10:43	05/17/22 14:46	1024-57-3	
Methoxychlor	<0.0057	mg/kg	0.025	0.0057	1	05/13/22 10:43	05/17/22 14:46	72-43-5	
Toxaphene	<0.018	mg/kg	0.050	0.018	1	05/13/22 10:43	05/17/22 14:46	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	52	%	10-147		1	05/13/22 10:43	05/17/22 14:46	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.016	mg/kg	0.052	0.016	1	05/09/22 18:42	05/11/22 14:40	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.016	mg/kg	0.052	0.016	1	05/09/22 18:42	05/11/22 14:40	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.016	mg/kg	0.052	0.016	1	05/09/22 18:42	05/11/22 14:40	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.016	mg/kg	0.052	0.016	1	05/09/22 18:42	05/11/22 14:40	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.016	mg/kg	0.052	0.016	1	05/09/22 18:42	05/11/22 14:40	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.016	mg/kg	0.052	0.016	1	05/09/22 18:42	05/11/22 14:40	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.016	mg/kg	0.052	0.016	1	05/09/22 18:42	05/11/22 14:40	11096-82-5	
PCB, Total	<0.016	mg/kg	0.052	0.016	1	05/09/22 18:42	05/11/22 14:40	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	88	%	50-99		1	05/09/22 18:42	05/11/22 14:40	877-09-8	
Decachlorobiphenyl (S)	88	%	38-95		1	05/09/22 18:42	05/11/22 14:40	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	7910	mg/kg	30.4	6.1	1	05/09/22 17:19	05/14/22 01:41	7429-90-5	
Antimony	<0.097	mg/kg	0.51	0.097	1	05/09/22 17:19	05/14/22 01:41	7440-36-0	
Arsenic	3.8	mg/kg	0.51	0.11	1	05/09/22 17:19	05/14/22 01:41	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-34 (4.0-5.0) **Lab ID: 40244491018** Collected: 05/03/22 15:40 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	96.3	mg/kg	0.30	0.054	1	05/09/22 17:19	05/14/22 01:41	7440-39-3	
Beryllium	0.49	mg/kg	0.20	0.040	1	05/09/22 17:19	05/14/22 01:41	7440-41-7	
Cadmium	0.10	mg/kg	0.081	0.032	1	05/09/22 17:19	05/14/22 01:41	7440-43-9	
Calcium	5700	mg/kg	101	12.0	1	05/09/22 17:19	05/14/22 01:41	7440-70-2	
Chromium	10.5	mg/kg	2.0	0.14	1	05/09/22 17:19	05/14/22 01:41	7440-47-3	
Cobalt	3.1	mg/kg	0.51	0.10	1	05/09/22 17:19	05/14/22 01:41	7440-48-4	
Copper	10.7	mg/kg	1.0	0.25	1	05/09/22 17:19	05/14/22 01:41	7440-50-8	
Iron	10500	mg/kg	50.7	10.7	1	05/09/22 17:19	05/14/22 01:41	7439-89-6	
Lead	8.1	mg/kg	0.51	0.030	1	05/09/22 17:19	05/14/22 01:41	7439-92-1	
Magnesium	2510	mg/kg	30.4	4.4	1	05/09/22 17:19	05/14/22 01:41	7439-95-4	
Manganese	204	mg/kg	0.51	0.25	1	05/09/22 17:19	05/14/22 01:41	7439-96-5	
Nickel	8.8	mg/kg	0.51	0.20	1	05/09/22 17:19	05/14/22 01:41	7440-02-0	
Potassium	672	mg/kg	101	11.7	1	05/09/22 17:19	05/14/22 01:41	7440-09-7	
Selenium	0.42J	mg/kg	0.51	0.087	1	05/09/22 17:19	05/14/22 01:41	7782-49-2	
Silver	<0.15	mg/kg	0.51	0.15	1	05/09/22 17:19	05/16/22 21:46	7440-22-4	
Sodium	15.4J	mg/kg	50.7	11.3	1	05/09/22 17:19	05/14/22 01:41	7440-23-5	
Thallium	0.13	mg/kg	0.10	0.037	1	05/09/22 17:19	05/14/22 01:41	7440-28-0	
Vanadium	18.9	mg/kg	1.0	0.18	1	05/09/22 17:19	05/14/22 01:41	7440-62-2	
Zinc	33.1	mg/kg	5.1	0.91	1	05/09/22 17:19	05/14/22 01:41	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	<0.010	mg/kg	0.036	0.010	1	05/12/22 12:50	05/13/22 12:17	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.020	mg/kg	0.065	0.020	1	05/10/22 12:26	05/10/22 14:55	120-82-1	
1,2-Dichlorobenzene	<0.054	mg/kg	0.18	0.054	1	05/10/22 12:26	05/10/22 14:55	95-50-1	
1,3-Dichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/10/22 12:26	05/10/22 14:55	541-73-1	
1,4-Dichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/10/22 12:26	05/10/22 14:55	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.045	mg/kg	0.15	0.045	1	05/10/22 12:26	05/10/22 14:55	108-60-1	
2,4,5-Trichlorophenol	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/10/22 14:55	95-95-4	
2,4,6-Trichlorophenol	<0.026	mg/kg	0.088	0.026	1	05/10/22 12:26	05/10/22 14:55	88-06-2	
2,4-Dichlorophenol	<0.046	mg/kg	0.15	0.046	1	05/10/22 12:26	05/10/22 14:55	120-83-2	
2,4-Dimethylphenol	<0.034	mg/kg	0.11	0.034	1	05/10/22 12:26	05/10/22 14:55	105-67-9	
2,4-Dinitrophenol	<0.053	mg/kg	0.18	0.053	1	05/10/22 12:26	05/10/22 14:55	51-28-5	
2,4-Dinitrotoluene	<0.025	mg/kg	0.082	0.025	1	05/10/22 12:26	05/10/22 14:55	121-14-2	
2,6-Dinitrotoluene	<0.033	mg/kg	0.11	0.033	1	05/10/22 12:26	05/10/22 14:55	606-20-2	
2-Chloronaphthalene	<0.022	mg/kg	0.074	0.022	1	05/10/22 12:26	05/10/22 14:55	91-58-7	
2-Chlorophenol	<0.043	mg/kg	0.14	0.043	1	05/10/22 12:26	05/10/22 14:55	95-57-8	
2-Methylnaphthalene	<0.045	mg/kg	0.15	0.045	1	05/10/22 12:26	05/10/22 14:55	91-57-6	
2-Methylphenol(o-Cresol)	<0.031	mg/kg	0.10	0.031	1	05/10/22 12:26	05/10/22 14:55	95-48-7	
2-Nitroaniline	<0.049	mg/kg	0.16	0.049	1	05/10/22 12:26	05/10/22 14:55	88-74-4	
2-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/10/22 12:26	05/10/22 14:55	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Sample: SB-34 (4.0-5.0) **Lab ID: 40244491018** Collected: 05/03/22 15:40 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/10/22 14:55		
3,3'-Dichlorobenzidine	<0.047	mg/kg	0.16	0.047	1	05/10/22 12:26	05/10/22 14:55	91-94-1	
3-Nitroaniline	<0.029	mg/kg	0.098	0.029	1	05/10/22 12:26	05/10/22 14:55	99-09-2	
4,6-Dinitro-2-methylphenol	<0.053	mg/kg	0.18	0.053	1	05/10/22 12:26	05/10/22 14:55	534-52-1	
4-Bromophenylphenyl ether	<0.036	mg/kg	0.12	0.036	1	05/10/22 12:26	05/10/22 14:55	101-55-3	
4-Chloro-3-methylphenol	<0.054	mg/kg	0.18	0.054	1	05/10/22 12:26	05/10/22 14:55	59-50-7	
4-Chloroaniline	<0.028	mg/kg	0.095	0.028	1	05/10/22 12:26	05/10/22 14:55	106-47-8	3q
4-Chlorophenylphenyl ether	<0.032	mg/kg	0.11	0.032	1	05/10/22 12:26	05/10/22 14:55	7005-72-3	
4-Nitroaniline	<0.072	mg/kg	0.24	0.072	1	05/10/22 12:26	05/10/22 14:55	100-01-6	
4-Nitrophenol	<0.043	mg/kg	0.14	0.043	1	05/10/22 12:26	05/10/22 14:55	100-02-7	
Acenaphthene	<0.061	mg/kg	0.20	0.061	1	05/10/22 12:26	05/10/22 14:55	83-32-9	
Acenaphthylene	<0.062	mg/kg	0.21	0.062	1	05/10/22 12:26	05/10/22 14:55	208-96-8	
Anthracene	<0.028	mg/kg	0.092	0.028	1	05/10/22 12:26	05/10/22 14:55	120-12-7	
Benzo(a)anthracene	<0.027	mg/kg	0.089	0.027	1	05/10/22 12:26	05/10/22 14:55	56-55-3	
Benzo(a)pyrene	<0.026	mg/kg	0.087	0.026	1	05/10/22 12:26	05/10/22 14:55	50-32-8	
Benzo(b)fluoranthene	<0.030	mg/kg	0.099	0.030	1	05/10/22 12:26	05/10/22 14:55	205-99-2	
Benzo(g,h,i)perylene	<0.045	mg/kg	0.15	0.045	1	05/10/22 12:26	05/10/22 14:55	191-24-2	
Benzo(k)fluoranthene	<0.041	mg/kg	0.14	0.041	1	05/10/22 12:26	05/10/22 14:55	207-08-9	
Butylbenzylphthalate	<0.028	mg/kg	0.092	0.028	1	05/10/22 12:26	05/10/22 14:55	85-68-7	
Carbazole	<0.027	mg/kg	0.090	0.027	1	05/10/22 12:26	05/10/22 14:55	86-74-8	
Chrysene	<0.026	mg/kg	0.086	0.026	1	05/10/22 12:26	05/10/22 14:55	218-01-9	
Di-n-butylphthalate	<0.026	mg/kg	0.086	0.026	1	05/10/22 12:26	05/10/22 14:55	84-74-2	
Di-n-octylphthalate	<0.039	mg/kg	0.13	0.039	1	05/10/22 12:26	05/10/22 14:55	117-84-0	
Dibenz(a,h)anthracene	<0.047	mg/kg	0.16	0.047	1	05/10/22 12:26	05/10/22 14:55	53-70-3	
Dibenzofuran	<0.021	mg/kg	0.070	0.021	1	05/10/22 12:26	05/10/22 14:55	132-64-9	
Diethylphthalate	<0.029	mg/kg	0.095	0.029	1	05/10/22 12:26	05/10/22 14:55	84-66-2	
Dimethylphthalate	<0.022	mg/kg	0.075	0.022	1	05/10/22 12:26	05/10/22 14:55	131-11-3	
Fluoranthene	<0.024	mg/kg	0.081	0.024	1	05/10/22 12:26	05/10/22 14:55	206-44-0	
Fluorene	<0.020	mg/kg	0.067	0.020	1	05/10/22 12:26	05/10/22 14:55	86-73-7	
Hexachloro-1,3-butadiene	<0.044	mg/kg	0.15	0.044	1	05/10/22 12:26	05/10/22 14:55	87-68-3	
Hexachlorobenzene	<0.029	mg/kg	0.097	0.029	1	05/10/22 12:26	05/10/22 14:55	118-74-1	
Hexachlorocyclopentadiene	<0.041	mg/kg	0.14	0.041	1	05/10/22 12:26	05/10/22 14:55	77-47-4	
Hexachloroethane	<0.028	mg/kg	0.092	0.028	1	05/10/22 12:26	05/10/22 14:55	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.037	mg/kg	0.12	0.037	1	05/10/22 12:26	05/10/22 14:55	193-39-5	
Isophorone	<0.027	mg/kg	0.088	0.027	1	05/10/22 12:26	05/10/22 14:55	78-59-1	
N-Nitroso-di-n-propylamine	<0.027	mg/kg	0.091	0.027	1	05/10/22 12:26	05/10/22 14:55	621-64-7	
N-Nitrosodiphenylamine	<0.23	mg/kg	0.78	0.23	1	05/10/22 12:26	05/10/22 14:55	86-30-6	
Naphthalene	<0.060	mg/kg	0.20	0.060	1	05/10/22 12:26	05/10/22 14:55	91-20-3	
Nitrobenzene	<0.035	mg/kg	0.12	0.035	1	05/10/22 12:26	05/10/22 14:55	98-95-3	
Pentachlorophenol	<0.038	mg/kg	0.13	0.038	1	05/10/22 12:26	05/10/22 14:55	87-86-5	
Phenanthrene	<0.022	mg/kg	0.074	0.022	1	05/10/22 12:26	05/10/22 14:55	85-01-8	
Phenol	<0.041	mg/kg	0.14	0.041	1	05/10/22 12:26	05/10/22 14:55	108-95-2	
Pyrene	<0.038	mg/kg	0.13	0.038	1	05/10/22 12:26	05/10/22 14:55	129-00-0	
bis(2-Chloroethoxy)methane	<0.047	mg/kg	0.16	0.047	1	05/10/22 12:26	05/10/22 14:55	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-34 (4.0-5.0) **Lab ID: 40244491018** Collected: 05/03/22 15:40 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.054	mg/kg	0.18	0.054	1	05/10/22 12:26	05/10/22 14:55	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.029	mg/kg	0.096	0.029	1	05/10/22 12:26	05/10/22 14:55	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	71	%	10-125		1	05/10/22 12:26	05/10/22 14:55	4165-60-0	
2-Fluorobiphenyl (S)	67	%	12-118		1	05/10/22 12:26	05/10/22 14:55	321-60-8	
Terphenyl-d14 (S)	75	%	10-124		1	05/10/22 12:26	05/10/22 14:55	1718-51-0	
Phenol-d6 (S)	65	%	10-125		1	05/10/22 12:26	05/10/22 14:55	13127-88-3	
2-Fluorophenol (S)	60	%	10-130		1	05/10/22 12:26	05/10/22 14:55	367-12-4	
2,4,6-Tribromophenol (S)	71	%	10-144		1	05/10/22 12:26	05/10/22 14:55	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0012	mg/kg	0.0040	0.0012	1	05/11/22 06:00	05/11/22 13:23	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0021	mg/kg	0.0040	0.0021	1	05/11/22 06:00	05/11/22 13:23	79-34-5	
1,1,2-Trichloroethane	<0.0012	mg/kg	0.0040	0.0012	1	05/11/22 06:00	05/11/22 13:23	79-00-5	
1,1-Dichloroethane	<0.00086	mg/kg	0.0040	0.00086	1	05/11/22 06:00	05/11/22 13:23	75-34-3	
1,1-Dichloroethene	<0.00085	mg/kg	0.0040	0.00085	1	05/11/22 06:00	05/11/22 13:23	75-35-4	
1,2-Dichloroethane	<0.00066	mg/kg	0.0040	0.00066	1	05/11/22 06:00	05/11/22 13:23	107-06-2	
1,2-Dichloropropane	<0.00081	mg/kg	0.0040	0.00081	1	05/11/22 06:00	05/11/22 13:23	78-87-5	
2-Butanone (MEK)	<0.013	mg/kg	0.020	0.013	1	05/11/22 06:00	05/11/22 13:23	78-93-3	
2-Hexanone	<0.0091	mg/kg	0.020	0.0091	1	05/11/22 06:00	05/11/22 13:23	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.016	mg/kg	0.020	0.016	1	05/11/22 06:00	05/11/22 13:23	108-10-1	
Acetone	<0.038	mg/kg	0.081	0.038	1	05/11/22 06:00	05/11/22 13:23	67-64-1	
Benzene	<0.00057	mg/kg	0.0040	0.00057	1	05/11/22 06:00	05/11/22 13:23	71-43-2	
Bromodichloromethane	<0.00055	mg/kg	0.0040	0.00055	1	05/11/22 06:00	05/11/22 13:23	75-27-4	
Bromoform	<0.0065	mg/kg	0.016	0.0065	1	05/11/22 06:00	05/11/22 13:23	75-25-2	
Bromomethane	<0.0036	mg/kg	0.0040	0.0036	1	05/11/22 06:00	05/11/22 13:23	74-83-9	
Carbon disulfide	<0.00089	mg/kg	0.0040	0.00089	1	05/11/22 06:00	05/11/22 13:23	75-15-0	
Carbon tetrachloride	<0.0025	mg/kg	0.0040	0.0025	1	05/11/22 06:00	05/11/22 13:23	56-23-5	
Chlorobenzene	<0.00074	mg/kg	0.0040	0.00074	1	05/11/22 06:00	05/11/22 13:23	108-90-7	
Chloroethane	<0.0029	mg/kg	0.0040	0.0029	1	05/11/22 06:00	05/11/22 13:23	75-00-3	
Chloroform	<0.00068	mg/kg	0.0040	0.00068	1	05/11/22 06:00	05/11/22 13:23	67-66-3	
Chloromethane	<0.00087	mg/kg	0.0040	0.00087	1	05/11/22 06:00	05/11/22 13:23	74-87-3	
Dibromochloromethane	<0.00081	mg/kg	0.0040	0.00081	1	05/11/22 06:00	05/11/22 13:23	124-48-1	
Ethylbenzene	<0.00072	mg/kg	0.0040	0.00072	1	05/11/22 06:00	05/11/22 13:23	100-41-4	
Methyl-tert-butyl ether	<0.0017	mg/kg	0.0040	0.0017	1	05/11/22 06:00	05/11/22 13:23	1634-04-4	
Methylene Chloride	<0.0032	mg/kg	0.0040	0.0032	1	05/11/22 06:00	05/11/22 13:23	75-09-2	
Styrene	<0.00057	mg/kg	0.0040	0.00057	1	05/11/22 06:00	05/11/22 13:23	100-42-5	
Tetrachloroethene	<0.00071	mg/kg	0.0040	0.00071	1	05/11/22 06:00	05/11/22 13:23	127-18-4	
Toluene	<0.00071	mg/kg	0.0040	0.00071	1	05/11/22 06:00	05/11/22 13:23	108-88-3	
Trichloroethene	<0.00058	mg/kg	0.0040	0.00058	1	05/11/22 06:00	05/11/22 13:23	79-01-6	
Vinyl chloride	<0.0010	mg/kg	0.0040	0.0010	1	05/11/22 06:00	05/11/22 13:23	75-01-4	
Xylene (Total)	<0.0028	mg/kg	0.0081	0.0028	1	05/11/22 06:00	05/11/22 13:23	1330-20-7	
cis-1,2-Dichloroethene	<0.00071	mg/kg	0.0040	0.00071	1	05/11/22 06:00	05/11/22 13:23	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: SB-34 (4.0-5.0) **Lab ID: 40244491018** Collected: 05/03/22 15:40 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.00082	mg/kg	0.0040	0.00082	1	05/11/22 06:00	05/11/22 13:23	10061-01-5	
trans-1,2-Dichloroethene	<0.00058	mg/kg	0.0040	0.00058	1	05/11/22 06:00	05/11/22 13:23	156-60-5	
trans-1,3-Dichloropropene	<0.00081	mg/kg	0.0040	0.00081	1	05/11/22 06:00	05/11/22 13:23	10061-02-6	
Surrogates									
Toluene-d8 (S)	98	%	69-156		1	05/11/22 06:00	05/11/22 13:23	2037-26-5	
4-Bromofluorobenzene (S)	80	%	61-175		1	05/11/22 06:00	05/11/22 13:23	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1	05/11/22 06:00	05/11/22 13:23	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	3.4	%	0.10	0.10	1		05/11/22 16:57		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.28	Std. Units	0.100	0.0100	1		05/13/22 14:41		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.28	mg/kg	0.83	0.28	1	05/11/22 11:10	05/11/22 14:18	57-12-5	M0,R1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Sample: TB-03 Lab ID: 40244491019 Collected: 05/05/22 16:30 Received: 05/06/22 12:32 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/11/22 06:00	05/11/22 10:08	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0050	0.0026	1	05/11/22 06:00	05/11/22 10:08	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/11/22 06:00	05/11/22 10:08	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/11/22 06:00	05/11/22 10:08	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0050	0.0011	1	05/11/22 06:00	05/11/22 10:08	75-35-4	
1,2-Dichloroethane	<0.00082	mg/kg	0.0050	0.00082	1	05/11/22 06:00	05/11/22 10:08	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/11/22 06:00	05/11/22 10:08	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/11/22 06:00	05/11/22 10:08	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/11/22 06:00	05/11/22 10:08	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/11/22 06:00	05/11/22 10:08	108-10-1	
Acetone	<0.047	mg/kg	0.10	0.047	1	05/11/22 06:00	05/11/22 10:08	67-64-1	
Benzene	<0.00071	mg/kg	0.0050	0.00071	1	05/11/22 06:00	05/11/22 10:08	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/11/22 06:00	05/11/22 10:08	75-27-4	
Bromoform	<0.0081	mg/kg	0.020	0.0081	1	05/11/22 06:00	05/11/22 10:08	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0050	0.0045	1	05/11/22 06:00	05/11/22 10:08	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/11/22 06:00	05/11/22 10:08	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0050	0.0032	1	05/11/22 06:00	05/11/22 10:08	56-23-5	
Chlorobenzene	<0.00092	mg/kg	0.0050	0.00092	1	05/11/22 06:00	05/11/22 10:08	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0050	0.0036	1	05/11/22 06:00	05/11/22 10:08	75-00-3	
Chloroform	<0.00084	mg/kg	0.0050	0.00084	1	05/11/22 06:00	05/11/22 10:08	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/11/22 06:00	05/11/22 10:08	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/11/22 06:00	05/11/22 10:08	124-48-1	
Ethylbenzene	<0.00089	mg/kg	0.0050	0.00089	1	05/11/22 06:00	05/11/22 10:08	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0050	0.0020	1	05/11/22 06:00	05/11/22 10:08	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0050	0.0040	1	05/11/22 06:00	05/11/22 10:08	75-09-2	
Styrene	<0.00071	mg/kg	0.0050	0.00071	1	05/11/22 06:00	05/11/22 10:08	100-42-5	
Tetrachloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/11/22 06:00	05/11/22 10:08	127-18-4	
Toluene	<0.00088	mg/kg	0.0050	0.00088	1	05/11/22 06:00	05/11/22 10:08	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/11/22 06:00	05/11/22 10:08	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/11/22 06:00	05/11/22 10:08	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.010	0.0034	1	05/11/22 06:00	05/11/22 10:08	1330-20-7	
cis-1,2-Dichloroethene	<0.00088	mg/kg	0.0050	0.00088	1	05/11/22 06:00	05/11/22 10:08	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/11/22 06:00	05/11/22 10:08	10061-01-5	
trans-1,2-Dichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/11/22 06:00	05/11/22 10:08	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/11/22 06:00	05/11/22 10:08	10061-02-6	
Surrogates									
Toluene-d8 (S)	97	%	69-156		1	05/11/22 06:00	05/11/22 10:08	2037-26-5	
4-Bromofluorobenzene (S)	82	%	61-175		1	05/11/22 06:00	05/11/22 10:08	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1	05/11/22 06:00	05/11/22 10:08	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

QC Batch:	415536	Analysis Method:	EPA 7471
QC Batch Method:	EPA 7471	Analysis Description:	7471 Mercury
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244491001, 40244491002, 40244491003, 40244491004, 40244491005, 40244491006, 40244491007, 40244491008, 40244491009, 40244491010, 40244491011, 40244491012

METHOD BLANK: 2392260 Matrix: Solid
Associated Lab Samples: 40244491001, 40244491002, 40244491003, 40244491004, 40244491005, 40244491006, 40244491007, 40244491008, 40244491009, 40244491010, 40244491011, 40244491012

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	0.010	05/13/22 10:03	

LABORATORY CONTROL SAMPLE: 2392261

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.87	105	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2392262 2392263

Parameter	Units	40244491001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	0.035J	1.1	1.1	1.1	1.1	100	101	85-115	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

QC Batch: 415537

Analysis Method: EPA 7471

QC Batch Method: EPA 7471

Analysis Description: 7471 Mercury

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244491013, 40244491014, 40244491015, 40244491016, 40244491017, 40244491018

METHOD BLANK: 2392264

Matrix: Solid

Associated Lab Samples: 40244491013, 40244491014, 40244491015, 40244491016, 40244491017, 40244491018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	0.010	05/13/22 11:10	

LABORATORY CONTROL SAMPLE: 2392265

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.84	101	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2392266 2392267

Parameter	Units	2392266		2392267		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40244745001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
Mercury	mg/kg	<0.010	0.86	0.87	0.88	0.90	103	102	85-115	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

QC Batch: 813861 Analysis Method: EPA 6020B
QC Batch Method: EPA 3050B Analysis Description: 6020B Solids UPD5
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 40244491001, 40244491002, 40244491003, 40244491004, 40244491005, 40244491006, 40244491007, 40244491008, 40244491009, 40244491010, 40244491011, 40244491012, 40244491013, 40244491014, 40244491015, 40244491016, 40244491017, 40244491018

METHOD BLANK: 4315251 Matrix: Solid
Associated Lab Samples: 40244491001, 40244491002, 40244491003, 40244491004, 40244491005, 40244491006, 40244491007, 40244491008, 40244491009, 40244491010, 40244491011, 40244491012, 40244491013, 40244491014, 40244491015, 40244491016, 40244491017, 40244491018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Aluminum	mg/kg	<5.8	28.8	5.8	05/13/22 23:29	
Antimony	mg/kg	<0.092	0.48	0.092	05/13/22 23:29	
Arsenic	mg/kg	<0.10	0.48	0.10	05/13/22 23:29	
Barium	mg/kg	<0.051	0.29	0.051	05/13/22 23:29	
Beryllium	mg/kg	<0.038	0.19	0.038	05/13/22 23:29	
Cadmium	mg/kg	<0.030	0.077	0.030	05/13/22 23:29	
Calcium	mg/kg	23.3J	96.2	11.3	05/13/22 23:29	
Chromium	mg/kg	<0.13	1.9	0.13	05/13/22 23:29	
Cobalt	mg/kg	<0.095	0.48	0.095	05/13/22 23:29	
Copper	mg/kg	<0.23	0.96	0.23	05/13/22 23:29	
Iron	mg/kg	<10.1	48.1	10.1	05/13/22 23:29	
Lead	mg/kg	<0.028	0.48	0.028	05/13/22 23:29	
Magnesium	mg/kg	<4.1	28.8	4.1	05/13/22 23:29	
Manganese	mg/kg	<0.24	0.48	0.24	05/13/22 23:29	
Nickel	mg/kg	<0.19	0.48	0.19	05/13/22 23:29	
Potassium	mg/kg	<11.1	96.2	11.1	05/13/22 23:29	
Selenium	mg/kg	<0.082	0.48	0.082	05/13/22 23:29	
Silver	mg/kg	<0.14	0.48	0.14	05/16/22 19:09	
Sodium	mg/kg	<10.7	48.1	10.7	05/13/22 23:29	
Thallium	mg/kg	<0.035	0.096	0.035	05/13/22 23:29	
Vanadium	mg/kg	<0.17	0.96	0.17	05/13/22 23:29	
Zinc	mg/kg	<0.86	4.8	0.86	05/13/22 23:29	

LABORATORY CONTROL SAMPLE: 4315252

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Aluminum	mg/kg	971	826	85	80-120	
Antimony	mg/kg	48.5	42.2	87	80-120	
Arsenic	mg/kg	48.5	42.4	87	80-120	
Barium	mg/kg	48.5	42.7	88	80-120	
Beryllium	mg/kg	48.5	46.6	96	80-120	
Cadmium	mg/kg	48.5	42.4	87	80-120	
Calcium	mg/kg	971	841	87	80-120	
Chromium	mg/kg	48.5	44.5	92	80-120	
Cobalt	mg/kg	48.5	43.8	90	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

LABORATORY CONTROL SAMPLE: 4315252

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Copper	mg/kg	48.5	43.8	90	80-120	
Iron	mg/kg	971	867	89	80-120	
Lead	mg/kg	48.5	44.2	91	80-120	
Magnesium	mg/kg	971	829	85	80-120	
Manganese	mg/kg	48.5	43.6	90	80-120	
Nickel	mg/kg	48.5	44.5	92	80-120	
Potassium	mg/kg	971	857	88	80-120	
Selenium	mg/kg	48.5	46.2	95	80-120	
Silver	mg/kg	24.3	21.4	88	80-120	
Sodium	mg/kg	971	838	86	80-120	
Thallium	mg/kg	48.5	45.4	94	80-120	
Vanadium	mg/kg	48.5	42.6	88	80-120	
Zinc	mg/kg	48.5	43.0	89	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4315253 4315254

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244446021 Result	Spike Conc.	Spike Conc.	Conc.								
Aluminum	mg/kg	14100	1240	1220	20100	17700	484	294	75-125	13	20	P6	
Antimony	mg/kg	0.18J	62	60.8	22.6	19.4	36	32	75-125	15	20	M1	
Arsenic	mg/kg	9.2	62	60.8	66.6	58.6	93	81	75-125	13	20		
Barium	mg/kg	169	62	60.8	227	210	93	67	75-125	8	20	M1	
Beryllium	mg/kg	0.89	62	60.8	58.4	51.7	93	84	75-125	12	20		
Cadmium	mg/kg	0.30	62	60.8	55.2	47.8	89	78	75-125	14	20		
Calcium	mg/kg	5490	1240	1220	5410	6290	-7	66	75-125	15	20	P6	
Chromium	mg/kg	20.0	62	60.8	82.6	70.7	101	83	75-125	16	20		
Cobalt	mg/kg	8.9	62	60.8	67.5	58.1	95	81	75-125	15	20		
Copper	mg/kg	19.4	62	60.8	77.0	66.6	93	78	75-125	14	20		
Iron	mg/kg	25300	1240	1220	29600	25000	349	-23	75-125	17	20	P6	
Lead	mg/kg	14.4	62	60.8	69.6	63.3	89	80	75-125	9	20		
Magnesium	mg/kg	3840	1240	1220	5180	5140	108	107	75-125	1	20		
Manganese	mg/kg	1290	62	60.8	723	927	-920	-602	75-125	25	20	E,P6, R1	
Nickel	mg/kg	23.2	62	60.8	87.3	73.9	103	83	75-125	17	20		
Potassium	mg/kg	1040	1240	1220	2460	2170	115	93	75-125	13	20		
Selenium	mg/kg	0.48J	62	60.8	58.3	51.6	93	84	75-125	12	20		
Silver	mg/kg	0.19J	31	30.4	28.5	27.3	91	89	75-125	4	20		
Sodium	mg/kg	79.7	1240	1220	1160	998	87	75	75-125	15	20		
Thallium	mg/kg	0.23	62	60.8	58.2	49.8	94	81	75-125	16	20		
Vanadium	mg/kg	35.0	62	60.8	103	89.0	110	89	75-125	15	20		
Zinc	mg/kg	65.0	62	60.8	124	106	96	67	75-125	16	20	M1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

QC Batch: 415562 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030 Analysis Description: 8260 MSV Low
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244491011, 40244491012, 40244491013, 40244491014, 40244491015, 40244491016, 40244491017, 40244491018, 40244491019

METHOD BLANK: 2392349 Matrix: Solid
Associated Lab Samples: 40244491011, 40244491012, 40244491013, 40244491014, 40244491015, 40244491016, 40244491017, 40244491018, 40244491019

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/11/22 07:43	
1,1,2,2-Tetrachloroethane	mg/kg	<0.0026	0.0050	0.0026	05/11/22 07:43	
1,1,2-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/11/22 07:43	
1,1-Dichloroethane	mg/kg	<0.0011	0.0050	0.0011	05/11/22 07:43	
1,1-Dichloroethene	mg/kg	<0.0011	0.0050	0.0011	05/11/22 07:43	
1,2-Dichloroethane	mg/kg	<0.00082	0.0050	0.00082	05/11/22 07:43	
1,2-Dichloropropane	mg/kg	<0.0010	0.0050	0.0010	05/11/22 07:43	
2-Butanone (MEK)	mg/kg	<0.016	0.025	0.016	05/11/22 07:43	
2-Hexanone	mg/kg	<0.011	0.025	0.011	05/11/22 07:43	
4-Methyl-2-pentanone (MIBK)	mg/kg	<0.020	0.025	0.020	05/11/22 07:43	
Acetone	mg/kg	<0.047	0.10	0.047	05/11/22 07:43	
Benzene	mg/kg	<0.00071	0.0050	0.00071	05/11/22 07:43	
Bromodichloromethane	mg/kg	<0.00068	0.0050	0.00068	05/11/22 07:43	
Bromoform	mg/kg	<0.0081	0.020	0.0081	05/11/22 07:43	
Bromomethane	mg/kg	<0.0045	0.0050	0.0045	05/11/22 07:43	
Carbon disulfide	mg/kg	<0.0011	0.0050	0.0011	05/11/22 07:43	
Carbon tetrachloride	mg/kg	<0.0032	0.0050	0.0032	05/11/22 07:43	
Chlorobenzene	mg/kg	<0.00092	0.0050	0.00092	05/11/22 07:43	
Chloroethane	mg/kg	<0.0036	0.0050	0.0036	05/11/22 07:43	
Chloroform	mg/kg	<0.00084	0.0050	0.00084	05/11/22 07:43	
Chloromethane	mg/kg	<0.0011	0.0050	0.0011	05/11/22 07:43	
cis-1,2-Dichloroethene	mg/kg	<0.00088	0.0050	0.00088	05/11/22 07:43	
cis-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/11/22 07:43	
Dibromochloromethane	mg/kg	<0.0010	0.0050	0.0010	05/11/22 07:43	
Ethylbenzene	mg/kg	<0.00089	0.0050	0.00089	05/11/22 07:43	
Methyl-tert-butyl ether	mg/kg	<0.0020	0.0050	0.0020	05/11/22 07:43	
Methylene Chloride	mg/kg	<0.0040	0.0050	0.0040	05/11/22 07:43	
Styrene	mg/kg	<0.00071	0.0050	0.00071	05/11/22 07:43	
Tetrachloroethene	mg/kg	<0.00089	0.0050	0.00089	05/11/22 07:43	
Toluene	mg/kg	<0.00088	0.0050	0.00088	05/11/22 07:43	
trans-1,2-Dichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/11/22 07:43	
trans-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/11/22 07:43	
Trichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/11/22 07:43	
Vinyl chloride	mg/kg	<0.0013	0.0050	0.0013	05/11/22 07:43	
Xylene (Total)	mg/kg	<0.0034	0.010	0.0034	05/11/22 07:43	
1,2-Dichlorobenzene-d4 (S)	%	95	70-130		05/11/22 07:43	
4-Bromofluorobenzene (S)	%	88	61-175		05/11/22 07:43	
Toluene-d8 (S)	%	96	69-156		05/11/22 07:43	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

LABORATORY CONTROL SAMPLE & LCSD: 2392350		2392351									
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
1,1,1-Trichloroethane	mg/kg	0.05	0.045	0.047	89	94	57-126	5	22		
1,1,2,2-Tetrachloroethane	mg/kg	0.05	0.037	0.038	75	75	70-170	1	20		
1,1,2-Trichloroethane	mg/kg	0.05	0.039	0.044	79	87	59-128	10	20		
1,1-Dichloroethane	mg/kg	0.05	0.048	0.047	96	95	70-130	1	20		
1,1-Dichloroethene	mg/kg	0.05	0.039	0.037	79	74	57-118	7	23		
1,2-Dichloroethane	mg/kg	0.05	0.044	0.045	89	89	75-137	0	23		
1,2-Dichloropropane	mg/kg	0.05	0.044	0.042	88	84	74-132	4	22		
Benzene	mg/kg	0.05	0.042	0.043	84	86	68-130	2	24		
Bromodichloromethane	mg/kg	0.05	0.045	0.046	90	92	57-139	3	23		
Bromoform	mg/kg	0.05	0.047	0.048	95	96	62-131	1	20		
Bromomethane	mg/kg	0.05	0.046	0.048	91	97	20-175	6	28		
Carbon disulfide	mg/kg	0.05	0.037	0.036	74	73	40-128	2	22		
Carbon tetrachloride	mg/kg	0.05	0.045	0.046	89	92	50-128	3	24		
Chlorobenzene	mg/kg	0.05	0.047	0.046	94	91	70-130	3	20		
Chloroethane	mg/kg	0.05	0.039	0.038	77	77	49-129	0	25		
Chloroform	mg/kg	0.05	0.047	0.044	94	88	65-128	7	23		
Chloromethane	mg/kg	0.05	0.034	0.039	68	77	39-134	13	25		
cis-1,2-Dichloroethene	mg/kg	0.05	0.047	0.048	94	97	69-130	2	24		
cis-1,3-Dichloropropene	mg/kg	0.05	0.041	0.041	83	82	67-132	0	23		
Dibromochloromethane	mg/kg	0.05	0.043	0.047	86	93	60-127	8	20		
Ethylbenzene	mg/kg	0.05	0.041	0.042	81	83	64-128	2	21		
Methyl-tert-butyl ether	mg/kg	0.05	0.042	0.043	84	86	64-126	2	25		
Methylene Chloride	mg/kg	0.05	0.046	0.049	92	98	54-133	7	22		
Styrene	mg/kg	0.05	0.044	0.046	88	91	64-130	4	21		
Tetrachloroethene	mg/kg	0.05	0.047	0.048	94	96	62-130	2	23		
Toluene	mg/kg	0.05	0.040	0.042	81	83	71-117	3	21		
trans-1,2-Dichloroethene	mg/kg	0.05	0.047	0.045	93	91	67-130	3	20		
trans-1,3-Dichloropropene	mg/kg	0.05	0.037	0.041	75	82	63-130	10	22		
Trichloroethene	mg/kg	0.05	0.043	0.047	87	93	67-130	7	22		
Vinyl chloride	mg/kg	0.05	0.034	0.039	69	79	47-138	13	24		
Xylene (Total)	mg/kg	0.15	0.12	0.13	82	84	60-125	2	21		
1,2-Dichlorobenzene-d4 (S)	%				97	96	70-130				
4-Bromofluorobenzene (S)	%				85	83	61-175				
Toluene-d8 (S)	%				96	98	69-156				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

QC Batch: 415710 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030 Analysis Description: 8260 MSV Low
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244491001, 40244491002, 40244491003, 40244491004, 40244491005, 40244491006, 40244491007, 40244491008, 40244491009, 40244491010

METHOD BLANK: 2393375 Matrix: Solid
Associated Lab Samples: 40244491001, 40244491002, 40244491003, 40244491004, 40244491005, 40244491006, 40244491007, 40244491008, 40244491009, 40244491010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/12/22 08:32	
1,1,2,2-Tetrachloroethane	mg/kg	<0.0026	0.0050	0.0026	05/12/22 08:32	
1,1,2-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/12/22 08:32	
1,1-Dichloroethane	mg/kg	<0.0011	0.0050	0.0011	05/12/22 08:32	
1,1-Dichloroethene	mg/kg	<0.0011	0.0050	0.0011	05/12/22 08:32	
1,2-Dichloroethane	mg/kg	<0.00082	0.0050	0.00082	05/12/22 08:32	
1,2-Dichloropropane	mg/kg	<0.0010	0.0050	0.0010	05/12/22 08:32	
2-Butanone (MEK)	mg/kg	<0.016	0.025	0.016	05/12/22 08:32	
2-Hexanone	mg/kg	<0.011	0.025	0.011	05/12/22 08:32	
4-Methyl-2-pentanone (MIBK)	mg/kg	<0.020	0.025	0.020	05/12/22 08:32	
Acetone	mg/kg	<0.047	0.10	0.047	05/12/22 08:32	
Benzene	mg/kg	<0.00071	0.0050	0.00071	05/12/22 08:32	
Bromodichloromethane	mg/kg	<0.00068	0.0050	0.00068	05/12/22 08:32	
Bromoform	mg/kg	<0.0081	0.020	0.0081	05/12/22 08:32	
Bromomethane	mg/kg	<0.0045	0.0050	0.0045	05/12/22 08:32	
Carbon disulfide	mg/kg	<0.0011	0.0050	0.0011	05/12/22 08:32	
Carbon tetrachloride	mg/kg	<0.0032	0.0050	0.0032	05/12/22 08:32	
Chlorobenzene	mg/kg	<0.00092	0.0050	0.00092	05/12/22 08:32	
Chloroethane	mg/kg	<0.0036	0.0050	0.0036	05/12/22 08:32	
Chloroform	mg/kg	<0.00084	0.0050	0.00084	05/12/22 08:32	
Chloromethane	mg/kg	<0.0011	0.0050	0.0011	05/12/22 08:32	
cis-1,2-Dichloroethene	mg/kg	<0.00088	0.0050	0.00088	05/12/22 08:32	
cis-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/12/22 08:32	
Dibromochloromethane	mg/kg	<0.0010	0.0050	0.0010	05/12/22 08:32	
Ethylbenzene	mg/kg	<0.00089	0.0050	0.00089	05/12/22 08:32	
Methyl-tert-butyl ether	mg/kg	<0.0020	0.0050	0.0020	05/12/22 08:32	
Methylene Chloride	mg/kg	<0.0040	0.0050	0.0040	05/12/22 08:32	
Styrene	mg/kg	<0.00071	0.0050	0.00071	05/12/22 08:32	
Tetrachloroethene	mg/kg	<0.00089	0.0050	0.00089	05/12/22 08:32	
Toluene	mg/kg	<0.00088	0.0050	0.00088	05/12/22 08:32	
trans-1,2-Dichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/12/22 08:32	
trans-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/12/22 08:32	
Trichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/12/22 08:32	
Vinyl chloride	mg/kg	<0.0013	0.0050	0.0013	05/12/22 08:32	
Xylene (Total)	mg/kg	<0.0034	0.010	0.0034	05/12/22 08:32	
1,2-Dichlorobenzene-d4 (S)	%	100	70-130		05/12/22 08:32	
4-Bromofluorobenzene (S)	%	79	61-175		05/12/22 08:32	
Toluene-d8 (S)	%	91	69-156		05/12/22 08:32	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

LABORATORY CONTROL SAMPLE & LCSD: 2393376

2393381

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	mg/kg	0.05	0.045	0.045	89	89	57-126	0	22	
1,1,2,2-Tetrachloroethane	mg/kg	0.05	0.040	0.041	80	83	70-170	3	20	
1,1,2-Trichloroethane	mg/kg	0.05	0.041	0.044	81	88	59-128	8	20	
1,1-Dichloroethane	mg/kg	0.05	0.043	0.051	87	101	70-130	15	20	
1,1-Dichloroethene	mg/kg	0.05	0.043	0.043	85	85	57-118	0	23	
1,2-Dichloroethane	mg/kg	0.05	0.043	0.043	86	85	75-137	1	23	
1,2-Dichloropropane	mg/kg	0.05	0.041	0.043	82	87	74-132	5	22	
Benzene	mg/kg	0.05	0.043	0.044	86	87	68-130	1	24	
Bromodichloromethane	mg/kg	0.05	0.044	0.044	87	88	57-139	0	23	
Bromoform	mg/kg	0.05	0.048	0.046	95	92	62-131	3	20	
Bromomethane	mg/kg	0.05	0.058	0.058	115	115	20-175	0	28	
Carbon disulfide	mg/kg	0.05	0.043	0.041	87	82	40-128	5	22	
Carbon tetrachloride	mg/kg	0.05	0.046	0.047	91	93	50-128	2	24	
Chlorobenzene	mg/kg	0.05	0.046	0.048	92	95	70-130	4	20	
Chloroethane	mg/kg	0.05	0.045	0.044	89	88	49-129	1	25	
Chloroform	mg/kg	0.05	0.043	0.045	87	90	65-128	4	23	
Chloromethane	mg/kg	0.05	0.044	0.047	89	94	39-134	6	25	
cis-1,2-Dichloroethene	mg/kg	0.05	0.046	0.047	92	94	69-130	3	24	
cis-1,3-Dichloropropene	mg/kg	0.05	0.041	0.044	82	87	67-132	6	23	
Dibromochloromethane	mg/kg	0.05	0.045	0.045	89	90	60-127	1	20	
Ethylbenzene	mg/kg	0.05	0.042	0.043	84	86	64-128	3	21	
Methyl-tert-butyl ether	mg/kg	0.05	0.043	0.041	86	82	64-126	5	25	
Methylene Chloride	mg/kg	0.05	0.051	0.050	102	100	54-133	2	22	
Styrene	mg/kg	0.05	0.045	0.045	90	90	64-130	0	21	
Tetrachloroethene	mg/kg	0.05	0.049	0.050	99	99	62-130	1	23	
Toluene	mg/kg	0.05	0.041	0.043	81	85	71-117	5	21	
trans-1,2-Dichloroethene	mg/kg	0.05	0.051	0.048	102	95	67-130	7	20	
trans-1,3-Dichloropropene	mg/kg	0.05	0.038	0.038	76	76	63-130	1	22	
Trichloroethene	mg/kg	0.05	0.042	0.042	85	85	67-130	0	22	
Vinyl chloride	mg/kg	0.05	0.044	0.047	88	94	47-138	7	24	
Xylene (Total)	mg/kg	0.15	0.13	0.13	87	88	60-125	2	21	
1,2-Dichlorobenzene-d4 (S)	%				98	104	70-130			
4-Bromofluorobenzene (S)	%				88	91	61-175			
Toluene-d8 (S)	%				98	90	69-156			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

QC Batch:	675139	Analysis Method:	EPA 8081
QC Batch Method:	EPA 3546	Analysis Description:	8081 GCS Pesticides
		Laboratory:	Pace Analytical Services - Indianapolis

Associated Lab Samples: 40244491001, 40244491002, 40244491003, 40244491004, 40244491005, 40244491006, 40244491007, 40244491008, 40244491009, 40244491010, 40244491011, 40244491012, 40244491013, 40244491014, 40244491015, 40244491016, 40244491017

METHOD BLANK: 3108879 Matrix: Solid
Associated Lab Samples: 40244491001, 40244491002, 40244491003, 40244491004, 40244491005, 40244491006, 40244491007, 40244491008, 40244491009, 40244491010, 40244491011, 40244491012, 40244491013, 40244491014, 40244491015, 40244491016, 40244491017

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	mg/kg	<0.00095	0.0049	0.00095	05/10/22 16:48	
4,4'-DDE	mg/kg	<0.00080	0.0049	0.00080	05/10/22 16:48	
4,4'-DDT	mg/kg	<0.0016	0.0049	0.0016	05/10/22 16:48	
Aldrin	mg/kg	<0.00047	0.0024	0.00047	05/10/22 16:48	
alpha-BHC	mg/kg	<0.00051	0.0024	0.00051	05/10/22 16:48	
alpha-Chlordane	mg/kg	<0.00043	0.0024	0.00043	05/10/22 16:48	
beta-BHC	mg/kg	<0.00046	0.0024	0.00046	05/10/22 16:48	
Chlordane (Technical)	mg/kg	<0.010	0.049	0.010	05/10/22 16:48	
delta-BHC	mg/kg	<0.00064	0.0024	0.00064	05/10/22 16:48	
Dieldrin	mg/kg	<0.00085	0.0049	0.00085	05/10/22 16:48	
Endosulfan I	mg/kg	<0.00040	0.0024	0.00040	05/10/22 16:48	
Endosulfan II	mg/kg	<0.00080	0.0049	0.00080	05/10/22 16:48	
Endosulfan sulfate	mg/kg	<0.00094	0.0049	0.00094	05/10/22 16:48	
Endrin	mg/kg	<0.00085	0.0049	0.00085	05/10/22 16:48	
Endrin aldehyde	mg/kg	<0.0011	0.0049	0.0011	05/10/22 16:48	
Endrin ketone	mg/kg	<0.0012	0.0049	0.0012	05/10/22 16:48	
gamma-BHC (Lindane)	mg/kg	<0.00044	0.0024	0.00044	05/10/22 16:48	
gamma-Chlordane	mg/kg	<0.00051	0.0024	0.00051	05/10/22 16:48	
Heptachlor	mg/kg	<0.00043	0.0024	0.00043	05/10/22 16:48	
Heptachlor epoxide	mg/kg	<0.00041	0.0024	0.00041	05/10/22 16:48	
Methoxychlor	mg/kg	<0.0056	0.024	0.0056	05/10/22 16:48	
Toxaphene	mg/kg	<0.017	0.049	0.017	05/10/22 16:48	
Decachlorobiphenyl (S)	%	75	10-147		05/10/22 16:48	

LABORATORY CONTROL SAMPLE: 3108880

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	mg/kg	0.02	0.017	84	40-148	
4,4'-DDE	mg/kg	0.02	0.016	82	42-145	
4,4'-DDT	mg/kg	0.02	0.016	82	28-169	
Aldrin	mg/kg	0.0098	0.0074	76	42-137	
alpha-BHC	mg/kg	0.0098	0.0078	79	40-141	
alpha-Chlordane	mg/kg	0.0098	0.0075	76	38-141	
beta-BHC	mg/kg	0.0098	0.0084	85	42-137	
delta-BHC	mg/kg	0.0098	0.0073	74	33-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

LABORATORY CONTROL SAMPLE: 3108880

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Dieldrin	mg/kg	0.02	0.016	83	42-143	
Endosulfan I	mg/kg	0.0098	0.0078	80	38-142	
Endosulfan II	mg/kg	0.02	0.017	86	42-153	
Endosulfan sulfate	mg/kg	0.02	0.014	72	36-133	
Endrin	mg/kg	0.02	0.016	84	43-145	
Endrin aldehyde	mg/kg	0.02	0.015	74	40-138	
Endrin ketone	mg/kg	0.02	0.015	79	35-154	
gamma-BHC (Lindane)	mg/kg	0.0098	0.0078	80	42-142	
gamma-Chlordane	mg/kg	0.0098	0.0071	72	44-148	
Heptachlor	mg/kg	0.0098	0.0082	84	42-143	
Heptachlor epoxide	mg/kg	0.0098	0.0077	79	41-136	
Methoxychlor	mg/kg	0.098	0.078	80	37-157	
Decachlorobiphenyl (S)	%			65	10-147	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3108881 3108882

Parameter	Units	3108881		3108882		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		50315774001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
4,4'-DDD	mg/kg	ND	0.0244	0.0244	0.017	0.015	70	61	10-171	13	20	
4,4'-DDE	mg/kg	ND	0.0244	0.0244	0.017	0.015	71	61	10-146	14	20	
4,4'-DDT	mg/kg	ND	0.0244	0.0244	0.016	0.014	65	57	10-165	13	20	
Aldrin	mg/kg	ND	0.0123	0.0123	0.0093	0.0080	75	65	12-141	14	20	
alpha-BHC	mg/kg	ND	0.0123	0.0123	0.0094	0.0077	76	62	14-157	20	20	
alpha-Chlordane	mg/kg	ND	0.0123	0.0123	0.0084	0.0072	68	59	10-153	14	20	
beta-BHC	mg/kg	ND	0.0123	0.0123	0.0094	0.0081	77	66	10-163	15	20	
delta-BHC	mg/kg	ND	0.0123	0.0123	0.0085	0.0073	70	60	10-155	15	20	
Dieldrin	mg/kg	ND	0.0244	0.0244	0.018	0.015	72	61	14-141	15	20	
Endosulfan I	mg/kg	ND	0.0123	0.0123	0.0085	0.0074	69	60	10-141	14	20	
Endosulfan II	mg/kg	ND	0.0244	0.0244	0.018	0.015	71	62	10-149	14	20	
Endosulfan sulfate	mg/kg	ND	0.0244	0.0244	0.015	0.013	61	53	10-126	14	20	
Endrin	mg/kg	ND	0.0244	0.0244	0.017	0.015	70	61	13-136	13	20	
Endrin aldehyde	mg/kg	ND	0.0244	0.0244	0.015	0.014	60	56	10-150	7	20	
Endrin ketone	mg/kg	ND	0.0244	0.0244	0.016	0.014	65	57	10-171	13	20	
gamma-BHC (Lindane)	mg/kg	ND	0.0123	0.0123	0.0094	0.0076	77	61	18-152	22	20	R1
gamma-Chlordane	mg/kg	ND	0.0123	0.0123	0.0089	0.0081	72	66	10-159	9	20	
Heptachlor	mg/kg	ND	0.0123	0.0123	0.0089	0.0078	73	63	10-162	13	20	
Heptachlor epoxide	mg/kg	ND	0.0123	0.0123	0.0085	0.0077	69	62	15-142	10	20	
Methoxychlor	mg/kg	ND	0.123	0.123	0.080	0.070	65	57	10-178	13	20	
Decachlorobiphenyl (S)	%						56	51	10-147			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

QC Batch: 676085 Analysis Method: EPA 8081
QC Batch Method: EPA 3546 Analysis Description: 8081 GCS Pesticides
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 40244491018

METHOD BLANK: 3113018 Matrix: Solid
Associated Lab Samples: 40244491018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	mg/kg	<0.00095	0.0049	0.00095	05/17/22 14:21	
4,4'-DDE	mg/kg	<0.00081	0.0049	0.00081	05/17/22 14:21	
4,4'-DDT	mg/kg	<0.0016	0.0049	0.0016	05/17/22 14:21	
Aldrin	mg/kg	<0.00047	0.0025	0.00047	05/17/22 14:21	
alpha-BHC	mg/kg	<0.00051	0.0025	0.00051	05/17/22 14:21	
alpha-Chlordane	mg/kg	<0.00043	0.0025	0.00043	05/17/22 14:21	
beta-BHC	mg/kg	<0.00046	0.0025	0.00046	05/17/22 14:21	
Chlordane (Technical)	mg/kg	<0.010	0.049	0.010	05/17/22 14:21	
delta-BHC	mg/kg	<0.00064	0.0025	0.00064	05/17/22 14:21	
Dieldrin	mg/kg	<0.00086	0.0049	0.00086	05/17/22 14:21	
Endosulfan I	mg/kg	<0.00041	0.0025	0.00041	05/17/22 14:21	
Endosulfan II	mg/kg	<0.00080	0.0049	0.00080	05/17/22 14:21	
Endosulfan sulfate	mg/kg	<0.00095	0.0049	0.00095	05/17/22 14:21	
Endrin	mg/kg	<0.00086	0.0049	0.00086	05/17/22 14:21	
Endrin aldehyde	mg/kg	<0.0011	0.0049	0.0011	05/17/22 14:21	
Endrin ketone	mg/kg	<0.0012	0.0049	0.0012	05/17/22 14:21	
gamma-BHC (Lindane)	mg/kg	<0.00044	0.0025	0.00044	05/17/22 14:21	
gamma-Chlordane	mg/kg	<0.00051	0.0025	0.00051	05/17/22 14:21	
Heptachlor	mg/kg	<0.00044	0.0025	0.00044	05/17/22 14:21	
Heptachlor epoxide	mg/kg	<0.00041	0.0025	0.00041	05/17/22 14:21	
Methoxychlor	mg/kg	<0.0056	0.025	0.0056	05/17/22 14:21	
Toxaphene	mg/kg	<0.017	0.049	0.017	05/17/22 14:21	
Decachlorobiphenyl (S)	%	73	10-147		05/17/22 14:21	

LABORATORY CONTROL SAMPLE: 3113019

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	mg/kg	0.02	0.021	105	40-148	
4,4'-DDE	mg/kg	0.02	0.021	103	42-145	
4,4'-DDT	mg/kg	0.02	0.021	107	28-169	
Aldrin	mg/kg	0.01	0.010	101	42-137	
alpha-BHC	mg/kg	0.01	0.010	102	40-141	
alpha-Chlordane	mg/kg	0.01	0.0094	95	38-141	
beta-BHC	mg/kg	0.01	0.010	100	42-137	
delta-BHC	mg/kg	0.01	0.0093	93	33-132	
Dieldrin	mg/kg	0.02	0.021	103	42-143	
Endosulfan I	mg/kg	0.01	0.0099	100	38-142	
Endosulfan II	mg/kg	0.02	0.021	107	42-153	
Endosulfan sulfate	mg/kg	0.02	0.018	91	36-133	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

LABORATORY CONTROL SAMPLE: 3113019

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endrin	mg/kg	0.02	0.020	102	43-145	
Endrin aldehyde	mg/kg	0.02	0.020	98	40-138	
Endrin ketone	mg/kg	0.02	0.019	95	35-154	
gamma-BHC (Lindane)	mg/kg	0.01	0.010	101	42-142	
gamma-Chlordane	mg/kg	0.01	0.010	101	44-148	
Heptachlor	mg/kg	0.01	0.011	107	42-143	
Heptachlor epoxide	mg/kg	0.01	0.0098	99	41-136	
Methoxychlor	mg/kg	0.1	0.10	101	37-157	
Decachlorobiphenyl (S)	%			81	10-147	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3113020 3113021

Parameter	Units	40244491018		3113020		3113021		% Rec	% Rec	% Rec Limits	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec					
4,4'-DDD	mg/kg	<0.00098	0.0207	0.0207	0.015	0.016	71	78	10-171	8	20	
4,4'-DDE	mg/kg	0.0013J	0.0207	0.0207	0.016	0.017	70	77	10-146	9	20	
4,4'-DDT	mg/kg	<0.0016	0.0207	0.0207	0.017	0.018	82	88	10-165	6	20	
Aldrin	mg/kg	<0.00048	0.0104	0.0102	0.0078	0.0086	76	84	12-141	9	20	
alpha-BHC	mg/kg	<0.00052	0.0104	0.0102	0.0085	0.0091	83	89	14-157	6	20	
alpha-Chlordane	mg/kg	0.0060	0.0104	0.0102	0.0090	0.011	29	52	10-153	23	20	R1
beta-BHC	mg/kg	<0.00047	0.0104	0.0102	0.0088	0.010	85	98	10-163	12	20	
delta-BHC	mg/kg	<0.00066	0.0104	0.0102	0.0077	0.0079	74	77	10-155	3	20	
Dieldrin	mg/kg	<0.00088	0.0207	0.0207	0.016	0.017	80	84	14-141	4	20	
Endosulfan I	mg/kg	<0.00042	0.0104	0.0102	0.0085	0.0096	82	94	10-141	13	20	
Endosulfan II	mg/kg	<0.00082	0.0207	0.0207	0.017	0.017	81	84	10-149	3	20	
Endosulfan sulfate	mg/kg	<0.00097	0.0207	0.0207	0.013	0.013	63	62	10-126	3	20	
Endrin	mg/kg	<0.00088	0.0207	0.0207	0.016	0.017	78	81	13-136	3	20	
Endrin aldehyde	mg/kg	<0.0011	0.0207	0.0207	0.015	0.015	71	74	10-150	4	20	
Endrin ketone	mg/kg	<0.0013	0.0207	0.0207	0.015	0.015	74	75	10-171	0	20	
gamma-BHC (Lindane)	mg/kg	<0.00046	0.0104	0.0102	0.0081	0.0088	78	87	18-152	9	20	
gamma-Chlordane	mg/kg	0.0021J	0.0104	0.0102	0.010	0.0095	81	73	10-159	9	20	
Heptachlor	mg/kg	<0.00045	0.0104	0.0102	0.0083	0.0086	81	84	10-162	3	20	
Heptachlor epoxide	mg/kg	0.0019J	0.0104	0.0102	0.0083	0.0095	62	75	15-142	14	20	
Methoxychlor	mg/kg	<0.0057	0.104	0.102	0.079	0.076	77	74	10-178	4	20	
Decachlorobiphenyl (S)	%						64	68	10-147			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

QC Batch: 415111 Analysis Method: EPA 8082A
QC Batch Method: EPA 3541 Analysis Description: 8082 GCS PCB
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244491001, 40244491002, 40244491003, 40244491004, 40244491005

METHOD BLANK: 2390378 Matrix: Solid
Associated Lab Samples: 40244491001, 40244491002, 40244491003, 40244491004, 40244491005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	0.015	05/10/22 08:50	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	0.015	05/10/22 08:50	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	0.015	05/10/22 08:50	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	0.015	05/10/22 08:50	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	0.015	05/10/22 08:50	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	0.015	05/10/22 08:50	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	0.015	05/10/22 08:50	
Decachlorobiphenyl (S)	%	89	38-95		05/10/22 08:50	
Tetrachloro-m-xylene (S)	%	87	50-99		05/10/22 08:50	

LABORATORY CONTROL SAMPLE: 2390379

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.43	85	71-104	
Decachlorobiphenyl (S)	%			87	38-95	
Tetrachloro-m-xylene (S)	%			86	50-99	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2390380 2390381

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244527010	Spike Conc.	Spike Conc.	Result						
PCB-1016 (Aroclor 1016)	mg/kg	<15.7 ug/kg			<0.016	<0.016				20	
PCB-1221 (Aroclor 1221)	mg/kg	<15.7 ug/kg			<0.016	<0.016				20	
PCB-1232 (Aroclor 1232)	mg/kg	<15.7 ug/kg			<0.016	<0.016				20	
PCB-1242 (Aroclor 1242)	mg/kg	<15.7 ug/kg			<0.016	<0.016				20	
PCB-1248 (Aroclor 1248)	mg/kg	<15.7 ug/kg			<0.016	<0.016				20	
PCB-1254 (Aroclor 1254)	mg/kg	<15.7 ug/kg			<0.016	<0.016				20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Parameter	Units	40244527010		2390380		2390381		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec							
PCB-1260 (Aroclor 1260)	mg/kg	<15.7 ug/kg	0.52	0.52	0.44	0.43	85	84	42-109	1	20			
Decachlorobiphenyl (S)	%						87	85	38-95					
Tetrachloro-m-xylene (S)	%						85	82	50-99					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

QC Batch:	415210	Analysis Method:	EPA 8082A
QC Batch Method:	EPA 3541	Analysis Description:	8082 GCS PCB
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244491006, 40244491007, 40244491008, 40244491009, 40244491010, 40244491011, 40244491012, 40244491013, 40244491014, 40244491015, 40244491016, 40244491017, 40244491018

METHOD BLANK: 2390779 Matrix: Solid
Associated Lab Samples: 40244491006, 40244491007, 40244491008, 40244491009, 40244491010, 40244491011, 40244491012, 40244491013, 40244491014, 40244491015, 40244491016, 40244491017, 40244491018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	0.015	05/11/22 05:35	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	0.015	05/11/22 05:35	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	0.015	05/11/22 05:35	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	0.015	05/11/22 05:35	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	0.015	05/11/22 05:35	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	0.015	05/11/22 05:35	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	0.015	05/11/22 05:35	
Decachlorobiphenyl (S)	%	96	38-95		05/11/22 05:35	S3
Tetrachloro-m-xylene (S)	%	93	50-99		05/11/22 05:35	

LABORATORY CONTROL SAMPLE: 2390780

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.45	90	71-104	
Decachlorobiphenyl (S)	%			94	38-95	
Tetrachloro-m-xylene (S)	%			93	50-99	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2390781 2390782

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244365002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
PCB-1016 (Aroclor 1016)	mg/kg	<19.3 ug/kg			<0.019	<0.019				20	
PCB-1221 (Aroclor 1221)	mg/kg	<19.3 ug/kg			<0.019	<0.019				20	
PCB-1232 (Aroclor 1232)	mg/kg	<19.3 ug/kg			<0.019	<0.019				20	
PCB-1242 (Aroclor 1242)	mg/kg	<19.3 ug/kg			<0.019	<0.019				20	
PCB-1248 (Aroclor 1248)	mg/kg	<19.3 ug/kg			<0.019	<0.019				20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2390781		2390782		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244365002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
PCB-1254 (Aroclor 1254)	mg/kg	<19.3 ug/kg			<0.019	<0.019						20	
PCB-1260 (Aroclor 1260)	mg/kg	<19.3 ug/kg	0.63	0.63	0.51	0.50	81	79	42-109	3	20		
Decachlorobiphenyl (S)	%						85	83	38-95				
Tetrachloro-m-xylene (S)	%						82	80	50-99				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

QC Batch: 415239 Analysis Method: EPA 8270E
QC Batch Method: EPA 3546 Analysis Description: 8270E Solid MSSV Microwave
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244491001, 40244491002, 40244491018

METHOD BLANK: 2390906 Matrix: Solid

Associated Lab Samples: 40244491001, 40244491002, 40244491018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	<0.019	0.063	0.019	05/10/22 12:46	
1,2-Dichlorobenzene	mg/kg	<0.053	0.18	0.053	05/10/22 12:46	
1,3-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/10/22 12:46	
1,4-Dichlorobenzene	mg/kg	<0.023	0.078	0.023	05/10/22 12:46	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.043	0.14	0.043	05/10/22 12:46	
2,4,5-Trichlorophenol	mg/kg	<0.030	0.098	0.030	05/10/22 12:46	
2,4,6-Trichlorophenol	mg/kg	<0.025	0.085	0.025	05/10/22 12:46	
2,4-Dichlorophenol	mg/kg	<0.045	0.15	0.045	05/10/22 12:46	
2,4-Dimethylphenol	mg/kg	<0.033	0.11	0.033	05/10/22 12:46	
2,4-Dinitrophenol	mg/kg	<0.051	0.17	0.051	05/10/22 12:46	
2,4-Dinitrotoluene	mg/kg	<0.024	0.080	0.024	05/10/22 12:46	
2,6-Dinitrotoluene	mg/kg	<0.032	0.11	0.032	05/10/22 12:46	
2-Chloronaphthalene	mg/kg	<0.021	0.072	0.021	05/10/22 12:46	
2-Chlorophenol	mg/kg	<0.042	0.14	0.042	05/10/22 12:46	
2-Methylnaphthalene	mg/kg	<0.043	0.14	0.043	05/10/22 12:46	
2-Methylphenol(o-Cresol)	mg/kg	<0.030	0.10	0.030	05/10/22 12:46	
2-Nitroaniline	mg/kg	<0.048	0.16	0.048	05/10/22 12:46	
2-Nitrophenol	mg/kg	<0.053	0.18	0.053	05/10/22 12:46	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.031	0.10	0.031	05/10/22 12:46	
3,3'-Dichlorobenzidine	mg/kg	<0.045	0.15	0.045	05/10/22 12:46	
3-Nitroaniline	mg/kg	<0.028	0.095	0.028	05/10/22 12:46	
4,6-Dinitro-2-methylphenol	mg/kg	<0.052	0.17	0.052	05/10/22 12:46	
4-Bromophenylphenyl ether	mg/kg	<0.035	0.12	0.035	05/10/22 12:46	
4-Chloro-3-methylphenol	mg/kg	<0.052	0.17	0.052	05/10/22 12:46	
4-Chloroaniline	mg/kg	<0.027	0.092	0.027	05/10/22 12:46	3q
4-Chlorophenylphenyl ether	mg/kg	<0.031	0.10	0.031	05/10/22 12:46	
4-Nitroaniline	mg/kg	<0.069	0.23	0.069	05/10/22 12:46	
4-Nitrophenol	mg/kg	<0.042	0.14	0.042	05/10/22 12:46	
Acenaphthene	mg/kg	<0.059	0.20	0.059	05/10/22 12:46	
Acenaphthylene	mg/kg	<0.060	0.20	0.060	05/10/22 12:46	
Anthracene	mg/kg	<0.027	0.089	0.027	05/10/22 12:46	
Benzo(a)anthracene	mg/kg	<0.026	0.086	0.026	05/10/22 12:46	
Benzo(a)pyrene	mg/kg	<0.025	0.084	0.025	05/10/22 12:46	
Benzo(b)fluoranthene	mg/kg	<0.029	0.096	0.029	05/10/22 12:46	
Benzo(g,h,i)perylene	mg/kg	<0.044	0.15	0.044	05/10/22 12:46	
Benzo(k)fluoranthene	mg/kg	<0.040	0.13	0.040	05/10/22 12:46	
bis(2-Chloroethoxy)methane	mg/kg	<0.045	0.15	0.045	05/10/22 12:46	
bis(2-Chloroethyl) ether	mg/kg	<0.052	0.17	0.052	05/10/22 12:46	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.028	0.093	0.028	05/10/22 12:46	
Butylbenzylphthalate	mg/kg	<0.027	0.089	0.027	05/10/22 12:46	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

METHOD BLANK: 2390906

Matrix: Solid

Associated Lab Samples: 40244491001, 40244491002, 40244491018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Carbazole	mg/kg	<0.026	0.087	0.026	05/10/22 12:46	
Chrysene	mg/kg	<0.025	0.083	0.025	05/10/22 12:46	
Di-n-butylphthalate	mg/kg	<0.025	0.083	0.025	05/10/22 12:46	
Di-n-octylphthalate	mg/kg	<0.038	0.13	0.038	05/10/22 12:46	
Dibenz(a,h)anthracene	mg/kg	<0.045	0.15	0.045	05/10/22 12:46	
Dibenzofuran	mg/kg	<0.020	0.067	0.020	05/10/22 12:46	
Diethylphthalate	mg/kg	<0.028	0.092	0.028	05/10/22 12:46	
Dimethylphthalate	mg/kg	<0.022	0.072	0.022	05/10/22 12:46	
Fluoranthene	mg/kg	<0.024	0.079	0.024	05/10/22 12:46	
Fluorene	mg/kg	<0.020	0.065	0.020	05/10/22 12:46	
Hexachloro-1,3-butadiene	mg/kg	<0.043	0.14	0.043	05/10/22 12:46	
Hexachlorobenzene	mg/kg	<0.028	0.094	0.028	05/10/22 12:46	
Hexachlorocyclopentadiene	mg/kg	<0.040	0.13	0.040	05/10/22 12:46	
Hexachloroethane	mg/kg	<0.027	0.089	0.027	05/10/22 12:46	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.036	0.12	0.036	05/10/22 12:46	
Isophorone	mg/kg	<0.026	0.086	0.026	05/10/22 12:46	
N-Nitroso-di-n-propylamine	mg/kg	<0.027	0.088	0.027	05/10/22 12:46	
N-Nitrosodiphenylamine	mg/kg	<0.23	0.76	0.23	05/10/22 12:46	
Naphthalene	mg/kg	<0.058	0.19	0.058	05/10/22 12:46	
Nitrobenzene	mg/kg	<0.034	0.11	0.034	05/10/22 12:46	
Pentachlorophenol	mg/kg	<0.037	0.12	0.037	05/10/22 12:46	
Phenanthrene	mg/kg	<0.021	0.071	0.021	05/10/22 12:46	
Phenol	mg/kg	<0.040	0.13	0.040	05/10/22 12:46	
Pyrene	mg/kg	<0.037	0.12	0.037	05/10/22 12:46	
2,4,6-Tribromophenol (S)	%	86	10-144		05/10/22 12:46	
2-Fluorobiphenyl (S)	%	89	12-118		05/10/22 12:46	
2-Fluorophenol (S)	%	90	10-130		05/10/22 12:46	
Nitrobenzene-d5 (S)	%	93	10-125		05/10/22 12:46	
Phenol-d6 (S)	%	91	10-125		05/10/22 12:46	
Terphenyl-d14 (S)	%	100	10-124		05/10/22 12:46	

LABORATORY CONTROL SAMPLE: 2390907

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	1.7	1.3	75	70-130	
1,2-Dichlorobenzene	mg/kg	1.7	1.2	70	66-130	
1,3-Dichlorobenzene	mg/kg	1.7	1.1	66	66-130	
1,4-Dichlorobenzene	mg/kg	1.7	1.1	66	64-130	
2,2'-Oxybis(1-chloropropane)	mg/kg	1.7	1.2	74	65-130	
2,4,5-Trichlorophenol	mg/kg	1.7	1.7	100	70-125	
2,4,6-Trichlorophenol	mg/kg	1.7	1.4	84	70-124	
2,4-Dichlorophenol	mg/kg	1.7	1.4	82	70-121	
2,4-Dimethylphenol	mg/kg	1.7	1.4	87	70-130	
2,4-Dinitrophenol	mg/kg	1.7	1.2	74	26-103	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

LABORATORY CONTROL SAMPLE: 2390907

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrotoluene	mg/kg	1.7	1.6	98	70-130	
2,6-Dinitrotoluene	mg/kg	1.7	1.6	96	70-130	
2-Chloronaphthalene	mg/kg	1.7	1.5	88	70-130	
2-Chlorophenol	mg/kg	1.7	1.2	74	67-130	
2-Methylnaphthalene	mg/kg	1.7	1.4	87	70-130	
2-Methylphenol(o-Cresol)	mg/kg	1.7	1.4	84	69-130	
2-Nitroaniline	mg/kg	1.7	1.8	108	70-124	
2-Nitrophenol	mg/kg	1.7	1.5	90	70-130	
3&4-Methylphenol(m&p Cresol)	mg/kg	1.7	1.4	86	70-130	
3,3'-Dichlorobenzidine	mg/kg	1.7	1.2	69	48-112	
3-Nitroaniline	mg/kg	1.7	1.3	77	57-121	
4,6-Dinitro-2-methylphenol	mg/kg	1.7	1.4	82	59-115	
4-Bromophenylphenyl ether	mg/kg	1.7	1.5	90	70-130	
4-Chloro-3-methylphenol	mg/kg	1.7	1.5	92	70-130	
4-Chloroaniline	mg/kg	1.7	0.88	53	45-130	3q
4-Chlorophenylphenyl ether	mg/kg	1.7	1.5	91	70-130	
4-Nitroaniline	mg/kg	1.7	1.6	98	62-127	
4-Nitrophenol	mg/kg	1.7	1.7	102	50-126	
Acenaphthene	mg/kg	1.7	1.5	87	70-130	
Acenaphthylene	mg/kg	1.7	1.6	94	70-130	
Anthracene	mg/kg	1.7	1.5	88	70-130	
Benzo(a)anthracene	mg/kg	1.7	1.5	88	70-130	
Benzo(a)pyrene	mg/kg	1.7	1.5	91	70-130	
Benzo(b)fluoranthene	mg/kg	1.7	1.5	89	70-130	
Benzo(g,h,i)perylene	mg/kg	1.7	1.5	91	65-130	
Benzo(k)fluoranthene	mg/kg	1.7	1.4	85	70-130	
bis(2-Chloroethoxy)methane	mg/kg	1.7	1.4	81	70-130	
bis(2-Chloroethyl) ether	mg/kg	1.7	1.2	71	68-130	
bis(2-Ethylhexyl)phthalate	mg/kg	1.7	1.5	91	70-130	
Butylbenzylphthalate	mg/kg	1.7	1.7	101	70-130	
Carbazole	mg/kg	1.7	1.5	93	70-130	
Chrysene	mg/kg	1.7	1.4	85	70-130	
Di-n-butylphthalate	mg/kg	1.7	1.5	93	70-130	
Di-n-octylphthalate	mg/kg	1.7	1.6	98	67-134	
Dibenz(a,h)anthracene	mg/kg	1.7	1.4	87	68-130	
Dibenzofuran	mg/kg	1.7	1.5	93	70-130	
Diethylphthalate	mg/kg	1.7	1.5	91	70-130	
Dimethylphthalate	mg/kg	1.7	1.6	94	70-130	
Fluoranthene	mg/kg	1.7	1.5	91	70-130	
Fluorene	mg/kg	1.7	1.6	93	70-130	
Hexachloro-1,3-butadiene	mg/kg	1.7	1.3	77	67-130	
Hexachlorobenzene	mg/kg	1.7	1.4	84	70-130	
Hexachlorocyclopentadiene	mg/kg	1.7	1.3	75	54-114	
Hexachloroethane	mg/kg	1.7	1.2	70	64-130	
Indeno(1,2,3-cd)pyrene	mg/kg	1.7	1.4	87	63-130	
Isophorone	mg/kg	1.7	1.6	94	70-130	
N-Nitroso-di-n-propylamine	mg/kg	1.7	1.5	87	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

LABORATORY CONTROL SAMPLE: 2390907

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
N-Nitrosodiphenylamine	mg/kg	1.7	1.4	85	70-130	
Naphthalene	mg/kg	1.7	1.3	80	70-130	
Nitrobenzene	mg/kg	1.7	1.4	82	70-130	
Pentachlorophenol	mg/kg	1.7	1.3	77	47-108	
Phenanthrene	mg/kg	1.7	1.4	86	70-130	
Phenol	mg/kg	1.7	1.3	80	67-130	
Pyrene	mg/kg	1.7	1.4	86	70-130	
2,4,6-Tribromophenol (S)	%			96	10-144	
2-Fluorobiphenyl (S)	%			86	12-118	
2-Fluorophenol (S)	%			68	10-130	
Nitrobenzene-d5 (S)	%			85	10-125	
Phenol-d6 (S)	%			79	10-125	
Terphenyl-d14 (S)	%			88	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2390908 2390909

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244446016	Result	Spike Conc.	MSD Spike Conc.								
1,2,4-Trichlorobenzene	mg/kg	<0.024	2.2	2.2	1.8	1.4	81	65	45-130	23	28		
1,2-Dichlorobenzene	mg/kg	<0.068	2.2	2.2	1.7	1.4	80	64	45-130	22	29		
1,3-Dichlorobenzene	mg/kg	<0.030	2.2	2.2	1.7	1.3	77	62	42-130	22	30		
1,4-Dichlorobenzene	mg/kg	<0.030	2.2	2.2	1.5	1.4	71	65	42-130	9	32		
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.056	2.2	2.2	1.6	1.5	76	70	44-130	9	26		
2,4,5-Trichlorophenol	mg/kg	<0.038	2.2	2.2	1.8	1.8	86	85	11-125	0	30		
2,4,6-Trichlorophenol	mg/kg	<0.033	2.2	2.2	1.7	1.6	79	74	16-124	8	31		
2,4-Dichlorophenol	mg/kg	<0.058	2.2	2.2	1.8	1.6	82	73	19-121	11	29		
2,4-Dimethylphenol	mg/kg	<0.043	2.2	2.2	1.3	1.3	62	62	29-130	0	32		
2,4-Dinitrophenol	mg/kg	<0.066	2.2	2.2	1.2	1.3	55	62	10-103	12	50		
2,4-Dinitrotoluene	mg/kg	<0.031	2.2	2.2	1.8	1.9	85	88	38-130	3	27		
2,6-Dinitrotoluene	mg/kg	<0.041	2.2	2.2	1.9	1.9	90	89	41-130	2	28		
2-Chloronaphthalene	mg/kg	<0.028	2.2	2.2	1.8	1.7	83	81	44-130	4	24		
2-Chlorophenol	mg/kg	<0.054	2.2	2.2	1.7	1.5	77	70	33-130	10	30		
2-Methylnaphthalene	mg/kg	<0.056	2.2	2.2	1.6	1.6	76	72	46-130	4	23		
2-Methylphenol(o-Cresol)	mg/kg	<0.039	2.2	2.2	1.5	1.6	72	72	30-130	1	30		
2-Nitroaniline	mg/kg	<0.062	2.2	2.2	2.2	2.2	101	101	27-124	1	25		
2-Nitrophenol	mg/kg	<0.068	2.2	2.2	1.8	1.7	85	78	10-130	9	27		
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.040	2.2	2.2	1.4	1.4	64	67	28-130	4	33		
3,3'-Dichlorobenzidine	mg/kg	<0.059	2.2	2.2	1.6	1.6	74	72	10-112	2	43		
3-Nitroaniline	mg/kg	<0.037	2.2	2.2	1.8	1.7	84	79	10-121	7	33		
4,6-Dinitro-2-methylphenol	mg/kg	<0.067	2.2	2.2	1.6	1.7	72	78	10-115	7	50		
4-Bromophenylphenyl ether	mg/kg	<0.045	2.2	2.2	1.8	1.6	82	75	40-130	10	25		
4-Chloro-3-methylphenol	mg/kg	<0.067	2.2	2.2	1.6	1.7	75	78	30-130	3	29		
4-Chloroaniline	mg/kg	<0.036	2.2	2.2	1.5	1.2	69	57	16-130	19	33	3q	
4-Chlorophenylphenyl ether	mg/kg	<0.040	2.2	2.2	1.7	1.7	79	79	46-130	0	24		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2390908			2390909								
Parameter	Units	40244446016 Result	MS	MSD	MS	MSD	MS	MSD	% Rec	Max	Qual
			Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits	RPD	
4-Nitroaniline	mg/kg	<0.090	2.2	2.2	2.1	2.0	95	92	10-127	3	40
4-Nitrophenol	mg/kg	<0.054	2.2	2.2	1.9	2.1	89	100	10-128	11	50
Acenaphthene	mg/kg	<0.077	2.2	2.2	1.8	1.8	83	81	47-130	3	21
Acenaphthylene	mg/kg	<0.077	2.2	2.2	1.8	1.8	84	86	49-130	2	22
Anthracene	mg/kg	<0.035	2.2	2.2	1.8	1.7	85	80	46-130	6	27
Benzo(a)anthracene	mg/kg	<0.033	2.2	2.2	1.7	1.7	80	79	45-130	1	24
Benzo(a)pyrene	mg/kg	<0.033	2.2	2.2	1.8	1.7	82	81	48-130	2	27
Benzo(b)fluoranthene	mg/kg	<0.037	2.2	2.2	1.6	1.7	75	77	41-130	3	31
Benzo(g,h,i)perylene	mg/kg	<0.057	2.2	2.2	1.7	1.8	81	85	37-130	5	31
Benzo(k)fluoranthene	mg/kg	<0.052	2.2	2.2	1.7	1.8	79	82	46-130	5	27
bis(2-Chloroethoxy)methane	mg/kg	<0.058	2.2	2.2	1.7	1.6	80	74	38-130	8	26
bis(2-Chloroethyl) ether	mg/kg	<0.067	2.2	2.2	1.7	1.5	79	68	42-130	15	29
bis(2-Ethylhexyl)phthalate	mg/kg	<0.036	2.2	2.2	1.9	1.9	89	87	39-130	2	27
Butylbenzylphthalate	mg/kg	<0.035	2.2	2.2	2.1	2.2	99	100	39-130	2	27
Carbazole	mg/kg	<0.034	2.2	2.2	1.8	1.8	85	86	44-130	1	24
Chrysene	mg/kg	<0.032	2.2	2.2	1.8	1.9	84	88	44-130	4	25
Di-n-butylphthalate	mg/kg	<0.032	2.2	2.2	1.9	1.8	89	84	45-130	5	26
Di-n-octylphthalate	mg/kg	<0.049	2.2	2.2	2.0	1.9	93	90	40-134	3	27
Dibenz(a,h)anthracene	mg/kg	<0.059	2.2	2.2	1.8	1.8	82	82	41-130	0	33
Dibenzofuran	mg/kg	<0.026	2.2	2.2	1.8	1.7	81	81	47-130	1	23
Diethylphthalate	mg/kg	<0.036	2.2	2.2	1.9	1.9	89	88	46-130	1	24
Dimethylphthalate	mg/kg	<0.028	2.2	2.2	1.8	1.8	82	82	47-130	0	24
Fluoranthene	mg/kg	<0.031	2.2	2.2	1.8	1.7	83	77	50-130	7	27
Fluorene	mg/kg	<0.025	2.2	2.2	1.9	1.9	87	86	48-130	2	25
Hexachloro-1,3-butadiene	mg/kg	<0.055	2.2	2.2	1.7	1.4	80	66	42-130	18	27
Hexachlorobenzene	mg/kg	<0.036	2.2	2.2	1.5	1.7	70	78	51-130	11	24
Hexachlorocyclopentadiene	mg/kg	<0.051	2.2	2.2	1.6	1.5	73	70	10-114	4	50
Hexachloroethane	mg/kg	<0.035	2.2	2.2	1.8	1.5	83	69	33-130	19	35
Indeno(1,2,3-cd)pyrene	mg/kg	<0.047	2.2	2.2	1.6	1.6	74	76	34-130	2	38
Isophorone	mg/kg	<0.033	2.2	2.2	1.8	1.7	86	80	45-130	7	28
N-Nitroso-di-n-propylamine	mg/kg	<0.034	2.2	2.2	1.8	1.8	83	82	47-130	1	27
N-Nitrosodiphenylamine	mg/kg	<0.29	2.2	2.2	1.7	1.7	81	80	42-130	0	25
Naphthalene	mg/kg	<0.076	2.2	2.2	1.8	1.5	81	70	48-130	15	24
Nitrobenzene	mg/kg	<0.044	2.2	2.2	1.9	1.7	86	77	42-130	11	25
Pentachlorophenol	mg/kg	<0.048	2.2	2.2	1.4	1.4	66	64	10-108	3	50
Phenanthrene	mg/kg	<0.028	2.2	2.2	1.6	1.7	76	81	50-130	6	27
Phenol	mg/kg	<0.051	2.2	2.2	1.5	1.5	68	70	37-130	3	30
Pyrene	mg/kg	<0.048	2.2	2.2	1.7	1.8	79	83	43-130	5	29
2,4,6-Tribromophenol (S)	%						80	87	10-144		
2-Fluorobiphenyl (S)	%						84	78	12-118		
2-Fluorophenol (S)	%						73	61	10-130		
Nitrobenzene-d5 (S)	%						89	77	10-125		
Phenol-d6 (S)	%						69	68	10-125		
Terphenyl-d14 (S)	%						76	77	10-124		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

QC Batch: 415511 Analysis Method: EPA 8270E
QC Batch Method: EPA 3546 Analysis Description: 8270E Solid MSSV Microwave
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244491003, 40244491004, 40244491005, 40244491006, 40244491007, 40244491008, 40244491009, 40244491010, 40244491011, 40244491012, 40244491013, 40244491014, 40244491015, 40244491016, 40244491017

METHOD BLANK: 2392191 Matrix: Solid
Associated Lab Samples: 40244491003, 40244491004, 40244491005, 40244491006, 40244491007, 40244491008, 40244491009, 40244491010, 40244491011, 40244491012, 40244491013, 40244491014, 40244491015, 40244491016, 40244491017

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	<0.019	0.063	0.019	05/12/22 12:55	
1,2-Dichlorobenzene	mg/kg	<0.053	0.18	0.053	05/12/22 12:55	
1,3-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/12/22 12:55	
1,4-Dichlorobenzene	mg/kg	<0.023	0.078	0.023	05/12/22 12:55	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.043	0.14	0.043	05/12/22 12:55	
2,4,5-Trichlorophenol	mg/kg	<0.030	0.098	0.030	05/12/22 12:55	
2,4,6-Trichlorophenol	mg/kg	<0.025	0.085	0.025	05/12/22 12:55	
2,4-Dichlorophenol	mg/kg	<0.045	0.15	0.045	05/12/22 12:55	
2,4-Dimethylphenol	mg/kg	<0.033	0.11	0.033	05/12/22 12:55	
2,4-Dinitrophenol	mg/kg	<0.051	0.17	0.051	05/12/22 12:55	
2,4-Dinitrotoluene	mg/kg	<0.024	0.080	0.024	05/12/22 12:55	
2,6-Dinitrotoluene	mg/kg	<0.032	0.11	0.032	05/12/22 12:55	
2-Chloronaphthalene	mg/kg	<0.021	0.072	0.021	05/12/22 12:55	
2-Chlorophenol	mg/kg	<0.042	0.14	0.042	05/12/22 12:55	
2-Methylnaphthalene	mg/kg	<0.043	0.14	0.043	05/12/22 12:55	
2-Methylphenol(o-Cresol)	mg/kg	<0.030	0.10	0.030	05/12/22 12:55	
2-Nitroaniline	mg/kg	<0.048	0.16	0.048	05/12/22 12:55	
2-Nitrophenol	mg/kg	<0.053	0.18	0.053	05/12/22 12:55	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.031	0.10	0.031	05/12/22 12:55	
3,3'-Dichlorobenzidine	mg/kg	<0.045	0.15	0.045	05/12/22 12:55	
3-Nitroaniline	mg/kg	<0.028	0.095	0.028	05/12/22 12:55	
4,6-Dinitro-2-methylphenol	mg/kg	<0.052	0.17	0.052	05/12/22 12:55	
4-Bromophenylphenyl ether	mg/kg	<0.035	0.12	0.035	05/12/22 12:55	
4-Chloro-3-methylphenol	mg/kg	<0.052	0.17	0.052	05/12/22 12:55	
4-Chloroaniline	mg/kg	<0.027	0.092	0.027	05/12/22 12:55	3q
4-Chlorophenylphenyl ether	mg/kg	<0.031	0.10	0.031	05/12/22 12:55	
4-Nitroaniline	mg/kg	<0.069	0.23	0.069	05/12/22 12:55	
4-Nitrophenol	mg/kg	<0.042	0.14	0.042	05/12/22 12:55	
Acenaphthene	mg/kg	<0.059	0.20	0.059	05/12/22 12:55	
Acenaphthylene	mg/kg	<0.060	0.20	0.060	05/12/22 12:55	
Anthracene	mg/kg	<0.027	0.089	0.027	05/12/22 12:55	
Benzo(a)anthracene	mg/kg	<0.026	0.086	0.026	05/12/22 12:55	
Benzo(a)pyrene	mg/kg	<0.025	0.084	0.025	05/12/22 12:55	
Benzo(b)fluoranthene	mg/kg	<0.029	0.096	0.029	05/12/22 12:55	
Benzo(g,h,i)perylene	mg/kg	<0.044	0.15	0.044	05/12/22 12:55	
Benzo(k)fluoranthene	mg/kg	<0.040	0.13	0.040	05/12/22 12:55	
bis(2-Chloroethoxy)methane	mg/kg	<0.045	0.15	0.045	05/12/22 12:55	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

METHOD BLANK: 2392191

Matrix: Solid

Associated Lab Samples: 40244491003, 40244491004, 40244491005, 40244491006, 40244491007, 40244491008, 40244491009, 40244491010, 40244491011, 40244491012, 40244491013, 40244491014, 40244491015, 40244491016, 40244491017

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
bis(2-Chloroethyl) ether	mg/kg	<0.052	0.17	0.052	05/12/22 12:55	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.028	0.093	0.028	05/12/22 12:55	
Butylbenzylphthalate	mg/kg	<0.027	0.089	0.027	05/12/22 12:55	
Carbazole	mg/kg	<0.026	0.087	0.026	05/12/22 12:55	
Chrysene	mg/kg	<0.025	0.083	0.025	05/12/22 12:55	
Di-n-butylphthalate	mg/kg	<0.025	0.083	0.025	05/12/22 12:55	
Di-n-octylphthalate	mg/kg	<0.038	0.13	0.038	05/12/22 12:55	
Dibenz(a,h)anthracene	mg/kg	<0.045	0.15	0.045	05/12/22 12:55	
Dibenzofuran	mg/kg	<0.020	0.067	0.020	05/12/22 12:55	
Diethylphthalate	mg/kg	<0.028	0.092	0.028	05/12/22 12:55	
Dimethylphthalate	mg/kg	<0.022	0.072	0.022	05/12/22 12:55	
Fluoranthene	mg/kg	<0.024	0.079	0.024	05/12/22 12:55	
Fluorene	mg/kg	<0.020	0.065	0.020	05/12/22 12:55	
Hexachloro-1,3-butadiene	mg/kg	<0.043	0.14	0.043	05/12/22 12:55	
Hexachlorobenzene	mg/kg	<0.028	0.094	0.028	05/12/22 12:55	
Hexachlorocyclopentadiene	mg/kg	<0.040	0.13	0.040	05/12/22 12:55	
Hexachloroethane	mg/kg	<0.027	0.089	0.027	05/12/22 12:55	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.036	0.12	0.036	05/12/22 12:55	
Isophorone	mg/kg	<0.026	0.086	0.026	05/12/22 12:55	
N-Nitroso-di-n-propylamine	mg/kg	<0.027	0.088	0.027	05/12/22 12:55	
N-Nitrosodiphenylamine	mg/kg	<0.23	0.76	0.23	05/12/22 12:55	
Naphthalene	mg/kg	<0.058	0.19	0.058	05/12/22 12:55	
Nitrobenzene	mg/kg	<0.034	0.11	0.034	05/12/22 12:55	
Pentachlorophenol	mg/kg	<0.037	0.12	0.037	05/12/22 12:55	
Phenanthrene	mg/kg	<0.021	0.071	0.021	05/12/22 12:55	
Phenol	mg/kg	<0.040	0.13	0.040	05/12/22 12:55	
Pyrene	mg/kg	<0.037	0.12	0.037	05/12/22 12:55	
2,4,6-Tribromophenol (S)	%	67	10-144		05/12/22 12:55	
2-Fluorobiphenyl (S)	%	53	12-118		05/12/22 12:55	
2-Fluorophenol (S)	%	45	10-130		05/12/22 12:55	
Nitrobenzene-d5 (S)	%	51	10-125		05/12/22 12:55	
Phenol-d6 (S)	%	43	10-125		05/12/22 12:55	
Terphenyl-d14 (S)	%	61	10-124		05/12/22 12:55	

LABORATORY CONTROL SAMPLE: 2392192

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	1.7	1.4	82	70-130	
1,2-Dichlorobenzene	mg/kg	1.7	1.3	78	66-130	
1,3-Dichlorobenzene	mg/kg	1.7	1.3	75	66-130	
1,4-Dichlorobenzene	mg/kg	1.7	1.3	76	64-130	
2,2'-Oxybis(1-chloropropane)	mg/kg	1.7	1.3	77	65-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

LABORATORY CONTROL SAMPLE: 2392192

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4,5-Trichlorophenol	mg/kg	1.7	1.5	91	70-125	
2,4,6-Trichlorophenol	mg/kg	1.7	1.5	89	70-124	
2,4-Dichlorophenol	mg/kg	1.7	1.5	87	70-121	
2,4-Dimethylphenol	mg/kg	1.7	1.4	85	70-130	
2,4-Dinitrophenol	mg/kg	1.7	1.2	70	26-103	
2,4-Dinitrotoluene	mg/kg	1.7	1.6	95	70-130	
2,6-Dinitrotoluene	mg/kg	1.7	1.5	93	70-130	
2-Chloronaphthalene	mg/kg	1.7	1.4	85	70-130	
2-Chlorophenol	mg/kg	1.7	1.3	80	67-130	
2-Methylnaphthalene	mg/kg	1.7	1.3	81	70-130	
2-Methylphenol(o-Cresol)	mg/kg	1.7	1.5	87	69-130	
2-Nitroaniline	mg/kg	1.7	1.6	99	70-124	
2-Nitrophenol	mg/kg	1.7	1.5	87	70-130	
3&4-Methylphenol(m&p Cresol)	mg/kg	1.7	1.5	87	70-130	
3,3'-Dichlorobenzidine	mg/kg	1.7	1.3	78	48-112	
3-Nitroaniline	mg/kg	1.7	1.3	75	57-121	
4,6-Dinitro-2-methylphenol	mg/kg	1.7	1.4	85	59-115	
4-Bromophenylphenyl ether	mg/kg	1.7	1.5	89	70-130	
4-Chloro-3-methylphenol	mg/kg	1.7	1.5	90	70-130	
4-Chloroaniline	mg/kg	1.7	0.93	56	45-130	3q
4-Chlorophenylphenyl ether	mg/kg	1.7	1.5	88	70-130	
4-Nitroaniline	mg/kg	1.7	1.5	88	62-127	
4-Nitrophenol	mg/kg	1.7	1.5	90	50-126	
Acenaphthene	mg/kg	1.7	1.4	84	70-130	
Acenaphthylene	mg/kg	1.7	1.4	84	70-130	
Anthracene	mg/kg	1.7	1.5	92	70-130	
Benzo(a)anthracene	mg/kg	1.7	1.5	89	70-130	
Benzo(a)pyrene	mg/kg	1.7	1.5	87	70-130	
Benzo(b)fluoranthene	mg/kg	1.7	1.5	89	70-130	
Benzo(g,h,i)perylene	mg/kg	1.7	1.6	93	65-130	
Benzo(k)fluoranthene	mg/kg	1.7	1.5	90	70-130	
bis(2-Chloroethoxy)methane	mg/kg	1.7	1.4	83	70-130	
bis(2-Chloroethyl) ether	mg/kg	1.7	1.3	78	68-130	
bis(2-Ethylhexyl)phthalate	mg/kg	1.7	1.6	96	70-130	
Butylbenzylphthalate	mg/kg	1.7	1.7	101	70-130	
Carbazole	mg/kg	1.7	1.6	94	70-130	
Chrysene	mg/kg	1.7	1.6	95	70-130	
Di-n-butylphthalate	mg/kg	1.7	1.6	95	70-130	
Di-n-octylphthalate	mg/kg	1.7	1.7	100	67-134	
Dibenz(a,h)anthracene	mg/kg	1.7	1.7	99	68-130	
Dibenzofuran	mg/kg	1.7	1.5	89	70-130	
Diethylphthalate	mg/kg	1.7	1.5	88	70-130	
Dimethylphthalate	mg/kg	1.7	1.4	87	70-130	
Fluoranthene	mg/kg	1.7	1.6	95	70-130	
Fluorene	mg/kg	1.7	1.5	88	70-130	
Hexachloro-1,3-butadiene	mg/kg	1.7	1.4	82	67-130	
Hexachlorobenzene	mg/kg	1.7	1.5	89	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

LABORATORY CONTROL SAMPLE: 2392192

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Hexachlorocyclopentadiene	mg/kg	1.7	1.3	79	54-114	
Hexachloroethane	mg/kg	1.7	1.3	80	64-130	
Indeno(1,2,3-cd)pyrene	mg/kg	1.7	1.4	82	63-130	
Isophorone	mg/kg	1.7	1.5	90	70-130	
N-Nitroso-di-n-propylamine	mg/kg	1.7	1.5	89	70-130	
N-Nitrosodiphenylamine	mg/kg	1.7	1.5	88	70-130	
Naphthalene	mg/kg	1.7	1.4	83	70-130	
Nitrobenzene	mg/kg	1.7	1.4	87	70-130	
Pentachlorophenol	mg/kg	1.7	1.4	82	47-108	
Phenanthrene	mg/kg	1.7	1.4	86	70-130	
Phenol	mg/kg	1.7	1.4	83	67-130	
Pyrene	mg/kg	1.7	1.4	87	70-130	
2,4,6-Tribromophenol (S)	%			91	10-144	
2-Fluorobiphenyl (S)	%			82	12-118	
2-Fluorophenol (S)	%			73	10-130	
Nitrobenzene-d5 (S)	%			79	10-125	
Phenol-d6 (S)	%			75	10-125	
Terphenyl-d14 (S)	%			89	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2392193 2392194

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244577003	Result	Spike Conc.	Spike Conc.								
1,2,4-Trichlorobenzene	mg/kg	<0.020	1.8	1.8	1.3	1.4	73	78	45-130	8	28		
1,2-Dichlorobenzene	mg/kg	<0.057	1.8	1.8	1.2	1.4	64	75	45-130	16	29		
1,3-Dichlorobenzene	mg/kg	<0.025	1.8	1.8	1.2	1.4	66	76	42-130	14	30		
1,4-Dichlorobenzene	mg/kg	<0.025	1.8	1.8	1.2	1.3	65	74	42-130	12	32		
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.047	1.8	1.8	1.2	1.3	64	74	44-130	14	26		
2,4,5-Trichlorophenol	mg/kg	<0.032	1.8	1.8	1.4	1.6	79	87	11-125	11	30		
2,4,6-Trichlorophenol	mg/kg	<0.028	1.8	1.8	1.3	1.4	74	76	16-124	3	31		
2,4-Dichlorophenol	mg/kg	<0.048	1.8	1.8	1.3	1.4	71	79	19-121	11	29		
2,4-Dimethylphenol	mg/kg	<0.036	1.8	1.8	1.1	1.2	59	68	29-130	15	32		
2,4-Dinitrophenol	mg/kg	<0.055	1.8	1.8	0.60	0.52	33	29	10-103	14	50		
2,4-Dinitrotoluene	mg/kg	<0.026	1.8	1.8	1.4	1.5	78	83	38-130	5	27		
2,6-Dinitrotoluene	mg/kg	<0.034	1.8	1.8	1.4	1.5	78	82	41-130	4	28		
2-Chloronaphthalene	mg/kg	<0.023	1.8	1.8	1.2	1.4	69	77	44-130	11	24		
2-Chlorophenol	mg/kg	<0.045	1.8	1.8	1.3	1.5	71	82	33-130	15	30		
2-Methylnaphthalene	mg/kg	<0.047	1.8	1.8	1.3	1.5	71	85	46-130	19	23		
2-Methylphenol(o-Cresol)	mg/kg	<0.033	1.8	1.8	1.3	1.5	73	84	30-130	14	30		
2-Nitroaniline	mg/kg	<0.051	1.8	1.8	1.4	1.6	79	89	27-124	11	25		
2-Nitrophenol	mg/kg	<0.057	1.8	1.8	1.4	1.6	76	88	10-130	14	27		
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.033	1.8	1.8	1.2	1.4	64	79	28-130	21	33		
3,3'-Dichlorobenzidine	mg/kg	<0.049	1.8	1.8	1.2	1.5	65	84	10-112	25	43		
3-Nitroaniline	mg/kg	<0.031	1.8	1.8	1.2	1.3	67	72	10-121	7	33		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		2392193			2392194							
Parameter	Units	40244577003	MS	MSD	MS	MSD	MS	MSD	% Rec	Max	Qual	
		Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits	RPD		
4,6-Dinitro-2-methylphenol	mg/kg	<0.056	1.8	1.8	1.0	1.1	58	60	10-115	3	50	
4-Bromophenylphenyl ether	mg/kg	<0.038	1.8	1.8	1.3	1.4	73	80	40-130	9	25	
4-Chloro-3-methylphenol	mg/kg	<0.056	1.8	1.8	1.3	1.6	74	91	30-130	21	29	
4-Chloroaniline	mg/kg	<0.030	1.8	1.8	0.95	1.2	53	67	16-130	24	33 1q,3q	
4-Chlorophenylphenyl ether	mg/kg	<0.034	1.8	1.8	1.3	1.5	74	82	46-130	9	24	
4-Nitroaniline	mg/kg	<0.075	1.8	1.8	1.4	1.5	77	85	10-127	10	40	
4-Nitrophenol	mg/kg	<0.045	1.8	1.8	1.3	1.3	72	74	10-128	3	50	
Acenaphthene	mg/kg	<0.064	1.8	1.8	1.3	1.4	72	76	47-130	6	21	
Acenaphthylene	mg/kg	<0.064	1.8	1.8	1.4	1.4	76	79	49-130	3	22	
Anthracene	mg/kg	<0.029	1.8	1.8	1.3	1.5	72	83	46-130	14	27	
Benzo(a)anthracene	mg/kg	<0.028	1.8	1.8	1.2	1.5	68	84	45-130	21	24	
Benzo(a)pyrene	mg/kg	<0.027	1.8	1.8	1.4	1.5	75	83	48-130	9	27	
Benzo(b)fluoranthene	mg/kg	<0.031	1.8	1.8	1.3	1.5	73	82	41-130	12	31	
Benzo(g,h,i)perylene	mg/kg	<0.047	1.8	1.8	1.4	1.5	76	83	37-130	8	31	
Benzo(k)fluoranthene	mg/kg	<0.043	1.8	1.8	1.3	1.5	72	85	46-130	17	27	
bis(2-Chloroethoxy)methane	mg/kg	<0.049	1.8	1.8	1.2	1.3	69	73	38-130	7	26	
bis(2-Chloroethyl) ether	mg/kg	<0.056	1.8	1.8	1.1	1.4	62	78	42-130	22	29	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.030	1.8	1.8	1.3	1.6	75	87	39-130	15	27	
Butylbenzylphthalate	mg/kg	<0.029	1.8	1.8	1.4	1.7	79	95	39-130	19	27	
Carbazole	mg/kg	<0.028	1.8	1.8	1.3	1.6	72	87	44-130	19	24	
Chrysene	mg/kg	<0.027	1.8	1.8	1.3	1.6	73	90	44-130	21	25	
Di-n-butylphthalate	mg/kg	<0.027	1.8	1.8	1.4	1.6	79	87	45-130	10	26	
Di-n-octylphthalate	mg/kg	<0.041	1.8	1.8	1.4	1.6	80	89	40-134	11	27	
Dibenz(a,h)anthracene	mg/kg	<0.049	1.8	1.8	1.4	1.6	76	87	41-130	14	33	
Dibenzofuran	mg/kg	<0.022	1.8	1.8	1.3	1.5	74	82	47-130	11	23	
Diethylphthalate	mg/kg	<0.030	1.8	1.8	1.4	1.5	78	81	46-130	4	24	
Dimethylphthalate	mg/kg	<0.023	1.8	1.8	1.4	1.4	76	76	47-130	0	24	
Fluoranthene	mg/kg	<0.026	1.8	1.8	1.3	1.6	74	89	50-130	18	27	
Fluorene	mg/kg	<0.021	1.8	1.8	1.3	1.4	75	78	48-130	3	25	
Hexachloro-1,3-butadiene	mg/kg	<0.046	1.8	1.8	1.3	1.5	72	82	42-130	13	27	
Hexachlorobenzene	mg/kg	<0.030	1.8	1.8	1.2	1.4	68	78	51-130	13	24	
Hexachlorocyclopentadiene	mg/kg	<0.043	1.8	1.8	1.1	1.0	59	57	10-114	4	50	
Hexachloroethane	mg/kg	<0.029	1.8	1.8	1.2	1.4	69	78	33-130	12	35	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.039	1.8	1.8	1.4	1.3	76	73	34-130	4	38	
Isophorone	mg/kg	<0.028	1.8	1.8	1.4	1.5	80	86	45-130	7	28	
N-Nitroso-di-n-propylamine	mg/kg	<0.029	1.8	1.8	1.3	1.5	73	85	47-130	15	27	
N-Nitrosodiphenylamine	mg/kg	<0.25	1.8	1.8	1.2	1.5	69	81	42-130	16	25	
Naphthalene	mg/kg	<0.063	1.8	1.8	1.2	1.4	68	79	48-130	14	24	
Nitrobenzene	mg/kg	<0.037	1.8	1.8	1.3	1.4	70	76	42-130	8	25	
Pentachlorophenol	mg/kg	<0.040	1.8	1.8	1.1	1.2	58	65	10-108	11	50	
Phenanthrene	mg/kg	<0.023	1.8	1.8	1.2	1.4	69	76	50-130	9	27	
Phenol	mg/kg	<0.043	1.8	1.8	1.3	1.5	70	82	37-130	15	30	
Pyrene	mg/kg	<0.040	1.8	1.8	1.2	1.6	69	88	43-130	24	29	
2,4,6-Tribromophenol (S)	%						80	83	10-144			
2-Fluorobiphenyl (S)	%						70	74	12-118			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2392193												2392194	
Parameter	Units	40244577003 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
			Spike Conc.	Spike Conc.									
2-Fluorophenol (S)	%						61	71	10-130				
Nitrobenzene-d5 (S)	%						72	76	10-125				
Phenol-d6 (S)	%						64	76	10-125				
Terphenyl-d14 (S)	%						70	77	10-124				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

QC Batch: 415473

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244491001, 40244491002, 40244491003, 40244491004, 40244491005, 40244491006, 40244491007, 40244491008, 40244491009, 40244491010, 40244491011, 40244491012, 40244491014, 40244491015, 40244491016, 40244491017

SAMPLE DUPLICATE: 2391937

Parameter	Units	4024446021 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	23.9	24.6	3	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

QC Batch: 415478

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244491013, 40244491018

SAMPLE DUPLICATE: 2391991

Parameter	Units	40244491018 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	3.4	3.3	4	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

QC Batch:	415773	Analysis Method:	EPA 9040
QC Batch Method:	EPA 9040	Analysis Description:	9040 pH
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244491001, 40244491002, 40244491003, 40244491006, 40244491007, 40244491008, 40244491009, 40244491010, 40244491011, 40244491012, 40244491013, 40244491014, 40244491015, 40244491016, 40244491017

SAMPLE DUPLICATE: 2394029

Parameter	Units	40244491001 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	8.2	8.2	0	20	2q,H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

QC Batch: 415719

Analysis Method: EPA 9045

QC Batch Method: EPA 9045

Analysis Description: 9045 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244491018

SAMPLE DUPLICATE: 2393433

Parameter	Units	40244491018 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	8.28	8.22	1	5	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

QC Batch: 415774

Analysis Method: EPA 9045

QC Batch Method: EPA 9045

Analysis Description: 9045 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244491004, 40244491005

SAMPLE DUPLICATE: 2394030

Parameter	Units	40244491004 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.89	7.86	0	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

QC Batch:	415363	Analysis Method:	EPA 9012B
QC Batch Method:	EPA 9012B	Analysis Description:	9012 Cyanide
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244491001, 40244491002, 40244491003, 40244491004, 40244491005, 40244491006, 40244491007, 40244491008, 40244491009, 40244491010, 40244491011, 40244491012, 40244491013, 40244491014, 40244491015, 40244491016, 40244491017, 40244491018

METHOD BLANK: 2391419 Matrix: Solid
Associated Lab Samples: 40244491001, 40244491002, 40244491003, 40244491004, 40244491005, 40244491006, 40244491007, 40244491008, 40244491009, 40244491010, 40244491011, 40244491012, 40244491013, 40244491014, 40244491015, 40244491016, 40244491017, 40244491018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Cyanide	mg/kg	<0.31	0.92	0.31	05/11/22 14:02	

LABORATORY CONTROL SAMPLE: 2391420

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/kg	3	2.9	97	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2391421 2391422

Parameter	Units	40244491008 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Cyanide	mg/kg	<0.37	3.7	3.6	3.6	3.3	95	90	80-120	9	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2391423 2391424

Parameter	Units	40244491018 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Cyanide	mg/kg	<0.28	2.8	2.8	2.7	2.1	89	70	80-120	26	20	M0,R1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: 415564

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 415713

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

1q This analyte's recovery was below secondary source verification limits. The results may be biased low.

2q Due to the sample matrix, DI water was added to this sample on a one to one basis and the sample was stirred before analysis.

3q This analyte's recovery was below secondary source verification limits. The results may be biased low.

C2 Relative percent difference between results from each column was greater than 40%. The lower of the two results was reported.

CU The continuing calibration for this analyte is above laboratory acceptance limits. Analyte was not detected above the reporting limit in any of the associated samples.

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

E Analyte concentration exceeded the calibration range. The reported result is estimated.

H6 Analysis initiated outside of the 15 minute EPA required holding time.

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

ANALYTE QUALIFIERS

- M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
- P6 Matrix spike recovery was outside laboratory control limits due to a parent sample concentration notably higher than the spike level.
- R1 RPD value was outside control limits.
- S3 Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated sample.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244491001	SB-55 (1.0-2.0)	EPA 3546	675139	EPA 8081	675257
40244491002	SB-55 (5.0-6.0)	EPA 3546	675139	EPA 8081	675257
40244491003	SB-26 (1.5-2.5)	EPA 3546	675139	EPA 8081	675257
40244491004	SB-26 (4.0-5.0)	EPA 3546	675139	EPA 8081	675257
40244491005	SB-27 (1.0-2.0)	EPA 3546	675139	EPA 8081	675257
40244491006	SB-27 (4.0-5.0)	EPA 3546	675139	EPA 8081	675257
40244491007	SB-28 (1.0-2.0)	EPA 3546	675139	EPA 8081	675257
40244491008	SB-28 (4.0-5.0)	EPA 3546	675139	EPA 8081	675257
40244491009	SB-40 (1.5-2.5)	EPA 3546	675139	EPA 8081	675257
40244491010	SB-40 (4.0-5.0)	EPA 3546	675139	EPA 8081	675257
40244491011	SB-30 (1.5-2.5)	EPA 3546	675139	EPA 8081	675257
40244491012	SB-30 (4.0-5.0)	EPA 3546	675139	EPA 8081	675257
40244491013	SB-31 (1.5-2.5)	EPA 3546	675139	EPA 8081	675257
40244491014	SB-31 (4.0-5.0)	EPA 3546	675139	EPA 8081	675257
40244491015	SB-32 (0.5-1.5)	EPA 3546	675139	EPA 8081	675257
40244491016	SB-32 (4.0-5.0)	EPA 3546	675139	EPA 8081	675257
40244491017	SB-34 (1.0-2.0)	EPA 3546	675139	EPA 8081	675257
40244491018	SB-34 (4.0-5.0)	EPA 3546	676085	EPA 8081	676160
40244491001	SB-55 (1.0-2.0)	EPA 3541	415111	EPA 8082A	415195
40244491002	SB-55 (5.0-6.0)	EPA 3541	415111	EPA 8082A	415195
40244491003	SB-26 (1.5-2.5)	EPA 3541	415111	EPA 8082A	415195
40244491004	SB-26 (4.0-5.0)	EPA 3541	415111	EPA 8082A	415195
40244491005	SB-27 (1.0-2.0)	EPA 3541	415111	EPA 8082A	415195
40244491006	SB-27 (4.0-5.0)	EPA 3541	415210	EPA 8082A	415212
40244491007	SB-28 (1.0-2.0)	EPA 3541	415210	EPA 8082A	415212
40244491008	SB-28 (4.0-5.0)	EPA 3541	415210	EPA 8082A	415212
40244491009	SB-40 (1.5-2.5)	EPA 3541	415210	EPA 8082A	415212
40244491010	SB-40 (4.0-5.0)	EPA 3541	415210	EPA 8082A	415212
40244491011	SB-30 (1.5-2.5)	EPA 3541	415210	EPA 8082A	415212
40244491012	SB-30 (4.0-5.0)	EPA 3541	415210	EPA 8082A	415212
40244491013	SB-31 (1.5-2.5)	EPA 3541	415210	EPA 8082A	415212
40244491014	SB-31 (4.0-5.0)	EPA 3541	415210	EPA 8082A	415212
40244491015	SB-32 (0.5-1.5)	EPA 3541	415210	EPA 8082A	415212
40244491016	SB-32 (4.0-5.0)	EPA 3541	415210	EPA 8082A	415212
40244491017	SB-34 (1.0-2.0)	EPA 3541	415210	EPA 8082A	415212
40244491018	SB-34 (4.0-5.0)	EPA 3541	415210	EPA 8082A	415212
40244491001	SB-55 (1.0-2.0)	EPA 3050B	813861	EPA 6020B	814115
40244491002	SB-55 (5.0-6.0)	EPA 3050B	813861	EPA 6020B	814115
40244491003	SB-26 (1.5-2.5)	EPA 3050B	813861	EPA 6020B	814115
40244491004	SB-26 (4.0-5.0)	EPA 3050B	813861	EPA 6020B	814115
40244491005	SB-27 (1.0-2.0)	EPA 3050B	813861	EPA 6020B	814115
40244491006	SB-27 (4.0-5.0)	EPA 3050B	813861	EPA 6020B	814115
40244491007	SB-28 (1.0-2.0)	EPA 3050B	813861	EPA 6020B	814115
40244491008	SB-28 (4.0-5.0)	EPA 3050B	813861	EPA 6020B	814115
40244491009	SB-40 (1.5-2.5)	EPA 3050B	813861	EPA 6020B	814115
40244491010	SB-40 (4.0-5.0)	EPA 3050B	813861	EPA 6020B	814115
40244491011	SB-30 (1.5-2.5)	EPA 3050B	813861	EPA 6020B	814115

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244491012	SB-30 (4.0-5.0)	EPA 3050B	813861	EPA 6020B	814115
40244491013	SB-31 (1.5-2.5)	EPA 3050B	813861	EPA 6020B	814115
40244491014	SB-31 (4.0-5.0)	EPA 3050B	813861	EPA 6020B	814115
40244491015	SB-32 (0.5-1.5)	EPA 3050B	813861	EPA 6020B	814115
40244491016	SB-32 (4.0-5.0)	EPA 3050B	813861	EPA 6020B	814115
40244491017	SB-34 (1.0-2.0)	EPA 3050B	813861	EPA 6020B	814115
40244491018	SB-34 (4.0-5.0)	EPA 3050B	813861	EPA 6020B	814115
40244491001	SB-55 (1.0-2.0)	EPA 7471	415536	EPA 7471	415610
40244491002	SB-55 (5.0-6.0)	EPA 7471	415536	EPA 7471	415610
40244491003	SB-26 (1.5-2.5)	EPA 7471	415536	EPA 7471	415610
40244491004	SB-26 (4.0-5.0)	EPA 7471	415536	EPA 7471	415610
40244491005	SB-27 (1.0-2.0)	EPA 7471	415536	EPA 7471	415610
40244491006	SB-27 (4.0-5.0)	EPA 7471	415536	EPA 7471	415610
40244491007	SB-28 (1.0-2.0)	EPA 7471	415536	EPA 7471	415610
40244491008	SB-28 (4.0-5.0)	EPA 7471	415536	EPA 7471	415610
40244491009	SB-40 (1.5-2.5)	EPA 7471	415536	EPA 7471	415610
40244491010	SB-40 (4.0-5.0)	EPA 7471	415536	EPA 7471	415610
40244491011	SB-30 (1.5-2.5)	EPA 7471	415536	EPA 7471	415610
40244491012	SB-30 (4.0-5.0)	EPA 7471	415536	EPA 7471	415610
40244491013	SB-31 (1.5-2.5)	EPA 7471	415537	EPA 7471	415615
40244491014	SB-31 (4.0-5.0)	EPA 7471	415537	EPA 7471	415615
40244491015	SB-32 (0.5-1.5)	EPA 7471	415537	EPA 7471	415615
40244491016	SB-32 (4.0-5.0)	EPA 7471	415537	EPA 7471	415615
40244491017	SB-34 (1.0-2.0)	EPA 7471	415537	EPA 7471	415615
40244491018	SB-34 (4.0-5.0)	EPA 7471	415537	EPA 7471	415615
40244491001	SB-55 (1.0-2.0)	EPA 3546	415239	EPA 8270E	415300
40244491002	SB-55 (5.0-6.0)	EPA 3546	415239	EPA 8270E	415300
40244491003	SB-26 (1.5-2.5)	EPA 3546	415511	EPA 8270E	415576
40244491004	SB-26 (4.0-5.0)	EPA 3546	415511	EPA 8270E	415576
40244491005	SB-27 (1.0-2.0)	EPA 3546	415511	EPA 8270E	415576
40244491006	SB-27 (4.0-5.0)	EPA 3546	415511	EPA 8270E	415576
40244491007	SB-28 (1.0-2.0)	EPA 3546	415511	EPA 8270E	415576
40244491008	SB-28 (4.0-5.0)	EPA 3546	415511	EPA 8270E	415576
40244491009	SB-40 (1.5-2.5)	EPA 3546	415511	EPA 8270E	415576
40244491010	SB-40 (4.0-5.0)	EPA 3546	415511	EPA 8270E	415576
40244491011	SB-30 (1.5-2.5)	EPA 3546	415511	EPA 8270E	415576
40244491012	SB-30 (4.0-5.0)	EPA 3546	415511	EPA 8270E	415576
40244491013	SB-31 (1.5-2.5)	EPA 3546	415511	EPA 8270E	415576
40244491014	SB-31 (4.0-5.0)	EPA 3546	415511	EPA 8270E	415576
40244491015	SB-32 (0.5-1.5)	EPA 3546	415511	EPA 8270E	415576
40244491016	SB-32 (4.0-5.0)	EPA 3546	415511	EPA 8270E	415576
40244491017	SB-34 (1.0-2.0)	EPA 3546	415511	EPA 8270E	415576
40244491018	SB-34 (4.0-5.0)	EPA 3546	415239	EPA 8270E	415300
40244491001	SB-55 (1.0-2.0)	EPA 5035/5030	415710	EPA 8260	415713
40244491002	SB-55 (5.0-6.0)	EPA 5035/5030	415710	EPA 8260	415713
40244491003	SB-26 (1.5-2.5)	EPA 5035/5030	415710	EPA 8260	415713

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244491

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244491004	SB-26 (4.0-5.0)	EPA 5035/5030	415710	EPA 8260	415713
40244491005	SB-27 (1.0-2.0)	EPA 5035/5030	415710	EPA 8260	415713
40244491006	SB-27 (4.0-5.0)	EPA 5035/5030	415710	EPA 8260	415713
40244491007	SB-28 (1.0-2.0)	EPA 5035/5030	415710	EPA 8260	415713
40244491008	SB-28 (4.0-5.0)	EPA 5035/5030	415710	EPA 8260	415713
40244491009	SB-40 (1.5-2.5)	EPA 5035/5030	415710	EPA 8260	415713
40244491010	SB-40 (4.0-5.0)	EPA 5035/5030	415710	EPA 8260	415713
40244491011	SB-30 (1.5-2.5)	EPA 5035/5030	415562	EPA 8260	415564
40244491012	SB-30 (4.0-5.0)	EPA 5035/5030	415562	EPA 8260	415564
40244491013	SB-31 (1.5-2.5)	EPA 5035/5030	415562	EPA 8260	415564
40244491014	SB-31 (4.0-5.0)	EPA 5035/5030	415562	EPA 8260	415564
40244491015	SB-32 (0.5-1.5)	EPA 5035/5030	415562	EPA 8260	415564
40244491016	SB-32 (4.0-5.0)	EPA 5035/5030	415562	EPA 8260	415564
40244491017	SB-34 (1.0-2.0)	EPA 5035/5030	415562	EPA 8260	415564
40244491018	SB-34 (4.0-5.0)	EPA 5035/5030	415562	EPA 8260	415564
40244491019	TB-03	EPA 5035/5030	415562	EPA 8260	415564
40244491001	SB-55 (1.0-2.0)	ASTM D2974-87	415473		
40244491002	SB-55 (5.0-6.0)	ASTM D2974-87	415473		
40244491003	SB-26 (1.5-2.5)	ASTM D2974-87	415473		
40244491004	SB-26 (4.0-5.0)	ASTM D2974-87	415473		
40244491005	SB-27 (1.0-2.0)	ASTM D2974-87	415473		
40244491006	SB-27 (4.0-5.0)	ASTM D2974-87	415473		
40244491007	SB-28 (1.0-2.0)	ASTM D2974-87	415473		
40244491008	SB-28 (4.0-5.0)	ASTM D2974-87	415473		
40244491009	SB-40 (1.5-2.5)	ASTM D2974-87	415473		
40244491010	SB-40 (4.0-5.0)	ASTM D2974-87	415473		
40244491011	SB-30 (1.5-2.5)	ASTM D2974-87	415473		
40244491012	SB-30 (4.0-5.0)	ASTM D2974-87	415473		
40244491013	SB-31 (1.5-2.5)	ASTM D2974-87	415478		
40244491014	SB-31 (4.0-5.0)	ASTM D2974-87	415473		
40244491015	SB-32 (0.5-1.5)	ASTM D2974-87	415473		
40244491016	SB-32 (4.0-5.0)	ASTM D2974-87	415473		
40244491017	SB-34 (1.0-2.0)	ASTM D2974-87	415473		
40244491018	SB-34 (4.0-5.0)	ASTM D2974-87	415478		
40244491001	SB-55 (1.0-2.0)	EPA 9040	415773		
40244491002	SB-55 (5.0-6.0)	EPA 9040	415773		
40244491003	SB-26 (1.5-2.5)	EPA 9040	415773		
40244491006	SB-27 (4.0-5.0)	EPA 9040	415773		
40244491007	SB-28 (1.0-2.0)	EPA 9040	415773		
40244491008	SB-28 (4.0-5.0)	EPA 9040	415773		
40244491009	SB-40 (1.5-2.5)	EPA 9040	415773		
40244491010	SB-40 (4.0-5.0)	EPA 9040	415773		
40244491011	SB-30 (1.5-2.5)	EPA 9040	415773		
40244491012	SB-30 (4.0-5.0)	EPA 9040	415773		
40244491013	SB-31 (1.5-2.5)	EPA 9040	415773		
40244491014	SB-31 (4.0-5.0)	EPA 9040	415773		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244491

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244491015	SB-32 (0.5-1.5)	EPA 9040	415773		
40244491016	SB-32 (4.0-5.0)	EPA 9040	415773		
40244491017	SB-34 (1.0-2.0)	EPA 9040	415773		
40244491004	SB-26 (4.0-5.0)	EPA 9045	415774		
40244491005	SB-27 (1.0-2.0)	EPA 9045	415774		
40244491018	SB-34 (4.0-5.0)	EPA 9045	415719		
40244491001	SB-55 (1.0-2.0)	EPA 9012B	415363	EPA 9012B	415437
40244491002	SB-55 (5.0-6.0)	EPA 9012B	415363	EPA 9012B	415437
40244491003	SB-26 (1.5-2.5)	EPA 9012B	415363	EPA 9012B	415437
40244491004	SB-26 (4.0-5.0)	EPA 9012B	415363	EPA 9012B	415437
40244491005	SB-27 (1.0-2.0)	EPA 9012B	415363	EPA 9012B	415437
40244491006	SB-27 (4.0-5.0)	EPA 9012B	415363	EPA 9012B	415437
40244491007	SB-28 (1.0-2.0)	EPA 9012B	415363	EPA 9012B	415437
40244491008	SB-28 (4.0-5.0)	EPA 9012B	415363	EPA 9012B	415437
40244491009	SB-40 (1.5-2.5)	EPA 9012B	415363	EPA 9012B	415437
40244491010	SB-40 (4.0-5.0)	EPA 9012B	415363	EPA 9012B	415437
40244491011	SB-30 (1.5-2.5)	EPA 9012B	415363	EPA 9012B	415437
40244491012	SB-30 (4.0-5.0)	EPA 9012B	415363	EPA 9012B	415437
40244491013	SB-31 (1.5-2.5)	EPA 9012B	415363	EPA 9012B	415437
40244491014	SB-31 (4.0-5.0)	EPA 9012B	415363	EPA 9012B	415437
40244491015	SB-32 (0.5-1.5)	EPA 9012B	415363	EPA 9012B	415437
40244491016	SB-32 (4.0-5.0)	EPA 9012B	415363	EPA 9012B	415437
40244491017	SB-34 (1.0-2.0)	EPA 9012B	415363	EPA 9012B	415437
40244491018	SB-34 (4.0-5.0)	EPA 9012B	415363	EPA 9012B	415437

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: Fehr Graham
 Branch/Location: Rockford IL
 Project Contact: Tony Guajardo
 Phone: 815-394-4700
 Project Number: 22-521 PH01
 Project Name: Pillsbury
 Project State: Illinois
 Sampled By (Print): Hannah Insko
 Sampled By (Sign): Hannah Insko
 PO #: 22-521 PH01 Regulatory Program:

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Analyzed	VOCs	Pesticides	SVOCs, PCBs, CMs, TAL metals, pH
		DATE	TIME					
001	SB-55 (1-2)	5/5/22	0815	S		X	X	X
002	SB-55 (5-6)	5/5	0820	S		X	X	X
003	SB-26 (1.5-2.5)	5/5	0915	S		X	X	X
004	SB-26 (4-5)	5/5	0920	S		X	X	X
005	SB-27 (1.0-2.0)	5/5	1005	S		X	X	X
006	SB-27 (4.0-5.0)	5/5	1010	S		X	X	X
007	SB-28 (1.0-2.0)	5/5	1040	S		X	X	X
008	SB-28 (4.0-5.0)	5/5	1045	S		X	X	X
009	SB-40 (1.5-2.5)	5/5	1120	S		X	X	X
010	SB-40 (4.0-5.0)	5/5	1125	S		X	X	X
011	SB-30 (1.5-2.5)	5/5	1325	S		X	X	X
012	SB-30 (4.0-5.0)	5/5	1330	S		X	X	X
013	SB-31 (1.5-2.5)	5/5	1410	S		X	X	X

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed:
 Transmit Prelim Rush Results by (complete what you want):
 Email #1:
 Email #2:
 Telephone:
 Fax:
 Samples on HOLD are subject to special pricing and release of liability

Relinquished By: Hannah Insko Date/Time: 5/5/22 1645
 Relinquished By: URS Date/Time: 5/6/22 1105
 Relinquished By: _____ Date/Time: _____
 Relinquished By: _____ Date/Time: _____
 Relinquished By: _____ Date/Time: _____

Received By: _____ Date/Time: _____
 Received By: Anthony Hendel Date/Time: 5/6/22 1105
 Received By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

PACE Project No. 40244491
 Receipt Temp = 282.8 °C
 Sample Receipt pH OK / Adjusted
 Cooler Custody Seal Present Not Present
 Intact / Not Intact



CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED? (YES/NO)
 PRESERVATION (CODE)*

Y/N	2	2	2								
	N	N	N								
Pick Letter	E	F	F								
Analyses Requested											

UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

Page 1 of 2
 (2 Coolers)

40244491

Quote #:
 Mail To Contact: Tony Guajardo
 Mail To Company: Fehr Graham
 Mail To Address: 200 prairie street suite 208 Rockford IL 61107
 Invoice To Contact: Tony Guajardo
 Invoice To Company: Fehr Graham
 Invoice To Address: 200 prairie street suite 208 ROCKFORD IL 61107
 Invoice To Phone: 815-397-4700

CLIENT COMMENTS
 LAB COMMENTS (Lab Use Only)
 Profile #

40244491
 Page 2 of 2
 (2 coolers)

UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436



CHAIN OF CUSTODY

Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

(Please Print Clearly)

Company Name: Fehr Graham
 Branch/Location: Rockford, IL
 Project Contact: Tony Guajardo
 Phone: 815-394-4700
 Project Number: 22-521 PHD1
 Project Name: Pillsbury
 Project State: Illinois
 Sampled By (Print): Hannah Insko
 Sampled By (Sign): Hannah Insko
 PO #: 22-521 PHD1 Regulatory Program:

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
014	SB-31 (4.0-5.0)	5/5/22	1415	S
015	SB-32 (0.5-1.5)	5/5	1450	S
016	SB-32 (4.0-5.0)	5/5	1455	S
017	SB-34 (1.0-2.0)	5/5	1435	S
018	SB-34 (4.0-5.0)	5/5	1540	S
019	TB-03	5.5	1630	S

FILTERED? (YES/NO)	PRESERVATION (CODE)*	Y/N	Pick Letter	Analyses Requested																	
				N	N	N															
			EIF																		

Handwritten notes in table: VOCs, Pesticides, SVOCs, PCBs, CN, TAL Metals, PH

Quote #:

Mail To Contact: Tony Guajardo
Mail To Company: Fehr Graham
Mail To Address: 200 Prairie Street Suite 208 Rockford, IL 61107

Invoice To Contact: Tony Guajardo
Invoice To Company: Fehr Graham
Invoice To Address: 200 Prairie Street Suite 208 Rockford IL 61107
Invoice To Phone: 815-394-4700

CLIENT COMMENTS | **LAB COMMENTS (Lab Use Only)** | **Profile #**

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed: _____

Transmit Prelim Rush Results by (complete what you want): _____

Email #1: _____
 Email #2: _____
 Telephone: _____
 Fax: _____

Samples on HOLD are subject to special pricing and release of liability

Relinquished By: *Hannah Insko* Date/Time: 5.5.22 1645
 Relinquished By: *OPS* Date/Time: 5/6/22 1105
 Relinquished By: _____ Date/Time: _____
 Relinquished By: _____ Date/Time: _____

Received By: _____ Date/Time: _____
 Received By: *Anthony Weir* Date/Time: 5/6/22 1105
 Received By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____

PACE Project No. 40244491
 Receipt Temp = 28.28 °C
 Sample Receipt pH OK / Adjusted
 Cooler Custody Seal Present / Not Present Intact / Not Intact

Sample Preservation Receipt Form

Client Name: Fehr Graham Project # 40244491

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed: _____ Date/ Time: _____

Lab Lot# of pH paper: _____ Lab Std #ID of preservation (if pH adjusted): _____

Pace Lab #	Glass						Plastic					Vials				Jars				General			pH after adjusted	Volume (mL)										
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU			WPFU	SP5T	ZPLC	GN	VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	
001																																		2.5 / 5 / 10
002																																		2.5 / 5 / 10
003																																		2.5 / 5 / 10
004																																		2.5 / 5 / 10
005																																		2.5 / 5 / 10
006																																		2.5 / 5 / 10
007																																		2.5 / 5 / 10
008																																		2.5 / 5 / 10
009																																		2.5 / 5 / 10
010																																		2.5 / 5 / 10
011																																		2.5 / 5 / 10
012																																		2.5 / 5 / 10
013																																		2.5 / 5 / 10
014																																		2.5 / 5 / 10
015																																		2.5 / 5 / 10
016																																		2.5 / 5 / 10
017																																		2.5 / 5 / 10
018																																		2.5 / 5 / 10
019																																		2.5 / 5 / 10
020																																		2.5 / 5 / 10

5/16/22 - AW

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm): Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	VG9A 40 mL clear ascorbic	JGFU 4 oz amber jar unpres
BG1U 1 liter clear glass	BP3U 250 mL plastic unpres	DG9T 40 mL amber Na Thio	JG9U 9 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP3B 250 mL plastic NaOH	VG9U 40 mL clear vial unpres	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9H 40 mL clear vial HCL	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3S 250 mL plastic H2SO4	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG5U 100 mL amber glass unpres		VG9D 40 mL clear vial DI	ZPLC ziploc bag
AG2S 500 mL amber glass H2SO4			GN
BG3U 250 mL clear glass unpres			

Sample Condition Upon Receipt Form (SCUR)

Client Name: Fehr Graham
Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other:

Project #: **WO#: 40244491**

 40244491

Tracking #: 1Z 90E 6F3 13 9545 2240 11111911 3131

Custody Seal on Cooler/Box Present: yes no **Seals intact:** yes no

Custody Seal on Samples Present: yes no **Seals intact:** yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 107 **Type of Ice:** Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 3.3 / Corr: 28.28

Temp Blank Present: yes no **Biological Tissue is Frozen:** yes no

Person examining contents:
Date: 5/6/22 **Initials:** AW
Labeled By Initials: JP

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>3</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

May 19, 2022

Annie Ray
Fehr Graham
200 Prairie St
Suite 208
Rockford, IL 61107

RE: Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Dear Annie Ray:

Enclosed are the analytical results for sample(s) received by the laboratory on May 07, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay
- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab

A2LA Certification #: 2926.01*
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009*
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014*
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605*
Georgia Certification #: 959
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086*
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064*
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137*
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240*
Mississippi Certification #: MN00064

Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081*
New Jersey Certification #: MN002
New York Certification #: 11647*
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification (A2LA) #: R-036
North Dakota Certification (MN) #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Ohio VAP Certification (1800) #: CL110*
Oklahoma Certification #: 9507*
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001*
Pennsylvania Certification #: 68-00563*
Puerto Rico Certification #: MN00064
South Carolina Certification #:74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192*
Utah Certification #: MN00064*
Vermont Certification #: VT-027053137
Virginia Certification #: 460163*
Washington Certification #: C486*
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification #: via A2LA 2926.01
USDA Permit #: P330-19-00208
Please Note: Applicable air certifications are denoted with an asterisk ().

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40244577001	SB-33 (1.2-2.2)	Solid	05/06/22 09:05	05/07/22 11:10
40244577002	SB-33 (4.5-5.5)	Solid	05/06/22 09:10	05/07/22 11:10
40244577003	SB-35 (0.5-1.5)	Solid	05/06/22 09:50	05/07/22 11:10
40244577004	SB-35 (5-6)	Solid	05/06/22 09:55	05/07/22 11:10
40244577005	SB-60 (0.8-1.8)	Solid	05/06/22 11:00	05/07/22 11:10
40244577006	SB-60 (4.5-5.5)	Solid	05/06/22 11:05	05/07/22 11:10
40244577007	SB-61 (1-1.5)	Solid	05/06/22 12:15	05/07/22 11:10
40244577008	SB-61 (5-5.5)	Solid	05/06/22 12:20	05/07/22 11:10
40244577009	TB-03	Solid	05/06/22 13:00	05/07/22 11:10
40244577010	05062022 DUP-02	Solid	05/06/22 00:00	05/07/22 11:10

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244577001	SB-33 (1.2-2.2)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244577002	SB-33 (4.5-5.5)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244577003	SB-35 (0.5-1.5)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244577004	SB-35 (5-6)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244577005	SB-60 (0.8-1.8)	EPA 8081B	AC2	24	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244577006	SB-60 (4.5-5.5)	EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
40244577007	SB-61 (1-1.5)	ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
40244577008	SB-61 (5-5.5)	EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
40244577009	TB-03	EPA 9012B	DAW	1	PASI-G
		EPA 8260	LAP	38	PASI-G
40244577010	05062022 DUP-02	EPA 8081B	AC2	24	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G

PASI-G = Pace Analytical Services - Green Bay
PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244577001	SB-33 (1.2-2.2)					
EPA 8081B	Chlordane (Technical)	7.1	mg/kg	0.10	05/18/22 16:23	
EPA 8081B	alpha-Chlordane	1.0	mg/kg	0.041	05/19/22 00:51	M1, R1
EPA 8081B	gamma-Chlordane	0.47	mg/kg	0.041	05/19/22 00:51	M1, R1
EPA 8081B	4,4'-DDD	0.012	mg/kg	0.0041	05/19/22 00:14	
EPA 8081B	4,4'-DDE	0.017	mg/kg	0.0041	05/19/22 00:14	
EPA 8081B	4,4'-DDT	0.022	mg/kg	0.0041	05/19/22 00:14	M1
EPA 8081B	Dieldrin	0.0072	mg/kg	0.0041	05/19/22 00:14	
EPA 8081B	Endosulfan I	0.14	mg/kg	0.041	05/19/22 00:51	M1
EPA 8081B	Endosulfan II	0.023	mg/kg	0.0041	05/19/22 00:14	M1
EPA 8081B	Endosulfan sulfate	0.0071	mg/kg	0.0041	05/19/22 00:14	
EPA 8081B	Endrin aldehyde	0.0064	mg/kg	0.0041	05/19/22 00:14	
EPA 8081B	Endrin ketone	0.0069	mg/kg	0.0041	05/19/22 00:14	
EPA 8081B	Heptachlor	0.0031	mg/kg	0.0020	05/19/22 00:14	
EPA 8081B	Heptachlor epoxide	0.057	mg/kg	0.0020	05/19/22 00:14	M1, R1
EPA 8081B	Methoxychlor	0.013J	mg/kg	0.020	05/19/22 00:14	
EPA 6020B	Aluminum	11300	mg/kg	33.4	05/18/22 14:28	
EPA 6020B	Antimony	0.19J	mg/kg	0.56	05/18/22 14:28	
EPA 6020B	Arsenic	7.2	mg/kg	0.56	05/18/22 14:28	
EPA 6020B	Barium	121	mg/kg	0.33	05/18/22 14:28	
EPA 6020B	Beryllium	0.72	mg/kg	0.22	05/18/22 14:28	
EPA 6020B	Cadmium	0.19	mg/kg	0.089	05/18/22 14:28	
EPA 6020B	Calcium	5250	mg/kg	111	05/18/22 14:28	
EPA 6020B	Chromium	14.0	mg/kg	2.2	05/18/22 14:28	
EPA 6020B	Cobalt	5.0	mg/kg	0.56	05/18/22 14:28	
EPA 6020B	Copper	16.8	mg/kg	1.1	05/18/22 14:28	
EPA 6020B	Iron	16300	mg/kg	55.7	05/18/22 14:28	
EPA 6020B	Lead	14.1	mg/kg	0.56	05/18/22 14:28	
EPA 6020B	Magnesium	2680	mg/kg	33.4	05/18/22 14:28	
EPA 6020B	Manganese	427	mg/kg	0.56	05/18/22 14:28	
EPA 6020B	Nickel	12.9	mg/kg	0.56	05/18/22 14:28	
EPA 6020B	Potassium	1110	mg/kg	111	05/18/22 14:28	
EPA 6020B	Selenium	0.62	mg/kg	0.56	05/18/22 14:28	
EPA 6020B	Silver	0.25J	mg/kg	0.56	05/18/22 14:28	
EPA 6020B	Sodium	32.7J	mg/kg	55.7	05/18/22 14:28	B
EPA 6020B	Thallium	0.22	mg/kg	0.11	05/18/22 14:28	
EPA 6020B	Vanadium	26.4	mg/kg	1.1	05/18/22 14:28	
EPA 6020B	Zinc	46.4	mg/kg	5.6	05/18/22 14:28	
EPA 7471	Mercury	0.015J	mg/kg	0.043	05/16/22 09:15	
EPA 8270E	Benzo(a)anthracene	0.16J	mg/kg	0.42	05/13/22 20:25	
EPA 8270E	Benzo(a)pyrene	0.17J	mg/kg	0.41	05/13/22 20:25	
EPA 8270E	Benzo(b)fluoranthene	0.27J	mg/kg	0.47	05/13/22 20:25	
EPA 8270E	Chrysene	0.20J	mg/kg	0.41	05/13/22 20:25	
EPA 8270E	Fluoranthene	0.45	mg/kg	0.39	05/13/22 20:25	
EPA 8270E	Phenanthrene	0.26J	mg/kg	0.35	05/13/22 20:25	
EPA 8270E	Pyrene	0.34J	mg/kg	0.60	05/13/22 20:25	
ASTM D2974-87	Percent Moisture	18.4	%	0.10	05/11/22 13:24	
EPA 9045	pH at 25 Degrees C	8.08	Std. Units	0.100	05/16/22 11:36	H6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244577002	SB-33 (4.5-5.5)					
EPA 6020B	Aluminum	16100	mg/kg	36.6	05/18/22 14:32	
EPA 6020B	Antimony	0.43J	mg/kg	0.61	05/18/22 14:32	
EPA 6020B	Arsenic	15.4	mg/kg	0.61	05/18/22 14:32	
EPA 6020B	Barium	300	mg/kg	0.37	05/18/22 14:32	
EPA 6020B	Beryllium	0.88	mg/kg	0.24	05/18/22 14:32	
EPA 6020B	Cadmium	0.92	mg/kg	0.097	05/18/22 14:32	
EPA 6020B	Calcium	6480	mg/kg	122	05/18/22 14:32	
EPA 6020B	Chromium	21.9	mg/kg	2.4	05/18/22 14:32	
EPA 6020B	Cobalt	14.5	mg/kg	0.61	05/18/22 14:32	
EPA 6020B	Copper	28.4	mg/kg	1.2	05/18/22 14:32	
EPA 6020B	Iron	32500	mg/kg	60.9	05/18/22 14:32	
EPA 6020B	Lead	20.2	mg/kg	0.61	05/18/22 14:32	
EPA 6020B	Magnesium	5310	mg/kg	36.6	05/18/22 14:32	
EPA 6020B	Manganese	1890	mg/kg	6.1	05/18/22 14:36	
EPA 6020B	Nickel	50.5	mg/kg	0.61	05/18/22 14:32	
EPA 6020B	Potassium	853	mg/kg	122	05/18/22 14:32	
EPA 6020B	Selenium	0.52J	mg/kg	0.61	05/18/22 14:32	
EPA 6020B	Sodium	50.6J	mg/kg	60.9	05/18/22 14:32	
EPA 6020B	Thallium	0.31	mg/kg	0.12	05/18/22 14:32	
EPA 6020B	Vanadium	43.2	mg/kg	1.2	05/18/22 14:32	
EPA 6020B	Zinc	71.7	mg/kg	6.1	05/18/22 14:32	
EPA 7471	Mercury	0.035J	mg/kg	0.041	05/16/22 09:22	
ASTM D2974-87	Percent Moisture	24.7	%	0.10	05/11/22 13:24	
EPA 9040	pH at 25 Degrees C	8.3	Std. Units	0.10	05/17/22 11:24	2q,H6
40244577003	SB-35 (0.5-1.5)					
EPA 6020B	Aluminum	10600	mg/kg	30.1	05/18/22 14:51	
EPA 6020B	Antimony	0.15J	mg/kg	0.50	05/18/22 14:51	
EPA 6020B	Arsenic	7.2	mg/kg	0.50	05/18/22 14:51	
EPA 6020B	Barium	118	mg/kg	0.30	05/18/22 14:51	
EPA 6020B	Beryllium	0.66	mg/kg	0.20	05/18/22 14:51	
EPA 6020B	Cadmium	0.24	mg/kg	0.080	05/18/22 14:51	
EPA 6020B	Calcium	5380	mg/kg	100	05/18/22 14:51	
EPA 6020B	Chromium	13.6	mg/kg	2.0	05/18/22 14:51	
EPA 6020B	Cobalt	5.2	mg/kg	0.50	05/18/22 14:51	
EPA 6020B	Copper	15.7	mg/kg	1.0	05/18/22 14:51	
EPA 6020B	Iron	16100	mg/kg	50.1	05/18/22 14:51	
EPA 6020B	Lead	16.3	mg/kg	0.50	05/18/22 14:51	
EPA 6020B	Magnesium	2690	mg/kg	30.1	05/18/22 14:51	
EPA 6020B	Manganese	500	mg/kg	5.0	05/18/22 14:55	
EPA 6020B	Nickel	13.0	mg/kg	0.50	05/18/22 14:51	
EPA 6020B	Potassium	1070	mg/kg	100	05/18/22 14:51	
EPA 6020B	Selenium	0.55	mg/kg	0.50	05/18/22 14:51	
EPA 6020B	Sodium	28.6J	mg/kg	50.1	05/18/22 14:51	B
EPA 6020B	Thallium	0.21	mg/kg	0.10	05/18/22 14:51	
EPA 6020B	Vanadium	26.1	mg/kg	1.0	05/18/22 14:51	
EPA 6020B	Zinc	48.8	mg/kg	5.0	05/18/22 14:51	
ASTM D2974-87	Percent Moisture	7.6	%	0.10	05/11/22 13:24	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244577003	SB-35 (0.5-1.5)					
EPA 9045	pH at 25 Degrees C	8.26	Std. Units	0.100	05/16/22 11:48	H6
40244577004	SB-35 (5-6)					
EPA 6020B	Aluminum	15400	mg/kg	36.4	05/18/22 14:58	
EPA 6020B	Antimony	0.17J	mg/kg	0.61	05/18/22 14:58	
EPA 6020B	Arsenic	7.0	mg/kg	0.61	05/18/22 14:58	
EPA 6020B	Barium	162	mg/kg	0.36	05/18/22 14:58	
EPA 6020B	Beryllium	0.84	mg/kg	0.24	05/18/22 14:58	
EPA 6020B	Cadmium	0.10	mg/kg	0.097	05/18/22 14:58	
EPA 6020B	Calcium	4400	mg/kg	121	05/18/22 14:58	
EPA 6020B	Chromium	20.5	mg/kg	2.4	05/18/22 14:58	
EPA 6020B	Cobalt	3.6	mg/kg	0.61	05/18/22 14:58	
EPA 6020B	Copper	19.0	mg/kg	1.2	05/18/22 14:58	
EPA 6020B	Iron	19100	mg/kg	60.6	05/18/22 14:58	
EPA 6020B	Lead	10.3	mg/kg	0.61	05/18/22 14:58	
EPA 6020B	Magnesium	3580	mg/kg	36.4	05/18/22 14:58	
EPA 6020B	Manganese	110	mg/kg	0.61	05/18/22 14:58	
EPA 6020B	Nickel	21.1	mg/kg	0.61	05/18/22 14:58	
EPA 6020B	Potassium	786	mg/kg	121	05/18/22 14:58	
EPA 6020B	Selenium	0.30J	mg/kg	0.61	05/18/22 14:58	
EPA 6020B	Sodium	53.8J	mg/kg	60.6	05/18/22 14:58	
EPA 6020B	Thallium	0.14	mg/kg	0.12	05/18/22 14:58	
EPA 6020B	Vanadium	31.3	mg/kg	1.2	05/18/22 14:58	
EPA 6020B	Zinc	67.3	mg/kg	6.1	05/18/22 14:58	
EPA 7471	Mercury	0.021J	mg/kg	0.043	05/16/22 09:26	
ASTM D2974-87	Percent Moisture	22.2	%	0.10	05/11/22 13:57	
EPA 9040	pH at 25 Degrees C	8.3	Std. Units	0.10	05/17/22 11:28	2q,H6
40244577005	SB-60 (0.8-1.8)					
EPA 6020B	Aluminum	9370	mg/kg	33.2	05/18/22 15:02	
EPA 6020B	Antimony	0.17J	mg/kg	0.55	05/18/22 15:02	
EPA 6020B	Arsenic	5.3	mg/kg	0.55	05/18/22 15:02	
EPA 6020B	Barium	131	mg/kg	0.33	05/18/22 15:02	
EPA 6020B	Beryllium	0.66	mg/kg	0.22	05/18/22 15:02	
EPA 6020B	Cadmium	0.46	mg/kg	0.089	05/18/22 15:02	
EPA 6020B	Calcium	3860	mg/kg	111	05/18/22 15:02	
EPA 6020B	Chromium	12.0	mg/kg	2.2	05/18/22 15:02	
EPA 6020B	Cobalt	3.1	mg/kg	0.55	05/18/22 15:02	
EPA 6020B	Copper	16.5	mg/kg	1.1	05/18/22 15:02	
EPA 6020B	Iron	12400	mg/kg	55.3	05/18/22 15:02	
EPA 6020B	Lead	25.2	mg/kg	0.55	05/18/22 15:02	
EPA 6020B	Magnesium	2140	mg/kg	33.2	05/18/22 15:02	
EPA 6020B	Manganese	163	mg/kg	0.55	05/18/22 15:02	
EPA 6020B	Nickel	8.8	mg/kg	0.55	05/18/22 15:02	
EPA 6020B	Potassium	880	mg/kg	111	05/18/22 15:02	
EPA 6020B	Selenium	0.87	mg/kg	0.55	05/18/22 15:02	
EPA 6020B	Sodium	52.5J	mg/kg	55.3	05/18/22 15:02	B
EPA 6020B	Thallium	0.31	mg/kg	0.11	05/18/22 15:02	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244577005	SB-60 (0.8-1.8)					
EPA 6020B	Vanadium	22.9	mg/kg	1.1	05/18/22 15:02	
EPA 6020B	Zinc	64.6	mg/kg	5.5	05/18/22 15:02	
EPA 7471	Mercury	0.015J	mg/kg	0.039	05/16/22 09:29	
ASTM D2974-87	Percent Moisture	15.5	%	0.10	05/11/22 13:57	
EPA 9045	pH at 25 Degrees C	8.18	Std. Units	0.100	05/16/22 11:49	H6
40244577006	SB-60 (4.5-5.5)					
EPA 6020B	Aluminum	18500	mg/kg	36.9	05/18/22 15:06	
EPA 6020B	Antimony	0.23J	mg/kg	0.61	05/18/22 15:06	
EPA 6020B	Arsenic	11.0	mg/kg	0.61	05/18/22 15:06	
EPA 6020B	Barium	197	mg/kg	0.37	05/18/22 15:06	
EPA 6020B	Beryllium	1.0	mg/kg	0.25	05/18/22 15:06	
EPA 6020B	Cadmium	0.31	mg/kg	0.098	05/18/22 15:06	
EPA 6020B	Calcium	4090	mg/kg	123	05/18/22 15:06	
EPA 6020B	Chromium	21.7	mg/kg	2.5	05/18/22 15:06	
EPA 6020B	Cobalt	13.2	mg/kg	0.61	05/18/22 15:06	
EPA 6020B	Copper	21.1	mg/kg	1.2	05/18/22 15:06	
EPA 6020B	Iron	27800	mg/kg	61.5	05/18/22 15:06	
EPA 6020B	Lead	24.3	mg/kg	0.61	05/18/22 15:06	
EPA 6020B	Magnesium	3820	mg/kg	36.9	05/18/22 15:06	
EPA 6020B	Manganese	757	mg/kg	6.1	05/18/22 15:10	
EPA 6020B	Nickel	20.8	mg/kg	0.61	05/18/22 15:06	
EPA 6020B	Potassium	870	mg/kg	123	05/18/22 15:06	
EPA 6020B	Selenium	0.64	mg/kg	0.61	05/18/22 15:06	
EPA 6020B	Sodium	75.3	mg/kg	61.5	05/18/22 15:06	
EPA 6020B	Thallium	0.22	mg/kg	0.12	05/18/22 15:06	
EPA 6020B	Vanadium	41.9	mg/kg	1.2	05/18/22 15:06	
EPA 6020B	Zinc	65.2	mg/kg	6.1	05/18/22 15:06	
EPA 7471	Mercury	0.040J	mg/kg	0.042	05/16/22 09:31	
ASTM D2974-87	Percent Moisture	23.3	%	0.10	05/11/22 13:57	
EPA 9040	pH at 25 Degrees C	8.0	Std. Units	0.10	05/17/22 11:30	2q,H6
40244577007	SB-61 (1-1.5)					
EPA 6020B	Aluminum	8970	mg/kg	35.7	05/18/22 15:14	
EPA 6020B	Antimony	0.14J	mg/kg	0.60	05/18/22 15:14	
EPA 6020B	Arsenic	7.3	mg/kg	0.60	05/18/22 15:14	
EPA 6020B	Barium	129	mg/kg	0.36	05/18/22 15:14	
EPA 6020B	Beryllium	0.62	mg/kg	0.24	05/18/22 15:14	
EPA 6020B	Cadmium	0.45	mg/kg	0.095	05/18/22 15:14	
EPA 6020B	Calcium	14000	mg/kg	119	05/18/22 15:14	
EPA 6020B	Chromium	12.7	mg/kg	2.4	05/18/22 15:14	
EPA 6020B	Cobalt	4.2	mg/kg	0.60	05/18/22 15:14	
EPA 6020B	Copper	15.9	mg/kg	1.2	05/18/22 15:14	
EPA 6020B	Iron	13000	mg/kg	59.5	05/18/22 15:14	
EPA 6020B	Lead	15.8	mg/kg	0.60	05/18/22 15:14	
EPA 6020B	Magnesium	8020	mg/kg	35.7	05/18/22 15:14	
EPA 6020B	Manganese	216	mg/kg	0.60	05/18/22 15:14	
EPA 6020B	Nickel	10.7	mg/kg	0.60	05/18/22 15:14	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244577007	SB-61 (1-1.5)					
EPA 6020B	Potassium	1010	mg/kg	119	05/18/22 15:14	
EPA 6020B	Selenium	0.60	mg/kg	0.60	05/18/22 15:14	
EPA 6020B	Sodium	57.7J	mg/kg	59.5	05/18/22 15:14	
EPA 6020B	Thallium	0.20	mg/kg	0.12	05/18/22 15:14	
EPA 6020B	Vanadium	21.3	mg/kg	1.2	05/18/22 15:14	
EPA 6020B	Zinc	89.6	mg/kg	6.0	05/18/22 15:14	
EPA 8270E	2-Chloronaphthalene	0.028J	mg/kg	0.092	05/16/22 18:17	
ASTM D2974-87	Percent Moisture	22.2	%	0.10	05/11/22 13:57	
EPA 9040	pH at 25 Degrees C	8.3	Std. Units	0.10	05/17/22 11:34	2q,H6
40244577008	SB-61 (5-5.5)					
EPA 6020B	Aluminum	17500	mg/kg	35.2	05/18/22 15:21	
EPA 6020B	Antimony	0.45J	mg/kg	0.59	05/18/22 15:21	
EPA 6020B	Arsenic	24.8	mg/kg	0.59	05/18/22 15:21	
EPA 6020B	Barium	315	mg/kg	0.35	05/18/22 15:21	
EPA 6020B	Beryllium	0.95	mg/kg	0.23	05/18/22 15:21	
EPA 6020B	Cadmium	0.42	mg/kg	0.094	05/18/22 15:21	
EPA 6020B	Calcium	4140	mg/kg	117	05/18/22 15:21	
EPA 6020B	Chromium	22.3	mg/kg	2.3	05/18/22 15:21	
EPA 6020B	Cobalt	27.8	mg/kg	0.59	05/18/22 15:21	
EPA 6020B	Copper	29.4	mg/kg	1.2	05/18/22 15:21	
EPA 6020B	Iron	46900	mg/kg	58.7	05/18/22 15:21	
EPA 6020B	Lead	26.0	mg/kg	0.59	05/18/22 15:21	
EPA 6020B	Magnesium	4130	mg/kg	35.2	05/18/22 15:21	
EPA 6020B	Manganese	2510	mg/kg	5.9	05/18/22 15:25	
EPA 6020B	Nickel	40.5	mg/kg	0.59	05/18/22 15:21	
EPA 6020B	Potassium	766	mg/kg	117	05/18/22 15:21	
EPA 6020B	Selenium	0.66	mg/kg	0.59	05/18/22 15:21	
EPA 6020B	Sodium	65.8	mg/kg	58.7	05/18/22 15:21	
EPA 6020B	Thallium	0.29	mg/kg	0.12	05/18/22 15:21	
EPA 6020B	Vanadium	46.1	mg/kg	1.2	05/18/22 15:21	
EPA 6020B	Zinc	61.6	mg/kg	5.9	05/18/22 15:21	
ASTM D2974-87	Percent Moisture	22.6	%	0.10	05/11/22 13:57	
EPA 9040	pH at 25 Degrees C	8.2	Std. Units	0.10	05/17/22 11:36	2q,H6
40244577010	05062022 DUP-02					
EPA 6020B	Aluminum	1490	mg/kg	32.4	05/18/22 14:09	M1
EPA 6020B	Arsenic	2.0	mg/kg	0.54	05/18/22 14:09	
EPA 6020B	Barium	14.0	mg/kg	0.32	05/18/22 14:09	
EPA 6020B	Beryllium	0.15J	mg/kg	0.22	05/18/22 14:09	
EPA 6020B	Cadmium	0.057J	mg/kg	0.086	05/18/22 14:09	
EPA 6020B	Calcium	14700	mg/kg	108	05/18/22 14:09	P6
EPA 6020B	Chromium	3.9	mg/kg	2.2	05/18/22 14:09	
EPA 6020B	Cobalt	3.2	mg/kg	0.54	05/18/22 14:09	
EPA 6020B	Copper	3.6	mg/kg	1.1	05/18/22 14:09	
EPA 6020B	Iron	4680	mg/kg	54.0	05/18/22 14:09	P6
EPA 6020B	Lead	3.5	mg/kg	0.54	05/18/22 14:09	
EPA 6020B	Magnesium	5510	mg/kg	32.4	05/18/22 14:09	P6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244577010	05062022 DUP-02					
EPA 6020B	Manganese	279	mg/kg	0.54	05/18/22 14:09	P6
EPA 6020B	Nickel	4.9	mg/kg	0.54	05/18/22 14:09	
EPA 6020B	Potassium	224	mg/kg	108	05/18/22 14:09	
EPA 6020B	Selenium	0.10J	mg/kg	0.54	05/18/22 14:09	
EPA 6020B	Silver	0.23J	mg/kg	0.54	05/18/22 14:09	
EPA 6020B	Sodium	35.0J	mg/kg	54.0	05/18/22 14:09	B
EPA 6020B	Thallium	0.048J	mg/kg	0.11	05/18/22 14:09	
EPA 6020B	Vanadium	6.3	mg/kg	1.1	05/18/22 14:09	
EPA 6020B	Zinc	14.4	mg/kg	5.4	05/18/22 14:09	B
ASTM D2974-87	Percent Moisture	9.3	%	0.10	05/11/22 13:58	
EPA 9045	pH at 25 Degrees C	8.91	Std. Units	0.100	05/17/22 11:16	H6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: **SB-33 (1.2-2.2)** Lab ID: **40244577001** Collected: 05/06/22 09:05 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00049	mg/kg	0.0020	0.00049	1	05/11/22 17:22	05/19/22 00:14	309-00-2	
alpha-BHC	<0.00020	mg/kg	0.0020	0.00020	1	05/11/22 17:22	05/19/22 00:14	319-84-6	
beta-BHC	<0.00063	mg/kg	0.0020	0.00063	1	05/11/22 17:22	05/19/22 00:14	319-85-7	
delta-BHC	<0.00037	mg/kg	0.0020	0.00037	1	05/11/22 17:22	05/19/22 00:14	319-86-8	
gamma-BHC (Lindane)	<0.00020	mg/kg	0.0020	0.00020	1	05/11/22 17:22	05/19/22 00:14	58-89-9	
Chlordane (Technical)	7.1	mg/kg	0.10	0.034	5	05/11/22 17:22	05/18/22 16:23	57-74-9	
alpha-Chlordane	1.0	mg/kg	0.041	0.0050	20	05/11/22 17:22	05/19/22 00:51	5103-71-9	M1, R1
gamma-Chlordane	0.47	mg/kg	0.041	0.015	20	05/11/22 17:22	05/19/22 00:51	5103-74-2	M1, R1
4,4'-DDD	0.012	mg/kg	0.0041	0.00041	1	05/11/22 17:22	05/19/22 00:14	72-54-8	
4,4'-DDE	0.017	mg/kg	0.0041	0.00047	1	05/11/22 17:22	05/19/22 00:14	72-55-9	
4,4'-DDT	0.022	mg/kg	0.0041	0.0012	1	05/11/22 17:22	05/19/22 00:14	50-29-3	M1
Dieldrin	0.0072	mg/kg	0.0041	0.00039	1	05/11/22 17:22	05/19/22 00:14	60-57-1	
Endosulfan I	0.14	mg/kg	0.041	0.0045	20	05/11/22 17:22	05/19/22 00:51	959-98-8	M1
Endosulfan II	0.023	mg/kg	0.0041	0.00097	1	05/11/22 17:22	05/19/22 00:14	33213-65-9	M1
Endosulfan sulfate	0.0071	mg/kg	0.0041	0.00096	1	05/11/22 17:22	05/19/22 00:14	1031-07-8	
Endrin	<0.00046	mg/kg	0.0041	0.00046	1	05/11/22 17:22	05/19/22 00:14	72-20-8	
Endrin aldehyde	0.0064	mg/kg	0.0041	0.0013	1	05/11/22 17:22	05/19/22 00:14	7421-93-4	
Endrin ketone	0.0069	mg/kg	0.0041	0.0011	1	05/11/22 17:22	05/19/22 00:14	53494-70-5	
Heptachlor	0.0031	mg/kg	0.0020	0.00055	1	05/11/22 17:22	05/19/22 00:14	76-44-8	
Heptachlor epoxide	0.057	mg/kg	0.0020	0.00021	1	05/11/22 17:22	05/19/22 00:14	1024-57-3	M1, R1
Methoxychlor	0.013J	mg/kg	0.020	0.0063	1	05/11/22 17:22	05/19/22 00:14	72-43-5	
Toxaphene	<0.019	mg/kg	0.061	0.019	1	05/11/22 17:22	05/19/22 00:14	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	65	%	53-138		1	05/11/22 17:22	05/19/22 00:14	877-09-8	
Decachlorobiphenyl (S)	79	%	30-150		1	05/11/22 17:22	05/19/22 00:14	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.28	mg/kg	0.92	0.28	15	05/10/22 05:06	05/11/22 22:02	12674-11-2	D3
PCB-1221 (Aroclor 1221)	<0.28	mg/kg	0.92	0.28	15	05/10/22 05:06	05/11/22 22:02	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.28	mg/kg	0.92	0.28	15	05/10/22 05:06	05/11/22 22:02	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.28	mg/kg	0.92	0.28	15	05/10/22 05:06	05/11/22 22:02	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.28	mg/kg	0.92	0.28	15	05/10/22 05:06	05/11/22 22:02	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.28	mg/kg	0.92	0.28	15	05/10/22 05:06	05/11/22 22:02	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.28	mg/kg	0.92	0.28	15	05/10/22 05:06	05/11/22 22:02	11096-82-5	
PCB, Total	<0.28	mg/kg	0.92	0.28	15	05/10/22 05:06	05/11/22 22:02	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	0	%	50-99		15	05/10/22 05:06	05/11/22 22:02	877-09-8	S4
Decachlorobiphenyl (S)	0	%	38-95		15	05/10/22 05:06	05/11/22 22:02	2051-24-3	S4
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	11300	mg/kg	33.4	6.7	1	05/16/22 09:18	05/18/22 14:28	7429-90-5	
Antimony	0.19J	mg/kg	0.56	0.11	1	05/16/22 09:18	05/18/22 14:28	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: SB-33 (1.2-2.2) **Lab ID: 40244577001** Collected: 05/06/22 09:05 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	7.2	mg/kg	0.56	0.12	1	05/16/22 09:18	05/18/22 14:28	7440-38-2	
Barium	121	mg/kg	0.33	0.060	1	05/16/22 09:18	05/18/22 14:28	7440-39-3	
Beryllium	0.72	mg/kg	0.22	0.044	1	05/16/22 09:18	05/18/22 14:28	7440-41-7	
Cadmium	0.19	mg/kg	0.089	0.035	1	05/16/22 09:18	05/18/22 14:28	7440-43-9	
Calcium	5250	mg/kg	111	13.2	1	05/16/22 09:18	05/18/22 14:28	7440-70-2	
Chromium	14.0	mg/kg	2.2	0.16	1	05/16/22 09:18	05/18/22 14:28	7440-47-3	
Cobalt	5.0	mg/kg	0.56	0.11	1	05/16/22 09:18	05/18/22 14:28	7440-48-4	
Copper	16.8	mg/kg	1.1	0.27	1	05/16/22 09:18	05/18/22 14:28	7440-50-8	
Iron	16300	mg/kg	55.7	11.7	1	05/16/22 09:18	05/18/22 14:28	7439-89-6	
Lead	14.1	mg/kg	0.56	0.033	1	05/16/22 09:18	05/18/22 14:28	7439-92-1	
Magnesium	2680	mg/kg	33.4	4.8	1	05/16/22 09:18	05/18/22 14:28	7439-95-4	
Manganese	427	mg/kg	0.56	0.27	1	05/16/22 09:18	05/18/22 14:28	7439-96-5	
Nickel	12.9	mg/kg	0.56	0.22	1	05/16/22 09:18	05/18/22 14:28	7440-02-0	
Potassium	1110	mg/kg	111	12.8	1	05/16/22 09:18	05/18/22 14:28	7440-09-7	
Selenium	0.62	mg/kg	0.56	0.096	1	05/16/22 09:18	05/18/22 14:28	7782-49-2	
Silver	0.25J	mg/kg	0.56	0.16	1	05/16/22 09:18	05/18/22 14:28	7440-22-4	
Sodium	32.7J	mg/kg	55.7	12.4	1	05/16/22 09:18	05/18/22 14:28	7440-23-5	B
Thallium	0.22	mg/kg	0.11	0.041	1	05/16/22 09:18	05/18/22 14:28	7440-28-0	
Vanadium	26.4	mg/kg	1.1	0.20	1	05/16/22 09:18	05/18/22 14:28	7440-62-2	
Zinc	46.4	mg/kg	5.6	1.0	1	05/16/22 09:18	05/18/22 14:28	7440-66-6	

7471 Mercury

Analytical Method: EPA 7471 Preparation Method: EPA 7471

Pace Analytical Services - Green Bay

Mercury	0.015J	mg/kg	0.043	0.012	1	05/13/22 09:57	05/16/22 09:15	7439-97-6	
---------	--------	-------	-------	-------	---	----------------	----------------	-----------	--

8270E MSSV FULL LIST MICROWAVE

Analytical Method: EPA 8270E Preparation Method: EPA 3546

Pace Analytical Services - Green Bay

1,2,4-Trichlorobenzene	<0.092	mg/kg	0.31	0.092	4	05/12/22 10:47	05/13/22 20:25	120-82-1	
1,2-Dichlorobenzene	<0.26	mg/kg	0.86	0.26	4	05/12/22 10:47	05/13/22 20:25	95-50-1	
1,3-Dichlorobenzene	<0.11	mg/kg	0.38	0.11	4	05/12/22 10:47	05/13/22 20:25	541-73-1	
1,4-Dichlorobenzene	<0.11	mg/kg	0.38	0.11	4	05/12/22 10:47	05/13/22 20:25	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.21	mg/kg	0.70	0.21	4	05/12/22 10:47	05/13/22 20:25	108-60-1	
2,4,5-Trichlorophenol	<0.14	mg/kg	0.48	0.14	4	05/12/22 10:47	05/13/22 20:25	95-95-4	
2,4,6-Trichlorophenol	<0.12	mg/kg	0.42	0.12	4	05/12/22 10:47	05/13/22 20:25	88-06-2	
2,4-Dichlorophenol	<0.22	mg/kg	0.73	0.22	4	05/12/22 10:47	05/13/22 20:25	120-83-2	
2,4-Dimethylphenol	<0.16	mg/kg	0.54	0.16	4	05/12/22 10:47	05/13/22 20:25	105-67-9	
2,4-Dinitrophenol	<0.25	mg/kg	0.83	0.25	4	05/12/22 10:47	05/13/22 20:25	51-28-5	
2,4-Dinitrotoluene	<0.12	mg/kg	0.39	0.12	4	05/12/22 10:47	05/13/22 20:25	121-14-2	
2,6-Dinitrotoluene	<0.16	mg/kg	0.52	0.16	4	05/12/22 10:47	05/13/22 20:25	606-20-2	
2-Chloronaphthalene	<0.11	mg/kg	0.35	0.11	4	05/12/22 10:47	05/13/22 20:25	91-58-7	
2-Chlorophenol	<0.20	mg/kg	0.68	0.20	4	05/12/22 10:47	05/13/22 20:25	95-57-8	
2-Methylnaphthalene	<0.21	mg/kg	0.71	0.21	4	05/12/22 10:47	05/13/22 20:25	91-57-6	
2-Methylphenol(o-Cresol)	<0.15	mg/kg	0.50	0.15	4	05/12/22 10:47	05/13/22 20:25	95-48-7	
2-Nitroaniline	<0.23	mg/kg	0.78	0.23	4	05/12/22 10:47	05/13/22 20:25	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: SB-33 (1.2-2.2) **Lab ID: 40244577001** Collected: 05/06/22 09:05 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.26	mg/kg	0.86	0.26	4	05/12/22 10:47	05/13/22 20:25	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.15	mg/kg	0.50	0.15	4	05/12/22 10:47	05/13/22 20:25		
3,3'-Dichlorobenzidine	<0.22	mg/kg	0.74	0.22	4	05/12/22 10:47	05/13/22 20:25	91-94-1	
3-Nitroaniline	<0.14	mg/kg	0.46	0.14	4	05/12/22 10:47	05/13/22 20:25	99-09-2	
4,6-Dinitro-2-methylphenol	<0.25	mg/kg	0.84	0.25	4	05/12/22 10:47	05/13/22 20:25	534-52-1	
4-Bromophenylphenyl ether	<0.17	mg/kg	0.57	0.17	4	05/12/22 10:47	05/13/22 20:25	101-55-3	
4-Chloro-3-methylphenol	<0.25	mg/kg	0.85	0.25	4	05/12/22 10:47	05/13/22 20:25	59-50-7	
4-Chloroaniline	<0.13	mg/kg	0.45	0.13	4	05/12/22 10:47	05/13/22 20:25	106-47-8	1q
4-Chlorophenylphenyl ether	<0.15	mg/kg	0.51	0.15	4	05/12/22 10:47	05/13/22 20:25	7005-72-3	
4-Nitroaniline	<0.34	mg/kg	1.1	0.34	4	05/12/22 10:47	05/13/22 20:25	100-01-6	
4-Nitrophenol	<0.21	mg/kg	0.69	0.21	4	05/12/22 10:47	05/13/22 20:25	100-02-7	
Acenaphthene	<0.29	mg/kg	0.97	0.29	4	05/12/22 10:47	05/13/22 20:25	83-32-9	
Acenaphthylene	<0.29	mg/kg	0.97	0.29	4	05/12/22 10:47	05/13/22 20:25	208-96-8	
Anthracene	<0.13	mg/kg	0.44	0.13	4	05/12/22 10:47	05/13/22 20:25	120-12-7	
Benzo(a)anthracene	0.16J	mg/kg	0.42	0.13	4	05/12/22 10:47	05/13/22 20:25	56-55-3	
Benzo(a)pyrene	0.17J	mg/kg	0.41	0.12	4	05/12/22 10:47	05/13/22 20:25	50-32-8	
Benzo(b)fluoranthene	0.27J	mg/kg	0.47	0.14	4	05/12/22 10:47	05/13/22 20:25	205-99-2	
Benzo(g,h,i)perylene	<0.21	mg/kg	0.71	0.21	4	05/12/22 10:47	05/13/22 20:25	191-24-2	
Benzo(k)fluoranthene	<0.20	mg/kg	0.65	0.20	4	05/12/22 10:47	05/13/22 20:25	207-08-9	
Butylbenzylphthalate	<0.13	mg/kg	0.44	0.13	4	05/12/22 10:47	05/13/22 20:25	85-68-7	
Carbazole	<0.13	mg/kg	0.43	0.13	4	05/12/22 10:47	05/13/22 20:25	86-74-8	
Chrysene	0.20J	mg/kg	0.41	0.12	4	05/12/22 10:47	05/13/22 20:25	218-01-9	
Di-n-butylphthalate	<0.12	mg/kg	0.41	0.12	4	05/12/22 10:47	05/13/22 20:25	84-74-2	
Di-n-octylphthalate	<0.18	mg/kg	0.61	0.18	4	05/12/22 10:47	05/13/22 20:25	117-84-0	
Dibenz(a,h)anthracene	<0.22	mg/kg	0.74	0.22	4	05/12/22 10:47	05/13/22 20:25	53-70-3	
Dibenzofuran	<0.099	mg/kg	0.33	0.099	4	05/12/22 10:47	05/13/22 20:25	132-64-9	
Diethylphthalate	<0.14	mg/kg	0.45	0.14	4	05/12/22 10:47	05/13/22 20:25	84-66-2	
Dimethylphthalate	<0.11	mg/kg	0.35	0.11	4	05/12/22 10:47	05/13/22 20:25	131-11-3	
Fluoranthene	0.45	mg/kg	0.39	0.12	4	05/12/22 10:47	05/13/22 20:25	206-44-0	
Fluorene	<0.096	mg/kg	0.32	0.096	4	05/12/22 10:47	05/13/22 20:25	86-73-7	
Hexachloro-1,3-butadiene	<0.21	mg/kg	0.69	0.21	4	05/12/22 10:47	05/13/22 20:25	87-68-3	
Hexachlorobenzene	<0.14	mg/kg	0.46	0.14	4	05/12/22 10:47	05/13/22 20:25	118-74-1	
Hexachlorocyclopentadiene	<0.19	mg/kg	0.65	0.19	4	05/12/22 10:47	05/13/22 20:25	77-47-4	
Hexachloroethane	<0.13	mg/kg	0.44	0.13	4	05/12/22 10:47	05/13/22 20:25	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.18	mg/kg	0.59	0.18	4	05/12/22 10:47	05/13/22 20:25	193-39-5	
Isophorone	<0.13	mg/kg	0.42	0.13	4	05/12/22 10:47	05/13/22 20:25	78-59-1	
N-Nitroso-di-n-propylamine	<0.13	mg/kg	0.43	0.13	4	05/12/22 10:47	05/13/22 20:25	621-64-7	
N-Nitrosodiphenylamine	<1.1	mg/kg	3.7	1.1	4	05/12/22 10:47	05/13/22 20:25	86-30-6	
Naphthalene	<0.29	mg/kg	0.95	0.29	4	05/12/22 10:47	05/13/22 20:25	91-20-3	
Nitrobenzene	<0.17	mg/kg	0.55	0.17	4	05/12/22 10:47	05/13/22 20:25	98-95-3	
Pentachlorophenol	<0.18	mg/kg	0.60	0.18	4	05/12/22 10:47	05/13/22 20:25	87-86-5	
Phenanthrene	0.26J	mg/kg	0.35	0.10	4	05/12/22 10:47	05/13/22 20:25	85-01-8	
Phenol	<0.19	mg/kg	0.65	0.19	4	05/12/22 10:47	05/13/22 20:25	108-95-2	D3
Pyrene	0.34J	mg/kg	0.60	0.18	4	05/12/22 10:47	05/13/22 20:25	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: SB-33 (1.2-2.2) Lab ID: 40244577001 Collected: 05/06/22 09:05 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.22	mg/kg	0.73	0.22	4	05/12/22 10:47	05/13/22 20:25	111-91-1	
bis(2-Chloroethyl) ether	<0.26	mg/kg	0.85	0.26	4	05/12/22 10:47	05/13/22 20:25	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.14	mg/kg	0.45	0.14	4	05/12/22 10:47	05/13/22 20:25	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	50	%	10-125		4	05/12/22 10:47	05/13/22 20:25	4165-60-0	
2-Fluorobiphenyl (S)	39	%	12-118		4	05/12/22 10:47	05/13/22 20:25	321-60-8	
Terphenyl-d14 (S)	50	%	10-124		4	05/12/22 10:47	05/13/22 20:25	1718-51-0	
Phenol-d6 (S)	36	%	10-125		4	05/12/22 10:47	05/13/22 20:25	13127-88-3	
2-Fluorophenol (S)	47	%	10-130		4	05/12/22 10:47	05/13/22 20:25	367-12-4	
2,4,6-Tribromophenol (S)	47	%	10-144		4	05/12/22 10:47	05/13/22 20:25	118-79-6	

8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0014	mg/kg	0.0045	0.0014	1	05/12/22 06:00	05/12/22 17:03	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0023	mg/kg	0.0045	0.0023	1	05/12/22 06:00	05/12/22 17:03	79-34-5	
1,1,2-Trichloroethane	<0.0014	mg/kg	0.0045	0.0014	1	05/12/22 06:00	05/12/22 17:03	79-00-5	
1,1-Dichloroethane	<0.00097	mg/kg	0.0045	0.00097	1	05/12/22 06:00	05/12/22 17:03	75-34-3	
1,1-Dichloroethene	<0.00095	mg/kg	0.0045	0.00095	1	05/12/22 06:00	05/12/22 17:03	75-35-4	
1,2-Dichloroethane	<0.00075	mg/kg	0.0045	0.00075	1	05/12/22 06:00	05/12/22 17:03	107-06-2	
1,2-Dichloropropane	<0.00092	mg/kg	0.0045	0.00092	1	05/12/22 06:00	05/12/22 17:03	78-87-5	
2-Butanone (MEK)	<0.014	mg/kg	0.023	0.014	1	05/12/22 06:00	05/12/22 17:03	78-93-3	
2-Hexanone	<0.010	mg/kg	0.023	0.010	1	05/12/22 06:00	05/12/22 17:03	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.018	mg/kg	0.023	0.018	1	05/12/22 06:00	05/12/22 17:03	108-10-1	
Acetone	<0.043	mg/kg	0.091	0.043	1	05/12/22 06:00	05/12/22 17:03	67-64-1	
Benzene	<0.00064	mg/kg	0.0045	0.00064	1	05/12/22 06:00	05/12/22 17:03	71-43-2	
Bromodichloromethane	<0.00062	mg/kg	0.0045	0.00062	1	05/12/22 06:00	05/12/22 17:03	75-27-4	
Bromoform	<0.0073	mg/kg	0.018	0.0073	1	05/12/22 06:00	05/12/22 17:03	75-25-2	
Bromomethane	<0.0040	mg/kg	0.0045	0.0040	1	05/12/22 06:00	05/12/22 17:03	74-83-9	
Carbon disulfide	<0.0010	mg/kg	0.0045	0.0010	1	05/12/22 06:00	05/12/22 17:03	75-15-0	
Carbon tetrachloride	<0.0029	mg/kg	0.0045	0.0029	1	05/12/22 06:00	05/12/22 17:03	56-23-5	
Chlorobenzene	<0.00084	mg/kg	0.0045	0.00084	1	05/12/22 06:00	05/12/22 17:03	108-90-7	
Chloroethane	<0.0033	mg/kg	0.0045	0.0033	1	05/12/22 06:00	05/12/22 17:03	75-00-3	
Chloroform	<0.00077	mg/kg	0.0045	0.00077	1	05/12/22 06:00	05/12/22 17:03	67-66-3	
Chloromethane	<0.00097	mg/kg	0.0045	0.00097	1	05/12/22 06:00	05/12/22 17:03	74-87-3	
Dibromochloromethane	<0.00091	mg/kg	0.0045	0.00091	1	05/12/22 06:00	05/12/22 17:03	124-48-1	
Ethylbenzene	<0.00081	mg/kg	0.0045	0.00081	1	05/12/22 06:00	05/12/22 17:03	100-41-4	
Methyl-tert-butyl ether	<0.0019	mg/kg	0.0045	0.0019	1	05/12/22 06:00	05/12/22 17:03	1634-04-4	
Methylene Chloride	<0.0036	mg/kg	0.0045	0.0036	1	05/12/22 06:00	05/12/22 17:03	75-09-2	
Styrene	<0.00064	mg/kg	0.0045	0.00064	1	05/12/22 06:00	05/12/22 17:03	100-42-5	
Tetrachloroethene	<0.00080	mg/kg	0.0045	0.00080	1	05/12/22 06:00	05/12/22 17:03	127-18-4	
Toluene	<0.00080	mg/kg	0.0045	0.00080	1	05/12/22 06:00	05/12/22 17:03	108-88-3	
Trichloroethene	<0.00065	mg/kg	0.0045	0.00065	1	05/12/22 06:00	05/12/22 17:03	79-01-6	
Vinyl chloride	<0.0012	mg/kg	0.0045	0.0012	1	05/12/22 06:00	05/12/22 17:03	75-01-4	
Xylene (Total)	<0.0031	mg/kg	0.0091	0.0031	1	05/12/22 06:00	05/12/22 17:03	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: SB-33 (1.2-2.2) **Lab ID: 40244577001** Collected: 05/06/22 09:05 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00080	mg/kg	0.0045	0.00080	1	05/12/22 06:00	05/12/22 17:03	156-59-2	
cis-1,3-Dichloropropene	<0.00092	mg/kg	0.0045	0.00092	1	05/12/22 06:00	05/12/22 17:03	10061-01-5	
trans-1,2-Dichloroethene	<0.00065	mg/kg	0.0045	0.00065	1	05/12/22 06:00	05/12/22 17:03	156-60-5	
trans-1,3-Dichloropropene	<0.00091	mg/kg	0.0045	0.00091	1	05/12/22 06:00	05/12/22 17:03	10061-02-6	
Surrogates									
Toluene-d8 (S)	89	%	69-156		1	05/12/22 06:00	05/12/22 17:03	2037-26-5	
4-Bromofluorobenzene (S)	81	%	61-175		1	05/12/22 06:00	05/12/22 17:03	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1	05/12/22 06:00	05/12/22 17:03	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	18.4	%	0.10	0.10	1		05/11/22 13:24		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.08	Std. Units	0.100	0.0100	1		05/16/22 11:36		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.33	mg/kg	0.98	0.33	1	05/18/22 10:45	05/18/22 15:14	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: SB-33 (4.5-5.5) Lab ID: 40244577002 Collected: 05/06/22 09:10 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00054	mg/kg	0.0022	0.00054	1	05/11/22 17:22	05/12/22 17:09	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 17:22	05/12/22 17:09	319-84-6	
beta-BHC	<0.00068	mg/kg	0.0022	0.00068	1	05/11/22 17:22	05/12/22 17:09	319-85-7	
delta-BHC	<0.00040	mg/kg	0.0022	0.00040	1	05/11/22 17:22	05/12/22 17:09	319-86-8	
gamma-BHC (Lindane)	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 17:22	05/12/22 17:09	58-89-9	
Chlordane (Technical)	<0.0073	mg/kg	0.022	0.0073	1	05/11/22 17:22	05/12/22 17:09	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/11/22 17:22	05/12/22 17:09	5103-71-9	
gamma-Chlordane	<0.00082	mg/kg	0.0022	0.00082	1	05/11/22 17:22	05/12/22 17:09	5103-74-2	
4,4'-DDD	<0.00045	mg/kg	0.0044	0.00045	1	05/11/22 17:22	05/12/22 17:09	72-54-8	
4,4'-DDE	<0.00051	mg/kg	0.0044	0.00051	1	05/11/22 17:22	05/12/22 17:09	72-55-9	
4,4'-DDT	<0.0014	mg/kg	0.0044	0.0014	1	05/11/22 17:22	05/12/22 17:09	50-29-3	
Dieldrin	<0.00042	mg/kg	0.0044	0.00042	1	05/11/22 17:22	05/12/22 17:09	60-57-1	
Endosulfan I	<0.00025	mg/kg	0.0022	0.00025	1	05/11/22 17:22	05/12/22 17:09	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0044	0.0010	1	05/11/22 17:22	05/12/22 17:09	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0044	0.0010	1	05/11/22 17:22	05/12/22 17:09	1031-07-8	
Endrin	<0.00050	mg/kg	0.0044	0.00050	1	05/11/22 17:22	05/12/22 17:09	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0044	0.0014	1	05/11/22 17:22	05/12/22 17:09	7421-93-4	
Endrin ketone	<0.0012	mg/kg	0.0044	0.0012	1	05/11/22 17:22	05/12/22 17:09	53494-70-5	
Heptachlor	<0.00060	mg/kg	0.0022	0.00060	1	05/11/22 17:22	05/12/22 17:09	76-44-8	
Heptachlor epoxide	<0.00023	mg/kg	0.0022	0.00023	1	05/11/22 17:22	05/12/22 17:09	1024-57-3	
Methoxychlor	<0.0068	mg/kg	0.022	0.0068	1	05/11/22 17:22	05/12/22 17:09	72-43-5	
Toxaphene	<0.021	mg/kg	0.066	0.021	1	05/11/22 17:22	05/12/22 17:09	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	40	%	53-138		1	05/11/22 17:22	05/12/22 17:09	877-09-8	S0
Decachlorobiphenyl (S)	38	%	30-150		1	05/11/22 17:22	05/12/22 17:09	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.067	0.020	1	05/10/22 05:06	05/11/22 22:26	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.067	0.020	1	05/10/22 05:06	05/11/22 22:26	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.067	0.020	1	05/10/22 05:06	05/11/22 22:26	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.067	0.020	1	05/10/22 05:06	05/11/22 22:26	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.067	0.020	1	05/10/22 05:06	05/11/22 22:26	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.067	0.020	1	05/10/22 05:06	05/11/22 22:26	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.067	0.020	1	05/10/22 05:06	05/11/22 22:26	11096-82-5	
PCB, Total	<0.020	mg/kg	0.067	0.020	1	05/10/22 05:06	05/11/22 22:26	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	69	%	50-99		1	05/10/22 05:06	05/11/22 22:26	877-09-8	
Decachlorobiphenyl (S)	71	%	38-95		1	05/10/22 05:06	05/11/22 22:26	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	16100	mg/kg	36.6	7.4	1	05/16/22 09:18	05/18/22 14:32	7429-90-5	
Antimony	0.43J	mg/kg	0.61	0.12	1	05/16/22 09:18	05/18/22 14:32	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: SB-33 (4.5-5.5) **Lab ID: 40244577002** Collected: 05/06/22 09:10 Received: 05/07/22 11:10 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	15.4	mg/kg	0.61	0.13	1	05/16/22 09:18	05/18/22 14:32	7440-38-2	
Barium	300	mg/kg	0.37	0.065	1	05/16/22 09:18	05/18/22 14:32	7440-39-3	
Beryllium	0.88	mg/kg	0.24	0.048	1	05/16/22 09:18	05/18/22 14:32	7440-41-7	
Cadmium	0.92	mg/kg	0.097	0.038	1	05/16/22 09:18	05/18/22 14:32	7440-43-9	
Calcium	6480	mg/kg	122	14.4	1	05/16/22 09:18	05/18/22 14:32	7440-70-2	
Chromium	21.9	mg/kg	2.4	0.17	1	05/16/22 09:18	05/18/22 14:32	7440-47-3	
Cobalt	14.5	mg/kg	0.61	0.12	1	05/16/22 09:18	05/18/22 14:32	7440-48-4	
Copper	28.4	mg/kg	1.2	0.29	1	05/16/22 09:18	05/18/22 14:32	7440-50-8	
Iron	32500	mg/kg	60.9	12.8	1	05/16/22 09:18	05/18/22 14:32	7439-89-6	
Lead	20.2	mg/kg	0.61	0.036	1	05/16/22 09:18	05/18/22 14:32	7439-92-1	
Magnesium	5310	mg/kg	36.6	5.2	1	05/16/22 09:18	05/18/22 14:32	7439-95-4	
Manganese	1890	mg/kg	6.1	3.0	10	05/16/22 09:18	05/18/22 14:32	7439-96-5	
Nickel	50.5	mg/kg	0.61	0.24	1	05/16/22 09:18	05/18/22 14:32	7440-02-0	
Potassium	853	mg/kg	122	14.0	1	05/16/22 09:18	05/18/22 14:32	7440-09-7	
Selenium	0.52J	mg/kg	0.61	0.10	1	05/16/22 09:18	05/18/22 14:32	7782-49-2	
Silver	<0.18	mg/kg	0.61	0.18	1	05/16/22 09:18	05/18/22 14:32	7440-22-4	
Sodium	50.6J	mg/kg	60.9	13.5	1	05/16/22 09:18	05/18/22 14:32	7440-23-5	
Thallium	0.31	mg/kg	0.12	0.045	1	05/16/22 09:18	05/18/22 14:32	7440-28-0	
Vanadium	43.2	mg/kg	1.2	0.21	1	05/16/22 09:18	05/18/22 14:32	7440-62-2	
Zinc	71.7	mg/kg	6.1	1.1	1	05/16/22 09:18	05/18/22 14:32	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.035J	mg/kg	0.041	0.012	1	05/13/22 09:57	05/16/22 09:22	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.083	0.025	1	05/12/22 10:47	05/13/22 12:16	120-82-1	
1,2-Dichlorobenzene	<0.070	mg/kg	0.23	0.070	1	05/12/22 10:47	05/13/22 12:16	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/13/22 12:16	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/13/22 12:16	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/13/22 12:16	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/13/22 12:16	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 12:16	88-06-2	
2,4-Dichlorophenol	<0.059	mg/kg	0.20	0.059	1	05/12/22 10:47	05/13/22 12:16	120-83-2	
2,4-Dimethylphenol	<0.044	mg/kg	0.15	0.044	1	05/12/22 10:47	05/13/22 12:16	105-67-9	
2,4-Dinitrophenol	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/13/22 12:16	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 12:16	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/12/22 10:47	05/13/22 12:16	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.095	0.028	1	05/12/22 10:47	05/13/22 12:16	91-58-7	
2-Chlorophenol	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/13/22 12:16	95-57-8	
2-Methylnaphthalene	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/13/22 12:16	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/13/22 12:16	95-48-7	
2-Nitroaniline	<0.063	mg/kg	0.21	0.063	1	05/12/22 10:47	05/13/22 12:16	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: **SB-33 (4.5-5.5)** Lab ID: **40244577002** Collected: 05/06/22 09:10 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.070	mg/kg	0.23	0.070	1	05/12/22 10:47	05/13/22 12:16	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.041	mg/kg	0.14	0.041	1	05/12/22 10:47	05/13/22 12:16		
3,3'-Dichlorobenzidine	<0.060	mg/kg	0.20	0.060	1	05/12/22 10:47	05/13/22 12:16	91-94-1	
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/13/22 12:16	99-09-2	
4,6-Dinitro-2-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/12/22 10:47	05/13/22 12:16	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/13/22 12:16	101-55-3	
4-Chloro-3-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/12/22 10:47	05/13/22 12:16	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/13/22 12:16	106-47-8	1q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/12/22 10:47	05/13/22 12:16	7005-72-3	
4-Nitroaniline	<0.092	mg/kg	0.31	0.092	1	05/12/22 10:47	05/13/22 12:16	100-01-6	
4-Nitrophenol	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/13/22 12:16	100-02-7	
Acenaphthene	<0.079	mg/kg	0.26	0.079	1	05/12/22 10:47	05/13/22 12:16	83-32-9	
Acenaphthylene	<0.079	mg/kg	0.26	0.079	1	05/12/22 10:47	05/13/22 12:16	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 12:16	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 12:16	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 12:16	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/13/22 12:16	205-99-2	
Benzo(g,h,i)perylene	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/13/22 12:16	191-24-2	
Benzo(k)fluoranthene	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/13/22 12:16	207-08-9	
Butylbenzylphthalate	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/13/22 12:16	85-68-7	
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 12:16	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 12:16	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 12:16	84-74-2	
Di-n-octylphthalate	<0.050	mg/kg	0.17	0.050	1	05/12/22 10:47	05/13/22 12:16	117-84-0	
Dibenz(a,h)anthracene	<0.060	mg/kg	0.20	0.060	1	05/12/22 10:47	05/13/22 12:16	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.089	0.027	1	05/12/22 10:47	05/13/22 12:16	132-64-9	
Diethylphthalate	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/13/22 12:16	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.096	0.029	1	05/12/22 10:47	05/13/22 12:16	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/13/22 12:16	206-44-0	
Fluorene	<0.026	mg/kg	0.086	0.026	1	05/12/22 10:47	05/13/22 12:16	86-73-7	
Hexachloro-1,3-butadiene	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/13/22 12:16	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/13/22 12:16	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/12/22 10:47	05/13/22 12:16	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 12:16	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.048	mg/kg	0.16	0.048	1	05/12/22 10:47	05/13/22 12:16	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 12:16	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 12:16	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	1.0	0.30	1	05/12/22 10:47	05/13/22 12:16	86-30-6	
Naphthalene	<0.077	mg/kg	0.26	0.077	1	05/12/22 10:47	05/13/22 12:16	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/12/22 10:47	05/13/22 12:16	98-95-3	
Pentachlorophenol	<0.049	mg/kg	0.16	0.049	1	05/12/22 10:47	05/13/22 12:16	87-86-5	
Phenanthrene	<0.028	mg/kg	0.095	0.028	1	05/12/22 10:47	05/13/22 12:16	85-01-8	
Phenol	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/13/22 12:16	108-95-2	
Pyrene	<0.049	mg/kg	0.16	0.049	1	05/12/22 10:47	05/13/22 12:16	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: SB-33 (4.5-5.5) **Lab ID: 40244577002** Collected: 05/06/22 09:10 Received: 05/07/22 11:10 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.060	mg/kg	0.20	0.060	1	05/12/22 10:47	05/13/22 12:16	111-91-1	
bis(2-Chloroethyl) ether	<0.069	mg/kg	0.23	0.069	1	05/12/22 10:47	05/13/22 12:16	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/13/22 12:16	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	65	%	10-125		1	05/12/22 10:47	05/13/22 12:16	4165-60-0	
2-Fluorobiphenyl (S)	51	%	12-118		1	05/12/22 10:47	05/13/22 12:16	321-60-8	
Terphenyl-d14 (S)	62	%	10-124		1	05/12/22 10:47	05/13/22 12:16	1718-51-0	
Phenol-d6 (S)	56	%	10-125		1	05/12/22 10:47	05/13/22 12:16	13127-88-3	
2-Fluorophenol (S)	57	%	10-130		1	05/12/22 10:47	05/13/22 12:16	367-12-4	
2,4,6-Tribromophenol (S)	63	%	10-144		1	05/12/22 10:47	05/13/22 12:16	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/12/22 06:00	05/12/22 17:27	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0054	0.0028	1	05/12/22 06:00	05/12/22 17:27	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/12/22 06:00	05/12/22 17:27	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0054	0.0012	1	05/12/22 06:00	05/12/22 17:27	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0054	0.0011	1	05/12/22 06:00	05/12/22 17:27	75-35-4	
1,2-Dichloroethane	<0.00089	mg/kg	0.0054	0.00089	1	05/12/22 06:00	05/12/22 17:27	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0054	0.0011	1	05/12/22 06:00	05/12/22 17:27	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/12/22 06:00	05/12/22 17:27	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/12/22 06:00	05/12/22 17:27	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/12/22 06:00	05/12/22 17:27	108-10-1	
Acetone	<0.051	mg/kg	0.11	0.051	1	05/12/22 06:00	05/12/22 17:27	67-64-1	
Benzene	<0.00076	mg/kg	0.0054	0.00076	1	05/12/22 06:00	05/12/22 17:27	71-43-2	
Bromodichloromethane	<0.00073	mg/kg	0.0054	0.00073	1	05/12/22 06:00	05/12/22 17:27	75-27-4	
Bromoform	<0.0087	mg/kg	0.022	0.0087	1	05/12/22 06:00	05/12/22 17:27	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0054	0.0048	1	05/12/22 06:00	05/12/22 17:27	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0054	0.0012	1	05/12/22 06:00	05/12/22 17:27	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0054	0.0034	1	05/12/22 06:00	05/12/22 17:27	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0054	0.0010	1	05/12/22 06:00	05/12/22 17:27	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0054	0.0039	1	05/12/22 06:00	05/12/22 17:27	75-00-3	
Chloroform	<0.00091	mg/kg	0.0054	0.00091	1	05/12/22 06:00	05/12/22 17:27	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0054	0.0012	1	05/12/22 06:00	05/12/22 17:27	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0054	0.0011	1	05/12/22 06:00	05/12/22 17:27	124-48-1	
Ethylbenzene	<0.00096	mg/kg	0.0054	0.00096	1	05/12/22 06:00	05/12/22 17:27	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0054	0.0022	1	05/12/22 06:00	05/12/22 17:27	1634-04-4	
Methylene Chloride	<0.0043	mg/kg	0.0054	0.0043	1	05/12/22 06:00	05/12/22 17:27	75-09-2	
Styrene	<0.00077	mg/kg	0.0054	0.00077	1	05/12/22 06:00	05/12/22 17:27	100-42-5	
Tetrachloroethene	<0.00096	mg/kg	0.0054	0.00096	1	05/12/22 06:00	05/12/22 17:27	127-18-4	
Toluene	<0.00095	mg/kg	0.0054	0.00095	1	05/12/22 06:00	05/12/22 17:27	108-88-3	
Trichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/12/22 06:00	05/12/22 17:27	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0054	0.0014	1	05/12/22 06:00	05/12/22 17:27	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/12/22 06:00	05/12/22 17:27	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: SB-33 (4.5-5.5) **Lab ID: 40244577002** Collected: 05/06/22 09:10 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00095	mg/kg	0.0054	0.00095	1	05/12/22 06:00	05/12/22 17:27	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/12/22 06:00	05/12/22 17:27	10061-01-5	
trans-1,2-Dichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/12/22 06:00	05/12/22 17:27	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/12/22 06:00	05/12/22 17:27	10061-02-6	
Surrogates									
Toluene-d8 (S)	92	%	69-156		1	05/12/22 06:00	05/12/22 17:27	2037-26-5	
4-Bromofluorobenzene (S)	84	%	61-175		1	05/12/22 06:00	05/12/22 17:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1	05/12/22 06:00	05/12/22 17:27	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	24.7	%	0.10	0.10	1		05/11/22 13:24		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.3	Std. Units	0.10	0.010	1		05/17/22 11:24		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.36	mg/kg	1.1	0.36	1	05/18/22 10:45	05/18/22 15:15	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: SB-35 (0.5-1.5) Lab ID: 40244577003 Collected: 05/06/22 09:50 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550 Pace Analytical Services - Minneapolis									
Aldrin	<0.00044	mg/kg	0.0018	0.00044	1	05/11/22 17:22	05/12/22 17:28	309-00-2	
alpha-BHC	<0.00018	mg/kg	0.0018	0.00018	1	05/11/22 17:22	05/12/22 17:28	319-84-6	
beta-BHC	<0.00056	mg/kg	0.0018	0.00056	1	05/11/22 17:22	05/12/22 17:28	319-85-7	
delta-BHC	<0.00033	mg/kg	0.0018	0.00033	1	05/11/22 17:22	05/12/22 17:28	319-86-8	
gamma-BHC (Lindane)	<0.00018	mg/kg	0.0018	0.00018	1	05/11/22 17:22	05/12/22 17:28	58-89-9	
Chlordane (Technical)	<0.0059	mg/kg	0.018	0.0059	1	05/11/22 17:22	05/12/22 17:28	57-74-9	
alpha-Chlordane	<0.00022	mg/kg	0.0018	0.00022	1	05/11/22 17:22	05/12/22 17:28	5103-71-9	
gamma-Chlordane	<0.00067	mg/kg	0.0018	0.00067	1	05/11/22 17:22	05/12/22 17:28	5103-74-2	
4,4'-DDD	<0.00036	mg/kg	0.0036	0.00036	1	05/11/22 17:22	05/12/22 17:28	72-54-8	
4,4'-DDE	<0.00042	mg/kg	0.0036	0.00042	1	05/11/22 17:22	05/12/22 17:28	72-55-9	
4,4'-DDT	<0.0011	mg/kg	0.0036	0.0011	1	05/11/22 17:22	05/12/22 17:28	50-29-3	
Dieldrin	<0.00034	mg/kg	0.0036	0.00034	1	05/11/22 17:22	05/12/22 17:28	60-57-1	
Endosulfan I	<0.00020	mg/kg	0.0018	0.00020	1	05/11/22 17:22	05/12/22 17:28	959-98-8	
Endosulfan II	<0.00086	mg/kg	0.0036	0.00086	1	05/11/22 17:22	05/12/22 17:28	33213-65-9	
Endosulfan sulfate	<0.00085	mg/kg	0.0036	0.00085	1	05/11/22 17:22	05/12/22 17:28	1031-07-8	
Endrin	<0.00040	mg/kg	0.0036	0.00040	1	05/11/22 17:22	05/12/22 17:28	72-20-8	
Endrin aldehyde	<0.0012	mg/kg	0.0036	0.0012	1	05/11/22 17:22	05/12/22 17:28	7421-93-4	
Endrin ketone	<0.00095	mg/kg	0.0036	0.00095	1	05/11/22 17:22	05/12/22 17:28	53494-70-5	
Heptachlor	<0.00049	mg/kg	0.0018	0.00049	1	05/11/22 17:22	05/12/22 17:28	76-44-8	
Heptachlor epoxide	<0.00018	mg/kg	0.0018	0.00018	1	05/11/22 17:22	05/12/22 17:28	1024-57-3	
Methoxychlor	<0.0055	mg/kg	0.018	0.0055	1	05/11/22 17:22	05/12/22 17:28	72-43-5	
Toxaphene	<0.017	mg/kg	0.054	0.017	1	05/11/22 17:22	05/12/22 17:28	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	75	%	53-138		1	05/11/22 17:22	05/12/22 17:28	877-09-8	
Decachlorobiphenyl (S)	67	%	30-150		1	05/11/22 17:22	05/12/22 17:28	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541 Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.016	mg/kg	0.054	0.016	1	05/10/22 05:06	05/11/22 22:50	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.016	mg/kg	0.054	0.016	1	05/10/22 05:06	05/11/22 22:50	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.016	mg/kg	0.054	0.016	1	05/10/22 05:06	05/11/22 22:50	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.016	mg/kg	0.054	0.016	1	05/10/22 05:06	05/11/22 22:50	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.016	mg/kg	0.054	0.016	1	05/10/22 05:06	05/11/22 22:50	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.016	mg/kg	0.054	0.016	1	05/10/22 05:06	05/11/22 22:50	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.016	mg/kg	0.054	0.016	1	05/10/22 05:06	05/11/22 22:50	11096-82-5	
PCB, Total	<0.016	mg/kg	0.054	0.016	1	05/10/22 05:06	05/11/22 22:50	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	73	%	50-99		1	05/10/22 05:06	05/11/22 22:50	877-09-8	
Decachlorobiphenyl (S)	78	%	38-95		1	05/10/22 05:06	05/11/22 22:50	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis									
Aluminum	10600	mg/kg	30.1	6.1	1	05/16/22 09:18	05/18/22 14:51	7429-90-5	
Antimony	0.15J	mg/kg	0.50	0.096	1	05/16/22 09:18	05/18/22 14:51	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: SB-35 (0.5-1.5) Lab ID: **40244577003** Collected: 05/06/22 09:50 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	7.2	mg/kg	0.50	0.11	1	05/16/22 09:18	05/18/22 14:51	7440-38-2	
Barium	118	mg/kg	0.30	0.054	1	05/16/22 09:18	05/18/22 14:51	7440-39-3	
Beryllium	0.66	mg/kg	0.20	0.040	1	05/16/22 09:18	05/18/22 14:51	7440-41-7	
Cadmium	0.24	mg/kg	0.080	0.031	1	05/16/22 09:18	05/18/22 14:51	7440-43-9	
Calcium	5380	mg/kg	100	11.8	1	05/16/22 09:18	05/18/22 14:51	7440-70-2	
Chromium	13.6	mg/kg	2.0	0.14	1	05/16/22 09:18	05/18/22 14:51	7440-47-3	
Cobalt	5.2	mg/kg	0.50	0.099	1	05/16/22 09:18	05/18/22 14:51	7440-48-4	
Copper	15.7	mg/kg	1.0	0.24	1	05/16/22 09:18	05/18/22 14:51	7440-50-8	
Iron	16100	mg/kg	50.1	10.5	1	05/16/22 09:18	05/18/22 14:51	7439-89-6	
Lead	16.3	mg/kg	0.50	0.029	1	05/16/22 09:18	05/18/22 14:51	7439-92-1	
Magnesium	2690	mg/kg	30.1	4.3	1	05/16/22 09:18	05/18/22 14:51	7439-95-4	
Manganese	500	mg/kg	5.0	2.5	10	05/16/22 09:18	05/18/22 14:55	7439-96-5	
Nickel	13.0	mg/kg	0.50	0.20	1	05/16/22 09:18	05/18/22 14:51	7440-02-0	
Potassium	1070	mg/kg	100	11.5	1	05/16/22 09:18	05/18/22 14:51	7440-09-7	
Selenium	0.55	mg/kg	0.50	0.086	1	05/16/22 09:18	05/18/22 14:51	7782-49-2	
Silver	<0.15	mg/kg	0.50	0.15	1	05/16/22 09:18	05/18/22 14:51	7440-22-4	
Sodium	28.6J	mg/kg	50.1	11.1	1	05/16/22 09:18	05/18/22 14:51	7440-23-5	B
Thallium	0.21	mg/kg	0.10	0.037	1	05/16/22 09:18	05/18/22 14:51	7440-28-0	
Vanadium	26.1	mg/kg	1.0	0.18	1	05/16/22 09:18	05/18/22 14:51	7440-62-2	
Zinc	48.8	mg/kg	5.0	0.90	1	05/16/22 09:18	05/18/22 14:51	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	<0.011	mg/kg	0.037	0.011	1	05/13/22 09:57	05/16/22 09:24	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.020	mg/kg	0.068	0.020	1	05/12/22 10:47	05/12/22 14:42	120-82-1	
1,2-Dichlorobenzene	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/12/22 14:42	95-50-1	
1,3-Dichlorobenzene	<0.025	mg/kg	0.083	0.025	1	05/12/22 10:47	05/12/22 14:42	541-73-1	
1,4-Dichlorobenzene	<0.025	mg/kg	0.084	0.025	1	05/12/22 10:47	05/12/22 14:42	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/12/22 14:42	108-60-1	
2,4,5-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/12/22 14:42	95-95-4	
2,4,6-Trichlorophenol	<0.028	mg/kg	0.092	0.028	1	05/12/22 10:47	05/12/22 14:42	88-06-2	
2,4-Dichlorophenol	<0.048	mg/kg	0.16	0.048	1	05/12/22 10:47	05/12/22 14:42	120-83-2	
2,4-Dimethylphenol	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/12/22 14:42	105-67-9	
2,4-Dinitrophenol	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/12/22 14:42	51-28-5	
2,4-Dinitrotoluene	<0.026	mg/kg	0.086	0.026	1	05/12/22 10:47	05/12/22 14:42	121-14-2	
2,6-Dinitrotoluene	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 14:42	606-20-2	
2-Chloronaphthalene	<0.023	mg/kg	0.077	0.023	1	05/12/22 10:47	05/12/22 14:42	91-58-7	
2-Chlorophenol	<0.045	mg/kg	0.15	0.045	1	05/12/22 10:47	05/12/22 14:42	95-57-8	
2-Methylnaphthalene	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/12/22 14:42	91-57-6	
2-Methylphenol(o-Cresol)	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 14:42	95-48-7	
2-Nitroaniline	<0.051	mg/kg	0.17	0.051	1	05/12/22 10:47	05/12/22 14:42	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: SB-35 (0.5-1.5) **Lab ID: 40244577003** Collected: 05/06/22 09:50 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/12/22 14:42	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/12/22 14:42		
3,3'-Dichlorobenzidine	<0.049	mg/kg	0.16	0.049	1	05/12/22 10:47	05/12/22 14:42	91-94-1	
3-Nitroaniline	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/12/22 14:42	99-09-2	
4,6-Dinitro-2-methylphenol	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/12/22 14:42	534-52-1	
4-Bromophenylphenyl ether	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/12/22 14:42	101-55-3	
4-Chloro-3-methylphenol	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/12/22 14:42	59-50-7	
4-Chloroaniline	<0.030	mg/kg	0.099	0.030	1	05/12/22 10:47	05/12/22 14:42	106-47-8	3q
4-Chlorophenylphenyl ether	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/12/22 14:42	7005-72-3	
4-Nitroaniline	<0.075	mg/kg	0.25	0.075	1	05/12/22 10:47	05/12/22 14:42	100-01-6	
4-Nitrophenol	<0.045	mg/kg	0.15	0.045	1	05/12/22 10:47	05/12/22 14:42	100-02-7	
Acenaphthene	<0.064	mg/kg	0.21	0.064	1	05/12/22 10:47	05/12/22 14:42	83-32-9	
Acenaphthylene	<0.064	mg/kg	0.21	0.064	1	05/12/22 10:47	05/12/22 14:42	208-96-8	
Anthracene	<0.029	mg/kg	0.096	0.029	1	05/12/22 10:47	05/12/22 14:42	120-12-7	
Benzo(a)anthracene	<0.028	mg/kg	0.093	0.028	1	05/12/22 10:47	05/12/22 14:42	56-55-3	
Benzo(a)pyrene	<0.027	mg/kg	0.091	0.027	1	05/12/22 10:47	05/12/22 14:42	50-32-8	
Benzo(b)fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/12/22 14:42	205-99-2	
Benzo(g,h,i)perylene	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/12/22 14:42	191-24-2	
Benzo(k)fluoranthene	<0.043	mg/kg	0.14	0.043	1	05/12/22 10:47	05/12/22 14:42	207-08-9	
Butylbenzylphthalate	<0.029	mg/kg	0.097	0.029	1	05/12/22 10:47	05/12/22 14:42	85-68-7	
Carbazole	<0.028	mg/kg	0.094	0.028	1	05/12/22 10:47	05/12/22 14:42	86-74-8	
Chrysene	<0.027	mg/kg	0.090	0.027	1	05/12/22 10:47	05/12/22 14:42	218-01-9	
Di-n-butylphthalate	<0.027	mg/kg	0.090	0.027	1	05/12/22 10:47	05/12/22 14:42	84-74-2	
Di-n-octylphthalate	<0.041	mg/kg	0.14	0.041	1	05/12/22 10:47	05/12/22 14:42	117-84-0	
Dibenz(a,h)anthracene	<0.049	mg/kg	0.16	0.049	1	05/12/22 10:47	05/12/22 14:42	53-70-3	
Dibenzofuran	<0.022	mg/kg	0.073	0.022	1	05/12/22 10:47	05/12/22 14:42	132-64-9	
Diethylphthalate	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/12/22 14:42	84-66-2	
Dimethylphthalate	<0.023	mg/kg	0.078	0.023	1	05/12/22 10:47	05/12/22 14:42	131-11-3	
Fluoranthene	<0.026	mg/kg	0.085	0.026	1	05/12/22 10:47	05/12/22 14:42	206-44-0	
Fluorene	<0.021	mg/kg	0.070	0.021	1	05/12/22 10:47	05/12/22 14:42	86-73-7	
Hexachloro-1,3-butadiene	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/12/22 14:42	87-68-3	
Hexachlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/12/22 14:42	118-74-1	
Hexachlorocyclopentadiene	<0.043	mg/kg	0.14	0.043	1	05/12/22 10:47	05/12/22 14:42	77-47-4	
Hexachloroethane	<0.029	mg/kg	0.096	0.029	1	05/12/22 10:47	05/12/22 14:42	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/12/22 14:42	193-39-5	
Isophorone	<0.028	mg/kg	0.093	0.028	1	05/12/22 10:47	05/12/22 14:42	78-59-1	
N-Nitroso-di-n-propylamine	<0.029	mg/kg	0.095	0.029	1	05/12/22 10:47	05/12/22 14:42	621-64-7	
N-Nitrosodiphenylamine	<0.25	mg/kg	0.82	0.25	1	05/12/22 10:47	05/12/22 14:42	86-30-6	
Naphthalene	<0.063	mg/kg	0.21	0.063	1	05/12/22 10:47	05/12/22 14:42	91-20-3	
Nitrobenzene	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/12/22 14:42	98-95-3	
Pentachlorophenol	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/12/22 14:42	87-86-5	
Phenanthrene	<0.023	mg/kg	0.077	0.023	1	05/12/22 10:47	05/12/22 14:42	85-01-8	
Phenol	<0.043	mg/kg	0.14	0.043	1	05/12/22 10:47	05/12/22 14:42	108-95-2	
Pyrene	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/12/22 14:42	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: SB-35 (0.5-1.5) **Lab ID: 40244577003** Collected: 05/06/22 09:50 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.049	mg/kg	0.16	0.049	1	05/12/22 10:47	05/12/22 14:42	111-91-1	
bis(2-Chloroethyl) ether	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/12/22 14:42	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/12/22 14:42	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	55	%	10-125		1	05/12/22 10:47	05/12/22 14:42	4165-60-0	
2-Fluorobiphenyl (S)	61	%	12-118		1	05/12/22 10:47	05/12/22 14:42	321-60-8	
Terphenyl-d14 (S)	69	%	10-124		1	05/12/22 10:47	05/12/22 14:42	1718-51-0	
Phenol-d6 (S)	43	%	10-125		1	05/12/22 10:47	05/12/22 14:42	13127-88-3	
2-Fluorophenol (S)	47	%	10-130		1	05/12/22 10:47	05/12/22 14:42	367-12-4	
2,4,6-Tribromophenol (S)	68	%	10-144		1	05/12/22 10:47	05/12/22 14:42	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0014	mg/kg	0.0047	0.0014	1	05/12/22 06:00	05/12/22 17:51	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0024	mg/kg	0.0047	0.0024	1	05/12/22 06:00	05/12/22 17:51	79-34-5	
1,1,2-Trichloroethane	<0.0014	mg/kg	0.0047	0.0014	1	05/12/22 06:00	05/12/22 17:51	79-00-5	
1,1-Dichloroethane	<0.0010	mg/kg	0.0047	0.0010	1	05/12/22 06:00	05/12/22 17:51	75-34-3	
1,1-Dichloroethene	<0.00099	mg/kg	0.0047	0.00099	1	05/12/22 06:00	05/12/22 17:51	75-35-4	
1,2-Dichloroethane	<0.00078	mg/kg	0.0047	0.00078	1	05/12/22 06:00	05/12/22 17:51	107-06-2	
1,2-Dichloropropane	<0.00096	mg/kg	0.0047	0.00096	1	05/12/22 06:00	05/12/22 17:51	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.024	0.015	1	05/12/22 06:00	05/12/22 17:51	78-93-3	
2-Hexanone	<0.011	mg/kg	0.024	0.011	1	05/12/22 06:00	05/12/22 17:51	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.019	mg/kg	0.024	0.019	1	05/12/22 06:00	05/12/22 17:51	108-10-1	
Acetone	<0.045	mg/kg	0.094	0.045	1	05/12/22 06:00	05/12/22 17:51	67-64-1	
Benzene	<0.00067	mg/kg	0.0047	0.00067	1	05/12/22 06:00	05/12/22 17:51	71-43-2	
Bromodichloromethane	<0.00064	mg/kg	0.0047	0.00064	1	05/12/22 06:00	05/12/22 17:51	75-27-4	
Bromoform	<0.0077	mg/kg	0.019	0.0077	1	05/12/22 06:00	05/12/22 17:51	75-25-2	
Bromomethane	<0.0042	mg/kg	0.0047	0.0042	1	05/12/22 06:00	05/12/22 17:51	74-83-9	
Carbon disulfide	<0.0010	mg/kg	0.0047	0.0010	1	05/12/22 06:00	05/12/22 17:51	75-15-0	
Carbon tetrachloride	<0.0030	mg/kg	0.0047	0.0030	1	05/12/22 06:00	05/12/22 17:51	56-23-5	
Chlorobenzene	<0.00087	mg/kg	0.0047	0.00087	1	05/12/22 06:00	05/12/22 17:51	108-90-7	
Chloroethane	<0.0034	mg/kg	0.0047	0.0034	1	05/12/22 06:00	05/12/22 17:51	75-00-3	
Chloroform	<0.00080	mg/kg	0.0047	0.00080	1	05/12/22 06:00	05/12/22 17:51	67-66-3	
Chloromethane	<0.0010	mg/kg	0.0047	0.0010	1	05/12/22 06:00	05/12/22 17:51	74-87-3	
Dibromochloromethane	<0.00095	mg/kg	0.0047	0.00095	1	05/12/22 06:00	05/12/22 17:51	124-48-1	
Ethylbenzene	<0.00084	mg/kg	0.0047	0.00084	1	05/12/22 06:00	05/12/22 17:51	100-41-4	
Methyl-tert-butyl ether	<0.0019	mg/kg	0.0047	0.0019	1	05/12/22 06:00	05/12/22 17:51	1634-04-4	
Methylene Chloride	<0.0037	mg/kg	0.0047	0.0037	1	05/12/22 06:00	05/12/22 17:51	75-09-2	
Styrene	<0.00067	mg/kg	0.0047	0.00067	1	05/12/22 06:00	05/12/22 17:51	100-42-5	
Tetrachloroethene	<0.00084	mg/kg	0.0047	0.00084	1	05/12/22 06:00	05/12/22 17:51	127-18-4	
Toluene	<0.00083	mg/kg	0.0047	0.00083	1	05/12/22 06:00	05/12/22 17:51	108-88-3	
Trichloroethene	<0.00068	mg/kg	0.0047	0.00068	1	05/12/22 06:00	05/12/22 17:51	79-01-6	
Vinyl chloride	<0.0012	mg/kg	0.0047	0.0012	1	05/12/22 06:00	05/12/22 17:51	75-01-4	
Xylene (Total)	<0.0032	mg/kg	0.0094	0.0032	1	05/12/22 06:00	05/12/22 17:51	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: SB-35 (0.5-1.5) **Lab ID: 40244577003** Collected: 05/06/22 09:50 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00083	mg/kg	0.0047	0.00083	1	05/12/22 06:00	05/12/22 17:51	156-59-2	
cis-1,3-Dichloropropene	<0.00096	mg/kg	0.0047	0.00096	1	05/12/22 06:00	05/12/22 17:51	10061-01-5	
trans-1,2-Dichloroethene	<0.00068	mg/kg	0.0047	0.00068	1	05/12/22 06:00	05/12/22 17:51	156-60-5	
trans-1,3-Dichloropropene	<0.00095	mg/kg	0.0047	0.00095	1	05/12/22 06:00	05/12/22 17:51	10061-02-6	
Surrogates									
Toluene-d8 (S)	101	%	69-156		1	05/12/22 06:00	05/12/22 17:51	2037-26-5	
4-Bromofluorobenzene (S)	81	%	61-175		1	05/12/22 06:00	05/12/22 17:51	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1	05/12/22 06:00	05/12/22 17:51	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	7.6	%	0.10	0.10	1		05/11/22 13:24		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.26	Std. Units	0.100	0.0100	1		05/16/22 11:48		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.32	mg/kg	0.97	0.32	1	05/18/22 10:45	05/18/22 15:16	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: SB-35 (5-6) **Lab ID: 40244577004** Collected: 05/06/22 09:55 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0021	0.00052	1	05/11/22 17:22	05/12/22 17:47	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0021	0.00022	1	05/11/22 17:22	05/12/22 17:47	319-84-6	
beta-BHC	<0.00066	mg/kg	0.0021	0.00066	1	05/11/22 17:22	05/12/22 17:47	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0021	0.00039	1	05/11/22 17:22	05/12/22 17:47	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/11/22 17:22	05/12/22 17:47	58-89-9	
Chlordane (Technical)	<0.0071	mg/kg	0.021	0.0071	1	05/11/22 17:22	05/12/22 17:47	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/11/22 17:22	05/12/22 17:47	5103-71-9	
gamma-Chlordane	<0.00080	mg/kg	0.0021	0.00080	1	05/11/22 17:22	05/12/22 17:47	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0043	0.00043	1	05/11/22 17:22	05/12/22 17:47	72-54-8	
4,4'-DDE	<0.00049	mg/kg	0.0043	0.00049	1	05/11/22 17:22	05/12/22 17:47	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/11/22 17:22	05/12/22 17:47	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/11/22 17:22	05/12/22 17:47	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0021	0.00024	1	05/11/22 17:22	05/12/22 17:47	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/11/22 17:22	05/12/22 17:47	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/11/22 17:22	05/12/22 17:47	1031-07-8	
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/11/22 17:22	05/12/22 17:47	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/11/22 17:22	05/12/22 17:47	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/11/22 17:22	05/12/22 17:47	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0021	0.00058	1	05/11/22 17:22	05/12/22 17:47	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0021	0.00022	1	05/11/22 17:22	05/12/22 17:47	1024-57-3	
Methoxychlor	<0.0066	mg/kg	0.021	0.0066	1	05/11/22 17:22	05/12/22 17:47	72-43-5	
Toxaphene	<0.020	mg/kg	0.064	0.020	1	05/11/22 17:22	05/12/22 17:47	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	59	%	53-138		1	05/11/22 17:22	05/12/22 17:47	877-09-8	
Decachlorobiphenyl (S)	58	%	30-150		1	05/11/22 17:22	05/12/22 17:47	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.064	0.020	1	05/10/22 05:06	05/11/22 23:14	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.064	0.020	1	05/10/22 05:06	05/11/22 23:14	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.064	0.020	1	05/10/22 05:06	05/11/22 23:14	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.064	0.020	1	05/10/22 05:06	05/11/22 23:14	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.064	0.020	1	05/10/22 05:06	05/11/22 23:14	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.064	0.020	1	05/10/22 05:06	05/11/22 23:14	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.064	0.020	1	05/10/22 05:06	05/11/22 23:14	11096-82-5	
PCB, Total	<0.020	mg/kg	0.064	0.020	1	05/10/22 05:06	05/11/22 23:14	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	73	%	50-99		1	05/10/22 05:06	05/11/22 23:14	877-09-8	
Decachlorobiphenyl (S)	79	%	38-95		1	05/10/22 05:06	05/11/22 23:14	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	15400	mg/kg	36.4	7.3	1	05/16/22 09:18	05/18/22 14:58	7429-90-5	
Antimony	0.17J	mg/kg	0.61	0.12	1	05/16/22 09:18	05/18/22 14:58	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: SB-35 (5-6) **Lab ID: 40244577004** Collected: 05/06/22 09:55 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	7.0	mg/kg	0.61	0.13	1	05/16/22 09:18	05/18/22 14:58	7440-38-2	
Barium	162	mg/kg	0.36	0.065	1	05/16/22 09:18	05/18/22 14:58	7440-39-3	
Beryllium	0.84	mg/kg	0.24	0.048	1	05/16/22 09:18	05/18/22 14:58	7440-41-7	
Cadmium	0.10	mg/kg	0.097	0.038	1	05/16/22 09:18	05/18/22 14:58	7440-43-9	
Calcium	4400	mg/kg	121	14.3	1	05/16/22 09:18	05/18/22 14:58	7440-70-2	
Chromium	20.5	mg/kg	2.4	0.17	1	05/16/22 09:18	05/18/22 14:58	7440-47-3	
Cobalt	3.6	mg/kg	0.61	0.12	1	05/16/22 09:18	05/18/22 14:58	7440-48-4	
Copper	19.0	mg/kg	1.2	0.29	1	05/16/22 09:18	05/18/22 14:58	7440-50-8	
Iron	19100	mg/kg	60.6	12.7	1	05/16/22 09:18	05/18/22 14:58	7439-89-6	
Lead	10.3	mg/kg	0.61	0.036	1	05/16/22 09:18	05/18/22 14:58	7439-92-1	
Magnesium	3580	mg/kg	36.4	5.2	1	05/16/22 09:18	05/18/22 14:58	7439-95-4	
Manganese	110	mg/kg	0.61	0.30	1	05/16/22 09:18	05/18/22 14:58	7439-96-5	
Nickel	21.1	mg/kg	0.61	0.24	1	05/16/22 09:18	05/18/22 14:58	7440-02-0	
Potassium	786	mg/kg	121	13.9	1	05/16/22 09:18	05/18/22 14:58	7440-09-7	
Selenium	0.30J	mg/kg	0.61	0.10	1	05/16/22 09:18	05/18/22 14:58	7782-49-2	
Silver	<0.18	mg/kg	0.61	0.18	1	05/16/22 09:18	05/18/22 14:58	7440-22-4	
Sodium	53.8J	mg/kg	60.6	13.5	1	05/16/22 09:18	05/18/22 14:58	7440-23-5	
Thallium	0.14	mg/kg	0.12	0.044	1	05/16/22 09:18	05/18/22 14:58	7440-28-0	
Vanadium	31.3	mg/kg	1.2	0.21	1	05/16/22 09:18	05/18/22 14:58	7440-62-2	
Zinc	67.3	mg/kg	6.1	1.1	1	05/16/22 09:18	05/18/22 14:58	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.021J	mg/kg	0.043	0.012	1	05/13/22 09:57	05/16/22 09:26	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/12/22 10:47	05/13/22 12:37	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/12/22 10:47	05/13/22 12:37	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/12/22 10:47	05/13/22 12:37	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/13/22 12:37	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/13/22 12:37	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/13/22 12:37	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 12:37	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/12/22 10:47	05/13/22 12:37	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/12/22 10:47	05/13/22 12:37	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/12/22 10:47	05/13/22 12:37	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/13/22 12:37	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/12/22 10:47	05/13/22 12:37	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.092	0.028	1	05/12/22 10:47	05/13/22 12:37	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/13/22 12:37	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/13/22 12:37	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/13/22 12:37	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/12/22 10:47	05/13/22 12:37	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: SB-35 (5-6) **Lab ID: 40244577004** Collected: 05/06/22 09:55 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/12/22 10:47	05/13/22 12:37	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/13/22 12:37		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/13/22 12:37	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/13/22 12:37	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/12/22 10:47	05/13/22 12:37	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/12/22 10:47	05/13/22 12:37	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/13/22 12:37	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 12:37	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/13/22 12:37	7005-72-3	
4-Nitroaniline	<0.089	mg/kg	0.30	0.089	1	05/12/22 10:47	05/13/22 12:37	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/13/22 12:37	100-02-7	
Acenaphthene	<0.076	mg/kg	0.25	0.076	1	05/12/22 10:47	05/13/22 12:37	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/12/22 10:47	05/13/22 12:37	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 12:37	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 12:37	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 12:37	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/13/22 12:37	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/13/22 12:37	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/12/22 10:47	05/13/22 12:37	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 12:37	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 12:37	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 12:37	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 12:37	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/12/22 10:47	05/13/22 12:37	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/13/22 12:37	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/12/22 10:47	05/13/22 12:37	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/13/22 12:37	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.093	0.028	1	05/12/22 10:47	05/13/22 12:37	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/13/22 12:37	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/12/22 10:47	05/13/22 12:37	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/12/22 10:47	05/13/22 12:37	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/13/22 12:37	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/12/22 10:47	05/13/22 12:37	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 12:37	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/12/22 10:47	05/13/22 12:37	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 12:37	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 12:37	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.97	0.29	1	05/12/22 10:47	05/13/22 12:37	86-30-6	
Naphthalene	<0.075	mg/kg	0.25	0.075	1	05/12/22 10:47	05/13/22 12:37	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/12/22 10:47	05/13/22 12:37	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/13/22 12:37	87-86-5	
Phenanthrene	<0.028	mg/kg	0.092	0.028	1	05/12/22 10:47	05/13/22 12:37	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/12/22 10:47	05/13/22 12:37	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/12/22 10:47	05/13/22 12:37	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: SB-35 (5-6) **Lab ID: 40244577004** Collected: 05/06/22 09:55 Received: 05/07/22 11:10 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/12/22 10:47	05/13/22 12:37	111-91-1	
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/12/22 10:47	05/13/22 12:37	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/13/22 12:37	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	62	%	10-125		1	05/12/22 10:47	05/13/22 12:37	4165-60-0	
2-Fluorobiphenyl (S)	48	%	12-118		1	05/12/22 10:47	05/13/22 12:37	321-60-8	
Terphenyl-d14 (S)	59	%	10-124		1	05/12/22 10:47	05/13/22 12:37	1718-51-0	
Phenol-d6 (S)	51	%	10-125		1	05/12/22 10:47	05/13/22 12:37	13127-88-3	
2-Fluorophenol (S)	51	%	10-130		1	05/12/22 10:47	05/13/22 12:37	367-12-4	
2,4,6-Tribromophenol (S)	63	%	10-144		1	05/12/22 10:47	05/13/22 12:37	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0048	0.0015	1	05/12/22 06:00	05/12/22 18:16	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0025	mg/kg	0.0048	0.0025	1	05/12/22 06:00	05/12/22 18:16	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0048	0.0015	1	05/12/22 06:00	05/12/22 18:16	79-00-5	
1,1-Dichloroethane	<0.0010	mg/kg	0.0048	0.0010	1	05/12/22 06:00	05/12/22 18:16	75-34-3	
1,1-Dichloroethene	<0.0010	mg/kg	0.0048	0.0010	1	05/12/22 06:00	05/12/22 18:16	75-35-4	
1,2-Dichloroethane	<0.00079	mg/kg	0.0048	0.00079	1	05/12/22 06:00	05/12/22 18:16	107-06-2	
1,2-Dichloropropane	<0.00097	mg/kg	0.0048	0.00097	1	05/12/22 06:00	05/12/22 18:16	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.024	0.015	1	05/12/22 06:00	05/12/22 18:16	78-93-3	
2-Hexanone	<0.011	mg/kg	0.024	0.011	1	05/12/22 06:00	05/12/22 18:16	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.019	mg/kg	0.024	0.019	1	05/12/22 06:00	05/12/22 18:16	108-10-1	
Acetone	<0.045	mg/kg	0.096	0.045	1	05/12/22 06:00	05/12/22 18:16	67-64-1	
Benzene	<0.00068	mg/kg	0.0048	0.00068	1	05/12/22 06:00	05/12/22 18:16	71-43-2	
Bromodichloromethane	<0.00065	mg/kg	0.0048	0.00065	1	05/12/22 06:00	05/12/22 18:16	75-27-4	
Bromoform	<0.0078	mg/kg	0.019	0.0078	1	05/12/22 06:00	05/12/22 18:16	75-25-2	
Bromomethane	<0.0043	mg/kg	0.0048	0.0043	1	05/12/22 06:00	05/12/22 18:16	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0048	0.0011	1	05/12/22 06:00	05/12/22 18:16	75-15-0	
Carbon tetrachloride	<0.0030	mg/kg	0.0048	0.0030	1	05/12/22 06:00	05/12/22 18:16	56-23-5	
Chlorobenzene	<0.00089	mg/kg	0.0048	0.00089	1	05/12/22 06:00	05/12/22 18:16	108-90-7	
Chloroethane	<0.0035	mg/kg	0.0048	0.0035	1	05/12/22 06:00	05/12/22 18:16	75-00-3	
Chloroform	<0.00081	mg/kg	0.0048	0.00081	1	05/12/22 06:00	05/12/22 18:16	67-66-3	
Chloromethane	<0.0010	mg/kg	0.0048	0.0010	1	05/12/22 06:00	05/12/22 18:16	74-87-3	
Dibromochloromethane	<0.00097	mg/kg	0.0048	0.00097	1	05/12/22 06:00	05/12/22 18:16	124-48-1	
Ethylbenzene	<0.00086	mg/kg	0.0048	0.00086	1	05/12/22 06:00	05/12/22 18:16	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0048	0.0020	1	05/12/22 06:00	05/12/22 18:16	1634-04-4	
Methylene Chloride	<0.0038	mg/kg	0.0048	0.0038	1	05/12/22 06:00	05/12/22 18:16	75-09-2	
Styrene	<0.00068	mg/kg	0.0048	0.00068	1	05/12/22 06:00	05/12/22 18:16	100-42-5	
Tetrachloroethene	<0.00085	mg/kg	0.0048	0.00085	1	05/12/22 06:00	05/12/22 18:16	127-18-4	
Toluene	<0.00085	mg/kg	0.0048	0.00085	1	05/12/22 06:00	05/12/22 18:16	108-88-3	
Trichloroethene	<0.00069	mg/kg	0.0048	0.00069	1	05/12/22 06:00	05/12/22 18:16	79-01-6	
Vinyl chloride	<0.0012	mg/kg	0.0048	0.0012	1	05/12/22 06:00	05/12/22 18:16	75-01-4	
Xylene (Total)	<0.0033	mg/kg	0.0096	0.0033	1	05/12/22 06:00	05/12/22 18:16	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: SB-35 (5-6) **Lab ID: 40244577004** Collected: 05/06/22 09:55 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00085	mg/kg	0.0048	0.00085	1	05/12/22 06:00	05/12/22 18:16	156-59-2	
cis-1,3-Dichloropropene	<0.00098	mg/kg	0.0048	0.00098	1	05/12/22 06:00	05/12/22 18:16	10061-01-5	
trans-1,2-Dichloroethene	<0.00069	mg/kg	0.0048	0.00069	1	05/12/22 06:00	05/12/22 18:16	156-60-5	
trans-1,3-Dichloropropene	<0.00097	mg/kg	0.0048	0.00097	1	05/12/22 06:00	05/12/22 18:16	10061-02-6	
Surrogates									
Toluene-d8 (S)	95	%	69-156		1	05/12/22 06:00	05/12/22 18:16	2037-26-5	
4-Bromofluorobenzene (S)	73	%	61-175		1	05/12/22 06:00	05/12/22 18:16	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1	05/12/22 06:00	05/12/22 18:16	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.2	%	0.10	0.10	1		05/11/22 13:57		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.3	Std. Units	0.10	0.010	1		05/17/22 11:28		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.35	mg/kg	1.0	0.35	1	05/18/22 10:45	05/18/22 15:16	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: SB-60 (0.8-1.8) **Lab ID: 40244577005** Collected: 05/06/22 11:00 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00048	mg/kg	0.0020	0.00048	1	05/11/22 17:22	05/12/22 18:06	309-00-2	
alpha-BHC	<0.00020	mg/kg	0.0020	0.00020	1	05/11/22 17:22	05/12/22 18:06	319-84-6	
beta-BHC	<0.00061	mg/kg	0.0020	0.00061	1	05/11/22 17:22	05/12/22 18:06	319-85-7	
delta-BHC	<0.00036	mg/kg	0.0020	0.00036	1	05/11/22 17:22	05/12/22 18:06	319-86-8	
gamma-BHC (Lindane)	<0.00019	mg/kg	0.0020	0.00019	1	05/11/22 17:22	05/12/22 18:06	58-89-9	
Chlordane (Technical)	<0.0065	mg/kg	0.020	0.0065	1	05/11/22 17:22	05/12/22 18:06	57-74-9	
alpha-Chlordane	<0.00024	mg/kg	0.0020	0.00024	1	05/11/22 17:22	05/12/22 18:06	5103-71-9	
gamma-Chlordane	<0.00073	mg/kg	0.0020	0.00073	1	05/11/22 17:22	05/12/22 18:06	5103-74-2	
4,4'-DDD	<0.00040	mg/kg	0.0039	0.00040	1	05/11/22 17:22	05/12/22 18:06	72-54-8	
4,4'-DDE	<0.00045	mg/kg	0.0039	0.00045	1	05/11/22 17:22	05/12/22 18:06	72-55-9	
4,4'-DDT	<0.0012	mg/kg	0.0039	0.0012	1	05/11/22 17:22	05/12/22 18:06	50-29-3	
Dieldrin	<0.00038	mg/kg	0.0039	0.00038	1	05/11/22 17:22	05/12/22 18:06	60-57-1	
Endosulfan I	<0.00022	mg/kg	0.0020	0.00022	1	05/11/22 17:22	05/12/22 18:06	959-98-8	
Endosulfan II	<0.00093	mg/kg	0.0039	0.00093	1	05/11/22 17:22	05/12/22 18:06	33213-65-9	
Endosulfan sulfate	<0.00093	mg/kg	0.0039	0.00093	1	05/11/22 17:22	05/12/22 18:06	1031-07-8	
Endrin	<0.00044	mg/kg	0.0039	0.00044	1	05/11/22 17:22	05/12/22 18:06	72-20-8	
Endrin aldehyde	<0.0013	mg/kg	0.0039	0.0013	1	05/11/22 17:22	05/12/22 18:06	7421-93-4	
Endrin ketone	<0.0010	mg/kg	0.0039	0.0010	1	05/11/22 17:22	05/12/22 18:06	53494-70-5	
Heptachlor	<0.00053	mg/kg	0.0020	0.00053	1	05/11/22 17:22	05/12/22 18:06	76-44-8	
Heptachlor epoxide	<0.00020	mg/kg	0.0020	0.00020	1	05/11/22 17:22	05/12/22 18:06	1024-57-3	
Methoxychlor	<0.0061	mg/kg	0.020	0.0061	1	05/11/22 17:22	05/12/22 18:06	72-43-5	
Toxaphene	<0.019	mg/kg	0.059	0.019	1	05/11/22 17:22	05/12/22 18:06	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	60	%	53-138		1	05/11/22 17:22	05/12/22 18:06	877-09-8	
Decachlorobiphenyl (S)	52	%	30-150		1	05/11/22 17:22	05/12/22 18:06	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.059	0.018	1	05/10/22 05:06	05/12/22 00:26	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.059	0.018	1	05/10/22 05:06	05/12/22 00:26	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.059	0.018	1	05/10/22 05:06	05/12/22 00:26	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.059	0.018	1	05/10/22 05:06	05/12/22 00:26	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.059	0.018	1	05/10/22 05:06	05/12/22 00:26	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.018	mg/kg	0.059	0.018	1	05/10/22 05:06	05/12/22 00:26	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.059	0.018	1	05/10/22 05:06	05/12/22 00:26	11096-82-5	
PCB, Total	<0.018	mg/kg	0.059	0.018	1	05/10/22 05:06	05/12/22 00:26	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	72	%	50-99		1	05/10/22 05:06	05/12/22 00:26	877-09-8	
Decachlorobiphenyl (S)	78	%	38-95		1	05/10/22 05:06	05/12/22 00:26	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	9370	mg/kg	33.2	6.7	1	05/16/22 09:18	05/18/22 15:02	7429-90-5	
Antimony	0.17J	mg/kg	0.55	0.11	1	05/16/22 09:18	05/18/22 15:02	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: **SB-60 (0.8-1.8)** Lab ID: **40244577005** Collected: 05/06/22 11:00 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	5.3	mg/kg	0.55	0.12	1	05/16/22 09:18	05/18/22 15:02	7440-38-2	
Barium	131	mg/kg	0.33	0.059	1	05/16/22 09:18	05/18/22 15:02	7440-39-3	
Beryllium	0.66	mg/kg	0.22	0.044	1	05/16/22 09:18	05/18/22 15:02	7440-41-7	
Cadmium	0.46	mg/kg	0.089	0.035	1	05/16/22 09:18	05/18/22 15:02	7440-43-9	
Calcium	3860	mg/kg	111	13.1	1	05/16/22 09:18	05/18/22 15:02	7440-70-2	
Chromium	12.0	mg/kg	2.2	0.15	1	05/16/22 09:18	05/18/22 15:02	7440-47-3	
Cobalt	3.1	mg/kg	0.55	0.11	1	05/16/22 09:18	05/18/22 15:02	7440-48-4	
Copper	16.5	mg/kg	1.1	0.27	1	05/16/22 09:18	05/18/22 15:02	7440-50-8	
Iron	12400	mg/kg	55.3	11.6	1	05/16/22 09:18	05/18/22 15:02	7439-89-6	
Lead	25.2	mg/kg	0.55	0.033	1	05/16/22 09:18	05/18/22 15:02	7439-92-1	
Magnesium	2140	mg/kg	33.2	4.8	1	05/16/22 09:18	05/18/22 15:02	7439-95-4	
Manganese	163	mg/kg	0.55	0.27	1	05/16/22 09:18	05/18/22 15:02	7439-96-5	
Nickel	8.8	mg/kg	0.55	0.22	1	05/16/22 09:18	05/18/22 15:02	7440-02-0	
Potassium	880	mg/kg	111	12.7	1	05/16/22 09:18	05/18/22 15:02	7440-09-7	
Selenium	0.87	mg/kg	0.55	0.095	1	05/16/22 09:18	05/18/22 15:02	7782-49-2	
Silver	<0.16	mg/kg	0.55	0.16	1	05/16/22 09:18	05/18/22 15:02	7440-22-4	
Sodium	52.5J	mg/kg	55.3	12.3	1	05/16/22 09:18	05/18/22 15:02	7440-23-5	B
Thallium	0.31	mg/kg	0.11	0.040	1	05/16/22 09:18	05/18/22 15:02	7440-28-0	
Vanadium	22.9	mg/kg	1.1	0.19	1	05/16/22 09:18	05/18/22 15:02	7440-62-2	
Zinc	64.6	mg/kg	5.5	0.99	1	05/16/22 09:18	05/18/22 15:02	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.015J	mg/kg	0.039	0.011	1	05/13/22 09:57	05/16/22 09:29	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.022	mg/kg	0.075	0.022	1	05/12/22 10:47	05/13/22 12:58	120-82-1	
1,2-Dichlorobenzene	<0.062	mg/kg	0.21	0.062	1	05/12/22 10:47	05/13/22 12:58	95-50-1	
1,3-Dichlorobenzene	<0.027	mg/kg	0.091	0.027	1	05/12/22 10:47	05/13/22 12:58	541-73-1	
1,4-Dichlorobenzene	<0.028	mg/kg	0.092	0.028	1	05/12/22 10:47	05/13/22 12:58	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.051	mg/kg	0.17	0.051	1	05/12/22 10:47	05/13/22 12:58	108-60-1	
2,4,5-Trichlorophenol	<0.035	mg/kg	0.12	0.035	1	05/12/22 10:47	05/13/22 12:58	95-95-4	
2,4,6-Trichlorophenol	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/13/22 12:58	88-06-2	
2,4-Dichlorophenol	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/13/22 12:58	120-83-2	
2,4-Dimethylphenol	<0.039	mg/kg	0.13	0.039	1	05/12/22 10:47	05/13/22 12:58	105-67-9	
2,4-Dinitrophenol	<0.060	mg/kg	0.20	0.060	1	05/12/22 10:47	05/13/22 12:58	51-28-5	
2,4-Dinitrotoluene	<0.028	mg/kg	0.094	0.028	1	05/12/22 10:47	05/13/22 12:58	121-14-2	
2,6-Dinitrotoluene	<0.038	mg/kg	0.13	0.038	1	05/12/22 10:47	05/13/22 12:58	606-20-2	
2-Chloronaphthalene	<0.025	mg/kg	0.085	0.025	1	05/12/22 10:47	05/13/22 12:58	91-58-7	
2-Chlorophenol	<0.049	mg/kg	0.16	0.049	1	05/12/22 10:47	05/13/22 12:58	95-57-8	
2-Methylnaphthalene	<0.051	mg/kg	0.17	0.051	1	05/12/22 10:47	05/13/22 12:58	91-57-6	
2-Methylphenol(o-Cresol)	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/13/22 12:58	95-48-7	
2-Nitroaniline	<0.056	mg/kg	0.19	0.056	1	05/12/22 10:47	05/13/22 12:58	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: SB-60 (0.8-1.8) Lab ID: 40244577005 Collected: 05/06/22 11:00 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.062	mg/kg	0.21	0.062	1	05/12/22 10:47	05/13/22 12:58	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.036	mg/kg	0.12	0.036	1	05/12/22 10:47	05/13/22 12:58		
3,3'-Dichlorobenzidine	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/13/22 12:58	91-94-1	
3-Nitroaniline	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 12:58	99-09-2	
4,6-Dinitro-2-methylphenol	<0.061	mg/kg	0.20	0.061	1	05/12/22 10:47	05/13/22 12:58	534-52-1	
4-Bromophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/12/22 10:47	05/13/22 12:58	101-55-3	
4-Chloro-3-methylphenol	<0.062	mg/kg	0.21	0.062	1	05/12/22 10:47	05/13/22 12:58	59-50-7	
4-Chloroaniline	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 12:58	106-47-8	1q
4-Chlorophenylphenyl ether	<0.037	mg/kg	0.12	0.037	1	05/12/22 10:47	05/13/22 12:58	7005-72-3	
4-Nitroaniline	<0.082	mg/kg	0.27	0.082	1	05/12/22 10:47	05/13/22 12:58	100-01-6	
4-Nitrophenol	<0.050	mg/kg	0.17	0.050	1	05/12/22 10:47	05/13/22 12:58	100-02-7	
Acenaphthene	<0.070	mg/kg	0.23	0.070	1	05/12/22 10:47	05/13/22 12:58	83-32-9	
Acenaphthylene	<0.071	mg/kg	0.24	0.071	1	05/12/22 10:47	05/13/22 12:58	208-96-8	
Anthracene	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 12:58	120-12-7	
Benzo(a)anthracene	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/13/22 12:58	56-55-3	
Benzo(a)pyrene	<0.030	mg/kg	0.099	0.030	1	05/12/22 10:47	05/13/22 12:58	50-32-8	
Benzo(b)fluoranthene	<0.034	mg/kg	0.11	0.034	1	05/12/22 10:47	05/13/22 12:58	205-99-2	
Benzo(g,h,i)perylene	<0.052	mg/kg	0.17	0.052	1	05/12/22 10:47	05/13/22 12:58	191-24-2	
Benzo(k)fluoranthene	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/13/22 12:58	207-08-9	
Butylbenzylphthalate	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 12:58	85-68-7	
Carbazole	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/13/22 12:58	86-74-8	
Chrysene	<0.030	mg/kg	0.099	0.030	1	05/12/22 10:47	05/13/22 12:58	218-01-9	
Di-n-butylphthalate	<0.030	mg/kg	0.099	0.030	1	05/12/22 10:47	05/13/22 12:58	84-74-2	
Di-n-octylphthalate	<0.045	mg/kg	0.15	0.045	1	05/12/22 10:47	05/13/22 12:58	117-84-0	
Dibenz(a,h)anthracene	<0.054	mg/kg	0.18	0.054	1	05/12/22 10:47	05/13/22 12:58	53-70-3	
Dibenzofuran	<0.024	mg/kg	0.080	0.024	1	05/12/22 10:47	05/13/22 12:58	132-64-9	
Diethylphthalate	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 12:58	84-66-2	
Dimethylphthalate	<0.026	mg/kg	0.086	0.026	1	05/12/22 10:47	05/13/22 12:58	131-11-3	
Fluoranthene	<0.028	mg/kg	0.093	0.028	1	05/12/22 10:47	05/13/22 12:58	206-44-0	
Fluorene	<0.023	mg/kg	0.077	0.023	1	05/12/22 10:47	05/13/22 12:58	86-73-7	
Hexachloro-1,3-butadiene	<0.050	mg/kg	0.17	0.050	1	05/12/22 10:47	05/13/22 12:58	87-68-3	
Hexachlorobenzene	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 12:58	118-74-1	
Hexachlorocyclopentadiene	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/13/22 12:58	77-47-4	
Hexachloroethane	<0.032	mg/kg	0.11	0.032	1	05/12/22 10:47	05/13/22 12:58	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.043	mg/kg	0.14	0.043	1	05/12/22 10:47	05/13/22 12:58	193-39-5	
Isophorone	<0.030	mg/kg	0.10	0.030	1	05/12/22 10:47	05/13/22 12:58	78-59-1	
N-Nitroso-di-n-propylamine	<0.031	mg/kg	0.10	0.031	1	05/12/22 10:47	05/13/22 12:58	621-64-7	
N-Nitrosodiphenylamine	<0.27	mg/kg	0.90	0.27	1	05/12/22 10:47	05/13/22 12:58	86-30-6	
Naphthalene	<0.069	mg/kg	0.23	0.069	1	05/12/22 10:47	05/13/22 12:58	91-20-3	
Nitrobenzene	<0.040	mg/kg	0.13	0.040	1	05/12/22 10:47	05/13/22 12:58	98-95-3	
Pentachlorophenol	<0.044	mg/kg	0.15	0.044	1	05/12/22 10:47	05/13/22 12:58	87-86-5	
Phenanthrene	<0.025	mg/kg	0.085	0.025	1	05/12/22 10:47	05/13/22 12:58	85-01-8	
Phenol	<0.047	mg/kg	0.16	0.047	1	05/12/22 10:47	05/13/22 12:58	108-95-2	
Pyrene	<0.044	mg/kg	0.15	0.044	1	05/12/22 10:47	05/13/22 12:58	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: **SB-60 (0.8-1.8)** Lab ID: **40244577005** Collected: 05/06/22 11:00 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.053	mg/kg	0.18	0.053	1	05/12/22 10:47	05/13/22 12:58	111-91-1	
bis(2-Chloroethyl) ether	<0.062	mg/kg	0.21	0.062	1	05/12/22 10:47	05/13/22 12:58	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.033	mg/kg	0.11	0.033	1	05/12/22 10:47	05/13/22 12:58	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	68	%	10-125		1	05/12/22 10:47	05/13/22 12:58	4165-60-0	
2-Fluorobiphenyl (S)	54	%	12-118		1	05/12/22 10:47	05/13/22 12:58	321-60-8	
Terphenyl-d14 (S)	69	%	10-124		1	05/12/22 10:47	05/13/22 12:58	1718-51-0	
Phenol-d6 (S)	65	%	10-125		1	05/12/22 10:47	05/13/22 12:58	13127-88-3	
2-Fluorophenol (S)	66	%	10-130		1	05/12/22 10:47	05/13/22 12:58	367-12-4	
2,4,6-Tribromophenol (S)	74	%	10-144		1	05/12/22 10:47	05/13/22 12:58	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0013	mg/kg	0.0043	0.0013	1	05/13/22 06:00	05/13/22 09:43	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0022	mg/kg	0.0043	0.0022	1	05/13/22 06:00	05/13/22 09:43	79-34-5	
1,1,2-Trichloroethane	<0.0013	mg/kg	0.0043	0.0013	1	05/13/22 06:00	05/13/22 09:43	79-00-5	
1,1-Dichloroethane	<0.00091	mg/kg	0.0043	0.00091	1	05/13/22 06:00	05/13/22 09:43	75-34-3	
1,1-Dichloroethene	<0.00090	mg/kg	0.0043	0.00090	1	05/13/22 06:00	05/13/22 09:43	75-35-4	
1,2-Dichloroethane	<0.00070	mg/kg	0.0043	0.00070	1	05/13/22 06:00	05/13/22 09:43	107-06-2	
1,2-Dichloropropane	<0.00086	mg/kg	0.0043	0.00086	1	05/13/22 06:00	05/13/22 09:43	78-87-5	
2-Butanone (MEK)	<0.013	mg/kg	0.021	0.013	1	05/13/22 06:00	05/13/22 09:43	78-93-3	
2-Hexanone	<0.0097	mg/kg	0.021	0.0097	1	05/13/22 06:00	05/13/22 09:43	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.017	mg/kg	0.021	0.017	1	05/13/22 06:00	05/13/22 09:43	108-10-1	
Acetone	<0.040	mg/kg	0.085	0.040	1	05/13/22 06:00	05/13/22 09:43	67-64-1	
Benzene	<0.00061	mg/kg	0.0043	0.00061	1	05/13/22 06:00	05/13/22 09:43	71-43-2	
Bromodichloromethane	<0.00058	mg/kg	0.0043	0.00058	1	05/13/22 06:00	05/13/22 09:43	75-27-4	
Bromoform	<0.0069	mg/kg	0.017	0.0069	1	05/13/22 06:00	05/13/22 09:43	75-25-2	
Bromomethane	<0.0038	mg/kg	0.0043	0.0038	1	05/13/22 06:00	05/13/22 09:43	74-83-9	
Carbon disulfide	<0.00095	mg/kg	0.0043	0.00095	1	05/13/22 06:00	05/13/22 09:43	75-15-0	
Carbon tetrachloride	<0.0027	mg/kg	0.0043	0.0027	1	05/13/22 06:00	05/13/22 09:43	56-23-5	
Chlorobenzene	<0.00079	mg/kg	0.0043	0.00079	1	05/13/22 06:00	05/13/22 09:43	108-90-7	
Chloroethane	<0.0031	mg/kg	0.0043	0.0031	1	05/13/22 06:00	05/13/22 09:43	75-00-3	
Chloroform	<0.00072	mg/kg	0.0043	0.00072	1	05/13/22 06:00	05/13/22 09:43	67-66-3	
Chloromethane	<0.00092	mg/kg	0.0043	0.00092	1	05/13/22 06:00	05/13/22 09:43	74-87-3	
Dibromochloromethane	<0.00086	mg/kg	0.0043	0.00086	1	05/13/22 06:00	05/13/22 09:43	124-48-1	
Ethylbenzene	<0.00076	mg/kg	0.0043	0.00076	1	05/13/22 06:00	05/13/22 09:43	100-41-4	
Methyl-tert-butyl ether	<0.0018	mg/kg	0.0043	0.0018	1	05/13/22 06:00	05/13/22 09:43	1634-04-4	
Methylene Chloride	<0.0034	mg/kg	0.0043	0.0034	1	05/13/22 06:00	05/13/22 09:43	75-09-2	
Styrene	<0.00061	mg/kg	0.0043	0.00061	1	05/13/22 06:00	05/13/22 09:43	100-42-5	
Tetrachloroethene	<0.00076	mg/kg	0.0043	0.00076	1	05/13/22 06:00	05/13/22 09:43	127-18-4	
Toluene	<0.00075	mg/kg	0.0043	0.00075	1	05/13/22 06:00	05/13/22 09:43	108-88-3	
Trichloroethene	<0.00061	mg/kg	0.0043	0.00061	1	05/13/22 06:00	05/13/22 09:43	79-01-6	
Vinyl chloride	<0.0011	mg/kg	0.0043	0.0011	1	05/13/22 06:00	05/13/22 09:43	75-01-4	
Xylene (Total)	<0.0029	mg/kg	0.0085	0.0029	1	05/13/22 06:00	05/13/22 09:43	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: SB-60 (0.8-1.8) **Lab ID: 40244577005** Collected: 05/06/22 11:00 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00075	mg/kg	0.0043	0.00075	1	05/13/22 06:00	05/13/22 09:43	156-59-2	
cis-1,3-Dichloropropene	<0.00087	mg/kg	0.0043	0.00087	1	05/13/22 06:00	05/13/22 09:43	10061-01-5	
trans-1,2-Dichloroethene	<0.00061	mg/kg	0.0043	0.00061	1	05/13/22 06:00	05/13/22 09:43	156-60-5	
trans-1,3-Dichloropropene	<0.00086	mg/kg	0.0043	0.00086	1	05/13/22 06:00	05/13/22 09:43	10061-02-6	
Surrogates									
Toluene-d8 (S)	103	%	69-156		1	05/13/22 06:00	05/13/22 09:43	2037-26-5	
4-Bromofluorobenzene (S)	81	%	61-175		1	05/13/22 06:00	05/13/22 09:43	460-00-4	
1,2-Dichlorobenzene-d4 (S)	95	%	70-130		1	05/13/22 06:00	05/13/22 09:43	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	15.5	%	0.10	0.10	1		05/11/22 13:57		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.18	Std. Units	0.100	0.0100	1		05/16/22 11:49		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.23	mg/kg	0.70	0.23	1	05/18/22 10:45	05/18/22 15:17	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: SB-60 (4.5-5.5) **Lab ID: 40244577006** Collected: 05/06/22 11:05 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0022	0.00052	1	05/11/22 17:22	05/12/22 18:25	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 17:22	05/12/22 18:25	319-84-6	
beta-BHC	<0.00067	mg/kg	0.0022	0.00067	1	05/11/22 17:22	05/12/22 18:25	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0022	0.00039	1	05/11/22 17:22	05/12/22 18:25	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/11/22 17:22	05/12/22 18:25	58-89-9	
Chlordane (Technical)	<0.0071	mg/kg	0.022	0.0071	1	05/11/22 17:22	05/12/22 18:25	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/11/22 17:22	05/12/22 18:25	5103-71-9	
gamma-Chlordane	<0.00080	mg/kg	0.0022	0.00080	1	05/11/22 17:22	05/12/22 18:25	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0043	0.00044	1	05/11/22 17:22	05/12/22 18:25	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/11/22 17:22	05/12/22 18:25	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/11/22 17:22	05/12/22 18:25	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/11/22 17:22	05/12/22 18:25	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/11/22 17:22	05/12/22 18:25	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/11/22 17:22	05/12/22 18:25	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/11/22 17:22	05/12/22 18:25	1031-07-8	
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/11/22 17:22	05/12/22 18:25	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/11/22 17:22	05/12/22 18:25	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/11/22 17:22	05/12/22 18:25	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0022	0.00058	1	05/11/22 17:22	05/12/22 18:25	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 17:22	05/12/22 18:25	1024-57-3	
Methoxychlor	<0.0066	mg/kg	0.022	0.0066	1	05/11/22 17:22	05/12/22 18:25	72-43-5	
Toxaphene	<0.020	mg/kg	0.065	0.020	1	05/11/22 17:22	05/12/22 18:25	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	57	%	53-138		1	05/11/22 17:22	05/12/22 18:25	877-09-8	
Decachlorobiphenyl (S)	51	%	30-150		1	05/11/22 17:22	05/12/22 18:25	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/10/22 05:06	05/12/22 00:50	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/10/22 05:06	05/12/22 00:50	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/10/22 05:06	05/12/22 00:50	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/10/22 05:06	05/12/22 00:50	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/10/22 05:06	05/12/22 00:50	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/10/22 05:06	05/12/22 00:50	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/10/22 05:06	05/12/22 00:50	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/10/22 05:06	05/12/22 00:50	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	71	%	50-99		1	05/10/22 05:06	05/12/22 00:50	877-09-8	
Decachlorobiphenyl (S)	72	%	38-95		1	05/10/22 05:06	05/12/22 00:50	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	18500	mg/kg	36.9	7.4	1	05/16/22 09:18	05/18/22 15:06	7429-90-5	
Antimony	0.23J	mg/kg	0.61	0.12	1	05/16/22 09:18	05/18/22 15:06	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: SB-60 (4.5-5.5) **Lab ID: 40244577006** Collected: 05/06/22 11:05 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	11.0	mg/kg	0.61	0.13	1	05/16/22 09:18	05/18/22 15:06	7440-38-2	
Barium	197	mg/kg	0.37	0.066	1	05/16/22 09:18	05/18/22 15:06	7440-39-3	
Beryllium	1.0	mg/kg	0.25	0.049	1	05/16/22 09:18	05/18/22 15:06	7440-41-7	
Cadmium	0.31	mg/kg	0.098	0.039	1	05/16/22 09:18	05/18/22 15:06	7440-43-9	
Calcium	4090	mg/kg	123	14.5	1	05/16/22 09:18	05/18/22 15:06	7440-70-2	
Chromium	21.7	mg/kg	2.5	0.17	1	05/16/22 09:18	05/18/22 15:06	7440-47-3	
Cobalt	13.2	mg/kg	0.61	0.12	1	05/16/22 09:18	05/18/22 15:06	7440-48-4	
Copper	21.1	mg/kg	1.2	0.30	1	05/16/22 09:18	05/18/22 15:06	7440-50-8	
Iron	27800	mg/kg	61.5	12.9	1	05/16/22 09:18	05/18/22 15:06	7439-89-6	
Lead	24.3	mg/kg	0.61	0.036	1	05/16/22 09:18	05/18/22 15:06	7439-92-1	
Magnesium	3820	mg/kg	36.9	5.3	1	05/16/22 09:18	05/18/22 15:06	7439-95-4	
Manganese	757	mg/kg	6.1	3.0	10	05/16/22 09:18	05/18/22 15:10	7439-96-5	
Nickel	20.8	mg/kg	0.61	0.24	1	05/16/22 09:18	05/18/22 15:06	7440-02-0	
Potassium	870	mg/kg	123	14.1	1	05/16/22 09:18	05/18/22 15:06	7440-09-7	
Selenium	0.64	mg/kg	0.61	0.11	1	05/16/22 09:18	05/18/22 15:06	7782-49-2	
Silver	<0.18	mg/kg	0.61	0.18	1	05/16/22 09:18	05/18/22 15:06	7440-22-4	
Sodium	75.3	mg/kg	61.5	13.6	1	05/16/22 09:18	05/18/22 15:06	7440-23-5	
Thallium	0.22	mg/kg	0.12	0.045	1	05/16/22 09:18	05/18/22 15:06	7440-28-0	
Vanadium	41.9	mg/kg	1.2	0.22	1	05/16/22 09:18	05/18/22 15:06	7440-62-2	
Zinc	65.2	mg/kg	6.1	1.1	1	05/16/22 09:18	05/18/22 15:06	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.040J	mg/kg	0.042	0.012	1	05/13/22 09:57	05/16/22 09:31	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.082	0.025	1	05/11/22 12:41	05/16/22 15:04	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/11/22 12:41	05/16/22 15:04	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/11/22 12:41	05/16/22 15:04	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/11/22 12:41	05/16/22 15:04	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/11/22 12:41	05/16/22 15:04	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/11/22 12:41	05/16/22 15:04	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/11/22 12:41	05/16/22 15:04	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/11/22 12:41	05/16/22 15:04	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/11/22 12:41	05/16/22 15:04	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/11/22 12:41	05/16/22 15:04	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/11/22 12:41	05/16/22 15:04	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/11/22 12:41	05/16/22 15:04	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/11/22 12:41	05/16/22 15:04	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/11/22 12:41	05/16/22 15:04	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/11/22 12:41	05/16/22 15:04	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/11/22 12:41	05/16/22 15:04	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/11/22 12:41	05/16/22 15:04	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: **SB-60 (4.5-5.5)** Lab ID: **40244577006** Collected: 05/06/22 11:05 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.069	mg/kg	0.23	0.069	1	05/11/22 12:41	05/16/22 15:04	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/11/22 12:41	05/16/22 15:04		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/11/22 12:41	05/16/22 15:04	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/11/22 12:41	05/16/22 15:04	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/11/22 12:41	05/16/22 15:04	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/11/22 12:41	05/16/22 15:04	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/11/22 12:41	05/16/22 15:04	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/11/22 12:41	05/16/22 15:04	106-47-8	1q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/11/22 12:41	05/16/22 15:04	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/11/22 12:41	05/16/22 15:04	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/11/22 12:41	05/16/22 15:04	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/11/22 12:41	05/16/22 15:04	83-32-9	
Acenaphthylene	<0.078	mg/kg	0.26	0.078	1	05/11/22 12:41	05/16/22 15:04	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/11/22 12:41	05/16/22 15:04	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/11/22 12:41	05/16/22 15:04	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/11/22 12:41	05/16/22 15:04	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/11/22 12:41	05/16/22 15:04	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/11/22 12:41	05/16/22 15:04	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/11/22 12:41	05/16/22 15:04	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/11/22 12:41	05/16/22 15:04	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/11/22 12:41	05/16/22 15:04	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/11/22 12:41	05/16/22 15:04	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/11/22 12:41	05/16/22 15:04	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/11/22 12:41	05/16/22 15:04	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/11/22 12:41	05/16/22 15:04	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.088	0.026	1	05/11/22 12:41	05/16/22 15:04	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/11/22 12:41	05/16/22 15:04	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/11/22 12:41	05/16/22 15:04	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/11/22 12:41	05/16/22 15:04	206-44-0	
Fluorene	<0.025	mg/kg	0.085	0.025	1	05/11/22 12:41	05/16/22 15:04	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/11/22 12:41	05/16/22 15:04	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/11/22 12:41	05/16/22 15:04	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/11/22 12:41	05/16/22 15:04	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/11/22 12:41	05/16/22 15:04	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/11/22 12:41	05/16/22 15:04	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/11/22 12:41	05/16/22 15:04	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/11/22 12:41	05/16/22 15:04	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	0.98	0.30	1	05/11/22 12:41	05/16/22 15:04	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/11/22 12:41	05/16/22 15:04	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/11/22 12:41	05/16/22 15:04	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/11/22 12:41	05/16/22 15:04	87-86-5	
Phenanthrene	<0.028	mg/kg	0.093	0.028	1	05/11/22 12:41	05/16/22 15:04	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/11/22 12:41	05/16/22 15:04	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/11/22 12:41	05/16/22 15:04	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: SB-60 (4.5-5.5) **Lab ID: 40244577006** Collected: 05/06/22 11:05 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/11/22 12:41	05/16/22 15:04	111-91-1	
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/11/22 12:41	05/16/22 15:04	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/11/22 12:41	05/16/22 15:04	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	71	%	10-125		1	05/11/22 12:41	05/16/22 15:04	4165-60-0	
2-Fluorobiphenyl (S)	51	%	12-118		1	05/11/22 12:41	05/16/22 15:04	321-60-8	
Terphenyl-d14 (S)	58	%	10-124		1	05/11/22 12:41	05/16/22 15:04	1718-51-0	
Phenol-d6 (S)	66	%	10-125		1	05/11/22 12:41	05/16/22 15:04	13127-88-3	
2-Fluorophenol (S)	69	%	10-130		1	05/11/22 12:41	05/16/22 15:04	367-12-4	
2,4,6-Tribromophenol (S)	65	%	10-144		1	05/11/22 12:41	05/16/22 15:04	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0018	mg/kg	0.0059	0.0018	1	05/13/22 06:00	05/13/22 10:07	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0030	mg/kg	0.0059	0.0030	1	05/13/22 06:00	05/13/22 10:07	79-34-5	
1,1,2-Trichloroethane	<0.0018	mg/kg	0.0059	0.0018	1	05/13/22 06:00	05/13/22 10:07	79-00-5	
1,1-Dichloroethane	<0.0013	mg/kg	0.0059	0.0013	1	05/13/22 06:00	05/13/22 10:07	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0059	0.0012	1	05/13/22 06:00	05/13/22 10:07	75-35-4	
1,2-Dichloroethane	<0.00097	mg/kg	0.0059	0.00097	1	05/13/22 06:00	05/13/22 10:07	107-06-2	
1,2-Dichloropropane	<0.0012	mg/kg	0.0059	0.0012	1	05/13/22 06:00	05/13/22 10:07	78-87-5	
2-Butanone (MEK)	<0.018	mg/kg	0.030	0.018	1	05/13/22 06:00	05/13/22 10:07	78-93-3	
2-Hexanone	<0.013	mg/kg	0.030	0.013	1	05/13/22 06:00	05/13/22 10:07	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.023	mg/kg	0.030	0.023	1	05/13/22 06:00	05/13/22 10:07	108-10-1	
Acetone	<0.056	mg/kg	0.12	0.056	1	05/13/22 06:00	05/13/22 10:07	67-64-1	
Benzene	<0.00084	mg/kg	0.0059	0.00084	1	05/13/22 06:00	05/13/22 10:07	71-43-2	
Bromodichloromethane	<0.00080	mg/kg	0.0059	0.00080	1	05/13/22 06:00	05/13/22 10:07	75-27-4	
Bromoform	<0.0096	mg/kg	0.024	0.0096	1	05/13/22 06:00	05/13/22 10:07	75-25-2	
Bromomethane	<0.0053	mg/kg	0.0059	0.0053	1	05/13/22 06:00	05/13/22 10:07	74-83-9	
Carbon disulfide	<0.0013	mg/kg	0.0059	0.0013	1	05/13/22 06:00	05/13/22 10:07	75-15-0	
Carbon tetrachloride	<0.0037	mg/kg	0.0059	0.0037	1	05/13/22 06:00	05/13/22 10:07	56-23-5	
Chlorobenzene	<0.0011	mg/kg	0.0059	0.0011	1	05/13/22 06:00	05/13/22 10:07	108-90-7	
Chloroethane	<0.0043	mg/kg	0.0059	0.0043	1	05/13/22 06:00	05/13/22 10:07	75-00-3	
Chloroform	<0.0010	mg/kg	0.0059	0.0010	1	05/13/22 06:00	05/13/22 10:07	67-66-3	
Chloromethane	<0.0013	mg/kg	0.0059	0.0013	1	05/13/22 06:00	05/13/22 10:07	74-87-3	
Dibromochloromethane	<0.0012	mg/kg	0.0059	0.0012	1	05/13/22 06:00	05/13/22 10:07	124-48-1	
Ethylbenzene	<0.0011	mg/kg	0.0059	0.0011	1	05/13/22 06:00	05/13/22 10:07	100-41-4	
Methyl-tert-butyl ether	<0.0024	mg/kg	0.0059	0.0024	1	05/13/22 06:00	05/13/22 10:07	1634-04-4	
Methylene Chloride	<0.0047	mg/kg	0.0059	0.0047	1	05/13/22 06:00	05/13/22 10:07	75-09-2	
Styrene	<0.00084	mg/kg	0.0059	0.00084	1	05/13/22 06:00	05/13/22 10:07	100-42-5	
Tetrachloroethene	<0.0010	mg/kg	0.0059	0.0010	1	05/13/22 06:00	05/13/22 10:07	127-18-4	
Toluene	<0.0010	mg/kg	0.0059	0.0010	1	05/13/22 06:00	05/13/22 10:07	108-88-3	
Trichloroethene	<0.00084	mg/kg	0.0059	0.00084	1	05/13/22 06:00	05/13/22 10:07	79-01-6	
Vinyl chloride	<0.0015	mg/kg	0.0059	0.0015	1	05/13/22 06:00	05/13/22 10:07	75-01-4	
Xylene (Total)	<0.0040	mg/kg	0.012	0.0040	1	05/13/22 06:00	05/13/22 10:07	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: SB-60 (4.5-5.5) **Lab ID: 40244577006** Collected: 05/06/22 11:05 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.0010	mg/kg	0.0059	0.0010	1	05/13/22 06:00	05/13/22 10:07	156-59-2	
cis-1,3-Dichloropropene	<0.0012	mg/kg	0.0059	0.0012	1	05/13/22 06:00	05/13/22 10:07	10061-01-5	
trans-1,2-Dichloroethene	<0.00085	mg/kg	0.0059	0.00085	1	05/13/22 06:00	05/13/22 10:07	156-60-5	
trans-1,3-Dichloropropene	<0.0012	mg/kg	0.0059	0.0012	1	05/13/22 06:00	05/13/22 10:07	10061-02-6	
Surrogates									
Toluene-d8 (S)	99	%	69-156		1	05/13/22 06:00	05/13/22 10:07	2037-26-5	
4-Bromofluorobenzene (S)	85	%	61-175		1	05/13/22 06:00	05/13/22 10:07	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1	05/13/22 06:00	05/13/22 10:07	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.3	%	0.10	0.10	1		05/11/22 13:57		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.0	Std. Units	0.10	0.010	1		05/17/22 11:30		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.37	mg/kg	1.1	0.37	1	05/18/22 10:45	05/18/22 15:18	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: SB-61 (1-1.5) **Lab ID: 40244577007** Collected: 05/06/22 12:15 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0021	0.00052	1	05/11/22 17:22	05/12/22 18:44	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0021	0.00022	1	05/11/22 17:22	05/12/22 18:44	319-84-6	
beta-BHC	<0.00066	mg/kg	0.0021	0.00066	1	05/11/22 17:22	05/12/22 18:44	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0021	0.00039	1	05/11/22 17:22	05/12/22 18:44	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/11/22 17:22	05/12/22 18:44	58-89-9	
Chlordane (Technical)	<0.0071	mg/kg	0.021	0.0071	1	05/11/22 17:22	05/12/22 18:44	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/11/22 17:22	05/12/22 18:44	5103-71-9	
gamma-Chlordane	<0.00080	mg/kg	0.0021	0.00080	1	05/11/22 17:22	05/12/22 18:44	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0043	0.00043	1	05/11/22 17:22	05/12/22 18:44	72-54-8	
4,4'-DDE	<0.00049	mg/kg	0.0043	0.00049	1	05/11/22 17:22	05/12/22 18:44	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/11/22 17:22	05/12/22 18:44	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/11/22 17:22	05/12/22 18:44	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0021	0.00024	1	05/11/22 17:22	05/12/22 18:44	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/11/22 17:22	05/12/22 18:44	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/11/22 17:22	05/12/22 18:44	1031-07-8	
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/11/22 17:22	05/12/22 18:44	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/11/22 17:22	05/12/22 18:44	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/11/22 17:22	05/12/22 18:44	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0021	0.00058	1	05/11/22 17:22	05/12/22 18:44	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0021	0.00022	1	05/11/22 17:22	05/12/22 18:44	1024-57-3	
Methoxychlor	<0.0066	mg/kg	0.021	0.0066	1	05/11/22 17:22	05/12/22 18:44	72-43-5	
Toxaphene	<0.020	mg/kg	0.064	0.020	1	05/11/22 17:22	05/12/22 18:44	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	65	%	53-138		1	05/11/22 17:22	05/12/22 18:44	877-09-8	
Decachlorobiphenyl (S)	60	%	30-150		1	05/11/22 17:22	05/12/22 18:44	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.064	0.020	1	05/10/22 05:06	05/12/22 01:14	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.064	0.020	1	05/10/22 05:06	05/12/22 01:14	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.064	0.020	1	05/10/22 05:06	05/12/22 01:14	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.064	0.020	1	05/10/22 05:06	05/12/22 01:14	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.064	0.020	1	05/10/22 05:06	05/12/22 01:14	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.064	0.020	1	05/10/22 05:06	05/12/22 01:14	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.064	0.020	1	05/10/22 05:06	05/12/22 01:14	11096-82-5	
PCB, Total	<0.020	mg/kg	0.064	0.020	1	05/10/22 05:06	05/12/22 01:14	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	73	%	50-99		1	05/10/22 05:06	05/12/22 01:14	877-09-8	
Decachlorobiphenyl (S)	80	%	38-95		1	05/10/22 05:06	05/12/22 01:14	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	8970	mg/kg	35.7	7.2	1	05/16/22 09:18	05/18/22 15:14	7429-90-5	
Antimony	0.14J	mg/kg	0.60	0.11	1	05/16/22 09:18	05/18/22 15:14	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: SB-61 (1-1.5) **Lab ID: 40244577007** Collected: 05/06/22 12:15 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	7.3	mg/kg	0.60	0.13	1	05/16/22 09:18	05/18/22 15:14	7440-38-2	
Barium	129	mg/kg	0.36	0.064	1	05/16/22 09:18	05/18/22 15:14	7440-39-3	
Beryllium	0.62	mg/kg	0.24	0.047	1	05/16/22 09:18	05/18/22 15:14	7440-41-7	
Cadmium	0.45	mg/kg	0.095	0.037	1	05/16/22 09:18	05/18/22 15:14	7440-43-9	
Calcium	14000	mg/kg	119	14.0	1	05/16/22 09:18	05/18/22 15:14	7440-70-2	
Chromium	12.7	mg/kg	2.4	0.17	1	05/16/22 09:18	05/18/22 15:14	7440-47-3	
Cobalt	4.2	mg/kg	0.60	0.12	1	05/16/22 09:18	05/18/22 15:14	7440-48-4	
Copper	15.9	mg/kg	1.2	0.29	1	05/16/22 09:18	05/18/22 15:14	7440-50-8	
Iron	13000	mg/kg	59.5	12.5	1	05/16/22 09:18	05/18/22 15:14	7439-89-6	
Lead	15.8	mg/kg	0.60	0.035	1	05/16/22 09:18	05/18/22 15:14	7439-92-1	
Magnesium	8020	mg/kg	35.7	5.1	1	05/16/22 09:18	05/18/22 15:14	7439-95-4	
Manganese	216	mg/kg	0.60	0.29	1	05/16/22 09:18	05/18/22 15:14	7439-96-5	
Nickel	10.7	mg/kg	0.60	0.24	1	05/16/22 09:18	05/18/22 15:14	7440-02-0	
Potassium	1010	mg/kg	119	13.7	1	05/16/22 09:18	05/18/22 15:14	7440-09-7	
Selenium	0.60	mg/kg	0.60	0.10	1	05/16/22 09:18	05/18/22 15:14	7782-49-2	
Silver	<0.17	mg/kg	0.60	0.17	1	05/16/22 09:18	05/18/22 15:14	7440-22-4	
Sodium	57.7J	mg/kg	59.5	13.2	1	05/16/22 09:18	05/18/22 15:14	7440-23-5	
Thallium	0.20	mg/kg	0.12	0.044	1	05/16/22 09:18	05/18/22 15:14	7440-28-0	
Vanadium	21.3	mg/kg	1.2	0.21	1	05/16/22 09:18	05/18/22 15:14	7440-62-2	
Zinc	89.6	mg/kg	6.0	1.1	1	05/16/22 09:18	05/18/22 15:14	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	<0.012	mg/kg	0.043	0.012	1	05/13/22 09:57	05/16/22 09:38	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/11/22 12:41	05/16/22 18:17	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/11/22 12:41	05/16/22 18:17	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/11/22 12:41	05/16/22 18:17	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/11/22 12:41	05/16/22 18:17	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/11/22 12:41	05/16/22 18:17	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/11/22 12:41	05/16/22 18:17	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/11/22 12:41	05/16/22 18:17	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/11/22 12:41	05/16/22 18:17	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/11/22 12:41	05/16/22 18:17	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/11/22 12:41	05/16/22 18:17	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/11/22 12:41	05/16/22 18:17	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/11/22 12:41	05/16/22 18:17	606-20-2	
2-Chloronaphthalene	0.028J	mg/kg	0.092	0.028	1	05/11/22 12:41	05/16/22 18:17	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/11/22 12:41	05/16/22 18:17	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/11/22 12:41	05/16/22 18:17	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/11/22 12:41	05/16/22 18:17	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/11/22 12:41	05/16/22 18:17	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: SB-61 (1-1.5) Lab ID: 40244577007 Collected: 05/06/22 12:15 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/11/22 12:41	05/16/22 18:17	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/11/22 12:41	05/16/22 18:17		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/11/22 12:41	05/16/22 18:17	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/11/22 12:41	05/16/22 18:17	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/11/22 12:41	05/16/22 18:17	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/11/22 12:41	05/16/22 18:17	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/11/22 12:41	05/16/22 18:17	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/11/22 12:41	05/16/22 18:17	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/11/22 12:41	05/16/22 18:17	7005-72-3	
4-Nitroaniline	<0.089	mg/kg	0.30	0.089	1	05/11/22 12:41	05/16/22 18:17	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/11/22 12:41	05/16/22 18:17	100-02-7	
Acenaphthene	<0.076	mg/kg	0.25	0.076	1	05/11/22 12:41	05/16/22 18:17	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/11/22 12:41	05/16/22 18:17	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/11/22 12:41	05/16/22 18:17	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/11/22 12:41	05/16/22 18:17	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/11/22 12:41	05/16/22 18:17	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/11/22 12:41	05/16/22 18:17	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/11/22 12:41	05/16/22 18:17	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/11/22 12:41	05/16/22 18:17	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/11/22 12:41	05/16/22 18:17	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/11/22 12:41	05/16/22 18:17	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/11/22 12:41	05/16/22 18:17	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/11/22 12:41	05/16/22 18:17	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/11/22 12:41	05/16/22 18:17	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/11/22 12:41	05/16/22 18:17	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/11/22 12:41	05/16/22 18:17	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/11/22 12:41	05/16/22 18:17	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.093	0.028	1	05/11/22 12:41	05/16/22 18:17	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/11/22 12:41	05/16/22 18:17	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/11/22 12:41	05/16/22 18:17	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/11/22 12:41	05/16/22 18:17	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/11/22 12:41	05/16/22 18:17	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/11/22 12:41	05/16/22 18:17	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/11/22 12:41	05/16/22 18:17	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/11/22 12:41	05/16/22 18:17	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/11/22 12:41	05/16/22 18:17	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/11/22 12:41	05/16/22 18:17	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.97	0.29	1	05/11/22 12:41	05/16/22 18:17	86-30-6	
Naphthalene	<0.075	mg/kg	0.25	0.075	1	05/11/22 12:41	05/16/22 18:17	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/11/22 12:41	05/16/22 18:17	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/11/22 12:41	05/16/22 18:17	87-86-5	
Phenanthrene	<0.028	mg/kg	0.092	0.028	1	05/11/22 12:41	05/16/22 18:17	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/11/22 12:41	05/16/22 18:17	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/11/22 12:41	05/16/22 18:17	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: SB-61 (1-1.5) **Lab ID: 40244577007** Collected: 05/06/22 12:15 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/11/22 12:41	05/16/22 18:17	111-91-1	
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/11/22 12:41	05/16/22 18:17	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/11/22 12:41	05/16/22 18:17	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	68	%	10-125		1	05/11/22 12:41	05/16/22 18:17	4165-60-0	
2-Fluorobiphenyl (S)	61	%	12-118		1	05/11/22 12:41	05/16/22 18:17	321-60-8	
Terphenyl-d14 (S)	70	%	10-124		1	05/11/22 12:41	05/16/22 18:17	1718-51-0	
Phenol-d6 (S)	64	%	10-125		1	05/11/22 12:41	05/16/22 18:17	13127-88-3	
2-Fluorophenol (S)	69	%	10-130		1	05/11/22 12:41	05/16/22 18:17	367-12-4	
2,4,6-Tribromophenol (S)	71	%	10-144		1	05/11/22 12:41	05/16/22 18:17	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0049	0.0015	1	05/13/22 06:00	05/13/22 10:32	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0025	mg/kg	0.0049	0.0025	1	05/13/22 06:00	05/13/22 10:32	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0049	0.0015	1	05/13/22 06:00	05/13/22 10:32	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0049	0.0011	1	05/13/22 06:00	05/13/22 10:32	75-34-3	
1,1-Dichloroethene	<0.0010	mg/kg	0.0049	0.0010	1	05/13/22 06:00	05/13/22 10:32	75-35-4	
1,2-Dichloroethane	<0.00081	mg/kg	0.0049	0.00081	1	05/13/22 06:00	05/13/22 10:32	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0049	0.0010	1	05/13/22 06:00	05/13/22 10:32	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.025	0.015	1	05/13/22 06:00	05/13/22 10:32	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/13/22 06:00	05/13/22 10:32	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/13/22 06:00	05/13/22 10:32	108-10-1	
Acetone	<0.046	mg/kg	0.098	0.046	1	05/13/22 06:00	05/13/22 10:32	67-64-1	
Benzene	<0.00070	mg/kg	0.0049	0.00070	1	05/13/22 06:00	05/13/22 10:32	71-43-2	
Bromodichloromethane	<0.00067	mg/kg	0.0049	0.00067	1	05/13/22 06:00	05/13/22 10:32	75-27-4	
Bromoform	<0.0080	mg/kg	0.020	0.0080	1	05/13/22 06:00	05/13/22 10:32	75-25-2	
Bromomethane	<0.0044	mg/kg	0.0049	0.0044	1	05/13/22 06:00	05/13/22 10:32	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0049	0.0011	1	05/13/22 06:00	05/13/22 10:32	75-15-0	
Carbon tetrachloride	<0.0031	mg/kg	0.0049	0.0031	1	05/13/22 06:00	05/13/22 10:32	56-23-5	
Chlorobenzene	<0.00091	mg/kg	0.0049	0.00091	1	05/13/22 06:00	05/13/22 10:32	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0049	0.0036	1	05/13/22 06:00	05/13/22 10:32	75-00-3	
Chloroform	<0.00083	mg/kg	0.0049	0.00083	1	05/13/22 06:00	05/13/22 10:32	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0049	0.0011	1	05/13/22 06:00	05/13/22 10:32	74-87-3	
Dibromochloromethane	<0.00099	mg/kg	0.0049	0.00099	1	05/13/22 06:00	05/13/22 10:32	124-48-1	
Ethylbenzene	<0.00088	mg/kg	0.0049	0.00088	1	05/13/22 06:00	05/13/22 10:32	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0049	0.0020	1	05/13/22 06:00	05/13/22 10:32	1634-04-4	
Methylene Chloride	<0.0039	mg/kg	0.0049	0.0039	1	05/13/22 06:00	05/13/22 10:32	75-09-2	
Styrene	<0.00070	mg/kg	0.0049	0.00070	1	05/13/22 06:00	05/13/22 10:32	100-42-5	
Tetrachloroethene	<0.00087	mg/kg	0.0049	0.00087	1	05/13/22 06:00	05/13/22 10:32	127-18-4	
Toluene	<0.00087	mg/kg	0.0049	0.00087	1	05/13/22 06:00	05/13/22 10:32	108-88-3	
Trichloroethene	<0.00070	mg/kg	0.0049	0.00070	1	05/13/22 06:00	05/13/22 10:32	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0049	0.0013	1	05/13/22 06:00	05/13/22 10:32	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.0098	0.0034	1	05/13/22 06:00	05/13/22 10:32	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: SB-61 (1-1.5) **Lab ID: 40244577007** Collected: 05/06/22 12:15 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00087	mg/kg	0.0049	0.00087	1	05/13/22 06:00	05/13/22 10:32	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0049	0.0010	1	05/13/22 06:00	05/13/22 10:32	10061-01-5	
trans-1,2-Dichloroethene	<0.00071	mg/kg	0.0049	0.00071	1	05/13/22 06:00	05/13/22 10:32	156-60-5	
trans-1,3-Dichloropropene	<0.00099	mg/kg	0.0049	0.00099	1	05/13/22 06:00	05/13/22 10:32	10061-02-6	
Surrogates									
Toluene-d8 (S)	95	%	69-156		1	05/13/22 06:00	05/13/22 10:32	2037-26-5	
4-Bromofluorobenzene (S)	85	%	61-175		1	05/13/22 06:00	05/13/22 10:32	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1	05/13/22 06:00	05/13/22 10:32	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.2	%	0.10	0.10	1		05/11/22 13:57		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.3	Std. Units	0.10	0.010	1		05/17/22 11:34		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.35	mg/kg	1.0	0.35	1	05/18/22 10:45	05/18/22 15:18	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: SB-61 (5-5.5) **Lab ID: 40244577008** Collected: 05/06/22 12:20 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0021	0.00052	1	05/11/22 17:22	05/12/22 19:02	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0021	0.00022	1	05/11/22 17:22	05/12/22 19:02	319-84-6	
beta-BHC	<0.00066	mg/kg	0.0021	0.00066	1	05/11/22 17:22	05/12/22 19:02	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0021	0.00039	1	05/11/22 17:22	05/12/22 19:02	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/11/22 17:22	05/12/22 19:02	58-89-9	
Chlordane (Technical)	<0.0071	mg/kg	0.021	0.0071	1	05/11/22 17:22	05/12/22 19:02	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/11/22 17:22	05/12/22 19:02	5103-71-9	
gamma-Chlordane	<0.00080	mg/kg	0.0021	0.00080	1	05/11/22 17:22	05/12/22 19:02	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0043	0.00043	1	05/11/22 17:22	05/12/22 19:02	72-54-8	
4,4'-DDE	<0.00049	mg/kg	0.0043	0.00049	1	05/11/22 17:22	05/12/22 19:02	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/11/22 17:22	05/12/22 19:02	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/11/22 17:22	05/12/22 19:02	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0021	0.00024	1	05/11/22 17:22	05/12/22 19:02	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/11/22 17:22	05/12/22 19:02	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/11/22 17:22	05/12/22 19:02	1031-07-8	
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/11/22 17:22	05/12/22 19:02	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/11/22 17:22	05/12/22 19:02	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/11/22 17:22	05/12/22 19:02	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0021	0.00058	1	05/11/22 17:22	05/12/22 19:02	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0021	0.00022	1	05/11/22 17:22	05/12/22 19:02	1024-57-3	
Methoxychlor	<0.0066	mg/kg	0.021	0.0066	1	05/11/22 17:22	05/12/22 19:02	72-43-5	
Toxaphene	<0.020	mg/kg	0.064	0.020	1	05/11/22 17:22	05/12/22 19:02	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	71	%	53-138		1	05/11/22 17:22	05/12/22 19:02	877-09-8	
Decachlorobiphenyl (S)	63	%	30-150		1	05/11/22 17:22	05/12/22 19:02	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/10/22 05:06	05/12/22 01:38	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/10/22 05:06	05/12/22 01:38	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/10/22 05:06	05/12/22 01:38	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/10/22 05:06	05/12/22 01:38	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/10/22 05:06	05/12/22 01:38	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/10/22 05:06	05/12/22 01:38	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/10/22 05:06	05/12/22 01:38	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/10/22 05:06	05/12/22 01:38	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	73	%	50-99		1	05/10/22 05:06	05/12/22 01:38	877-09-8	
Decachlorobiphenyl (S)	75	%	38-95		1	05/10/22 05:06	05/12/22 01:38	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	17500	mg/kg	35.2	7.1	1	05/16/22 09:18	05/18/22 15:21	7429-90-5	
Antimony	0.45J	mg/kg	0.59	0.11	1	05/16/22 09:18	05/18/22 15:21	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: SB-61 (5-5.5) **Lab ID: 40244577008** Collected: 05/06/22 12:20 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	24.8	mg/kg	0.59	0.13	1	05/16/22 09:18	05/18/22 15:21	7440-38-2	
Barium	315	mg/kg	0.35	0.063	1	05/16/22 09:18	05/18/22 15:21	7440-39-3	
Beryllium	0.95	mg/kg	0.23	0.047	1	05/16/22 09:18	05/18/22 15:21	7440-41-7	
Cadmium	0.42	mg/kg	0.094	0.037	1	05/16/22 09:18	05/18/22 15:21	7440-43-9	
Calcium	4140	mg/kg	117	13.9	1	05/16/22 09:18	05/18/22 15:21	7440-70-2	
Chromium	22.3	mg/kg	2.3	0.16	1	05/16/22 09:18	05/18/22 15:21	7440-47-3	
Cobalt	27.8	mg/kg	0.59	0.12	1	05/16/22 09:18	05/18/22 15:21	7440-48-4	
Copper	29.4	mg/kg	1.2	0.28	1	05/16/22 09:18	05/18/22 15:21	7440-50-8	
Iron	46900	mg/kg	58.7	12.3	1	05/16/22 09:18	05/18/22 15:21	7439-89-6	
Lead	26.0	mg/kg	0.59	0.035	1	05/16/22 09:18	05/18/22 15:21	7439-92-1	
Magnesium	4130	mg/kg	35.2	5.1	1	05/16/22 09:18	05/18/22 15:21	7439-95-4	
Manganese	2510	mg/kg	5.9	2.9	10	05/16/22 09:18	05/18/22 15:25	7439-96-5	
Nickel	40.5	mg/kg	0.59	0.23	1	05/16/22 09:18	05/18/22 15:21	7440-02-0	
Potassium	766	mg/kg	117	13.5	1	05/16/22 09:18	05/18/22 15:21	7440-09-7	
Selenium	0.66	mg/kg	0.59	0.10	1	05/16/22 09:18	05/18/22 15:21	7782-49-2	
Silver	<0.17	mg/kg	0.59	0.17	1	05/16/22 09:18	05/18/22 15:21	7440-22-4	
Sodium	65.8	mg/kg	58.7	13.0	1	05/16/22 09:18	05/18/22 15:21	7440-23-5	
Thallium	0.29	mg/kg	0.12	0.043	1	05/16/22 09:18	05/18/22 15:21	7440-28-0	
Vanadium	46.1	mg/kg	1.2	0.21	1	05/16/22 09:18	05/18/22 15:21	7440-62-2	
Zinc	61.6	mg/kg	5.9	1.1	1	05/16/22 09:18	05/18/22 15:21	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	<0.013	mg/kg	0.045	0.013	1	05/13/22 09:57	05/16/22 09:40	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/11/22 12:41	05/13/22 14:45	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/11/22 12:41	05/13/22 14:45	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/11/22 12:41	05/13/22 14:45	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/11/22 12:41	05/13/22 14:45	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/11/22 12:41	05/13/22 14:45	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/11/22 12:41	05/13/22 14:45	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/11/22 12:41	05/13/22 14:45	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/11/22 12:41	05/13/22 14:45	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/11/22 12:41	05/13/22 14:45	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/11/22 12:41	05/13/22 14:45	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/11/22 12:41	05/13/22 14:45	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/11/22 12:41	05/13/22 14:45	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.092	0.028	1	05/11/22 12:41	05/13/22 14:45	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/11/22 12:41	05/13/22 14:45	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/11/22 12:41	05/13/22 14:45	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/11/22 12:41	05/13/22 14:45	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/11/22 12:41	05/13/22 14:45	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: SB-61 (5-5.5) **Lab ID: 40244577008** Collected: 05/06/22 12:20 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/11/22 12:41	05/13/22 14:45	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/11/22 12:41	05/13/22 14:45		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/11/22 12:41	05/13/22 14:45	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/11/22 12:41	05/13/22 14:45	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/11/22 12:41	05/13/22 14:45	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/11/22 12:41	05/13/22 14:45	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/11/22 12:41	05/13/22 14:45	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/11/22 12:41	05/13/22 14:45	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/11/22 12:41	05/13/22 14:45	7005-72-3	
4-Nitroaniline	<0.089	mg/kg	0.30	0.089	1	05/11/22 12:41	05/13/22 14:45	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/11/22 12:41	05/13/22 14:45	100-02-7	
Acenaphthene	<0.076	mg/kg	0.25	0.076	1	05/11/22 12:41	05/13/22 14:45	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/11/22 12:41	05/13/22 14:45	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/11/22 12:41	05/13/22 14:45	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/11/22 12:41	05/13/22 14:45	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/11/22 12:41	05/13/22 14:45	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/11/22 12:41	05/13/22 14:45	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/11/22 12:41	05/13/22 14:45	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/11/22 12:41	05/13/22 14:45	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/11/22 12:41	05/13/22 14:45	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/11/22 12:41	05/13/22 14:45	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/11/22 12:41	05/13/22 14:45	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/11/22 12:41	05/13/22 14:45	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/11/22 12:41	05/13/22 14:45	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/11/22 12:41	05/13/22 14:45	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/11/22 12:41	05/13/22 14:45	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/11/22 12:41	05/13/22 14:45	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.093	0.028	1	05/11/22 12:41	05/13/22 14:45	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/11/22 12:41	05/13/22 14:45	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/11/22 12:41	05/13/22 14:45	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/11/22 12:41	05/13/22 14:45	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/11/22 12:41	05/13/22 14:45	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/11/22 12:41	05/13/22 14:45	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/11/22 12:41	05/13/22 14:45	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/11/22 12:41	05/13/22 14:45	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/11/22 12:41	05/13/22 14:45	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/11/22 12:41	05/13/22 14:45	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.97	0.29	1	05/11/22 12:41	05/13/22 14:45	86-30-6	
Naphthalene	<0.075	mg/kg	0.25	0.075	1	05/11/22 12:41	05/13/22 14:45	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/11/22 12:41	05/13/22 14:45	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/11/22 12:41	05/13/22 14:45	87-86-5	
Phenanthrene	<0.028	mg/kg	0.092	0.028	1	05/11/22 12:41	05/13/22 14:45	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/11/22 12:41	05/13/22 14:45	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/11/22 12:41	05/13/22 14:45	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: SB-61 (5-5.5) Lab ID: **40244577008** Collected: 05/06/22 12:20 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/11/22 12:41	05/13/22 14:45	111-91-1	
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/11/22 12:41	05/13/22 14:45	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/11/22 12:41	05/13/22 14:45	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	10	%	10-125		1	05/11/22 12:41	05/13/22 14:45	4165-60-0	
2-Fluorobiphenyl (S)	5	%	12-118		1	05/11/22 12:41	05/13/22 14:45	321-60-8	S0
Terphenyl-d14 (S)	34	%	10-124		1	05/11/22 12:41	05/13/22 14:45	1718-51-0	
Phenol-d6 (S)	27	%	10-125		1	05/11/22 12:41	05/13/22 14:45	13127-88-3	
2-Fluorophenol (S)	22	%	10-130		1	05/11/22 12:41	05/13/22 14:45	367-12-4	
2,4,6-Tribromophenol (S)	33	%	10-144		1	05/11/22 12:41	05/13/22 14:45	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/13/22 06:00	05/13/22 10:56	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/13/22 06:00	05/13/22 10:56	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/13/22 06:00	05/13/22 10:56	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 10:56	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 10:56	75-35-4	
1,2-Dichloroethane	<0.00088	mg/kg	0.0053	0.00088	1	05/13/22 06:00	05/13/22 10:56	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 10:56	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/13/22 06:00	05/13/22 10:56	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/13/22 06:00	05/13/22 10:56	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/13/22 06:00	05/13/22 10:56	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/13/22 06:00	05/13/22 10:56	67-64-1	
Benzene	<0.00075	mg/kg	0.0053	0.00075	1	05/13/22 06:00	05/13/22 10:56	71-43-2	
Bromodichloromethane	<0.00072	mg/kg	0.0053	0.00072	1	05/13/22 06:00	05/13/22 10:56	75-27-4	
Bromoform	<0.0086	mg/kg	0.021	0.0086	1	05/13/22 06:00	05/13/22 10:56	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0053	0.0047	1	05/13/22 06:00	05/13/22 10:56	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/13/22 06:00	05/13/22 10:56	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0053	0.0034	1	05/13/22 06:00	05/13/22 10:56	56-23-5	
Chlorobenzene	<0.00098	mg/kg	0.0053	0.00098	1	05/13/22 06:00	05/13/22 10:56	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0053	0.0039	1	05/13/22 06:00	05/13/22 10:56	75-00-3	
Chloroform	<0.00090	mg/kg	0.0053	0.00090	1	05/13/22 06:00	05/13/22 10:56	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 10:56	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 10:56	124-48-1	
Ethylbenzene	<0.00095	mg/kg	0.0053	0.00095	1	05/13/22 06:00	05/13/22 10:56	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/13/22 06:00	05/13/22 10:56	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/13/22 06:00	05/13/22 10:56	75-09-2	
Styrene	<0.00076	mg/kg	0.0053	0.00076	1	05/13/22 06:00	05/13/22 10:56	100-42-5	
Tetrachloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/13/22 06:00	05/13/22 10:56	127-18-4	
Toluene	<0.00094	mg/kg	0.0053	0.00094	1	05/13/22 06:00	05/13/22 10:56	108-88-3	
Trichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/13/22 06:00	05/13/22 10:56	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/13/22 06:00	05/13/22 10:56	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/13/22 06:00	05/13/22 10:56	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: SB-61 (5-5.5) **Lab ID: 40244577008** Collected: 05/06/22 12:20 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/13/22 06:00	05/13/22 10:56	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 10:56	10061-01-5	
trans-1,2-Dichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/13/22 06:00	05/13/22 10:56	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 10:56	10061-02-6	
Surrogates									
Toluene-d8 (S)	98	%	69-156		1	05/13/22 06:00	05/13/22 10:56	2037-26-5	
4-Bromofluorobenzene (S)	82	%	61-175		1	05/13/22 06:00	05/13/22 10:56	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1	05/13/22 06:00	05/13/22 10:56	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.6	%	0.10	0.10	1		05/11/22 13:57		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.2	Std. Units	0.10	0.010	1		05/17/22 11:36		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.29	mg/kg	0.86	0.29	1	05/18/22 10:45	05/18/22 15:19	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: TB-03 **Lab ID: 40244577009** Collected: 05/06/22 13:00 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay							
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/13/22 06:00	05/13/22 09:19	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0050	0.0026	1	05/13/22 06:00	05/13/22 09:19	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/13/22 06:00	05/13/22 09:19	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/13/22 06:00	05/13/22 09:19	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0050	0.0011	1	05/13/22 06:00	05/13/22 09:19	75-35-4	
1,2-Dichloroethane	<0.00082	mg/kg	0.0050	0.00082	1	05/13/22 06:00	05/13/22 09:19	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/13/22 06:00	05/13/22 09:19	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/13/22 06:00	05/13/22 09:19	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/13/22 06:00	05/13/22 09:19	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/13/22 06:00	05/13/22 09:19	108-10-1	
Acetone	<0.047	mg/kg	0.10	0.047	1	05/13/22 06:00	05/13/22 09:19	67-64-1	
Benzene	<0.00071	mg/kg	0.0050	0.00071	1	05/13/22 06:00	05/13/22 09:19	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/13/22 06:00	05/13/22 09:19	75-27-4	
Bromoform	<0.0081	mg/kg	0.020	0.0081	1	05/13/22 06:00	05/13/22 09:19	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0050	0.0045	1	05/13/22 06:00	05/13/22 09:19	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/13/22 06:00	05/13/22 09:19	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0050	0.0032	1	05/13/22 06:00	05/13/22 09:19	56-23-5	
Chlorobenzene	<0.00092	mg/kg	0.0050	0.00092	1	05/13/22 06:00	05/13/22 09:19	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0050	0.0036	1	05/13/22 06:00	05/13/22 09:19	75-00-3	
Chloroform	<0.00084	mg/kg	0.0050	0.00084	1	05/13/22 06:00	05/13/22 09:19	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/13/22 06:00	05/13/22 09:19	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/13/22 06:00	05/13/22 09:19	124-48-1	
Ethylbenzene	<0.00089	mg/kg	0.0050	0.00089	1	05/13/22 06:00	05/13/22 09:19	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0050	0.0020	1	05/13/22 06:00	05/13/22 09:19	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0050	0.0040	1	05/13/22 06:00	05/13/22 09:19	75-09-2	
Styrene	<0.00071	mg/kg	0.0050	0.00071	1	05/13/22 06:00	05/13/22 09:19	100-42-5	
Tetrachloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/13/22 06:00	05/13/22 09:19	127-18-4	
Toluene	<0.00088	mg/kg	0.0050	0.00088	1	05/13/22 06:00	05/13/22 09:19	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/13/22 06:00	05/13/22 09:19	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/13/22 06:00	05/13/22 09:19	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.010	0.0034	1	05/13/22 06:00	05/13/22 09:19	1330-20-7	
cis-1,2-Dichloroethene	<0.00088	mg/kg	0.0050	0.00088	1	05/13/22 06:00	05/13/22 09:19	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/13/22 06:00	05/13/22 09:19	10061-01-5	
trans-1,2-Dichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/13/22 06:00	05/13/22 09:19	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/13/22 06:00	05/13/22 09:19	10061-02-6	
Surrogates									
Toluene-d8 (S)	96	%	69-156		1	05/13/22 06:00	05/13/22 09:19	2037-26-5	
4-Bromofluorobenzene (S)	86	%	61-175		1	05/13/22 06:00	05/13/22 09:19	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1	05/13/22 06:00	05/13/22 09:19	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: 05062022 DUP-02 **Lab ID: 40244577010** Collected: 05/06/22 00:00 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00045	mg/kg	0.0018	0.00045	1	05/11/22 17:22	05/12/22 19:21	309-00-2	
alpha-BHC	<0.00019	mg/kg	0.0018	0.00019	1	05/11/22 17:22	05/12/22 19:21	319-84-6	
beta-BHC	<0.00057	mg/kg	0.0018	0.00057	1	05/11/22 17:22	05/12/22 19:21	319-85-7	
delta-BHC	<0.00034	mg/kg	0.0018	0.00034	1	05/11/22 17:22	05/12/22 19:21	319-86-8	
gamma-BHC (Lindane)	<0.00018	mg/kg	0.0018	0.00018	1	05/11/22 17:22	05/12/22 19:21	58-89-9	
Chlordane (Technical)	<0.0061	mg/kg	0.018	0.0061	1	05/11/22 17:22	05/12/22 19:21	57-74-9	
alpha-Chlordane	<0.00023	mg/kg	0.0018	0.00023	1	05/11/22 17:22	05/12/22 19:21	5103-71-9	
gamma-Chlordane	<0.00068	mg/kg	0.0018	0.00068	1	05/11/22 17:22	05/12/22 19:21	5103-74-2	
4,4'-DDD	<0.00037	mg/kg	0.0037	0.00037	1	05/11/22 17:22	05/12/22 19:21	72-54-8	
4,4'-DDE	<0.00042	mg/kg	0.0037	0.00042	1	05/11/22 17:22	05/12/22 19:21	72-55-9	
4,4'-DDT	<0.0011	mg/kg	0.0037	0.0011	1	05/11/22 17:22	05/12/22 19:21	50-29-3	
Dieldrin	<0.00035	mg/kg	0.0037	0.00035	1	05/11/22 17:22	05/12/22 19:21	60-57-1	
Endosulfan I	<0.00020	mg/kg	0.0018	0.00020	1	05/11/22 17:22	05/12/22 19:21	959-98-8	
Endosulfan II	<0.00087	mg/kg	0.0037	0.00087	1	05/11/22 17:22	05/12/22 19:21	33213-65-9	
Endosulfan sulfate	<0.00087	mg/kg	0.0037	0.00087	1	05/11/22 17:22	05/12/22 19:21	1031-07-8	
Endrin	<0.00041	mg/kg	0.0037	0.00041	1	05/11/22 17:22	05/12/22 19:21	72-20-8	
Endrin aldehyde	<0.0012	mg/kg	0.0037	0.0012	1	05/11/22 17:22	05/12/22 19:21	7421-93-4	
Endrin ketone	<0.00097	mg/kg	0.0037	0.00097	1	05/11/22 17:22	05/12/22 19:21	53494-70-5	
Heptachlor	<0.00050	mg/kg	0.0018	0.00050	1	05/11/22 17:22	05/12/22 19:21	76-44-8	
Heptachlor epoxide	<0.00019	mg/kg	0.0018	0.00019	1	05/11/22 17:22	05/12/22 19:21	1024-57-3	
Methoxychlor	<0.0057	mg/kg	0.018	0.0057	1	05/11/22 17:22	05/12/22 19:21	72-43-5	
Toxaphene	<0.017	mg/kg	0.055	0.017	1	05/11/22 17:22	05/12/22 19:21	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	75	%	53-138		1	05/11/22 17:22	05/12/22 19:21	877-09-8	
Decachlorobiphenyl (S)	68	%	30-150		1	05/11/22 17:22	05/12/22 19:21	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.055	0.017	1	05/10/22 05:06	05/12/22 02:02	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.055	0.017	1	05/10/22 05:06	05/12/22 02:02	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.055	0.017	1	05/10/22 05:06	05/12/22 02:02	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.055	0.017	1	05/10/22 05:06	05/12/22 02:02	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.017	mg/kg	0.055	0.017	1	05/10/22 05:06	05/12/22 02:02	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.017	mg/kg	0.055	0.017	1	05/10/22 05:06	05/12/22 02:02	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.055	0.017	1	05/10/22 05:06	05/12/22 02:02	11096-82-5	
PCB, Total	<0.017	mg/kg	0.055	0.017	1	05/10/22 05:06	05/12/22 02:02	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	75	%	50-99		1	05/10/22 05:06	05/12/22 02:02	877-09-8	
Decachlorobiphenyl (S)	81	%	38-95		1	05/10/22 05:06	05/12/22 02:02	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	1490	mg/kg	32.4	6.5	1	05/16/22 09:18	05/18/22 14:09	7429-90-5	M1
Antimony	<0.10	mg/kg	0.54	0.10	1	05/16/22 09:18	05/18/22 14:09	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: 05062022 DUP-02 **Lab ID: 40244577010** Collected: 05/06/22 00:00 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	2.0	mg/kg	0.54	0.12	1	05/16/22 09:18	05/18/22 14:09	7440-38-2	
Barium	14.0	mg/kg	0.32	0.058	1	05/16/22 09:18	05/18/22 14:09	7440-39-3	
Beryllium	0.15J	mg/kg	0.22	0.043	1	05/16/22 09:18	05/18/22 14:09	7440-41-7	
Cadmium	0.057J	mg/kg	0.086	0.034	1	05/16/22 09:18	05/18/22 14:09	7440-43-9	
Calcium	14700	mg/kg	108	12.8	1	05/16/22 09:18	05/18/22 14:09	7440-70-2	P6
Chromium	3.9	mg/kg	2.2	0.15	1	05/16/22 09:18	05/18/22 14:09	7440-47-3	
Cobalt	3.2	mg/kg	0.54	0.11	1	05/16/22 09:18	05/18/22 14:09	7440-48-4	
Copper	3.6	mg/kg	1.1	0.26	1	05/16/22 09:18	05/18/22 14:09	7440-50-8	
Iron	4680	mg/kg	54.0	11.3	1	05/16/22 09:18	05/18/22 14:09	7439-89-6	P6
Lead	3.5	mg/kg	0.54	0.032	1	05/16/22 09:18	05/18/22 14:09	7439-92-1	
Magnesium	5510	mg/kg	32.4	4.6	1	05/16/22 09:18	05/18/22 14:09	7439-95-4	P6
Manganese	279	mg/kg	0.54	0.26	1	05/16/22 09:18	05/18/22 14:09	7439-96-5	P6
Nickel	4.9	mg/kg	0.54	0.22	1	05/16/22 09:18	05/18/22 14:09	7440-02-0	
Potassium	224	mg/kg	108	12.4	1	05/16/22 09:18	05/18/22 14:09	7440-09-7	
Selenium	0.10J	mg/kg	0.54	0.093	1	05/16/22 09:18	05/18/22 14:09	7782-49-2	
Silver	0.23J	mg/kg	0.54	0.16	1	05/16/22 09:18	05/18/22 14:09	7440-22-4	
Sodium	35.0J	mg/kg	54.0	12.0	1	05/16/22 09:18	05/18/22 14:09	7440-23-5	B
Thallium	0.048J	mg/kg	0.11	0.040	1	05/16/22 09:18	05/18/22 14:09	7440-28-0	
Vanadium	6.3	mg/kg	1.1	0.19	1	05/16/22 09:18	05/18/22 14:09	7440-62-2	
Zinc	14.4	mg/kg	5.4	0.97	1	05/16/22 09:18	05/18/22 14:09	7440-66-6	B
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	<0.010	mg/kg	0.036	0.010	1	05/13/22 09:57	05/16/22 09:43	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.021	mg/kg	0.069	0.021	1	05/11/22 12:41	05/12/22 21:04	120-82-1	
1,2-Dichlorobenzene	<0.058	mg/kg	0.19	0.058	1	05/11/22 12:41	05/12/22 21:04	95-50-1	
1,3-Dichlorobenzene	<0.025	mg/kg	0.085	0.025	1	05/11/22 12:41	05/12/22 21:04	541-73-1	
1,4-Dichlorobenzene	<0.026	mg/kg	0.085	0.026	1	05/11/22 12:41	05/12/22 21:04	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.047	mg/kg	0.16	0.047	1	05/11/22 12:41	05/12/22 21:04	108-60-1	
2,4,5-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/11/22 12:41	05/12/22 21:04	95-95-4	
2,4,6-Trichlorophenol	<0.028	mg/kg	0.094	0.028	1	05/11/22 12:41	05/12/22 21:04	88-06-2	
2,4-Dichlorophenol	<0.049	mg/kg	0.16	0.049	1	05/11/22 12:41	05/12/22 21:04	120-83-2	
2,4-Dimethylphenol	<0.036	mg/kg	0.12	0.036	1	05/11/22 12:41	05/12/22 21:04	105-67-9	
2,4-Dinitrophenol	<0.056	mg/kg	0.19	0.056	1	05/11/22 12:41	05/12/22 21:04	51-28-5	
2,4-Dinitrotoluene	<0.026	mg/kg	0.088	0.026	1	05/11/22 12:41	05/12/22 21:04	121-14-2	
2,6-Dinitrotoluene	<0.035	mg/kg	0.12	0.035	1	05/11/22 12:41	05/12/22 21:04	606-20-2	
2-Chloronaphthalene	<0.024	mg/kg	0.079	0.024	1	05/11/22 12:41	05/12/22 21:04	91-58-7	
2-Chlorophenol	<0.046	mg/kg	0.15	0.046	1	05/11/22 12:41	05/12/22 21:04	95-57-8	
2-Methylnaphthalene	<0.048	mg/kg	0.16	0.048	1	05/11/22 12:41	05/12/22 21:04	91-57-6	
2-Methylphenol(o-Cresol)	<0.033	mg/kg	0.11	0.033	1	05/11/22 12:41	05/12/22 21:04	95-48-7	
2-Nitroaniline	<0.052	mg/kg	0.17	0.052	1	05/11/22 12:41	05/12/22 21:04	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Sample: 05062022 DUP-02 **Lab ID: 40244577010** Collected: 05/06/22 00:00 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.058	mg/kg	0.19	0.058	1	05/11/22 12:41	05/12/22 21:04	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.034	mg/kg	0.11	0.034	1	05/11/22 12:41	05/12/22 21:04		
3,3'-Dichlorobenzidine	<0.050	mg/kg	0.17	0.050	1	05/11/22 12:41	05/12/22 21:04	91-94-1	
3-Nitroaniline	<0.031	mg/kg	0.10	0.031	1	05/11/22 12:41	05/12/22 21:04	99-09-2	
4,6-Dinitro-2-methylphenol	<0.057	mg/kg	0.19	0.057	1	05/11/22 12:41	05/12/22 21:04	534-52-1	
4-Bromophenylphenyl ether	<0.039	mg/kg	0.13	0.039	1	05/11/22 12:41	05/12/22 21:04	101-55-3	
4-Chloro-3-methylphenol	<0.057	mg/kg	0.19	0.057	1	05/11/22 12:41	05/12/22 21:04	59-50-7	
4-Chloroaniline	<0.030	mg/kg	0.10	0.030	1	05/11/22 12:41	05/12/22 21:04	106-47-8	3q
4-Chlorophenylphenyl ether	<0.034	mg/kg	0.11	0.034	1	05/11/22 12:41	05/12/22 21:04	7005-72-3	
4-Nitroaniline	<0.076	mg/kg	0.25	0.076	1	05/11/22 12:41	05/12/22 21:04	100-01-6	
4-Nitrophenol	<0.046	mg/kg	0.15	0.046	1	05/11/22 12:41	05/12/22 21:04	100-02-7	
Acenaphthene	<0.065	mg/kg	0.22	0.065	1	05/11/22 12:41	05/12/22 21:04	83-32-9	
Acenaphthylene	<0.066	mg/kg	0.22	0.066	1	05/11/22 12:41	05/12/22 21:04	208-96-8	
Anthracene	<0.029	mg/kg	0.098	0.029	1	05/11/22 12:41	05/12/22 21:04	120-12-7	
Benzo(a)anthracene	<0.028	mg/kg	0.095	0.028	1	05/11/22 12:41	05/12/22 21:04	56-55-3	
Benzo(a)pyrene	<0.028	mg/kg	0.092	0.028	1	05/11/22 12:41	05/12/22 21:04	50-32-8	
Benzo(b)fluoranthene	<0.032	mg/kg	0.11	0.032	1	05/11/22 12:41	05/12/22 21:04	205-99-2	
Benzo(g,h,i)perylene	<0.048	mg/kg	0.16	0.048	1	05/11/22 12:41	05/12/22 21:04	191-24-2	
Benzo(k)fluoranthene	<0.044	mg/kg	0.15	0.044	1	05/11/22 12:41	05/12/22 21:04	207-08-9	
Butylbenzylphthalate	<0.030	mg/kg	0.098	0.030	1	05/11/22 12:41	05/12/22 21:04	85-68-7	
Carbazole	<0.029	mg/kg	0.096	0.029	1	05/11/22 12:41	05/12/22 21:04	86-74-8	
Chrysene	<0.028	mg/kg	0.092	0.028	1	05/11/22 12:41	05/12/22 21:04	218-01-9	
Di-n-butylphthalate	<0.028	mg/kg	0.092	0.028	1	05/11/22 12:41	05/12/22 21:04	84-74-2	
Di-n-octylphthalate	<0.041	mg/kg	0.14	0.041	1	05/11/22 12:41	05/12/22 21:04	117-84-0	
Dibenz(a,h)anthracene	<0.050	mg/kg	0.17	0.050	1	05/11/22 12:41	05/12/22 21:04	53-70-3	
Dibenzofuran	<0.022	mg/kg	0.074	0.022	1	05/11/22 12:41	05/12/22 21:04	132-64-9	
Diethylphthalate	<0.031	mg/kg	0.10	0.031	1	05/11/22 12:41	05/12/22 21:04	84-66-2	
Dimethylphthalate	<0.024	mg/kg	0.080	0.024	1	05/11/22 12:41	05/12/22 21:04	131-11-3	
Fluoranthene	<0.026	mg/kg	0.087	0.026	1	05/11/22 12:41	05/12/22 21:04	206-44-0	
Fluorene	<0.022	mg/kg	0.072	0.022	1	05/11/22 12:41	05/12/22 21:04	86-73-7	
Hexachloro-1,3-butadiene	<0.047	mg/kg	0.16	0.047	1	05/11/22 12:41	05/12/22 21:04	87-68-3	
Hexachlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/11/22 12:41	05/12/22 21:04	118-74-1	
Hexachlorocyclopentadiene	<0.044	mg/kg	0.15	0.044	1	05/11/22 12:41	05/12/22 21:04	77-47-4	
Hexachloroethane	<0.029	mg/kg	0.098	0.029	1	05/11/22 12:41	05/12/22 21:04	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.040	mg/kg	0.13	0.040	1	05/11/22 12:41	05/12/22 21:04	193-39-5	
Isophorone	<0.028	mg/kg	0.094	0.028	1	05/11/22 12:41	05/12/22 21:04	78-59-1	
N-Nitroso-di-n-propylamine	<0.029	mg/kg	0.097	0.029	1	05/11/22 12:41	05/12/22 21:04	621-64-7	
N-Nitrosodiphenylamine	<0.25	mg/kg	0.83	0.25	1	05/11/22 12:41	05/12/22 21:04	86-30-6	
Naphthalene	<0.064	mg/kg	0.21	0.064	1	05/11/22 12:41	05/12/22 21:04	91-20-3	
Nitrobenzene	<0.037	mg/kg	0.12	0.037	1	05/11/22 12:41	05/12/22 21:04	98-95-3	
Pentachlorophenol	<0.041	mg/kg	0.14	0.041	1	05/11/22 12:41	05/12/22 21:04	87-86-5	
Phenanthrene	<0.024	mg/kg	0.079	0.024	1	05/11/22 12:41	05/12/22 21:04	85-01-8	
Phenol	<0.044	mg/kg	0.15	0.044	1	05/11/22 12:41	05/12/22 21:04	108-95-2	
Pyrene	<0.041	mg/kg	0.14	0.041	1	05/11/22 12:41	05/12/22 21:04	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: 05062022 DUP-02 **Lab ID: 40244577010** Collected: 05/06/22 00:00 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.050	mg/kg	0.17	0.050	1	05/11/22 12:41	05/12/22 21:04	111-91-1	
bis(2-Chloroethyl) ether	<0.057	mg/kg	0.19	0.057	1	05/11/22 12:41	05/12/22 21:04	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.031	mg/kg	0.10	0.031	1	05/11/22 12:41	05/12/22 21:04	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	85	%	10-125		1	05/11/22 12:41	05/12/22 21:04	4165-60-0	
2-Fluorobiphenyl (S)	74	%	12-118		1	05/11/22 12:41	05/12/22 21:04	321-60-8	
Terphenyl-d14 (S)	81	%	10-124		1	05/11/22 12:41	05/12/22 21:04	1718-51-0	
Phenol-d6 (S)	71	%	10-125		1	05/11/22 12:41	05/12/22 21:04	13127-88-3	
2-Fluorophenol (S)	70	%	10-130		1	05/11/22 12:41	05/12/22 21:04	367-12-4	
2,4,6-Tribromophenol (S)	87	%	10-144		1	05/11/22 12:41	05/12/22 21:04	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0014	mg/kg	0.0047	0.0014	1	05/13/22 06:00	05/13/22 11:20	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0024	mg/kg	0.0047	0.0024	1	05/13/22 06:00	05/13/22 11:20	79-34-5	
1,1,2-Trichloroethane	<0.0014	mg/kg	0.0047	0.0014	1	05/13/22 06:00	05/13/22 11:20	79-00-5	
1,1-Dichloroethane	<0.0010	mg/kg	0.0047	0.0010	1	05/13/22 06:00	05/13/22 11:20	75-34-3	
1,1-Dichloroethene	<0.00098	mg/kg	0.0047	0.00098	1	05/13/22 06:00	05/13/22 11:20	75-35-4	
1,2-Dichloroethane	<0.00077	mg/kg	0.0047	0.00077	1	05/13/22 06:00	05/13/22 11:20	107-06-2	
1,2-Dichloropropane	<0.00094	mg/kg	0.0047	0.00094	1	05/13/22 06:00	05/13/22 11:20	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.023	0.015	1	05/13/22 06:00	05/13/22 11:20	78-93-3	
2-Hexanone	<0.011	mg/kg	0.023	0.011	1	05/13/22 06:00	05/13/22 11:20	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.019	mg/kg	0.023	0.019	1	05/13/22 06:00	05/13/22 11:20	108-10-1	
Acetone	<0.044	mg/kg	0.093	0.044	1	05/13/22 06:00	05/13/22 11:20	67-64-1	
Benzene	<0.00066	mg/kg	0.0047	0.00066	1	05/13/22 06:00	05/13/22 11:20	71-43-2	
Bromodichloromethane	<0.00063	mg/kg	0.0047	0.00063	1	05/13/22 06:00	05/13/22 11:20	75-27-4	
Bromoform	<0.0076	mg/kg	0.019	0.0076	1	05/13/22 06:00	05/13/22 11:20	75-25-2	
Bromomethane	<0.0042	mg/kg	0.0047	0.0042	1	05/13/22 06:00	05/13/22 11:20	74-83-9	
Carbon disulfide	<0.0010	mg/kg	0.0047	0.0010	1	05/13/22 06:00	05/13/22 11:20	75-15-0	
Carbon tetrachloride	<0.0029	mg/kg	0.0047	0.0029	1	05/13/22 06:00	05/13/22 11:20	56-23-5	
Chlorobenzene	<0.00086	mg/kg	0.0047	0.00086	1	05/13/22 06:00	05/13/22 11:20	108-90-7	
Chloroethane	<0.0034	mg/kg	0.0047	0.0034	1	05/13/22 06:00	05/13/22 11:20	75-00-3	
Chloroform	<0.00079	mg/kg	0.0047	0.00079	1	05/13/22 06:00	05/13/22 11:20	67-66-3	
Chloromethane	<0.0010	mg/kg	0.0047	0.0010	1	05/13/22 06:00	05/13/22 11:20	74-87-3	
Dibromochloromethane	<0.00094	mg/kg	0.0047	0.00094	1	05/13/22 06:00	05/13/22 11:20	124-48-1	
Ethylbenzene	<0.00083	mg/kg	0.0047	0.00083	1	05/13/22 06:00	05/13/22 11:20	100-41-4	
Methyl-tert-butyl ether	<0.0019	mg/kg	0.0047	0.0019	1	05/13/22 06:00	05/13/22 11:20	1634-04-4	
Methylene Chloride	<0.0037	mg/kg	0.0047	0.0037	1	05/13/22 06:00	05/13/22 11:20	75-09-2	
Styrene	<0.00066	mg/kg	0.0047	0.00066	1	05/13/22 06:00	05/13/22 11:20	100-42-5	
Tetrachloroethene	<0.00083	mg/kg	0.0047	0.00083	1	05/13/22 06:00	05/13/22 11:20	127-18-4	
Toluene	<0.00082	mg/kg	0.0047	0.00082	1	05/13/22 06:00	05/13/22 11:20	108-88-3	
Trichloroethene	<0.00067	mg/kg	0.0047	0.00067	1	05/13/22 06:00	05/13/22 11:20	79-01-6	
Vinyl chloride	<0.0012	mg/kg	0.0047	0.0012	1	05/13/22 06:00	05/13/22 11:20	75-01-4	
Xylene (Total)	<0.0032	mg/kg	0.0093	0.0032	1	05/13/22 06:00	05/13/22 11:20	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Sample: 05062022 DUP-02 **Lab ID: 40244577010** Collected: 05/06/22 00:00 Received: 05/07/22 11:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00082	mg/kg	0.0047	0.00082	1	05/13/22 06:00	05/13/22 11:20	156-59-2	
cis-1,3-Dichloropropene	<0.00095	mg/kg	0.0047	0.00095	1	05/13/22 06:00	05/13/22 11:20	10061-01-5	
trans-1,2-Dichloroethene	<0.00067	mg/kg	0.0047	0.00067	1	05/13/22 06:00	05/13/22 11:20	156-60-5	
trans-1,3-Dichloropropene	<0.00093	mg/kg	0.0047	0.00093	1	05/13/22 06:00	05/13/22 11:20	10061-02-6	
Surrogates									
Toluene-d8 (S)	92	%	69-156		1	05/13/22 06:00	05/13/22 11:20	2037-26-5	
4-Bromofluorobenzene (S)	83	%	61-175		1	05/13/22 06:00	05/13/22 11:20	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1	05/13/22 06:00	05/13/22 11:20	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	9.3	%	0.10	0.10	1		05/11/22 13:58		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.91	Std. Units	0.100	0.0100	1		05/17/22 11:16		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.30	mg/kg	0.90	0.30	1	05/18/22 10:45	05/18/22 15:21	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

QC Batch: 415681

Analysis Method: EPA 7471

QC Batch Method: EPA 7471

Analysis Description: 7471 Mercury

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244577001, 40244577002, 40244577003, 40244577004, 40244577005, 40244577006, 40244577007, 40244577008, 40244577010

METHOD BLANK: 2393201

Matrix: Solid

Associated Lab Samples: 40244577001, 40244577002, 40244577003, 40244577004, 40244577005, 40244577006, 40244577007, 40244577008, 40244577010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	0.010	05/16/22 09:10	

LABORATORY CONTROL SAMPLE: 2393202

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.84	101	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2393203 2393204

Parameter	Units	40244577001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max		Qual
										RPD	RPD	
Mercury	mg/kg	0.015J	1	1	1.0	1.1	102	104	85-115	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

QC Batch:	815038	Analysis Method:	EPA 6020B
QC Batch Method:	EPA 3050B	Analysis Description:	6020B Solids UPD5
		Laboratory:	Pace Analytical Services - Minneapolis

Associated Lab Samples: 40244577001, 40244577002, 40244577003, 40244577004, 40244577005, 40244577006, 40244577007, 40244577008, 40244577010

METHOD BLANK: 4320556 Matrix: Solid
Associated Lab Samples: 40244577001, 40244577002, 40244577003, 40244577004, 40244577005, 40244577006, 40244577007, 40244577008, 40244577010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Aluminum	mg/kg	<5.5	27.3	5.5	05/18/22 14:01	
Antimony	mg/kg	<0.087	0.45	0.087	05/18/22 14:01	
Arsenic	mg/kg	<0.099	0.45	0.099	05/18/22 14:01	
Barium	mg/kg	<0.049	0.27	0.049	05/18/22 14:01	
Beryllium	mg/kg	<0.036	0.18	0.036	05/18/22 14:01	
Cadmium	mg/kg	<0.029	0.073	0.029	05/18/22 14:01	
Calcium	mg/kg	<10.7	90.9	10.7	05/18/22 14:01	
Chromium	mg/kg	<0.13	1.8	0.13	05/18/22 14:01	
Cobalt	mg/kg	<0.090	0.45	0.090	05/18/22 14:01	
Copper	mg/kg	<0.22	0.91	0.22	05/19/22 10:21	
Iron	mg/kg	<9.5	45.5	9.5	05/18/22 14:01	
Lead	mg/kg	0.12J	0.45	0.027	05/18/22 14:01	
Magnesium	mg/kg	<3.9	27.3	3.9	05/18/22 14:01	
Manganese	mg/kg	<0.22	0.45	0.22	05/18/22 14:01	
Nickel	mg/kg	<0.18	0.45	0.18	05/18/22 14:01	
Potassium	mg/kg	<10.5	90.9	10.5	05/18/22 14:01	
Selenium	mg/kg	<0.078	0.45	0.078	05/18/22 14:01	
Silver	mg/kg	<0.13	0.45	0.13	05/18/22 14:01	
Sodium	mg/kg	12.9J	45.5	10.1	05/18/22 14:01	
Thallium	mg/kg	<0.033	0.091	0.033	05/18/22 14:01	
Vanadium	mg/kg	<0.16	0.91	0.16	05/18/22 14:01	
Zinc	mg/kg	1.7J	4.5	0.82	05/18/22 14:01	

LABORATORY CONTROL SAMPLE: 4320557

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Aluminum	mg/kg	917	899	98	80-120	
Antimony	mg/kg	45.9	43.4	95	80-120	
Arsenic	mg/kg	45.9	43.4	95	80-120	
Barium	mg/kg	45.9	43.7	95	80-120	
Beryllium	mg/kg	45.9	46.4	101	80-120	
Cadmium	mg/kg	45.9	44.1	96	80-120	
Calcium	mg/kg	917	960	105	80-120	
Chromium	mg/kg	45.9	46.1	100	80-120	
Cobalt	mg/kg	45.9	45.2	99	80-120	
Copper	mg/kg	45.9	45.6	99	80-120	
Iron	mg/kg	917	914	100	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

LABORATORY CONTROL SAMPLE: 4320557

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	mg/kg	45.9	45.3	99	80-120	
Magnesium	mg/kg	917	912	99	80-120	
Manganese	mg/kg	45.9	45.0	98	80-120	
Nickel	mg/kg	45.9	45.7	100	80-120	
Potassium	mg/kg	917	904	99	80-120	
Selenium	mg/kg	45.9	45.8	100	80-120	
Silver	mg/kg	22.9	22.6	98	80-120	
Sodium	mg/kg	917	912	99	80-120	
Thallium	mg/kg	45.9	45.6	99	80-120	
Vanadium	mg/kg	45.9	44.6	97	80-120	
Zinc	mg/kg	45.9	44.9	98	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4320558 4320559

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244577010 Result	Spike Conc.	Spike Conc.	Conc.								
Aluminum	mg/kg	1490	1010	1070	3060	2720	155	115	75-125	12	20	M1	
Antimony	mg/kg	<0.10	50.6	53.5	43.0	42.0	85	78	75-125	2	20		
Arsenic	mg/kg	2.0	50.6	53.5	51.6	49.6	98	89	75-125	4	20		
Barium	mg/kg	14.0	50.6	53.5	65.5	61.5	102	89	75-125	6	20		
Beryllium	mg/kg	0.15J	50.6	53.5	51.1	50.8	101	95	75-125	0	20		
Cadmium	mg/kg	0.057J	50.6	53.5	50.6	48.4	100	90	75-125	4	20		
Calcium	mg/kg	14700	1010	1070	21100	20100	637	506	75-125	5	20	P6	
Chromium	mg/kg	3.9	50.6	53.5	55.8	53.3	103	92	75-125	5	20		
Cobalt	mg/kg	3.2	50.6	53.5	53.4	51.1	99	90	75-125	5	20		
Copper	mg/kg	3.6	50.6	53.5	54.1	52.3	100	91	75-125	4	20		
Iron	mg/kg	4680	1010	1070	5430	4900	74	20	75-125	10	20	P6	
Lead	mg/kg	3.5	50.6	53.5	54.5	52.1	101	91	75-125	5	20		
Magnesium	mg/kg	5510	1010	1070	8670	8180	312	249	75-125	6	20	P6	
Manganese	mg/kg	279	50.6	53.5	389	380	218	189	75-125	2	20	P6	
Nickel	mg/kg	4.9	50.6	53.5	55.8	53.0	101	90	75-125	5	20		
Potassium	mg/kg	224	1010	1070	1360	1270	112	98	75-125	6	20		
Selenium	mg/kg	0.10J	50.6	53.5	50.5	50.5	100	94	75-125	0	20		
Silver	mg/kg	0.23J	25.2	26.8	25.8	24.9	101	92	75-125	4	20		
Sodium	mg/kg	35.0J	1010	1070	1050	1000	100	90	75-125	4	20		
Thallium	mg/kg	0.048J	50.6	53.5	51.6	50.1	102	93	75-125	3	20		
Vanadium	mg/kg	6.3	50.6	53.5	57.5	54.5	101	90	75-125	5	20		
Zinc	mg/kg	14.4	50.6	53.5	63.4	60.1	97	85	75-125	5	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

QC Batch: 415710 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030 Analysis Description: 8260 MSV Low
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244577001, 40244577002, 40244577003, 40244577004

METHOD BLANK: 2393375 Matrix: Solid
Associated Lab Samples: 40244577001, 40244577002, 40244577003, 40244577004

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/12/22 08:32	
1,1,2,2-Tetrachloroethane	mg/kg	<0.0026	0.0050	0.0026	05/12/22 08:32	
1,1,2-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/12/22 08:32	
1,1-Dichloroethane	mg/kg	<0.0011	0.0050	0.0011	05/12/22 08:32	
1,1-Dichloroethene	mg/kg	<0.0011	0.0050	0.0011	05/12/22 08:32	
1,2-Dichloroethane	mg/kg	<0.00082	0.0050	0.00082	05/12/22 08:32	
1,2-Dichloropropane	mg/kg	<0.0010	0.0050	0.0010	05/12/22 08:32	
2-Butanone (MEK)	mg/kg	<0.016	0.025	0.016	05/12/22 08:32	
2-Hexanone	mg/kg	<0.011	0.025	0.011	05/12/22 08:32	
4-Methyl-2-pentanone (MIBK)	mg/kg	<0.020	0.025	0.020	05/12/22 08:32	
Acetone	mg/kg	<0.047	0.10	0.047	05/12/22 08:32	
Benzene	mg/kg	<0.00071	0.0050	0.00071	05/12/22 08:32	
Bromodichloromethane	mg/kg	<0.00068	0.0050	0.00068	05/12/22 08:32	
Bromoform	mg/kg	<0.0081	0.020	0.0081	05/12/22 08:32	
Bromomethane	mg/kg	<0.0045	0.0050	0.0045	05/12/22 08:32	
Carbon disulfide	mg/kg	<0.0011	0.0050	0.0011	05/12/22 08:32	
Carbon tetrachloride	mg/kg	<0.0032	0.0050	0.0032	05/12/22 08:32	
Chlorobenzene	mg/kg	<0.00092	0.0050	0.00092	05/12/22 08:32	
Chloroethane	mg/kg	<0.0036	0.0050	0.0036	05/12/22 08:32	
Chloroform	mg/kg	<0.00084	0.0050	0.00084	05/12/22 08:32	
Chloromethane	mg/kg	<0.0011	0.0050	0.0011	05/12/22 08:32	
cis-1,2-Dichloroethene	mg/kg	<0.00088	0.0050	0.00088	05/12/22 08:32	
cis-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/12/22 08:32	
Dibromochloromethane	mg/kg	<0.0010	0.0050	0.0010	05/12/22 08:32	
Ethylbenzene	mg/kg	<0.00089	0.0050	0.00089	05/12/22 08:32	
Methyl-tert-butyl ether	mg/kg	<0.0020	0.0050	0.0020	05/12/22 08:32	
Methylene Chloride	mg/kg	<0.0040	0.0050	0.0040	05/12/22 08:32	
Styrene	mg/kg	<0.00071	0.0050	0.00071	05/12/22 08:32	
Tetrachloroethene	mg/kg	<0.00089	0.0050	0.00089	05/12/22 08:32	
Toluene	mg/kg	<0.00088	0.0050	0.00088	05/12/22 08:32	
trans-1,2-Dichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/12/22 08:32	
trans-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/12/22 08:32	
Trichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/12/22 08:32	
Vinyl chloride	mg/kg	<0.0013	0.0050	0.0013	05/12/22 08:32	
Xylene (Total)	mg/kg	<0.0034	0.010	0.0034	05/12/22 08:32	
1,2-Dichlorobenzene-d4 (S)	%	100	70-130		05/12/22 08:32	
4-Bromofluorobenzene (S)	%	79	61-175		05/12/22 08:32	
Toluene-d8 (S)	%	91	69-156		05/12/22 08:32	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

LABORATORY CONTROL SAMPLE & LCSD: 2393376		2393381								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	mg/kg	0.05	0.045	0.045	89	89	57-126	0	22	
1,1,2,2-Tetrachloroethane	mg/kg	0.05	0.040	0.041	80	83	70-170	3	20	
1,1,2-Trichloroethane	mg/kg	0.05	0.041	0.044	81	88	59-128	8	20	
1,1-Dichloroethane	mg/kg	0.05	0.043	0.051	87	101	70-130	15	20	
1,1-Dichloroethene	mg/kg	0.05	0.043	0.043	85	85	57-118	0	23	
1,2-Dichloroethane	mg/kg	0.05	0.043	0.043	86	85	75-137	1	23	
1,2-Dichloropropane	mg/kg	0.05	0.041	0.043	82	87	74-132	5	22	
Benzene	mg/kg	0.05	0.043	0.044	86	87	68-130	1	24	
Bromodichloromethane	mg/kg	0.05	0.044	0.044	87	88	57-139	0	23	
Bromoform	mg/kg	0.05	0.048	0.046	95	92	62-131	3	20	
Bromomethane	mg/kg	0.05	0.058	0.058	115	115	20-175	0	28	
Carbon disulfide	mg/kg	0.05	0.043	0.041	87	82	40-128	5	22	
Carbon tetrachloride	mg/kg	0.05	0.046	0.047	91	93	50-128	2	24	
Chlorobenzene	mg/kg	0.05	0.046	0.048	92	95	70-130	4	20	
Chloroethane	mg/kg	0.05	0.045	0.044	89	88	49-129	1	25	
Chloroform	mg/kg	0.05	0.043	0.045	87	90	65-128	4	23	
Chloromethane	mg/kg	0.05	0.044	0.047	89	94	39-134	6	25	
cis-1,2-Dichloroethene	mg/kg	0.05	0.046	0.047	92	94	69-130	3	24	
cis-1,3-Dichloropropene	mg/kg	0.05	0.041	0.044	82	87	67-132	6	23	
Dibromochloromethane	mg/kg	0.05	0.045	0.045	89	90	60-127	1	20	
Ethylbenzene	mg/kg	0.05	0.042	0.043	84	86	64-128	3	21	
Methyl-tert-butyl ether	mg/kg	0.05	0.043	0.041	86	82	64-126	5	25	
Methylene Chloride	mg/kg	0.05	0.051	0.050	102	100	54-133	2	22	
Styrene	mg/kg	0.05	0.045	0.045	90	90	64-130	0	21	
Tetrachloroethene	mg/kg	0.05	0.049	0.050	99	99	62-130	1	23	
Toluene	mg/kg	0.05	0.041	0.043	81	85	71-117	5	21	
trans-1,2-Dichloroethene	mg/kg	0.05	0.051	0.048	102	95	67-130	7	20	
trans-1,3-Dichloropropene	mg/kg	0.05	0.038	0.038	76	76	63-130	1	22	
Trichloroethene	mg/kg	0.05	0.042	0.042	85	85	67-130	0	22	
Vinyl chloride	mg/kg	0.05	0.044	0.047	88	94	47-138	7	24	
Xylene (Total)	mg/kg	0.15	0.13	0.13	87	88	60-125	2	21	
1,2-Dichlorobenzene-d4 (S)	%				98	104	70-130			
4-Bromofluorobenzene (S)	%				88	91	61-175			
Toluene-d8 (S)	%				98	90	69-156			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

QC Batch: 415845 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030 Analysis Description: 8260 MSV Low
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244577005, 40244577006, 40244577007, 40244577008, 40244577009, 40244577010

METHOD BLANK: 2394326 Matrix: Solid
Associated Lab Samples: 40244577005, 40244577006, 40244577007, 40244577008, 40244577009, 40244577010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/13/22 08:06	
1,1,2,2-Tetrachloroethane	mg/kg	<0.0026	0.0050	0.0026	05/13/22 08:06	
1,1,2-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/13/22 08:06	
1,1-Dichloroethane	mg/kg	<0.0011	0.0050	0.0011	05/13/22 08:06	
1,1-Dichloroethene	mg/kg	<0.0011	0.0050	0.0011	05/13/22 08:06	
1,2-Dichloroethane	mg/kg	<0.00082	0.0050	0.00082	05/13/22 08:06	
1,2-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/13/22 08:06	
2-Butanone (MEK)	mg/kg	<0.016	0.025	0.016	05/13/22 08:06	
2-Hexanone	mg/kg	<0.011	0.025	0.011	05/13/22 08:06	
4-Methyl-2-pentanone (MIBK)	mg/kg	<0.020	0.025	0.020	05/13/22 08:06	
Acetone	mg/kg	<0.047	0.10	0.047	05/13/22 08:06	
Benzene	mg/kg	<0.00071	0.0050	0.00071	05/13/22 08:06	
Bromodichloromethane	mg/kg	<0.00068	0.0050	0.00068	05/13/22 08:06	
Bromoform	mg/kg	<0.0081	0.020	0.0081	05/13/22 08:06	
Bromomethane	mg/kg	<0.0045	0.0050	0.0045	05/13/22 08:06	
Carbon disulfide	mg/kg	<0.0011	0.0050	0.0011	05/13/22 08:06	
Carbon tetrachloride	mg/kg	<0.0032	0.0050	0.0032	05/13/22 08:06	
Chlorobenzene	mg/kg	<0.00092	0.0050	0.00092	05/13/22 08:06	
Chloroethane	mg/kg	<0.0036	0.0050	0.0036	05/13/22 08:06	
Chloroform	mg/kg	<0.00084	0.0050	0.00084	05/13/22 08:06	
Chloromethane	mg/kg	<0.0011	0.0050	0.0011	05/13/22 08:06	
cis-1,2-Dichloroethene	mg/kg	<0.00088	0.0050	0.00088	05/13/22 08:06	
cis-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/13/22 08:06	
Dibromochloromethane	mg/kg	<0.0010	0.0050	0.0010	05/13/22 08:06	
Ethylbenzene	mg/kg	<0.00089	0.0050	0.00089	05/13/22 08:06	
Methyl-tert-butyl ether	mg/kg	<0.0020	0.0050	0.0020	05/13/22 08:06	
Methylene Chloride	mg/kg	<0.0040	0.0050	0.0040	05/13/22 08:06	
Styrene	mg/kg	<0.00071	0.0050	0.00071	05/13/22 08:06	
Tetrachloroethene	mg/kg	<0.00089	0.0050	0.00089	05/13/22 08:06	
Toluene	mg/kg	<0.00088	0.0050	0.00088	05/13/22 08:06	
trans-1,2-Dichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/13/22 08:06	
trans-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/13/22 08:06	
Trichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/13/22 08:06	
Vinyl chloride	mg/kg	<0.0013	0.0050	0.0013	05/13/22 08:06	
Xylene (Total)	mg/kg	<0.0034	0.010	0.0034	05/13/22 08:06	
1,2-Dichlorobenzene-d4 (S)	%	97	70-130		05/13/22 08:06	
4-Bromofluorobenzene (S)	%	80	61-175		05/13/22 08:06	
Toluene-d8 (S)	%	94	69-156		05/13/22 08:06	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

LABORATORY CONTROL SAMPLE & LCSD: 2394327		2394328									
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
1,1,1-Trichloroethane	mg/kg	0.05	0.054	0.049	109	99	57-126	10	22		
1,1,2,2-Tetrachloroethane	mg/kg	0.05	0.045	0.042	90	84	70-170	7	20		
1,1,2-Trichloroethane	mg/kg	0.05	0.049	0.044	98	88	59-128	11	20		
1,1-Dichloroethane	mg/kg	0.05	0.055	0.050	110	101	70-130	9	20		
1,1-Dichloroethene	mg/kg	0.05	0.045	0.041	91	83	57-118	9	23		
1,2-Dichloroethane	mg/kg	0.05	0.049	0.051	98	102	75-137	4	23		
1,2-Dichloropropane	mg/kg	0.05	0.049	0.047	98	94	74-132	4	22		
Benzene	mg/kg	0.05	0.049	0.046	98	92	68-130	6	24		
Bromodichloromethane	mg/kg	0.05	0.054	0.049	108	98	57-139	9	23		
Bromoform	mg/kg	0.05	0.057	0.051	115	102	62-131	12	20		
Bromomethane	mg/kg	0.05	0.053	0.051	107	103	20-175	4	28		
Carbon disulfide	mg/kg	0.05	0.041	0.040	82	79	40-128	3	22		
Carbon tetrachloride	mg/kg	0.05	0.054	0.049	108	98	50-128	9	24		
Chlorobenzene	mg/kg	0.05	0.056	0.048	111	96	70-130	15	20		
Chloroethane	mg/kg	0.05	0.044	0.042	88	85	49-129	4	25		
Chloroform	mg/kg	0.05	0.054	0.050	108	99	65-128	8	23		
Chloromethane	mg/kg	0.05	0.033	0.030	66	61	39-134	8	25		
cis-1,2-Dichloroethene	mg/kg	0.05	0.055	0.051	110	103	69-130	7	24		
cis-1,3-Dichloropropene	mg/kg	0.05	0.047	0.045	95	90	67-132	5	23		
Dibromochloromethane	mg/kg	0.05	0.053	0.051	106	102	60-127	4	20		
Ethylbenzene	mg/kg	0.05	0.050	0.043	100	87	64-128	14	21		
Methyl-tert-butyl ether	mg/kg	0.05	0.045	0.045	89	91	64-126	2	25		
Methylene Chloride	mg/kg	0.05	0.057	0.050	113	100	54-133	12	22		
Styrene	mg/kg	0.05	0.055	0.047	111	94	64-130	16	21		
Tetrachloroethene	mg/kg	0.05	0.059	0.048	117	96	62-130	20	23		
Toluene	mg/kg	0.05	0.047	0.043	95	85	71-117	10	21		
trans-1,2-Dichloroethene	mg/kg	0.05	0.053	0.048	106	95	67-130	11	20		
trans-1,3-Dichloropropene	mg/kg	0.05	0.044	0.040	88	79	63-130	10	22		
Trichloroethene	mg/kg	0.05	0.052	0.047	105	94	67-130	11	22		
Vinyl chloride	mg/kg	0.05	0.037	0.039	75	77	47-138	3	24		
Xylene (Total)	mg/kg	0.15	0.16	0.13	104	88	60-125	16	21		
1,2-Dichlorobenzene-d4 (S)	%				96	100	70-130				
4-Bromofluorobenzene (S)	%				92	86	61-175				
Toluene-d8 (S)	%				92	95	69-156				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

QC Batch:	814676	Analysis Method:	EPA 8081B
QC Batch Method:	EPA 3550	Analysis Description:	8081B GCS Pesticides
		Laboratory:	Pace Analytical Services - Minneapolis

Associated Lab Samples: 40244577001, 40244577002, 40244577003, 40244577004, 40244577005, 40244577006, 40244577007, 40244577008, 40244577010

METHOD BLANK: 4318638 Matrix: Solid
Associated Lab Samples: 40244577001, 40244577002, 40244577003, 40244577004, 40244577005, 40244577006, 40244577007, 40244577008, 40244577010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	mg/kg	<0.00034	0.0033	0.00034	05/12/22 15:35	
4,4'-DDE	mg/kg	<0.00038	0.0033	0.00038	05/12/22 15:35	
4,4'-DDT	mg/kg	<0.0010	0.0033	0.0010	05/12/22 15:35	
Aldrin	mg/kg	<0.00040	0.0017	0.00040	05/12/22 15:35	
alpha-BHC	mg/kg	<0.00017	0.0017	0.00017	05/12/22 15:35	
alpha-Chlordane	mg/kg	<0.00021	0.0017	0.00021	05/12/22 15:35	
beta-BHC	mg/kg	<0.00052	0.0017	0.00052	05/12/22 15:35	
Chlordane (Technical)	mg/kg	<0.0055	0.017	0.0055	05/12/22 15:35	
delta-BHC	mg/kg	<0.00030	0.0017	0.00030	05/12/22 15:35	
Dieldrin	mg/kg	<0.00032	0.0033	0.00032	05/12/22 15:35	
Endosulfan I	mg/kg	<0.00018	0.0017	0.00018	05/12/22 15:35	
Endosulfan II	mg/kg	<0.00079	0.0033	0.00079	05/12/22 15:35	
Endosulfan sulfate	mg/kg	<0.00078	0.0033	0.00078	05/12/22 15:35	
Endrin	mg/kg	<0.00037	0.0033	0.00037	05/12/22 15:35	
Endrin aldehyde	mg/kg	<0.0011	0.0033	0.0011	05/12/22 15:35	
Endrin ketone	mg/kg	<0.00088	0.0033	0.00088	05/12/22 15:35	
gamma-BHC (Lindane)	mg/kg	<0.00016	0.0017	0.00016	05/12/22 15:35	
gamma-Chlordane	mg/kg	<0.00062	0.0017	0.00062	05/12/22 15:35	
Heptachlor	mg/kg	<0.00045	0.0017	0.00045	05/12/22 15:35	
Heptachlor epoxide	mg/kg	<0.00017	0.0017	0.00017	05/12/22 15:35	
Methoxychlor	mg/kg	<0.0051	0.017	0.0051	05/12/22 15:35	
Toxaphene	mg/kg	<0.016	0.050	0.016	05/12/22 15:35	
Decachlorobiphenyl (S)	%	74	30-150		05/12/22 15:35	
Tetrachloro-m-xylene (S)	%	81	53-138		05/12/22 15:35	

LABORATORY CONTROL SAMPLE: 4318639

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	mg/kg	0.033	0.028	85	73-128	
4,4'-DDE	mg/kg	0.033	0.029	86	75-128	
4,4'-DDT	mg/kg	0.033	0.030	89	74-128	
Aldrin	mg/kg	0.017	0.014	83	72-125	
alpha-BHC	mg/kg	0.017	0.013	81	73-125	
alpha-Chlordane	mg/kg	0.017	0.014	81	69-125	
beta-BHC	mg/kg	0.017	0.013	81	73-125	
delta-BHC	mg/kg	0.017	0.0084	50	37-125	
Dieldrin	mg/kg	0.033	0.028	84	75-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

LABORATORY CONTROL SAMPLE: 4318639

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endosulfan I	mg/kg	0.017	0.013	81	67-125	
Endosulfan II	mg/kg	0.033	0.028	83	75-125	
Endosulfan sulfate	mg/kg	0.033	0.026	77	75-125	
Endrin	mg/kg	0.033	0.028	85	75-125	
Endrin aldehyde	mg/kg	0.033	0.028	83	71-125	
Endrin ketone	mg/kg	0.033	0.029	86	75-125	
gamma-BHC (Lindane)	mg/kg	0.017	0.014	81	74-125	
gamma-Chlordane	mg/kg	0.017	0.014	83	70-125	
Heptachlor	mg/kg	0.017	0.014	85	75-125	
Heptachlor epoxide	mg/kg	0.017	0.014	82	73-125	
Methoxychlor	mg/kg	0.17	0.16	94	75-128	
Decachlorobiphenyl (S)	%			73	30-150	
Tetrachloro-m-xylene (S)	%			79	53-138	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4318640 4318641

Parameter	Units	40244577001		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	Result	MSD Result	% Rec	% Rec					
4,4'-DDD	mg/kg	0.012	0.0405	0.0405	0.031	0.033	47	51	36-150	4	20		
4,4'-DDE	mg/kg	0.017	0.0405	0.0405	0.039	0.033	55	39	39-147	18	20		
4,4'-DDT	mg/kg	0.022	0.0405	0.0405	0.044	0.036	53	34	43-143	19	20	M1	
Aldrin	mg/kg	<0.00049	0.0208	0.0208	0.014	0.015	69	76	41-136	10	20		
alpha-BHC	mg/kg	<0.00020	0.0208	0.0208	0.015	0.017	76	83	48-132	10	20		
alpha-Chlordane	mg/kg	1.0	0.0208	0.0208	0.23	0.029	-3990	-4960	32-149	155	20	M1,R1	
beta-BHC	mg/kg	<0.00063	0.0208	0.0208	0.020	0.019	99	92	45-142	7	20		
delta-BHC	mg/kg	<0.00037	0.0208	0.0208	0.016	0.017	79	86	30-125	8	20		
Dieldrin	mg/kg	0.0072	0.0405	0.0405	0.029	0.032	54	60	39-140	9	20		
Endosulfan I	mg/kg	0.14	0.0208	0.0208	0.016	0.018	-632	-624	39-134	9	20	M1	
Endosulfan II	mg/kg	0.023	0.0405	0.0405	0.032	0.032	24	23	43-138	1	20	M1	
Endosulfan sulfate	mg/kg	0.0071	0.0405	0.0405	0.030	0.031	56	59	43-131	4	20		
Endrin	mg/kg	<0.00046	0.0405	0.0405	0.032	0.033	80	80	47-134	1	20		
Endrin aldehyde	mg/kg	0.0064	0.0405	0.0405	0.030	0.032	58	63	40-144	7	20		
Endrin ketone	mg/kg	0.0069	0.0405	0.0405	0.037	0.034	74	67	42-145	9	20		
gamma-BHC (Lindane)	mg/kg	<0.00020	0.0208	0.0208	0.015	0.017	76	83	52-129	9	20		
gamma-Chlordane	mg/kg	0.47	0.0208	0.0208	0.11	0.022	-1770	-2220	38-136	136	20	M1,R1	
Heptachlor	mg/kg	0.0031	0.0208	0.0208	0.016	0.016	61	64	43-142	4	20		
Heptachlor epoxide	mg/kg	0.057	0.0208	0.0208	0.030	0.018	-133	-192	37-144	49	20	M1,R1	
Methoxychlor	mg/kg	0.013J	0.208	0.208	0.17	0.18	76	82	35-150	7	20		
Decachlorobiphenyl (S)	%						53	50	30-150				
Tetrachloro-m-xylene (S)	%						59	54	53-138				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

QC Batch:	415286	Analysis Method:	EPA 8082A
QC Batch Method:	EPA 3541	Analysis Description:	8082 GCS PCB
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244577001, 40244577002, 40244577003, 40244577004, 40244577005, 40244577006, 40244577007, 40244577008, 40244577010

METHOD BLANK: 2391105 Matrix: Solid
Associated Lab Samples: 40244577001, 40244577002, 40244577003, 40244577004, 40244577005, 40244577006, 40244577007, 40244577008, 40244577010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	0.015	05/11/22 16:25	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	0.015	05/11/22 16:25	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	0.015	05/11/22 16:25	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	0.015	05/11/22 16:25	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	0.015	05/11/22 16:25	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	0.015	05/11/22 16:25	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	0.015	05/11/22 16:25	
Decachlorobiphenyl (S)	%	83	38-95		05/11/22 16:25	
Tetrachloro-m-xylene (S)	%	72	50-99		05/11/22 16:25	

LABORATORY CONTROL SAMPLE: 2391106

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.41	83	71-104	
Decachlorobiphenyl (S)	%			84	38-95	
Tetrachloro-m-xylene (S)	%			74	50-99	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2391107 2391108

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244577003	Result	Conc.	Conc.						
PCB-1016 (Aroclor 1016)	mg/kg	<0.016				<0.016	<0.016				20
PCB-1221 (Aroclor 1221)	mg/kg	<0.016				<0.016	<0.016				20
PCB-1232 (Aroclor 1232)	mg/kg	<0.016				<0.016	<0.016				20
PCB-1242 (Aroclor 1242)	mg/kg	<0.016				<0.016	<0.016				20
PCB-1248 (Aroclor 1248)	mg/kg	<0.016				<0.016	<0.016				20
PCB-1254 (Aroclor 1254)	mg/kg	<0.016				<0.016	<0.016				20
PCB-1260 (Aroclor 1260)	mg/kg	<0.016	0.54	0.54	0.43	0.43	80	79	42-109	0	20
Decachlorobiphenyl (S)	%						81	80	38-95		
Tetrachloro-m-xylene (S)	%						72	72	50-99		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

QC Batch: 415368 Analysis Method: EPA 8270E
QC Batch Method: EPA 3546 Analysis Description: 8270E Solid MSSV Microwave
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244577006, 40244577007, 40244577008, 40244577010

METHOD BLANK: 2391437 Matrix: Solid
Associated Lab Samples: 40244577006, 40244577007, 40244577008, 40244577010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	<0.019	0.063	0.019	05/12/22 12:33	
1,2-Dichlorobenzene	mg/kg	<0.053	0.18	0.053	05/12/22 12:33	
1,3-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/12/22 12:33	
1,4-Dichlorobenzene	mg/kg	<0.023	0.078	0.023	05/12/22 12:33	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.043	0.14	0.043	05/12/22 12:33	
2,4,5-Trichlorophenol	mg/kg	<0.030	0.098	0.030	05/12/22 12:33	
2,4,6-Trichlorophenol	mg/kg	<0.025	0.085	0.025	05/12/22 12:33	
2,4-Dichlorophenol	mg/kg	<0.045	0.15	0.045	05/12/22 12:33	
2,4-Dimethylphenol	mg/kg	<0.033	0.11	0.033	05/12/22 12:33	
2,4-Dinitrophenol	mg/kg	<0.051	0.17	0.051	05/12/22 12:33	
2,4-Dinitrotoluene	mg/kg	<0.024	0.080	0.024	05/12/22 12:33	
2,6-Dinitrotoluene	mg/kg	<0.032	0.11	0.032	05/12/22 12:33	
2-Chloronaphthalene	mg/kg	<0.021	0.072	0.021	05/12/22 12:33	
2-Chlorophenol	mg/kg	<0.042	0.14	0.042	05/12/22 12:33	
2-Methylnaphthalene	mg/kg	<0.043	0.14	0.043	05/12/22 12:33	
2-Methylphenol(o-Cresol)	mg/kg	<0.030	0.10	0.030	05/12/22 12:33	
2-Nitroaniline	mg/kg	<0.048	0.16	0.048	05/12/22 12:33	
2-Nitrophenol	mg/kg	<0.053	0.18	0.053	05/12/22 12:33	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.031	0.10	0.031	05/12/22 12:33	
3,3'-Dichlorobenzidine	mg/kg	<0.045	0.15	0.045	05/12/22 12:33	
3-Nitroaniline	mg/kg	<0.028	0.095	0.028	05/12/22 12:33	
4,6-Dinitro-2-methylphenol	mg/kg	<0.052	0.17	0.052	05/12/22 12:33	
4-Bromophenylphenyl ether	mg/kg	<0.035	0.12	0.035	05/12/22 12:33	
4-Chloro-3-methylphenol	mg/kg	<0.052	0.17	0.052	05/12/22 12:33	
4-Chloroaniline	mg/kg	<0.027	0.092	0.027	05/12/22 12:33	3q
4-Chlorophenylphenyl ether	mg/kg	<0.031	0.10	0.031	05/12/22 12:33	
4-Nitroaniline	mg/kg	<0.069	0.23	0.069	05/12/22 12:33	
4-Nitrophenol	mg/kg	<0.042	0.14	0.042	05/12/22 12:33	
Acenaphthene	mg/kg	<0.059	0.20	0.059	05/12/22 12:33	
Acenaphthylene	mg/kg	<0.060	0.20	0.060	05/12/22 12:33	
Anthracene	mg/kg	<0.027	0.089	0.027	05/12/22 12:33	
Benzo(a)anthracene	mg/kg	<0.026	0.086	0.026	05/12/22 12:33	
Benzo(a)pyrene	mg/kg	<0.025	0.084	0.025	05/12/22 12:33	
Benzo(b)fluoranthene	mg/kg	<0.029	0.096	0.029	05/12/22 12:33	
Benzo(g,h,i)perylene	mg/kg	<0.044	0.15	0.044	05/12/22 12:33	
Benzo(k)fluoranthene	mg/kg	<0.040	0.13	0.040	05/12/22 12:33	
bis(2-Chloroethoxy)methane	mg/kg	<0.045	0.15	0.045	05/12/22 12:33	
bis(2-Chloroethyl) ether	mg/kg	<0.052	0.17	0.052	05/12/22 12:33	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.028	0.093	0.028	05/12/22 12:33	
Butylbenzylphthalate	mg/kg	<0.027	0.089	0.027	05/12/22 12:33	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

METHOD BLANK: 2391437

Matrix: Solid

Associated Lab Samples: 40244577006, 40244577007, 40244577008, 40244577010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Carbazole	mg/kg	<0.026	0.087	0.026	05/12/22 12:33	
Chrysene	mg/kg	<0.025	0.083	0.025	05/12/22 12:33	
Di-n-butylphthalate	mg/kg	<0.025	0.083	0.025	05/12/22 12:33	
Di-n-octylphthalate	mg/kg	<0.038	0.13	0.038	05/12/22 12:33	
Dibenz(a,h)anthracene	mg/kg	<0.045	0.15	0.045	05/12/22 12:33	
Dibenzofuran	mg/kg	<0.020	0.067	0.020	05/12/22 12:33	
Diethylphthalate	mg/kg	<0.028	0.092	0.028	05/12/22 12:33	
Dimethylphthalate	mg/kg	<0.022	0.072	0.022	05/12/22 12:33	
Fluoranthene	mg/kg	<0.024	0.079	0.024	05/12/22 12:33	
Fluorene	mg/kg	<0.020	0.065	0.020	05/12/22 12:33	
Hexachloro-1,3-butadiene	mg/kg	<0.043	0.14	0.043	05/12/22 12:33	
Hexachlorobenzene	mg/kg	<0.028	0.094	0.028	05/12/22 12:33	
Hexachlorocyclopentadiene	mg/kg	<0.040	0.13	0.040	05/12/22 12:33	
Hexachloroethane	mg/kg	<0.027	0.089	0.027	05/12/22 12:33	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.036	0.12	0.036	05/12/22 12:33	
Isophorone	mg/kg	<0.026	0.086	0.026	05/12/22 12:33	
N-Nitroso-di-n-propylamine	mg/kg	<0.027	0.088	0.027	05/12/22 12:33	
N-Nitrosodiphenylamine	mg/kg	<0.23	0.76	0.23	05/12/22 12:33	
Naphthalene	mg/kg	<0.058	0.19	0.058	05/12/22 12:33	
Nitrobenzene	mg/kg	<0.034	0.11	0.034	05/12/22 12:33	
Pentachlorophenol	mg/kg	<0.037	0.12	0.037	05/12/22 12:33	
Phenanthrene	mg/kg	<0.021	0.071	0.021	05/12/22 12:33	
Phenol	mg/kg	<0.040	0.13	0.040	05/12/22 12:33	
Pyrene	mg/kg	<0.037	0.12	0.037	05/12/22 12:33	
2,4,6-Tribromophenol (S)	%	99	10-144		05/12/22 12:33	
2-Fluorobiphenyl (S)	%	86	12-118		05/12/22 12:33	
2-Fluorophenol (S)	%	79	10-130		05/12/22 12:33	
Nitrobenzene-d5 (S)	%	86	10-125		05/12/22 12:33	
Phenol-d6 (S)	%	77	10-125		05/12/22 12:33	
Terphenyl-d14 (S)	%	92	10-124		05/12/22 12:33	

LABORATORY CONTROL SAMPLE: 2391438

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	1.7	1.4	85	70-130	
1,2-Dichlorobenzene	mg/kg	1.7	1.5	90	66-130	
1,3-Dichlorobenzene	mg/kg	1.7	1.4	82	66-130	
1,4-Dichlorobenzene	mg/kg	1.7	1.4	83	64-130	
2,2'-Oxybis(1-chloropropane)	mg/kg	1.7	1.4	83	65-130	
2,4,5-Trichlorophenol	mg/kg	1.7	1.6	95	70-125	
2,4,6-Trichlorophenol	mg/kg	1.7	1.6	96	70-124	
2,4-Dichlorophenol	mg/kg	1.7	1.5	92	70-121	
2,4-Dimethylphenol	mg/kg	1.7	1.5	89	70-130	
2,4-Dinitrophenol	mg/kg	1.7	1.1	64	26-103	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

LABORATORY CONTROL SAMPLE: 2391438

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrotoluene	mg/kg	1.7	1.8	107	70-130	
2,6-Dinitrotoluene	mg/kg	1.7	1.7	103	70-130	
2-Chloronaphthalene	mg/kg	1.7	1.6	96	70-130	
2-Chlorophenol	mg/kg	1.7	1.5	90	67-130	
2-Methylnaphthalene	mg/kg	1.7	1.5	87	70-130	
2-Methylphenol(o-Cresol)	mg/kg	1.7	1.7	99	69-130	
2-Nitroaniline	mg/kg	1.7	1.8	109	70-124	
2-Nitrophenol	mg/kg	1.7	1.6	95	70-130	
3&4-Methylphenol(m&p Cresol)	mg/kg	1.7	1.7	101	70-130	
3,3'-Dichlorobenzidine	mg/kg	1.7	1.6	96	48-112	
3-Nitroaniline	mg/kg	1.7	1.6	94	57-121	
4,6-Dinitro-2-methylphenol	mg/kg	1.7	1.4	82	59-115	
4-Bromophenylphenyl ether	mg/kg	1.7	1.5	88	70-130	
4-Chloro-3-methylphenol	mg/kg	1.7	1.6	95	70-130	
4-Chloroaniline	mg/kg	1.7	1.3	79	45-130	3q
4-Chlorophenylphenyl ether	mg/kg	1.7	1.7	103	70-130	
4-Nitroaniline	mg/kg	1.7	1.8	109	62-127	
4-Nitrophenol	mg/kg	1.7	1.6	98	50-126	
Acenaphthene	mg/kg	1.7	1.6	96	70-130	
Acenaphthylene	mg/kg	1.7	1.7	99	70-130	
Anthracene	mg/kg	1.7	1.6	97	70-130	
Benzo(a)anthracene	mg/kg	1.7	1.6	97	70-130	
Benzo(a)pyrene	mg/kg	1.7	1.6	99	70-130	
Benzo(b)fluoranthene	mg/kg	1.7	1.5	90	70-130	
Benzo(g,h,i)perylene	mg/kg	1.7	1.6	97	65-130	
Benzo(k)fluoranthene	mg/kg	1.7	1.5	93	70-130	
bis(2-Chloroethoxy)methane	mg/kg	1.7	1.4	87	70-130	
bis(2-Chloroethyl) ether	mg/kg	1.7	1.4	85	68-130	
bis(2-Ethylhexyl)phthalate	mg/kg	1.7	1.7	99	70-130	
Butylbenzylphthalate	mg/kg	1.7	1.8	106	70-130	
Carbazole	mg/kg	1.7	1.6	98	70-130	
Chrysene	mg/kg	1.7	1.7	99	70-130	
Di-n-butylphthalate	mg/kg	1.7	1.6	98	70-130	
Di-n-octylphthalate	mg/kg	1.7	1.7	100	67-134	
Dibenz(a,h)anthracene	mg/kg	1.7	1.5	92	68-130	
Dibenzofuran	mg/kg	1.7	1.8	106	70-130	
Diethylphthalate	mg/kg	1.7	1.8	106	70-130	
Dimethylphthalate	mg/kg	1.7	1.7	99	70-130	
Fluoranthene	mg/kg	1.7	1.6	94	70-130	
Fluorene	mg/kg	1.7	1.6	96	70-130	
Hexachloro-1,3-butadiene	mg/kg	1.7	1.6	94	67-130	
Hexachlorobenzene	mg/kg	1.7	1.6	94	70-130	
Hexachlorocyclopentadiene	mg/kg	1.7	1.3	79	54-114	
Hexachloroethane	mg/kg	1.7	1.5	89	64-130	
Indeno(1,2,3-cd)pyrene	mg/kg	1.7	1.5	92	63-130	
Isophorone	mg/kg	1.7	1.7	103	70-130	
N-Nitroso-di-n-propylamine	mg/kg	1.7	1.7	103	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

LABORATORY CONTROL SAMPLE: 2391438

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
N-Nitrosodiphenylamine	mg/kg	1.7	1.5	92	70-130	
Naphthalene	mg/kg	1.7	1.5	89	70-130	
Nitrobenzene	mg/kg	1.7	1.5	88	70-130	
Pentachlorophenol	mg/kg	1.7	1.4	82	47-108	
Phenanthrene	mg/kg	1.7	1.6	95	70-130	
Phenol	mg/kg	1.7	1.6	95	67-130	
Pyrene	mg/kg	1.7	1.7	101	70-130	
2,4,6-Tribromophenol (S)	%			106	10-144	
2-Fluorobiphenyl (S)	%			96	12-118	
2-Fluorophenol (S)	%			86	10-130	
Nitrobenzene-d5 (S)	%			83	10-125	
Phenol-d6 (S)	%			87	10-125	
Terphenyl-d14 (S)	%			94	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2391439 2391440

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244577010 Result	Spike Conc.	Spike Conc.	Conc.								
1,2,4-Trichlorobenzene	mg/kg	<0.021	1.9	1.9	1.5	1.6	84	87	45-130	5	28		
1,2-Dichlorobenzene	mg/kg	<0.058	1.9	1.9	1.4	1.5	78	79	45-130	2	29		
1,3-Dichlorobenzene	mg/kg	<0.025	1.9	1.9	1.4	1.4	76	77	42-130	2	30		
1,4-Dichlorobenzene	mg/kg	<0.026	1.9	1.9	1.4	1.5	77	80	42-130	4	32		
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.047	1.9	1.9	1.4	1.4	75	77	44-130	3	26		
2,4,5-Trichlorophenol	mg/kg	<0.033	1.9	1.9	1.7	1.7	91	92	11-125	2	30		
2,4,6-Trichlorophenol	mg/kg	<0.028	1.9	1.9	1.5	1.5	81	80	16-124	1	31		
2,4-Dichlorophenol	mg/kg	<0.049	1.9	1.9	1.7	1.5	91	81	19-121	11	29		
2,4-Dimethylphenol	mg/kg	<0.036	1.9	1.9	1.3	1.3	72	68	29-130	5	32		
2,4-Dinitrophenol	mg/kg	<0.056	1.9	1.9	0.62	0.68	34	37	10-103	10	50		
2,4-Dinitrotoluene	mg/kg	<0.026	1.9	1.9	1.7	1.6	92	85	38-130	8	27		
2,6-Dinitrotoluene	mg/kg	<0.035	1.9	1.9	1.7	1.6	91	85	41-130	6	28		
2-Chloronaphthalene	mg/kg	<0.024	1.9	1.9	1.6	1.4	89	76	44-130	15	24		
2-Chlorophenol	mg/kg	<0.046	1.9	1.9	1.5	1.4	82	79	33-130	4	30		
2-Methylnaphthalene	mg/kg	<0.048	1.9	1.9	1.6	1.6	88	86	46-130	2	23		
2-Methylphenol(o-Cresol)	mg/kg	<0.033	1.9	1.9	1.5	1.5	83	84	30-130	2	30		
2-Nitroaniline	mg/kg	<0.052	1.9	1.9	1.8	1.7	98	94	27-124	4	25		
2-Nitrophenol	mg/kg	<0.058	1.9	1.9	1.7	1.7	90	93	10-130	4	27		
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.034	1.9	1.9	1.3	1.4	72	75	28-130	5	33		
3,3'-Dichlorobenzidine	mg/kg	<0.050	1.9	1.9	1.6	1.5	88	83	10-112	6	43		
3-Nitroaniline	mg/kg	<0.031	1.9	1.9	1.4	1.4	78	77	10-121	1	33		
4,6-Dinitro-2-methylphenol	mg/kg	<0.057	1.9	1.9	1.3	1.2	72	63	10-115	13	50		
4-Bromophenylphenyl ether	mg/kg	<0.039	1.9	1.9	1.6	1.4	88	76	40-130	15	25		
4-Chloro-3-methylphenol	mg/kg	<0.057	1.9	1.9	1.7	1.7	93	91	30-130	2	29		
4-Chloroaniline	mg/kg	<0.030	1.9	1.9	1.3	1.4	73	74	16-130	1	33	3q	
4-Chlorophenylphenyl ether	mg/kg	<0.034	1.9	1.9	1.6	1.6	88	89	46-130	0	24		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Parameter	Units	2391439		2391440		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40244577010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
4-Nitroaniline	mg/kg	<0.076	1.9	1.9	1.6	1.4	87	74	10-127	16	40		
4-Nitrophenol	mg/kg	<0.046	1.9	1.9	1.3	1.2	70	65	10-128	8	50		
Acenaphthene	mg/kg	<0.065	1.9	1.9	1.5	1.5	84	83	47-130	1	21		
Acenaphthylene	mg/kg	<0.066	1.9	1.9	1.7	1.5	92	84	49-130	9	22		
Anthracene	mg/kg	<0.029	1.9	1.9	1.6	1.5	89	79	46-130	12	27		
Benzo(a)anthracene	mg/kg	<0.028	1.9	1.9	1.6	1.6	86	84	45-130	1	24		
Benzo(a)pyrene	mg/kg	<0.028	1.9	1.9	1.8	1.6	99	88	48-130	11	27		
Benzo(b)fluoranthene	mg/kg	<0.032	1.9	1.9	1.7	1.5	90	81	41-130	11	31		
Benzo(g,h,i)perylene	mg/kg	<0.048	1.9	1.9	1.7	1.6	95	87	37-130	8	31		
Benzo(k)fluoranthene	mg/kg	<0.044	1.9	1.9	1.6	1.6	90	89	46-130	1	27		
bis(2-Chloroethoxy)methane	mg/kg	<0.050	1.9	1.9	1.6	1.5	86	83	38-130	4	26		
bis(2-Chloroethyl) ether	mg/kg	<0.057	1.9	1.9	1.4	1.4	75	74	42-130	1	29		
bis(2-Ethylhexyl)phthalate	mg/kg	<0.031	1.9	1.9	1.7	1.7	92	93	39-130	2	27		
Butylbenzylphthalate	mg/kg	<0.030	1.9	1.9	1.9	1.8	103	97	39-130	6	27		
Carbazole	mg/kg	<0.029	1.9	1.9	1.7	1.5	91	81	44-130	12	24		
Chrysene	mg/kg	<0.028	1.9	1.9	1.8	1.7	100	90	44-130	10	25		
Di-n-butylphthalate	mg/kg	<0.028	1.9	1.9	1.8	1.6	96	86	45-130	11	26		
Di-n-octylphthalate	mg/kg	<0.041	1.9	1.9	1.8	1.7	99	95	40-134	4	27		
Dibenz(a,h)anthracene	mg/kg	<0.050	1.9	1.9	1.9	1.6	103	90	41-130	14	33		
Dibenzofuran	mg/kg	<0.022	1.9	1.9	1.6	1.5	87	83	47-130	4	23		
Diethylphthalate	mg/kg	<0.031	1.9	1.9	1.7	1.5	95	84	46-130	12	24		
Dimethylphthalate	mg/kg	<0.024	1.9	1.9	1.6	1.6	89	86	47-130	2	24		
Fluoranthene	mg/kg	<0.026	1.9	1.9	1.7	1.5	91	80	50-130	12	27		
Fluorene	mg/kg	<0.022	1.9	1.9	1.7	1.5	90	80	48-130	12	25		
Hexachloro-1,3-butadiene	mg/kg	<0.047	1.9	1.9	1.6	1.7	90	91	42-130	1	27		
Hexachlorobenzene	mg/kg	<0.031	1.9	1.9	1.4	1.4	79	78	51-130	0	24		
Hexachlorocyclopentadiene	mg/kg	<0.044	1.9	1.9	1.3	1.1	68	61	10-114	11	50		
Hexachloroethane	mg/kg	<0.029	1.9	1.9	1.4	1.5	79	83	33-130	5	35		
Indeno(1,2,3-cd)pyrene	mg/kg	<0.040	1.9	1.9	1.6	1.5	86	79	34-130	8	38		
Isophorone	mg/kg	<0.028	1.9	1.9	1.8	1.7	99	90	45-130	9	28		
N-Nitroso-di-n-propylamine	mg/kg	<0.029	1.9	1.9	1.6	1.5	88	84	47-130	4	27		
N-Nitrosodiphenylamine	mg/kg	<0.25	1.9	1.9	1.6	1.4	85	74	42-130	13	25		
Naphthalene	mg/kg	<0.064	1.9	1.9	1.6	1.5	88	79	48-130	10	24		
Nitrobenzene	mg/kg	<0.037	1.9	1.9	1.6	1.6	86	86	42-130	0	25		
Pentachlorophenol	mg/kg	<0.041	1.9	1.9	1.1	1.1	62	62	10-108	0	50		
Phenanthrene	mg/kg	<0.024	1.9	1.9	1.5	1.4	84	77	50-130	9	27		
Phenol	mg/kg	<0.044	1.9	1.9	1.5	1.4	80	77	37-130	4	30		
Pyrene	mg/kg	<0.041	1.9	1.9	1.7	1.6	94	85	43-130	10	29		
2,4,6-Tribromophenol (S)	%						96	85	10-144				
2-Fluorobiphenyl (S)	%						82	78	12-118				
2-Fluorophenol (S)	%						71	74	10-130				
Nitrobenzene-d5 (S)	%						84	85	10-125				
Phenol-d6 (S)	%						74	77	10-125				
Terphenyl-d14 (S)	%						81	77	10-124				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

QC Batch: 415511 Analysis Method: EPA 8270E
QC Batch Method: EPA 3546 Analysis Description: 8270E Solid MSSV Microwave
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244577001, 40244577002, 40244577003, 40244577004, 40244577005

METHOD BLANK: 2392191 Matrix: Solid
Associated Lab Samples: 40244577001, 40244577002, 40244577003, 40244577004, 40244577005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	<0.019	0.063	0.019	05/12/22 12:55	
1,2-Dichlorobenzene	mg/kg	<0.053	0.18	0.053	05/12/22 12:55	
1,3-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/12/22 12:55	
1,4-Dichlorobenzene	mg/kg	<0.023	0.078	0.023	05/12/22 12:55	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.043	0.14	0.043	05/12/22 12:55	
2,4,5-Trichlorophenol	mg/kg	<0.030	0.098	0.030	05/12/22 12:55	
2,4,6-Trichlorophenol	mg/kg	<0.025	0.085	0.025	05/12/22 12:55	
2,4-Dichlorophenol	mg/kg	<0.045	0.15	0.045	05/12/22 12:55	
2,4-Dimethylphenol	mg/kg	<0.033	0.11	0.033	05/12/22 12:55	
2,4-Dinitrophenol	mg/kg	<0.051	0.17	0.051	05/12/22 12:55	
2,4-Dinitrotoluene	mg/kg	<0.024	0.080	0.024	05/12/22 12:55	
2,6-Dinitrotoluene	mg/kg	<0.032	0.11	0.032	05/12/22 12:55	
2-Chloronaphthalene	mg/kg	<0.021	0.072	0.021	05/12/22 12:55	
2-Chlorophenol	mg/kg	<0.042	0.14	0.042	05/12/22 12:55	
2-Methylnaphthalene	mg/kg	<0.043	0.14	0.043	05/12/22 12:55	
2-Methylphenol(o-Cresol)	mg/kg	<0.030	0.10	0.030	05/12/22 12:55	
2-Nitroaniline	mg/kg	<0.048	0.16	0.048	05/12/22 12:55	
2-Nitrophenol	mg/kg	<0.053	0.18	0.053	05/12/22 12:55	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.031	0.10	0.031	05/12/22 12:55	
3,3'-Dichlorobenzidine	mg/kg	<0.045	0.15	0.045	05/12/22 12:55	
3-Nitroaniline	mg/kg	<0.028	0.095	0.028	05/12/22 12:55	
4,6-Dinitro-2-methylphenol	mg/kg	<0.052	0.17	0.052	05/12/22 12:55	
4-Bromophenylphenyl ether	mg/kg	<0.035	0.12	0.035	05/12/22 12:55	
4-Chloro-3-methylphenol	mg/kg	<0.052	0.17	0.052	05/12/22 12:55	
4-Chloroaniline	mg/kg	<0.027	0.092	0.027	05/12/22 12:55	3q
4-Chlorophenylphenyl ether	mg/kg	<0.031	0.10	0.031	05/12/22 12:55	
4-Nitroaniline	mg/kg	<0.069	0.23	0.069	05/12/22 12:55	
4-Nitrophenol	mg/kg	<0.042	0.14	0.042	05/12/22 12:55	
Acenaphthene	mg/kg	<0.059	0.20	0.059	05/12/22 12:55	
Acenaphthylene	mg/kg	<0.060	0.20	0.060	05/12/22 12:55	
Anthracene	mg/kg	<0.027	0.089	0.027	05/12/22 12:55	
Benzo(a)anthracene	mg/kg	<0.026	0.086	0.026	05/12/22 12:55	
Benzo(a)pyrene	mg/kg	<0.025	0.084	0.025	05/12/22 12:55	
Benzo(b)fluoranthene	mg/kg	<0.029	0.096	0.029	05/12/22 12:55	
Benzo(g,h,i)perylene	mg/kg	<0.044	0.15	0.044	05/12/22 12:55	
Benzo(k)fluoranthene	mg/kg	<0.040	0.13	0.040	05/12/22 12:55	
bis(2-Chloroethoxy)methane	mg/kg	<0.045	0.15	0.045	05/12/22 12:55	
bis(2-Chloroethyl) ether	mg/kg	<0.052	0.17	0.052	05/12/22 12:55	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.028	0.093	0.028	05/12/22 12:55	
Butylbenzylphthalate	mg/kg	<0.027	0.089	0.027	05/12/22 12:55	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

METHOD BLANK: 2392191 Matrix: Solid
Associated Lab Samples: 40244577001, 40244577002, 40244577003, 40244577004, 40244577005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Carbazole	mg/kg	<0.026	0.087	0.026	05/12/22 12:55	
Chrysene	mg/kg	<0.025	0.083	0.025	05/12/22 12:55	
Di-n-butylphthalate	mg/kg	<0.025	0.083	0.025	05/12/22 12:55	
Di-n-octylphthalate	mg/kg	<0.038	0.13	0.038	05/12/22 12:55	
Dibenz(a,h)anthracene	mg/kg	<0.045	0.15	0.045	05/12/22 12:55	
Dibenzofuran	mg/kg	<0.020	0.067	0.020	05/12/22 12:55	
Diethylphthalate	mg/kg	<0.028	0.092	0.028	05/12/22 12:55	
Dimethylphthalate	mg/kg	<0.022	0.072	0.022	05/12/22 12:55	
Fluoranthene	mg/kg	<0.024	0.079	0.024	05/12/22 12:55	
Fluorene	mg/kg	<0.020	0.065	0.020	05/12/22 12:55	
Hexachloro-1,3-butadiene	mg/kg	<0.043	0.14	0.043	05/12/22 12:55	
Hexachlorobenzene	mg/kg	<0.028	0.094	0.028	05/12/22 12:55	
Hexachlorocyclopentadiene	mg/kg	<0.040	0.13	0.040	05/12/22 12:55	
Hexachloroethane	mg/kg	<0.027	0.089	0.027	05/12/22 12:55	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.036	0.12	0.036	05/12/22 12:55	
Isophorone	mg/kg	<0.026	0.086	0.026	05/12/22 12:55	
N-Nitroso-di-n-propylamine	mg/kg	<0.027	0.088	0.027	05/12/22 12:55	
N-Nitrosodiphenylamine	mg/kg	<0.23	0.76	0.23	05/12/22 12:55	
Naphthalene	mg/kg	<0.058	0.19	0.058	05/12/22 12:55	
Nitrobenzene	mg/kg	<0.034	0.11	0.034	05/12/22 12:55	
Pentachlorophenol	mg/kg	<0.037	0.12	0.037	05/12/22 12:55	
Phenanthrene	mg/kg	<0.021	0.071	0.021	05/12/22 12:55	
Phenol	mg/kg	<0.040	0.13	0.040	05/12/22 12:55	
Pyrene	mg/kg	<0.037	0.12	0.037	05/12/22 12:55	
2,4,6-Tribromophenol (S)	%	67	10-144		05/12/22 12:55	
2-Fluorobiphenyl (S)	%	53	12-118		05/12/22 12:55	
2-Fluorophenol (S)	%	45	10-130		05/12/22 12:55	
Nitrobenzene-d5 (S)	%	51	10-125		05/12/22 12:55	
Phenol-d6 (S)	%	43	10-125		05/12/22 12:55	
Terphenyl-d14 (S)	%	61	10-124		05/12/22 12:55	

LABORATORY CONTROL SAMPLE: 2392192

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	1.7	1.4	82	70-130	
1,2-Dichlorobenzene	mg/kg	1.7	1.3	78	66-130	
1,3-Dichlorobenzene	mg/kg	1.7	1.3	75	66-130	
1,4-Dichlorobenzene	mg/kg	1.7	1.3	76	64-130	
2,2'-Oxybis(1-chloropropane)	mg/kg	1.7	1.3	77	65-130	
2,4,5-Trichlorophenol	mg/kg	1.7	1.5	91	70-125	
2,4,6-Trichlorophenol	mg/kg	1.7	1.5	89	70-124	
2,4-Dichlorophenol	mg/kg	1.7	1.5	87	70-121	
2,4-Dimethylphenol	mg/kg	1.7	1.4	85	70-130	
2,4-Dinitrophenol	mg/kg	1.7	1.2	70	26-103	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

LABORATORY CONTROL SAMPLE: 2392192

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrotoluene	mg/kg	1.7	1.6	95	70-130	
2,6-Dinitrotoluene	mg/kg	1.7	1.5	93	70-130	
2-Chloronaphthalene	mg/kg	1.7	1.4	85	70-130	
2-Chlorophenol	mg/kg	1.7	1.3	80	67-130	
2-Methylnaphthalene	mg/kg	1.7	1.3	81	70-130	
2-Methylphenol(o-Cresol)	mg/kg	1.7	1.5	87	69-130	
2-Nitroaniline	mg/kg	1.7	1.6	99	70-124	
2-Nitrophenol	mg/kg	1.7	1.5	87	70-130	
3&4-Methylphenol(m&p Cresol)	mg/kg	1.7	1.5	87	70-130	
3,3'-Dichlorobenzidine	mg/kg	1.7	1.3	78	48-112	
3-Nitroaniline	mg/kg	1.7	1.3	75	57-121	
4,6-Dinitro-2-methylphenol	mg/kg	1.7	1.4	85	59-115	
4-Bromophenylphenyl ether	mg/kg	1.7	1.5	89	70-130	
4-Chloro-3-methylphenol	mg/kg	1.7	1.5	90	70-130	
4-Chloroaniline	mg/kg	1.7	0.93	56	45-130	3q
4-Chlorophenylphenyl ether	mg/kg	1.7	1.5	88	70-130	
4-Nitroaniline	mg/kg	1.7	1.5	88	62-127	
4-Nitrophenol	mg/kg	1.7	1.5	90	50-126	
Acenaphthene	mg/kg	1.7	1.4	84	70-130	
Acenaphthylene	mg/kg	1.7	1.4	84	70-130	
Anthracene	mg/kg	1.7	1.5	92	70-130	
Benzo(a)anthracene	mg/kg	1.7	1.5	89	70-130	
Benzo(a)pyrene	mg/kg	1.7	1.5	87	70-130	
Benzo(b)fluoranthene	mg/kg	1.7	1.5	89	70-130	
Benzo(g,h,i)perylene	mg/kg	1.7	1.6	93	65-130	
Benzo(k)fluoranthene	mg/kg	1.7	1.5	90	70-130	
bis(2-Chloroethoxy)methane	mg/kg	1.7	1.4	83	70-130	
bis(2-Chloroethyl) ether	mg/kg	1.7	1.3	78	68-130	
bis(2-Ethylhexyl)phthalate	mg/kg	1.7	1.6	96	70-130	
Butylbenzylphthalate	mg/kg	1.7	1.7	101	70-130	
Carbazole	mg/kg	1.7	1.6	94	70-130	
Chrysene	mg/kg	1.7	1.6	95	70-130	
Di-n-butylphthalate	mg/kg	1.7	1.6	95	70-130	
Di-n-octylphthalate	mg/kg	1.7	1.7	100	67-134	
Dibenz(a,h)anthracene	mg/kg	1.7	1.7	99	68-130	
Dibenzofuran	mg/kg	1.7	1.5	89	70-130	
Diethylphthalate	mg/kg	1.7	1.5	88	70-130	
Dimethylphthalate	mg/kg	1.7	1.4	87	70-130	
Fluoranthene	mg/kg	1.7	1.6	95	70-130	
Fluorene	mg/kg	1.7	1.5	88	70-130	
Hexachloro-1,3-butadiene	mg/kg	1.7	1.4	82	67-130	
Hexachlorobenzene	mg/kg	1.7	1.5	89	70-130	
Hexachlorocyclopentadiene	mg/kg	1.7	1.3	79	54-114	
Hexachloroethane	mg/kg	1.7	1.3	80	64-130	
Indeno(1,2,3-cd)pyrene	mg/kg	1.7	1.4	82	63-130	
Isophorone	mg/kg	1.7	1.5	90	70-130	
N-Nitroso-di-n-propylamine	mg/kg	1.7	1.5	89	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

LABORATORY CONTROL SAMPLE: 2392192

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
N-Nitrosodiphenylamine	mg/kg	1.7	1.5	88	70-130	
Naphthalene	mg/kg	1.7	1.4	83	70-130	
Nitrobenzene	mg/kg	1.7	1.4	87	70-130	
Pentachlorophenol	mg/kg	1.7	1.4	82	47-108	
Phenanthrene	mg/kg	1.7	1.4	86	70-130	
Phenol	mg/kg	1.7	1.4	83	67-130	
Pyrene	mg/kg	1.7	1.4	87	70-130	
2,4,6-Tribromophenol (S)	%			91	10-144	
2-Fluorobiphenyl (S)	%			82	12-118	
2-Fluorophenol (S)	%			73	10-130	
Nitrobenzene-d5 (S)	%			79	10-125	
Phenol-d6 (S)	%			75	10-125	
Terphenyl-d14 (S)	%			89	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2392193 2392194

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244577003	Result	Spike Conc.	MSD Spike Conc.								
1,2,4-Trichlorobenzene	mg/kg	<0.020	1.8	1.8	1.3	1.4	73	78	45-130	8	28		
1,2-Dichlorobenzene	mg/kg	<0.057	1.8	1.8	1.2	1.4	64	75	45-130	16	29		
1,3-Dichlorobenzene	mg/kg	<0.025	1.8	1.8	1.2	1.4	66	76	42-130	14	30		
1,4-Dichlorobenzene	mg/kg	<0.025	1.8	1.8	1.2	1.3	65	74	42-130	12	32		
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.047	1.8	1.8	1.2	1.3	64	74	44-130	14	26		
2,4,5-Trichlorophenol	mg/kg	<0.032	1.8	1.8	1.4	1.6	79	87	11-125	11	30		
2,4,6-Trichlorophenol	mg/kg	<0.028	1.8	1.8	1.3	1.4	74	76	16-124	3	31		
2,4-Dichlorophenol	mg/kg	<0.048	1.8	1.8	1.3	1.4	71	79	19-121	11	29		
2,4-Dimethylphenol	mg/kg	<0.036	1.8	1.8	1.1	1.2	59	68	29-130	15	32		
2,4-Dinitrophenol	mg/kg	<0.055	1.8	1.8	0.60	0.52	33	29	10-103	14	50		
2,4-Dinitrotoluene	mg/kg	<0.026	1.8	1.8	1.4	1.5	78	83	38-130	5	27		
2,6-Dinitrotoluene	mg/kg	<0.034	1.8	1.8	1.4	1.5	78	82	41-130	4	28		
2-Chloronaphthalene	mg/kg	<0.023	1.8	1.8	1.2	1.4	69	77	44-130	11	24		
2-Chlorophenol	mg/kg	<0.045	1.8	1.8	1.3	1.5	71	82	33-130	15	30		
2-Methylnaphthalene	mg/kg	<0.047	1.8	1.8	1.3	1.5	71	85	46-130	19	23		
2-Methylphenol(o-Cresol)	mg/kg	<0.033	1.8	1.8	1.3	1.5	73	84	30-130	14	30		
2-Nitroaniline	mg/kg	<0.051	1.8	1.8	1.4	1.6	79	89	27-124	11	25		
2-Nitrophenol	mg/kg	<0.057	1.8	1.8	1.4	1.6	76	88	10-130	14	27		
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.033	1.8	1.8	1.2	1.4	64	79	28-130	21	33		
3,3'-Dichlorobenzidine	mg/kg	<0.049	1.8	1.8	1.2	1.5	65	84	10-112	25	43		
3-Nitroaniline	mg/kg	<0.031	1.8	1.8	1.2	1.3	67	72	10-121	7	33		
4,6-Dinitro-2-methylphenol	mg/kg	<0.056	1.8	1.8	1.0	1.1	58	60	10-115	3	50		
4-Bromophenylphenyl ether	mg/kg	<0.038	1.8	1.8	1.3	1.4	73	80	40-130	9	25		
4-Chloro-3-methylphenol	mg/kg	<0.056	1.8	1.8	1.3	1.6	74	91	30-130	21	29		
4-Chloroaniline	mg/kg	<0.030	1.8	1.8	0.95	1.2	53	67	16-130	24	33	1q,3q	
4-Chlorophenylphenyl ether	mg/kg	<0.034	1.8	1.8	1.3	1.5	74	82	46-130	9	24		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

Parameter	Units	2392193		2392194		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40244577003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							
4-Nitroaniline	mg/kg	<0.075	1.8	1.8	1.4	1.5	77	85	10-127	10	40	
4-Nitrophenol	mg/kg	<0.045	1.8	1.8	1.3	1.3	72	74	10-128	3	50	
Acenaphthene	mg/kg	<0.064	1.8	1.8	1.3	1.4	72	76	47-130	6	21	
Acenaphthylene	mg/kg	<0.064	1.8	1.8	1.4	1.4	76	79	49-130	3	22	
Anthracene	mg/kg	<0.029	1.8	1.8	1.3	1.5	72	83	46-130	14	27	
Benzo(a)anthracene	mg/kg	<0.028	1.8	1.8	1.2	1.5	68	84	45-130	21	24	
Benzo(a)pyrene	mg/kg	<0.027	1.8	1.8	1.4	1.5	75	83	48-130	9	27	
Benzo(b)fluoranthene	mg/kg	<0.031	1.8	1.8	1.3	1.5	73	82	41-130	12	31	
Benzo(g,h,i)perylene	mg/kg	<0.047	1.8	1.8	1.4	1.5	76	83	37-130	8	31	
Benzo(k)fluoranthene	mg/kg	<0.043	1.8	1.8	1.3	1.5	72	85	46-130	17	27	
bis(2-Chloroethoxy)methane	mg/kg	<0.049	1.8	1.8	1.2	1.3	69	73	38-130	7	26	
bis(2-Chloroethyl) ether	mg/kg	<0.056	1.8	1.8	1.1	1.4	62	78	42-130	22	29	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.030	1.8	1.8	1.3	1.6	75	87	39-130	15	27	
Butylbenzylphthalate	mg/kg	<0.029	1.8	1.8	1.4	1.7	79	95	39-130	19	27	
Carbazole	mg/kg	<0.028	1.8	1.8	1.3	1.6	72	87	44-130	19	24	
Chrysene	mg/kg	<0.027	1.8	1.8	1.3	1.6	73	90	44-130	21	25	
Di-n-butylphthalate	mg/kg	<0.027	1.8	1.8	1.4	1.6	79	87	45-130	10	26	
Di-n-octylphthalate	mg/kg	<0.041	1.8	1.8	1.4	1.6	80	89	40-134	11	27	
Dibenz(a,h)anthracene	mg/kg	<0.049	1.8	1.8	1.4	1.6	76	87	41-130	14	33	
Dibenzofuran	mg/kg	<0.022	1.8	1.8	1.3	1.5	74	82	47-130	11	23	
Diethylphthalate	mg/kg	<0.030	1.8	1.8	1.4	1.5	78	81	46-130	4	24	
Dimethylphthalate	mg/kg	<0.023	1.8	1.8	1.4	1.4	76	76	47-130	0	24	
Fluoranthene	mg/kg	<0.026	1.8	1.8	1.3	1.6	74	89	50-130	18	27	
Fluorene	mg/kg	<0.021	1.8	1.8	1.3	1.4	75	78	48-130	3	25	
Hexachloro-1,3-butadiene	mg/kg	<0.046	1.8	1.8	1.3	1.5	72	82	42-130	13	27	
Hexachlorobenzene	mg/kg	<0.030	1.8	1.8	1.2	1.4	68	78	51-130	13	24	
Hexachlorocyclopentadiene	mg/kg	<0.043	1.8	1.8	1.1	1.0	59	57	10-114	4	50	
Hexachloroethane	mg/kg	<0.029	1.8	1.8	1.2	1.4	69	78	33-130	12	35	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.039	1.8	1.8	1.4	1.3	76	73	34-130	4	38	
Isophorone	mg/kg	<0.028	1.8	1.8	1.4	1.5	80	86	45-130	7	28	
N-Nitroso-di-n-propylamine	mg/kg	<0.029	1.8	1.8	1.3	1.5	73	85	47-130	15	27	
N-Nitrosodiphenylamine	mg/kg	<0.25	1.8	1.8	1.2	1.5	69	81	42-130	16	25	
Naphthalene	mg/kg	<0.063	1.8	1.8	1.2	1.4	68	79	48-130	14	24	
Nitrobenzene	mg/kg	<0.037	1.8	1.8	1.3	1.4	70	76	42-130	8	25	
Pentachlorophenol	mg/kg	<0.040	1.8	1.8	1.1	1.2	58	65	10-108	11	50	
Phenanthrene	mg/kg	<0.023	1.8	1.8	1.2	1.4	69	76	50-130	9	27	
Phenol	mg/kg	<0.043	1.8	1.8	1.3	1.5	70	82	37-130	15	30	
Pyrene	mg/kg	<0.040	1.8	1.8	1.2	1.6	69	88	43-130	24	29	
2,4,6-Tribromophenol (S)	%						80	83	10-144			
2-Fluorobiphenyl (S)	%						70	74	12-118			
2-Fluorophenol (S)	%						61	71	10-130			
Nitrobenzene-d5 (S)	%						72	76	10-125			
Phenol-d6 (S)	%						64	76	10-125			
Terphenyl-d14 (S)	%						70	77	10-124			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

QC Batch: 415453

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244577001, 40244577002, 40244577003

SAMPLE DUPLICATE: 2391774

Parameter	Units	40244365002 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	20.9	20.6	1	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

QC Batch: 415455

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244577004, 40244577005, 40244577006, 40244577007, 40244577008, 40244577010

SAMPLE DUPLICATE: 2391805

Parameter	Units	40244614001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	4.2	4.2	1	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

QC Batch: 415934

Analysis Method: EPA 9040

QC Batch Method: EPA 9040

Analysis Description: 9040 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244577002, 40244577004, 40244577006, 40244577007, 40244577008

SAMPLE DUPLICATE: 2394823

Parameter	Units	40244577002 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	8.3	8.2	1	20	2q,H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

QC Batch: 415774	Analysis Method: EPA 9045
QC Batch Method: EPA 9045	Analysis Description: 9045 pH
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244577001, 40244577003, 40244577005

SAMPLE DUPLICATE: 2394030

Parameter	Units	40244491004 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.89	7.86	0	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

QC Batch: 415898

Analysis Method: EPA 9045

QC Batch Method: EPA 9045

Analysis Description: 9045 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244577010

SAMPLE DUPLICATE: 2394677

Parameter	Units	40244475001 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	9.08	9.12	0	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

QC Batch:	416035	Analysis Method:	EPA 9012B
QC Batch Method:	EPA 9012B	Analysis Description:	9012 Cyanide
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40244577001, 40244577002, 40244577003, 40244577004, 40244577005, 40244577006, 40244577007, 40244577008, 40244577010		

METHOD BLANK:	2395428	Matrix:	Solid
Associated Lab Samples:	40244577001, 40244577002, 40244577003, 40244577004, 40244577005, 40244577006, 40244577007, 40244577008, 40244577010		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Cyanide	mg/kg	<0.31	0.92	0.31	05/18/22 15:13	

LABORATORY CONTROL SAMPLE: 2395429						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/kg	3	3.2	106	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2395430												2395431	
Parameter	Units	40244577010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
Cyanide	mg/kg	<0.30	2.9	3.1	3.0	3.2	101	102	80-120	6	20		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2395432												2395433	
Parameter	Units	40244640011 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
Cyanide	mg/kg	<0.29	2.9	2.9	3.0	2.9	100	96	80-120	4	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244577

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: 415713

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 415846

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

1q This analyte's recovery was below secondary source verification limits. The results may be biased low.

2q Due to sample matrix, DI water was added and stirred on a one to one ratio before analysis.

3q This analyte's recovery was below secondary source verification limits. The results may be biased low.

B Analyte was detected in the associated method blank.

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

H6 Analysis initiated outside of the 15 minute EPA required holding time.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

P6 Matrix spike recovery was outside laboratory control limits due to a parent sample concentration notably higher than the spike level.

R1 RPD value was outside control limits.

S0 Surrogate recovery outside laboratory control limits.

S4 Surrogate recovery not evaluated against control limits due to sample dilution.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244577001	SB-33 (1.2-2.2)	EPA 3550	814676	EPA 8081B	814864
40244577002	SB-33 (4.5-5.5)	EPA 3550	814676	EPA 8081B	814864
40244577003	SB-35 (0.5-1.5)	EPA 3550	814676	EPA 8081B	814864
40244577004	SB-35 (5-6)	EPA 3550	814676	EPA 8081B	814864
40244577005	SB-60 (0.8-1.8)	EPA 3550	814676	EPA 8081B	814864
40244577006	SB-60 (4.5-5.5)	EPA 3550	814676	EPA 8081B	814864
40244577007	SB-61 (1-1.5)	EPA 3550	814676	EPA 8081B	814864
40244577008	SB-61 (5-5.5)	EPA 3550	814676	EPA 8081B	814864
40244577010	05062022 DUP-02	EPA 3550	814676	EPA 8081B	814864
40244577001	SB-33 (1.2-2.2)	EPA 3541	415286	EPA 8082A	415315
40244577002	SB-33 (4.5-5.5)	EPA 3541	415286	EPA 8082A	415315
40244577003	SB-35 (0.5-1.5)	EPA 3541	415286	EPA 8082A	415315
40244577004	SB-35 (5-6)	EPA 3541	415286	EPA 8082A	415315
40244577005	SB-60 (0.8-1.8)	EPA 3541	415286	EPA 8082A	415315
40244577006	SB-60 (4.5-5.5)	EPA 3541	415286	EPA 8082A	415315
40244577007	SB-61 (1-1.5)	EPA 3541	415286	EPA 8082A	415315
40244577008	SB-61 (5-5.5)	EPA 3541	415286	EPA 8082A	415315
40244577010	05062022 DUP-02	EPA 3541	415286	EPA 8082A	415315
40244577001	SB-33 (1.2-2.2)	EPA 3050B	815038	EPA 6020B	815504
40244577002	SB-33 (4.5-5.5)	EPA 3050B	815038	EPA 6020B	815504
40244577003	SB-35 (0.5-1.5)	EPA 3050B	815038	EPA 6020B	815504
40244577004	SB-35 (5-6)	EPA 3050B	815038	EPA 6020B	815504
40244577005	SB-60 (0.8-1.8)	EPA 3050B	815038	EPA 6020B	815504
40244577006	SB-60 (4.5-5.5)	EPA 3050B	815038	EPA 6020B	815504
40244577007	SB-61 (1-1.5)	EPA 3050B	815038	EPA 6020B	815504
40244577008	SB-61 (5-5.5)	EPA 3050B	815038	EPA 6020B	815504
40244577010	05062022 DUP-02	EPA 3050B	815038	EPA 6020B	815504
40244577001	SB-33 (1.2-2.2)	EPA 7471	415681	EPA 7471	415726
40244577002	SB-33 (4.5-5.5)	EPA 7471	415681	EPA 7471	415726
40244577003	SB-35 (0.5-1.5)	EPA 7471	415681	EPA 7471	415726
40244577004	SB-35 (5-6)	EPA 7471	415681	EPA 7471	415726
40244577005	SB-60 (0.8-1.8)	EPA 7471	415681	EPA 7471	415726
40244577006	SB-60 (4.5-5.5)	EPA 7471	415681	EPA 7471	415726
40244577007	SB-61 (1-1.5)	EPA 7471	415681	EPA 7471	415726
40244577008	SB-61 (5-5.5)	EPA 7471	415681	EPA 7471	415726
40244577010	05062022 DUP-02	EPA 7471	415681	EPA 7471	415726
40244577001	SB-33 (1.2-2.2)	EPA 3546	415511	EPA 8270E	415576
40244577002	SB-33 (4.5-5.5)	EPA 3546	415511	EPA 8270E	415576
40244577003	SB-35 (0.5-1.5)	EPA 3546	415511	EPA 8270E	415576
40244577004	SB-35 (5-6)	EPA 3546	415511	EPA 8270E	415576
40244577005	SB-60 (0.8-1.8)	EPA 3546	415511	EPA 8270E	415576
40244577006	SB-60 (4.5-5.5)	EPA 3546	415368	EPA 8270E	415447
40244577007	SB-61 (1-1.5)	EPA 3546	415368	EPA 8270E	415447
40244577008	SB-61 (5-5.5)	EPA 3546	415368	EPA 8270E	415447
40244577010	05062022 DUP-02	EPA 3546	415368	EPA 8270E	415447
40244577001	SB-33 (1.2-2.2)	EPA 5035/5030	415710	EPA 8260	415713

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244577

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244577002	SB-33 (4.5-5.5)	EPA 5035/5030	415710	EPA 8260	415713
40244577003	SB-35 (0.5-1.5)	EPA 5035/5030	415710	EPA 8260	415713
40244577004	SB-35 (5-6)	EPA 5035/5030	415710	EPA 8260	415713
40244577005	SB-60 (0.8-1.8)	EPA 5035/5030	415845	EPA 8260	415846
40244577006	SB-60 (4.5-5.5)	EPA 5035/5030	415845	EPA 8260	415846
40244577007	SB-61 (1-1.5)	EPA 5035/5030	415845	EPA 8260	415846
40244577008	SB-61 (5-5.5)	EPA 5035/5030	415845	EPA 8260	415846
40244577009	TB-03	EPA 5035/5030	415845	EPA 8260	415846
40244577010	05062022 DUP-02	EPA 5035/5030	415845	EPA 8260	415846
40244577001	SB-33 (1.2-2.2)	ASTM D2974-87	415453		
40244577002	SB-33 (4.5-5.5)	ASTM D2974-87	415453		
40244577003	SB-35 (0.5-1.5)	ASTM D2974-87	415453		
40244577004	SB-35 (5-6)	ASTM D2974-87	415455		
40244577005	SB-60 (0.8-1.8)	ASTM D2974-87	415455		
40244577006	SB-60 (4.5-5.5)	ASTM D2974-87	415455		
40244577007	SB-61 (1-1.5)	ASTM D2974-87	415455		
40244577008	SB-61 (5-5.5)	ASTM D2974-87	415455		
40244577010	05062022 DUP-02	ASTM D2974-87	415455		
40244577002	SB-33 (4.5-5.5)	EPA 9040	415934		
40244577004	SB-35 (5-6)	EPA 9040	415934		
40244577006	SB-60 (4.5-5.5)	EPA 9040	415934		
40244577007	SB-61 (1-1.5)	EPA 9040	415934		
40244577008	SB-61 (5-5.5)	EPA 9040	415934		
40244577001	SB-33 (1.2-2.2)	EPA 9045	415774		
40244577003	SB-35 (0.5-1.5)	EPA 9045	415774		
40244577005	SB-60 (0.8-1.8)	EPA 9045	415774		
40244577010	05062022 DUP-02	EPA 9045	415898		
40244577001	SB-33 (1.2-2.2)	EPA 9012B	416035	EPA 9012B	416093
40244577002	SB-33 (4.5-5.5)	EPA 9012B	416035	EPA 9012B	416093
40244577003	SB-35 (0.5-1.5)	EPA 9012B	416035	EPA 9012B	416093
40244577004	SB-35 (5-6)	EPA 9012B	416035	EPA 9012B	416093
40244577005	SB-60 (0.8-1.8)	EPA 9012B	416035	EPA 9012B	416093
40244577006	SB-60 (4.5-5.5)	EPA 9012B	416035	EPA 9012B	416093
40244577007	SB-61 (1-1.5)	EPA 9012B	416035	EPA 9012B	416093
40244577008	SB-61 (5-5.5)	EPA 9012B	416035	EPA 9012B	416093
40244577010	05062022 DUP-02	EPA 9012B	416035	EPA 9012B	416093

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: **Fehr Graham**
 Branch/Location: **Rockford, IL**
 Project Contact: **Tony Guajardo**
 Phone: **815-394-4700**
 Project Number: **22-521 PH01**
 Project Name: **Pillsbury**
 Project State: **Illinois**
 Sampled By (Print): **Hannah Insko**
 Sampled By (Sign): *Hannah Insko*
 PO #: **22-521 PH01** Regulatory Program:



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

UW 44577

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESEVATION
(CODE)*

Y/N	N	N	N							
Pick Letter	ELF	A	A							
Analyses Requested	VOCs	Pesticides	SVOCs, PCBs, CM, TAL Metals, PAH							

Quote #:

Mail To Contact: Tony Guajardo

Mail To Company: Fehr Graham

Mail To Address: 200 Prairie St
Suite 208
Rockford IL 61107

Invoice To Contact: Tony Guajardo

Invoice To Company: Fehr Graham

Invoice To Address: 200 Prairie St
Suite 208
Rockford IL 61107

Invoice To Phone: 815-394-4700

CLIENT COMMENTS **LAB COMMENTS (Lab Use Only)** **Profile #**

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	DATE	TIME	ANALYSES REQUESTED	VOCs	Pesticides	SVOCs, PCBs, CM, TAL Metals, PAH	H1	H2
		DATE	TIME									
001	SB-33 (1.2-2.2)	5.6.22	0905	S				X	X	X		
002	SB-33 (4.5-5.5)	5.6	0910	S				X	X	X		
003	SB-35 (0.5-1.5)	5.6	0950	S				X	X	X		
004	SB-35 (5-6)	5.6	0955	S				X	X	X		
005	SB-60 (0.8-1.8)	5.6	1100	S				X	X	X		
006	SB-60 (4.5-5.5)	5.6	1105	S				X	X	X	H1	
007	SB-61 (1-1.5)	5.6	1215	S				X	X	X		H2
008	SB-61 (5.5-5.5)	5.6	1220	S				X	X	X		
009	TB-03	5.6	1300	S				X	X	X		
010	05062022 DUP-02	5.6	—	S				X	X	X		

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed:	Relinquished By: <i>Hannah Insko</i> Date/Time: 1305 <i>05/06/2022</i>	Received By: _____ Date/Time: _____	PACE Project No. <i>UW 44577</i> Receipt Temp = 2.1 °C Sample Receipt pH OK / Adjusted Cooler Custody Seal Present / Not Present Intact / Not Intact	
	Transmit Prelim Rush Results by (complete what you want): <i>JCS</i>	Relinquished By: <i>JCS</i> Date/Time: 5-7-22 <i>05/11/2022</i>		Received By: <i>[Signature]</i> Date/Time: 5-7-22 1110
	Email #1: _____ Email #2: _____ Telephone: _____ Fax: _____	Relinquished By: _____ Date/Time: _____		Received By: _____ Date/Time: _____
	Samples on HOLD are subject to special pricing and release of liability	Relinquished By: _____ Date/Time: _____		Received By: _____ Date/Time: _____

Sample Preservation Receipt Form

Client Name: Fehr Graham

Project # W074577

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed:

Date/Time:

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass							Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)	
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T								ZPLC
001																1	2															2.5 / 5 / 10
002																1	2															2.5 / 5 / 10
003																1	2															2.5 / 5 / 10
004																1	2															2.5 / 5 / 10
005																1	2			1	1											2.5 / 5 / 10
006																1	2			1	1											2.5 / 5 / 10
007																1	2			1	1											2.5 / 5 / 10
008																1	2			1	1											2.5 / 5 / 10
009																1	2															2.5 / 5 / 10
010																1	2				1	1										2.5 / 5 / 10
011																																2.5 / 5 / 10
012																																2.5 / 5 / 10
013																																2.5 / 5 / 10
014																																2.5 / 5 / 10
015																																2.5 / 5 / 10
016																																2.5 / 5 / 10
017																																2.5 / 5 / 10
018																																2.5 / 5 / 10
019																																2.5 / 5 / 10
020																																2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	VG9A 40 mL clear ascorbic	JGFU 4 oz amber jar unpres
BG1U 1 liter clear glass	BP3U 250 mL plastic unpres	DG9T 40 mL amber Na Thio	JG9U 9 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP3B 250 mL plastic NaOH	VG9U 40 mL clear vial unpres	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9H 40 mL clear vial HCL	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3S 250 mL plastic H2SO4	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG5U 100 mL amber glass unpres		VG9D 40 mL clear vial DI	ZPLC ziploc bag
AG2S 500 mL amber glass H2SO4			GN
BG3U 250 mL clear glass unpres			

Sample Condition Upon Receipt Form (SCUR)

Project #: _____

Client Name: Fehr Graham

WO#: **40244577**

Courier: CS Logistics Fed Ex Speedee UPS Walto
 Client Pace Other: _____



Tracking #: 1Z 90E BF3 44 9A74 2693

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used SR-116 Type of Ice: Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 2 / Corr: 2.1

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:
 Date: 5-7-22 / Initials: AW
 Labeled By Initials: AW

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>009 ID "TB-4"</u>
-Includes date/time/ID/Analysis Matrix: <u>S</u>		<u>5-7-22 AW</u>
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>57122 AW</u>		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample login

June 17, 2022

Annie Ray
Fehr Graham
200 Prairie St
Suite 208
Rockford, IL 61107

RE: Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Dear Annie Ray:

Enclosed are the analytical results for sample(s) received by the laboratory on May 10, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay
- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab

A2LA Certification #: 2926.01*
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009*
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014*
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605*
Georgia Certification #: 959
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086*
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064*
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137*
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240*
Mississippi Certification #: MN00064

Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081*
New Jersey Certification #: MN002
New York Certification #: 11647*
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification (A2LA) #: R-036
North Dakota Certification (MN) #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Ohio VAP Certification (1800) #: CL110*
Oklahoma Certification #: 9507*
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001*
Pennsylvania Certification #: 68-00563*
Puerto Rico Certification #: MN00064
South Carolina Certification #: 74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192*
Utah Certification #: MN00064*
Vermont Certification #: VT-027053137
Virginia Certification #: 460163*
Washington Certification #: C486*
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification #: via A2LA 2926.01
USDA Permit #: P330-19-00208
Please Note: Applicable air certifications are denoted with an asterisk ().

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40244640001	SB-68 (1.5-2.5)	Solid	05/09/22 16:00	05/10/22 11:00
40244640002	SB-68 (4.5-5.5)	Solid	05/09/22 16:05	05/10/22 11:00
40244640003	SB-69 (1.8-2.8)	Solid	05/09/22 15:10	05/10/22 11:00
40244640004	SB-69 (4.5-5.5)	Solid	05/09/22 15:15	05/10/22 11:00
40244640005	SB-70 (1.8-2.8)	Solid	05/09/22 14:35	05/10/22 11:00
40244640006	SB-70 (5-6)	Solid	05/09/22 14:40	05/10/22 11:00
40244640007	SB-63 (1.3-2.3)	Solid	05/09/22 13:50	05/10/22 11:00
40244640008	SB-63 (4.5-5.5)	Solid	05/09/22 13:55	05/10/22 11:00
40244640009	SB-62 (1.0-2.0)	Solid	05/09/22 13:15	05/10/22 11:00
40244640010	SB-62 (4.5-5.5)	Solid	05/09/22 13:20	05/10/22 11:00
40244640011	SB-59 (1.0-2.0)	Solid	05/09/22 11:50	05/10/22 11:00
40244640012	SB-59 (4.5-5.5)	Solid	05/09/22 11:55	05/10/22 11:00
40244640013	SB-58 (1.0-2.0)	Solid	05/09/22 11:05	05/10/22 11:00
40244640014	SB-58 (4.5-5.5)	Solid	05/09/22 11:10	05/10/22 11:00
40244640015	SB-57 (1.5-2.5)	Solid	05/09/22 10:30	05/10/22 11:00
40244640016	SB-57 (4.5-5.5)	Solid	05/09/22 10:35	05/10/22 11:00
40244640017	TB-05	Solid	05/09/22 16:30	05/10/22 11:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244640001	SB-68 (1.5-2.5)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244640002	SB-68 (4.5-5.5)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244640003	SB-69 (1.8-2.8)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244640004	SB-69 (4.5-5.5)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244640005	SB-70 (1.8-2.8)	EPA 8081B	AC2	24	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244640006	SB-70 (5-6)	EPA 8082A	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
40244640007	SB-63 (1.3-2.3)	ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		40244640008	SB-63 (4.5-5.5)	EPA 6020B	RJS
EPA 7471	AJT			1	PASI-G
EPA 8270E	TPO			70	PASI-G
EPA 8260	LAP			38	PASI-G
ASTM D2974-87	PDV			1	PASI-G
EPA 9040	YER			1	PASI-G
EPA 9012B	DAW			1	PASI-G
EPA 8081B	AC2			24	PASI-M
EPA 8082A	BLM			10	PASI-G
EPA 6020B	RJS			22	PASI-M
EPA 7471	AJT			1	PASI-G
EPA 8270E	TPO			70	PASI-G
EPA 8260	LAP			38	PASI-G
ASTM D2974-87	PDV			1	PASI-G
40244640009	SB-62 (1.0-2.0)			EPA 9040	YER
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244640010	SB-62 (4.5-5.5)	EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
40244640011	SB-59 (1.0-2.0)	ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
40244640012	SB-59 (4.5-5.5)	EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
40244640013	SB-58 (1.0-2.0)	EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244640014	SB-58 (4.5-5.5)	EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
40244640015	SB-57 (1.5-2.5)	EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
40244640016	SB-57 (4.5-5.5)	EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
40244640017	TB-05	EPA 9012B	DAW	1	PASI-G
		EPA 8260	LAP	38	PASI-G

PASI-G = Pace Analytical Services - Green Bay
PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244640001	SB-68 (1.5-2.5)					
EPA 6020B	Aluminum	15000	mg/kg	37.7	05/18/22 21:52	
EPA 6020B	Antimony	0.13J	mg/kg	0.63	05/18/22 21:52	
EPA 6020B	Arsenic	6.2	mg/kg	0.63	05/18/22 21:52	
EPA 6020B	Barium	165	mg/kg	0.38	05/18/22 21:52	
EPA 6020B	Beryllium	0.87	mg/kg	0.25	05/18/22 21:52	
EPA 6020B	Cadmium	0.14	mg/kg	0.10	05/18/22 21:52	
EPA 6020B	Calcium	5290	mg/kg	126	05/18/22 21:52	
EPA 6020B	Chromium	18.5	mg/kg	2.5	05/18/22 21:52	
EPA 6020B	Cobalt	9.3	mg/kg	0.63	05/18/22 21:52	
EPA 6020B	Copper	18.2	mg/kg	1.3	05/18/22 21:52	
EPA 6020B	Iron	19900	mg/kg	62.8	05/18/22 21:52	
EPA 6020B	Lead	15.2	mg/kg	0.63	05/18/22 21:52	
EPA 6020B	Magnesium	2530	mg/kg	37.7	05/18/22 21:52	
EPA 6020B	Manganese	509	mg/kg	0.63	05/18/22 21:52	
EPA 6020B	Nickel	16.3	mg/kg	0.63	05/18/22 21:52	
EPA 6020B	Potassium	1290	mg/kg	126	05/18/22 21:52	
EPA 6020B	Selenium	0.93	mg/kg	0.63	05/18/22 21:52	
EPA 6020B	Sodium	25.8J	mg/kg	62.8	05/18/22 21:52	
EPA 6020B	Thallium	0.19	mg/kg	0.13	05/18/22 21:52	
EPA 6020B	Vanadium	33.5	mg/kg	1.3	05/18/22 21:52	
EPA 6020B	Zinc	59.1	mg/kg	6.3	05/18/22 21:52	
EPA 7471	Mercury	0.038J	mg/kg	0.046	05/18/22 12:20	
ASTM D2974-87	Percent Moisture	24.2	%	0.10	05/12/22 11:01	
EPA 9040	pH at 25 Degrees C	7.9	Std. Units	0.10	05/17/22 12:37	3q,H6
40244640002	SB-68 (4.5-5.5)					
EPA 6020B	Aluminum	16600	mg/kg	37.9	05/18/22 21:56	
EPA 6020B	Antimony	0.30J	mg/kg	0.63	05/18/22 21:56	
EPA 6020B	Arsenic	16.2	mg/kg	0.63	05/18/22 21:56	
EPA 6020B	Barium	346	mg/kg	0.38	05/18/22 21:56	
EPA 6020B	Beryllium	0.91	mg/kg	0.25	05/18/22 21:56	
EPA 6020B	Cadmium	0.76	mg/kg	0.10	05/18/22 21:56	
EPA 6020B	Calcium	4130	mg/kg	126	05/18/22 21:56	
EPA 6020B	Chromium	21.5	mg/kg	2.5	05/18/22 21:56	
EPA 6020B	Cobalt	23.7	mg/kg	0.63	05/18/22 21:56	
EPA 6020B	Copper	24.8	mg/kg	1.3	05/18/22 21:56	
EPA 6020B	Iron	32300	mg/kg	63.2	05/18/22 21:56	
EPA 6020B	Lead	14.8	mg/kg	0.63	05/18/22 21:56	
EPA 6020B	Magnesium	3430	mg/kg	37.9	05/18/22 21:56	
EPA 6020B	Manganese	3000	mg/kg	6.3	05/18/22 21:59	
EPA 6020B	Nickel	53.7	mg/kg	0.63	05/18/22 21:56	
EPA 6020B	Potassium	905	mg/kg	126	05/18/22 21:56	
EPA 6020B	Selenium	0.54J	mg/kg	0.63	05/18/22 21:56	
EPA 6020B	Sodium	62.8J	mg/kg	63.2	05/18/22 21:56	
EPA 6020B	Thallium	0.26	mg/kg	0.13	05/18/22 21:56	
EPA 6020B	Vanadium	42.3	mg/kg	1.3	05/18/22 21:56	
EPA 6020B	Zinc	66.8	mg/kg	6.3	05/18/22 21:56	
EPA 7471	Mercury	0.045	mg/kg	0.042	05/18/22 12:27	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244640002	SB-68 (4.5-5.5)					
ASTM D2974-87	Percent Moisture	21.6	%	0.10	05/12/22 11:01	
EPA 9040	pH at 25 Degrees C	7.7	Std. Units	0.10	05/17/22 12:41	3q,H6
40244640003	SB-69 (1.8-2.8)					
EPA 8081B	delta-BHC	0.00043J	mg/kg	0.0021	05/17/22 23:32	
EPA 6020B	Aluminum	13500	mg/kg	35.0	05/18/22 21:41	
EPA 6020B	Antimony	0.14J	mg/kg	0.58	05/18/22 21:41	
EPA 6020B	Arsenic	5.2	mg/kg	0.58	05/18/22 21:41	
EPA 6020B	Barium	196	mg/kg	0.35	05/18/22 21:41	
EPA 6020B	Beryllium	0.83	mg/kg	0.23	05/18/22 21:41	
EPA 6020B	Cadmium	0.16	mg/kg	0.093	05/18/22 21:41	
EPA 6020B	Calcium	6180	mg/kg	117	05/18/22 21:41	
EPA 6020B	Chromium	17.5	mg/kg	2.3	05/18/22 21:41	
EPA 6020B	Cobalt	5.3	mg/kg	0.58	05/18/22 21:41	
EPA 6020B	Copper	21.5	mg/kg	1.2	05/18/22 21:41	
EPA 6020B	Iron	20100	mg/kg	58.3	05/18/22 21:41	
EPA 6020B	Lead	19.9	mg/kg	0.58	05/18/22 21:41	
EPA 6020B	Magnesium	3050	mg/kg	35.0	05/18/22 21:41	
EPA 6020B	Manganese	241	mg/kg	0.58	05/18/22 21:41	
EPA 6020B	Nickel	12.8	mg/kg	0.58	05/18/22 21:41	
EPA 6020B	Potassium	1250	mg/kg	117	05/18/22 21:41	
EPA 6020B	Selenium	0.85	mg/kg	0.58	05/18/22 21:41	
EPA 6020B	Sodium	80.9	mg/kg	58.3	05/18/22 21:41	
EPA 6020B	Thallium	0.17	mg/kg	0.12	05/18/22 21:41	
EPA 6020B	Vanadium	28.6	mg/kg	1.2	05/18/22 21:41	
EPA 6020B	Zinc	62.1	mg/kg	5.8	05/18/22 21:41	
EPA 7471	Mercury	0.017J	mg/kg	0.043	05/18/22 12:30	
ASTM D2974-87	Percent Moisture	21.3	%	0.10	05/12/22 11:02	
EPA 9040	pH at 25 Degrees C	7.7	Std. Units	0.10	05/17/22 12:43	2q,H6
40244640004	SB-69 (4.5-5.5)					
EPA 6020B	Aluminum	13900	mg/kg	36.7	05/18/22 21:44	
EPA 6020B	Antimony	0.23J	mg/kg	0.61	05/18/22 21:44	
EPA 6020B	Arsenic	11.6	mg/kg	0.61	05/18/22 21:44	
EPA 6020B	Barium	235	mg/kg	0.37	05/18/22 21:44	
EPA 6020B	Beryllium	0.85	mg/kg	0.24	05/18/22 21:44	
EPA 6020B	Cadmium	0.92	mg/kg	0.098	05/18/22 21:44	
EPA 6020B	Calcium	4060	mg/kg	122	05/18/22 21:44	
EPA 6020B	Chromium	18.6	mg/kg	2.4	05/18/22 21:44	
EPA 6020B	Cobalt	19.4	mg/kg	0.61	05/18/22 21:44	
EPA 6020B	Copper	23.5	mg/kg	1.2	05/18/22 21:44	
EPA 6020B	Iron	24900	mg/kg	61.2	05/18/22 21:44	
EPA 6020B	Lead	25.6	mg/kg	0.61	05/18/22 21:44	
EPA 6020B	Magnesium	3840	mg/kg	36.7	05/18/22 21:44	
EPA 6020B	Manganese	2400	mg/kg	6.1	05/18/22 21:48	
EPA 6020B	Nickel	48.2	mg/kg	0.61	05/18/22 21:44	
EPA 6020B	Potassium	626	mg/kg	122	05/18/22 21:44	
EPA 6020B	Selenium	0.38J	mg/kg	0.61	05/18/22 21:44	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244640004	SB-69 (4.5-5.5)					
EPA 6020B	Sodium	81.0	mg/kg	61.2	05/18/22 21:44	
EPA 6020B	Thallium	0.20	mg/kg	0.12	05/18/22 21:44	
EPA 6020B	Vanadium	34.8	mg/kg	1.2	05/18/22 21:44	
EPA 6020B	Zinc	57.5	mg/kg	6.1	05/18/22 21:44	
EPA 7471	Mercury	0.033J	mg/kg	0.040	05/18/22 12:32	
ASTM D2974-87	Percent Moisture	19.1	%	0.10	05/12/22 11:02	
EPA 9045	pH at 25 Degrees C	8.19	Std. Units	0.100	05/17/22 11:22	H6
40244640005	SB-70 (1.8-2.8)					
EPA 8081B	delta-BHC	0.00051J	mg/kg	0.0022	05/18/22 00:10	
EPA 6010D	Lead	0.013J	mg/L	0.020	06/15/22 10:57	
EPA 6020B	Aluminum	12500	mg/kg	38.9	05/18/22 16:22	
EPA 6020B	Antimony	0.67	mg/kg	0.65	05/18/22 16:22	
EPA 6020B	Arsenic	11.9	mg/kg	0.65	05/18/22 16:22	
EPA 6020B	Barium	202	mg/kg	0.39	05/18/22 16:22	
EPA 6020B	Beryllium	1.6	mg/kg	0.26	05/18/22 16:22	
EPA 6020B	Cadmium	1.7	mg/kg	0.10	05/18/22 16:22	
EPA 6020B	Calcium	9470	mg/kg	130	05/18/22 16:22	
EPA 6020B	Chromium	16.4	mg/kg	2.6	05/18/22 16:22	
EPA 6020B	Cobalt	7.8	mg/kg	0.65	05/18/22 16:22	
EPA 6020B	Copper	97.6	mg/kg	1.3	05/18/22 16:22	
EPA 6020B	Iron	32500	mg/kg	64.9	05/18/22 16:22	
EPA 6020B	Lead	172	mg/kg	0.65	05/18/22 16:22	
EPA 6020B	Magnesium	3580	mg/kg	38.9	05/18/22 16:22	
EPA 6020B	Manganese	436	mg/kg	0.65	05/18/22 16:22	
EPA 6020B	Nickel	20.5	mg/kg	0.65	05/18/22 16:22	
EPA 6020B	Potassium	1440	mg/kg	130	05/18/22 16:22	
EPA 6020B	Selenium	0.98	mg/kg	0.65	05/18/22 16:22	
EPA 6020B	Sodium	189	mg/kg	64.9	05/18/22 16:22	
EPA 6020B	Thallium	0.69	mg/kg	0.13	05/18/22 16:22	
EPA 6020B	Vanadium	34.3	mg/kg	1.3	05/18/22 16:22	
EPA 6020B	Zinc	253	mg/kg	6.5	05/18/22 16:22	
EPA 7471	Mercury	0.018J	mg/kg	0.045	05/18/22 12:34	
ASTM D2974-87	Percent Moisture	24.5	%	0.10	05/12/22 11:02	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/17/22 12:45	3q,H6
40244640006	SB-70 (5-6)					
EPA 6020B	Aluminum	15600	mg/kg	36.3	05/18/22 21:03	P6
EPA 6020B	Antimony	0.28J	mg/kg	0.61	05/18/22 21:03	M1,R1
EPA 6020B	Arsenic	19.1	mg/kg	0.61	05/18/22 21:03	M1
EPA 6020B	Barium	397	mg/kg	0.36	05/18/22 21:03	P6
EPA 6020B	Beryllium	1.1	mg/kg	0.24	05/18/22 21:03	
EPA 6020B	Cadmium	1.1	mg/kg	0.097	05/18/22 21:03	
EPA 6020B	Calcium	5010	mg/kg	121	05/18/22 21:03	P6
EPA 6020B	Chromium	20.2	mg/kg	2.4	05/18/22 21:03	
EPA 6020B	Cobalt	23.0	mg/kg	0.61	05/18/22 21:03	M1,R1
EPA 6020B	Copper	19.9	mg/kg	1.2	05/18/22 21:03	
EPA 6020B	Iron	28900	mg/kg	60.5	05/18/22 21:03	P6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244640006	SB-70 (5-6)					
EPA 6020B	Lead	21.5	mg/kg	0.61	05/18/22 21:03	
EPA 6020B	Magnesium	3770	mg/kg	36.3	05/18/22 21:03	M1
EPA 6020B	Manganese	4680	mg/kg	12.1	05/18/22 21:22	P6,R1
EPA 6020B	Nickel	43.0	mg/kg	0.61	05/18/22 21:03	M1,R1
EPA 6020B	Potassium	1050	mg/kg	121	05/18/22 21:03	
EPA 6020B	Selenium	0.58J	mg/kg	0.61	05/18/22 21:03	
EPA 6020B	Silver	0.34J	mg/kg	0.61	05/18/22 21:03	
EPA 6020B	Sodium	45.9J	mg/kg	60.5	05/18/22 21:03	
EPA 6020B	Thallium	0.25	mg/kg	0.12	05/18/22 21:03	
EPA 6020B	Vanadium	45.8	mg/kg	1.2	05/18/22 21:03	
EPA 6020B	Zinc	64.1	mg/kg	6.1	05/18/22 21:03	M1
EPA 7471	Mercury	0.055	mg/kg	0.044	05/18/22 12:37	
ASTM D2974-87	Percent Moisture	23.5	%	0.10	05/12/22 11:02	
EPA 9040	pH at 25 Degrees C	7.4	Std. Units	0.10	05/17/22 12:47	3q,H6
EPA 9012B	Cyanide	0.44J	mg/kg	1.2	05/18/22 15:26	
40244640007	SB-63 (1.3-2.3)					
EPA 6020B	Aluminum	8670	mg/kg	38.3	05/18/22 16:07	
EPA 6020B	Antimony	0.53J	mg/kg	0.64	05/18/22 16:07	
EPA 6020B	Arsenic	4.5	mg/kg	0.64	05/18/22 16:07	
EPA 6020B	Barium	167	mg/kg	0.38	05/18/22 16:07	
EPA 6020B	Beryllium	1.2	mg/kg	0.26	05/18/22 16:07	
EPA 6020B	Cadmium	0.58	mg/kg	0.10	05/18/22 16:07	
EPA 6020B	Calcium	9770	mg/kg	128	05/18/22 16:07	
EPA 6020B	Chromium	12.9	mg/kg	2.6	05/18/22 16:07	
EPA 6020B	Cobalt	6.1	mg/kg	0.64	05/18/22 16:07	
EPA 6020B	Copper	25.6	mg/kg	1.3	05/18/22 16:07	
EPA 6020B	Iron	32800	mg/kg	63.8	05/18/22 16:07	
EPA 6020B	Lead	54.1	mg/kg	0.64	05/18/22 16:07	
EPA 6020B	Magnesium	2300	mg/kg	38.3	05/18/22 16:07	
EPA 6020B	Manganese	226	mg/kg	0.64	05/18/22 16:07	
EPA 6020B	Nickel	20.0	mg/kg	0.64	05/18/22 16:07	
EPA 6020B	Potassium	976	mg/kg	128	05/18/22 16:07	
EPA 6020B	Selenium	0.92	mg/kg	0.64	05/18/22 16:07	
EPA 6020B	Sodium	487	mg/kg	63.8	05/18/22 16:07	
EPA 6020B	Thallium	0.40	mg/kg	0.13	05/18/22 16:07	
EPA 6020B	Vanadium	19.4	mg/kg	1.3	05/18/22 16:07	
EPA 6020B	Zinc	92.4	mg/kg	6.4	05/18/22 16:07	
EPA 7471	Mercury	0.075	mg/kg	0.041	05/18/22 12:44	
EPA 8270E	2-Methylnaphthalene	0.50J	mg/kg	0.76	05/16/22 14:42	
EPA 8270E	Chrysene	0.16J	mg/kg	0.44	05/16/22 14:42	
EPA 8270E	Dibenzofuran	0.11J	mg/kg	0.35	05/16/22 14:42	
EPA 8270E	Fluoranthene	0.19J	mg/kg	0.41	05/16/22 14:42	
EPA 8270E	Naphthalene	0.33J	mg/kg	1.0	05/16/22 14:42	
EPA 8270E	Phenanthrene	0.27J	mg/kg	0.38	05/16/22 14:42	
EPA 8270E	Pyrene	0.20J	mg/kg	0.65	05/16/22 14:42	
ASTM D2974-87	Percent Moisture	24.0	%	0.10	05/13/22 11:09	
EPA 9040	pH at 25 Degrees C	7.1	Std. Units	0.10	05/19/22 09:49	4q,H6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244640008	SB-63 (4.5-5.5)					
EPA 6020B	Aluminum	15700	mg/kg	35.6	05/18/22 16:18	
EPA 6020B	Antimony	0.22J	mg/kg	0.59	05/18/22 16:18	
EPA 6020B	Arsenic	6.9	mg/kg	0.59	05/18/22 16:18	
EPA 6020B	Barium	165	mg/kg	0.36	05/18/22 16:18	
EPA 6020B	Beryllium	0.86	mg/kg	0.24	05/18/22 16:18	
EPA 6020B	Cadmium	0.20	mg/kg	0.095	05/18/22 16:18	
EPA 6020B	Calcium	4760	mg/kg	119	05/18/22 16:18	
EPA 6020B	Chromium	19.5	mg/kg	2.4	05/18/22 16:18	
EPA 6020B	Cobalt	5.6	mg/kg	0.59	05/18/22 16:18	
EPA 6020B	Copper	20.1	mg/kg	1.2	05/18/22 16:18	
EPA 6020B	Iron	20100	mg/kg	59.3	05/18/22 16:18	
EPA 6020B	Lead	11.5	mg/kg	0.59	05/18/22 16:18	
EPA 6020B	Magnesium	3930	mg/kg	35.6	05/18/22 16:18	
EPA 6020B	Manganese	232	mg/kg	0.59	05/18/22 16:18	
EPA 6020B	Nickel	17.6	mg/kg	0.59	05/18/22 16:18	
EPA 6020B	Potassium	628	mg/kg	119	05/18/22 16:18	
EPA 6020B	Selenium	0.33J	mg/kg	0.59	05/18/22 16:18	
EPA 6020B	Sodium	62.9	mg/kg	59.3	05/18/22 16:18	
EPA 6020B	Thallium	0.17	mg/kg	0.12	05/18/22 16:18	
EPA 6020B	Vanadium	36.3	mg/kg	1.2	05/18/22 16:18	
EPA 6020B	Zinc	60.9	mg/kg	5.9	05/18/22 16:18	
EPA 7471	Mercury	0.031J	mg/kg	0.044	05/18/22 12:46	
ASTM D2974-87	Percent Moisture	22.6	%	0.10	05/13/22 10:19	
EPA 9040	pH at 25 Degrees C	7.5	Std. Units	0.10	05/19/22 09:57	4q,H6
40244640009	SB-62 (1.0-2.0)					
EPA 6020B	Aluminum	12800	mg/kg	36.0	05/18/22 15:59	
EPA 6020B	Antimony	0.30J	mg/kg	0.60	05/18/22 15:59	
EPA 6020B	Arsenic	4.9	mg/kg	0.60	05/18/22 15:59	
EPA 6020B	Barium	157	mg/kg	0.36	05/18/22 15:59	
EPA 6020B	Beryllium	0.83	mg/kg	0.24	05/18/22 15:59	
EPA 6020B	Cadmium	0.43	mg/kg	0.096	05/18/22 15:59	
EPA 6020B	Calcium	7310	mg/kg	120	05/18/22 15:59	
EPA 6020B	Chromium	15.8	mg/kg	2.4	05/18/22 15:59	
EPA 6020B	Cobalt	3.9	mg/kg	0.60	05/18/22 15:59	
EPA 6020B	Copper	22.5	mg/kg	1.2	05/18/22 15:59	
EPA 6020B	Iron	17700	mg/kg	60.0	05/18/22 15:59	
EPA 6020B	Lead	38.2	mg/kg	0.60	05/18/22 15:59	
EPA 6020B	Magnesium	2860	mg/kg	36.0	05/18/22 15:59	
EPA 6020B	Manganese	283	mg/kg	0.60	05/18/22 15:59	
EPA 6020B	Nickel	13.2	mg/kg	0.60	05/18/22 15:59	
EPA 6020B	Potassium	1250	mg/kg	120	05/18/22 15:59	
EPA 6020B	Selenium	1.2	mg/kg	0.60	05/18/22 15:59	
EPA 6020B	Sodium	92.1	mg/kg	60.0	05/18/22 15:59	
EPA 6020B	Thallium	0.21	mg/kg	0.12	05/18/22 15:59	
EPA 6020B	Vanadium	25.7	mg/kg	1.2	05/18/22 15:59	
EPA 6020B	Zinc	88.2	mg/kg	6.0	05/18/22 15:59	
EPA 7471	Mercury	0.093	mg/kg	0.043	05/18/22 12:48	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244640009	SB-62 (1.0-2.0)					
EPA 8270E	2-Methylnaphthalene	0.49J	mg/kg	0.57	05/17/22 22:06	
EPA 8270E	Benzo(a)anthracene	0.11J	mg/kg	0.34	05/17/22 22:06	
EPA 8270E	Chrysene	0.11J	mg/kg	0.33	05/17/22 22:06	
EPA 8270E	Dibenzofuran	0.10J	mg/kg	0.26	05/17/22 22:06	
EPA 8270E	Fluoranthene	0.21J	mg/kg	0.31	05/17/22 22:06	
EPA 8270E	Naphthalene	0.28J	mg/kg	0.76	05/17/22 22:06	
EPA 8270E	Phenanthrene	0.27J	mg/kg	0.28	05/17/22 22:06	
EPA 8270E	Pyrene	0.21J	mg/kg	0.48	05/17/22 22:06	
ASTM D2974-87	Percent Moisture	23.6	%	0.10	05/13/22 10:19	
EPA 9040	pH at 25 Degrees C	7.3	Std. Units	0.10	05/19/22 10:06	4q,H6
40244640010	SB-62 (4.5-5.5)					
EPA 6020B	Aluminum	14500	mg/kg	35.8	05/18/22 16:03	
EPA 6020B	Antimony	0.19J	mg/kg	0.60	05/18/22 16:03	
EPA 6020B	Arsenic	7.2	mg/kg	0.60	05/18/22 16:03	
EPA 6020B	Barium	184	mg/kg	0.36	05/18/22 16:03	
EPA 6020B	Beryllium	0.86	mg/kg	0.24	05/18/22 16:03	
EPA 6020B	Cadmium	0.20	mg/kg	0.095	05/18/22 16:03	
EPA 6020B	Calcium	4620	mg/kg	119	05/18/22 16:03	
EPA 6020B	Chromium	18.6	mg/kg	2.4	05/18/22 16:03	
EPA 6020B	Cobalt	8.1	mg/kg	0.60	05/18/22 16:03	
EPA 6020B	Copper	21.1	mg/kg	1.2	05/18/22 16:03	
EPA 6020B	Iron	18900	mg/kg	59.7	05/18/22 16:03	
EPA 6020B	Lead	14.5	mg/kg	0.60	05/18/22 16:03	
EPA 6020B	Magnesium	3790	mg/kg	35.8	05/18/22 16:03	
EPA 6020B	Manganese	387	mg/kg	0.60	05/18/22 16:03	
EPA 6020B	Nickel	19.0	mg/kg	0.60	05/18/22 16:03	
EPA 6020B	Potassium	592	mg/kg	119	05/18/22 16:03	
EPA 6020B	Selenium	0.32J	mg/kg	0.60	05/18/22 16:03	
EPA 6020B	Sodium	145	mg/kg	59.7	05/18/22 16:03	
EPA 6020B	Thallium	0.14	mg/kg	0.12	05/18/22 16:03	
EPA 6020B	Vanadium	34.7	mg/kg	1.2	05/18/22 16:03	
EPA 6020B	Zinc	58.6	mg/kg	6.0	05/18/22 16:03	
EPA 7471	Mercury	0.043J	mg/kg	0.044	05/18/22 12:50	
ASTM D2974-87	Percent Moisture	21.7	%	0.10	05/13/22 10:19	
EPA 9040	pH at 25 Degrees C	7.4	Std. Units	0.10	05/19/22 10:08	4q,H6
40244640011	SB-59 (1.0-2.0)					
EPA 8081B	delta-BHC	0.00049J	mg/kg	0.0020	05/19/22 03:41	
EPA 6020B	Aluminum	9670	mg/kg	35.4	05/18/22 15:48	
EPA 6020B	Arsenic	2.5	mg/kg	0.59	05/18/22 15:48	
EPA 6020B	Barium	61.8	mg/kg	0.35	05/18/22 15:48	
EPA 6020B	Beryllium	0.58	mg/kg	0.24	05/18/22 15:48	
EPA 6020B	Calcium	3910	mg/kg	118	05/18/22 15:48	
EPA 6020B	Chromium	15.2	mg/kg	2.4	05/18/22 15:48	
EPA 6020B	Cobalt	3.3	mg/kg	0.59	05/18/22 15:48	
EPA 6020B	Copper	8.6	mg/kg	1.2	05/18/22 15:48	
EPA 6020B	Iron	9620	mg/kg	58.9	05/18/22 15:48	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244640011	SB-59 (1.0-2.0)					
EPA 6020B	Lead	7.6	mg/kg	0.59	05/18/22 15:48	
EPA 6020B	Magnesium	2440	mg/kg	35.4	05/18/22 15:48	
EPA 6020B	Manganese	125	mg/kg	0.59	05/18/22 15:48	
EPA 6020B	Nickel	9.2	mg/kg	0.59	05/18/22 15:48	
EPA 6020B	Potassium	639	mg/kg	118	05/18/22 15:48	
EPA 6020B	Selenium	0.23J	mg/kg	0.59	05/18/22 15:48	
EPA 6020B	Sodium	32.1J	mg/kg	58.9	05/18/22 15:48	
EPA 6020B	Thallium	0.060J	mg/kg	0.12	05/18/22 15:48	
EPA 6020B	Vanadium	22.5	mg/kg	1.2	05/18/22 15:48	
EPA 6020B	Zinc	20.6	mg/kg	5.9	05/18/22 15:48	
EPA 7471	Mercury	0.058	mg/kg	0.041	05/18/22 12:53	
EPA 8270E	2-Methylnaphthalene	0.13J	mg/kg	0.18	05/17/22 15:01	
EPA 8270E	Benzo(a)anthracene	0.033J	mg/kg	0.11	05/17/22 15:01	
EPA 8270E	Fluoranthene	0.052J	mg/kg	0.097	05/17/22 15:01	
EPA 8270E	Phenanthrene	0.070J	mg/kg	0.088	05/17/22 15:01	
EPA 8270E	Pyrene	0.057J	mg/kg	0.15	05/17/22 15:01	
ASTM D2974-87	Percent Moisture	18.4	%	0.10	05/13/22 10:19	
EPA 9045	pH at 25 Degrees C	8.15	Std. Units	0.100	05/18/22 13:31	H6
40244640012	SB-59 (4.5-5.5)					
EPA 6020B	Aluminum	18300	mg/kg	36.0	05/18/22 15:52	
EPA 6020B	Antimony	0.37J	mg/kg	0.60	05/18/22 15:52	
EPA 6020B	Arsenic	18.7	mg/kg	0.60	05/18/22 15:52	
EPA 6020B	Barium	421	mg/kg	0.36	05/18/22 15:52	
EPA 6020B	Beryllium	0.97	mg/kg	0.24	05/18/22 15:52	
EPA 6020B	Cadmium	0.29	mg/kg	0.096	05/18/22 15:52	
EPA 6020B	Calcium	4300	mg/kg	120	05/18/22 15:52	
EPA 6020B	Chromium	22.3	mg/kg	2.4	05/18/22 15:52	
EPA 6020B	Cobalt	16.4	mg/kg	0.60	05/18/22 15:52	
EPA 6020B	Copper	22.4	mg/kg	1.2	05/18/22 15:52	
EPA 6020B	Iron	40000	mg/kg	60.0	05/18/22 15:52	
EPA 6020B	Lead	14.7	mg/kg	0.60	05/18/22 15:52	
EPA 6020B	Magnesium	4070	mg/kg	36.0	05/18/22 15:52	
EPA 6020B	Manganese	1770	mg/kg	6.0	05/18/22 15:56	
EPA 6020B	Nickel	38.5	mg/kg	0.60	05/18/22 15:52	
EPA 6020B	Potassium	794	mg/kg	120	05/18/22 15:52	
EPA 6020B	Selenium	0.68	mg/kg	0.60	05/18/22 15:52	
EPA 6020B	Sodium	70.9	mg/kg	60.0	05/18/22 15:52	
EPA 6020B	Thallium	0.22	mg/kg	0.12	05/18/22 15:52	
EPA 6020B	Vanadium	44.9	mg/kg	1.2	05/18/22 15:52	
EPA 6020B	Zinc	61.4	mg/kg	6.0	05/18/22 15:52	
EPA 7471	Mercury	0.048	mg/kg	0.044	05/18/22 12:55	
ASTM D2974-87	Percent Moisture	24.2	%	0.10	05/13/22 10:19	
EPA 9040	pH at 25 Degrees C	7.8	Std. Units	0.10	05/19/22 10:13	4q,H6
40244640013	SB-58 (1.0-2.0)					
EPA 8081B	delta-BHC	0.00040J	mg/kg	0.0022	05/19/22 04:18	
EPA 6020B	Aluminum	12800	mg/kg	37.8	05/18/22 15:40	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244640013	SB-58 (1.0-2.0)					
EPA 6020B	Antimony	0.16J	mg/kg	0.63	05/18/22 15:40	
EPA 6020B	Arsenic	7.5	mg/kg	0.63	05/18/22 15:40	
EPA 6020B	Barium	176	mg/kg	0.38	05/18/22 15:40	
EPA 6020B	Beryllium	0.81	mg/kg	0.25	05/18/22 15:40	
EPA 6020B	Cadmium	0.34	mg/kg	0.10	05/18/22 15:40	
EPA 6020B	Calcium	6050	mg/kg	126	05/18/22 15:40	
EPA 6020B	Chromium	16.2	mg/kg	2.5	05/18/22 15:40	
EPA 6020B	Cobalt	5.7	mg/kg	0.63	05/18/22 15:40	
EPA 6020B	Copper	19.1	mg/kg	1.3	05/18/22 15:40	
EPA 6020B	Iron	18100	mg/kg	63.0	05/18/22 15:40	
EPA 6020B	Lead	17.1	mg/kg	0.63	05/18/22 15:40	
EPA 6020B	Magnesium	2820	mg/kg	37.8	05/18/22 15:40	
EPA 6020B	Manganese	188	mg/kg	0.63	05/18/22 15:40	
EPA 6020B	Nickel	13.0	mg/kg	0.63	05/18/22 15:40	
EPA 6020B	Potassium	1280	mg/kg	126	05/18/22 15:40	
EPA 6020B	Selenium	1.0	mg/kg	0.63	05/18/22 15:40	
EPA 6020B	Sodium	43.4J	mg/kg	63.0	05/18/22 15:40	
EPA 6020B	Thallium	0.22	mg/kg	0.13	05/18/22 15:40	
EPA 6020B	Vanadium	27.3	mg/kg	1.3	05/18/22 15:40	
EPA 6020B	Zinc	68.1	mg/kg	6.3	05/18/22 15:40	
EPA 7471	Mercury	0.026J	mg/kg	0.044	05/18/22 12:57	
EPA 8270E	Anthracene	0.70	mg/kg	0.47	05/19/22 15:53	
EPA 8270E	Benzo(a)anthracene	1.9	mg/kg	0.45	05/19/22 15:53	
EPA 8270E	Benzo(a)pyrene	1.4	mg/kg	0.44	05/19/22 15:53	
EPA 8270E	Benzo(b)fluoranthene	1.8	mg/kg	0.50	05/19/22 15:53	
EPA 8270E	Benzo(g,h,i)perylene	0.52J	mg/kg	0.76	05/19/22 15:53	
EPA 8270E	Benzo(k)fluoranthene	0.69J	mg/kg	0.70	05/19/22 15:53	
EPA 8270E	Chrysene	2.9	mg/kg	0.44	05/19/22 15:53	
EPA 8270E	Dibenzofuran	0.13J	mg/kg	0.35	05/19/22 15:53	
EPA 8270E	Fluoranthene	2.3	mg/kg	0.41	05/19/22 15:53	
EPA 8270E	Fluorene	0.32J	mg/kg	0.34	05/19/22 15:53	
EPA 8270E	Indeno(1,2,3-cd)pyrene	0.63J	mg/kg	0.63	05/19/22 15:53	
EPA 8270E	Phenanthrene	0.86	mg/kg	0.37	05/19/22 15:53	
EPA 8270E	Pyrene	2.0	mg/kg	0.65	05/19/22 15:53	
ASTM D2974-87	Percent Moisture	23.7	%	0.10	05/13/22 10:20	
EPA 9040	pH at 25 Degrees C	7.8	Std. Units	0.10	05/19/22 10:21	4q,H6
40244640014	SB-58 (4.5-5.5)					
EPA 6020B	Aluminum	16900	mg/kg	36.7	05/18/22 15:44	
EPA 6020B	Antimony	0.16J	mg/kg	0.61	05/18/22 15:44	
EPA 6020B	Arsenic	7.9	mg/kg	0.61	05/18/22 15:44	
EPA 6020B	Barium	212	mg/kg	0.37	05/18/22 15:44	
EPA 6020B	Beryllium	0.92	mg/kg	0.24	05/18/22 15:44	
EPA 6020B	Cadmium	0.14	mg/kg	0.098	05/18/22 15:44	
EPA 6020B	Calcium	4830	mg/kg	122	05/18/22 15:44	
EPA 6020B	Chromium	19.7	mg/kg	2.4	05/18/22 15:44	
EPA 6020B	Cobalt	10.6	mg/kg	0.61	05/18/22 15:44	
EPA 6020B	Copper	17.9	mg/kg	1.2	05/18/22 15:44	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244640014	SB-58 (4.5-5.5)					
EPA 6020B	Iron	22600	mg/kg	61.2	05/18/22 15:44	
EPA 6020B	Lead	14.7	mg/kg	0.61	05/18/22 15:44	
EPA 6020B	Magnesium	3720	mg/kg	36.7	05/18/22 15:44	
EPA 6020B	Manganese	480	mg/kg	0.61	05/18/22 15:44	
EPA 6020B	Nickel	17.5	mg/kg	0.61	05/18/22 15:44	
EPA 6020B	Potassium	906	mg/kg	122	05/18/22 15:44	
EPA 6020B	Selenium	0.60J	mg/kg	0.61	05/18/22 15:44	
EPA 6020B	Sodium	54.4J	mg/kg	61.2	05/18/22 15:44	
EPA 6020B	Thallium	0.18	mg/kg	0.12	05/18/22 15:44	
EPA 6020B	Vanadium	34.4	mg/kg	1.2	05/18/22 15:44	
EPA 6020B	Zinc	55.9	mg/kg	6.1	05/18/22 15:44	
EPA 7471	Mercury	0.054	mg/kg	0.041	05/18/22 13:00	
ASTM D2974-87	Percent Moisture	23.6	%	0.10	05/13/22 11:09	
EPA 9040	pH at 25 Degrees C	7.8	Std. Units	0.10	05/19/22 10:24	4q,H6
40244640015	SB-57 (1.5-2.5)					
EPA 6020B	Aluminum	6400	mg/kg	37.3	05/18/22 15:18	
EPA 6020B	Antimony	0.14J	mg/kg	0.62	05/18/22 15:18	
EPA 6020B	Arsenic	3.9	mg/kg	0.62	05/18/22 15:18	
EPA 6020B	Barium	53.3	mg/kg	0.37	05/18/22 15:18	
EPA 6020B	Beryllium	0.44	mg/kg	0.25	05/18/22 15:18	
EPA 6020B	Cadmium	0.13	mg/kg	0.10	05/18/22 15:18	
EPA 6020B	Calcium	46200	mg/kg	124	05/18/22 15:18	
EPA 6020B	Chromium	11.6	mg/kg	2.5	05/18/22 15:18	
EPA 6020B	Cobalt	5.0	mg/kg	0.62	05/18/22 15:18	
EPA 6020B	Copper	13.7	mg/kg	1.2	05/18/22 15:18	
EPA 6020B	Iron	14100	mg/kg	62.2	05/18/22 15:18	
EPA 6020B	Lead	11.1	mg/kg	0.62	05/18/22 15:18	
EPA 6020B	Magnesium	27700	mg/kg	37.3	05/18/22 15:18	
EPA 6020B	Manganese	302	mg/kg	0.62	05/18/22 15:18	
EPA 6020B	Nickel	11.5	mg/kg	0.62	05/18/22 15:18	
EPA 6020B	Potassium	921	mg/kg	124	05/18/22 15:18	
EPA 6020B	Selenium	0.43J	mg/kg	0.62	05/18/22 15:18	
EPA 6020B	Sodium	66.0	mg/kg	62.2	05/18/22 15:18	
EPA 6020B	Thallium	0.12J	mg/kg	0.12	05/18/22 15:18	
EPA 6020B	Vanadium	17.9	mg/kg	1.2	05/18/22 15:18	
EPA 6020B	Zinc	36.4	mg/kg	6.2	05/18/22 15:18	
EPA 7471	Mercury	0.021J	mg/kg	0.041	05/18/22 13:02	
ASTM D2974-87	Percent Moisture	21.2	%	0.10	05/13/22 11:09	
EPA 9040	pH at 25 Degrees C	7.8	Std. Units	0.10	05/19/22 10:25	4q,H6
40244640016	SB-57 (4.5-5.5)					
EPA 6020B	Aluminum	14900	mg/kg	35.7	05/18/22 15:37	
EPA 6020B	Antimony	0.21J	mg/kg	0.59	05/18/22 15:37	
EPA 6020B	Arsenic	10.6	mg/kg	0.59	05/18/22 15:37	
EPA 6020B	Barium	182	mg/kg	0.36	05/18/22 15:37	
EPA 6020B	Beryllium	0.87	mg/kg	0.24	05/18/22 15:37	
EPA 6020B	Cadmium	0.21	mg/kg	0.095	05/18/22 15:37	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244640016	SB-57 (4.5-5.5)					
EPA 6020B	Calcium	4030	mg/kg	119	05/18/22 15:37	
EPA 6020B	Chromium	19.0	mg/kg	2.4	05/18/22 15:37	
EPA 6020B	Cobalt	11.4	mg/kg	0.59	05/18/22 15:37	
EPA 6020B	Copper	20.8	mg/kg	1.2	05/18/22 15:37	
EPA 6020B	Iron	25300	mg/kg	59.4	05/18/22 15:37	
EPA 6020B	Lead	18.9	mg/kg	0.59	05/18/22 15:37	
EPA 6020B	Magnesium	3910	mg/kg	35.7	05/18/22 15:37	
EPA 6020B	Manganese	430	mg/kg	0.59	05/18/22 15:37	
EPA 6020B	Nickel	23.1	mg/kg	0.59	05/18/22 15:37	
EPA 6020B	Potassium	845	mg/kg	119	05/18/22 15:37	
EPA 6020B	Selenium	0.37J	mg/kg	0.59	05/18/22 15:37	
EPA 6020B	Sodium	38.0J	mg/kg	59.4	05/18/22 15:37	
EPA 6020B	Thallium	0.17	mg/kg	0.12	05/18/22 15:37	
EPA 6020B	Vanadium	37.1	mg/kg	1.2	05/18/22 15:37	
EPA 6020B	Zinc	60.9	mg/kg	5.9	05/18/22 15:37	
EPA 7471	Mercury	0.032J	mg/kg	0.042	05/18/22 13:04	
ASTM D2974-87	Percent Moisture	22.8	%	0.10	05/13/22 11:10	
EPA 9040	pH at 25 Degrees C	7.8	Std. Units	0.10	05/19/22 10:27	4q,H6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: **SB-68 (1.5-2.5)** Lab ID: **40244640001** Collected: 05/09/22 16:00 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.0011	mg/kg	0.0044	0.0011	2	05/11/22 16:22	05/17/22 22:17	309-00-2	
alpha-BHC	<0.00044	mg/kg	0.0044	0.00044	2	05/11/22 16:22	05/17/22 22:17	319-84-6	5q,D3
beta-BHC	<0.0014	mg/kg	0.0044	0.0014	2	05/11/22 16:22	05/17/22 22:17	319-85-7	
delta-BHC	<0.00080	mg/kg	0.0044	0.00080	2	05/11/22 16:22	05/17/22 22:17	319-86-8	
gamma-BHC (Lindane)	<0.00043	mg/kg	0.0044	0.00043	2	05/11/22 16:22	05/17/22 22:17	58-89-9	
Chlordane (Technical)	<0.015	mg/kg	0.044	0.015	2	05/11/22 16:22	05/17/22 22:17	57-74-9	
alpha-Chlordane	<0.00054	mg/kg	0.0044	0.00054	2	05/11/22 16:22	05/17/22 22:17	5103-71-9	
gamma-Chlordane	<0.0016	mg/kg	0.0044	0.0016	2	05/11/22 16:22	05/17/22 22:17	5103-74-2	
4,4'-DDD	<0.00089	mg/kg	0.0088	0.00089	2	05/11/22 16:22	05/17/22 22:17	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0088	0.0010	2	05/11/22 16:22	05/17/22 22:17	72-55-9	
4,4'-DDT	<0.0027	mg/kg	0.0088	0.0027	2	05/11/22 16:22	05/17/22 22:17	50-29-3	
Dieldrin	<0.00084	mg/kg	0.0088	0.00084	2	05/11/22 16:22	05/17/22 22:17	60-57-1	
Endosulfan I	<0.00049	mg/kg	0.0044	0.00049	2	05/11/22 16:22	05/17/22 22:17	959-98-8	
Endosulfan II	<0.0021	mg/kg	0.0088	0.0021	2	05/11/22 16:22	05/17/22 22:17	33213-65-9	
Endosulfan sulfate	<0.0021	mg/kg	0.0088	0.0021	2	05/11/22 16:22	05/17/22 22:17	1031-07-8	
Endrin	<0.00099	mg/kg	0.0088	0.00099	2	05/11/22 16:22	05/17/22 22:17	72-20-8	
Endrin aldehyde	<0.0028	mg/kg	0.0088	0.0028	2	05/11/22 16:22	05/17/22 22:17	7421-93-4	L2
Endrin ketone	<0.0023	mg/kg	0.0088	0.0023	2	05/11/22 16:22	05/17/22 22:17	53494-70-5	
Heptachlor	<0.0012	mg/kg	0.0044	0.0012	2	05/11/22 16:22	05/17/22 22:17	76-44-8	
Heptachlor epoxide	<0.00045	mg/kg	0.0044	0.00045	2	05/11/22 16:22	05/17/22 22:17	1024-57-3	
Methoxychlor	<0.014	mg/kg	0.044	0.014	2	05/11/22 16:22	05/17/22 22:17	72-43-5	
Toxaphene	<0.042	mg/kg	0.13	0.042	2	05/11/22 16:22	05/17/22 22:17	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	48	%	53-138		2	05/11/22 16:22	05/17/22 22:17	877-09-8	S0
Decachlorobiphenyl (S)	47	%	30-150		2	05/11/22 16:22	05/17/22 22:17	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 10:05	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 10:05	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 10:05	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 10:05	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 10:05	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 10:05	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 10:05	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 10:05	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	71	%	50-99		1	05/11/22 06:11	05/13/22 10:05	877-09-8	
Decachlorobiphenyl (S)	57	%	38-95		1	05/11/22 06:11	05/13/22 10:05	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	15000	mg/kg	37.7	7.6	1	05/16/22 13:02	05/18/22 21:52	7429-90-5	
Antimony	0.13J	mg/kg	0.63	0.12	1	05/16/22 13:02	05/18/22 21:52	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-68 (1.5-2.5) **Lab ID: 40244640001** Collected: 05/09/22 16:00 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	6.2	mg/kg	0.63	0.14	1	05/16/22 13:02	05/18/22 21:52	7440-38-2	
Barium	165	mg/kg	0.38	0.067	1	05/16/22 13:02	05/18/22 21:52	7440-39-3	
Beryllium	0.87	mg/kg	0.25	0.050	1	05/16/22 13:02	05/18/22 21:52	7440-41-7	
Cadmium	0.14	mg/kg	0.10	0.039	1	05/16/22 13:02	05/18/22 21:52	7440-43-9	
Calcium	5290	mg/kg	126	14.8	1	05/16/22 13:02	05/18/22 21:52	7440-70-2	
Chromium	18.5	mg/kg	2.5	0.18	1	05/16/22 13:02	05/18/22 21:52	7440-47-3	
Cobalt	9.3	mg/kg	0.63	0.12	1	05/16/22 13:02	05/18/22 21:52	7440-48-4	
Copper	18.2	mg/kg	1.3	0.30	1	05/16/22 13:02	05/18/22 21:52	7440-50-8	
Iron	19900	mg/kg	62.8	13.2	1	05/16/22 13:02	05/18/22 21:52	7439-89-6	
Lead	15.2	mg/kg	0.63	0.037	1	05/16/22 13:02	05/18/22 21:52	7439-92-1	
Magnesium	2530	mg/kg	37.7	5.4	1	05/16/22 13:02	05/18/22 21:52	7439-95-4	
Manganese	509	mg/kg	0.63	0.31	1	05/16/22 13:02	05/18/22 21:52	7439-96-5	
Nickel	16.3	mg/kg	0.63	0.25	1	05/16/22 13:02	05/18/22 21:52	7440-02-0	
Potassium	1290	mg/kg	126	14.5	1	05/16/22 13:02	05/18/22 21:52	7440-09-7	
Selenium	0.93	mg/kg	0.63	0.11	1	05/16/22 13:02	05/18/22 21:52	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/16/22 13:02	05/18/22 21:52	7440-22-4	
Sodium	25.8J	mg/kg	62.8	13.9	1	05/16/22 13:02	05/18/22 21:52	7440-23-5	
Thallium	0.19	mg/kg	0.13	0.046	1	05/16/22 13:02	05/18/22 21:52	7440-28-0	
Vanadium	33.5	mg/kg	1.3	0.22	1	05/16/22 13:02	05/18/22 21:52	7440-62-2	
Zinc	59.1	mg/kg	6.3	1.1	1	05/16/22 13:02	05/18/22 21:52	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.038J	mg/kg	0.046	0.013	1	05/17/22 08:33	05/18/22 12:20	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.099	mg/kg	0.33	0.099	4	05/13/22 12:33	05/16/22 19:21	120-82-1	
1,2-Dichlorobenzene	<0.28	mg/kg	0.92	0.28	4	05/13/22 12:33	05/16/22 19:21	95-50-1	
1,3-Dichlorobenzene	<0.12	mg/kg	0.41	0.12	4	05/13/22 12:33	05/16/22 19:21	541-73-1	
1,4-Dichlorobenzene	<0.12	mg/kg	0.41	0.12	4	05/13/22 12:33	05/16/22 19:21	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.23	mg/kg	0.76	0.23	4	05/13/22 12:33	05/16/22 19:21	108-60-1	
2,4,5-Trichlorophenol	<0.16	mg/kg	0.52	0.16	4	05/13/22 12:33	05/16/22 19:21	95-95-4	
2,4,6-Trichlorophenol	<0.13	mg/kg	0.45	0.13	4	05/13/22 12:33	05/16/22 19:21	88-06-2	
2,4-Dichlorophenol	<0.24	mg/kg	0.78	0.24	4	05/13/22 12:33	05/16/22 19:21	120-83-2	
2,4-Dimethylphenol	<0.17	mg/kg	0.58	0.17	4	05/13/22 12:33	05/16/22 19:21	105-67-9	
2,4-Dinitrophenol	<0.27	mg/kg	0.89	0.27	4	05/13/22 12:33	05/16/22 19:21	51-28-5	
2,4-Dinitrotoluene	<0.13	mg/kg	0.42	0.13	4	05/13/22 12:33	05/16/22 19:21	121-14-2	
2,6-Dinitrotoluene	<0.17	mg/kg	0.56	0.17	4	05/13/22 12:33	05/16/22 19:21	606-20-2	
2-Chloronaphthalene	<0.11	mg/kg	0.38	0.11	4	05/13/22 12:33	05/16/22 19:21	91-58-7	
2-Chlorophenol	<0.22	mg/kg	0.73	0.22	4	05/13/22 12:33	05/16/22 19:21	95-57-8	
2-Methylnaphthalene	<0.23	mg/kg	0.76	0.23	4	05/13/22 12:33	05/16/22 19:21	91-57-6	
2-Methylphenol(o-Cresol)	<0.16	mg/kg	0.53	0.16	4	05/13/22 12:33	05/16/22 19:21	95-48-7	
2-Nitroaniline	<0.25	mg/kg	0.84	0.25	4	05/13/22 12:33	05/16/22 19:21	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: SB-68 (1.5-2.5) **Lab ID: 40244640001** Collected: 05/09/22 16:00 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.28	mg/kg	0.93	0.28	4	05/13/22 12:33	05/16/22 19:21	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.16	mg/kg	0.54	0.16	4	05/13/22 12:33	05/16/22 19:21		
3,3'-Dichlorobenzidine	<0.24	mg/kg	0.80	0.24	4	05/13/22 12:33	05/16/22 19:21	91-94-1	
3-Nitroaniline	<0.15	mg/kg	0.50	0.15	4	05/13/22 12:33	05/16/22 19:21	99-09-2	
4,6-Dinitro-2-methylphenol	<0.27	mg/kg	0.90	0.27	4	05/13/22 12:33	05/16/22 19:21	534-52-1	
4-Bromophenylphenyl ether	<0.18	mg/kg	0.61	0.18	4	05/13/22 12:33	05/16/22 19:21	101-55-3	
4-Chloro-3-methylphenol	<0.27	mg/kg	0.91	0.27	4	05/13/22 12:33	05/16/22 19:21	59-50-7	
4-Chloroaniline	<0.14	mg/kg	0.48	0.14	4	05/13/22 12:33	05/16/22 19:21	106-47-8	1q
4-Chlorophenylphenyl ether	<0.16	mg/kg	0.55	0.16	4	05/13/22 12:33	05/16/22 19:21	7005-72-3	
4-Nitroaniline	<0.37	mg/kg	1.2	0.37	4	05/13/22 12:33	05/16/22 19:21	100-01-6	
4-Nitrophenol	<0.22	mg/kg	0.74	0.22	4	05/13/22 12:33	05/16/22 19:21	100-02-7	
Acenaphthene	<0.31	mg/kg	1.0	0.31	4	05/13/22 12:33	05/16/22 19:21	83-32-9	
Acenaphthylene	<0.31	mg/kg	1.0	0.31	4	05/13/22 12:33	05/16/22 19:21	208-96-8	
Anthracene	<0.14	mg/kg	0.47	0.14	4	05/13/22 12:33	05/16/22 19:21	120-12-7	
Benzo(a)anthracene	<0.14	mg/kg	0.45	0.14	4	05/13/22 12:33	05/16/22 19:21	56-55-3	
Benzo(a)pyrene	<0.13	mg/kg	0.44	0.13	4	05/13/22 12:33	05/16/22 19:21	50-32-8	
Benzo(b)fluoranthene	<0.15	mg/kg	0.50	0.15	4	05/13/22 12:33	05/16/22 19:21	205-99-2	
Benzo(g,h,i)perylene	<0.23	mg/kg	0.77	0.23	4	05/13/22 12:33	05/16/22 19:21	191-24-2	
Benzo(k)fluoranthene	<0.21	mg/kg	0.70	0.21	4	05/13/22 12:33	05/16/22 19:21	207-08-9	
Butylbenzylphthalate	<0.14	mg/kg	0.47	0.14	4	05/13/22 12:33	05/16/22 19:21	85-68-7	
Carbazole	<0.14	mg/kg	0.46	0.14	4	05/13/22 12:33	05/16/22 19:21	86-74-8	
Chrysene	<0.13	mg/kg	0.44	0.13	4	05/13/22 12:33	05/16/22 19:21	218-01-9	
Di-n-butylphthalate	<0.13	mg/kg	0.44	0.13	4	05/13/22 12:33	05/16/22 19:21	84-74-2	
Di-n-octylphthalate	<0.20	mg/kg	0.66	0.20	4	05/13/22 12:33	05/16/22 19:21	117-84-0	
Dibenz(a,h)anthracene	<0.24	mg/kg	0.80	0.24	4	05/13/22 12:33	05/16/22 19:21	53-70-3	
Dibenzofuran	<0.11	mg/kg	0.35	0.11	4	05/13/22 12:33	05/16/22 19:21	132-64-9	
Diethylphthalate	<0.15	mg/kg	0.49	0.15	4	05/13/22 12:33	05/16/22 19:21	84-66-2	
Dimethylphthalate	<0.11	mg/kg	0.38	0.11	4	05/13/22 12:33	05/16/22 19:21	131-11-3	
Fluoranthene	<0.12	mg/kg	0.41	0.12	4	05/13/22 12:33	05/16/22 19:21	206-44-0	
Fluorene	<0.10	mg/kg	0.34	0.10	4	05/13/22 12:33	05/16/22 19:21	86-73-7	
Hexachloro-1,3-butadiene	<0.22	mg/kg	0.75	0.22	4	05/13/22 12:33	05/16/22 19:21	87-68-3	
Hexachlorobenzene	<0.15	mg/kg	0.49	0.15	4	05/13/22 12:33	05/16/22 19:21	118-74-1	
Hexachlorocyclopentadiene	<0.21	mg/kg	0.69	0.21	4	05/13/22 12:33	05/16/22 19:21	77-47-4	
Hexachloroethane	<0.14	mg/kg	0.47	0.14	4	05/13/22 12:33	05/16/22 19:21	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.19	mg/kg	0.63	0.19	4	05/13/22 12:33	05/16/22 19:21	193-39-5	
Isophorone	<0.14	mg/kg	0.45	0.14	4	05/13/22 12:33	05/16/22 19:21	78-59-1	
N-Nitroso-di-n-propylamine	<0.14	mg/kg	0.47	0.14	4	05/13/22 12:33	05/16/22 19:21	621-64-7	
N-Nitrosodiphenylamine	<1.2	mg/kg	4.0	1.2	4	05/13/22 12:33	05/16/22 19:21	86-30-6	
Naphthalene	<0.31	mg/kg	1.0	0.31	4	05/13/22 12:33	05/16/22 19:21	91-20-3	
Nitrobenzene	<0.18	mg/kg	0.59	0.18	4	05/13/22 12:33	05/16/22 19:21	98-95-3	
Pentachlorophenol	<0.19	mg/kg	0.65	0.19	4	05/13/22 12:33	05/16/22 19:21	87-86-5	
Phenanthrene	<0.11	mg/kg	0.38	0.11	4	05/13/22 12:33	05/16/22 19:21	85-01-8	
Phenol	<0.21	mg/kg	0.70	0.21	4	05/13/22 12:33	05/16/22 19:21	108-95-2	D3
Pyrene	<0.20	mg/kg	0.65	0.20	4	05/13/22 12:33	05/16/22 19:21	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: SB-68 (1.5-2.5) **Lab ID: 40244640001** Collected: 05/09/22 16:00 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.24	mg/kg	0.79	0.24	4	05/13/22 12:33	05/16/22 19:21	111-91-1	
bis(2-Chloroethyl) ether	<0.27	mg/kg	0.92	0.27	4	05/13/22 12:33	05/16/22 19:21	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.15	mg/kg	0.49	0.15	4	05/13/22 12:33	05/16/22 19:21	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	74	%	10-125		4	05/13/22 12:33	05/16/22 19:21	4165-60-0	
2-Fluorobiphenyl (S)	57	%	12-118		4	05/13/22 12:33	05/16/22 19:21	321-60-8	
Terphenyl-d14 (S)	72	%	10-124		4	05/13/22 12:33	05/16/22 19:21	1718-51-0	
Phenol-d6 (S)	54	%	10-125		4	05/13/22 12:33	05/16/22 19:21	13127-88-3	
2-Fluorophenol (S)	65	%	10-130		4	05/13/22 12:33	05/16/22 19:21	367-12-4	
2,4,6-Tribromophenol (S)	80	%	10-144		4	05/13/22 12:33	05/16/22 19:21	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/13/22 06:00	05/13/22 11:45	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/13/22 06:00	05/13/22 11:45	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/13/22 06:00	05/13/22 11:45	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 11:45	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 11:45	75-35-4	
1,2-Dichloroethane	<0.00088	mg/kg	0.0053	0.00088	1	05/13/22 06:00	05/13/22 11:45	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 11:45	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/13/22 06:00	05/13/22 11:45	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/13/22 06:00	05/13/22 11:45	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/13/22 06:00	05/13/22 11:45	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/13/22 06:00	05/13/22 11:45	67-64-1	
Benzene	<0.00076	mg/kg	0.0053	0.00076	1	05/13/22 06:00	05/13/22 11:45	71-43-2	
Bromodichloromethane	<0.00072	mg/kg	0.0053	0.00072	1	05/13/22 06:00	05/13/22 11:45	75-27-4	
Bromoform	<0.0087	mg/kg	0.021	0.0087	1	05/13/22 06:00	05/13/22 11:45	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0053	0.0048	1	05/13/22 06:00	05/13/22 11:45	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/13/22 06:00	05/13/22 11:45	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0053	0.0034	1	05/13/22 06:00	05/13/22 11:45	56-23-5	
Chlorobenzene	<0.00098	mg/kg	0.0053	0.00098	1	05/13/22 06:00	05/13/22 11:45	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0053	0.0039	1	05/13/22 06:00	05/13/22 11:45	75-00-3	
Chloroform	<0.00090	mg/kg	0.0053	0.00090	1	05/13/22 06:00	05/13/22 11:45	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 11:45	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 11:45	124-48-1	
Ethylbenzene	<0.00095	mg/kg	0.0053	0.00095	1	05/13/22 06:00	05/13/22 11:45	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/13/22 06:00	05/13/22 11:45	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/13/22 06:00	05/13/22 11:45	75-09-2	
Styrene	<0.00076	mg/kg	0.0053	0.00076	1	05/13/22 06:00	05/13/22 11:45	100-42-5	
Tetrachloroethene	<0.00095	mg/kg	0.0053	0.00095	1	05/13/22 06:00	05/13/22 11:45	127-18-4	
Toluene	<0.00094	mg/kg	0.0053	0.00094	1	05/13/22 06:00	05/13/22 11:45	108-88-3	
Trichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/13/22 06:00	05/13/22 11:45	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/13/22 06:00	05/13/22 11:45	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/13/22 06:00	05/13/22 11:45	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-68 (1.5-2.5) **Lab ID: 40244640001** Collected: 05/09/22 16:00 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/13/22 06:00	05/13/22 11:45	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 11:45	10061-01-5	
trans-1,2-Dichloroethene	<0.00077	mg/kg	0.0053	0.00077	1	05/13/22 06:00	05/13/22 11:45	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 11:45	10061-02-6	
Surrogates									
Toluene-d8 (S)	95	%	69-156		1	05/13/22 06:00	05/13/22 11:45	2037-26-5	
4-Bromofluorobenzene (S)	88	%	61-175		1	05/13/22 06:00	05/13/22 11:45	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1	05/13/22 06:00	05/13/22 11:45	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	24.2	%	0.10	0.10	1		05/12/22 11:01		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.9	Std. Units	0.10	0.010	1		05/17/22 12:37		3q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.30	mg/kg	0.91	0.30	1	05/18/22 10:45	05/18/22 15:23	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-68 (4.5-5.5) **Lab ID: 40244640002** Collected: 05/09/22 16:05 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0021	0.00052	1	05/11/22 16:22	05/17/22 23:13	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/11/22 16:22	05/17/22 23:13	319-84-6	
beta-BHC	<0.00066	mg/kg	0.0021	0.00066	1	05/11/22 16:22	05/17/22 23:13	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0021	0.00039	1	05/11/22 16:22	05/17/22 23:13	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/11/22 16:22	05/17/22 23:13	58-89-9	
Chlordane (Technical)	<0.0070	mg/kg	0.021	0.0070	1	05/11/22 16:22	05/17/22 23:13	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/11/22 16:22	05/17/22 23:13	5103-71-9	
gamma-Chlordane	<0.00079	mg/kg	0.0021	0.00079	1	05/11/22 16:22	05/17/22 23:13	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0042	0.00043	1	05/11/22 16:22	05/17/22 23:13	72-54-8	
4,4'-DDE	<0.00049	mg/kg	0.0042	0.00049	1	05/11/22 16:22	05/17/22 23:13	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0042	0.0013	1	05/11/22 16:22	05/17/22 23:13	50-29-3	
Dieldrin	<0.00040	mg/kg	0.0042	0.00040	1	05/11/22 16:22	05/17/22 23:13	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0021	0.00024	1	05/11/22 16:22	05/17/22 23:13	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0042	0.0010	1	05/11/22 16:22	05/17/22 23:13	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0042	0.0010	1	05/11/22 16:22	05/17/22 23:13	1031-07-8	
Endrin	<0.00048	mg/kg	0.0042	0.00048	1	05/11/22 16:22	05/17/22 23:13	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0042	0.0014	1	05/11/22 16:22	05/17/22 23:13	7421-93-4	L2
Endrin ketone	<0.0011	mg/kg	0.0042	0.0011	1	05/11/22 16:22	05/17/22 23:13	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0021	0.00057	1	05/11/22 16:22	05/17/22 23:13	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0021	0.00022	1	05/11/22 16:22	05/17/22 23:13	1024-57-3	
Methoxychlor	<0.0065	mg/kg	0.021	0.0065	1	05/11/22 16:22	05/17/22 23:13	72-43-5	
Toxaphene	<0.020	mg/kg	0.064	0.020	1	05/11/22 16:22	05/17/22 23:13	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	49	%	53-138		1	05/11/22 16:22	05/17/22 23:13	877-09-8	S0
Decachlorobiphenyl (S)	45	%	30-150		1	05/11/22 16:22	05/17/22 23:13	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.064	0.019	1	05/11/22 06:11	05/13/22 10:30	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.064	0.019	1	05/11/22 06:11	05/13/22 10:30	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.064	0.019	1	05/11/22 06:11	05/13/22 10:30	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.064	0.019	1	05/11/22 06:11	05/13/22 10:30	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.064	0.019	1	05/11/22 06:11	05/13/22 10:30	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.064	0.019	1	05/11/22 06:11	05/13/22 10:30	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.064	0.019	1	05/11/22 06:11	05/13/22 10:30	11096-82-5	
PCB, Total	<0.019	mg/kg	0.064	0.019	1	05/11/22 06:11	05/13/22 10:30	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	79	%	50-99		1	05/11/22 06:11	05/13/22 10:30	877-09-8	
Decachlorobiphenyl (S)	71	%	38-95		1	05/11/22 06:11	05/13/22 10:30	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	16600	mg/kg	37.9	7.6	1	05/16/22 13:02	05/18/22 21:56	7429-90-5	
Antimony	0.30J	mg/kg	0.63	0.12	1	05/16/22 13:02	05/18/22 21:56	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: **SB-68 (4.5-5.5)** Lab ID: **40244640002** Collected: 05/09/22 16:05 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	16.2	mg/kg	0.63	0.14	1	05/16/22 13:02	05/18/22 21:56	7440-38-2	
Barium	346	mg/kg	0.38	0.067	1	05/16/22 13:02	05/18/22 21:56	7440-39-3	
Beryllium	0.91	mg/kg	0.25	0.050	1	05/16/22 13:02	05/18/22 21:56	7440-41-7	
Cadmium	0.76	mg/kg	0.10	0.040	1	05/16/22 13:02	05/18/22 21:56	7440-43-9	
Calcium	4130	mg/kg	126	14.9	1	05/16/22 13:02	05/18/22 21:56	7440-70-2	
Chromium	21.5	mg/kg	2.5	0.18	1	05/16/22 13:02	05/18/22 21:56	7440-47-3	
Cobalt	23.7	mg/kg	0.63	0.13	1	05/16/22 13:02	05/18/22 21:56	7440-48-4	
Copper	24.8	mg/kg	1.3	0.31	1	05/16/22 13:02	05/18/22 21:56	7440-50-8	
Iron	32300	mg/kg	63.2	13.3	1	05/16/22 13:02	05/18/22 21:56	7439-89-6	
Lead	14.8	mg/kg	0.63	0.037	1	05/16/22 13:02	05/18/22 21:56	7439-92-1	
Magnesium	3430	mg/kg	37.9	5.4	1	05/16/22 13:02	05/18/22 21:56	7439-95-4	
Manganese	3000	mg/kg	6.3	3.1	10	05/16/22 13:02	05/18/22 21:59	7439-96-5	
Nickel	53.7	mg/kg	0.63	0.25	1	05/16/22 13:02	05/18/22 21:56	7440-02-0	
Potassium	905	mg/kg	126	14.5	1	05/16/22 13:02	05/18/22 21:56	7440-09-7	
Selenium	0.54J	mg/kg	0.63	0.11	1	05/16/22 13:02	05/18/22 21:56	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/16/22 13:02	05/18/22 21:56	7440-22-4	
Sodium	62.8J	mg/kg	63.2	14.0	1	05/16/22 13:02	05/18/22 21:56	7440-23-5	
Thallium	0.26	mg/kg	0.13	0.046	1	05/16/22 13:02	05/18/22 21:56	7440-28-0	
Vanadium	42.3	mg/kg	1.3	0.22	1	05/16/22 13:02	05/18/22 21:56	7440-62-2	
Zinc	66.8	mg/kg	6.3	1.1	1	05/16/22 13:02	05/18/22 21:56	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.045	mg/kg	0.042	0.012	1	05/17/22 08:33	05/18/22 12:27	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/13/22 12:33	05/16/22 12:12	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/13/22 12:33	05/16/22 12:12	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.098	0.030	1	05/13/22 12:33	05/16/22 12:12	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/13/22 12:33	05/16/22 12:12	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/13/22 12:33	05/16/22 12:12	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/13/22 12:33	05/16/22 12:12	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/13/22 12:33	05/16/22 12:12	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/13/22 12:33	05/16/22 12:12	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/13/22 12:33	05/16/22 12:12	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/13/22 12:33	05/16/22 12:12	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/13/22 12:33	05/16/22 12:12	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/13/22 12:33	05/16/22 12:12	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/13/22 12:33	05/16/22 12:12	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/13/22 12:33	05/16/22 12:12	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/13/22 12:33	05/16/22 12:12	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/13/22 12:33	05/16/22 12:12	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/13/22 12:33	05/16/22 12:12	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: SB-68 (4.5-5.5) **Lab ID: 40244640002** Collected: 05/09/22 16:05 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/13/22 12:33	05/16/22 12:12	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/13/22 12:33	05/16/22 12:12		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/13/22 12:33	05/16/22 12:12	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/13/22 12:33	05/16/22 12:12	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/13/22 12:33	05/16/22 12:12	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/13/22 12:33	05/16/22 12:12	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/13/22 12:33	05/16/22 12:12	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/13/22 12:33	05/16/22 12:12	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/13/22 12:33	05/16/22 12:12	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/13/22 12:33	05/16/22 12:12	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/13/22 12:33	05/16/22 12:12	100-02-7	
Acenaphthene	<0.076	mg/kg	0.25	0.076	1	05/13/22 12:33	05/16/22 12:12	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/13/22 12:33	05/16/22 12:12	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/13/22 12:33	05/16/22 12:12	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/13/22 12:33	05/16/22 12:12	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/13/22 12:33	05/16/22 12:12	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/13/22 12:33	05/16/22 12:12	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/13/22 12:33	05/16/22 12:12	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/13/22 12:33	05/16/22 12:12	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/13/22 12:33	05/16/22 12:12	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/13/22 12:33	05/16/22 12:12	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/13/22 12:33	05/16/22 12:12	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/13/22 12:33	05/16/22 12:12	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/13/22 12:33	05/16/22 12:12	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/13/22 12:33	05/16/22 12:12	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/13/22 12:33	05/16/22 12:12	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/13/22 12:33	05/16/22 12:12	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.092	0.028	1	05/13/22 12:33	05/16/22 12:12	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/13/22 12:33	05/16/22 12:12	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/13/22 12:33	05/16/22 12:12	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/13/22 12:33	05/16/22 12:12	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/13/22 12:33	05/16/22 12:12	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/13/22 12:33	05/16/22 12:12	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/13/22 12:33	05/16/22 12:12	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/13/22 12:33	05/16/22 12:12	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/13/22 12:33	05/16/22 12:12	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/13/22 12:33	05/16/22 12:12	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/13/22 12:33	05/16/22 12:12	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/13/22 12:33	05/16/22 12:12	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/13/22 12:33	05/16/22 12:12	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/13/22 12:33	05/16/22 12:12	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/13/22 12:33	05/16/22 12:12	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/13/22 12:33	05/16/22 12:12	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/13/22 12:33	05/16/22 12:12	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-68 (4.5-5.5) **Lab ID: 40244640002** Collected: 05/09/22 16:05 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/13/22 12:33	05/16/22 12:12	111-91-1	
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/13/22 12:33	05/16/22 12:12	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/13/22 12:33	05/16/22 12:12	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	75	%	10-125		1	05/13/22 12:33	05/16/22 12:12	4165-60-0	
2-Fluorobiphenyl (S)	56	%	12-118		1	05/13/22 12:33	05/16/22 12:12	321-60-8	
Terphenyl-d14 (S)	67	%	10-124		1	05/13/22 12:33	05/16/22 12:12	1718-51-0	
Phenol-d6 (S)	53	%	10-125		1	05/13/22 12:33	05/16/22 12:12	13127-88-3	
2-Fluorophenol (S)	59	%	10-130		1	05/13/22 12:33	05/16/22 12:12	367-12-4	
2,4,6-Tribromophenol (S)	68	%	10-144		1	05/13/22 12:33	05/16/22 12:12	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/13/22 06:00	05/13/22 12:09	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0050	0.0026	1	05/13/22 06:00	05/13/22 12:09	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/13/22 06:00	05/13/22 12:09	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/13/22 06:00	05/13/22 12:09	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0050	0.0011	1	05/13/22 06:00	05/13/22 12:09	75-35-4	
1,2-Dichloroethane	<0.00083	mg/kg	0.0050	0.00083	1	05/13/22 06:00	05/13/22 12:09	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/13/22 06:00	05/13/22 12:09	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/13/22 06:00	05/13/22 12:09	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/13/22 06:00	05/13/22 12:09	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/13/22 06:00	05/13/22 12:09	108-10-1	
Acetone	<0.047	mg/kg	0.10	0.047	1	05/13/22 06:00	05/13/22 12:09	67-64-1	
Benzene	<0.00071	mg/kg	0.0050	0.00071	1	05/13/22 06:00	05/13/22 12:09	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/13/22 06:00	05/13/22 12:09	75-27-4	
Bromoform	<0.0082	mg/kg	0.020	0.0082	1	05/13/22 06:00	05/13/22 12:09	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0050	0.0045	1	05/13/22 06:00	05/13/22 12:09	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/13/22 06:00	05/13/22 12:09	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0050	0.0032	1	05/13/22 06:00	05/13/22 12:09	56-23-5	
Chlorobenzene	<0.00093	mg/kg	0.0050	0.00093	1	05/13/22 06:00	05/13/22 12:09	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0050	0.0037	1	05/13/22 06:00	05/13/22 12:09	75-00-3	
Chloroform	<0.00085	mg/kg	0.0050	0.00085	1	05/13/22 06:00	05/13/22 12:09	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/13/22 06:00	05/13/22 12:09	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/13/22 06:00	05/13/22 12:09	124-48-1	
Ethylbenzene	<0.00090	mg/kg	0.0050	0.00090	1	05/13/22 06:00	05/13/22 12:09	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0050	0.0021	1	05/13/22 06:00	05/13/22 12:09	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0050	0.0040	1	05/13/22 06:00	05/13/22 12:09	75-09-2	
Styrene	<0.00071	mg/kg	0.0050	0.00071	1	05/13/22 06:00	05/13/22 12:09	100-42-5	
Tetrachloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/13/22 06:00	05/13/22 12:09	127-18-4	
Toluene	<0.00089	mg/kg	0.0050	0.00089	1	05/13/22 06:00	05/13/22 12:09	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/13/22 06:00	05/13/22 12:09	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/13/22 06:00	05/13/22 12:09	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.010	0.0034	1	05/13/22 06:00	05/13/22 12:09	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-68 (4.5-5.5) **Lab ID: 40244640002** Collected: 05/09/22 16:05 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/13/22 06:00	05/13/22 12:09	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/13/22 06:00	05/13/22 12:09	10061-01-5	
trans-1,2-Dichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/13/22 06:00	05/13/22 12:09	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/13/22 06:00	05/13/22 12:09	10061-02-6	
Surrogates									
Toluene-d8 (S)	97	%	69-156		1	05/13/22 06:00	05/13/22 12:09	2037-26-5	
4-Bromofluorobenzene (S)	81	%	61-175		1	05/13/22 06:00	05/13/22 12:09	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1	05/13/22 06:00	05/13/22 12:09	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.6	%	0.10	0.10	1		05/12/22 11:01		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.7	Std. Units	0.10	0.010	1		05/17/22 12:41		3q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.39	mg/kg	1.2	0.39	1	05/18/22 10:45	05/18/22 15:24	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-69 (1.8-2.8) **Lab ID: 40244640003** Collected: 05/09/22 15:10 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00051	mg/kg	0.0021	0.00051	1	05/11/22 16:22	05/17/22 23:32	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/11/22 16:22	05/17/22 23:32	319-84-6	
beta-BHC	<0.00066	mg/kg	0.0021	0.00066	1	05/11/22 16:22	05/17/22 23:32	319-85-7	
delta-BHC	0.00043J	mg/kg	0.0021	0.00039	1	05/11/22 16:22	05/17/22 23:32	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/11/22 16:22	05/17/22 23:32	58-89-9	
Chlordane (Technical)	<0.0070	mg/kg	0.021	0.0070	1	05/11/22 16:22	05/17/22 23:32	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/11/22 16:22	05/17/22 23:32	5103-71-9	
gamma-Chlordane	<0.00079	mg/kg	0.0021	0.00079	1	05/11/22 16:22	05/17/22 23:32	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0042	0.00043	1	05/11/22 16:22	05/17/22 23:32	72-54-8	
4,4'-DDE	<0.00049	mg/kg	0.0042	0.00049	1	05/11/22 16:22	05/17/22 23:32	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0042	0.0013	1	05/11/22 16:22	05/17/22 23:32	50-29-3	
Dieldrin	<0.00040	mg/kg	0.0042	0.00040	1	05/11/22 16:22	05/17/22 23:32	60-57-1	
Endosulfan I	<0.00023	mg/kg	0.0021	0.00023	1	05/11/22 16:22	05/17/22 23:32	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0042	0.0010	1	05/11/22 16:22	05/17/22 23:32	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0042	0.0010	1	05/11/22 16:22	05/17/22 23:32	1031-07-8	
Endrin	<0.00047	mg/kg	0.0042	0.00047	1	05/11/22 16:22	05/17/22 23:32	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0042	0.0014	1	05/11/22 16:22	05/17/22 23:32	7421-93-4	L2
Endrin ketone	<0.0011	mg/kg	0.0042	0.0011	1	05/11/22 16:22	05/17/22 23:32	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0021	0.00057	1	05/11/22 16:22	05/17/22 23:32	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0021	0.00022	1	05/11/22 16:22	05/17/22 23:32	1024-57-3	
Methoxychlor	<0.0065	mg/kg	0.021	0.0065	1	05/11/22 16:22	05/17/22 23:32	72-43-5	
Toxaphene	<0.020	mg/kg	0.063	0.020	1	05/11/22 16:22	05/17/22 23:32	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	62	%	53-138		1	05/11/22 16:22	05/17/22 23:32	877-09-8	
Decachlorobiphenyl (S)	50	%	30-150		1	05/11/22 16:22	05/17/22 23:32	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.063	0.019	1	05/11/22 06:11	05/13/22 10:55	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.063	0.019	1	05/11/22 06:11	05/13/22 10:55	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.063	0.019	1	05/11/22 06:11	05/13/22 10:55	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.063	0.019	1	05/11/22 06:11	05/13/22 10:55	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.063	0.019	1	05/11/22 06:11	05/13/22 10:55	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.063	0.019	1	05/11/22 06:11	05/13/22 10:55	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.063	0.019	1	05/11/22 06:11	05/13/22 10:55	11096-82-5	
PCB, Total	<0.019	mg/kg	0.063	0.019	1	05/11/22 06:11	05/13/22 10:55	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	78	%	50-99		1	05/11/22 06:11	05/13/22 10:55	877-09-8	
Decachlorobiphenyl (S)	72	%	38-95		1	05/11/22 06:11	05/13/22 10:55	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	13500	mg/kg	35.0	7.0	1	05/16/22 13:02	05/18/22 21:41	7429-90-5	
Antimony	0.14J	mg/kg	0.58	0.11	1	05/16/22 13:02	05/18/22 21:41	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: **SB-69 (1.8-2.8)** Lab ID: **40244640003** Collected: 05/09/22 15:10 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	5.2	mg/kg	0.58	0.13	1	05/16/22 13:02	05/18/22 21:41	7440-38-2	
Barium	196	mg/kg	0.35	0.062	1	05/16/22 13:02	05/18/22 21:41	7440-39-3	
Beryllium	0.83	mg/kg	0.23	0.046	1	05/16/22 13:02	05/18/22 21:41	7440-41-7	
Cadmium	0.16	mg/kg	0.093	0.037	1	05/16/22 13:02	05/18/22 21:41	7440-43-9	
Calcium	6180	mg/kg	117	13.8	1	05/16/22 13:02	05/18/22 21:41	7440-70-2	
Chromium	17.5	mg/kg	2.3	0.16	1	05/16/22 13:02	05/18/22 21:41	7440-47-3	
Cobalt	5.3	mg/kg	0.58	0.12	1	05/16/22 13:02	05/18/22 21:41	7440-48-4	
Copper	21.5	mg/kg	1.2	0.28	1	05/16/22 13:02	05/18/22 21:41	7440-50-8	
Iron	20100	mg/kg	58.3	12.2	1	05/16/22 13:02	05/18/22 21:41	7439-89-6	
Lead	19.9	mg/kg	0.58	0.034	1	05/16/22 13:02	05/18/22 21:41	7439-92-1	
Magnesium	3050	mg/kg	35.0	5.0	1	05/16/22 13:02	05/18/22 21:41	7439-95-4	
Manganese	241	mg/kg	0.58	0.29	1	05/16/22 13:02	05/18/22 21:41	7439-96-5	
Nickel	12.8	mg/kg	0.58	0.23	1	05/16/22 13:02	05/18/22 21:41	7440-02-0	
Potassium	1250	mg/kg	117	13.4	1	05/16/22 13:02	05/18/22 21:41	7440-09-7	
Selenium	0.85	mg/kg	0.58	0.10	1	05/16/22 13:02	05/18/22 21:41	7782-49-2	
Silver	<0.17	mg/kg	0.58	0.17	1	05/16/22 13:02	05/18/22 21:41	7440-22-4	
Sodium	80.9	mg/kg	58.3	12.9	1	05/16/22 13:02	05/18/22 21:41	7440-23-5	
Thallium	0.17	mg/kg	0.12	0.043	1	05/16/22 13:02	05/18/22 21:41	7440-28-0	
Vanadium	28.6	mg/kg	1.2	0.21	1	05/16/22 13:02	05/18/22 21:41	7440-62-2	
Zinc	62.1	mg/kg	5.8	1.0	1	05/16/22 13:02	05/18/22 21:41	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.017J	mg/kg	0.043	0.012	1	05/17/22 08:33	05/18/22 12:30	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/13/22 12:33	05/16/22 12:33	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/13/22 12:33	05/16/22 12:33	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/13/22 12:33	05/16/22 12:33	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/13/22 12:33	05/16/22 12:33	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/13/22 12:33	05/16/22 12:33	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/13/22 12:33	05/16/22 12:33	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/13/22 12:33	05/16/22 12:33	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/13/22 12:33	05/16/22 12:33	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/13/22 12:33	05/16/22 12:33	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/13/22 12:33	05/16/22 12:33	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/13/22 12:33	05/16/22 12:33	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/13/22 12:33	05/16/22 12:33	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/13/22 12:33	05/16/22 12:33	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/13/22 12:33	05/16/22 12:33	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/13/22 12:33	05/16/22 12:33	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/13/22 12:33	05/16/22 12:33	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/13/22 12:33	05/16/22 12:33	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: **SB-69 (1.8-2.8)** Lab ID: **40244640003** Collected: 05/09/22 15:10 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/13/22 12:33	05/16/22 12:33	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/13/22 12:33	05/16/22 12:33		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/13/22 12:33	05/16/22 12:33	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/13/22 12:33	05/16/22 12:33	99-09-2	
4,6-Dinitro-2-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/13/22 12:33	05/16/22 12:33	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/13/22 12:33	05/16/22 12:33	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/13/22 12:33	05/16/22 12:33	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/13/22 12:33	05/16/22 12:33	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/13/22 12:33	05/16/22 12:33	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/13/22 12:33	05/16/22 12:33	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/13/22 12:33	05/16/22 12:33	100-02-7	
Acenaphthene	<0.075	mg/kg	0.25	0.075	1	05/13/22 12:33	05/16/22 12:33	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/13/22 12:33	05/16/22 12:33	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/13/22 12:33	05/16/22 12:33	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/13/22 12:33	05/16/22 12:33	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/13/22 12:33	05/16/22 12:33	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/13/22 12:33	05/16/22 12:33	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/13/22 12:33	05/16/22 12:33	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/13/22 12:33	05/16/22 12:33	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/13/22 12:33	05/16/22 12:33	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/13/22 12:33	05/16/22 12:33	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/13/22 12:33	05/16/22 12:33	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/13/22 12:33	05/16/22 12:33	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/13/22 12:33	05/16/22 12:33	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/13/22 12:33	05/16/22 12:33	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/13/22 12:33	05/16/22 12:33	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/13/22 12:33	05/16/22 12:33	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.092	0.028	1	05/13/22 12:33	05/16/22 12:33	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/13/22 12:33	05/16/22 12:33	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/13/22 12:33	05/16/22 12:33	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/13/22 12:33	05/16/22 12:33	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/13/22 12:33	05/16/22 12:33	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/13/22 12:33	05/16/22 12:33	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/13/22 12:33	05/16/22 12:33	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/13/22 12:33	05/16/22 12:33	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/13/22 12:33	05/16/22 12:33	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/13/22 12:33	05/16/22 12:33	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/13/22 12:33	05/16/22 12:33	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/13/22 12:33	05/16/22 12:33	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/13/22 12:33	05/16/22 12:33	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/13/22 12:33	05/16/22 12:33	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/13/22 12:33	05/16/22 12:33	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/13/22 12:33	05/16/22 12:33	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/13/22 12:33	05/16/22 12:33	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: SB-69 (1.8-2.8) **Lab ID: 40244640003** Collected: 05/09/22 15:10 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/13/22 12:33	05/16/22 12:33	111-91-1	
bis(2-Chloroethyl) ether	<0.066	mg/kg	0.22	0.066	1	05/13/22 12:33	05/16/22 12:33	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/13/22 12:33	05/16/22 12:33	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	81	%	10-125		1	05/13/22 12:33	05/16/22 12:33	4165-60-0	
2-Fluorobiphenyl (S)	59	%	12-118		1	05/13/22 12:33	05/16/22 12:33	321-60-8	
Terphenyl-d14 (S)	64	%	10-124		1	05/13/22 12:33	05/16/22 12:33	1718-51-0	
Phenol-d6 (S)	62	%	10-125		1	05/13/22 12:33	05/16/22 12:33	13127-88-3	
2-Fluorophenol (S)	74	%	10-130		1	05/13/22 12:33	05/16/22 12:33	367-12-4	
2,4,6-Tribromophenol (S)	66	%	10-144		1	05/13/22 12:33	05/16/22 12:33	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/13/22 06:00	05/13/22 12:33	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0051	0.0026	1	05/13/22 06:00	05/13/22 12:33	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/13/22 06:00	05/13/22 12:33	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 12:33	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 12:33	75-35-4	
1,2-Dichloroethane	<0.00084	mg/kg	0.0051	0.00084	1	05/13/22 06:00	05/13/22 12:33	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 12:33	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/13/22 06:00	05/13/22 12:33	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/13/22 06:00	05/13/22 12:33	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/13/22 06:00	05/13/22 12:33	108-10-1	
Acetone	<0.048	mg/kg	0.10	0.048	1	05/13/22 06:00	05/13/22 12:33	67-64-1	
Benzene	<0.00072	mg/kg	0.0051	0.00072	1	05/13/22 06:00	05/13/22 12:33	71-43-2	
Bromodichloromethane	<0.00069	mg/kg	0.0051	0.00069	1	05/13/22 06:00	05/13/22 12:33	75-27-4	
Bromoform	<0.0083	mg/kg	0.020	0.0083	1	05/13/22 06:00	05/13/22 12:33	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0051	0.0045	1	05/13/22 06:00	05/13/22 12:33	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 12:33	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0051	0.0032	1	05/13/22 06:00	05/13/22 12:33	56-23-5	
Chlorobenzene	<0.00094	mg/kg	0.0051	0.00094	1	05/13/22 06:00	05/13/22 12:33	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0051	0.0037	1	05/13/22 06:00	05/13/22 12:33	75-00-3	
Chloroform	<0.00086	mg/kg	0.0051	0.00086	1	05/13/22 06:00	05/13/22 12:33	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 12:33	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 12:33	124-48-1	
Ethylbenzene	<0.00091	mg/kg	0.0051	0.00091	1	05/13/22 06:00	05/13/22 12:33	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0051	0.0021	1	05/13/22 06:00	05/13/22 12:33	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0051	0.0040	1	05/13/22 06:00	05/13/22 12:33	75-09-2	
Styrene	<0.00072	mg/kg	0.0051	0.00072	1	05/13/22 06:00	05/13/22 12:33	100-42-5	
Tetrachloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/13/22 06:00	05/13/22 12:33	127-18-4	
Toluene	<0.00090	mg/kg	0.0051	0.00090	1	05/13/22 06:00	05/13/22 12:33	108-88-3	
Trichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/13/22 06:00	05/13/22 12:33	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0051	0.0013	1	05/13/22 06:00	05/13/22 12:33	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/13/22 06:00	05/13/22 12:33	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-69 (1.8-2.8) **Lab ID: 40244640003** Collected: 05/09/22 15:10 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/13/22 06:00	05/13/22 12:33	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 12:33	10061-01-5	
trans-1,2-Dichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/13/22 06:00	05/13/22 12:33	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 12:33	10061-02-6	
Surrogates									
Toluene-d8 (S)	94	%	69-156		1	05/13/22 06:00	05/13/22 12:33	2037-26-5	
4-Bromofluorobenzene (S)	82	%	61-175		1	05/13/22 06:00	05/13/22 12:33	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1	05/13/22 06:00	05/13/22 12:33	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.3	%	0.10	0.10	1		05/12/22 11:02		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.7	Std. Units	0.10	0.010	1		05/17/22 12:43		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.28	mg/kg	0.83	0.28	1	05/18/22 10:45	05/18/22 15:24	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-69 (4.5-5.5) **Lab ID: 40244640004** Collected: 05/09/22 15:15 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00050	mg/kg	0.0021	0.00050	1	05/11/22 16:22	05/17/22 23:51	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/11/22 16:22	05/17/22 23:51	319-84-6	
beta-BHC	<0.00064	mg/kg	0.0021	0.00064	1	05/11/22 16:22	05/17/22 23:51	319-85-7	
delta-BHC	<0.00038	mg/kg	0.0021	0.00038	1	05/11/22 16:22	05/17/22 23:51	319-86-8	
gamma-BHC (Lindane)	<0.00020	mg/kg	0.0021	0.00020	1	05/11/22 16:22	05/17/22 23:51	58-89-9	
Chlordane (Technical)	<0.0068	mg/kg	0.021	0.0068	1	05/11/22 16:22	05/17/22 23:51	57-74-9	
alpha-Chlordane	<0.00025	mg/kg	0.0021	0.00025	1	05/11/22 16:22	05/17/22 23:51	5103-71-9	
gamma-Chlordane	<0.00077	mg/kg	0.0021	0.00077	1	05/11/22 16:22	05/17/22 23:51	5103-74-2	
4,4'-DDD	<0.00042	mg/kg	0.0041	0.00042	1	05/11/22 16:22	05/17/22 23:51	72-54-8	
4,4'-DDE	<0.00048	mg/kg	0.0041	0.00048	1	05/11/22 16:22	05/17/22 23:51	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0041	0.0013	1	05/11/22 16:22	05/17/22 23:51	50-29-3	
Dieldrin	<0.00039	mg/kg	0.0041	0.00039	1	05/11/22 16:22	05/17/22 23:51	60-57-1	
Endosulfan I	<0.00023	mg/kg	0.0021	0.00023	1	05/11/22 16:22	05/17/22 23:51	959-98-8	
Endosulfan II	<0.00098	mg/kg	0.0041	0.00098	1	05/11/22 16:22	05/17/22 23:51	33213-65-9	
Endosulfan sulfate	<0.00097	mg/kg	0.0041	0.00097	1	05/11/22 16:22	05/17/22 23:51	1031-07-8	
Endrin	<0.00046	mg/kg	0.0041	0.00046	1	05/11/22 16:22	05/17/22 23:51	72-20-8	
Endrin aldehyde	<0.0013	mg/kg	0.0041	0.0013	1	05/11/22 16:22	05/17/22 23:51	7421-93-4	L2
Endrin ketone	<0.0011	mg/kg	0.0041	0.0011	1	05/11/22 16:22	05/17/22 23:51	53494-70-5	
Heptachlor	<0.00056	mg/kg	0.0021	0.00056	1	05/11/22 16:22	05/17/22 23:51	76-44-8	
Heptachlor epoxide	<0.00021	mg/kg	0.0021	0.00021	1	05/11/22 16:22	05/17/22 23:51	1024-57-3	
Methoxychlor	<0.0064	mg/kg	0.021	0.0064	1	05/11/22 16:22	05/17/22 23:51	72-43-5	
Toxaphene	<0.020	mg/kg	0.062	0.020	1	05/11/22 16:22	05/17/22 23:51	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	52	%	53-138		1	05/11/22 16:22	05/17/22 23:51	877-09-8	S0
Decachlorobiphenyl (S)	46	%	30-150		1	05/11/22 16:22	05/17/22 23:51	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.062	0.019	1	05/11/22 06:11	05/13/22 11:20	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.062	0.019	1	05/11/22 06:11	05/13/22 11:20	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.062	0.019	1	05/11/22 06:11	05/13/22 11:20	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.062	0.019	1	05/11/22 06:11	05/13/22 11:20	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.062	0.019	1	05/11/22 06:11	05/13/22 11:20	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.062	0.019	1	05/11/22 06:11	05/13/22 11:20	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.062	0.019	1	05/11/22 06:11	05/13/22 11:20	11096-82-5	
PCB, Total	<0.019	mg/kg	0.062	0.019	1	05/11/22 06:11	05/13/22 11:20	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	74	%	50-99		1	05/11/22 06:11	05/13/22 11:20	877-09-8	
Decachlorobiphenyl (S)	67	%	38-95		1	05/11/22 06:11	05/13/22 11:20	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	13900	mg/kg	36.7	7.4	1	05/16/22 13:02	05/18/22 21:44	7429-90-5	
Antimony	0.23J	mg/kg	0.61	0.12	1	05/16/22 13:02	05/18/22 21:44	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: **SB-69 (4.5-5.5)** Lab ID: **40244640004** Collected: 05/09/22 15:15 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	11.6	mg/kg	0.61	0.13	1	05/16/22 13:02	05/18/22 21:44	7440-38-2	
Barium	235	mg/kg	0.37	0.065	1	05/16/22 13:02	05/18/22 21:44	7440-39-3	
Beryllium	0.85	mg/kg	0.24	0.049	1	05/16/22 13:02	05/18/22 21:44	7440-41-7	
Cadmium	0.92	mg/kg	0.098	0.038	1	05/16/22 13:02	05/18/22 21:44	7440-43-9	
Calcium	4060	mg/kg	122	14.4	1	05/16/22 13:02	05/18/22 21:44	7440-70-2	
Chromium	18.6	mg/kg	2.4	0.17	1	05/16/22 13:02	05/18/22 21:44	7440-47-3	
Cobalt	19.4	mg/kg	0.61	0.12	1	05/16/22 13:02	05/18/22 21:44	7440-48-4	
Copper	23.5	mg/kg	1.2	0.30	1	05/16/22 13:02	05/18/22 21:44	7440-50-8	
Iron	24900	mg/kg	61.2	12.9	1	05/16/22 13:02	05/18/22 21:44	7439-89-6	
Lead	25.6	mg/kg	0.61	0.036	1	05/16/22 13:02	05/18/22 21:44	7439-92-1	
Magnesium	3840	mg/kg	36.7	5.3	1	05/16/22 13:02	05/18/22 21:44	7439-95-4	
Manganese	2400	mg/kg	6.1	3.0	10	05/16/22 13:02	05/18/22 21:44	7439-96-5	
Nickel	48.2	mg/kg	0.61	0.24	1	05/16/22 13:02	05/18/22 21:44	7440-02-0	
Potassium	626	mg/kg	122	14.1	1	05/16/22 13:02	05/18/22 21:44	7440-09-7	
Selenium	0.38J	mg/kg	0.61	0.10	1	05/16/22 13:02	05/18/22 21:44	7782-49-2	
Silver	<0.18	mg/kg	0.61	0.18	1	05/16/22 13:02	05/18/22 21:44	7440-22-4	
Sodium	81.0	mg/kg	61.2	13.6	1	05/16/22 13:02	05/18/22 21:44	7440-23-5	
Thallium	0.20	mg/kg	0.12	0.045	1	05/16/22 13:02	05/18/22 21:44	7440-28-0	
Vanadium	34.8	mg/kg	1.2	0.22	1	05/16/22 13:02	05/18/22 21:44	7440-62-2	
Zinc	57.5	mg/kg	6.1	1.1	1	05/16/22 13:02	05/18/22 21:44	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.033J	mg/kg	0.040	0.011	1	05/17/22 08:33	05/18/22 12:32	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.023	mg/kg	0.078	0.023	1	05/13/22 12:33	05/16/22 12:55	120-82-1	
1,2-Dichlorobenzene	<0.065	mg/kg	0.22	0.065	1	05/13/22 12:33	05/16/22 12:55	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.095	0.029	1	05/13/22 12:33	05/16/22 12:55	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.096	0.029	1	05/13/22 12:33	05/16/22 12:55	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.053	mg/kg	0.18	0.053	1	05/13/22 12:33	05/16/22 12:55	108-60-1	
2,4,5-Trichlorophenol	<0.036	mg/kg	0.12	0.036	1	05/13/22 12:33	05/16/22 12:55	95-95-4	
2,4,6-Trichlorophenol	<0.031	mg/kg	0.10	0.031	1	05/13/22 12:33	05/16/22 12:55	88-06-2	
2,4-Dichlorophenol	<0.055	mg/kg	0.18	0.055	1	05/13/22 12:33	05/16/22 12:55	120-83-2	
2,4-Dimethylphenol	<0.041	mg/kg	0.14	0.041	1	05/13/22 12:33	05/16/22 12:55	105-67-9	
2,4-Dinitrophenol	<0.063	mg/kg	0.21	0.063	1	05/13/22 12:33	05/16/22 12:55	51-28-5	
2,4-Dinitrotoluene	<0.029	mg/kg	0.098	0.029	1	05/13/22 12:33	05/16/22 12:55	121-14-2	
2,6-Dinitrotoluene	<0.039	mg/kg	0.13	0.039	1	05/13/22 12:33	05/16/22 12:55	606-20-2	
2-Chloronaphthalene	<0.026	mg/kg	0.088	0.026	1	05/13/22 12:33	05/16/22 12:55	91-58-7	
2-Chlorophenol	<0.051	mg/kg	0.17	0.051	1	05/13/22 12:33	05/16/22 12:55	95-57-8	
2-Methylnaphthalene	<0.054	mg/kg	0.18	0.054	1	05/13/22 12:33	05/16/22 12:55	91-57-6	
2-Methylphenol(o-Cresol)	<0.037	mg/kg	0.12	0.037	1	05/13/22 12:33	05/16/22 12:55	95-48-7	
2-Nitroaniline	<0.059	mg/kg	0.20	0.059	1	05/13/22 12:33	05/16/22 12:55	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-69 (4.5-5.5) **Lab ID: 40244640004** Collected: 05/09/22 15:15 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.065	mg/kg	0.22	0.065	1	05/13/22 12:33	05/16/22 12:55	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.038	mg/kg	0.13	0.038	1	05/13/22 12:33	05/16/22 12:55		
3,3'-Dichlorobenzidine	<0.056	mg/kg	0.19	0.056	1	05/13/22 12:33	05/16/22 12:55	91-94-1	
3-Nitroaniline	<0.035	mg/kg	0.12	0.035	1	05/13/22 12:33	05/16/22 12:55	99-09-2	
4,6-Dinitro-2-methylphenol	<0.064	mg/kg	0.21	0.064	1	05/13/22 12:33	05/16/22 12:55	534-52-1	
4-Bromophenylphenyl ether	<0.043	mg/kg	0.14	0.043	1	05/13/22 12:33	05/16/22 12:55	101-55-3	
4-Chloro-3-methylphenol	<0.064	mg/kg	0.21	0.064	1	05/13/22 12:33	05/16/22 12:55	59-50-7	
4-Chloroaniline	<0.034	mg/kg	0.11	0.034	1	05/13/22 12:33	05/16/22 12:55	106-47-8	1q
4-Chlorophenylphenyl ether	<0.038	mg/kg	0.13	0.038	1	05/13/22 12:33	05/16/22 12:55	7005-72-3	
4-Nitroaniline	<0.086	mg/kg	0.29	0.086	1	05/13/22 12:33	05/16/22 12:55	100-01-6	
4-Nitrophenol	<0.052	mg/kg	0.17	0.052	1	05/13/22 12:33	05/16/22 12:55	100-02-7	
Acenaphthene	<0.073	mg/kg	0.24	0.073	1	05/13/22 12:33	05/16/22 12:55	83-32-9	
Acenaphthylene	<0.074	mg/kg	0.25	0.074	1	05/13/22 12:33	05/16/22 12:55	208-96-8	
Anthracene	<0.033	mg/kg	0.11	0.033	1	05/13/22 12:33	05/16/22 12:55	120-12-7	
Benzo(a)anthracene	<0.032	mg/kg	0.11	0.032	1	05/13/22 12:33	05/16/22 12:55	56-55-3	
Benzo(a)pyrene	<0.031	mg/kg	0.10	0.031	1	05/13/22 12:33	05/16/22 12:55	50-32-8	
Benzo(b)fluoranthene	<0.035	mg/kg	0.12	0.035	1	05/13/22 12:33	05/16/22 12:55	205-99-2	
Benzo(g,h,i)perylene	<0.054	mg/kg	0.18	0.054	1	05/13/22 12:33	05/16/22 12:55	191-24-2	
Benzo(k)fluoranthene	<0.049	mg/kg	0.16	0.049	1	05/13/22 12:33	05/16/22 12:55	207-08-9	
Butylbenzylphthalate	<0.033	mg/kg	0.11	0.033	1	05/13/22 12:33	05/16/22 12:55	85-68-7	
Carbazole	<0.032	mg/kg	0.11	0.032	1	05/13/22 12:33	05/16/22 12:55	86-74-8	
Chrysene	<0.031	mg/kg	0.10	0.031	1	05/13/22 12:33	05/16/22 12:55	218-01-9	
Di-n-butylphthalate	<0.031	mg/kg	0.10	0.031	1	05/13/22 12:33	05/16/22 12:55	84-74-2	
Di-n-octylphthalate	<0.046	mg/kg	0.15	0.046	1	05/13/22 12:33	05/16/22 12:55	117-84-0	
Dibenz(a,h)anthracene	<0.056	mg/kg	0.19	0.056	1	05/13/22 12:33	05/16/22 12:55	53-70-3	
Dibenzofuran	<0.025	mg/kg	0.083	0.025	1	05/13/22 12:33	05/16/22 12:55	132-64-9	
Diethylphthalate	<0.034	mg/kg	0.11	0.034	1	05/13/22 12:33	05/16/22 12:55	84-66-2	
Dimethylphthalate	<0.027	mg/kg	0.089	0.027	1	05/13/22 12:33	05/16/22 12:55	131-11-3	
Fluoranthene	<0.029	mg/kg	0.097	0.029	1	05/13/22 12:33	05/16/22 12:55	206-44-0	
Fluorene	<0.024	mg/kg	0.080	0.024	1	05/13/22 12:33	05/16/22 12:55	86-73-7	
Hexachloro-1,3-butadiene	<0.053	mg/kg	0.18	0.053	1	05/13/22 12:33	05/16/22 12:55	87-68-3	
Hexachlorobenzene	<0.035	mg/kg	0.12	0.035	1	05/13/22 12:33	05/16/22 12:55	118-74-1	
Hexachlorocyclopentadiene	<0.049	mg/kg	0.16	0.049	1	05/13/22 12:33	05/16/22 12:55	77-47-4	
Hexachloroethane	<0.033	mg/kg	0.11	0.033	1	05/13/22 12:33	05/16/22 12:55	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.045	mg/kg	0.15	0.045	1	05/13/22 12:33	05/16/22 12:55	193-39-5	
Isophorone	<0.032	mg/kg	0.11	0.032	1	05/13/22 12:33	05/16/22 12:55	78-59-1	
N-Nitroso-di-n-propylamine	<0.033	mg/kg	0.11	0.033	1	05/13/22 12:33	05/16/22 12:55	621-64-7	
N-Nitrosodiphenylamine	<0.28	mg/kg	0.93	0.28	1	05/13/22 12:33	05/16/22 12:55	86-30-6	
Naphthalene	<0.072	mg/kg	0.24	0.072	1	05/13/22 12:33	05/16/22 12:55	91-20-3	
Nitrobenzene	<0.042	mg/kg	0.14	0.042	1	05/13/22 12:33	05/16/22 12:55	98-95-3	
Pentachlorophenol	<0.045	mg/kg	0.15	0.045	1	05/13/22 12:33	05/16/22 12:55	87-86-5	
Phenanthrene	<0.026	mg/kg	0.088	0.026	1	05/13/22 12:33	05/16/22 12:55	85-01-8	
Phenol	<0.049	mg/kg	0.16	0.049	1	05/13/22 12:33	05/16/22 12:55	108-95-2	
Pyrene	<0.046	mg/kg	0.15	0.046	1	05/13/22 12:33	05/16/22 12:55	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: SB-69 (4.5-5.5) Lab ID: **40244640004** Collected: 05/09/22 15:15 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.056	mg/kg	0.19	0.056	1	05/13/22 12:33	05/16/22 12:55	111-91-1	
bis(2-Chloroethyl) ether	<0.064	mg/kg	0.21	0.064	1	05/13/22 12:33	05/16/22 12:55	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.034	mg/kg	0.11	0.034	1	05/13/22 12:33	05/16/22 12:55	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	27	%	10-125		1	05/13/22 12:33	05/16/22 12:55	4165-60-0	
2-Fluorobiphenyl (S)	14	%	12-118		1	05/13/22 12:33	05/16/22 12:55	321-60-8	
Terphenyl-d14 (S)	37	%	10-124		1	05/13/22 12:33	05/16/22 12:55	1718-51-0	
Phenol-d6 (S)	30	%	10-125		1	05/13/22 12:33	05/16/22 12:55	13127-88-3	
2-Fluorophenol (S)	27	%	10-130		1	05/13/22 12:33	05/16/22 12:55	367-12-4	
2,4,6-Tribromophenol (S)	43	%	10-144		1	05/13/22 12:33	05/16/22 12:55	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/13/22 06:00	05/13/22 12:57	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0051	0.0026	1	05/13/22 06:00	05/13/22 12:57	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/13/22 06:00	05/13/22 12:57	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 12:57	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 12:57	75-35-4	
1,2-Dichloroethane	<0.00083	mg/kg	0.0051	0.00083	1	05/13/22 06:00	05/13/22 12:57	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 12:57	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/13/22 06:00	05/13/22 12:57	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/13/22 06:00	05/13/22 12:57	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/13/22 06:00	05/13/22 12:57	108-10-1	
Acetone	<0.048	mg/kg	0.10	0.048	1	05/13/22 06:00	05/13/22 12:57	67-64-1	
Benzene	<0.00072	mg/kg	0.0051	0.00072	1	05/13/22 06:00	05/13/22 12:57	71-43-2	
Bromodichloromethane	<0.00069	mg/kg	0.0051	0.00069	1	05/13/22 06:00	05/13/22 12:57	75-27-4	
Bromoform	<0.0082	mg/kg	0.020	0.0082	1	05/13/22 06:00	05/13/22 12:57	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0051	0.0045	1	05/13/22 06:00	05/13/22 12:57	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 12:57	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0051	0.0032	1	05/13/22 06:00	05/13/22 12:57	56-23-5	
Chlorobenzene	<0.00093	mg/kg	0.0051	0.00093	1	05/13/22 06:00	05/13/22 12:57	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0051	0.0037	1	05/13/22 06:00	05/13/22 12:57	75-00-3	
Chloroform	<0.00085	mg/kg	0.0051	0.00085	1	05/13/22 06:00	05/13/22 12:57	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 12:57	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 12:57	124-48-1	
Ethylbenzene	<0.00090	mg/kg	0.0051	0.00090	1	05/13/22 06:00	05/13/22 12:57	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0051	0.0021	1	05/13/22 06:00	05/13/22 12:57	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0051	0.0040	1	05/13/22 06:00	05/13/22 12:57	75-09-2	
Styrene	<0.00072	mg/kg	0.0051	0.00072	1	05/13/22 06:00	05/13/22 12:57	100-42-5	
Tetrachloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/13/22 06:00	05/13/22 12:57	127-18-4	
Toluene	<0.00089	mg/kg	0.0051	0.00089	1	05/13/22 06:00	05/13/22 12:57	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0051	0.00072	1	05/13/22 06:00	05/13/22 12:57	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0051	0.0013	1	05/13/22 06:00	05/13/22 12:57	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/13/22 06:00	05/13/22 12:57	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-69 (4.5-5.5) **Lab ID: 40244640004** Collected: 05/09/22 15:15 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00089	mg/kg	0.0051	0.00089	1	05/13/22 06:00	05/13/22 12:57	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 12:57	10061-01-5	
trans-1,2-Dichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/13/22 06:00	05/13/22 12:57	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 12:57	10061-02-6	
Surrogates									
Toluene-d8 (S)	97	%	69-156		1	05/13/22 06:00	05/13/22 12:57	2037-26-5	
4-Bromofluorobenzene (S)	83	%	61-175		1	05/13/22 06:00	05/13/22 12:57	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1	05/13/22 06:00	05/13/22 12:57	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	19.1	%	0.10	0.10	1		05/12/22 11:02		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.19	Std. Units	0.100	0.0100	1		05/17/22 11:22		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.36	mg/kg	1.1	0.36	1	05/18/22 10:45	05/18/22 15:25	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-70 (1.8-2.8) **Lab ID: 40244640005** Collected: 05/09/22 14:35 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00054	mg/kg	0.0022	0.00054	1	05/11/22 16:22	05/18/22 00:10	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 16:22	05/18/22 00:10	319-84-6	
beta-BHC	<0.00068	mg/kg	0.0022	0.00068	1	05/11/22 16:22	05/18/22 00:10	319-85-7	
delta-BHC	0.00051J	mg/kg	0.0022	0.00040	1	05/11/22 16:22	05/18/22 00:10	319-86-8	
gamma-BHC (Lindane)	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 16:22	05/18/22 00:10	58-89-9	
Chlordane (Technical)	<0.0073	mg/kg	0.022	0.0073	1	05/11/22 16:22	05/18/22 00:10	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/11/22 16:22	05/18/22 00:10	5103-71-9	
gamma-Chlordane	<0.00082	mg/kg	0.0022	0.00082	1	05/11/22 16:22	05/18/22 00:10	5103-74-2	
4,4'-DDD	<0.00045	mg/kg	0.0044	0.00045	1	05/11/22 16:22	05/18/22 00:10	72-54-8	
4,4'-DDE	<0.00051	mg/kg	0.0044	0.00051	1	05/11/22 16:22	05/18/22 00:10	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0044	0.0013	1	05/11/22 16:22	05/18/22 00:10	50-29-3	
Dieldrin	<0.00042	mg/kg	0.0044	0.00042	1	05/11/22 16:22	05/18/22 00:10	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/11/22 16:22	05/18/22 00:10	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0044	0.0010	1	05/11/22 16:22	05/18/22 00:10	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0044	0.0010	1	05/11/22 16:22	05/18/22 00:10	1031-07-8	
Endrin	<0.00049	mg/kg	0.0044	0.00049	1	05/11/22 16:22	05/18/22 00:10	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0044	0.0014	1	05/11/22 16:22	05/18/22 00:10	7421-93-4	L2
Endrin ketone	<0.0012	mg/kg	0.0044	0.0012	1	05/11/22 16:22	05/18/22 00:10	53494-70-5	
Heptachlor	<0.00060	mg/kg	0.0022	0.00060	1	05/11/22 16:22	05/18/22 00:10	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 16:22	05/18/22 00:10	1024-57-3	
Methoxychlor	<0.0068	mg/kg	0.022	0.0068	1	05/11/22 16:22	05/18/22 00:10	72-43-5	
Toxaphene	<0.021	mg/kg	0.066	0.021	1	05/11/22 16:22	05/18/22 00:10	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	44	%	53-138		1	05/11/22 16:22	05/18/22 00:10	877-09-8	S0
Decachlorobiphenyl (S)	33	%	30-150		1	05/11/22 16:22	05/18/22 00:10	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 11:44	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 11:44	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 11:44	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 11:44	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 11:44	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 11:44	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 11:44	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 11:44	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	73	%	50-99		1	05/11/22 06:11	05/13/22 11:44	877-09-8	
Decachlorobiphenyl (S)	69	%	38-95		1	05/11/22 06:11	05/13/22 11:44	2051-24-3	
6010D MET ICP, SPLP									
Analytical Method: EPA 6010D Preparation Method: EPA 3015A									
Leachate Method/Date: EPA 1312; 06/13/22 13:54									
Pace Analytical Services - Green Bay									
Lead	0.013J	mg/L	0.020	0.0059	1	06/15/22 08:24	06/15/22 10:57	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: **SB-70 (1.8-2.8)** Lab ID: **40244640005** Collected: 05/09/22 14:35 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	12500	mg/kg	38.9	7.8	1	05/16/22 09:18	05/18/22 16:22	7429-90-5	
Antimony	0.67	mg/kg	0.65	0.12	1	05/16/22 09:18	05/18/22 16:22	7440-36-0	
Arsenic	11.9	mg/kg	0.65	0.14	1	05/16/22 09:18	05/18/22 16:22	7440-38-2	
Barium	202	mg/kg	0.39	0.069	1	05/16/22 09:18	05/18/22 16:22	7440-39-3	
Beryllium	1.6	mg/kg	0.26	0.052	1	05/16/22 09:18	05/18/22 16:22	7440-41-7	
Cadmium	1.7	mg/kg	0.10	0.041	1	05/16/22 09:18	05/18/22 16:22	7440-43-9	
Calcium	9470	mg/kg	130	15.3	1	05/16/22 09:18	05/18/22 16:22	7440-70-2	
Chromium	16.4	mg/kg	2.6	0.18	1	05/16/22 09:18	05/18/22 16:22	7440-47-3	
Cobalt	7.8	mg/kg	0.65	0.13	1	05/16/22 09:18	05/18/22 16:22	7440-48-4	
Copper	97.6	mg/kg	1.3	0.31	1	05/16/22 09:18	05/18/22 16:22	7440-50-8	
Iron	32500	mg/kg	64.9	13.6	1	05/16/22 09:18	05/18/22 16:22	7439-89-6	
Lead	172	mg/kg	0.65	0.038	1	05/16/22 09:18	05/18/22 16:22	7439-92-1	
Magnesium	3580	mg/kg	38.9	5.6	1	05/16/22 09:18	05/18/22 16:22	7439-95-4	
Manganese	436	mg/kg	0.65	0.32	1	05/16/22 09:18	05/18/22 16:22	7439-96-5	
Nickel	20.5	mg/kg	0.65	0.26	1	05/16/22 09:18	05/18/22 16:22	7440-02-0	
Potassium	1440	mg/kg	130	14.9	1	05/16/22 09:18	05/18/22 16:22	7440-09-7	
Selenium	0.98	mg/kg	0.65	0.11	1	05/16/22 09:18	05/18/22 16:22	7782-49-2	
Silver	<0.19	mg/kg	0.65	0.19	1	05/16/22 09:18	05/18/22 16:22	7440-22-4	
Sodium	189	mg/kg	64.9	14.4	1	05/16/22 09:18	05/18/22 16:22	7440-23-5	
Thallium	0.69	mg/kg	0.13	0.048	1	05/16/22 09:18	05/18/22 16:22	7440-28-0	
Vanadium	34.3	mg/kg	1.3	0.23	1	05/16/22 09:18	05/18/22 16:22	7440-62-2	
Zinc	253	mg/kg	6.5	1.2	1	05/16/22 09:18	05/18/22 16:22	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.018J	mg/kg	0.045	0.013	1	05/17/22 08:33	05/18/22 12:34	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.083	0.025	1	05/13/22 12:33	05/16/22 13:16	120-82-1	
1,2-Dichlorobenzene	<0.069	mg/kg	0.23	0.069	1	05/13/22 12:33	05/16/22 13:16	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/13/22 12:33	05/16/22 13:16	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/13/22 12:33	05/16/22 13:16	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.057	mg/kg	0.19	0.057	1	05/13/22 12:33	05/16/22 13:16	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/13/22 12:33	05/16/22 13:16	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/13/22 12:33	05/16/22 13:16	88-06-2	
2,4-Dichlorophenol	<0.059	mg/kg	0.20	0.059	1	05/13/22 12:33	05/16/22 13:16	120-83-2	
2,4-Dimethylphenol	<0.044	mg/kg	0.15	0.044	1	05/13/22 12:33	05/16/22 13:16	105-67-9	
2,4-Dinitrophenol	<0.067	mg/kg	0.22	0.067	1	05/13/22 12:33	05/16/22 13:16	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/13/22 12:33	05/16/22 13:16	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/13/22 12:33	05/16/22 13:16	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.095	0.028	1	05/13/22 12:33	05/16/22 13:16	91-58-7	
2-Chlorophenol	<0.055	mg/kg	0.18	0.055	1	05/13/22 12:33	05/16/22 13:16	95-57-8	
2-Methylnaphthalene	<0.057	mg/kg	0.19	0.057	1	05/13/22 12:33	05/16/22 13:16	91-57-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: **SB-70 (1.8-2.8)** Lab ID: **40244640005** Collected: 05/09/22 14:35 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/13/22 12:33	05/16/22 13:16	95-48-7	
2-Nitroaniline	<0.063	mg/kg	0.21	0.063	1	05/13/22 12:33	05/16/22 13:16	88-74-4	
2-Nitrophenol	<0.070	mg/kg	0.23	0.070	1	05/13/22 12:33	05/16/22 13:16	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/13/22 12:33	05/16/22 13:16		
3,3'-Dichlorobenzidine	<0.060	mg/kg	0.20	0.060	1	05/13/22 12:33	05/16/22 13:16	91-94-1	
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/13/22 12:33	05/16/22 13:16	99-09-2	
4,6-Dinitro-2-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/13/22 12:33	05/16/22 13:16	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/13/22 12:33	05/16/22 13:16	101-55-3	
4-Chloro-3-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/13/22 12:33	05/16/22 13:16	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/13/22 12:33	05/16/22 13:16	106-47-8	1q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/13/22 12:33	05/16/22 13:16	7005-72-3	
4-Nitroaniline	<0.092	mg/kg	0.31	0.092	1	05/13/22 12:33	05/16/22 13:16	100-01-6	
4-Nitrophenol	<0.056	mg/kg	0.19	0.056	1	05/13/22 12:33	05/16/22 13:16	100-02-7	
Acenaphthene	<0.078	mg/kg	0.26	0.078	1	05/13/22 12:33	05/16/22 13:16	83-32-9	
Acenaphthylene	<0.079	mg/kg	0.26	0.079	1	05/13/22 12:33	05/16/22 13:16	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/13/22 12:33	05/16/22 13:16	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/13/22 12:33	05/16/22 13:16	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/13/22 12:33	05/16/22 13:16	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/13/22 12:33	05/16/22 13:16	205-99-2	
Benzo(g,h,i)perylene	<0.058	mg/kg	0.19	0.058	1	05/13/22 12:33	05/16/22 13:16	191-24-2	
Benzo(k)fluoranthene	<0.053	mg/kg	0.18	0.053	1	05/13/22 12:33	05/16/22 13:16	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/13/22 12:33	05/16/22 13:16	85-68-7	
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/13/22 12:33	05/16/22 13:16	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/13/22 12:33	05/16/22 13:16	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/13/22 12:33	05/16/22 13:16	84-74-2	
Di-n-octylphthalate	<0.050	mg/kg	0.17	0.050	1	05/13/22 12:33	05/16/22 13:16	117-84-0	
Dibenz(a,h)anthracene	<0.060	mg/kg	0.20	0.060	1	05/13/22 12:33	05/16/22 13:16	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.089	0.027	1	05/13/22 12:33	05/16/22 13:16	132-64-9	
Diethylphthalate	<0.037	mg/kg	0.12	0.037	1	05/13/22 12:33	05/16/22 13:16	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.096	0.029	1	05/13/22 12:33	05/16/22 13:16	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/13/22 12:33	05/16/22 13:16	206-44-0	
Fluorene	<0.026	mg/kg	0.086	0.026	1	05/13/22 12:33	05/16/22 13:16	86-73-7	
Hexachloro-1,3-butadiene	<0.056	mg/kg	0.19	0.056	1	05/13/22 12:33	05/16/22 13:16	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/13/22 12:33	05/16/22 13:16	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/13/22 12:33	05/16/22 13:16	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/13/22 12:33	05/16/22 13:16	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.048	mg/kg	0.16	0.048	1	05/13/22 12:33	05/16/22 13:16	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/13/22 12:33	05/16/22 13:16	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/13/22 12:33	05/16/22 13:16	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	1.0	0.30	1	05/13/22 12:33	05/16/22 13:16	86-30-6	
Naphthalene	<0.077	mg/kg	0.26	0.077	1	05/13/22 12:33	05/16/22 13:16	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/13/22 12:33	05/16/22 13:16	98-95-3	
Pentachlorophenol	<0.049	mg/kg	0.16	0.049	1	05/13/22 12:33	05/16/22 13:16	87-86-5	
Phenanthrene	<0.028	mg/kg	0.094	0.028	1	05/13/22 12:33	05/16/22 13:16	85-01-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: SB-70 (1.8-2.8) **Lab ID: 40244640005** Collected: 05/09/22 14:35 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Phenol	<0.052	mg/kg	0.17	0.052	1	05/13/22 12:33	05/16/22 13:16	108-95-2	
Pyrene	<0.049	mg/kg	0.16	0.049	1	05/13/22 12:33	05/16/22 13:16	129-00-0	
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/13/22 12:33	05/16/22 13:16	111-91-1	
bis(2-Chloroethyl) ether	<0.069	mg/kg	0.23	0.069	1	05/13/22 12:33	05/16/22 13:16	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/13/22 12:33	05/16/22 13:16	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	73	%	10-125		1	05/13/22 12:33	05/16/22 13:16	4165-60-0	
2-Fluorobiphenyl (S)	53	%	12-118		1	05/13/22 12:33	05/16/22 13:16	321-60-8	
Terphenyl-d14 (S)	66	%	10-124		1	05/13/22 12:33	05/16/22 13:16	1718-51-0	
Phenol-d6 (S)	55	%	10-125		1	05/13/22 12:33	05/16/22 13:16	13127-88-3	
2-Fluorophenol (S)	65	%	10-130		1	05/13/22 12:33	05/16/22 13:16	367-12-4	
2,4,6-Tribromophenol (S)	73	%	10-144		1	05/13/22 12:33	05/16/22 13:16	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0018	mg/kg	0.0060	0.0018	1	05/13/22 06:00	05/13/22 13:22	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0031	mg/kg	0.0060	0.0031	1	05/13/22 06:00	05/13/22 13:22	79-34-5	
1,1,2-Trichloroethane	<0.0018	mg/kg	0.0060	0.0018	1	05/13/22 06:00	05/13/22 13:22	79-00-5	
1,1-Dichloroethane	<0.0013	mg/kg	0.0060	0.0013	1	05/13/22 06:00	05/13/22 13:22	75-34-3	
1,1-Dichloroethene	<0.0013	mg/kg	0.0060	0.0013	1	05/13/22 06:00	05/13/22 13:22	75-35-4	
1,2-Dichloroethane	<0.00098	mg/kg	0.0060	0.00098	1	05/13/22 06:00	05/13/22 13:22	107-06-2	
1,2-Dichloropropane	<0.0012	mg/kg	0.0060	0.0012	1	05/13/22 06:00	05/13/22 13:22	78-87-5	
2-Butanone (MEK)	<0.019	mg/kg	0.030	0.019	1	05/13/22 06:00	05/13/22 13:22	78-93-3	
2-Hexanone	<0.014	mg/kg	0.030	0.014	1	05/13/22 06:00	05/13/22 13:22	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.024	mg/kg	0.030	0.024	1	05/13/22 06:00	05/13/22 13:22	108-10-1	
Acetone	<0.056	mg/kg	0.12	0.056	1	05/13/22 06:00	05/13/22 13:22	67-64-1	
Benzene	<0.00085	mg/kg	0.0060	0.00085	1	05/13/22 06:00	05/13/22 13:22	71-43-2	
Bromodichloromethane	<0.00081	mg/kg	0.0060	0.00081	1	05/13/22 06:00	05/13/22 13:22	75-27-4	
Bromoform	<0.0097	mg/kg	0.024	0.0097	1	05/13/22 06:00	05/13/22 13:22	75-25-2	
Bromomethane	<0.0053	mg/kg	0.0060	0.0053	1	05/13/22 06:00	05/13/22 13:22	74-83-9	
Carbon disulfide	<0.0013	mg/kg	0.0060	0.0013	1	05/13/22 06:00	05/13/22 13:22	75-15-0	
Carbon tetrachloride	<0.0038	mg/kg	0.0060	0.0038	1	05/13/22 06:00	05/13/22 13:22	56-23-5	
Chlorobenzene	<0.0011	mg/kg	0.0060	0.0011	1	05/13/22 06:00	05/13/22 13:22	108-90-7	
Chloroethane	<0.0043	mg/kg	0.0060	0.0043	1	05/13/22 06:00	05/13/22 13:22	75-00-3	
Chloroform	<0.0010	mg/kg	0.0060	0.0010	1	05/13/22 06:00	05/13/22 13:22	67-66-3	
Chloromethane	<0.0013	mg/kg	0.0060	0.0013	1	05/13/22 06:00	05/13/22 13:22	74-87-3	
Dibromochloromethane	<0.0012	mg/kg	0.0060	0.0012	1	05/13/22 06:00	05/13/22 13:22	124-48-1	
Ethylbenzene	<0.0011	mg/kg	0.0060	0.0011	1	05/13/22 06:00	05/13/22 13:22	100-41-4	
Methyl-tert-butyl ether	<0.0024	mg/kg	0.0060	0.0024	1	05/13/22 06:00	05/13/22 13:22	1634-04-4	
Methylene Chloride	<0.0047	mg/kg	0.0060	0.0047	1	05/13/22 06:00	05/13/22 13:22	75-09-2	
Styrene	<0.00085	mg/kg	0.0060	0.00085	1	05/13/22 06:00	05/13/22 13:22	100-42-5	
Tetrachloroethene	<0.0011	mg/kg	0.0060	0.0011	1	05/13/22 06:00	05/13/22 13:22	127-18-4	
Toluene	<0.0011	mg/kg	0.0060	0.0011	1	05/13/22 06:00	05/13/22 13:22	108-88-3	
Trichloroethene	<0.00085	mg/kg	0.0060	0.00085	1	05/13/22 06:00	05/13/22 13:22	79-01-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: SB-70 (1.8-2.8) **Lab ID: 40244640005** Collected: 05/09/22 14:35 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
Vinyl chloride	<0.0015	mg/kg	0.0060	0.0015	1	05/13/22 06:00	05/13/22 13:22	75-01-4	
Xylene (Total)	<0.0041	mg/kg	0.012	0.0041	1	05/13/22 06:00	05/13/22 13:22	1330-20-7	
cis-1,2-Dichloroethene	<0.0011	mg/kg	0.0060	0.0011	1	05/13/22 06:00	05/13/22 13:22	156-59-2	
cis-1,3-Dichloropropene	<0.0012	mg/kg	0.0060	0.0012	1	05/13/22 06:00	05/13/22 13:22	10061-01-5	
trans-1,2-Dichloroethene	<0.00086	mg/kg	0.0060	0.00086	1	05/13/22 06:00	05/13/22 13:22	156-60-5	
trans-1,3-Dichloropropene	<0.0012	mg/kg	0.0060	0.0012	1	05/13/22 06:00	05/13/22 13:22	10061-02-6	
Surrogates									
Toluene-d8 (S)	103	%	69-156		1	05/13/22 06:00	05/13/22 13:22	2037-26-5	
4-Bromofluorobenzene (S)	86	%	61-175		1	05/13/22 06:00	05/13/22 13:22	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1	05/13/22 06:00	05/13/22 13:22	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	24.5	%	0.10	0.10	1		05/12/22 11:02		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/17/22 12:45		3q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.35	mg/kg	1.0	0.35	1	05/18/22 10:45	05/18/22 15:26	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-70 (5-6) **Lab ID: 40244640006** Collected: 05/09/22 14:40 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00053	mg/kg	0.0022	0.00053	1	05/11/22 16:22	05/18/22 00:29	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 16:22	05/18/22 00:29	319-84-6	
beta-BHC	<0.00067	mg/kg	0.0022	0.00067	1	05/11/22 16:22	05/18/22 00:29	319-85-7	
delta-BHC	<0.00040	mg/kg	0.0022	0.00040	1	05/11/22 16:22	05/18/22 00:29	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/11/22 16:22	05/18/22 00:29	58-89-9	
Chlordane (Technical)	<0.0072	mg/kg	0.022	0.0072	1	05/11/22 16:22	05/18/22 00:29	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/11/22 16:22	05/18/22 00:29	5103-71-9	
gamma-Chlordane	<0.00081	mg/kg	0.0022	0.00081	1	05/11/22 16:22	05/18/22 00:29	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0044	0.00044	1	05/11/22 16:22	05/18/22 00:29	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0044	0.00050	1	05/11/22 16:22	05/18/22 00:29	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0044	0.0013	1	05/11/22 16:22	05/18/22 00:29	50-29-3	
Dieldrin	<0.00042	mg/kg	0.0044	0.00042	1	05/11/22 16:22	05/18/22 00:29	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/11/22 16:22	05/18/22 00:29	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0044	0.0010	1	05/11/22 16:22	05/18/22 00:29	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0044	0.0010	1	05/11/22 16:22	05/18/22 00:29	1031-07-8	
Endrin	<0.00049	mg/kg	0.0044	0.00049	1	05/11/22 16:22	05/18/22 00:29	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0044	0.0014	1	05/11/22 16:22	05/18/22 00:29	7421-93-4	L2
Endrin ketone	<0.0011	mg/kg	0.0044	0.0011	1	05/11/22 16:22	05/18/22 00:29	53494-70-5	
Heptachlor	<0.00059	mg/kg	0.0022	0.00059	1	05/11/22 16:22	05/18/22 00:29	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 16:22	05/18/22 00:29	1024-57-3	
Methoxychlor	<0.0067	mg/kg	0.022	0.0067	1	05/11/22 16:22	05/18/22 00:29	72-43-5	
Toxaphene	<0.021	mg/kg	0.065	0.021	1	05/11/22 16:22	05/18/22 00:29	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	54	%	53-138		1	05/11/22 16:22	05/18/22 00:29	877-09-8	
Decachlorobiphenyl (S)	46	%	30-150		1	05/11/22 16:22	05/18/22 00:29	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/11/22 06:11	05/13/22 12:08	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/11/22 06:11	05/13/22 12:08	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/11/22 06:11	05/13/22 12:08	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/11/22 06:11	05/13/22 12:08	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/11/22 06:11	05/13/22 12:08	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/11/22 06:11	05/13/22 12:08	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/11/22 06:11	05/13/22 12:08	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/11/22 06:11	05/13/22 12:08	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	69	%	50-99		1	05/11/22 06:11	05/13/22 12:08	877-09-8	
Decachlorobiphenyl (S)	67	%	38-95		1	05/11/22 06:11	05/13/22 12:08	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	15600	mg/kg	36.3	7.3	1	05/16/22 13:02	05/18/22 21:03	7429-90-5	P6
Antimony	0.28J	mg/kg	0.61	0.12	1	05/16/22 13:02	05/18/22 21:03	7440-36-0	M1,R1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-70 (5-6) **Lab ID: 40244640006** Collected: 05/09/22 14:40 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	19.1	mg/kg	0.61	0.13	1	05/16/22 13:02	05/18/22 21:03	7440-38-2	M1
Barium	397	mg/kg	0.36	0.065	1	05/16/22 13:02	05/18/22 21:03	7440-39-3	P6
Beryllium	1.1	mg/kg	0.24	0.048	1	05/16/22 13:02	05/18/22 21:03	7440-41-7	
Cadmium	1.1	mg/kg	0.097	0.038	1	05/16/22 13:02	05/18/22 21:03	7440-43-9	
Calcium	5010	mg/kg	121	14.3	1	05/16/22 13:02	05/18/22 21:03	7440-70-2	P6
Chromium	20.2	mg/kg	2.4	0.17	1	05/16/22 13:02	05/18/22 21:03	7440-47-3	
Cobalt	23.0	mg/kg	0.61	0.12	1	05/16/22 13:02	05/18/22 21:03	7440-48-4	M1,R1
Copper	19.9	mg/kg	1.2	0.29	1	05/16/22 13:02	05/18/22 21:03	7440-50-8	
Iron	28900	mg/kg	60.5	12.7	1	05/16/22 13:02	05/18/22 21:03	7439-89-6	P6
Lead	21.5	mg/kg	0.61	0.036	1	05/16/22 13:02	05/18/22 21:03	7439-92-1	
Magnesium	3770	mg/kg	36.3	5.2	1	05/16/22 13:02	05/18/22 21:03	7439-95-4	M1
Manganese	4680	mg/kg	12.1	5.9	20	05/16/22 13:02	05/18/22 21:03	7439-96-5	P6,R1
Nickel	43.0	mg/kg	0.61	0.24	1	05/16/22 13:02	05/18/22 21:03	7440-02-0	M1,R1
Potassium	1050	mg/kg	121	13.9	1	05/16/22 13:02	05/18/22 21:03	7440-09-7	
Selenium	0.58J	mg/kg	0.61	0.10	1	05/16/22 13:02	05/18/22 21:03	7782-49-2	
Silver	0.34J	mg/kg	0.61	0.18	1	05/16/22 13:02	05/18/22 21:03	7440-22-4	
Sodium	45.9J	mg/kg	60.5	13.4	1	05/16/22 13:02	05/18/22 21:03	7440-23-5	
Thallium	0.25	mg/kg	0.12	0.044	1	05/16/22 13:02	05/18/22 21:03	7440-28-0	
Vanadium	45.8	mg/kg	1.2	0.21	1	05/16/22 13:02	05/18/22 21:03	7440-62-2	
Zinc	64.1	mg/kg	6.1	1.1	1	05/16/22 13:02	05/18/22 21:03	7440-66-6	M1

7471 Mercury

Analytical Method: EPA 7471 Preparation Method: EPA 7471

Pace Analytical Services - Green Bay

Mercury	0.055	mg/kg	0.044	0.013	1	05/17/22 08:33	05/18/22 12:37	7439-97-6	
---------	-------	-------	-------	-------	---	----------------	----------------	-----------	--

8270E MSSV FULL LIST MICROWAVE

Analytical Method: EPA 8270E Preparation Method: EPA 3546

Pace Analytical Services - Green Bay

1,2,4-Trichlorobenzene	<0.025	mg/kg	0.082	0.025	1	05/13/22 12:33	05/13/22 20:04	120-82-1	
1,2-Dichlorobenzene	<0.069	mg/kg	0.23	0.069	1	05/13/22 12:33	05/13/22 20:04	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/13/22 12:33	05/13/22 20:04	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/13/22 12:33	05/13/22 20:04	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/13/22 12:33	05/13/22 20:04	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/13/22 12:33	05/13/22 20:04	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/13/22 12:33	05/13/22 20:04	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/13/22 12:33	05/13/22 20:04	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/13/22 12:33	05/13/22 20:04	105-67-9	
2,4-Dinitrophenol	<0.067	mg/kg	0.22	0.067	1	05/13/22 12:33	05/13/22 20:04	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/13/22 12:33	05/13/22 20:04	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/13/22 12:33	05/13/22 20:04	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.094	0.028	1	05/13/22 12:33	05/13/22 20:04	91-58-7	
2-Chlorophenol	<0.055	mg/kg	0.18	0.055	1	05/13/22 12:33	05/13/22 20:04	95-57-8	
2-Methylnaphthalene	<0.057	mg/kg	0.19	0.057	1	05/13/22 12:33	05/13/22 20:04	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/13/22 12:33	05/13/22 20:04	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/13/22 12:33	05/13/22 20:04	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: **SB-70 (5-6)** Lab ID: **40244640006** Collected: 05/09/22 14:40 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.069	mg/kg	0.23	0.069	1	05/13/22 12:33	05/13/22 20:04	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/13/22 12:33	05/13/22 20:04		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/13/22 12:33	05/13/22 20:04	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/13/22 12:33	05/13/22 20:04	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/13/22 12:33	05/13/22 20:04	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/13/22 12:33	05/13/22 20:04	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/13/22 12:33	05/13/22 20:04	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/13/22 12:33	05/13/22 20:04	106-47-8	1q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/13/22 12:33	05/13/22 20:04	7005-72-3	
4-Nitroaniline	<0.091	mg/kg	0.30	0.091	1	05/13/22 12:33	05/13/22 20:04	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/13/22 12:33	05/13/22 20:04	100-02-7	
Acenaphthene	<0.078	mg/kg	0.26	0.078	1	05/13/22 12:33	05/13/22 20:04	83-32-9	
Acenaphthylene	<0.078	mg/kg	0.26	0.078	1	05/13/22 12:33	05/13/22 20:04	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/13/22 12:33	05/13/22 20:04	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/13/22 12:33	05/13/22 20:04	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/13/22 12:33	05/13/22 20:04	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/13/22 12:33	05/13/22 20:04	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/13/22 12:33	05/13/22 20:04	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/13/22 12:33	05/13/22 20:04	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/13/22 12:33	05/13/22 20:04	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/13/22 12:33	05/13/22 20:04	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/13/22 12:33	05/13/22 20:04	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/13/22 12:33	05/13/22 20:04	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/13/22 12:33	05/13/22 20:04	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/13/22 12:33	05/13/22 20:04	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.088	0.026	1	05/13/22 12:33	05/13/22 20:04	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/13/22 12:33	05/13/22 20:04	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.095	0.028	1	05/13/22 12:33	05/13/22 20:04	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/13/22 12:33	05/13/22 20:04	206-44-0	
Fluorene	<0.026	mg/kg	0.085	0.026	1	05/13/22 12:33	05/13/22 20:04	86-73-7	
Hexachloro-1,3-butadiene	<0.056	mg/kg	0.19	0.056	1	05/13/22 12:33	05/13/22 20:04	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/13/22 12:33	05/13/22 20:04	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/13/22 12:33	05/13/22 20:04	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/13/22 12:33	05/13/22 20:04	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/13/22 12:33	05/13/22 20:04	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/13/22 12:33	05/13/22 20:04	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/13/22 12:33	05/13/22 20:04	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	0.99	0.30	1	05/13/22 12:33	05/13/22 20:04	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/13/22 12:33	05/13/22 20:04	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/13/22 12:33	05/13/22 20:04	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/13/22 12:33	05/13/22 20:04	87-86-5	
Phenanthrene	<0.028	mg/kg	0.093	0.028	1	05/13/22 12:33	05/13/22 20:04	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/13/22 12:33	05/13/22 20:04	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/13/22 12:33	05/13/22 20:04	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-70 (5-6) **Lab ID: 40244640006** Collected: 05/09/22 14:40 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/13/22 12:33	05/13/22 20:04	111-91-1	
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/13/22 12:33	05/13/22 20:04	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/13/22 12:33	05/13/22 20:04	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	67	%	10-125		1	05/13/22 12:33	05/13/22 20:04	4165-60-0	
2-Fluorobiphenyl (S)	49	%	12-118		1	05/13/22 12:33	05/13/22 20:04	321-60-8	
Terphenyl-d14 (S)	54	%	10-124		1	05/13/22 12:33	05/13/22 20:04	1718-51-0	
Phenol-d6 (S)	44	%	10-125		1	05/13/22 12:33	05/13/22 20:04	13127-88-3	
2-Fluorophenol (S)	46	%	10-130		1	05/13/22 12:33	05/13/22 20:04	367-12-4	
2,4,6-Tribromophenol (S)	50	%	10-144		1	05/13/22 12:33	05/13/22 20:04	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/13/22 06:00	05/13/22 13:46	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0051	0.0026	1	05/13/22 06:00	05/13/22 13:46	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/13/22 06:00	05/13/22 13:46	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 13:46	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 13:46	75-35-4	
1,2-Dichloroethane	<0.00083	mg/kg	0.0051	0.00083	1	05/13/22 06:00	05/13/22 13:46	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 13:46	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/13/22 06:00	05/13/22 13:46	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/13/22 06:00	05/13/22 13:46	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/13/22 06:00	05/13/22 13:46	108-10-1	
Acetone	<0.048	mg/kg	0.10	0.048	1	05/13/22 06:00	05/13/22 13:46	67-64-1	
Benzene	<0.00072	mg/kg	0.0051	0.00072	1	05/13/22 06:00	05/13/22 13:46	71-43-2	
Bromodichloromethane	<0.00069	mg/kg	0.0051	0.00069	1	05/13/22 06:00	05/13/22 13:46	75-27-4	
Bromoform	<0.0082	mg/kg	0.020	0.0082	1	05/13/22 06:00	05/13/22 13:46	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0051	0.0045	1	05/13/22 06:00	05/13/22 13:46	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 13:46	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0051	0.0032	1	05/13/22 06:00	05/13/22 13:46	56-23-5	
Chlorobenzene	<0.00093	mg/kg	0.0051	0.00093	1	05/13/22 06:00	05/13/22 13:46	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0051	0.0037	1	05/13/22 06:00	05/13/22 13:46	75-00-3	
Chloroform	<0.00085	mg/kg	0.0051	0.00085	1	05/13/22 06:00	05/13/22 13:46	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 13:46	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 13:46	124-48-1	
Ethylbenzene	<0.00090	mg/kg	0.0051	0.00090	1	05/13/22 06:00	05/13/22 13:46	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0051	0.0021	1	05/13/22 06:00	05/13/22 13:46	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0051	0.0040	1	05/13/22 06:00	05/13/22 13:46	75-09-2	
Styrene	<0.00072	mg/kg	0.0051	0.00072	1	05/13/22 06:00	05/13/22 13:46	100-42-5	
Tetrachloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/13/22 06:00	05/13/22 13:46	127-18-4	
Toluene	<0.00089	mg/kg	0.0051	0.00089	1	05/13/22 06:00	05/13/22 13:46	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0051	0.00072	1	05/13/22 06:00	05/13/22 13:46	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0051	0.0013	1	05/13/22 06:00	05/13/22 13:46	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/13/22 06:00	05/13/22 13:46	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-70 (5-6) **Lab ID: 40244640006** Collected: 05/09/22 14:40 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00089	mg/kg	0.0051	0.00089	1	05/13/22 06:00	05/13/22 13:46	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 13:46	10061-01-5	
trans-1,2-Dichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/13/22 06:00	05/13/22 13:46	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 13:46	10061-02-6	
Surrogates									
Toluene-d8 (S)	99	%	69-156		1	05/13/22 06:00	05/13/22 13:46	2037-26-5	
4-Bromofluorobenzene (S)	88	%	61-175		1	05/13/22 06:00	05/13/22 13:46	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1	05/13/22 06:00	05/13/22 13:46	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.5	%	0.10	0.10	1		05/12/22 11:02		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.4	Std. Units	0.10	0.010	1		05/17/22 12:47		3q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	0.44J	mg/kg	1.2	0.39	1	05/18/22 10:45	05/18/22 15:26	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-63 (1.3-2.3) **Lab ID: 40244640007** Collected: 05/09/22 13:50 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.0011	mg/kg	0.0044	0.0011	2	05/11/22 16:22	05/19/22 02:44	309-00-2	
alpha-BHC	<0.00044	mg/kg	0.0044	0.00044	2	05/11/22 16:22	05/19/22 02:44	319-84-6	
beta-BHC	<0.0014	mg/kg	0.0044	0.0014	2	05/11/22 16:22	05/19/22 02:44	319-85-7	
delta-BHC	<0.00080	mg/kg	0.0044	0.00080	2	05/11/22 16:22	05/19/22 02:44	319-86-8	
gamma-BHC (Lindane)	<0.00043	mg/kg	0.0044	0.00043	2	05/11/22 16:22	05/19/22 02:44	58-89-9	
Chlordane (Technical)	<0.014	mg/kg	0.044	0.014	2	05/11/22 16:22	05/19/22 02:44	57-74-9	
alpha-Chlordane	<0.00054	mg/kg	0.0044	0.00054	2	05/11/22 16:22	05/19/22 02:44	5103-71-9	
gamma-Chlordane	<0.0016	mg/kg	0.0044	0.0016	2	05/11/22 16:22	05/19/22 02:44	5103-74-2	
4,4'-DDD	<0.00088	mg/kg	0.0087	0.00088	2	05/11/22 16:22	05/19/22 02:44	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0087	0.0010	2	05/11/22 16:22	05/19/22 02:44	72-55-9	
4,4'-DDT	<0.0027	mg/kg	0.0087	0.0027	2	05/11/22 16:22	05/19/22 02:44	50-29-3	
Dieldrin	<0.00084	mg/kg	0.0087	0.00084	2	05/11/22 16:22	05/19/22 02:44	60-57-1	
Endosulfan I	<0.00049	mg/kg	0.0044	0.00049	2	05/11/22 16:22	05/19/22 02:44	959-98-8	
Endosulfan II	<0.0021	mg/kg	0.0087	0.0021	2	05/11/22 16:22	05/19/22 02:44	33213-65-9	
Endosulfan sulfate	<0.0021	mg/kg	0.0087	0.0021	2	05/11/22 16:22	05/19/22 02:44	1031-07-8	
Endrin	<0.00098	mg/kg	0.0087	0.00098	2	05/11/22 16:22	05/19/22 02:44	72-20-8	
Endrin aldehyde	<0.0028	mg/kg	0.0087	0.0028	2	05/11/22 16:22	05/19/22 02:44	7421-93-4	L2
Endrin ketone	<0.0023	mg/kg	0.0087	0.0023	2	05/11/22 16:22	05/19/22 02:44	53494-70-5	
Heptachlor	<0.0012	mg/kg	0.0044	0.0012	2	05/11/22 16:22	05/19/22 02:44	76-44-8	
Heptachlor epoxide	<0.00045	mg/kg	0.0044	0.00045	2	05/11/22 16:22	05/19/22 02:44	1024-57-3	
Methoxychlor	<0.013	mg/kg	0.044	0.013	2	05/11/22 16:22	05/19/22 02:44	72-43-5	
Toxaphene	<0.041	mg/kg	0.13	0.041	2	05/11/22 16:22	05/19/22 02:44	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	73	%	53-138		2	05/11/22 16:22	05/19/22 02:44	877-09-8	5q,D3
Decachlorobiphenyl (S)	65	%	30-150		2	05/11/22 16:22	05/19/22 02:44	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 09:40	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 09:40	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 09:40	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 09:40	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 09:40	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 09:40	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 09:40	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 09:40	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	64	%	50-99		1	05/11/22 06:11	05/13/22 09:40	877-09-8	
Decachlorobiphenyl (S)	57	%	38-95		1	05/11/22 06:11	05/13/22 09:40	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	8670	mg/kg	38.3	7.7	1	05/16/22 09:18	05/18/22 16:07	7429-90-5	
Antimony	0.53J	mg/kg	0.64	0.12	1	05/16/22 09:18	05/18/22 16:07	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-63 (1.3-2.3) **Lab ID: 40244640007** Collected: 05/09/22 13:50 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	4.5	mg/kg	0.64	0.14	1	05/16/22 09:18	05/18/22 16:07	7440-38-2	
Barium	167	mg/kg	0.38	0.068	1	05/16/22 09:18	05/18/22 16:07	7440-39-3	
Beryllium	1.2	mg/kg	0.26	0.051	1	05/16/22 09:18	05/18/22 16:07	7440-41-7	
Cadmium	0.58	mg/kg	0.10	0.040	1	05/16/22 09:18	05/18/22 16:07	7440-43-9	
Calcium	9770	mg/kg	128	15.1	1	05/16/22 09:18	05/18/22 16:07	7440-70-2	
Chromium	12.9	mg/kg	2.6	0.18	1	05/16/22 09:18	05/18/22 16:07	7440-47-3	
Cobalt	6.1	mg/kg	0.64	0.13	1	05/16/22 09:18	05/18/22 16:07	7440-48-4	
Copper	25.6	mg/kg	1.3	0.31	1	05/16/22 09:18	05/18/22 16:07	7440-50-8	
Iron	32800	mg/kg	63.8	13.4	1	05/16/22 09:18	05/18/22 16:07	7439-89-6	
Lead	54.1	mg/kg	0.64	0.038	1	05/16/22 09:18	05/18/22 16:07	7439-92-1	
Magnesium	2300	mg/kg	38.3	5.5	1	05/16/22 09:18	05/18/22 16:07	7439-95-4	
Manganese	226	mg/kg	0.64	0.31	1	05/16/22 09:18	05/18/22 16:07	7439-96-5	
Nickel	20.0	mg/kg	0.64	0.25	1	05/16/22 09:18	05/18/22 16:07	7440-02-0	
Potassium	976	mg/kg	128	14.7	1	05/16/22 09:18	05/18/22 16:07	7440-09-7	
Selenium	0.92	mg/kg	0.64	0.11	1	05/16/22 09:18	05/18/22 16:07	7782-49-2	
Silver	<0.19	mg/kg	0.64	0.19	1	05/16/22 09:18	05/18/22 16:07	7440-22-4	
Sodium	487	mg/kg	63.8	14.2	1	05/16/22 09:18	05/18/22 16:07	7440-23-5	
Thallium	0.40	mg/kg	0.13	0.047	1	05/16/22 09:18	05/18/22 16:07	7440-28-0	
Vanadium	19.4	mg/kg	1.3	0.22	1	05/16/22 09:18	05/18/22 16:07	7440-62-2	
Zinc	92.4	mg/kg	6.4	1.1	1	05/16/22 09:18	05/18/22 16:07	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.075	mg/kg	0.041	0.012	1	05/17/22 08:33	05/18/22 12:44	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.099	mg/kg	0.33	0.099	4	05/13/22 12:33	05/16/22 14:42	120-82-1	
1,2-Dichlorobenzene	<0.28	mg/kg	0.92	0.28	4	05/13/22 12:33	05/16/22 14:42	95-50-1	
1,3-Dichlorobenzene	<0.12	mg/kg	0.41	0.12	4	05/13/22 12:33	05/16/22 14:42	541-73-1	
1,4-Dichlorobenzene	<0.12	mg/kg	0.41	0.12	4	05/13/22 12:33	05/16/22 14:42	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.23	mg/kg	0.75	0.23	4	05/13/22 12:33	05/16/22 14:42	108-60-1	
2,4,5-Trichlorophenol	<0.16	mg/kg	0.52	0.16	4	05/13/22 12:33	05/16/22 14:42	95-95-4	
2,4,6-Trichlorophenol	<0.13	mg/kg	0.45	0.13	4	05/13/22 12:33	05/16/22 14:42	88-06-2	
2,4-Dichlorophenol	<0.23	mg/kg	0.78	0.23	4	05/13/22 12:33	05/16/22 14:42	120-83-2	
2,4-Dimethylphenol	<0.17	mg/kg	0.58	0.17	4	05/13/22 12:33	05/16/22 14:42	105-67-9	
2,4-Dinitrophenol	<0.27	mg/kg	0.89	0.27	4	05/13/22 12:33	05/16/22 14:42	51-28-5	
2,4-Dinitrotoluene	<0.13	mg/kg	0.42	0.13	4	05/13/22 12:33	05/16/22 14:42	121-14-2	
2,6-Dinitrotoluene	<0.17	mg/kg	0.56	0.17	4	05/13/22 12:33	05/16/22 14:42	606-20-2	
2-Chloronaphthalene	<0.11	mg/kg	0.38	0.11	4	05/13/22 12:33	05/16/22 14:42	91-58-7	
2-Chlorophenol	<0.22	mg/kg	0.73	0.22	4	05/13/22 12:33	05/16/22 14:42	95-57-8	
2-Methylnaphthalene	0.50J	mg/kg	0.76	0.23	4	05/13/22 12:33	05/16/22 14:42	91-57-6	
2-Methylphenol(o-Cresol)	<0.16	mg/kg	0.53	0.16	4	05/13/22 12:33	05/16/22 14:42	95-48-7	
2-Nitroaniline	<0.25	mg/kg	0.83	0.25	4	05/13/22 12:33	05/16/22 14:42	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: SB-63 (1.3-2.3) **Lab ID: 40244640007** Collected: 05/09/22 13:50 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.28	mg/kg	0.92	0.28	4	05/13/22 12:33	05/16/22 14:42	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.16	mg/kg	0.54	0.16	4	05/13/22 12:33	05/16/22 14:42		
3,3'-Dichlorobenzidine	<0.24	mg/kg	0.79	0.24	4	05/13/22 12:33	05/16/22 14:42	91-94-1	
3-Nitroaniline	<0.15	mg/kg	0.50	0.15	4	05/13/22 12:33	05/16/22 14:42	99-09-2	
4,6-Dinitro-2-methylphenol	<0.27	mg/kg	0.90	0.27	4	05/13/22 12:33	05/16/22 14:42	534-52-1	
4-Bromophenylphenyl ether	<0.18	mg/kg	0.61	0.18	4	05/13/22 12:33	05/16/22 14:42	101-55-3	
4-Chloro-3-methylphenol	<0.27	mg/kg	0.91	0.27	4	05/13/22 12:33	05/16/22 14:42	59-50-7	
4-Chloroaniline	<0.14	mg/kg	0.48	0.14	4	05/13/22 12:33	05/16/22 14:42	106-47-8	1q
4-Chlorophenylphenyl ether	<0.16	mg/kg	0.54	0.16	4	05/13/22 12:33	05/16/22 14:42	7005-72-3	
4-Nitroaniline	<0.36	mg/kg	1.2	0.36	4	05/13/22 12:33	05/16/22 14:42	100-01-6	
4-Nitrophenol	<0.22	mg/kg	0.74	0.22	4	05/13/22 12:33	05/16/22 14:42	100-02-7	
Acenaphthene	<0.31	mg/kg	1.0	0.31	4	05/13/22 12:33	05/16/22 14:42	83-32-9	
Acenaphthylene	<0.31	mg/kg	1.0	0.31	4	05/13/22 12:33	05/16/22 14:42	208-96-8	
Anthracene	<0.14	mg/kg	0.47	0.14	4	05/13/22 12:33	05/16/22 14:42	120-12-7	
Benzo(a)anthracene	<0.14	mg/kg	0.45	0.14	4	05/13/22 12:33	05/16/22 14:42	56-55-3	
Benzo(a)pyrene	<0.13	mg/kg	0.44	0.13	4	05/13/22 12:33	05/16/22 14:42	50-32-8	
Benzo(b)fluoranthene	<0.15	mg/kg	0.50	0.15	4	05/13/22 12:33	05/16/22 14:42	205-99-2	
Benzo(g,h,i)perylene	<0.23	mg/kg	0.77	0.23	4	05/13/22 12:33	05/16/22 14:42	191-24-2	
Benzo(k)fluoranthene	<0.21	mg/kg	0.70	0.21	4	05/13/22 12:33	05/16/22 14:42	207-08-9	
Butylbenzylphthalate	<0.14	mg/kg	0.47	0.14	4	05/13/22 12:33	05/16/22 14:42	85-68-7	
Carbazole	<0.14	mg/kg	0.46	0.14	4	05/13/22 12:33	05/16/22 14:42	86-74-8	
Chrysene	0.16J	mg/kg	0.44	0.13	4	05/13/22 12:33	05/16/22 14:42	218-01-9	
Di-n-butylphthalate	<0.13	mg/kg	0.44	0.13	4	05/13/22 12:33	05/16/22 14:42	84-74-2	
Di-n-octylphthalate	<0.20	mg/kg	0.66	0.20	4	05/13/22 12:33	05/16/22 14:42	117-84-0	
Dibenz(a,h)anthracene	<0.24	mg/kg	0.79	0.24	4	05/13/22 12:33	05/16/22 14:42	53-70-3	
Dibenzofuran	0.11J	mg/kg	0.35	0.11	4	05/13/22 12:33	05/16/22 14:42	132-64-9	
Diethylphthalate	<0.15	mg/kg	0.49	0.15	4	05/13/22 12:33	05/16/22 14:42	84-66-2	
Dimethylphthalate	<0.11	mg/kg	0.38	0.11	4	05/13/22 12:33	05/16/22 14:42	131-11-3	
Fluoranthene	0.19J	mg/kg	0.41	0.12	4	05/13/22 12:33	05/16/22 14:42	206-44-0	
Fluorene	<0.10	mg/kg	0.34	0.10	4	05/13/22 12:33	05/16/22 14:42	86-73-7	
Hexachloro-1,3-butadiene	<0.22	mg/kg	0.75	0.22	4	05/13/22 12:33	05/16/22 14:42	87-68-3	
Hexachlorobenzene	<0.15	mg/kg	0.49	0.15	4	05/13/22 12:33	05/16/22 14:42	118-74-1	
Hexachlorocyclopentadiene	<0.21	mg/kg	0.69	0.21	4	05/13/22 12:33	05/16/22 14:42	77-47-4	
Hexachloroethane	<0.14	mg/kg	0.47	0.14	4	05/13/22 12:33	05/16/22 14:42	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.19	mg/kg	0.63	0.19	4	05/13/22 12:33	05/16/22 14:42	193-39-5	
Isophorone	<0.13	mg/kg	0.45	0.13	4	05/13/22 12:33	05/16/22 14:42	78-59-1	
N-Nitroso-di-n-propylamine	<0.14	mg/kg	0.46	0.14	4	05/13/22 12:33	05/16/22 14:42	621-64-7	
N-Nitrosodiphenylamine	<1.2	mg/kg	4.0	1.2	4	05/13/22 12:33	05/16/22 14:42	86-30-6	
Naphthalene	0.33J	mg/kg	1.0	0.31	4	05/13/22 12:33	05/16/22 14:42	91-20-3	
Nitrobenzene	<0.18	mg/kg	0.59	0.18	4	05/13/22 12:33	05/16/22 14:42	98-95-3	
Pentachlorophenol	<0.19	mg/kg	0.64	0.19	4	05/13/22 12:33	05/16/22 14:42	87-86-5	
Phenanthrene	0.27J	mg/kg	0.38	0.11	4	05/13/22 12:33	05/16/22 14:42	85-01-8	
Phenol	<0.21	mg/kg	0.69	0.21	4	05/13/22 12:33	05/16/22 14:42	108-95-2	
Pyrene	0.20J	mg/kg	0.65	0.19	4	05/13/22 12:33	05/16/22 14:42	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: **SB-63 (1.3-2.3)** Lab ID: **40244640007** Collected: 05/09/22 13:50 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.24	mg/kg	0.79	0.24	4	05/13/22 12:33	05/16/22 14:42	111-91-1	
bis(2-Chloroethyl) ether	<0.27	mg/kg	0.91	0.27	4	05/13/22 12:33	05/16/22 14:42	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.15	mg/kg	0.49	0.15	4	05/13/22 12:33	05/16/22 14:42	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	51	%	10-125		4	05/13/22 12:33	05/16/22 14:42	4165-60-0	
2-Fluorobiphenyl (S)	50	%	12-118		4	05/13/22 12:33	05/16/22 14:42	321-60-8	
Terphenyl-d14 (S)	60	%	10-124		4	05/13/22 12:33	05/16/22 14:42	1718-51-0	
Phenol-d6 (S)	30	%	10-125		4	05/13/22 12:33	05/16/22 14:42	13127-88-3	
2-Fluorophenol (S)	36	%	10-130		4	05/13/22 12:33	05/16/22 14:42	367-12-4	
2,4,6-Tribromophenol (S)	55	%	10-144		4	05/13/22 12:33	05/16/22 14:42	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/13/22 06:00	05/13/22 14:10	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0054	0.0028	1	05/13/22 06:00	05/13/22 14:10	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/13/22 06:00	05/13/22 14:10	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0054	0.0012	1	05/13/22 06:00	05/13/22 14:10	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0054	0.0011	1	05/13/22 06:00	05/13/22 14:10	75-35-4	
1,2-Dichloroethane	<0.00089	mg/kg	0.0054	0.00089	1	05/13/22 06:00	05/13/22 14:10	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0054	0.0011	1	05/13/22 06:00	05/13/22 14:10	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/13/22 06:00	05/13/22 14:10	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/13/22 06:00	05/13/22 14:10	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/13/22 06:00	05/13/22 14:10	108-10-1	
Acetone	<0.051	mg/kg	0.11	0.051	1	05/13/22 06:00	05/13/22 14:10	67-64-1	
Benzene	<0.00076	mg/kg	0.0054	0.00076	1	05/13/22 06:00	05/13/22 14:10	71-43-2	
Bromodichloromethane	<0.00073	mg/kg	0.0054	0.00073	1	05/13/22 06:00	05/13/22 14:10	75-27-4	
Bromoform	<0.0087	mg/kg	0.022	0.0087	1	05/13/22 06:00	05/13/22 14:10	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0054	0.0048	1	05/13/22 06:00	05/13/22 14:10	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0054	0.0012	1	05/13/22 06:00	05/13/22 14:10	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0054	0.0034	1	05/13/22 06:00	05/13/22 14:10	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0054	0.0010	1	05/13/22 06:00	05/13/22 14:10	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0054	0.0039	1	05/13/22 06:00	05/13/22 14:10	75-00-3	
Chloroform	<0.00091	mg/kg	0.0054	0.00091	1	05/13/22 06:00	05/13/22 14:10	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0054	0.0012	1	05/13/22 06:00	05/13/22 14:10	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0054	0.0011	1	05/13/22 06:00	05/13/22 14:10	124-48-1	
Ethylbenzene	<0.00096	mg/kg	0.0054	0.00096	1	05/13/22 06:00	05/13/22 14:10	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0054	0.0022	1	05/13/22 06:00	05/13/22 14:10	1634-04-4	
Methylene Chloride	<0.0043	mg/kg	0.0054	0.0043	1	05/13/22 06:00	05/13/22 14:10	75-09-2	
Styrene	<0.00077	mg/kg	0.0054	0.00077	1	05/13/22 06:00	05/13/22 14:10	100-42-5	
Tetrachloroethene	<0.00096	mg/kg	0.0054	0.00096	1	05/13/22 06:00	05/13/22 14:10	127-18-4	
Toluene	<0.00095	mg/kg	0.0054	0.00095	1	05/13/22 06:00	05/13/22 14:10	108-88-3	
Trichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/13/22 06:00	05/13/22 14:10	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0054	0.0014	1	05/13/22 06:00	05/13/22 14:10	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/13/22 06:00	05/13/22 14:10	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: SB-63 (1.3-2.3) **Lab ID: 40244640007** Collected: 05/09/22 13:50 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay								
cis-1,2-Dichloroethene	<0.00095	mg/kg	0.0054	0.00095	1	05/13/22 06:00	05/13/22 14:10	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/13/22 06:00	05/13/22 14:10	10061-01-5	
trans-1,2-Dichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/13/22 06:00	05/13/22 14:10	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/13/22 06:00	05/13/22 14:10	10061-02-6	
Surrogates									
Toluene-d8 (S)	94	%	69-156		1	05/13/22 06:00	05/13/22 14:10	2037-26-5	
4-Bromofluorobenzene (S)	83	%	61-175		1	05/13/22 06:00	05/13/22 14:10	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1	05/13/22 06:00	05/13/22 14:10	2199-69-1	
Percent Moisture	Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay								
Percent Moisture	24.0	%	0.10	0.10	1		05/13/22 11:09		
9040 pH	Analytical Method: EPA 9040 Pace Analytical Services - Green Bay								
pH at 25 Degrees C	7.1	Std. Units	0.10	0.010	1		05/19/22 09:49		4q,H6
9012 Cyanide, Total	Analytical Method: EPA 9012B Preparation Method: EPA 9012B Pace Analytical Services - Green Bay								
Cyanide	<0.39	mg/kg	1.2	0.39	1	05/18/22 10:45	05/18/22 15:27	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: **SB-63 (4.5-5.5)** Lab ID: **40244640008** Collected: 05/09/22 13:55 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0022	0.00052	1	05/11/22 16:22	05/18/22 00:47	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 16:22	05/18/22 00:47	319-84-6	
beta-BHC	<0.00067	mg/kg	0.0022	0.00067	1	05/11/22 16:22	05/18/22 00:47	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0022	0.00039	1	05/11/22 16:22	05/18/22 00:47	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/11/22 16:22	05/18/22 00:47	58-89-9	
Chlordane (Technical)	<0.0071	mg/kg	0.022	0.0071	1	05/11/22 16:22	05/18/22 00:47	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/11/22 16:22	05/18/22 00:47	5103-71-9	
gamma-Chlordane	<0.00080	mg/kg	0.0022	0.00080	1	05/11/22 16:22	05/18/22 00:47	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0043	0.00044	1	05/11/22 16:22	05/18/22 00:47	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/11/22 16:22	05/18/22 00:47	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/11/22 16:22	05/18/22 00:47	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/11/22 16:22	05/18/22 00:47	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/11/22 16:22	05/18/22 00:47	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/11/22 16:22	05/18/22 00:47	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/11/22 16:22	05/18/22 00:47	1031-07-8	
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/11/22 16:22	05/18/22 00:47	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/11/22 16:22	05/18/22 00:47	7421-93-4	L2
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/11/22 16:22	05/18/22 00:47	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0022	0.00058	1	05/11/22 16:22	05/18/22 00:47	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 16:22	05/18/22 00:47	1024-57-3	
Methoxychlor	<0.0066	mg/kg	0.022	0.0066	1	05/11/22 16:22	05/18/22 00:47	72-43-5	
Toxaphene	<0.020	mg/kg	0.065	0.020	1	05/11/22 16:22	05/18/22 00:47	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	49	%	53-138		1	05/11/22 16:22	05/18/22 00:47	877-09-8	S0
Decachlorobiphenyl (S)	42	%	30-150		1	05/11/22 16:22	05/18/22 00:47	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.064	0.020	1	05/11/22 06:11	05/13/22 12:33	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.064	0.020	1	05/11/22 06:11	05/13/22 12:33	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.064	0.020	1	05/11/22 06:11	05/13/22 12:33	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.064	0.020	1	05/11/22 06:11	05/13/22 12:33	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.064	0.020	1	05/11/22 06:11	05/13/22 12:33	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.064	0.020	1	05/11/22 06:11	05/13/22 12:33	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.064	0.020	1	05/11/22 06:11	05/13/22 12:33	11096-82-5	
PCB, Total	<0.020	mg/kg	0.064	0.020	1	05/11/22 06:11	05/13/22 12:33	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	71	%	50-99		1	05/11/22 06:11	05/13/22 12:33	877-09-8	
Decachlorobiphenyl (S)	71	%	38-95		1	05/11/22 06:11	05/13/22 12:33	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	15700	mg/kg	35.6	7.2	1	05/16/22 09:18	05/18/22 16:18	7429-90-5	
Antimony	0.22J	mg/kg	0.59	0.11	1	05/16/22 09:18	05/18/22 16:18	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: **SB-63 (4.5-5.5)** Lab ID: **40244640008** Collected: 05/09/22 13:55 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	6.9	mg/kg	0.59	0.13	1	05/16/22 09:18	05/18/22 16:18	7440-38-2	
Barium	165	mg/kg	0.36	0.063	1	05/16/22 09:18	05/18/22 16:18	7440-39-3	
Beryllium	0.86	mg/kg	0.24	0.047	1	05/16/22 09:18	05/18/22 16:18	7440-41-7	
Cadmium	0.20	mg/kg	0.095	0.037	1	05/16/22 09:18	05/18/22 16:18	7440-43-9	
Calcium	4760	mg/kg	119	14.0	1	05/16/22 09:18	05/18/22 16:18	7440-70-2	
Chromium	19.5	mg/kg	2.4	0.17	1	05/16/22 09:18	05/18/22 16:18	7440-47-3	
Cobalt	5.6	mg/kg	0.59	0.12	1	05/16/22 09:18	05/18/22 16:18	7440-48-4	
Copper	20.1	mg/kg	1.2	0.29	1	05/16/22 09:18	05/18/22 16:18	7440-50-8	
Iron	20100	mg/kg	59.3	12.4	1	05/16/22 09:18	05/18/22 16:18	7439-89-6	
Lead	11.5	mg/kg	0.59	0.035	1	05/16/22 09:18	05/18/22 16:18	7439-92-1	
Magnesium	3930	mg/kg	35.6	5.1	1	05/16/22 09:18	05/18/22 16:18	7439-95-4	
Manganese	232	mg/kg	0.59	0.29	1	05/16/22 09:18	05/18/22 16:18	7439-96-5	
Nickel	17.6	mg/kg	0.59	0.24	1	05/16/22 09:18	05/18/22 16:18	7440-02-0	
Potassium	628	mg/kg	119	13.6	1	05/16/22 09:18	05/18/22 16:18	7440-09-7	
Selenium	0.33J	mg/kg	0.59	0.10	1	05/16/22 09:18	05/18/22 16:18	7782-49-2	
Silver	<0.17	mg/kg	0.59	0.17	1	05/16/22 09:18	05/18/22 16:18	7440-22-4	
Sodium	62.9	mg/kg	59.3	13.2	1	05/16/22 09:18	05/18/22 16:18	7440-23-5	
Thallium	0.17	mg/kg	0.12	0.043	1	05/16/22 09:18	05/18/22 16:18	7440-28-0	
Vanadium	36.3	mg/kg	1.2	0.21	1	05/16/22 09:18	05/18/22 16:18	7440-62-2	
Zinc	60.9	mg/kg	5.9	1.1	1	05/16/22 09:18	05/18/22 16:18	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.031J	mg/kg	0.044	0.013	1	05/17/22 08:33	05/18/22 12:46	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/16/22 12:51	05/16/22 18:38	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/16/22 12:51	05/16/22 18:38	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/16/22 18:38	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/16/22 18:38	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/16/22 18:38	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/16/22 12:51	05/16/22 18:38	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/16/22 18:38	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/16/22 18:38	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/16/22 12:51	05/16/22 18:38	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/16/22 18:38	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/16/22 18:38	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/16/22 12:51	05/16/22 18:38	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.092	0.028	1	05/16/22 12:51	05/16/22 18:38	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/16/22 18:38	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/16/22 18:38	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/16/22 18:38	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/16/22 12:51	05/16/22 18:38	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: SB-63 (4.5-5.5) **Lab ID: 40244640008** Collected: 05/09/22 13:55 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/16/22 12:51	05/16/22 18:38	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/16/22 18:38		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/16/22 12:51	05/16/22 18:38	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/16/22 18:38	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/16/22 18:38	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/16/22 12:51	05/16/22 18:38	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/16/22 18:38	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/16/22 18:38	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/16/22 18:38	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/16/22 12:51	05/16/22 18:38	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/16/22 18:38	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/16/22 12:51	05/16/22 18:38	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/16/22 12:51	05/16/22 18:38	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/16/22 18:38	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/16/22 18:38	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/16/22 18:38	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/16/22 18:38	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/16/22 18:38	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/16/22 12:51	05/16/22 18:38	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/16/22 18:38	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/16/22 18:38	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/16/22 18:38	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/16/22 18:38	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/16/22 12:51	05/16/22 18:38	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/16/22 12:51	05/16/22 18:38	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/16/22 12:51	05/16/22 18:38	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/16/22 18:38	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/16/22 12:51	05/16/22 18:38	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/16/22 18:38	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/16/22 12:51	05/16/22 18:38	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/16/22 18:38	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/16/22 18:38	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/16/22 12:51	05/16/22 18:38	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/16/22 18:38	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/16/22 18:38	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/16/22 18:38	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/16/22 18:38	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/16/22 12:51	05/16/22 18:38	86-30-6	
Naphthalene	<0.075	mg/kg	0.25	0.075	1	05/16/22 12:51	05/16/22 18:38	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/16/22 12:51	05/16/22 18:38	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/16/22 12:51	05/16/22 18:38	87-86-5	
Phenanthrene	<0.028	mg/kg	0.092	0.028	1	05/16/22 12:51	05/16/22 18:38	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/16/22 12:51	05/16/22 18:38	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/16/22 12:51	05/16/22 18:38	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-63 (4.5-5.5) **Lab ID: 40244640008** Collected: 05/09/22 13:55 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/16/22 18:38	111-91-1	
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/16/22 18:38	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/16/22 18:38	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	62	%	10-125		1	05/16/22 12:51	05/16/22 18:38	4165-60-0	
2-Fluorobiphenyl (S)	40	%	12-118		1	05/16/22 12:51	05/16/22 18:38	321-60-8	
Terphenyl-d14 (S)	70	%	10-124		1	05/16/22 12:51	05/16/22 18:38	1718-51-0	
Phenol-d6 (S)	51	%	10-125		1	05/16/22 12:51	05/16/22 18:38	13127-88-3	
2-Fluorophenol (S)	57	%	10-130		1	05/16/22 12:51	05/16/22 18:38	367-12-4	
2,4,6-Tribromophenol (S)	68	%	10-144		1	05/16/22 12:51	05/16/22 18:38	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/13/22 06:00	05/13/22 14:34	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0051	0.0026	1	05/13/22 06:00	05/13/22 14:34	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/13/22 06:00	05/13/22 14:34	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 14:34	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 14:34	75-35-4	
1,2-Dichloroethane	<0.00084	mg/kg	0.0051	0.00084	1	05/13/22 06:00	05/13/22 14:34	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 14:34	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.026	0.016	1	05/13/22 06:00	05/13/22 14:34	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/13/22 06:00	05/13/22 14:34	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.026	0.020	1	05/13/22 06:00	05/13/22 14:34	108-10-1	
Acetone	<0.048	mg/kg	0.10	0.048	1	05/13/22 06:00	05/13/22 14:34	67-64-1	
Benzene	<0.00072	mg/kg	0.0051	0.00072	1	05/13/22 06:00	05/13/22 14:34	71-43-2	
Bromodichloromethane	<0.00069	mg/kg	0.0051	0.00069	1	05/13/22 06:00	05/13/22 14:34	75-27-4	
Bromoform	<0.0083	mg/kg	0.020	0.0083	1	05/13/22 06:00	05/13/22 14:34	75-25-2	
Bromomethane	<0.0046	mg/kg	0.0051	0.0046	1	05/13/22 06:00	05/13/22 14:34	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 14:34	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0051	0.0032	1	05/13/22 06:00	05/13/22 14:34	56-23-5	
Chlorobenzene	<0.00094	mg/kg	0.0051	0.00094	1	05/13/22 06:00	05/13/22 14:34	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0051	0.0037	1	05/13/22 06:00	05/13/22 14:34	75-00-3	
Chloroform	<0.00086	mg/kg	0.0051	0.00086	1	05/13/22 06:00	05/13/22 14:34	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 14:34	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 14:34	124-48-1	
Ethylbenzene	<0.00091	mg/kg	0.0051	0.00091	1	05/13/22 06:00	05/13/22 14:34	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0051	0.0021	1	05/13/22 06:00	05/13/22 14:34	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0051	0.0040	1	05/13/22 06:00	05/13/22 14:34	75-09-2	
Styrene	<0.00072	mg/kg	0.0051	0.00072	1	05/13/22 06:00	05/13/22 14:34	100-42-5	
Tetrachloroethene	<0.00091	mg/kg	0.0051	0.00091	1	05/13/22 06:00	05/13/22 14:34	127-18-4	
Toluene	<0.00090	mg/kg	0.0051	0.00090	1	05/13/22 06:00	05/13/22 14:34	108-88-3	
Trichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/13/22 06:00	05/13/22 14:34	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0051	0.0013	1	05/13/22 06:00	05/13/22 14:34	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/13/22 06:00	05/13/22 14:34	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-63 (4.5-5.5) **Lab ID: 40244640008** Collected: 05/09/22 13:55 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/13/22 06:00	05/13/22 14:34	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 14:34	10061-01-5	
trans-1,2-Dichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/13/22 06:00	05/13/22 14:34	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 14:34	10061-02-6	
Surrogates									
Toluene-d8 (S)	97	%	69-156		1	05/13/22 06:00	05/13/22 14:34	2037-26-5	
4-Bromofluorobenzene (S)	89	%	61-175		1	05/13/22 06:00	05/13/22 14:34	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1	05/13/22 06:00	05/13/22 14:34	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.6	%	0.10	0.10	1		05/13/22 10:19		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.5	Std. Units	0.10	0.010	1		05/19/22 09:57		4q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.34	mg/kg	1.0	0.34	1	05/18/22 10:45	05/18/22 15:29	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: **SB-62 (1.0-2.0)** Lab ID: **40244640009** Collected: 05/09/22 13:15 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00053	mg/kg	0.0022	0.00053	1	05/11/22 16:22	05/19/22 03:03	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 16:22	05/19/22 03:03	319-84-6	
beta-BHC	<0.00067	mg/kg	0.0022	0.00067	1	05/11/22 16:22	05/19/22 03:03	319-85-7	
delta-BHC	<0.00040	mg/kg	0.0022	0.00040	1	05/11/22 16:22	05/19/22 03:03	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/11/22 16:22	05/19/22 03:03	58-89-9	
Chlordane (Technical)	<0.0072	mg/kg	0.022	0.0072	1	05/11/22 16:22	05/19/22 03:03	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/11/22 16:22	05/19/22 03:03	5103-71-9	
gamma-Chlordane	<0.00081	mg/kg	0.0022	0.00081	1	05/11/22 16:22	05/19/22 03:03	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0043	0.00044	1	05/11/22 16:22	05/19/22 03:03	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/11/22 16:22	05/19/22 03:03	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/11/22 16:22	05/19/22 03:03	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/11/22 16:22	05/19/22 03:03	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/11/22 16:22	05/19/22 03:03	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/11/22 16:22	05/19/22 03:03	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/11/22 16:22	05/19/22 03:03	1031-07-8	
Endrin	<0.00049	mg/kg	0.0043	0.00049	1	05/11/22 16:22	05/19/22 03:03	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/11/22 16:22	05/19/22 03:03	7421-93-4	L2
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/11/22 16:22	05/19/22 03:03	53494-70-5	
Heptachlor	<0.00059	mg/kg	0.0022	0.00059	1	05/11/22 16:22	05/19/22 03:03	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 16:22	05/19/22 03:03	1024-57-3	
Methoxychlor	<0.0067	mg/kg	0.022	0.0067	1	05/11/22 16:22	05/19/22 03:03	72-43-5	
Toxaphene	<0.021	mg/kg	0.065	0.021	1	05/11/22 16:22	05/19/22 03:03	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	70	%	53-138		1	05/11/22 16:22	05/19/22 03:03	877-09-8	
Decachlorobiphenyl (S)	55	%	30-150		1	05/11/22 16:22	05/19/22 03:03	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/11/22 06:11	05/13/22 13:04	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/11/22 06:11	05/13/22 13:04	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/11/22 06:11	05/13/22 13:04	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/11/22 06:11	05/13/22 13:04	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/11/22 06:11	05/13/22 13:04	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/11/22 06:11	05/13/22 13:04	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/11/22 06:11	05/13/22 13:04	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/11/22 06:11	05/13/22 13:04	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	68	%	50-99		1	05/11/22 06:11	05/13/22 13:04	877-09-8	
Decachlorobiphenyl (S)	62	%	38-95		1	05/11/22 06:11	05/13/22 13:04	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	12800	mg/kg	36.0	7.3	1	05/16/22 09:18	05/18/22 15:59	7429-90-5	
Antimony	0.30J	mg/kg	0.60	0.12	1	05/16/22 09:18	05/18/22 15:59	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: **SB-62 (1.0-2.0)** Lab ID: **40244640009** Collected: 05/09/22 13:15 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	4.9	mg/kg	0.60	0.13	1	05/16/22 09:18	05/18/22 15:59	7440-38-2	
Barium	157	mg/kg	0.36	0.064	1	05/16/22 09:18	05/18/22 15:59	7440-39-3	
Beryllium	0.83	mg/kg	0.24	0.048	1	05/16/22 09:18	05/18/22 15:59	7440-41-7	
Cadmium	0.43	mg/kg	0.096	0.038	1	05/16/22 09:18	05/18/22 15:59	7440-43-9	
Calcium	7310	mg/kg	120	14.2	1	05/16/22 09:18	05/18/22 15:59	7440-70-2	
Chromium	15.8	mg/kg	2.4	0.17	1	05/16/22 09:18	05/18/22 15:59	7440-47-3	
Cobalt	3.9	mg/kg	0.60	0.12	1	05/16/22 09:18	05/18/22 15:59	7440-48-4	
Copper	22.5	mg/kg	1.2	0.29	1	05/16/22 09:18	05/18/22 15:59	7440-50-8	
Iron	17700	mg/kg	60.0	12.6	1	05/16/22 09:18	05/18/22 15:59	7439-89-6	
Lead	38.2	mg/kg	0.60	0.035	1	05/16/22 09:18	05/18/22 15:59	7439-92-1	
Magnesium	2860	mg/kg	36.0	5.2	1	05/16/22 09:18	05/18/22 15:59	7439-95-4	
Manganese	283	mg/kg	0.60	0.29	1	05/16/22 09:18	05/18/22 15:59	7439-96-5	
Nickel	13.2	mg/kg	0.60	0.24	1	05/16/22 09:18	05/18/22 15:59	7440-02-0	
Potassium	1250	mg/kg	120	13.8	1	05/16/22 09:18	05/18/22 15:59	7440-09-7	
Selenium	1.2	mg/kg	0.60	0.10	1	05/16/22 09:18	05/18/22 15:59	7782-49-2	
Silver	<0.17	mg/kg	0.60	0.17	1	05/16/22 09:18	05/18/22 15:59	7440-22-4	
Sodium	92.1	mg/kg	60.0	13.3	1	05/16/22 09:18	05/18/22 15:59	7440-23-5	
Thallium	0.21	mg/kg	0.12	0.044	1	05/16/22 09:18	05/18/22 15:59	7440-28-0	
Vanadium	25.7	mg/kg	1.2	0.21	1	05/16/22 09:18	05/18/22 15:59	7440-62-2	
Zinc	88.2	mg/kg	6.0	1.1	1	05/16/22 09:18	05/18/22 15:59	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.093	mg/kg	0.043	0.012	1	05/17/22 08:33	05/18/22 12:48	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.074	mg/kg	0.25	0.074	3	05/16/22 12:51	05/17/22 22:06	120-82-1	
1,2-Dichlorobenzene	<0.21	mg/kg	0.69	0.21	3	05/16/22 12:51	05/17/22 22:06	95-50-1	
1,3-Dichlorobenzene	<0.091	mg/kg	0.30	0.091	3	05/16/22 12:51	05/17/22 22:06	541-73-1	
1,4-Dichlorobenzene	<0.091	mg/kg	0.30	0.091	3	05/16/22 12:51	05/17/22 22:06	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.17	mg/kg	0.56	0.17	3	05/16/22 12:51	05/17/22 22:06	108-60-1	
2,4,5-Trichlorophenol	<0.12	mg/kg	0.39	0.12	3	05/16/22 12:51	05/17/22 22:06	95-95-4	
2,4,6-Trichlorophenol	<0.10	mg/kg	0.33	0.10	3	05/16/22 12:51	05/17/22 22:06	88-06-2	
2,4-Dichlorophenol	<0.18	mg/kg	0.58	0.18	3	05/16/22 12:51	05/17/22 22:06	120-83-2	
2,4-Dimethylphenol	<0.13	mg/kg	0.43	0.13	3	05/16/22 12:51	05/17/22 22:06	105-67-9	
2,4-Dinitrophenol	<0.20	mg/kg	0.67	0.20	3	05/16/22 12:51	05/17/22 22:06	51-28-5	
2,4-Dinitrotoluene	<0.094	mg/kg	0.31	0.094	3	05/16/22 12:51	05/17/22 22:06	121-14-2	
2,6-Dinitrotoluene	<0.12	mg/kg	0.41	0.12	3	05/16/22 12:51	05/17/22 22:06	606-20-2	
2-Chloronaphthalene	<0.084	mg/kg	0.28	0.084	3	05/16/22 12:51	05/17/22 22:06	91-58-7	
2-Chlorophenol	<0.16	mg/kg	0.55	0.16	3	05/16/22 12:51	05/17/22 22:06	95-57-8	
2-Methylnaphthalene	0.49J	mg/kg	0.57	0.17	3	05/16/22 12:51	05/17/22 22:06	91-57-6	
2-Methylphenol(o-Cresol)	<0.12	mg/kg	0.40	0.12	3	05/16/22 12:51	05/17/22 22:06	95-48-7	
2-Nitroaniline	<0.19	mg/kg	0.62	0.19	3	05/16/22 12:51	05/17/22 22:06	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-62 (1.0-2.0) **Lab ID: 40244640009** Collected: 05/09/22 13:15 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.21	mg/kg	0.69	0.21	3	05/16/22 12:51	05/17/22 22:06	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.12	mg/kg	0.40	0.12	3	05/16/22 12:51	05/17/22 22:06		
3,3'-Dichlorobenzidine	<0.18	mg/kg	0.59	0.18	3	05/16/22 12:51	05/17/22 22:06	91-94-1	
3-Nitroaniline	<0.11	mg/kg	0.37	0.11	3	05/16/22 12:51	05/17/22 22:06	99-09-2	
4,6-Dinitro-2-methylphenol	<0.20	mg/kg	0.67	0.20	3	05/16/22 12:51	05/17/22 22:06	534-52-1	
4-Bromophenylphenyl ether	<0.14	mg/kg	0.46	0.14	3	05/16/22 12:51	05/17/22 22:06	101-55-3	
4-Chloro-3-methylphenol	<0.20	mg/kg	0.68	0.20	3	05/16/22 12:51	05/17/22 22:06	59-50-7	
4-Chloroaniline	<0.11	mg/kg	0.36	0.11	3	05/16/22 12:51	05/17/22 22:06	106-47-8	6q
4-Chlorophenylphenyl ether	<0.12	mg/kg	0.41	0.12	3	05/16/22 12:51	05/17/22 22:06	7005-72-3	
4-Nitroaniline	<0.27	mg/kg	0.91	0.27	3	05/16/22 12:51	05/17/22 22:06	100-01-6	
4-Nitrophenol	<0.16	mg/kg	0.55	0.16	3	05/16/22 12:51	05/17/22 22:06	100-02-7	
Acenaphthene	<0.23	mg/kg	0.77	0.23	3	05/16/22 12:51	05/17/22 22:06	83-32-9	
Acenaphthylene	<0.23	mg/kg	0.78	0.23	3	05/16/22 12:51	05/17/22 22:06	208-96-8	
Anthracene	<0.10	mg/kg	0.35	0.10	3	05/16/22 12:51	05/17/22 22:06	120-12-7	
Benzo(a)anthracene	0.11J	mg/kg	0.34	0.10	3	05/16/22 12:51	05/17/22 22:06	56-55-3	
Benzo(a)pyrene	<0.099	mg/kg	0.33	0.099	3	05/16/22 12:51	05/17/22 22:06	50-32-8	
Benzo(b)fluoranthene	<0.11	mg/kg	0.38	0.11	3	05/16/22 12:51	05/17/22 22:06	205-99-2	
Benzo(g,h,i)perylene	<0.17	mg/kg	0.57	0.17	3	05/16/22 12:51	05/17/22 22:06	191-24-2	
Benzo(k)fluoranthene	<0.16	mg/kg	0.52	0.16	3	05/16/22 12:51	05/17/22 22:06	207-08-9	
Butylbenzylphthalate	<0.11	mg/kg	0.35	0.11	3	05/16/22 12:51	05/17/22 22:06	85-68-7	
Carbazole	<0.10	mg/kg	0.34	0.10	3	05/16/22 12:51	05/17/22 22:06	86-74-8	
Chrysene	0.11J	mg/kg	0.33	0.098	3	05/16/22 12:51	05/17/22 22:06	218-01-9	
Di-n-butylphthalate	<0.098	mg/kg	0.33	0.098	3	05/16/22 12:51	05/17/22 22:06	84-74-2	
Di-n-octylphthalate	<0.15	mg/kg	0.49	0.15	3	05/16/22 12:51	05/17/22 22:06	117-84-0	
Dibenz(a,h)anthracene	<0.18	mg/kg	0.59	0.18	3	05/16/22 12:51	05/17/22 22:06	53-70-3	
Dibenzofuran	0.10J	mg/kg	0.26	0.079	3	05/16/22 12:51	05/17/22 22:06	132-64-9	
Diethylphthalate	<0.11	mg/kg	0.36	0.11	3	05/16/22 12:51	05/17/22 22:06	84-66-2	
Dimethylphthalate	<0.085	mg/kg	0.28	0.085	3	05/16/22 12:51	05/17/22 22:06	131-11-3	
Fluoranthene	0.21J	mg/kg	0.31	0.093	3	05/16/22 12:51	05/17/22 22:06	206-44-0	
Fluorene	<0.077	mg/kg	0.26	0.077	3	05/16/22 12:51	05/17/22 22:06	86-73-7	
Hexachloro-1,3-butadiene	<0.17	mg/kg	0.56	0.17	3	05/16/22 12:51	05/17/22 22:06	87-68-3	
Hexachlorobenzene	<0.11	mg/kg	0.37	0.11	3	05/16/22 12:51	05/17/22 22:06	118-74-1	
Hexachlorocyclopentadiene	<0.16	mg/kg	0.52	0.16	3	05/16/22 12:51	05/17/22 22:06	77-47-4	
Hexachloroethane	<0.10	mg/kg	0.35	0.10	3	05/16/22 12:51	05/17/22 22:06	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.14	mg/kg	0.47	0.14	3	05/16/22 12:51	05/17/22 22:06	193-39-5	
Isophorone	<0.10	mg/kg	0.34	0.10	3	05/16/22 12:51	05/17/22 22:06	78-59-1	
N-Nitroso-di-n-propylamine	<0.10	mg/kg	0.35	0.10	3	05/16/22 12:51	05/17/22 22:06	621-64-7	
N-Nitrosodiphenylamine	<0.89	mg/kg	3.0	0.89	3	05/16/22 12:51	05/17/22 22:06	86-30-6	
Naphthalene	0.28J	mg/kg	0.76	0.23	3	05/16/22 12:51	05/17/22 22:06	91-20-3	
Nitrobenzene	<0.13	mg/kg	0.44	0.13	3	05/16/22 12:51	05/17/22 22:06	98-95-3	
Pentachlorophenol	<0.14	mg/kg	0.48	0.14	3	05/16/22 12:51	05/17/22 22:06	87-86-5	
Phenanthrene	0.27J	mg/kg	0.28	0.084	3	05/16/22 12:51	05/17/22 22:06	85-01-8	
Phenol	<0.16	mg/kg	0.52	0.16	3	05/16/22 12:51	05/17/22 22:06	108-95-2	D3
Pyrene	0.21J	mg/kg	0.48	0.15	3	05/16/22 12:51	05/17/22 22:06	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-62 (1.0-2.0) **Lab ID: 40244640009** Collected: 05/09/22 13:15 Received: 05/10/22 11:00 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.18	mg/kg	0.59	0.18	3	05/16/22 12:51	05/17/22 22:06	111-91-1	
bis(2-Chloroethyl) ether	<0.20	mg/kg	0.68	0.20	3	05/16/22 12:51	05/17/22 22:06	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.11	mg/kg	0.36	0.11	3	05/16/22 12:51	05/17/22 22:06	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	70	%	10-125		3	05/16/22 12:51	05/17/22 22:06	4165-60-0	
2-Fluorobiphenyl (S)	72	%	12-118		3	05/16/22 12:51	05/17/22 22:06	321-60-8	
Terphenyl-d14 (S)	75	%	10-124		3	05/16/22 12:51	05/17/22 22:06	1718-51-0	
Phenol-d6 (S)	51	%	10-125		3	05/16/22 12:51	05/17/22 22:06	13127-88-3	
2-Fluorophenol (S)	54	%	10-130		3	05/16/22 12:51	05/17/22 22:06	367-12-4	
2,4,6-Tribromophenol (S)	78	%	10-144		3	05/16/22 12:51	05/17/22 22:06	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0055	0.0017	1	05/13/22 06:00	05/13/22 14:58	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0055	0.0028	1	05/13/22 06:00	05/13/22 14:58	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0055	0.0017	1	05/13/22 06:00	05/13/22 14:58	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0055	0.0012	1	05/13/22 06:00	05/13/22 14:58	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0055	0.0011	1	05/13/22 06:00	05/13/22 14:58	75-35-4	
1,2-Dichloroethane	<0.00090	mg/kg	0.0055	0.00090	1	05/13/22 06:00	05/13/22 14:58	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0055	0.0011	1	05/13/22 06:00	05/13/22 14:58	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/13/22 06:00	05/13/22 14:58	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/13/22 06:00	05/13/22 14:58	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.027	0.022	1	05/13/22 06:00	05/13/22 14:58	108-10-1	
Acetone	<0.051	mg/kg	0.11	0.051	1	05/13/22 06:00	05/13/22 14:58	67-64-1	
Benzene	<0.00077	mg/kg	0.0055	0.00077	1	05/13/22 06:00	05/13/22 14:58	71-43-2	
Bromodichloromethane	<0.00074	mg/kg	0.0055	0.00074	1	05/13/22 06:00	05/13/22 14:58	75-27-4	
Bromoform	<0.0089	mg/kg	0.022	0.0089	1	05/13/22 06:00	05/13/22 14:58	75-25-2	
Bromomethane	<0.0049	mg/kg	0.0055	0.0049	1	05/13/22 06:00	05/13/22 14:58	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0055	0.0012	1	05/13/22 06:00	05/13/22 14:58	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0055	0.0034	1	05/13/22 06:00	05/13/22 14:58	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0055	0.0010	1	05/13/22 06:00	05/13/22 14:58	108-90-7	
Chloroethane	<0.0040	mg/kg	0.0055	0.0040	1	05/13/22 06:00	05/13/22 14:58	75-00-3	
Chloroform	<0.00092	mg/kg	0.0055	0.00092	1	05/13/22 06:00	05/13/22 14:58	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0055	0.0012	1	05/13/22 06:00	05/13/22 14:58	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0055	0.0011	1	05/13/22 06:00	05/13/22 14:58	124-48-1	
Ethylbenzene	<0.00098	mg/kg	0.0055	0.00098	1	05/13/22 06:00	05/13/22 14:58	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0055	0.0022	1	05/13/22 06:00	05/13/22 14:58	1634-04-4	
Methylene Chloride	<0.0043	mg/kg	0.0055	0.0043	1	05/13/22 06:00	05/13/22 14:58	75-09-2	
Styrene	<0.00077	mg/kg	0.0055	0.00077	1	05/13/22 06:00	05/13/22 14:58	100-42-5	
Tetrachloroethene	<0.00097	mg/kg	0.0055	0.00097	1	05/13/22 06:00	05/13/22 14:58	127-18-4	
Toluene	<0.00096	mg/kg	0.0055	0.00096	1	05/13/22 06:00	05/13/22 14:58	108-88-3	
Trichloroethene	<0.00078	mg/kg	0.0055	0.00078	1	05/13/22 06:00	05/13/22 14:58	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0055	0.0014	1	05/13/22 06:00	05/13/22 14:58	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/13/22 06:00	05/13/22 14:58	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-62 (1.0-2.0) **Lab ID: 40244640009** Collected: 05/09/22 13:15 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00096	mg/kg	0.0055	0.00096	1	05/13/22 06:00	05/13/22 14:58	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0055	0.0011	1	05/13/22 06:00	05/13/22 14:58	10061-01-5	
trans-1,2-Dichloroethene	<0.00078	mg/kg	0.0055	0.00078	1	05/13/22 06:00	05/13/22 14:58	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0055	0.0011	1	05/13/22 06:00	05/13/22 14:58	10061-02-6	
Surrogates									
Toluene-d8 (S)	96	%	69-156		1	05/13/22 06:00	05/13/22 14:58	2037-26-5	
4-Bromofluorobenzene (S)	84	%	61-175		1	05/13/22 06:00	05/13/22 14:58	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1	05/13/22 06:00	05/13/22 14:58	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.6	%	0.10	0.10	1		05/13/22 10:19		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.3	Std. Units	0.10	0.010	1		05/19/22 10:06		4q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.32	mg/kg	0.96	0.32	1	05/18/22 10:45	05/18/22 15:30	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-62 (4.5-5.5) **Lab ID: 40244640010** Collected: 05/09/22 13:20 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00051	mg/kg	0.0021	0.00051	1	05/11/22 16:22	05/19/22 03:22	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/11/22 16:22	05/19/22 03:22	319-84-6	
beta-BHC	<0.00066	mg/kg	0.0021	0.00066	1	05/11/22 16:22	05/19/22 03:22	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0021	0.00039	1	05/11/22 16:22	05/19/22 03:22	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/11/22 16:22	05/19/22 03:22	58-89-9	
Chlordane (Technical)	<0.0070	mg/kg	0.021	0.0070	1	05/11/22 16:22	05/19/22 03:22	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/11/22 16:22	05/19/22 03:22	5103-71-9	
gamma-Chlordane	<0.00079	mg/kg	0.0021	0.00079	1	05/11/22 16:22	05/19/22 03:22	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0042	0.00043	1	05/11/22 16:22	05/19/22 03:22	72-54-8	
4,4'-DDE	<0.00049	mg/kg	0.0042	0.00049	1	05/11/22 16:22	05/19/22 03:22	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0042	0.0013	1	05/11/22 16:22	05/19/22 03:22	50-29-3	
Dieldrin	<0.00040	mg/kg	0.0042	0.00040	1	05/11/22 16:22	05/19/22 03:22	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0021	0.00024	1	05/11/22 16:22	05/19/22 03:22	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0042	0.0010	1	05/11/22 16:22	05/19/22 03:22	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0042	0.0010	1	05/11/22 16:22	05/19/22 03:22	1031-07-8	
Endrin	<0.00048	mg/kg	0.0042	0.00048	1	05/11/22 16:22	05/19/22 03:22	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0042	0.0014	1	05/11/22 16:22	05/19/22 03:22	7421-93-4	L2
Endrin ketone	<0.0011	mg/kg	0.0042	0.0011	1	05/11/22 16:22	05/19/22 03:22	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0021	0.00057	1	05/11/22 16:22	05/19/22 03:22	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0021	0.00022	1	05/11/22 16:22	05/19/22 03:22	1024-57-3	
Methoxychlor	<0.0065	mg/kg	0.021	0.0065	1	05/11/22 16:22	05/19/22 03:22	72-43-5	
Toxaphene	<0.020	mg/kg	0.064	0.020	1	05/11/22 16:22	05/19/22 03:22	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	67	%	53-138		1	05/11/22 16:22	05/19/22 03:22	877-09-8	
Decachlorobiphenyl (S)	63	%	30-150		1	05/11/22 16:22	05/19/22 03:22	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.064	0.019	1	05/11/22 06:11	05/13/22 13:29	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.064	0.019	1	05/11/22 06:11	05/13/22 13:29	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.064	0.019	1	05/11/22 06:11	05/13/22 13:29	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.064	0.019	1	05/11/22 06:11	05/13/22 13:29	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.064	0.019	1	05/11/22 06:11	05/13/22 13:29	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.064	0.019	1	05/11/22 06:11	05/13/22 13:29	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.064	0.019	1	05/11/22 06:11	05/13/22 13:29	11096-82-5	
PCB, Total	<0.019	mg/kg	0.064	0.019	1	05/11/22 06:11	05/13/22 13:29	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	77	%	50-99		1	05/11/22 06:11	05/13/22 13:29	877-09-8	
Decachlorobiphenyl (S)	74	%	38-95		1	05/11/22 06:11	05/13/22 13:29	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	14500	mg/kg	35.8	7.2	1	05/16/22 09:18	05/18/22 16:03	7429-90-5	
Antimony	0.19J	mg/kg	0.60	0.11	1	05/16/22 09:18	05/18/22 16:03	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: **SB-62 (4.5-5.5)** Lab ID: **40244640010** Collected: 05/09/22 13:20 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	7.2	mg/kg	0.60	0.13	1	05/16/22 09:18	05/18/22 16:03	7440-38-2	
Barium	184	mg/kg	0.36	0.064	1	05/16/22 09:18	05/18/22 16:03	7440-39-3	
Beryllium	0.86	mg/kg	0.24	0.047	1	05/16/22 09:18	05/18/22 16:03	7440-41-7	
Cadmium	0.20	mg/kg	0.095	0.037	1	05/16/22 09:18	05/18/22 16:03	7440-43-9	
Calcium	4620	mg/kg	119	14.1	1	05/16/22 09:18	05/18/22 16:03	7440-70-2	
Chromium	18.6	mg/kg	2.4	0.17	1	05/16/22 09:18	05/18/22 16:03	7440-47-3	
Cobalt	8.1	mg/kg	0.60	0.12	1	05/16/22 09:18	05/18/22 16:03	7440-48-4	
Copper	21.1	mg/kg	1.2	0.29	1	05/16/22 09:18	05/18/22 16:03	7440-50-8	
Iron	18900	mg/kg	59.7	12.5	1	05/16/22 09:18	05/18/22 16:03	7439-89-6	
Lead	14.5	mg/kg	0.60	0.035	1	05/16/22 09:18	05/18/22 16:03	7439-92-1	
Magnesium	3790	mg/kg	35.8	5.1	1	05/16/22 09:18	05/18/22 16:03	7439-95-4	
Manganese	387	mg/kg	0.60	0.29	1	05/16/22 09:18	05/18/22 16:03	7439-96-5	
Nickel	19.0	mg/kg	0.60	0.24	1	05/16/22 09:18	05/18/22 16:03	7440-02-0	
Potassium	592	mg/kg	119	13.7	1	05/16/22 09:18	05/18/22 16:03	7440-09-7	
Selenium	0.32J	mg/kg	0.60	0.10	1	05/16/22 09:18	05/18/22 16:03	7782-49-2	
Silver	<0.17	mg/kg	0.60	0.17	1	05/16/22 09:18	05/18/22 16:03	7440-22-4	
Sodium	145	mg/kg	59.7	13.2	1	05/16/22 09:18	05/18/22 16:03	7440-23-5	
Thallium	0.14	mg/kg	0.12	0.044	1	05/16/22 09:18	05/18/22 16:03	7440-28-0	
Vanadium	34.7	mg/kg	1.2	0.21	1	05/16/22 09:18	05/18/22 16:03	7440-62-2	
Zinc	58.6	mg/kg	6.0	1.1	1	05/16/22 09:18	05/18/22 16:03	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.043J	mg/kg	0.044	0.013	1	05/17/22 08:33	05/18/22 12:50	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/16/22 12:51	05/17/22 14:40	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/17/22 14:40	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/16/22 12:51	05/17/22 14:40	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/16/22 12:51	05/17/22 14:40	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/17/22 14:40	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/16/22 12:51	05/17/22 14:40	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 14:40	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/17/22 14:40	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/16/22 12:51	05/17/22 14:40	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/16/22 12:51	05/17/22 14:40	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/17/22 14:40	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/17/22 14:40	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/16/22 12:51	05/17/22 14:40	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/16/22 12:51	05/17/22 14:40	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/17/22 14:40	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/17/22 14:40	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/16/22 12:51	05/17/22 14:40	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: SB-62 (4.5-5.5) **Lab ID: 40244640010** Collected: 05/09/22 13:20 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/17/22 14:40	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/17/22 14:40		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/17/22 14:40	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 14:40	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/17/22 14:40	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/16/22 12:51	05/17/22 14:40	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/17/22 14:40	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 14:40	106-47-8	6q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/17/22 14:40	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/16/22 12:51	05/17/22 14:40	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/17/22 14:40	100-02-7	
Acenaphthene	<0.076	mg/kg	0.25	0.076	1	05/16/22 12:51	05/17/22 14:40	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/16/22 12:51	05/17/22 14:40	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 14:40	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 14:40	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 14:40	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 14:40	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/17/22 14:40	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/16/22 12:51	05/17/22 14:40	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 14:40	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 14:40	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 14:40	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 14:40	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/16/22 12:51	05/17/22 14:40	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/17/22 14:40	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/16/22 12:51	05/17/22 14:40	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 14:40	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.092	0.028	1	05/16/22 12:51	05/17/22 14:40	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/17/22 14:40	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/16/22 12:51	05/17/22 14:40	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/17/22 14:40	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 14:40	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/16/22 12:51	05/17/22 14:40	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 14:40	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/16/22 12:51	05/17/22 14:40	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 14:40	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 14:40	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/16/22 12:51	05/17/22 14:40	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/16/22 12:51	05/17/22 14:40	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/16/22 12:51	05/17/22 14:40	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/17/22 14:40	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/16/22 12:51	05/17/22 14:40	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/16/22 12:51	05/17/22 14:40	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/17/22 14:40	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-62 (4.5-5.5) **Lab ID: 40244640010** Collected: 05/09/22 13:20 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/17/22 14:40	111-91-1	
bis(2-Chloroethyl) ether	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/17/22 14:40	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 14:40	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	60	%	10-125		1	05/16/22 12:51	05/17/22 14:40	4165-60-0	
2-Fluorobiphenyl (S)	59	%	12-118		1	05/16/22 12:51	05/17/22 14:40	321-60-8	
Terphenyl-d14 (S)	73	%	10-124		1	05/16/22 12:51	05/17/22 14:40	1718-51-0	
Phenol-d6 (S)	53	%	10-125		1	05/16/22 12:51	05/17/22 14:40	13127-88-3	
2-Fluorophenol (S)	52	%	10-130		1	05/16/22 12:51	05/17/22 14:40	367-12-4	
2,4,6-Tribromophenol (S)	72	%	10-144		1	05/16/22 12:51	05/17/22 14:40	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/13/22 06:00	05/13/22 15:23	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0050	0.0026	1	05/13/22 06:00	05/13/22 15:23	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/13/22 06:00	05/13/22 15:23	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/13/22 06:00	05/13/22 15:23	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0050	0.0011	1	05/13/22 06:00	05/13/22 15:23	75-35-4	
1,2-Dichloroethane	<0.00083	mg/kg	0.0050	0.00083	1	05/13/22 06:00	05/13/22 15:23	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/13/22 06:00	05/13/22 15:23	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/13/22 06:00	05/13/22 15:23	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/13/22 06:00	05/13/22 15:23	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/13/22 06:00	05/13/22 15:23	108-10-1	
Acetone	<0.048	mg/kg	0.10	0.048	1	05/13/22 06:00	05/13/22 15:23	67-64-1	
Benzene	<0.00071	mg/kg	0.0050	0.00071	1	05/13/22 06:00	05/13/22 15:23	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/13/22 06:00	05/13/22 15:23	75-27-4	
Bromoform	<0.0082	mg/kg	0.020	0.0082	1	05/13/22 06:00	05/13/22 15:23	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0050	0.0045	1	05/13/22 06:00	05/13/22 15:23	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/13/22 06:00	05/13/22 15:23	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0050	0.0032	1	05/13/22 06:00	05/13/22 15:23	56-23-5	
Chlorobenzene	<0.00093	mg/kg	0.0050	0.00093	1	05/13/22 06:00	05/13/22 15:23	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0050	0.0037	1	05/13/22 06:00	05/13/22 15:23	75-00-3	
Chloroform	<0.00085	mg/kg	0.0050	0.00085	1	05/13/22 06:00	05/13/22 15:23	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/13/22 06:00	05/13/22 15:23	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/13/22 06:00	05/13/22 15:23	124-48-1	
Ethylbenzene	<0.00090	mg/kg	0.0050	0.00090	1	05/13/22 06:00	05/13/22 15:23	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0050	0.0021	1	05/13/22 06:00	05/13/22 15:23	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0050	0.0040	1	05/13/22 06:00	05/13/22 15:23	75-09-2	
Styrene	<0.00071	mg/kg	0.0050	0.00071	1	05/13/22 06:00	05/13/22 15:23	100-42-5	
Tetrachloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/13/22 06:00	05/13/22 15:23	127-18-4	
Toluene	<0.00089	mg/kg	0.0050	0.00089	1	05/13/22 06:00	05/13/22 15:23	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/13/22 06:00	05/13/22 15:23	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/13/22 06:00	05/13/22 15:23	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.010	0.0034	1	05/13/22 06:00	05/13/22 15:23	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: SB-62 (4.5-5.5) **Lab ID: 40244640010** Collected: 05/09/22 13:20 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay								
cis-1,2-Dichloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/13/22 06:00	05/13/22 15:23	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/13/22 06:00	05/13/22 15:23	10061-01-5	
trans-1,2-Dichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/13/22 06:00	05/13/22 15:23	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/13/22 06:00	05/13/22 15:23	10061-02-6	
Surrogates									
Toluene-d8 (S)	94	%	69-156		1	05/13/22 06:00	05/13/22 15:23	2037-26-5	
4-Bromofluorobenzene (S)	78	%	61-175		1	05/13/22 06:00	05/13/22 15:23	460-00-4	
1,2-Dichlorobenzene-d4 (S)	95	%	70-130		1	05/13/22 06:00	05/13/22 15:23	2199-69-1	
Percent Moisture	Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay								
Percent Moisture	21.7	%	0.10	0.10	1		05/13/22 10:19		
9040 pH	Analytical Method: EPA 9040 Pace Analytical Services - Green Bay								
pH at 25 Degrees C	7.4	Std. Units	0.10	0.010	1		05/19/22 10:08		4q,H6
9012 Cyanide, Total	Analytical Method: EPA 9012B Preparation Method: EPA 9012B Pace Analytical Services - Green Bay								
Cyanide	<0.34	mg/kg	1.0	0.34	1	05/18/22 10:45	05/18/22 15:31	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-59 (1.0-2.0) **Lab ID: 40244640011** Collected: 05/09/22 11:50 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00049	mg/kg	0.0020	0.00049	1	05/11/22 16:22	05/19/22 03:41	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0020	0.00021	1	05/11/22 16:22	05/19/22 03:41	319-84-6	
beta-BHC	<0.00063	mg/kg	0.0020	0.00063	1	05/11/22 16:22	05/19/22 03:41	319-85-7	
delta-BHC	0.00049J	mg/kg	0.0020	0.00037	1	05/11/22 16:22	05/19/22 03:41	319-86-8	
gamma-BHC (Lindane)	<0.00020	mg/kg	0.0020	0.00020	1	05/11/22 16:22	05/19/22 03:41	58-89-9	
Chlordane (Technical)	<0.0067	mg/kg	0.020	0.0067	1	05/11/22 16:22	05/19/22 03:41	57-74-9	
alpha-Chlordane	<0.00025	mg/kg	0.0020	0.00025	1	05/11/22 16:22	05/19/22 03:41	5103-71-9	
gamma-Chlordane	<0.00076	mg/kg	0.0020	0.00076	1	05/11/22 16:22	05/19/22 03:41	5103-74-2	
4,4'-DDD	<0.00041	mg/kg	0.0041	0.00041	1	05/11/22 16:22	05/19/22 03:41	72-54-8	
4,4'-DDE	<0.00047	mg/kg	0.0041	0.00047	1	05/11/22 16:22	05/19/22 03:41	72-55-9	
4,4'-DDT	<0.0012	mg/kg	0.0041	0.0012	1	05/11/22 16:22	05/19/22 03:41	50-29-3	
Dieldrin	<0.00039	mg/kg	0.0041	0.00039	1	05/11/22 16:22	05/19/22 03:41	60-57-1	
Endosulfan I	<0.00023	mg/kg	0.0020	0.00023	1	05/11/22 16:22	05/19/22 03:41	959-98-8	
Endosulfan II	<0.00097	mg/kg	0.0041	0.00097	1	05/11/22 16:22	05/19/22 03:41	33213-65-9	
Endosulfan sulfate	<0.00096	mg/kg	0.0041	0.00096	1	05/11/22 16:22	05/19/22 03:41	1031-07-8	
Endrin	<0.00046	mg/kg	0.0041	0.00046	1	05/11/22 16:22	05/19/22 03:41	72-20-8	
Endrin aldehyde	<0.0013	mg/kg	0.0041	0.0013	1	05/11/22 16:22	05/19/22 03:41	7421-93-4	L2
Endrin ketone	<0.0011	mg/kg	0.0041	0.0011	1	05/11/22 16:22	05/19/22 03:41	53494-70-5	
Heptachlor	<0.00055	mg/kg	0.0020	0.00055	1	05/11/22 16:22	05/19/22 03:41	76-44-8	
Heptachlor epoxide	<0.00021	mg/kg	0.0020	0.00021	1	05/11/22 16:22	05/19/22 03:41	1024-57-3	
Methoxychlor	<0.0063	mg/kg	0.020	0.0063	1	05/11/22 16:22	05/19/22 03:41	72-43-5	
Toxaphene	<0.019	mg/kg	0.061	0.019	1	05/11/22 16:22	05/19/22 03:41	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	76	%	53-138		1	05/11/22 16:22	05/19/22 03:41	877-09-8	
Decachlorobiphenyl (S)	71	%	30-150		1	05/11/22 16:22	05/19/22 03:41	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.061	0.019	1	05/11/22 06:11	05/13/22 13:54	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.061	0.019	1	05/11/22 06:11	05/13/22 13:54	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.061	0.019	1	05/11/22 06:11	05/13/22 13:54	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.061	0.019	1	05/11/22 06:11	05/13/22 13:54	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.061	0.019	1	05/11/22 06:11	05/13/22 13:54	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.061	0.019	1	05/11/22 06:11	05/13/22 13:54	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.061	0.019	1	05/11/22 06:11	05/13/22 13:54	11096-82-5	
PCB, Total	<0.019	mg/kg	0.061	0.019	1	05/11/22 06:11	05/13/22 13:54	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	72	%	50-99		1	05/11/22 06:11	05/13/22 13:54	877-09-8	
Decachlorobiphenyl (S)	72	%	38-95		1	05/11/22 06:11	05/13/22 13:54	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	9670	mg/kg	35.4	7.1	1	05/16/22 09:18	05/18/22 15:48	7429-90-5	
Antimony	<0.11	mg/kg	0.59	0.11	1	05/16/22 09:18	05/18/22 15:48	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: **SB-59 (1.0-2.0)** Lab ID: **40244640011** Collected: 05/09/22 11:50 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	2.5	mg/kg	0.59	0.13	1	05/16/22 09:18	05/18/22 15:48	7440-38-2	
Barium	61.8	mg/kg	0.35	0.063	1	05/16/22 09:18	05/18/22 15:48	7440-39-3	
Beryllium	0.58	mg/kg	0.24	0.047	1	05/16/22 09:18	05/18/22 15:48	7440-41-7	
Cadmium	<0.037	mg/kg	0.094	0.037	1	05/16/22 09:18	05/18/22 15:48	7440-43-9	
Calcium	3910	mg/kg	118	13.9	1	05/16/22 09:18	05/18/22 15:48	7440-70-2	
Chromium	15.2	mg/kg	2.4	0.17	1	05/16/22 09:18	05/18/22 15:48	7440-47-3	
Cobalt	3.3	mg/kg	0.59	0.12	1	05/16/22 09:18	05/18/22 15:48	7440-48-4	
Copper	8.6	mg/kg	1.2	0.29	1	05/16/22 09:18	05/18/22 15:48	7440-50-8	
Iron	9620	mg/kg	58.9	12.4	1	05/16/22 09:18	05/18/22 15:48	7439-89-6	
Lead	7.6	mg/kg	0.59	0.035	1	05/16/22 09:18	05/18/22 15:48	7439-92-1	
Magnesium	2440	mg/kg	35.4	5.1	1	05/16/22 09:18	05/18/22 15:48	7439-95-4	
Manganese	125	mg/kg	0.59	0.29	1	05/16/22 09:18	05/18/22 15:48	7439-96-5	
Nickel	9.2	mg/kg	0.59	0.23	1	05/16/22 09:18	05/18/22 15:48	7440-02-0	
Potassium	639	mg/kg	118	13.6	1	05/16/22 09:18	05/18/22 15:48	7440-09-7	
Selenium	0.23J	mg/kg	0.59	0.10	1	05/16/22 09:18	05/18/22 15:48	7782-49-2	
Silver	<0.17	mg/kg	0.59	0.17	1	05/16/22 09:18	05/18/22 15:48	7440-22-4	
Sodium	32.1J	mg/kg	58.9	13.1	1	05/16/22 09:18	05/18/22 15:48	7440-23-5	
Thallium	0.060J	mg/kg	0.12	0.043	1	05/16/22 09:18	05/18/22 15:48	7440-28-0	
Vanadium	22.5	mg/kg	1.2	0.21	1	05/16/22 09:18	05/18/22 15:48	7440-62-2	
Zinc	20.6	mg/kg	5.9	1.1	1	05/16/22 09:18	05/18/22 15:48	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.058	mg/kg	0.041	0.012	1	05/17/22 08:33	05/18/22 12:53	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.023	mg/kg	0.077	0.023	1	05/16/22 12:51	05/17/22 15:01	120-82-1	
1,2-Dichlorobenzene	<0.064	mg/kg	0.21	0.064	1	05/16/22 12:51	05/17/22 15:01	95-50-1	
1,3-Dichlorobenzene	<0.028	mg/kg	0.094	0.028	1	05/16/22 12:51	05/17/22 15:01	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.095	0.029	1	05/16/22 12:51	05/17/22 15:01	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.053	mg/kg	0.18	0.053	1	05/16/22 12:51	05/17/22 15:01	108-60-1	
2,4,5-Trichlorophenol	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 15:01	95-95-4	
2,4,6-Trichlorophenol	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/17/22 15:01	88-06-2	
2,4-Dichlorophenol	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/17/22 15:01	120-83-2	
2,4-Dimethylphenol	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/17/22 15:01	105-67-9	
2,4-Dinitrophenol	<0.062	mg/kg	0.21	0.062	1	05/16/22 12:51	05/17/22 15:01	51-28-5	
2,4-Dinitrotoluene	<0.029	mg/kg	0.098	0.029	1	05/16/22 12:51	05/17/22 15:01	121-14-2	
2,6-Dinitrotoluene	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/17/22 15:01	606-20-2	
2-Chloronaphthalene	<0.026	mg/kg	0.088	0.026	1	05/16/22 12:51	05/17/22 15:01	91-58-7	
2-Chlorophenol	<0.051	mg/kg	0.17	0.051	1	05/16/22 12:51	05/17/22 15:01	95-57-8	
2-Methylnaphthalene	0.13J	mg/kg	0.18	0.053	1	05/16/22 12:51	05/17/22 15:01	91-57-6	
2-Methylphenol(o-Cresol)	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 15:01	95-48-7	
2-Nitroaniline	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/17/22 15:01	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: **SB-59 (1.0-2.0)** Lab ID: **40244640011** Collected: 05/09/22 11:50 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.065	mg/kg	0.22	0.065	1	05/16/22 12:51	05/17/22 15:01	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.038	mg/kg	0.13	0.038	1	05/16/22 12:51	05/17/22 15:01		
3,3'-Dichlorobenzidine	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/17/22 15:01	91-94-1	
3-Nitroaniline	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 15:01	99-09-2	
4,6-Dinitro-2-methylphenol	<0.063	mg/kg	0.21	0.063	1	05/16/22 12:51	05/17/22 15:01	534-52-1	
4-Bromophenylphenyl ether	<0.043	mg/kg	0.14	0.043	1	05/16/22 12:51	05/17/22 15:01	101-55-3	
4-Chloro-3-methylphenol	<0.064	mg/kg	0.21	0.064	1	05/16/22 12:51	05/17/22 15:01	59-50-7	
4-Chloroaniline	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 15:01	106-47-8	6q
4-Chlorophenylphenyl ether	<0.038	mg/kg	0.13	0.038	1	05/16/22 12:51	05/17/22 15:01	7005-72-3	
4-Nitroaniline	<0.085	mg/kg	0.28	0.085	1	05/16/22 12:51	05/17/22 15:01	100-01-6	
4-Nitrophenol	<0.052	mg/kg	0.17	0.052	1	05/16/22 12:51	05/17/22 15:01	100-02-7	
Acenaphthene	<0.073	mg/kg	0.24	0.073	1	05/16/22 12:51	05/17/22 15:01	83-32-9	
Acenaphthylene	<0.073	mg/kg	0.24	0.073	1	05/16/22 12:51	05/17/22 15:01	208-96-8	
Anthracene	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 15:01	120-12-7	
Benzo(a)anthracene	0.033J	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 15:01	56-55-3	
Benzo(a)pyrene	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/17/22 15:01	50-32-8	
Benzo(b)fluoranthene	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 15:01	205-99-2	
Benzo(g,h,i)perylene	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/17/22 15:01	191-24-2	
Benzo(k)fluoranthene	<0.049	mg/kg	0.16	0.049	1	05/16/22 12:51	05/17/22 15:01	207-08-9	
Butylbenzylphthalate	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 15:01	85-68-7	
Carbazole	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 15:01	86-74-8	
Chrysene	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/17/22 15:01	218-01-9	
Di-n-butylphthalate	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/17/22 15:01	84-74-2	
Di-n-octylphthalate	<0.046	mg/kg	0.15	0.046	1	05/16/22 12:51	05/17/22 15:01	117-84-0	
Dibenz(a,h)anthracene	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/17/22 15:01	53-70-3	
Dibenzofuran	<0.025	mg/kg	0.083	0.025	1	05/16/22 12:51	05/17/22 15:01	132-64-9	
Diethylphthalate	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 15:01	84-66-2	
Dimethylphthalate	<0.027	mg/kg	0.089	0.027	1	05/16/22 12:51	05/17/22 15:01	131-11-3	
Fluoranthene	0.052J	mg/kg	0.097	0.029	1	05/16/22 12:51	05/17/22 15:01	206-44-0	
Fluorene	<0.024	mg/kg	0.080	0.024	1	05/16/22 12:51	05/17/22 15:01	86-73-7	
Hexachloro-1,3-butadiene	<0.052	mg/kg	0.17	0.052	1	05/16/22 12:51	05/17/22 15:01	87-68-3	
Hexachlorobenzene	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 15:01	118-74-1	
Hexachlorocyclopentadiene	<0.048	mg/kg	0.16	0.048	1	05/16/22 12:51	05/17/22 15:01	77-47-4	
Hexachloroethane	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 15:01	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.044	mg/kg	0.15	0.044	1	05/16/22 12:51	05/17/22 15:01	193-39-5	
Isophorone	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/17/22 15:01	78-59-1	
N-Nitroso-di-n-propylamine	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 15:01	621-64-7	
N-Nitrosodiphenylamine	<0.28	mg/kg	0.93	0.28	1	05/16/22 12:51	05/17/22 15:01	86-30-6	
Naphthalene	<0.072	mg/kg	0.24	0.072	1	05/16/22 12:51	05/17/22 15:01	91-20-3	
Nitrobenzene	<0.042	mg/kg	0.14	0.042	1	05/16/22 12:51	05/17/22 15:01	98-95-3	
Pentachlorophenol	<0.045	mg/kg	0.15	0.045	1	05/16/22 12:51	05/17/22 15:01	87-86-5	
Phenanthrene	0.070J	mg/kg	0.088	0.026	1	05/16/22 12:51	05/17/22 15:01	85-01-8	
Phenol	<0.049	mg/kg	0.16	0.049	1	05/16/22 12:51	05/17/22 15:01	108-95-2	
Pyrene	0.057J	mg/kg	0.15	0.045	1	05/16/22 12:51	05/17/22 15:01	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: **SB-59 (1.0-2.0)** Lab ID: **40244640011** Collected: 05/09/22 11:50 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/17/22 15:01	111-91-1	
bis(2-Chloroethyl) ether	<0.064	mg/kg	0.21	0.064	1	05/16/22 12:51	05/17/22 15:01	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 15:01	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	76	%	10-125		1	05/16/22 12:51	05/17/22 15:01	4165-60-0	
2-Fluorobiphenyl (S)	76	%	12-118		1	05/16/22 12:51	05/17/22 15:01	321-60-8	
Terphenyl-d14 (S)	84	%	10-124		1	05/16/22 12:51	05/17/22 15:01	1718-51-0	
Phenol-d6 (S)	55	%	10-125		1	05/16/22 12:51	05/17/22 15:01	13127-88-3	
2-Fluorophenol (S)	52	%	10-130		1	05/16/22 12:51	05/17/22 15:01	367-12-4	
2,4,6-Tribromophenol (S)	89	%	10-144		1	05/16/22 12:51	05/17/22 15:01	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/13/22 06:00	05/13/22 15:47	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0051	0.0026	1	05/13/22 06:00	05/13/22 15:47	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/13/22 06:00	05/13/22 15:47	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 15:47	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 15:47	75-35-4	
1,2-Dichloroethane	<0.00083	mg/kg	0.0051	0.00083	1	05/13/22 06:00	05/13/22 15:47	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 15:47	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/13/22 06:00	05/13/22 15:47	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/13/22 06:00	05/13/22 15:47	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/13/22 06:00	05/13/22 15:47	108-10-1	
Acetone	<0.048	mg/kg	0.10	0.048	1	05/13/22 06:00	05/13/22 15:47	67-64-1	
Benzene	<0.00072	mg/kg	0.0051	0.00072	1	05/13/22 06:00	05/13/22 15:47	71-43-2	
Bromodichloromethane	<0.00069	mg/kg	0.0051	0.00069	1	05/13/22 06:00	05/13/22 15:47	75-27-4	
Bromoform	<0.0082	mg/kg	0.020	0.0082	1	05/13/22 06:00	05/13/22 15:47	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0051	0.0045	1	05/13/22 06:00	05/13/22 15:47	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 15:47	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0051	0.0032	1	05/13/22 06:00	05/13/22 15:47	56-23-5	
Chlorobenzene	<0.00093	mg/kg	0.0051	0.00093	1	05/13/22 06:00	05/13/22 15:47	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0051	0.0037	1	05/13/22 06:00	05/13/22 15:47	75-00-3	
Chloroform	<0.00085	mg/kg	0.0051	0.00085	1	05/13/22 06:00	05/13/22 15:47	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0051	0.0011	1	05/13/22 06:00	05/13/22 15:47	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 15:47	124-48-1	
Ethylbenzene	<0.00090	mg/kg	0.0051	0.00090	1	05/13/22 06:00	05/13/22 15:47	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0051	0.0021	1	05/13/22 06:00	05/13/22 15:47	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0051	0.0040	1	05/13/22 06:00	05/13/22 15:47	75-09-2	
Styrene	<0.00072	mg/kg	0.0051	0.00072	1	05/13/22 06:00	05/13/22 15:47	100-42-5	
Tetrachloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/13/22 06:00	05/13/22 15:47	127-18-4	
Toluene	<0.00089	mg/kg	0.0051	0.00089	1	05/13/22 06:00	05/13/22 15:47	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0051	0.00072	1	05/13/22 06:00	05/13/22 15:47	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0051	0.0013	1	05/13/22 06:00	05/13/22 15:47	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/13/22 06:00	05/13/22 15:47	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-59 (1.0-2.0) **Lab ID: 40244640011** Collected: 05/09/22 11:50 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00089	mg/kg	0.0051	0.00089	1	05/13/22 06:00	05/13/22 15:47	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 15:47	10061-01-5	
trans-1,2-Dichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/13/22 06:00	05/13/22 15:47	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/13/22 06:00	05/13/22 15:47	10061-02-6	
Surrogates									
Toluene-d8 (S)	95	%	69-156		1	05/13/22 06:00	05/13/22 15:47	2037-26-5	
4-Bromofluorobenzene (S)	80	%	61-175		1	05/13/22 06:00	05/13/22 15:47	460-00-4	
1,2-Dichlorobenzene-d4 (S)	109	%	70-130		1	05/13/22 06:00	05/13/22 15:47	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	18.4	%	0.10	0.10	1		05/13/22 10:19		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.15	Std. Units	0.100	0.0100	1		05/18/22 13:31		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.29	mg/kg	0.86	0.29	1	05/18/22 10:45	05/18/22 15:31	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-59 (4.5-5.5) **Lab ID: 40244640012** Collected: 05/09/22 11:55 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00053	mg/kg	0.0022	0.00053	1	05/11/22 16:22	05/19/22 03:59	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 16:22	05/19/22 03:59	319-84-6	
beta-BHC	<0.00068	mg/kg	0.0022	0.00068	1	05/11/22 16:22	05/19/22 03:59	319-85-7	
delta-BHC	<0.00040	mg/kg	0.0022	0.00040	1	05/11/22 16:22	05/19/22 03:59	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/11/22 16:22	05/19/22 03:59	58-89-9	
Chlordane (Technical)	<0.0072	mg/kg	0.022	0.0072	1	05/11/22 16:22	05/19/22 03:59	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/11/22 16:22	05/19/22 03:59	5103-71-9	
gamma-Chlordane	<0.00081	mg/kg	0.0022	0.00081	1	05/11/22 16:22	05/19/22 03:59	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0044	0.00044	1	05/11/22 16:22	05/19/22 03:59	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0044	0.00050	1	05/11/22 16:22	05/19/22 03:59	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0044	0.0013	1	05/11/22 16:22	05/19/22 03:59	50-29-3	
Dieldrin	<0.00042	mg/kg	0.0044	0.00042	1	05/11/22 16:22	05/19/22 03:59	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/11/22 16:22	05/19/22 03:59	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0044	0.0010	1	05/11/22 16:22	05/19/22 03:59	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0044	0.0010	1	05/11/22 16:22	05/19/22 03:59	1031-07-8	
Endrin	<0.00049	mg/kg	0.0044	0.00049	1	05/11/22 16:22	05/19/22 03:59	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0044	0.0014	1	05/11/22 16:22	05/19/22 03:59	7421-93-4	L2
Endrin ketone	<0.0012	mg/kg	0.0044	0.0012	1	05/11/22 16:22	05/19/22 03:59	53494-70-5	
Heptachlor	<0.00059	mg/kg	0.0022	0.00059	1	05/11/22 16:22	05/19/22 03:59	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 16:22	05/19/22 03:59	1024-57-3	
Methoxychlor	<0.0067	mg/kg	0.022	0.0067	1	05/11/22 16:22	05/19/22 03:59	72-43-5	
Toxaphene	<0.021	mg/kg	0.066	0.021	1	05/11/22 16:22	05/19/22 03:59	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	68	%	53-138		1	05/11/22 16:22	05/19/22 03:59	877-09-8	
Decachlorobiphenyl (S)	59	%	30-150		1	05/11/22 16:22	05/19/22 03:59	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 14:18	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 14:18	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 14:18	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 14:18	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 14:18	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 14:18	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 14:18	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/11/22 06:11	05/13/22 14:18	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	72	%	50-99		1	05/11/22 06:11	05/13/22 14:18	877-09-8	
Decachlorobiphenyl (S)	72	%	38-95		1	05/11/22 06:11	05/13/22 14:18	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	18300	mg/kg	36.0	7.2	1	05/16/22 09:18	05/18/22 15:52	7429-90-5	
Antimony	0.37J	mg/kg	0.60	0.12	1	05/16/22 09:18	05/18/22 15:52	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: **SB-59 (4.5-5.5)** Lab ID: **40244640012** Collected: 05/09/22 11:55 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	18.7	mg/kg	0.60	0.13	1	05/16/22 09:18	05/18/22 15:52	7440-38-2	
Barium	421	mg/kg	0.36	0.064	1	05/16/22 09:18	05/18/22 15:52	7440-39-3	
Beryllium	0.97	mg/kg	0.24	0.048	1	05/16/22 09:18	05/18/22 15:52	7440-41-7	
Cadmium	0.29	mg/kg	0.096	0.038	1	05/16/22 09:18	05/18/22 15:52	7440-43-9	
Calcium	4300	mg/kg	120	14.2	1	05/16/22 09:18	05/18/22 15:52	7440-70-2	
Chromium	22.3	mg/kg	2.4	0.17	1	05/16/22 09:18	05/18/22 15:52	7440-47-3	
Cobalt	16.4	mg/kg	0.60	0.12	1	05/16/22 09:18	05/18/22 15:52	7440-48-4	
Copper	22.4	mg/kg	1.2	0.29	1	05/16/22 09:18	05/18/22 15:52	7440-50-8	
Iron	40000	mg/kg	60.0	12.6	1	05/16/22 09:18	05/18/22 15:52	7439-89-6	
Lead	14.7	mg/kg	0.60	0.035	1	05/16/22 09:18	05/18/22 15:52	7439-92-1	
Magnesium	4070	mg/kg	36.0	5.2	1	05/16/22 09:18	05/18/22 15:52	7439-95-4	
Manganese	1770	mg/kg	6.0	2.9	10	05/16/22 09:18	05/18/22 15:56	7439-96-5	
Nickel	38.5	mg/kg	0.60	0.24	1	05/16/22 09:18	05/18/22 15:52	7440-02-0	
Potassium	794	mg/kg	120	13.8	1	05/16/22 09:18	05/18/22 15:52	7440-09-7	
Selenium	0.68	mg/kg	0.60	0.10	1	05/16/22 09:18	05/18/22 15:52	7782-49-2	
Silver	<0.17	mg/kg	0.60	0.17	1	05/16/22 09:18	05/18/22 15:52	7440-22-4	
Sodium	70.9	mg/kg	60.0	13.3	1	05/16/22 09:18	05/18/22 15:52	7440-23-5	
Thallium	0.22	mg/kg	0.12	0.044	1	05/16/22 09:18	05/18/22 15:52	7440-28-0	
Vanadium	44.9	mg/kg	1.2	0.21	1	05/16/22 09:18	05/18/22 15:52	7440-62-2	
Zinc	61.4	mg/kg	6.0	1.1	1	05/16/22 09:18	05/18/22 15:52	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.048	mg/kg	0.044	0.013	1	05/17/22 08:33	05/18/22 12:55	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.050	mg/kg	0.17	0.050	2	05/16/22 12:51	05/17/22 22:27	120-82-1	
1,2-Dichlorobenzene	<0.14	mg/kg	0.46	0.14	2	05/16/22 12:51	05/17/22 22:27	95-50-1	
1,3-Dichlorobenzene	<0.061	mg/kg	0.20	0.061	2	05/16/22 12:51	05/17/22 22:27	541-73-1	
1,4-Dichlorobenzene	<0.061	mg/kg	0.20	0.061	2	05/16/22 12:51	05/17/22 22:27	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.11	mg/kg	0.38	0.11	2	05/16/22 12:51	05/17/22 22:27	108-60-1	
2,4,5-Trichlorophenol	<0.078	mg/kg	0.26	0.078	2	05/16/22 12:51	05/17/22 22:27	95-95-4	
2,4,6-Trichlorophenol	<0.067	mg/kg	0.22	0.067	2	05/16/22 12:51	05/17/22 22:27	88-06-2	
2,4-Dichlorophenol	<0.12	mg/kg	0.39	0.12	2	05/16/22 12:51	05/17/22 22:27	120-83-2	
2,4-Dimethylphenol	<0.087	mg/kg	0.29	0.087	2	05/16/22 12:51	05/17/22 22:27	105-67-9	
2,4-Dinitrophenol	<0.13	mg/kg	0.45	0.13	2	05/16/22 12:51	05/17/22 22:27	51-28-5	
2,4-Dinitrotoluene	<0.063	mg/kg	0.21	0.063	2	05/16/22 12:51	05/17/22 22:27	121-14-2	
2,6-Dinitrotoluene	<0.084	mg/kg	0.28	0.084	2	05/16/22 12:51	05/17/22 22:27	606-20-2	
2-Chloronaphthalene	<0.057	mg/kg	0.19	0.057	2	05/16/22 12:51	05/17/22 22:27	91-58-7	
2-Chlorophenol	<0.11	mg/kg	0.37	0.11	2	05/16/22 12:51	05/17/22 22:27	95-57-8	
2-Methylnaphthalene	<0.11	mg/kg	0.38	0.11	2	05/16/22 12:51	05/17/22 22:27	91-57-6	
2-Methylphenol(o-Cresol)	<0.080	mg/kg	0.27	0.080	2	05/16/22 12:51	05/17/22 22:27	95-48-7	
2-Nitroaniline	<0.13	mg/kg	0.42	0.13	2	05/16/22 12:51	05/17/22 22:27	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: **SB-59 (4.5-5.5)** Lab ID: **40244640012** Collected: 05/09/22 11:55 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.14	mg/kg	0.46	0.14	2	05/16/22 12:51	05/17/22 22:27	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.081	mg/kg	0.27	0.081	2	05/16/22 12:51	05/17/22 22:27		
3,3'-Dichlorobenzidine	<0.12	mg/kg	0.40	0.12	2	05/16/22 12:51	05/17/22 22:27	91-94-1	
3-Nitroaniline	<0.075	mg/kg	0.25	0.075	2	05/16/22 12:51	05/17/22 22:27	99-09-2	
4,6-Dinitro-2-methylphenol	<0.14	mg/kg	0.45	0.14	2	05/16/22 12:51	05/17/22 22:27	534-52-1	
4-Bromophenylphenyl ether	<0.092	mg/kg	0.31	0.092	2	05/16/22 12:51	05/17/22 22:27	101-55-3	
4-Chloro-3-methylphenol	<0.14	mg/kg	0.46	0.14	2	05/16/22 12:51	05/17/22 22:27	59-50-7	
4-Chloroaniline	<0.072	mg/kg	0.24	0.072	2	05/16/22 12:51	05/17/22 22:27	106-47-8	6q
4-Chlorophenylphenyl ether	<0.082	mg/kg	0.27	0.082	2	05/16/22 12:51	05/17/22 22:27	7005-72-3	
4-Nitroaniline	<0.18	mg/kg	0.61	0.18	2	05/16/22 12:51	05/17/22 22:27	100-01-6	
4-Nitrophenol	<0.11	mg/kg	0.37	0.11	2	05/16/22 12:51	05/17/22 22:27	100-02-7	
Acenaphthene	<0.16	mg/kg	0.52	0.16	2	05/16/22 12:51	05/17/22 22:27	83-32-9	
Acenaphthylene	<0.16	mg/kg	0.52	0.16	2	05/16/22 12:51	05/17/22 22:27	208-96-8	
Anthracene	<0.070	mg/kg	0.23	0.070	2	05/16/22 12:51	05/17/22 22:27	120-12-7	
Benzo(a)anthracene	<0.068	mg/kg	0.23	0.068	2	05/16/22 12:51	05/17/22 22:27	56-55-3	
Benzo(a)pyrene	<0.066	mg/kg	0.22	0.066	2	05/16/22 12:51	05/17/22 22:27	50-32-8	
Benzo(b)fluoranthene	<0.076	mg/kg	0.25	0.076	2	05/16/22 12:51	05/17/22 22:27	205-99-2	
Benzo(g,h,i)perylene	<0.12	mg/kg	0.38	0.12	2	05/16/22 12:51	05/17/22 22:27	191-24-2	
Benzo(k)fluoranthene	<0.11	mg/kg	0.35	0.11	2	05/16/22 12:51	05/17/22 22:27	207-08-9	
Butylbenzylphthalate	<0.071	mg/kg	0.24	0.071	2	05/16/22 12:51	05/17/22 22:27	85-68-7	
Carbazole	<0.069	mg/kg	0.23	0.069	2	05/16/22 12:51	05/17/22 22:27	86-74-8	
Chrysene	<0.066	mg/kg	0.22	0.066	2	05/16/22 12:51	05/17/22 22:27	218-01-9	
Di-n-butylphthalate	<0.066	mg/kg	0.22	0.066	2	05/16/22 12:51	05/17/22 22:27	84-74-2	
Di-n-octylphthalate	<0.099	mg/kg	0.33	0.099	2	05/16/22 12:51	05/17/22 22:27	117-84-0	
Dibenz(a,h)anthracene	<0.12	mg/kg	0.40	0.12	2	05/16/22 12:51	05/17/22 22:27	53-70-3	
Dibenzofuran	<0.053	mg/kg	0.18	0.053	2	05/16/22 12:51	05/17/22 22:27	132-64-9	
Diethylphthalate	<0.073	mg/kg	0.24	0.073	2	05/16/22 12:51	05/17/22 22:27	84-66-2	
Dimethylphthalate	<0.057	mg/kg	0.19	0.057	2	05/16/22 12:51	05/17/22 22:27	131-11-3	
Fluoranthene	<0.062	mg/kg	0.21	0.062	2	05/16/22 12:51	05/17/22 22:27	206-44-0	
Fluorene	<0.051	mg/kg	0.17	0.051	2	05/16/22 12:51	05/17/22 22:27	86-73-7	
Hexachloro-1,3-butadiene	<0.11	mg/kg	0.37	0.11	2	05/16/22 12:51	05/17/22 22:27	87-68-3	
Hexachlorobenzene	<0.074	mg/kg	0.25	0.074	2	05/16/22 12:51	05/17/22 22:27	118-74-1	
Hexachlorocyclopentadiene	<0.10	mg/kg	0.35	0.10	2	05/16/22 12:51	05/17/22 22:27	77-47-4	
Hexachloroethane	<0.070	mg/kg	0.23	0.070	2	05/16/22 12:51	05/17/22 22:27	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.095	mg/kg	0.32	0.095	2	05/16/22 12:51	05/17/22 22:27	193-39-5	
Isophorone	<0.068	mg/kg	0.23	0.068	2	05/16/22 12:51	05/17/22 22:27	78-59-1	
N-Nitroso-di-n-propylamine	<0.070	mg/kg	0.23	0.070	2	05/16/22 12:51	05/17/22 22:27	621-64-7	
N-Nitrosodiphenylamine	<0.60	mg/kg	2.0	0.60	2	05/16/22 12:51	05/17/22 22:27	86-30-6	
Naphthalene	<0.15	mg/kg	0.51	0.15	2	05/16/22 12:51	05/17/22 22:27	91-20-3	
Nitrobenzene	<0.089	mg/kg	0.30	0.089	2	05/16/22 12:51	05/17/22 22:27	98-95-3	
Pentachlorophenol	<0.097	mg/kg	0.32	0.097	2	05/16/22 12:51	05/17/22 22:27	87-86-5	
Phenanthrene	<0.056	mg/kg	0.19	0.056	2	05/16/22 12:51	05/17/22 22:27	85-01-8	
Phenol	<0.10	mg/kg	0.35	0.10	2	05/16/22 12:51	05/17/22 22:27	108-95-2	D3
Pyrene	<0.098	mg/kg	0.33	0.098	2	05/16/22 12:51	05/17/22 22:27	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: SB-59 (4.5-5.5) **Lab ID: 40244640012** Collected: 05/09/22 11:55 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.12	mg/kg	0.40	0.12	2	05/16/22 12:51	05/17/22 22:27	111-91-1	
bis(2-Chloroethyl) ether	<0.14	mg/kg	0.46	0.14	2	05/16/22 12:51	05/17/22 22:27	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.073	mg/kg	0.24	0.073	2	05/16/22 12:51	05/17/22 22:27	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	60	%	10-125		2	05/16/22 12:51	05/17/22 22:27	4165-60-0	
2-Fluorobiphenyl (S)	61	%	12-118		2	05/16/22 12:51	05/17/22 22:27	321-60-8	
Terphenyl-d14 (S)	69	%	10-124		2	05/16/22 12:51	05/17/22 22:27	1718-51-0	
Phenol-d6 (S)	58	%	10-125		2	05/16/22 12:51	05/17/22 22:27	13127-88-3	
2-Fluorophenol (S)	56	%	10-130		2	05/16/22 12:51	05/17/22 22:27	367-12-4	
2,4,6-Tribromophenol (S)	71	%	10-144		2	05/16/22 12:51	05/17/22 22:27	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0055	0.0017	1	05/13/22 06:00	05/13/22 16:11	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0055	0.0028	1	05/13/22 06:00	05/13/22 16:11	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0055	0.0017	1	05/13/22 06:00	05/13/22 16:11	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0055	0.0012	1	05/13/22 06:00	05/13/22 16:11	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0055	0.0012	1	05/13/22 06:00	05/13/22 16:11	75-35-4	
1,2-Dichloroethane	<0.00091	mg/kg	0.0055	0.00091	1	05/13/22 06:00	05/13/22 16:11	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0055	0.0011	1	05/13/22 06:00	05/13/22 16:11	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.028	0.017	1	05/13/22 06:00	05/13/22 16:11	78-93-3	
2-Hexanone	<0.012	mg/kg	0.028	0.012	1	05/13/22 06:00	05/13/22 16:11	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.028	0.022	1	05/13/22 06:00	05/13/22 16:11	108-10-1	
Acetone	<0.052	mg/kg	0.11	0.052	1	05/13/22 06:00	05/13/22 16:11	67-64-1	
Benzene	<0.00078	mg/kg	0.0055	0.00078	1	05/13/22 06:00	05/13/22 16:11	71-43-2	
Bromodichloromethane	<0.00075	mg/kg	0.0055	0.00075	1	05/13/22 06:00	05/13/22 16:11	75-27-4	
Bromoform	<0.0090	mg/kg	0.022	0.0090	1	05/13/22 06:00	05/13/22 16:11	75-25-2	
Bromomethane	<0.0049	mg/kg	0.0055	0.0049	1	05/13/22 06:00	05/13/22 16:11	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0055	0.0012	1	05/13/22 06:00	05/13/22 16:11	75-15-0	
Carbon tetrachloride	<0.0035	mg/kg	0.0055	0.0035	1	05/13/22 06:00	05/13/22 16:11	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0055	0.0010	1	05/13/22 06:00	05/13/22 16:11	108-90-7	
Chloroethane	<0.0040	mg/kg	0.0055	0.0040	1	05/13/22 06:00	05/13/22 16:11	75-00-3	
Chloroform	<0.00093	mg/kg	0.0055	0.00093	1	05/13/22 06:00	05/13/22 16:11	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0055	0.0012	1	05/13/22 06:00	05/13/22 16:11	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0055	0.0011	1	05/13/22 06:00	05/13/22 16:11	124-48-1	
Ethylbenzene	<0.00099	mg/kg	0.0055	0.00099	1	05/13/22 06:00	05/13/22 16:11	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0055	0.0023	1	05/13/22 06:00	05/13/22 16:11	1634-04-4	
Methylene Chloride	<0.0044	mg/kg	0.0055	0.0044	1	05/13/22 06:00	05/13/22 16:11	75-09-2	
Styrene	<0.00078	mg/kg	0.0055	0.00078	1	05/13/22 06:00	05/13/22 16:11	100-42-5	
Tetrachloroethene	<0.00098	mg/kg	0.0055	0.00098	1	05/13/22 06:00	05/13/22 16:11	127-18-4	
Toluene	<0.00097	mg/kg	0.0055	0.00097	1	05/13/22 06:00	05/13/22 16:11	108-88-3	
Trichloroethene	<0.00079	mg/kg	0.0055	0.00079	1	05/13/22 06:00	05/13/22 16:11	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0055	0.0014	1	05/13/22 06:00	05/13/22 16:11	75-01-4	
Xylene (Total)	<0.0038	mg/kg	0.011	0.0038	1	05/13/22 06:00	05/13/22 16:11	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-59 (4.5-5.5) **Lab ID: 40244640012** Collected: 05/09/22 11:55 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00097	mg/kg	0.0055	0.00097	1	05/13/22 06:00	05/13/22 16:11	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0055	0.0011	1	05/13/22 06:00	05/13/22 16:11	10061-01-5	
trans-1,2-Dichloroethene	<0.00079	mg/kg	0.0055	0.00079	1	05/13/22 06:00	05/13/22 16:11	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0055	0.0011	1	05/13/22 06:00	05/13/22 16:11	10061-02-6	
Surrogates									
Toluene-d8 (S)	93	%	69-156		1	05/13/22 06:00	05/13/22 16:11	2037-26-5	
4-Bromofluorobenzene (S)	84	%	61-175		1	05/13/22 06:00	05/13/22 16:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1	05/13/22 06:00	05/13/22 16:11	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	24.2	%	0.10	0.10	1		05/13/22 10:19		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.8	Std. Units	0.10	0.010	1		05/19/22 10:13		4q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.36	mg/kg	1.1	0.36	1	05/18/22 10:45	05/18/22 15:35	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: **SB-58 (1.0-2.0)** Lab ID: **40244640013** Collected: 05/09/22 11:05 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00053	mg/kg	0.0022	0.00053	1	05/11/22 16:22	05/19/22 04:18	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 16:22	05/19/22 04:18	319-84-6	
beta-BHC	<0.00067	mg/kg	0.0022	0.00067	1	05/11/22 16:22	05/19/22 04:18	319-85-7	
delta-BHC	0.00040J	mg/kg	0.0022	0.00039	1	05/11/22 16:22	05/19/22 04:18	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/11/22 16:22	05/19/22 04:18	58-89-9	
Chlordane (Technical)	<0.0072	mg/kg	0.022	0.0072	1	05/11/22 16:22	05/19/22 04:18	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/11/22 16:22	05/19/22 04:18	5103-71-9	
gamma-Chlordane	<0.00081	mg/kg	0.0022	0.00081	1	05/11/22 16:22	05/19/22 04:18	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0043	0.00044	1	05/11/22 16:22	05/19/22 04:18	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/11/22 16:22	05/19/22 04:18	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/11/22 16:22	05/19/22 04:18	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/11/22 16:22	05/19/22 04:18	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/11/22 16:22	05/19/22 04:18	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/11/22 16:22	05/19/22 04:18	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/11/22 16:22	05/19/22 04:18	1031-07-8	
Endrin	<0.00049	mg/kg	0.0043	0.00049	1	05/11/22 16:22	05/19/22 04:18	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/11/22 16:22	05/19/22 04:18	7421-93-4	L2
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/11/22 16:22	05/19/22 04:18	53494-70-5	
Heptachlor	<0.00059	mg/kg	0.0022	0.00059	1	05/11/22 16:22	05/19/22 04:18	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 16:22	05/19/22 04:18	1024-57-3	
Methoxychlor	<0.0067	mg/kg	0.022	0.0067	1	05/11/22 16:22	05/19/22 04:18	72-43-5	
Toxaphene	<0.021	mg/kg	0.065	0.021	1	05/11/22 16:22	05/19/22 04:18	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	72	%	53-138		1	05/11/22 16:22	05/19/22 04:18	877-09-8	
Decachlorobiphenyl (S)	64	%	30-150		1	05/11/22 16:22	05/19/22 04:18	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/11/22 18:13	05/12/22 21:20	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/11/22 18:13	05/12/22 21:20	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/11/22 18:13	05/12/22 21:20	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/11/22 18:13	05/12/22 21:20	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/11/22 18:13	05/12/22 21:20	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/11/22 18:13	05/12/22 21:20	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/11/22 18:13	05/12/22 21:20	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/11/22 18:13	05/12/22 21:20	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	68	%	50-99		1	05/11/22 18:13	05/12/22 21:20	877-09-8	
Decachlorobiphenyl (S)	63	%	38-95		1	05/11/22 18:13	05/12/22 21:20	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	12800	mg/kg	37.8	7.6	1	05/16/22 09:18	05/18/22 15:40	7429-90-5	
Antimony	0.16J	mg/kg	0.63	0.12	1	05/16/22 09:18	05/18/22 15:40	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: **SB-58 (1.0-2.0)** Lab ID: **40244640013** Collected: 05/09/22 11:05 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	7.5	mg/kg	0.63	0.14	1	05/16/22 09:18	05/18/22 15:40	7440-38-2	
Barium	176	mg/kg	0.38	0.067	1	05/16/22 09:18	05/18/22 15:40	7440-39-3	
Beryllium	0.81	mg/kg	0.25	0.050	1	05/16/22 09:18	05/18/22 15:40	7440-41-7	
Cadmium	0.34	mg/kg	0.10	0.040	1	05/16/22 09:18	05/18/22 15:40	7440-43-9	
Calcium	6050	mg/kg	126	14.9	1	05/16/22 09:18	05/18/22 15:40	7440-70-2	
Chromium	16.2	mg/kg	2.5	0.18	1	05/16/22 09:18	05/18/22 15:40	7440-47-3	
Cobalt	5.7	mg/kg	0.63	0.12	1	05/16/22 09:18	05/18/22 15:40	7440-48-4	
Copper	19.1	mg/kg	1.3	0.30	1	05/16/22 09:18	05/18/22 15:40	7440-50-8	
Iron	18100	mg/kg	63.0	13.2	1	05/16/22 09:18	05/18/22 15:40	7439-89-6	
Lead	17.1	mg/kg	0.63	0.037	1	05/16/22 09:18	05/18/22 15:40	7439-92-1	
Magnesium	2820	mg/kg	37.8	5.4	1	05/16/22 09:18	05/18/22 15:40	7439-95-4	
Manganese	188	mg/kg	0.63	0.31	1	05/16/22 09:18	05/18/22 15:40	7439-96-5	
Nickel	13.0	mg/kg	0.63	0.25	1	05/16/22 09:18	05/18/22 15:40	7440-02-0	
Potassium	1280	mg/kg	126	14.5	1	05/16/22 09:18	05/18/22 15:40	7440-09-7	
Selenium	1.0	mg/kg	0.63	0.11	1	05/16/22 09:18	05/18/22 15:40	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/16/22 09:18	05/18/22 15:40	7440-22-4	
Sodium	43.4J	mg/kg	63.0	14.0	1	05/16/22 09:18	05/18/22 15:40	7440-23-5	
Thallium	0.22	mg/kg	0.13	0.046	1	05/16/22 09:18	05/18/22 15:40	7440-28-0	
Vanadium	27.3	mg/kg	1.3	0.22	1	05/16/22 09:18	05/18/22 15:40	7440-62-2	
Zinc	68.1	mg/kg	6.3	1.1	1	05/16/22 09:18	05/18/22 15:40	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.026J	mg/kg	0.044	0.013	1	05/17/22 08:33	05/18/22 12:57	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.099	mg/kg	0.33	0.099	4	05/16/22 12:51	05/19/22 15:53	120-82-1	
1,2-Dichlorobenzene	<0.28	mg/kg	0.92	0.28	4	05/16/22 12:51	05/19/22 15:53	95-50-1	
1,3-Dichlorobenzene	<0.12	mg/kg	0.40	0.12	4	05/16/22 12:51	05/19/22 15:53	541-73-1	
1,4-Dichlorobenzene	<0.12	mg/kg	0.41	0.12	4	05/16/22 12:51	05/19/22 15:53	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.23	mg/kg	0.75	0.23	4	05/16/22 12:51	05/19/22 15:53	108-60-1	
2,4,5-Trichlorophenol	<0.15	mg/kg	0.52	0.15	4	05/16/22 12:51	05/19/22 15:53	95-95-4	
2,4,6-Trichlorophenol	<0.13	mg/kg	0.44	0.13	4	05/16/22 12:51	05/19/22 15:53	88-06-2	
2,4-Dichlorophenol	<0.23	mg/kg	0.78	0.23	4	05/16/22 12:51	05/19/22 15:53	120-83-2	
2,4-Dimethylphenol	<0.17	mg/kg	0.58	0.17	4	05/16/22 12:51	05/19/22 15:53	105-67-9	
2,4-Dinitrophenol	<0.27	mg/kg	0.89	0.27	4	05/16/22 12:51	05/19/22 15:53	51-28-5	
2,4-Dinitrotoluene	<0.13	mg/kg	0.42	0.13	4	05/16/22 12:51	05/19/22 15:53	121-14-2	
2,6-Dinitrotoluene	<0.17	mg/kg	0.55	0.17	4	05/16/22 12:51	05/19/22 15:53	606-20-2	
2-Chloronaphthalene	<0.11	mg/kg	0.37	0.11	4	05/16/22 12:51	05/19/22 15:53	91-58-7	
2-Chlorophenol	<0.22	mg/kg	0.73	0.22	4	05/16/22 12:51	05/19/22 15:53	95-57-8	
2-Methylnaphthalene	<0.23	mg/kg	0.76	0.23	4	05/16/22 12:51	05/19/22 15:53	91-57-6	
2-Methylphenol(o-Cresol)	<0.16	mg/kg	0.53	0.16	4	05/16/22 12:51	05/19/22 15:53	95-48-7	
2-Nitroaniline	<0.25	mg/kg	0.83	0.25	4	05/16/22 12:51	05/19/22 15:53	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: **SB-58 (1.0-2.0)** Lab ID: **40244640013** Collected: 05/09/22 11:05 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.28	mg/kg	0.92	0.28	4	05/16/22 12:51	05/19/22 15:53	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.16	mg/kg	0.53	0.16	4	05/16/22 12:51	05/19/22 15:53		
3,3'-Dichlorobenzidine	<0.24	mg/kg	0.79	0.24	4	05/16/22 12:51	05/19/22 15:53	91-94-1	CU
3-Nitroaniline	<0.15	mg/kg	0.50	0.15	4	05/16/22 12:51	05/19/22 15:53	99-09-2	
4,6-Dinitro-2-methylphenol	<0.27	mg/kg	0.90	0.27	4	05/16/22 12:51	05/19/22 15:53	534-52-1	
4-Bromophenylphenyl ether	<0.18	mg/kg	0.61	0.18	4	05/16/22 12:51	05/19/22 15:53	101-55-3	
4-Chloro-3-methylphenol	<0.27	mg/kg	0.91	0.27	4	05/16/22 12:51	05/19/22 15:53	59-50-7	
4-Chloroaniline	<0.14	mg/kg	0.48	0.14	4	05/16/22 12:51	05/19/22 15:53	106-47-8	1q
4-Chlorophenylphenyl ether	<0.16	mg/kg	0.54	0.16	4	05/16/22 12:51	05/19/22 15:53	7005-72-3	
4-Nitroaniline	<0.36	mg/kg	1.2	0.36	4	05/16/22 12:51	05/19/22 15:53	100-01-6	
4-Nitrophenol	<0.22	mg/kg	0.73	0.22	4	05/16/22 12:51	05/19/22 15:53	100-02-7	
Acenaphthene	<0.31	mg/kg	1.0	0.31	4	05/16/22 12:51	05/19/22 15:53	83-32-9	
Acenaphthylene	<0.31	mg/kg	1.0	0.31	4	05/16/22 12:51	05/19/22 15:53	208-96-8	
Anthracene	0.70	mg/kg	0.47	0.14	4	05/16/22 12:51	05/19/22 15:53	120-12-7	
Benzo(a)anthracene	1.9	mg/kg	0.45	0.14	4	05/16/22 12:51	05/19/22 15:53	56-55-3	
Benzo(a)pyrene	1.4	mg/kg	0.44	0.13	4	05/16/22 12:51	05/19/22 15:53	50-32-8	
Benzo(b)fluoranthene	1.8	mg/kg	0.50	0.15	4	05/16/22 12:51	05/19/22 15:53	205-99-2	
Benzo(g,h,i)perylene	0.52J	mg/kg	0.76	0.23	4	05/16/22 12:51	05/19/22 15:53	191-24-2	
Benzo(k)fluoranthene	0.69J	mg/kg	0.70	0.21	4	05/16/22 12:51	05/19/22 15:53	207-08-9	
Butylbenzylphthalate	<0.14	mg/kg	0.47	0.14	4	05/16/22 12:51	05/19/22 15:53	85-68-7	
Carbazole	<0.14	mg/kg	0.46	0.14	4	05/16/22 12:51	05/19/22 15:53	86-74-8	
Chrysene	2.9	mg/kg	0.44	0.13	4	05/16/22 12:51	05/19/22 15:53	218-01-9	
Di-n-butylphthalate	<0.13	mg/kg	0.44	0.13	4	05/16/22 12:51	05/19/22 15:53	84-74-2	
Di-n-octylphthalate	<0.20	mg/kg	0.66	0.20	4	05/16/22 12:51	05/19/22 15:53	117-84-0	
Dibenz(a,h)anthracene	<0.24	mg/kg	0.79	0.24	4	05/16/22 12:51	05/19/22 15:53	53-70-3	
Dibenzofuran	0.13J	mg/kg	0.35	0.11	4	05/16/22 12:51	05/19/22 15:53	132-64-9	
Diethylphthalate	<0.15	mg/kg	0.48	0.15	4	05/16/22 12:51	05/19/22 15:53	84-66-2	
Dimethylphthalate	<0.11	mg/kg	0.38	0.11	4	05/16/22 12:51	05/19/22 15:53	131-11-3	
Fluoranthene	2.3	mg/kg	0.41	0.12	4	05/16/22 12:51	05/19/22 15:53	206-44-0	
Fluorene	0.32J	mg/kg	0.34	0.10	4	05/16/22 12:51	05/19/22 15:53	86-73-7	
Hexachloro-1,3-butadiene	<0.22	mg/kg	0.74	0.22	4	05/16/22 12:51	05/19/22 15:53	87-68-3	
Hexachlorobenzene	<0.15	mg/kg	0.49	0.15	4	05/16/22 12:51	05/19/22 15:53	118-74-1	
Hexachlorocyclopentadiene	<0.21	mg/kg	0.69	0.21	4	05/16/22 12:51	05/19/22 15:53	77-47-4	
Hexachloroethane	<0.14	mg/kg	0.47	0.14	4	05/16/22 12:51	05/19/22 15:53	67-72-1	
Indeno(1,2,3-cd)pyrene	0.63J	mg/kg	0.63	0.19	4	05/16/22 12:51	05/19/22 15:53	193-39-5	
Isophorone	<0.13	mg/kg	0.45	0.13	4	05/16/22 12:51	05/19/22 15:53	78-59-1	
N-Nitroso-di-n-propylamine	<0.14	mg/kg	0.46	0.14	4	05/16/22 12:51	05/19/22 15:53	621-64-7	
N-Nitrosodiphenylamine	<1.2	mg/kg	4.0	1.2	4	05/16/22 12:51	05/19/22 15:53	86-30-6	
Naphthalene	<0.31	mg/kg	1.0	0.31	4	05/16/22 12:51	05/19/22 15:53	91-20-3	
Nitrobenzene	<0.18	mg/kg	0.59	0.18	4	05/16/22 12:51	05/19/22 15:53	98-95-3	
Pentachlorophenol	<0.19	mg/kg	0.64	0.19	4	05/16/22 12:51	05/19/22 15:53	87-86-5	
Phenanthrene	0.86	mg/kg	0.37	0.11	4	05/16/22 12:51	05/19/22 15:53	85-01-8	
Phenol	<0.21	mg/kg	0.69	0.21	4	05/16/22 12:51	05/19/22 15:53	108-95-2	D3
Pyrene	2.0	mg/kg	0.65	0.19	4	05/16/22 12:51	05/19/22 15:53	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-58 (1.0-2.0) **Lab ID: 40244640013** Collected: 05/09/22 11:05 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.24	mg/kg	0.79	0.24	4	05/16/22 12:51	05/19/22 15:53	111-91-1	
bis(2-Chloroethyl) ether	<0.27	mg/kg	0.91	0.27	4	05/16/22 12:51	05/19/22 15:53	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.15	mg/kg	0.49	0.15	4	05/16/22 12:51	05/19/22 15:53	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	59	%	10-125		4	05/16/22 12:51	05/19/22 15:53	4165-60-0	
2-Fluorobiphenyl (S)	52	%	12-118		4	05/16/22 12:51	05/19/22 15:53	321-60-8	
Terphenyl-d14 (S)	63	%	10-124		4	05/16/22 12:51	05/19/22 15:53	1718-51-0	
Phenol-d6 (S)	53	%	10-125		4	05/16/22 12:51	05/19/22 15:53	13127-88-3	
2-Fluorophenol (S)	55	%	10-130		4	05/16/22 12:51	05/19/22 15:53	367-12-4	
2,4,6-Tribromophenol (S)	80	%	10-144		4	05/16/22 12:51	05/19/22 15:53	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0049	0.0015	1	05/13/22 06:00	05/13/22 16:36	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0025	mg/kg	0.0049	0.0025	1	05/13/22 06:00	05/13/22 16:36	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0049	0.0015	1	05/13/22 06:00	05/13/22 16:36	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0049	0.0011	1	05/13/22 06:00	05/13/22 16:36	75-34-3	
1,1-Dichloroethene	<0.0010	mg/kg	0.0049	0.0010	1	05/13/22 06:00	05/13/22 16:36	75-35-4	
1,2-Dichloroethane	<0.00081	mg/kg	0.0049	0.00081	1	05/13/22 06:00	05/13/22 16:36	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0049	0.0010	1	05/13/22 06:00	05/13/22 16:36	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.025	0.015	1	05/13/22 06:00	05/13/22 16:36	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/13/22 06:00	05/13/22 16:36	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/13/22 06:00	05/13/22 16:36	108-10-1	
Acetone	<0.046	mg/kg	0.098	0.046	1	05/13/22 06:00	05/13/22 16:36	67-64-1	
Benzene	<0.00070	mg/kg	0.0049	0.00070	1	05/13/22 06:00	05/13/22 16:36	71-43-2	
Bromodichloromethane	<0.00067	mg/kg	0.0049	0.00067	1	05/13/22 06:00	05/13/22 16:36	75-27-4	
Bromoform	<0.0080	mg/kg	0.020	0.0080	1	05/13/22 06:00	05/13/22 16:36	75-25-2	
Bromomethane	<0.0044	mg/kg	0.0049	0.0044	1	05/13/22 06:00	05/13/22 16:36	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0049	0.0011	1	05/13/22 06:00	05/13/22 16:36	75-15-0	
Carbon tetrachloride	<0.0031	mg/kg	0.0049	0.0031	1	05/13/22 06:00	05/13/22 16:36	56-23-5	
Chlorobenzene	<0.00091	mg/kg	0.0049	0.00091	1	05/13/22 06:00	05/13/22 16:36	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0049	0.0036	1	05/13/22 06:00	05/13/22 16:36	75-00-3	
Chloroform	<0.00083	mg/kg	0.0049	0.00083	1	05/13/22 06:00	05/13/22 16:36	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0049	0.0011	1	05/13/22 06:00	05/13/22 16:36	74-87-3	
Dibromochloromethane	<0.00099	mg/kg	0.0049	0.00099	1	05/13/22 06:00	05/13/22 16:36	124-48-1	
Ethylbenzene	<0.00088	mg/kg	0.0049	0.00088	1	05/13/22 06:00	05/13/22 16:36	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0049	0.0020	1	05/13/22 06:00	05/13/22 16:36	1634-04-4	
Methylene Chloride	<0.0039	mg/kg	0.0049	0.0039	1	05/13/22 06:00	05/13/22 16:36	75-09-2	
Styrene	<0.00070	mg/kg	0.0049	0.00070	1	05/13/22 06:00	05/13/22 16:36	100-42-5	
Tetrachloroethene	<0.00087	mg/kg	0.0049	0.00087	1	05/13/22 06:00	05/13/22 16:36	127-18-4	
Toluene	<0.00087	mg/kg	0.0049	0.00087	1	05/13/22 06:00	05/13/22 16:36	108-88-3	
Trichloroethene	<0.00070	mg/kg	0.0049	0.00070	1	05/13/22 06:00	05/13/22 16:36	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0049	0.0013	1	05/13/22 06:00	05/13/22 16:36	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.0098	0.0034	1	05/13/22 06:00	05/13/22 16:36	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: SB-58 (1.0-2.0) **Lab ID: 40244640013** Collected: 05/09/22 11:05 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay								
cis-1,2-Dichloroethene	<0.00087	mg/kg	0.0049	0.00087	1	05/13/22 06:00	05/13/22 16:36	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0049	0.0010	1	05/13/22 06:00	05/13/22 16:36	10061-01-5	
trans-1,2-Dichloroethene	<0.00071	mg/kg	0.0049	0.00071	1	05/13/22 06:00	05/13/22 16:36	156-60-5	
trans-1,3-Dichloropropene	<0.00099	mg/kg	0.0049	0.00099	1	05/13/22 06:00	05/13/22 16:36	10061-02-6	
Surrogates									
Toluene-d8 (S)	94	%	69-156		1	05/13/22 06:00	05/13/22 16:36	2037-26-5	
4-Bromofluorobenzene (S)	85	%	61-175		1	05/13/22 06:00	05/13/22 16:36	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1	05/13/22 06:00	05/13/22 16:36	2199-69-1	
Percent Moisture	Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay								
Percent Moisture	23.7	%	0.10	0.10	1		05/13/22 10:20		
9040 pH	Analytical Method: EPA 9040 Pace Analytical Services - Green Bay								
pH at 25 Degrees C	7.8	Std. Units	0.10	0.010	1		05/19/22 10:21		4q,H6
9012 Cyanide, Total	Analytical Method: EPA 9012B Preparation Method: EPA 9012B Pace Analytical Services - Green Bay								
Cyanide	<0.40	mg/kg	1.2	0.40	1	05/18/22 10:45	05/18/22 15:35	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: **SB-58 (4.5-5.5)** Lab ID: **40244640014** Collected: 05/09/22 11:10 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00053	mg/kg	0.0022	0.00053	1	05/11/22 16:22	05/19/22 04:37	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 16:22	05/19/22 04:37	319-84-6	
beta-BHC	<0.00068	mg/kg	0.0022	0.00068	1	05/11/22 16:22	05/19/22 04:37	319-85-7	
delta-BHC	<0.00040	mg/kg	0.0022	0.00040	1	05/11/22 16:22	05/19/22 04:37	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/11/22 16:22	05/19/22 04:37	58-89-9	
Chlordane (Technical)	<0.0072	mg/kg	0.022	0.0072	1	05/11/22 16:22	05/19/22 04:37	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/11/22 16:22	05/19/22 04:37	5103-71-9	
gamma-Chlordane	<0.00081	mg/kg	0.0022	0.00081	1	05/11/22 16:22	05/19/22 04:37	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0044	0.00044	1	05/11/22 16:22	05/19/22 04:37	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0044	0.00050	1	05/11/22 16:22	05/19/22 04:37	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0044	0.0013	1	05/11/22 16:22	05/19/22 04:37	50-29-3	
Dieldrin	<0.00042	mg/kg	0.0044	0.00042	1	05/11/22 16:22	05/19/22 04:37	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/11/22 16:22	05/19/22 04:37	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0044	0.0010	1	05/11/22 16:22	05/19/22 04:37	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0044	0.0010	1	05/11/22 16:22	05/19/22 04:37	1031-07-8	
Endrin	<0.00049	mg/kg	0.0044	0.00049	1	05/11/22 16:22	05/19/22 04:37	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0044	0.0014	1	05/11/22 16:22	05/19/22 04:37	7421-93-4	L2
Endrin ketone	<0.0011	mg/kg	0.0044	0.0011	1	05/11/22 16:22	05/19/22 04:37	53494-70-5	
Heptachlor	<0.00059	mg/kg	0.0022	0.00059	1	05/11/22 16:22	05/19/22 04:37	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 16:22	05/19/22 04:37	1024-57-3	
Methoxychlor	<0.0067	mg/kg	0.022	0.0067	1	05/11/22 16:22	05/19/22 04:37	72-43-5	
Toxaphene	<0.021	mg/kg	0.065	0.021	1	05/11/22 16:22	05/19/22 04:37	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	74	%	53-138		1	05/11/22 16:22	05/19/22 04:37	877-09-8	
Decachlorobiphenyl (S)	68	%	30-150		1	05/11/22 16:22	05/19/22 04:37	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/11/22 18:13	05/12/22 21:45	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/11/22 18:13	05/12/22 21:45	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/11/22 18:13	05/12/22 21:45	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/11/22 18:13	05/12/22 21:45	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/11/22 18:13	05/12/22 21:45	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/11/22 18:13	05/12/22 21:45	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/11/22 18:13	05/12/22 21:45	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/11/22 18:13	05/12/22 21:45	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	73	%	50-99		1	05/11/22 18:13	05/12/22 21:45	877-09-8	
Decachlorobiphenyl (S)	65	%	38-95		1	05/11/22 18:13	05/12/22 21:45	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	16900	mg/kg	36.7	7.4	1	05/16/22 09:18	05/18/22 15:44	7429-90-5	
Antimony	0.16J	mg/kg	0.61	0.12	1	05/16/22 09:18	05/18/22 15:44	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-58 (4.5-5.5) **Lab ID: 40244640014** Collected: 05/09/22 11:10 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	7.9	mg/kg	0.61	0.13	1	05/16/22 09:18	05/18/22 15:44	7440-38-2	
Barium	212	mg/kg	0.37	0.065	1	05/16/22 09:18	05/18/22 15:44	7440-39-3	
Beryllium	0.92	mg/kg	0.24	0.049	1	05/16/22 09:18	05/18/22 15:44	7440-41-7	
Cadmium	0.14	mg/kg	0.098	0.038	1	05/16/22 09:18	05/18/22 15:44	7440-43-9	
Calcium	4830	mg/kg	122	14.4	1	05/16/22 09:18	05/18/22 15:44	7440-70-2	
Chromium	19.7	mg/kg	2.4	0.17	1	05/16/22 09:18	05/18/22 15:44	7440-47-3	
Cobalt	10.6	mg/kg	0.61	0.12	1	05/16/22 09:18	05/18/22 15:44	7440-48-4	
Copper	17.9	mg/kg	1.2	0.30	1	05/16/22 09:18	05/18/22 15:44	7440-50-8	
Iron	22600	mg/kg	61.2	12.8	1	05/16/22 09:18	05/18/22 15:44	7439-89-6	
Lead	14.7	mg/kg	0.61	0.036	1	05/16/22 09:18	05/18/22 15:44	7439-92-1	
Magnesium	3720	mg/kg	36.7	5.3	1	05/16/22 09:18	05/18/22 15:44	7439-95-4	
Manganese	480	mg/kg	0.61	0.30	1	05/16/22 09:18	05/18/22 15:44	7439-96-5	
Nickel	17.5	mg/kg	0.61	0.24	1	05/16/22 09:18	05/18/22 15:44	7440-02-0	
Potassium	906	mg/kg	122	14.1	1	05/16/22 09:18	05/18/22 15:44	7440-09-7	
Selenium	0.60J	mg/kg	0.61	0.10	1	05/16/22 09:18	05/18/22 15:44	7782-49-2	
Silver	<0.18	mg/kg	0.61	0.18	1	05/16/22 09:18	05/18/22 15:44	7440-22-4	
Sodium	54.4J	mg/kg	61.2	13.6	1	05/16/22 09:18	05/18/22 15:44	7440-23-5	
Thallium	0.18	mg/kg	0.12	0.045	1	05/16/22 09:18	05/18/22 15:44	7440-28-0	
Vanadium	34.4	mg/kg	1.2	0.22	1	05/16/22 09:18	05/18/22 15:44	7440-62-2	
Zinc	55.9	mg/kg	6.1	1.1	1	05/16/22 09:18	05/18/22 15:44	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.054	mg/kg	0.041	0.012	1	05/17/22 08:33	05/18/22 13:00	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.082	0.025	1	05/16/22 12:51	05/17/22 16:27	120-82-1	
1,2-Dichlorobenzene	<0.069	mg/kg	0.23	0.069	1	05/16/22 12:51	05/17/22 16:27	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/17/22 16:27	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/17/22 16:27	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/17/22 16:27	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/17/22 16:27	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 16:27	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/17/22 16:27	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/16/22 12:51	05/17/22 16:27	105-67-9	
2,4-Dinitrophenol	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/17/22 16:27	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/17/22 16:27	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/16/22 12:51	05/17/22 16:27	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/16/22 12:51	05/17/22 16:27	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/17/22 16:27	95-57-8	
2-Methylnaphthalene	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/17/22 16:27	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/17/22 16:27	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/16/22 12:51	05/17/22 16:27	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: **SB-58 (4.5-5.5)** Lab ID: **40244640014** Collected: 05/09/22 11:10 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.069	mg/kg	0.23	0.069	1	05/16/22 12:51	05/17/22 16:27	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/17/22 16:27		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/16/22 12:51	05/17/22 16:27	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 16:27	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/17/22 16:27	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/16/22 12:51	05/17/22 16:27	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/16/22 12:51	05/17/22 16:27	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 16:27	106-47-8	6q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/16/22 12:51	05/17/22 16:27	7005-72-3	
4-Nitroaniline	<0.091	mg/kg	0.30	0.091	1	05/16/22 12:51	05/17/22 16:27	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/17/22 16:27	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/16/22 12:51	05/17/22 16:27	83-32-9	
Acenaphthylene	<0.078	mg/kg	0.26	0.078	1	05/16/22 12:51	05/17/22 16:27	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 16:27	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 16:27	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 16:27	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/16/22 12:51	05/17/22 16:27	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/17/22 16:27	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/16/22 12:51	05/17/22 16:27	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 16:27	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 16:27	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 16:27	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 16:27	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/16/22 12:51	05/17/22 16:27	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/16/22 12:51	05/17/22 16:27	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.088	0.026	1	05/16/22 12:51	05/17/22 16:27	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 16:27	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.095	0.028	1	05/16/22 12:51	05/17/22 16:27	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/17/22 16:27	206-44-0	
Fluorene	<0.026	mg/kg	0.085	0.026	1	05/16/22 12:51	05/17/22 16:27	86-73-7	
Hexachloro-1,3-butadiene	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/17/22 16:27	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 16:27	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/16/22 12:51	05/17/22 16:27	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 16:27	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/17/22 16:27	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 16:27	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 16:27	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	0.99	0.30	1	05/16/22 12:51	05/17/22 16:27	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/16/22 12:51	05/17/22 16:27	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/16/22 12:51	05/17/22 16:27	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/16/22 12:51	05/17/22 16:27	87-86-5	
Phenanthrene	<0.028	mg/kg	0.093	0.028	1	05/16/22 12:51	05/17/22 16:27	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/16/22 12:51	05/17/22 16:27	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/16/22 12:51	05/17/22 16:27	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: **SB-58 (4.5-5.5)** Lab ID: **40244640014** Collected: 05/09/22 11:10 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/16/22 12:51	05/17/22 16:27	111-91-1	
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/16/22 12:51	05/17/22 16:27	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 16:27	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	73	%	10-125		1	05/16/22 12:51	05/17/22 16:27	4165-60-0	
2-Fluorobiphenyl (S)	59	%	12-118		1	05/16/22 12:51	05/17/22 16:27	321-60-8	
Terphenyl-d14 (S)	82	%	10-124		1	05/16/22 12:51	05/17/22 16:27	1718-51-0	
Phenol-d6 (S)	49	%	10-125		1	05/16/22 12:51	05/17/22 16:27	13127-88-3	
2-Fluorophenol (S)	53	%	10-130		1	05/16/22 12:51	05/17/22 16:27	367-12-4	
2,4,6-Tribromophenol (S)	75	%	10-144		1	05/16/22 12:51	05/17/22 16:27	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/13/22 06:00	05/13/22 17:00	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/13/22 06:00	05/13/22 17:00	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/13/22 06:00	05/13/22 17:00	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 17:00	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 17:00	75-35-4	
1,2-Dichloroethane	<0.00087	mg/kg	0.0053	0.00087	1	05/13/22 06:00	05/13/22 17:00	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 17:00	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.026	0.017	1	05/13/22 06:00	05/13/22 17:00	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/13/22 06:00	05/13/22 17:00	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.026	0.021	1	05/13/22 06:00	05/13/22 17:00	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/13/22 06:00	05/13/22 17:00	67-64-1	
Benzene	<0.00075	mg/kg	0.0053	0.00075	1	05/13/22 06:00	05/13/22 17:00	71-43-2	
Bromodichloromethane	<0.00072	mg/kg	0.0053	0.00072	1	05/13/22 06:00	05/13/22 17:00	75-27-4	
Bromoform	<0.0086	mg/kg	0.021	0.0086	1	05/13/22 06:00	05/13/22 17:00	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0053	0.0047	1	05/13/22 06:00	05/13/22 17:00	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/13/22 06:00	05/13/22 17:00	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0053	0.0033	1	05/13/22 06:00	05/13/22 17:00	56-23-5	
Chlorobenzene	<0.00098	mg/kg	0.0053	0.00098	1	05/13/22 06:00	05/13/22 17:00	108-90-7	
Chloroethane	<0.0038	mg/kg	0.0053	0.0038	1	05/13/22 06:00	05/13/22 17:00	75-00-3	
Chloroform	<0.00089	mg/kg	0.0053	0.00089	1	05/13/22 06:00	05/13/22 17:00	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 17:00	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 17:00	124-48-1	
Ethylbenzene	<0.00095	mg/kg	0.0053	0.00095	1	05/13/22 06:00	05/13/22 17:00	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/13/22 06:00	05/13/22 17:00	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/13/22 06:00	05/13/22 17:00	75-09-2	
Styrene	<0.00075	mg/kg	0.0053	0.00075	1	05/13/22 06:00	05/13/22 17:00	100-42-5	
Tetrachloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/13/22 06:00	05/13/22 17:00	127-18-4	
Toluene	<0.00093	mg/kg	0.0053	0.00093	1	05/13/22 06:00	05/13/22 17:00	108-88-3	
Trichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/13/22 06:00	05/13/22 17:00	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/13/22 06:00	05/13/22 17:00	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/13/22 06:00	05/13/22 17:00	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-58 (4.5-5.5) **Lab ID: 40244640014** Collected: 05/09/22 11:10 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00093	mg/kg	0.0053	0.00093	1	05/13/22 06:00	05/13/22 17:00	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 17:00	10061-01-5	
trans-1,2-Dichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/13/22 06:00	05/13/22 17:00	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/13/22 06:00	05/13/22 17:00	10061-02-6	
Surrogates									
Toluene-d8 (S)	97	%	69-156		1	05/13/22 06:00	05/13/22 17:00	2037-26-5	
4-Bromofluorobenzene (S)	76	%	61-175		1	05/13/22 06:00	05/13/22 17:00	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1	05/13/22 06:00	05/13/22 17:00	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.6	%	0.10	0.10	1		05/13/22 11:09		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.8	Std. Units	0.10	0.010	1		05/19/22 10:24		4q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.39	mg/kg	1.2	0.39	1	05/18/22 10:45	05/18/22 15:37	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: **SB-57 (1.5-2.5)** Lab ID: **40244640015** Collected: 05/09/22 10:30 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00051	mg/kg	0.0021	0.00051	1	05/11/22 16:22	05/19/22 04:56	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/11/22 16:22	05/19/22 04:56	319-84-6	
beta-BHC	<0.00065	mg/kg	0.0021	0.00065	1	05/11/22 16:22	05/19/22 04:56	319-85-7	
delta-BHC	<0.00038	mg/kg	0.0021	0.00038	1	05/11/22 16:22	05/19/22 04:56	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/11/22 16:22	05/19/22 04:56	58-89-9	
Chlordane (Technical)	<0.0069	mg/kg	0.021	0.0069	1	05/11/22 16:22	05/19/22 04:56	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/11/22 16:22	05/19/22 04:56	5103-71-9	
gamma-Chlordane	<0.00078	mg/kg	0.0021	0.00078	1	05/11/22 16:22	05/19/22 04:56	5103-74-2	
4,4'-DDD	<0.00042	mg/kg	0.0042	0.00042	1	05/11/22 16:22	05/19/22 04:56	72-54-8	
4,4'-DDE	<0.00048	mg/kg	0.0042	0.00048	1	05/11/22 16:22	05/19/22 04:56	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0042	0.0013	1	05/11/22 16:22	05/19/22 04:56	50-29-3	
Dieldrin	<0.00040	mg/kg	0.0042	0.00040	1	05/11/22 16:22	05/19/22 04:56	60-57-1	
Endosulfan I	<0.00023	mg/kg	0.0021	0.00023	1	05/11/22 16:22	05/19/22 04:56	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0042	0.0010	1	05/11/22 16:22	05/19/22 04:56	33213-65-9	
Endosulfan sulfate	<0.00099	mg/kg	0.0042	0.00099	1	05/11/22 16:22	05/19/22 04:56	1031-07-8	
Endrin	<0.00047	mg/kg	0.0042	0.00047	1	05/11/22 16:22	05/19/22 04:56	72-20-8	
Endrin aldehyde	<0.0013	mg/kg	0.0042	0.0013	1	05/11/22 16:22	05/19/22 04:56	7421-93-4	L2
Endrin ketone	<0.0011	mg/kg	0.0042	0.0011	1	05/11/22 16:22	05/19/22 04:56	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0021	0.00057	1	05/11/22 16:22	05/19/22 04:56	76-44-8	
Heptachlor epoxide	<0.00021	mg/kg	0.0021	0.00021	1	05/11/22 16:22	05/19/22 04:56	1024-57-3	
Methoxychlor	<0.0065	mg/kg	0.021	0.0065	1	05/11/22 16:22	05/19/22 04:56	72-43-5	
Toxaphene	<0.020	mg/kg	0.063	0.020	1	05/11/22 16:22	05/19/22 04:56	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	81	%	53-138		1	05/11/22 16:22	05/19/22 04:56	877-09-8	
Decachlorobiphenyl (S)	68	%	30-150		1	05/11/22 16:22	05/19/22 04:56	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.063	0.019	1	05/11/22 18:13	05/12/22 22:09	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.063	0.019	1	05/11/22 18:13	05/12/22 22:09	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.063	0.019	1	05/11/22 18:13	05/12/22 22:09	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.063	0.019	1	05/11/22 18:13	05/12/22 22:09	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.063	0.019	1	05/11/22 18:13	05/12/22 22:09	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.063	0.019	1	05/11/22 18:13	05/12/22 22:09	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.063	0.019	1	05/11/22 18:13	05/12/22 22:09	11096-82-5	
PCB, Total	<0.019	mg/kg	0.063	0.019	1	05/11/22 18:13	05/12/22 22:09	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	72	%	50-99		1	05/11/22 18:13	05/12/22 22:09	877-09-8	
Decachlorobiphenyl (S)	67	%	38-95		1	05/11/22 18:13	05/12/22 22:09	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	6400	mg/kg	37.3	7.5	1	05/16/22 09:18	05/18/22 15:18	7429-90-5	
Antimony	0.14J	mg/kg	0.62	0.12	1	05/16/22 09:18	05/18/22 15:18	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: **SB-57 (1.5-2.5)** Lab ID: **40244640015** Collected: 05/09/22 10:30 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	3.9	mg/kg	0.62	0.14	1	05/16/22 09:18	05/18/22 15:18	7440-38-2	
Barium	53.3	mg/kg	0.37	0.066	1	05/16/22 09:18	05/18/22 15:18	7440-39-3	
Beryllium	0.44	mg/kg	0.25	0.049	1	05/16/22 09:18	05/18/22 15:18	7440-41-7	
Cadmium	0.13	mg/kg	0.10	0.039	1	05/16/22 09:18	05/18/22 15:18	7440-43-9	
Calcium	46200	mg/kg	124	14.7	1	05/16/22 09:18	05/18/22 15:18	7440-70-2	
Chromium	11.6	mg/kg	2.5	0.17	1	05/16/22 09:18	05/18/22 15:18	7440-47-3	
Cobalt	5.0	mg/kg	0.62	0.12	1	05/16/22 09:18	05/18/22 15:18	7440-48-4	
Copper	13.7	mg/kg	1.2	0.30	1	05/16/22 09:18	05/18/22 15:18	7440-50-8	
Iron	14100	mg/kg	62.2	13.1	1	05/16/22 09:18	05/18/22 15:18	7439-89-6	
Lead	11.1	mg/kg	0.62	0.037	1	05/16/22 09:18	05/18/22 15:18	7439-92-1	
Magnesium	27700	mg/kg	37.3	5.3	1	05/16/22 09:18	05/18/22 15:18	7439-95-4	
Manganese	302	mg/kg	0.62	0.30	1	05/16/22 09:18	05/18/22 15:18	7439-96-5	
Nickel	11.5	mg/kg	0.62	0.25	1	05/16/22 09:18	05/18/22 15:18	7440-02-0	
Potassium	921	mg/kg	124	14.3	1	05/16/22 09:18	05/18/22 15:18	7440-09-7	
Selenium	0.43J	mg/kg	0.62	0.11	1	05/16/22 09:18	05/18/22 15:18	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/16/22 09:18	05/18/22 15:18	7440-22-4	
Sodium	66.0	mg/kg	62.2	13.8	1	05/16/22 09:18	05/18/22 15:18	7440-23-5	
Thallium	0.12J	mg/kg	0.12	0.046	1	05/16/22 09:18	05/18/22 15:18	7440-28-0	
Vanadium	17.9	mg/kg	1.2	0.22	1	05/16/22 09:18	05/18/22 15:18	7440-62-2	
Zinc	36.4	mg/kg	6.2	1.1	1	05/16/22 09:18	05/18/22 15:18	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.021J	mg/kg	0.041	0.012	1	05/17/22 08:33	05/18/22 13:02	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/16/22 12:51	05/18/22 13:18	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/18/22 13:18	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/16/22 12:51	05/18/22 13:18	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/16/22 12:51	05/18/22 13:18	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/18/22 13:18	108-60-1	
2,4,5-Trichlorophenol	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/18/22 13:18	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/18/22 13:18	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/18/22 13:18	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/16/22 12:51	05/18/22 13:18	105-67-9	
2,4-Dinitrophenol	<0.064	mg/kg	0.21	0.064	1	05/16/22 12:51	05/18/22 13:18	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/18/22 13:18	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/18/22 13:18	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/16/22 12:51	05/18/22 13:18	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/16/22 12:51	05/18/22 13:18	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/18/22 13:18	91-57-6	
2-Methylphenol(o-Cresol)	<0.038	mg/kg	0.13	0.038	1	05/16/22 12:51	05/18/22 13:18	95-48-7	
2-Nitroaniline	<0.060	mg/kg	0.20	0.060	1	05/16/22 12:51	05/18/22 13:18	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-57 (1.5-2.5) **Lab ID: 40244640015** Collected: 05/09/22 10:30 Received: 05/10/22 11:00 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/18/22 13:18	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/18/22 13:18		
3,3'-Dichlorobenzidine	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/18/22 13:18	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/18/22 13:18	99-09-2	
4,6-Dinitro-2-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/16/22 12:51	05/18/22 13:18	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/16/22 12:51	05/18/22 13:18	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/18/22 13:18	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/18/22 13:18	106-47-8	1q
4-Chlorophenylphenyl ether	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/18/22 13:18	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/16/22 12:51	05/18/22 13:18	100-01-6	
4-Nitrophenol	<0.053	mg/kg	0.18	0.053	1	05/16/22 12:51	05/18/22 13:18	100-02-7	
Acenaphthene	<0.075	mg/kg	0.25	0.075	1	05/16/22 12:51	05/18/22 13:18	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/16/22 12:51	05/18/22 13:18	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/18/22 13:18	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/18/22 13:18	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/18/22 13:18	50-32-8	
Benzo(b)fluoranthene	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/18/22 13:18	205-99-2	
Benzo(g,h,i)perylene	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/18/22 13:18	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/16/22 12:51	05/18/22 13:18	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/18/22 13:18	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/18/22 13:18	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/18/22 13:18	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/18/22 13:18	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/16/22 12:51	05/18/22 13:18	117-84-0	
Dibenz(a,h)anthracene	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/18/22 13:18	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.085	0.026	1	05/16/22 12:51	05/18/22 13:18	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/18/22 13:18	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.092	0.028	1	05/16/22 12:51	05/18/22 13:18	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/18/22 13:18	206-44-0	
Fluorene	<0.025	mg/kg	0.082	0.025	1	05/16/22 12:51	05/18/22 13:18	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/18/22 13:18	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/18/22 13:18	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/16/22 12:51	05/18/22 13:18	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/18/22 13:18	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/16/22 12:51	05/18/22 13:18	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/18/22 13:18	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/18/22 13:18	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/16/22 12:51	05/18/22 13:18	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/16/22 12:51	05/18/22 13:18	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/16/22 12:51	05/18/22 13:18	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/18/22 13:18	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/16/22 12:51	05/18/22 13:18	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/16/22 12:51	05/18/22 13:18	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/18/22 13:18	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-57 (1.5-2.5) **Lab ID: 40244640015** Collected: 05/09/22 10:30 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/18/22 13:18	111-91-1	
bis(2-Chloroethyl) ether	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/18/22 13:18	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/18/22 13:18	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	70	%	10-125		1	05/16/22 12:51	05/18/22 13:18	4165-60-0	
2-Fluorobiphenyl (S)	66	%	12-118		1	05/16/22 12:51	05/18/22 13:18	321-60-8	
Terphenyl-d14 (S)	81	%	10-124		1	05/16/22 12:51	05/18/22 13:18	1718-51-0	
Phenol-d6 (S)	59	%	10-125		1	05/16/22 12:51	05/18/22 13:18	13127-88-3	
2-Fluorophenol (S)	60	%	10-130		1	05/16/22 12:51	05/18/22 13:18	367-12-4	
2,4,6-Tribromophenol (S)	90	%	10-144		1	05/16/22 12:51	05/18/22 13:18	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0013	mg/kg	0.0042	0.0013	1	05/16/22 06:00	05/16/22 14:05	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0022	mg/kg	0.0042	0.0022	1	05/16/22 06:00	05/16/22 14:05	79-34-5	
1,1,2-Trichloroethane	<0.0013	mg/kg	0.0042	0.0013	1	05/16/22 06:00	05/16/22 14:05	79-00-5	
1,1-Dichloroethane	<0.00091	mg/kg	0.0042	0.00091	1	05/16/22 06:00	05/16/22 14:05	75-34-3	
1,1-Dichloroethene	<0.00089	mg/kg	0.0042	0.00089	1	05/16/22 06:00	05/16/22 14:05	75-35-4	
1,2-Dichloroethane	<0.00070	mg/kg	0.0042	0.00070	1	05/16/22 06:00	05/16/22 14:05	107-06-2	
1,2-Dichloropropane	<0.00086	mg/kg	0.0042	0.00086	1	05/16/22 06:00	05/16/22 14:05	78-87-5	
2-Butanone (MEK)	<0.013	mg/kg	0.021	0.013	1	05/16/22 06:00	05/16/22 14:05	78-93-3	
2-Hexanone	<0.0096	mg/kg	0.021	0.0096	1	05/16/22 06:00	05/16/22 14:05	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.017	mg/kg	0.021	0.017	1	05/16/22 06:00	05/16/22 14:05	108-10-1	
Acetone	<0.040	mg/kg	0.085	0.040	1	05/16/22 06:00	05/16/22 14:05	67-64-1	
Benzene	<0.00060	mg/kg	0.0042	0.00060	1	05/16/22 06:00	05/16/22 14:05	71-43-2	
Bromodichloromethane	<0.00058	mg/kg	0.0042	0.00058	1	05/16/22 06:00	05/16/22 14:05	75-27-4	
Bromoform	<0.0069	mg/kg	0.017	0.0069	1	05/16/22 06:00	05/16/22 14:05	75-25-2	
Bromomethane	<0.0038	mg/kg	0.0042	0.0038	1	05/16/22 06:00	05/16/22 14:05	74-83-9	
Carbon disulfide	<0.00094	mg/kg	0.0042	0.00094	1	05/16/22 06:00	05/16/22 14:05	75-15-0	
Carbon tetrachloride	<0.0027	mg/kg	0.0042	0.0027	1	05/16/22 06:00	05/16/22 14:05	56-23-5	
Chlorobenzene	<0.00078	mg/kg	0.0042	0.00078	1	05/16/22 06:00	05/16/22 14:05	108-90-7	
Chloroethane	<0.0031	mg/kg	0.0042	0.0031	1	05/16/22 06:00	05/16/22 14:05	75-00-3	
Chloroform	<0.00072	mg/kg	0.0042	0.00072	1	05/16/22 06:00	05/16/22 14:05	67-66-3	
Chloromethane	<0.00091	mg/kg	0.0042	0.00091	1	05/16/22 06:00	05/16/22 14:05	74-87-3	
Dibromochloromethane	<0.00085	mg/kg	0.0042	0.00085	1	05/16/22 06:00	05/16/22 14:05	124-48-1	
Ethylbenzene	<0.00076	mg/kg	0.0042	0.00076	1	05/16/22 06:00	05/16/22 14:05	100-41-4	
Methyl-tert-butyl ether	<0.0017	mg/kg	0.0042	0.0017	1	05/16/22 06:00	05/16/22 14:05	1634-04-4	
Methylene Chloride	<0.0034	mg/kg	0.0042	0.0034	1	05/16/22 06:00	05/16/22 14:05	75-09-2	
Styrene	<0.00060	mg/kg	0.0042	0.00060	1	05/16/22 06:00	05/16/22 14:05	100-42-5	
Tetrachloroethene	<0.00075	mg/kg	0.0042	0.00075	1	05/16/22 06:00	05/16/22 14:05	127-18-4	
Toluene	<0.00075	mg/kg	0.0042	0.00075	1	05/16/22 06:00	05/16/22 14:05	108-88-3	
Trichloroethene	<0.00061	mg/kg	0.0042	0.00061	1	05/16/22 06:00	05/16/22 14:05	79-01-6	
Vinyl chloride	<0.0011	mg/kg	0.0042	0.0011	1	05/16/22 06:00	05/16/22 14:05	75-01-4	
Xylene (Total)	<0.0029	mg/kg	0.0085	0.0029	1	05/16/22 06:00	05/16/22 14:05	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-57 (1.5-2.5) **Lab ID: 40244640015** Collected: 05/09/22 10:30 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00075	mg/kg	0.0042	0.00075	1	05/16/22 06:00	05/16/22 14:05	156-59-2	
cis-1,3-Dichloropropene	<0.00087	mg/kg	0.0042	0.00087	1	05/16/22 06:00	05/16/22 14:05	10061-01-5	
trans-1,2-Dichloroethene	<0.00061	mg/kg	0.0042	0.00061	1	05/16/22 06:00	05/16/22 14:05	156-60-5	
trans-1,3-Dichloropropene	<0.00085	mg/kg	0.0042	0.00085	1	05/16/22 06:00	05/16/22 14:05	10061-02-6	
Surrogates									
Toluene-d8 (S)	95	%	69-156		1	05/16/22 06:00	05/16/22 14:05	2037-26-5	
4-Bromofluorobenzene (S)	86	%	61-175		1	05/16/22 06:00	05/16/22 14:05	460-00-4	
1,2-Dichlorobenzene-d4 (S)	93	%	70-130		1	05/16/22 06:00	05/16/22 14:05	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.2	%	0.10	0.10	1		05/13/22 11:09		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.8	Std. Units	0.10	0.010	1		05/19/22 10:25		4q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.29	mg/kg	0.86	0.29	1	05/18/22 10:45	05/18/22 15:38	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-57 (4.5-5.5) **Lab ID: 40244640016** Collected: 05/09/22 10:35 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0022	0.00052	1	05/11/22 16:22	05/19/22 05:15	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 16:22	05/19/22 05:15	319-84-6	
beta-BHC	<0.00067	mg/kg	0.0022	0.00067	1	05/11/22 16:22	05/19/22 05:15	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0022	0.00039	1	05/11/22 16:22	05/19/22 05:15	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/11/22 16:22	05/19/22 05:15	58-89-9	
Chlordane (Technical)	<0.0071	mg/kg	0.022	0.0071	1	05/11/22 16:22	05/19/22 05:15	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/11/22 16:22	05/19/22 05:15	5103-71-9	
gamma-Chlordane	<0.00080	mg/kg	0.0022	0.00080	1	05/11/22 16:22	05/19/22 05:15	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0043	0.00044	1	05/11/22 16:22	05/19/22 05:15	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/11/22 16:22	05/19/22 05:15	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/11/22 16:22	05/19/22 05:15	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/11/22 16:22	05/19/22 05:15	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/11/22 16:22	05/19/22 05:15	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/11/22 16:22	05/19/22 05:15	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/11/22 16:22	05/19/22 05:15	1031-07-8	
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/11/22 16:22	05/19/22 05:15	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/11/22 16:22	05/19/22 05:15	7421-93-4	L2
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/11/22 16:22	05/19/22 05:15	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0022	0.00058	1	05/11/22 16:22	05/19/22 05:15	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/11/22 16:22	05/19/22 05:15	1024-57-3	
Methoxychlor	<0.0066	mg/kg	0.022	0.0066	1	05/11/22 16:22	05/19/22 05:15	72-43-5	
Toxaphene	<0.020	mg/kg	0.065	0.020	1	05/11/22 16:22	05/19/22 05:15	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	82	%	53-138		1	05/11/22 16:22	05/19/22 05:15	877-09-8	
Decachlorobiphenyl (S)	74	%	30-150		1	05/11/22 16:22	05/19/22 05:15	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/11/22 18:13	05/12/22 22:34	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/11/22 18:13	05/12/22 22:34	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/11/22 18:13	05/12/22 22:34	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/11/22 18:13	05/12/22 22:34	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/11/22 18:13	05/12/22 22:34	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/11/22 18:13	05/12/22 22:34	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/11/22 18:13	05/12/22 22:34	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/11/22 18:13	05/12/22 22:34	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	78	%	50-99		1	05/11/22 18:13	05/12/22 22:34	877-09-8	
Decachlorobiphenyl (S)	71	%	38-95		1	05/11/22 18:13	05/12/22 22:34	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	14900	mg/kg	35.7	7.2	1	05/16/22 09:18	05/18/22 15:37	7429-90-5	
Antimony	0.21J	mg/kg	0.59	0.11	1	05/16/22 09:18	05/18/22 15:37	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: **SB-57 (4.5-5.5)** Lab ID: **40244640016** Collected: 05/09/22 10:35 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	10.6	mg/kg	0.59	0.13	1	05/16/22 09:18	05/18/22 15:37	7440-38-2	
Barium	182	mg/kg	0.36	0.063	1	05/16/22 09:18	05/18/22 15:37	7440-39-3	
Beryllium	0.87	mg/kg	0.24	0.047	1	05/16/22 09:18	05/18/22 15:37	7440-41-7	
Cadmium	0.21	mg/kg	0.095	0.037	1	05/16/22 09:18	05/18/22 15:37	7440-43-9	
Calcium	4030	mg/kg	119	14.0	1	05/16/22 09:18	05/18/22 15:37	7440-70-2	
Chromium	19.0	mg/kg	2.4	0.17	1	05/16/22 09:18	05/18/22 15:37	7440-47-3	
Cobalt	11.4	mg/kg	0.59	0.12	1	05/16/22 09:18	05/18/22 15:37	7440-48-4	
Copper	20.8	mg/kg	1.2	0.29	1	05/16/22 09:18	05/18/22 15:37	7440-50-8	
Iron	25300	mg/kg	59.4	12.5	1	05/16/22 09:18	05/18/22 15:37	7439-89-6	
Lead	18.9	mg/kg	0.59	0.035	1	05/16/22 09:18	05/18/22 15:37	7439-92-1	
Magnesium	3910	mg/kg	35.7	5.1	1	05/16/22 09:18	05/18/22 15:37	7439-95-4	
Manganese	430	mg/kg	0.59	0.29	1	05/16/22 09:18	05/18/22 15:37	7439-96-5	
Nickel	23.1	mg/kg	0.59	0.24	1	05/16/22 09:18	05/18/22 15:37	7440-02-0	
Potassium	845	mg/kg	119	13.7	1	05/16/22 09:18	05/18/22 15:37	7440-09-7	
Selenium	0.37J	mg/kg	0.59	0.10	1	05/16/22 09:18	05/18/22 15:37	7782-49-2	
Silver	<0.17	mg/kg	0.59	0.17	1	05/16/22 09:18	05/18/22 15:37	7440-22-4	
Sodium	38.0J	mg/kg	59.4	13.2	1	05/16/22 09:18	05/18/22 15:37	7440-23-5	
Thallium	0.17	mg/kg	0.12	0.044	1	05/16/22 09:18	05/18/22 15:37	7440-28-0	
Vanadium	37.1	mg/kg	1.2	0.21	1	05/16/22 09:18	05/18/22 15:37	7440-62-2	
Zinc	60.9	mg/kg	5.9	1.1	1	05/16/22 09:18	05/18/22 15:37	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.032J	mg/kg	0.042	0.012	1	05/17/22 08:33	05/18/22 13:04	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.082	0.024	1	05/16/22 12:51	05/17/22 16:06	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/16/22 12:51	05/17/22 16:06	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/17/22 16:06	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/17/22 16:06	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/17/22 16:06	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/16/22 12:51	05/17/22 16:06	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 16:06	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/17/22 16:06	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/16/22 12:51	05/17/22 16:06	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/17/22 16:06	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/17/22 16:06	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/16/22 12:51	05/17/22 16:06	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/16/22 12:51	05/17/22 16:06	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/17/22 16:06	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/17/22 16:06	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/17/22 16:06	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/16/22 12:51	05/17/22 16:06	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: **SB-57 (4.5-5.5)** Lab ID: **40244640016** Collected: 05/09/22 10:35 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/16/22 12:51	05/17/22 16:06	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/17/22 16:06		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/16/22 12:51	05/17/22 16:06	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 16:06	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/17/22 16:06	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/16/22 12:51	05/17/22 16:06	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/17/22 16:06	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 16:06	106-47-8	6q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/17/22 16:06	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/16/22 12:51	05/17/22 16:06	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/17/22 16:06	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/16/22 12:51	05/17/22 16:06	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/16/22 12:51	05/17/22 16:06	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 16:06	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 16:06	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 16:06	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 16:06	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/17/22 16:06	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/16/22 12:51	05/17/22 16:06	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 16:06	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 16:06	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 16:06	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 16:06	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/16/22 12:51	05/17/22 16:06	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/16/22 12:51	05/17/22 16:06	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/16/22 12:51	05/17/22 16:06	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 16:06	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/16/22 12:51	05/17/22 16:06	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/17/22 16:06	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/16/22 12:51	05/17/22 16:06	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/17/22 16:06	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 16:06	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/16/22 12:51	05/17/22 16:06	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 16:06	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/17/22 16:06	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 16:06	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 16:06	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/16/22 12:51	05/17/22 16:06	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/16/22 12:51	05/17/22 16:06	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/16/22 12:51	05/17/22 16:06	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/16/22 12:51	05/17/22 16:06	87-86-5	
Phenanthrene	<0.028	mg/kg	0.093	0.028	1	05/16/22 12:51	05/17/22 16:06	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/16/22 12:51	05/17/22 16:06	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/16/22 12:51	05/17/22 16:06	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: SB-57 (4.5-5.5) Lab ID: 40244640016 Collected: 05/09/22 10:35 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/17/22 16:06	111-91-1	
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/16/22 12:51	05/17/22 16:06	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 16:06	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	76	%	10-125		1	05/16/22 12:51	05/17/22 16:06	4165-60-0	
2-Fluorobiphenyl (S)	61	%	12-118		1	05/16/22 12:51	05/17/22 16:06	321-60-8	
Terphenyl-d14 (S)	73	%	10-124		1	05/16/22 12:51	05/17/22 16:06	1718-51-0	
Phenol-d6 (S)	72	%	10-125		1	05/16/22 12:51	05/17/22 16:06	13127-88-3	
2-Fluorophenol (S)	78	%	10-130		1	05/16/22 12:51	05/17/22 16:06	367-12-4	
2,4,6-Tribromophenol (S)	67	%	10-144		1	05/16/22 12:51	05/17/22 16:06	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/16/22 06:00	05/16/22 14:30	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0050	0.0026	1	05/16/22 06:00	05/16/22 14:30	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/16/22 06:00	05/16/22 14:30	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/16/22 06:00	05/16/22 14:30	75-34-3	
1,1-Dichloroethene	<0.0010	mg/kg	0.0050	0.0010	1	05/16/22 06:00	05/16/22 14:30	75-35-4	
1,2-Dichloroethane	<0.00082	mg/kg	0.0050	0.00082	1	05/16/22 06:00	05/16/22 14:30	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/16/22 06:00	05/16/22 14:30	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/16/22 06:00	05/16/22 14:30	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/16/22 06:00	05/16/22 14:30	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/16/22 06:00	05/16/22 14:30	108-10-1	
Acetone	<0.047	mg/kg	0.10	0.047	1	05/16/22 06:00	05/16/22 14:30	67-64-1	
Benzene	<0.00071	mg/kg	0.0050	0.00071	1	05/16/22 06:00	05/16/22 14:30	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/16/22 06:00	05/16/22 14:30	75-27-4	
Bromoform	<0.0081	mg/kg	0.020	0.0081	1	05/16/22 06:00	05/16/22 14:30	75-25-2	
Bromomethane	<0.0044	mg/kg	0.0050	0.0044	1	05/16/22 06:00	05/16/22 14:30	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/16/22 06:00	05/16/22 14:30	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0050	0.0032	1	05/16/22 06:00	05/16/22 14:30	56-23-5	
Chlorobenzene	<0.00092	mg/kg	0.0050	0.00092	1	05/16/22 06:00	05/16/22 14:30	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0050	0.0036	1	05/16/22 06:00	05/16/22 14:30	75-00-3	
Chloroform	<0.00084	mg/kg	0.0050	0.00084	1	05/16/22 06:00	05/16/22 14:30	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/16/22 06:00	05/16/22 14:30	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/16/22 06:00	05/16/22 14:30	124-48-1	
Ethylbenzene	<0.00089	mg/kg	0.0050	0.00089	1	05/16/22 06:00	05/16/22 14:30	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0050	0.0020	1	05/16/22 06:00	05/16/22 14:30	1634-04-4	
Methylene Chloride	<0.0039	mg/kg	0.0050	0.0039	1	05/16/22 06:00	05/16/22 14:30	75-09-2	
Styrene	<0.00071	mg/kg	0.0050	0.00071	1	05/16/22 06:00	05/16/22 14:30	100-42-5	
Tetrachloroethene	<0.00088	mg/kg	0.0050	0.00088	1	05/16/22 06:00	05/16/22 14:30	127-18-4	
Toluene	<0.00088	mg/kg	0.0050	0.00088	1	05/16/22 06:00	05/16/22 14:30	108-88-3	
Trichloroethene	<0.00071	mg/kg	0.0050	0.00071	1	05/16/22 06:00	05/16/22 14:30	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/16/22 06:00	05/16/22 14:30	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.010	0.0034	1	05/16/22 06:00	05/16/22 14:30	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Sample: SB-57 (4.5-5.5) **Lab ID: 40244640016** Collected: 05/09/22 10:35 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay								
cis-1,2-Dichloroethene	<0.00088	mg/kg	0.0050	0.00088	1	05/16/22 06:00	05/16/22 14:30	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/16/22 06:00	05/16/22 14:30	10061-01-5	
trans-1,2-Dichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/16/22 06:00	05/16/22 14:30	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/16/22 06:00	05/16/22 14:30	10061-02-6	
Surrogates									
Toluene-d8 (S)	94	%	69-156		1	05/16/22 06:00	05/16/22 14:30	2037-26-5	
4-Bromofluorobenzene (S)	77	%	61-175		1	05/16/22 06:00	05/16/22 14:30	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1	05/16/22 06:00	05/16/22 14:30	2199-69-1	
Percent Moisture	Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay								
Percent Moisture	22.8	%	0.10	0.10	1		05/13/22 11:10		
9040 pH	Analytical Method: EPA 9040 Pace Analytical Services - Green Bay								
pH at 25 Degrees C	7.8	Std. Units	0.10	0.010	1		05/19/22 10:27		4q,H6
9012 Cyanide, Total	Analytical Method: EPA 9012B Preparation Method: EPA 9012B Pace Analytical Services - Green Bay								
Cyanide	<0.38	mg/kg	1.1	0.38	1	05/18/22 10:45	05/18/22 15:39	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Sample: TB-05 **Lab ID: 40244640017** Collected: 05/09/22 16:30 Received: 05/10/22 11:00 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/16/22 06:00	05/16/22 14:54	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0050	0.0026	1	05/16/22 06:00	05/16/22 14:54	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/16/22 06:00	05/16/22 14:54	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/16/22 06:00	05/16/22 14:54	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0050	0.0011	1	05/16/22 06:00	05/16/22 14:54	75-35-4	
1,2-Dichloroethane	<0.00082	mg/kg	0.0050	0.00082	1	05/16/22 06:00	05/16/22 14:54	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/16/22 06:00	05/16/22 14:54	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/16/22 06:00	05/16/22 14:54	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/16/22 06:00	05/16/22 14:54	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/16/22 06:00	05/16/22 14:54	108-10-1	
Acetone	<0.047	mg/kg	0.10	0.047	1	05/16/22 06:00	05/16/22 14:54	67-64-1	
Benzene	<0.00071	mg/kg	0.0050	0.00071	1	05/16/22 06:00	05/16/22 14:54	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/16/22 06:00	05/16/22 14:54	75-27-4	
Bromoform	<0.0081	mg/kg	0.020	0.0081	1	05/16/22 06:00	05/16/22 14:54	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0050	0.0045	1	05/16/22 06:00	05/16/22 14:54	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/16/22 06:00	05/16/22 14:54	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0050	0.0032	1	05/16/22 06:00	05/16/22 14:54	56-23-5	
Chlorobenzene	<0.00092	mg/kg	0.0050	0.00092	1	05/16/22 06:00	05/16/22 14:54	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0050	0.0036	1	05/16/22 06:00	05/16/22 14:54	75-00-3	
Chloroform	<0.00084	mg/kg	0.0050	0.00084	1	05/16/22 06:00	05/16/22 14:54	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/16/22 06:00	05/16/22 14:54	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/16/22 06:00	05/16/22 14:54	124-48-1	
Ethylbenzene	<0.00089	mg/kg	0.0050	0.00089	1	05/16/22 06:00	05/16/22 14:54	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0050	0.0020	1	05/16/22 06:00	05/16/22 14:54	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0050	0.0040	1	05/16/22 06:00	05/16/22 14:54	75-09-2	
Styrene	<0.00071	mg/kg	0.0050	0.00071	1	05/16/22 06:00	05/16/22 14:54	100-42-5	
Tetrachloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/16/22 06:00	05/16/22 14:54	127-18-4	
Toluene	<0.00088	mg/kg	0.0050	0.00088	1	05/16/22 06:00	05/16/22 14:54	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/16/22 06:00	05/16/22 14:54	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/16/22 06:00	05/16/22 14:54	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.010	0.0034	1	05/16/22 06:00	05/16/22 14:54	1330-20-7	
cis-1,2-Dichloroethene	<0.00088	mg/kg	0.0050	0.00088	1	05/16/22 06:00	05/16/22 14:54	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/16/22 06:00	05/16/22 14:54	10061-01-5	
trans-1,2-Dichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/16/22 06:00	05/16/22 14:54	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/16/22 06:00	05/16/22 14:54	10061-02-6	
Surrogates									
Toluene-d8 (S)	95	%	69-156		1	05/16/22 06:00	05/16/22 14:54	2037-26-5	
4-Bromofluorobenzene (S)	78	%	61-175		1	05/16/22 06:00	05/16/22 14:54	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1	05/16/22 06:00	05/16/22 14:54	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

QC Batch:	415912	Analysis Method:	EPA 7471
QC Batch Method:	EPA 7471	Analysis Description:	7471 Mercury
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244640001, 40244640002, 40244640003, 40244640004, 40244640005, 40244640006, 40244640007, 40244640008, 40244640009, 40244640010, 40244640011, 40244640012, 40244640013, 40244640014, 40244640015, 40244640016

METHOD BLANK: 2394723 Matrix: Solid
Associated Lab Samples: 40244640001, 40244640002, 40244640003, 40244640004, 40244640005, 40244640006, 40244640007, 40244640008, 40244640009, 40244640010, 40244640011, 40244640012, 40244640013, 40244640014, 40244640015, 40244640016

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	0.010	05/18/22 12:16	

LABORATORY CONTROL SAMPLE: 2394724

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.84	100	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2394725 2394726

Parameter	Units	40244640001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	0.038J	1.1	1.1	1.2	1.2	104	104	85-115	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

QC Batch: 418338 Analysis Method: EPA 6010D
QC Batch Method: EPA 3015A Analysis Description: 6010D MET SPLP
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244640005

METHOD BLANK: 2409234 Matrix: Water
Associated Lab Samples: 40244640005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Lead	mg/L	<0.0059	0.020	0.0059	06/15/22 10:53	

METHOD BLANK: 2408116 Matrix: Solid
Associated Lab Samples: 40244640005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Lead	mg/L	<0.0059	0.020	0.0059	06/15/22 11:34	

LABORATORY CONTROL SAMPLE: 2409235

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	mg/L	0.28	0.29	104	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2409236 2409237

Parameter	Units	MS		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		40244640005	Result	Spike Conc.	Conc.	Result	Result	% Rec	% Rec				
Lead	mg/L	0.013J	0.28	0.28	0.30	0.30	103	103	75-125	0	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
 Pace Project No.: 40244640

QC Batch: 815038 Analysis Method: EPA 6020B
 QC Batch Method: EPA 3050B Analysis Description: 6020B Solids UPD5
 Laboratory: Pace Analytical Services - Minneapolis
 Associated Lab Samples: 40244640005, 40244640007, 40244640008, 40244640009, 40244640010, 40244640011, 40244640012, 40244640013, 40244640014, 40244640015, 40244640016

METHOD BLANK: 4320556 Matrix: Solid
 Associated Lab Samples: 40244640005, 40244640007, 40244640008, 40244640009, 40244640010, 40244640011, 40244640012, 40244640013, 40244640014, 40244640015, 40244640016

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Aluminum	mg/kg	<5.5	27.3	5.5	05/18/22 14:01	
Antimony	mg/kg	<0.087	0.45	0.087	05/18/22 14:01	
Arsenic	mg/kg	<0.099	0.45	0.099	05/18/22 14:01	
Barium	mg/kg	<0.049	0.27	0.049	05/18/22 14:01	
Beryllium	mg/kg	<0.036	0.18	0.036	05/18/22 14:01	
Cadmium	mg/kg	<0.029	0.073	0.029	05/18/22 14:01	
Calcium	mg/kg	<10.7	90.9	10.7	05/18/22 14:01	
Chromium	mg/kg	<0.13	1.8	0.13	05/18/22 14:01	
Cobalt	mg/kg	<0.090	0.45	0.090	05/18/22 14:01	
Copper	mg/kg	<0.22	0.91	0.22	05/19/22 10:21	
Iron	mg/kg	<9.5	45.5	9.5	05/18/22 14:01	
Lead	mg/kg	0.12J	0.45	0.027	05/18/22 14:01	
Magnesium	mg/kg	<3.9	27.3	3.9	05/18/22 14:01	
Manganese	mg/kg	<0.22	0.45	0.22	05/18/22 14:01	
Nickel	mg/kg	<0.18	0.45	0.18	05/18/22 14:01	
Potassium	mg/kg	<10.5	90.9	10.5	05/18/22 14:01	
Selenium	mg/kg	<0.078	0.45	0.078	05/18/22 14:01	
Silver	mg/kg	<0.13	0.45	0.13	05/18/22 14:01	
Sodium	mg/kg	12.9J	45.5	10.1	05/18/22 14:01	
Thallium	mg/kg	<0.033	0.091	0.033	05/18/22 14:01	
Vanadium	mg/kg	<0.16	0.91	0.16	05/18/22 14:01	
Zinc	mg/kg	1.7J	4.5	0.82	05/18/22 14:01	

LABORATORY CONTROL SAMPLE: 4320557

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Aluminum	mg/kg	917	899	98	80-120	
Antimony	mg/kg	45.9	43.4	95	80-120	
Arsenic	mg/kg	45.9	43.4	95	80-120	
Barium	mg/kg	45.9	43.7	95	80-120	
Beryllium	mg/kg	45.9	46.4	101	80-120	
Cadmium	mg/kg	45.9	44.1	96	80-120	
Calcium	mg/kg	917	960	105	80-120	
Chromium	mg/kg	45.9	46.1	100	80-120	
Cobalt	mg/kg	45.9	45.2	99	80-120	
Copper	mg/kg	45.9	45.6	99	80-120	
Iron	mg/kg	917	914	100	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

LABORATORY CONTROL SAMPLE: 4320557

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	mg/kg	45.9	45.3	99	80-120	
Magnesium	mg/kg	917	912	99	80-120	
Manganese	mg/kg	45.9	45.0	98	80-120	
Nickel	mg/kg	45.9	45.7	100	80-120	
Potassium	mg/kg	917	904	99	80-120	
Selenium	mg/kg	45.9	45.8	100	80-120	
Silver	mg/kg	22.9	22.6	98	80-120	
Sodium	mg/kg	917	912	99	80-120	
Thallium	mg/kg	45.9	45.6	99	80-120	
Vanadium	mg/kg	45.9	44.6	97	80-120	
Zinc	mg/kg	45.9	44.9	98	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4320558 4320559

Parameter	Units	40244577010		MS	MSD	MS	MSD	% Rec Limits	RPD	Max RPD	Qual	
		Result	Spike Conc.	Spike Conc.	Result	Result	% Rec					% Rec
Aluminum	mg/kg	1490	1010	1070	3060	2720	155	115	75-125	12	20	M1
Antimony	mg/kg	<0.10	50.6	53.5	43.0	42.0	85	78	75-125	2	20	
Arsenic	mg/kg	2.0	50.6	53.5	51.6	49.6	98	89	75-125	4	20	
Barium	mg/kg	14.0	50.6	53.5	65.5	61.5	102	89	75-125	6	20	
Beryllium	mg/kg	0.15J	50.6	53.5	51.1	50.8	101	95	75-125	0	20	
Cadmium	mg/kg	0.057J	50.6	53.5	50.6	48.4	100	90	75-125	4	20	
Calcium	mg/kg	14700	1010	1070	21100	20100	637	506	75-125	5	20	P6
Chromium	mg/kg	3.9	50.6	53.5	55.8	53.3	103	92	75-125	5	20	
Cobalt	mg/kg	3.2	50.6	53.5	53.4	51.1	99	90	75-125	5	20	
Copper	mg/kg	3.6	50.6	53.5	54.1	52.3	100	91	75-125	4	20	
Iron	mg/kg	4680	1010	1070	5430	4900	74	20	75-125	10	20	P6
Lead	mg/kg	3.5	50.6	53.5	54.5	52.1	101	91	75-125	5	20	
Magnesium	mg/kg	5510	1010	1070	8670	8180	312	249	75-125	6	20	P6
Manganese	mg/kg	279	50.6	53.5	389	380	218	189	75-125	2	20	P6
Nickel	mg/kg	4.9	50.6	53.5	55.8	53.0	101	90	75-125	5	20	
Potassium	mg/kg	224	1010	1070	1360	1270	112	98	75-125	6	20	
Selenium	mg/kg	0.10J	50.6	53.5	50.5	50.5	100	94	75-125	0	20	
Silver	mg/kg	0.23J	25.2	26.8	25.8	24.9	101	92	75-125	4	20	
Sodium	mg/kg	35.0J	1010	1070	1050	1000	100	90	75-125	4	20	
Thallium	mg/kg	0.048J	50.6	53.5	51.6	50.1	102	93	75-125	3	20	
Vanadium	mg/kg	6.3	50.6	53.5	57.5	54.5	101	90	75-125	5	20	
Zinc	mg/kg	14.4	50.6	53.5	63.4	60.1	97	85	75-125	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

QC Batch: 815039 Analysis Method: EPA 6020B
QC Batch Method: EPA 3050B Analysis Description: 6020B Solids UPD5
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 40244640001, 40244640002, 40244640003, 40244640004, 40244640006

METHOD BLANK: 4320560 Matrix: Solid
Associated Lab Samples: 40244640001, 40244640002, 40244640003, 40244640004, 40244640006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Aluminum	mg/kg	<5.6	28.0	5.6	05/18/22 20:56	
Antimony	mg/kg	<0.090	0.47	0.090	05/18/22 20:56	
Arsenic	mg/kg	<0.10	0.47	0.10	05/18/22 20:56	
Barium	mg/kg	<0.050	0.28	0.050	05/18/22 20:56	
Beryllium	mg/kg	<0.037	0.19	0.037	05/18/22 20:56	
Cadmium	mg/kg	<0.029	0.075	0.029	05/18/22 20:56	
Calcium	mg/kg	<11.0	93.5	11.0	05/18/22 20:56	
Chromium	mg/kg	<0.13	1.9	0.13	05/18/22 20:56	
Cobalt	mg/kg	<0.093	0.47	0.093	05/18/22 20:56	
Copper	mg/kg	<0.23	0.93	0.23	05/18/22 20:56	
Iron	mg/kg	<9.8	46.7	9.8	05/18/22 20:56	
Lead	mg/kg	<0.027	0.47	0.027	05/18/22 20:56	
Magnesium	mg/kg	<4.0	28.0	4.0	05/18/22 20:56	
Manganese	mg/kg	<0.23	0.47	0.23	05/18/22 20:56	
Nickel	mg/kg	<0.19	0.47	0.19	05/18/22 20:56	
Potassium	mg/kg	<10.7	93.5	10.7	05/18/22 20:56	
Selenium	mg/kg	<0.080	0.47	0.080	05/18/22 20:56	
Silver	mg/kg	<0.14	0.47	0.14	05/18/22 20:56	
Sodium	mg/kg	<10.4	46.7	10.4	05/18/22 20:56	
Thallium	mg/kg	<0.034	0.093	0.034	05/18/22 20:56	
Vanadium	mg/kg	<0.16	0.93	0.16	05/18/22 20:56	
Zinc	mg/kg	<0.84	4.7	0.84	05/18/22 20:56	

LABORATORY CONTROL SAMPLE: 4320561

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Aluminum	mg/kg	980	803	82	80-120	
Antimony	mg/kg	49	40.6	83	80-120	
Arsenic	mg/kg	49	40.4	82	80-120	
Barium	mg/kg	49	41.1	84	80-120	
Beryllium	mg/kg	49	43.1	88	80-120	
Cadmium	mg/kg	49	41.3	84	80-120	
Calcium	mg/kg	980	869	89	80-120	
Chromium	mg/kg	49	43.4	89	80-120	
Cobalt	mg/kg	49	41.9	85	80-120	
Copper	mg/kg	49	43.0	88	80-120	
Iron	mg/kg	980	855	87	80-120	
Lead	mg/kg	49	42.4	87	80-120	
Magnesium	mg/kg	980	828	84	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

LABORATORY CONTROL SAMPLE: 4320561

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Manganese	mg/kg	49	42.1	86	80-120	
Nickel	mg/kg	49	42.8	87	80-120	
Potassium	mg/kg	980	817	83	80-120	
Selenium	mg/kg	49	44.7	91	80-120	
Silver	mg/kg	24.5	21.6	88	80-120	
Sodium	mg/kg	980	865	88	80-120	
Thallium	mg/kg	49	43.0	88	80-120	
Vanadium	mg/kg	49	41.8	85	80-120	
Zinc	mg/kg	49	41.7	85	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4320562 4320563

Parameter	Units	4320562		4320563		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result							
Aluminum	mg/kg	15600	1240	1210	19800	17900	337	190	75-125	10	20	P6
Antimony	mg/kg	0.28J	62.2	60.5	28.3	21.3	45	35	75-125	28	20	M1, R1
Arsenic	mg/kg	19.1	62.2	60.5	73.9	61.1	88	69	75-125	19	20	M1
Barium	mg/kg	397	62.2	60.5	657	317	417	-133	75-125	70	20	E, P6
Beryllium	mg/kg	1.1	62.2	60.5	58.7	50.5	93	82	75-125	15	20	
Cadmium	mg/kg	1.1	62.2	60.5	61.3	51.1	97	83	75-125	18	20	
Calcium	mg/kg	5010	1240	1210	6500	5640	120	52	75-125	14	20	P6
Chromium	mg/kg	20.2	62.2	60.5	83.4	72.4	102	86	75-125	14	20	
Cobalt	mg/kg	23.0	62.2	60.5	91.3	68.0	110	74	75-125	29	20	M1, R1
Copper	mg/kg	19.9	62.2	60.5	81.1	67.5	98	79	75-125	18	20	
Iron	mg/kg	28900	1240	1210	30300	25100	115	-311	75-125	19	20	P6
Lead	mg/kg	21.5	62.2	60.5	77.6	68.3	90	77	75-125	13	20	
Magnesium	mg/kg	3770	1240	1210	5330	4660	125	74	75-125	13	20	M1
Manganese	mg/kg	4680	62.2	60.5	7070	2510	3840	-3580	75-125	95	20	E, P6, R1
Nickel	mg/kg	43.0	62.2	60.5	145	92.5	163	82	75-125	44	20	M1, R1
Potassium	mg/kg	1050	1240	1210	2390	2140	107	89	75-125	11	20	
Selenium	mg/kg	0.58J	62.2	60.5	60.9	52.5	97	86	75-125	15	20	
Silver	mg/kg	0.34J	31.1	30.2	30.7	26.5	97	86	75-125	15	20	
Sodium	mg/kg	45.9J	1240	1210	1190	1030	92	81	75-125	15	20	
Thallium	mg/kg	0.25	62.2	60.5	60.2	51.5	96	85	75-125	16	20	
Vanadium	mg/kg	45.8	62.2	60.5	110	92.7	104	77	75-125	17	20	
Zinc	mg/kg	64.1	62.2	60.5	129	109	103	74	75-125	17	20	M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

QC Batch:	415845	Analysis Method:	EPA 8260
QC Batch Method:	EPA 5035/5030	Analysis Description:	8260 MSV Low
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244640001, 40244640002, 40244640003, 40244640004, 40244640005, 40244640006, 40244640007, 40244640008, 40244640009, 40244640010, 40244640011, 40244640012, 40244640013, 40244640014

METHOD BLANK: 2394326 Matrix: Solid
Associated Lab Samples: 40244640001, 40244640002, 40244640003, 40244640004, 40244640005, 40244640006, 40244640007, 40244640008, 40244640009, 40244640010, 40244640011, 40244640012, 40244640013, 40244640014

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/13/22 08:06	
1,1,2,2-Tetrachloroethane	mg/kg	<0.0026	0.0050	0.0026	05/13/22 08:06	
1,1,2-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/13/22 08:06	
1,1-Dichloroethane	mg/kg	<0.0011	0.0050	0.0011	05/13/22 08:06	
1,1-Dichloroethene	mg/kg	<0.0011	0.0050	0.0011	05/13/22 08:06	
1,2-Dichloroethane	mg/kg	<0.00082	0.0050	0.00082	05/13/22 08:06	
1,2-Dichloropropane	mg/kg	<0.0010	0.0050	0.0010	05/13/22 08:06	
2-Butanone (MEK)	mg/kg	<0.016	0.025	0.016	05/13/22 08:06	
2-Hexanone	mg/kg	<0.011	0.025	0.011	05/13/22 08:06	
4-Methyl-2-pentanone (MIBK)	mg/kg	<0.020	0.025	0.020	05/13/22 08:06	
Acetone	mg/kg	<0.047	0.10	0.047	05/13/22 08:06	
Benzene	mg/kg	<0.00071	0.0050	0.00071	05/13/22 08:06	
Bromodichloromethane	mg/kg	<0.00068	0.0050	0.00068	05/13/22 08:06	
Bromoform	mg/kg	<0.0081	0.020	0.0081	05/13/22 08:06	
Bromomethane	mg/kg	<0.0045	0.0050	0.0045	05/13/22 08:06	
Carbon disulfide	mg/kg	<0.0011	0.0050	0.0011	05/13/22 08:06	
Carbon tetrachloride	mg/kg	<0.0032	0.0050	0.0032	05/13/22 08:06	
Chlorobenzene	mg/kg	<0.00092	0.0050	0.00092	05/13/22 08:06	
Chloroethane	mg/kg	<0.0036	0.0050	0.0036	05/13/22 08:06	
Chloroform	mg/kg	<0.00084	0.0050	0.00084	05/13/22 08:06	
Chloromethane	mg/kg	<0.0011	0.0050	0.0011	05/13/22 08:06	
cis-1,2-Dichloroethene	mg/kg	<0.00088	0.0050	0.00088	05/13/22 08:06	
cis-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/13/22 08:06	
Dibromochloromethane	mg/kg	<0.0010	0.0050	0.0010	05/13/22 08:06	
Ethylbenzene	mg/kg	<0.00089	0.0050	0.00089	05/13/22 08:06	
Methyl-tert-butyl ether	mg/kg	<0.0020	0.0050	0.0020	05/13/22 08:06	
Methylene Chloride	mg/kg	<0.0040	0.0050	0.0040	05/13/22 08:06	
Styrene	mg/kg	<0.00071	0.0050	0.00071	05/13/22 08:06	
Tetrachloroethene	mg/kg	<0.00089	0.0050	0.00089	05/13/22 08:06	
Toluene	mg/kg	<0.00088	0.0050	0.00088	05/13/22 08:06	
trans-1,2-Dichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/13/22 08:06	
trans-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/13/22 08:06	
Trichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/13/22 08:06	
Vinyl chloride	mg/kg	<0.0013	0.0050	0.0013	05/13/22 08:06	
Xylene (Total)	mg/kg	<0.0034	0.010	0.0034	05/13/22 08:06	
1,2-Dichlorobenzene-d4 (S)	%	97	70-130		05/13/22 08:06	
4-Bromofluorobenzene (S)	%	80	61-175		05/13/22 08:06	
Toluene-d8 (S)	%	94	69-156		05/13/22 08:06	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

LABORATORY CONTROL SAMPLE & LCSD: 2394327		2394328								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	mg/kg	0.05	0.054	0.049	109	99	57-126	10	22	
1,1,2,2-Tetrachloroethane	mg/kg	0.05	0.045	0.042	90	84	70-170	7	20	
1,1,2-Trichloroethane	mg/kg	0.05	0.049	0.044	98	88	59-128	11	20	
1,1-Dichloroethane	mg/kg	0.05	0.055	0.050	110	101	70-130	9	20	
1,1-Dichloroethene	mg/kg	0.05	0.045	0.041	91	83	57-118	9	23	
1,2-Dichloroethane	mg/kg	0.05	0.049	0.051	98	102	75-137	4	23	
1,2-Dichloropropane	mg/kg	0.05	0.049	0.047	98	94	74-132	4	22	
Benzene	mg/kg	0.05	0.049	0.046	98	92	68-130	6	24	
Bromodichloromethane	mg/kg	0.05	0.054	0.049	108	98	57-139	9	23	
Bromoform	mg/kg	0.05	0.057	0.051	115	102	62-131	12	20	
Bromomethane	mg/kg	0.05	0.053	0.051	107	103	20-175	4	28	
Carbon disulfide	mg/kg	0.05	0.041	0.040	82	79	40-128	3	22	
Carbon tetrachloride	mg/kg	0.05	0.054	0.049	108	98	50-128	9	24	
Chlorobenzene	mg/kg	0.05	0.056	0.048	111	96	70-130	15	20	
Chloroethane	mg/kg	0.05	0.044	0.042	88	85	49-129	4	25	
Chloroform	mg/kg	0.05	0.054	0.050	108	99	65-128	8	23	
Chloromethane	mg/kg	0.05	0.033	0.030	66	61	39-134	8	25	
cis-1,2-Dichloroethene	mg/kg	0.05	0.055	0.051	110	103	69-130	7	24	
cis-1,3-Dichloropropene	mg/kg	0.05	0.047	0.045	95	90	67-132	5	23	
Dibromochloromethane	mg/kg	0.05	0.053	0.051	106	102	60-127	4	20	
Ethylbenzene	mg/kg	0.05	0.050	0.043	100	87	64-128	14	21	
Methyl-tert-butyl ether	mg/kg	0.05	0.045	0.045	89	91	64-126	2	25	
Methylene Chloride	mg/kg	0.05	0.057	0.050	113	100	54-133	12	22	
Styrene	mg/kg	0.05	0.055	0.047	111	94	64-130	16	21	
Tetrachloroethene	mg/kg	0.05	0.059	0.048	117	96	62-130	20	23	
Toluene	mg/kg	0.05	0.047	0.043	95	85	71-117	10	21	
trans-1,2-Dichloroethene	mg/kg	0.05	0.053	0.048	106	95	67-130	11	20	
trans-1,3-Dichloropropene	mg/kg	0.05	0.044	0.040	88	79	63-130	10	22	
Trichloroethene	mg/kg	0.05	0.052	0.047	105	94	67-130	11	22	
Vinyl chloride	mg/kg	0.05	0.037	0.039	75	77	47-138	3	24	
Xylene (Total)	mg/kg	0.15	0.16	0.13	104	88	60-125	16	21	
1,2-Dichlorobenzene-d4 (S)	%				96	100	70-130			
4-Bromofluorobenzene (S)	%				92	86	61-175			
Toluene-d8 (S)	%				92	95	69-156			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

QC Batch: 415946 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030 Analysis Description: 8260 MSV Low
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244640015, 40244640016, 40244640017

METHOD BLANK: 2394851 Matrix: Solid
Associated Lab Samples: 40244640015, 40244640016, 40244640017

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/16/22 09:22	
1,1,2,2-Tetrachloroethane	mg/kg	<0.0026	0.0050	0.0026	05/16/22 09:22	
1,1,2-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/16/22 09:22	
1,1-Dichloroethane	mg/kg	<0.0011	0.0050	0.0011	05/16/22 09:22	
1,1-Dichloroethene	mg/kg	<0.0011	0.0050	0.0011	05/16/22 09:22	
1,2-Dichloroethane	mg/kg	<0.00082	0.0050	0.00082	05/16/22 09:22	
1,2-Dichloropropane	mg/kg	<0.0010	0.0050	0.0010	05/16/22 09:22	
2-Butanone (MEK)	mg/kg	<0.016	0.025	0.016	05/16/22 09:22	
2-Hexanone	mg/kg	<0.011	0.025	0.011	05/16/22 09:22	
4-Methyl-2-pentanone (MIBK)	mg/kg	<0.020	0.025	0.020	05/16/22 09:22	
Acetone	mg/kg	<0.047	0.10	0.047	05/16/22 09:22	
Benzene	mg/kg	<0.00071	0.0050	0.00071	05/16/22 09:22	
Bromodichloromethane	mg/kg	<0.00068	0.0050	0.00068	05/16/22 09:22	
Bromoform	mg/kg	<0.0081	0.020	0.0081	05/16/22 09:22	
Bromomethane	mg/kg	<0.0045	0.0050	0.0045	05/16/22 09:22	
Carbon disulfide	mg/kg	<0.0011	0.0050	0.0011	05/16/22 09:22	
Carbon tetrachloride	mg/kg	<0.0032	0.0050	0.0032	05/16/22 09:22	
Chlorobenzene	mg/kg	<0.00092	0.0050	0.00092	05/16/22 09:22	
Chloroethane	mg/kg	<0.0036	0.0050	0.0036	05/16/22 09:22	
Chloroform	mg/kg	<0.00084	0.0050	0.00084	05/16/22 09:22	
Chloromethane	mg/kg	<0.0011	0.0050	0.0011	05/16/22 09:22	
cis-1,2-Dichloroethene	mg/kg	<0.00088	0.0050	0.00088	05/16/22 09:22	
cis-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/16/22 09:22	
Dibromochloromethane	mg/kg	<0.0010	0.0050	0.0010	05/16/22 09:22	
Ethylbenzene	mg/kg	<0.00089	0.0050	0.00089	05/16/22 09:22	
Methyl-tert-butyl ether	mg/kg	<0.0020	0.0050	0.0020	05/16/22 09:22	
Methylene Chloride	mg/kg	<0.0040	0.0050	0.0040	05/16/22 09:22	
Styrene	mg/kg	<0.00071	0.0050	0.00071	05/16/22 09:22	
Tetrachloroethene	mg/kg	<0.00089	0.0050	0.00089	05/16/22 09:22	
Toluene	mg/kg	<0.00088	0.0050	0.00088	05/16/22 09:22	
trans-1,2-Dichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/16/22 09:22	
trans-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/16/22 09:22	
Trichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/16/22 09:22	
Vinyl chloride	mg/kg	<0.0013	0.0050	0.0013	05/16/22 09:22	
Xylene (Total)	mg/kg	<0.0034	0.010	0.0034	05/16/22 09:22	
1,2-Dichlorobenzene-d4 (S)	%	102	70-130		05/16/22 09:22	
4-Bromofluorobenzene (S)	%	82	61-175		05/16/22 09:22	
Toluene-d8 (S)	%	97	69-156		05/16/22 09:22	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

LABORATORY CONTROL SAMPLE & LCSD: 2394852		2394853								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	mg/kg	0.05	0.052	0.054	103	108	57-126	5	22	
1,1,2,2-Tetrachloroethane	mg/kg	0.05	0.043	0.043	85	87	70-170	2	20	
1,1,2-Trichloroethane	mg/kg	0.05	0.047	0.046	94	92	59-128	2	20	
1,1-Dichloroethane	mg/kg	0.05	0.051	0.051	101	102	70-130	1	20	
1,1-Dichloroethene	mg/kg	0.05	0.050	0.052	101	103	57-118	2	23	
1,2-Dichloroethane	mg/kg	0.05	0.047	0.050	93	100	75-137	6	23	
1,2-Dichloropropane	mg/kg	0.05	0.047	0.048	94	97	74-132	3	22	
Benzene	mg/kg	0.05	0.049	0.049	98	98	68-130	0	24	
Bromodichloromethane	mg/kg	0.05	0.049	0.050	99	100	57-139	2	23	
Bromoform	mg/kg	0.05	0.051	0.046	103	93	62-131	10	20	
Bromomethane	mg/kg	0.05	0.063	0.059	125	117	20-175	7	28	
Carbon disulfide	mg/kg	0.05	0.049	0.050	99	100	40-128	1	22	
Carbon tetrachloride	mg/kg	0.05	0.051	0.053	102	105	50-128	3	24	
Chlorobenzene	mg/kg	0.05	0.054	0.050	108	100	70-130	8	20	
Chloroethane	mg/kg	0.05	0.051	0.046	101	93	49-129	9	25	
Chloroform	mg/kg	0.05	0.050	0.053	100	107	65-128	6	23	
Chloromethane	mg/kg	0.05	0.051	0.051	103	103	39-134	0	25	
cis-1,2-Dichloroethene	mg/kg	0.05	0.051	0.052	102	104	69-130	2	24	
cis-1,3-Dichloropropene	mg/kg	0.05	0.047	0.046	94	93	67-132	1	23	
Dibromochloromethane	mg/kg	0.05	0.050	0.047	101	94	60-127	7	20	
Ethylbenzene	mg/kg	0.05	0.049	0.045	99	91	64-128	9	21	
Methyl-tert-butyl ether	mg/kg	0.05	0.047	0.048	95	96	64-126	1	25	
Methylene Chloride	mg/kg	0.05	0.058	0.058	117	115	54-133	1	22	
Styrene	mg/kg	0.05	0.052	0.048	105	95	64-130	9	21	
Tetrachloroethene	mg/kg	0.05	0.053	0.049	107	99	62-130	8	23	
Toluene	mg/kg	0.05	0.049	0.045	97	91	71-117	7	21	
trans-1,2-Dichloroethene	mg/kg	0.05	0.059	0.057	118	114	67-130	4	20	
trans-1,3-Dichloropropene	mg/kg	0.05	0.044	0.041	89	82	63-130	8	22	
Trichloroethene	mg/kg	0.05	0.050	0.050	100	100	67-130	1	22	
Vinyl chloride	mg/kg	0.05	0.051	0.049	102	98	47-138	4	24	
Xylene (Total)	mg/kg	0.15	0.15	0.14	98	92	60-125	6	21	
1,2-Dichlorobenzene-d4 (S)	%				103	96	70-130			
4-Bromofluorobenzene (S)	%				87	85	61-175			
Toluene-d8 (S)	%				97	95	69-156			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

QC Batch:	814675	Analysis Method:	EPA 8081B
QC Batch Method:	EPA 3550	Analysis Description:	8081B GCS Pesticides
		Laboratory:	Pace Analytical Services - Minneapolis

Associated Lab Samples: 40244640001, 40244640002, 40244640003, 40244640004, 40244640005, 40244640006, 40244640007, 40244640008, 40244640009, 40244640010, 40244640011, 40244640012, 40244640013, 40244640014, 40244640015, 40244640016

METHOD BLANK: 4318631 Matrix: Solid
Associated Lab Samples: 40244640001, 40244640002, 40244640003, 40244640004, 40244640005, 40244640006, 40244640007, 40244640008, 40244640009, 40244640010, 40244640011, 40244640012, 40244640013, 40244640014, 40244640015, 40244640016

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	mg/kg	<0.00034	0.0033	0.00034	05/17/22 21:20	
4,4'-DDE	mg/kg	<0.00038	0.0033	0.00038	05/17/22 21:20	
4,4'-DDT	mg/kg	<0.0010	0.0033	0.0010	05/17/22 21:20	
Aldrin	mg/kg	<0.00040	0.0017	0.00040	05/17/22 21:20	
alpha-BHC	mg/kg	<0.00017	0.0017	0.00017	05/17/22 21:20	
alpha-Chlordane	mg/kg	<0.00021	0.0017	0.00021	05/17/22 21:20	
beta-BHC	mg/kg	<0.00052	0.0017	0.00052	05/17/22 21:20	
Chlordane (Technical)	mg/kg	<0.0055	0.017	0.0055	05/17/22 21:20	
delta-BHC	mg/kg	<0.00030	0.0017	0.00030	05/17/22 21:20	
Dieldrin	mg/kg	<0.00032	0.0033	0.00032	05/17/22 21:20	
Endosulfan I	mg/kg	<0.00018	0.0017	0.00018	05/17/22 21:20	
Endosulfan II	mg/kg	<0.00079	0.0033	0.00079	05/17/22 21:20	
Endosulfan sulfate	mg/kg	<0.00078	0.0033	0.00078	05/17/22 21:20	
Endrin	mg/kg	<0.00037	0.0033	0.00037	05/17/22 21:20	
Endrin aldehyde	mg/kg	<0.0011	0.0033	0.0011	05/17/22 21:20	
Endrin ketone	mg/kg	<0.00088	0.0033	0.00088	05/17/22 21:20	
gamma-BHC (Lindane)	mg/kg	<0.00016	0.0017	0.00016	05/17/22 21:20	
gamma-Chlordane	mg/kg	<0.00062	0.0017	0.00062	05/17/22 21:20	
Heptachlor	mg/kg	<0.00045	0.0017	0.00045	05/17/22 21:20	
Heptachlor epoxide	mg/kg	<0.00017	0.0017	0.00017	05/17/22 21:20	
Methoxychlor	mg/kg	<0.0051	0.017	0.0051	05/17/22 21:20	
Toxaphene	mg/kg	<0.016	0.050	0.016	05/17/22 21:20	
Decachlorobiphenyl (S)	%	65	30-150		05/17/22 21:20	
Tetrachloro-m-xylene (S)	%	78	53-138		05/17/22 21:20	

LABORATORY CONTROL SAMPLE: 4318632

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	mg/kg	0.033	0.027	82	73-128	
4,4'-DDE	mg/kg	0.033	0.029	86	75-128	
4,4'-DDT	mg/kg	0.033	0.028	84	74-128	
Aldrin	mg/kg	0.017	0.014	82	72-125	
alpha-BHC	mg/kg	0.017	0.014	83	73-125	
alpha-Chlordane	mg/kg	0.017	0.014	82	69-125	
beta-BHC	mg/kg	0.017	0.014	84	73-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

LABORATORY CONTROL SAMPLE: 4318632

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
delta-BHC	mg/kg	0.017	0.0088	53	37-125	
Dieldrin	mg/kg	0.033	0.028	85	75-125	
Endosulfan I	mg/kg	0.017	0.014	83	67-125	
Endosulfan II	mg/kg	0.033	0.028	83	75-125	
Endosulfan sulfate	mg/kg	0.033	0.026	77	75-125	
Endrin	mg/kg	0.033	0.028	84	75-125	
Endrin aldehyde	mg/kg	0.033	0.021	63	71-125 L2	
Endrin ketone	mg/kg	0.033	0.028	83	75-125	
gamma-BHC (Lindane)	mg/kg	0.017	0.014	84	74-125	
gamma-Chlordane	mg/kg	0.017	0.014	82	70-125	
Heptachlor	mg/kg	0.017	0.014	83	75-125	
Heptachlor epoxide	mg/kg	0.017	0.014	83	73-125	
Methoxychlor	mg/kg	0.17	0.14	84	75-128	
Decachlorobiphenyl (S)	%			67	30-150	
Tetrachloro-m-xylene (S)	%			83	53-138	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4318633 4318634

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40244640001 Result	Spike Conc.	Spike Conc.	MS Result							MSD Result
4,4'-DDD	mg/kg	<0.00089	0.0435	0.0435	0.021	0.024	48	55	36-150	12	20	
4,4'-DDE	mg/kg	<0.0010	0.0435	0.0435	0.022	0.025	50	56	39-147	13	20	
4,4'-DDT	mg/kg	<0.0027	0.0435	0.0435	0.021	0.024	48	55	43-143	13	20	
Aldrin	mg/kg	<0.0011	0.0224	0.0224	0.011	0.012	50	57	41-136	13	20	
alpha-BHC	mg/kg	<0.00044	0.0224	0.0224	0.011	0.013	51	58	48-132	12	20	
alpha-Chlordane	mg/kg	<0.00054	0.0224	0.0224	0.011	0.013	51	58	32-149	12	20	
beta-BHC	mg/kg	<0.0014	0.0224	0.0224	0.013	0.015	61	67	45-142	8	20	
delta-BHC	mg/kg	<0.00080	0.0224	0.0224	0.0075	0.0083	34	38	30-125	10	20	
Dieldrin	mg/kg	<0.00084	0.0435	0.0435	0.021	0.024	49	56	39-140	13	20	
Endosulfan I	mg/kg	<0.00049	0.0224	0.0224	0.011	0.013	51	57	39-134	12	20	
Endosulfan II	mg/kg	<0.0021	0.0435	0.0435	0.022	0.025	50	57	43-138	12	20	
Endosulfan sulfate	mg/kg	<0.0021	0.0435	0.0435	0.020	0.023	46	52	43-131	13	20	
Endrin	mg/kg	<0.00099	0.0435	0.0435	0.021	0.024	49	55	47-134	13	20	
Endrin aldehyde	mg/kg	<0.0028	0.0435	0.0435	0.021	0.024	49	55	40-144	13	20	
Endrin ketone	mg/kg	<0.0023	0.0435	0.0435	0.021	0.024	49	56	42-145	13	20	
gamma-BHC (Lindane)	mg/kg	<0.00043	0.0224	0.0224	0.012	0.013	53	59	52-129	11	20	
gamma-Chlordane	mg/kg	<0.0016	0.0224	0.0224	0.011	0.012	51	57	38-136	12	20	
Heptachlor	mg/kg	<0.0012	0.0224	0.0224	0.011	0.013	52	59	43-142	11	20	
Heptachlor epoxide	mg/kg	<0.00045	0.0224	0.0224	0.011	0.013	51	58	37-144	13	20	
Methoxychlor	mg/kg	<0.014	0.224	0.224	0.099	0.12	45	54	35-150	18	20	
Decachlorobiphenyl (S)	%						52	49	30-150			
Tetrachloro-m-xylene (S)	%						54	54	53-138			D3

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

QC Batch:	415403	Analysis Method:	EPA 8082A
QC Batch Method:	EPA 3541	Analysis Description:	8082 GCS PCB
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244640001, 40244640002, 40244640003, 40244640004, 40244640005, 40244640006, 40244640007, 40244640008, 40244640009, 40244640010, 40244640011, 40244640012

METHOD BLANK: 2391584 Matrix: Solid
Associated Lab Samples: 40244640001, 40244640002, 40244640003, 40244640004, 40244640005, 40244640006, 40244640007, 40244640008, 40244640009, 40244640010, 40244640011, 40244640012

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	0.015	05/13/22 02:12	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	0.015	05/13/22 02:12	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	0.015	05/13/22 02:12	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	0.015	05/13/22 02:12	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	0.015	05/13/22 02:12	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	0.015	05/13/22 02:12	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	0.015	05/13/22 02:12	
Decachlorobiphenyl (S)	%	76	38-95		05/13/22 02:12	
Tetrachloro-m-xylene (S)	%	80	50-99		05/13/22 02:12	

LABORATORY CONTROL SAMPLE: 2391585

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.38	76	71-104	
Decachlorobiphenyl (S)	%			77	38-95	
Tetrachloro-m-xylene (S)	%			79	50-99	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2391586 2391587

Parameter	Units	MS		MSD		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qual
		40244602003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
PCB-1016 (Aroclor 1016)	mg/kg	<16.7 ug/kg			<0.017	<0.017				20	
PCB-1221 (Aroclor 1221)	mg/kg	<16.7 ug/kg			<0.017	<0.017				20	
PCB-1232 (Aroclor 1232)	mg/kg	<16.7 ug/kg			<0.017	<0.017				20	
PCB-1242 (Aroclor 1242)	mg/kg	<16.7 ug/kg			<0.017	<0.017				20	
PCB-1248 (Aroclor 1248)	mg/kg	<16.7 ug/kg			<0.017	<0.017				20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Parameter	Units	40244602003		2391586		2391587		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec							
PCB-1254 (Aroclor 1254)	mg/kg	<16.7 ug/kg			<0.017	<0.017							20	
PCB-1260 (Aroclor 1260)	mg/kg	<16.7 ug/kg	0.55	0.55	0.42	0.40	76	73	42-109	4	20			
Decachlorobiphenyl (S)	%						76	69	38-95					
Tetrachloro-m-xylene (S)	%						79	75	50-99					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

QC Batch: 415481 Analysis Method: EPA 8082A
QC Batch Method: EPA 3541 Analysis Description: 8082 GCS PCB
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244640013, 40244640014, 40244640015, 40244640016

METHOD BLANK: 2392055 Matrix: Solid
Associated Lab Samples: 40244640013, 40244640014, 40244640015, 40244640016

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	0.015	05/12/22 14:29	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	0.015	05/12/22 14:29	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	0.015	05/12/22 14:29	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	0.015	05/12/22 14:29	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	0.015	05/12/22 14:29	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	0.015	05/12/22 14:29	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	0.015	05/12/22 14:29	
Decachlorobiphenyl (S)	%	76	38-95		05/12/22 14:29	
Tetrachloro-m-xylene (S)	%	83	50-99		05/12/22 14:29	

LABORATORY CONTROL SAMPLE: 2392056

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.38	75	71-104	
Decachlorobiphenyl (S)	%			74	38-95	
Tetrachloro-m-xylene (S)	%			82	50-99	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2392057 2392058

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244713002	Spike Conc.	Spike Conc.	Result						
PCB-1016 (Aroclor 1016)	mg/kg	<17.7 ug/kg			<0.018	<0.018				20	
PCB-1221 (Aroclor 1221)	mg/kg	<17.7 ug/kg			<0.018	<0.018				20	
PCB-1232 (Aroclor 1232)	mg/kg	<17.7 ug/kg			<0.018	<0.018				20	
PCB-1242 (Aroclor 1242)	mg/kg	<17.7 ug/kg			<0.018	<0.018				20	
PCB-1248 (Aroclor 1248)	mg/kg	<17.7 ug/kg			<0.018	<0.018				20	
PCB-1254 (Aroclor 1254)	mg/kg	<17.7 ug/kg			<0.018	<0.018				20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Parameter	Units	40244713002		2392057		2392058		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec							
PCB-1260 (Aroclor 1260)	mg/kg	<17.7 ug/kg	0.58	0.58	0.42	0.40	73	69	42-109	6	20			
Decachlorobiphenyl (S)	%						73	71	38-95					
Tetrachloro-m-xylene (S)	%						79	74	50-99					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

QC Batch: 415660	Analysis Method: EPA 8270E
QC Batch Method: EPA 3546	Analysis Description: 8270E Solid MSSV Microwave
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244640001, 40244640002, 40244640003, 40244640004, 40244640005, 40244640006, 40244640007

METHOD BLANK: 2393053 Matrix: Solid
Associated Lab Samples: 40244640001, 40244640002, 40244640003, 40244640004, 40244640005, 40244640006, 40244640007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	<0.019	0.063	0.019	05/13/22 13:41	
1,2-Dichlorobenzene	mg/kg	<0.053	0.18	0.053	05/13/22 13:41	
1,3-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/13/22 13:41	
1,4-Dichlorobenzene	mg/kg	<0.023	0.078	0.023	05/13/22 13:41	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.043	0.14	0.043	05/13/22 13:41	
2,4,5-Trichlorophenol	mg/kg	<0.030	0.098	0.030	05/13/22 13:41	
2,4,6-Trichlorophenol	mg/kg	<0.025	0.085	0.025	05/13/22 13:41	
2,4-Dichlorophenol	mg/kg	<0.045	0.15	0.045	05/13/22 13:41	
2,4-Dimethylphenol	mg/kg	<0.033	0.11	0.033	05/13/22 13:41	
2,4-Dinitrophenol	mg/kg	<0.051	0.17	0.051	05/13/22 13:41	
2,4-Dinitrotoluene	mg/kg	<0.024	0.080	0.024	05/13/22 13:41	
2,6-Dinitrotoluene	mg/kg	<0.032	0.11	0.032	05/13/22 13:41	
2-Chloronaphthalene	mg/kg	<0.021	0.072	0.021	05/13/22 13:41	
2-Chlorophenol	mg/kg	<0.042	0.14	0.042	05/13/22 13:41	
2-Methylnaphthalene	mg/kg	<0.043	0.14	0.043	05/13/22 13:41	
2-Methylphenol(o-Cresol)	mg/kg	<0.030	0.10	0.030	05/13/22 13:41	
2-Nitroaniline	mg/kg	<0.048	0.16	0.048	05/13/22 13:41	
2-Nitrophenol	mg/kg	<0.053	0.18	0.053	05/13/22 13:41	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.031	0.10	0.031	05/13/22 13:41	
3,3'-Dichlorobenzidine	mg/kg	<0.045	0.15	0.045	05/13/22 13:41	
3-Nitroaniline	mg/kg	<0.028	0.095	0.028	05/13/22 13:41	
4,6-Dinitro-2-methylphenol	mg/kg	<0.052	0.17	0.052	05/13/22 13:41	
4-Bromophenylphenyl ether	mg/kg	<0.035	0.12	0.035	05/13/22 13:41	
4-Chloro-3-methylphenol	mg/kg	<0.052	0.17	0.052	05/13/22 13:41	
4-Chloroaniline	mg/kg	<0.027	0.092	0.027	05/13/22 13:41	1q
4-Chlorophenylphenyl ether	mg/kg	<0.031	0.10	0.031	05/13/22 13:41	
4-Nitroaniline	mg/kg	<0.069	0.23	0.069	05/13/22 13:41	
4-Nitrophenol	mg/kg	<0.042	0.14	0.042	05/13/22 13:41	
Acenaphthene	mg/kg	<0.059	0.20	0.059	05/13/22 13:41	
Acenaphthylene	mg/kg	<0.060	0.20	0.060	05/13/22 13:41	
Anthracene	mg/kg	<0.027	0.089	0.027	05/13/22 13:41	
Benzo(a)anthracene	mg/kg	<0.026	0.086	0.026	05/13/22 13:41	
Benzo(a)pyrene	mg/kg	<0.025	0.084	0.025	05/13/22 13:41	
Benzo(b)fluoranthene	mg/kg	<0.029	0.096	0.029	05/13/22 13:41	
Benzo(g,h,i)perylene	mg/kg	<0.044	0.15	0.044	05/13/22 13:41	
Benzo(k)fluoranthene	mg/kg	<0.040	0.13	0.040	05/13/22 13:41	
bis(2-Chloroethoxy)methane	mg/kg	<0.045	0.15	0.045	05/13/22 13:41	
bis(2-Chloroethyl) ether	mg/kg	<0.052	0.17	0.052	05/13/22 13:41	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.028	0.093	0.028	05/13/22 13:41	
Butylbenzylphthalate	mg/kg	<0.027	0.089	0.027	05/13/22 13:41	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

METHOD BLANK: 2393053

Matrix: Solid

Associated Lab Samples: 40244640001, 40244640002, 40244640003, 40244640004, 40244640005, 40244640006, 40244640007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Carbazole	mg/kg	<0.026	0.087	0.026	05/13/22 13:41	
Chrysene	mg/kg	<0.025	0.083	0.025	05/13/22 13:41	
Di-n-butylphthalate	mg/kg	<0.025	0.083	0.025	05/13/22 13:41	
Di-n-octylphthalate	mg/kg	<0.038	0.13	0.038	05/13/22 13:41	
Dibenz(a,h)anthracene	mg/kg	<0.045	0.15	0.045	05/13/22 13:41	
Dibenzofuran	mg/kg	<0.020	0.067	0.020	05/13/22 13:41	
Diethylphthalate	mg/kg	<0.028	0.092	0.028	05/13/22 13:41	
Dimethylphthalate	mg/kg	<0.022	0.073	0.022	05/13/22 13:41	
Fluoranthene	mg/kg	<0.024	0.079	0.024	05/13/22 13:41	
Fluorene	mg/kg	<0.020	0.065	0.020	05/13/22 13:41	
Hexachloro-1,3-butadiene	mg/kg	<0.043	0.14	0.043	05/13/22 13:41	
Hexachlorobenzene	mg/kg	<0.028	0.094	0.028	05/13/22 13:41	
Hexachlorocyclopentadiene	mg/kg	<0.040	0.13	0.040	05/13/22 13:41	
Hexachloroethane	mg/kg	<0.027	0.089	0.027	05/13/22 13:41	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.036	0.12	0.036	05/13/22 13:41	
Isophorone	mg/kg	<0.026	0.086	0.026	05/13/22 13:41	
N-Nitroso-di-n-propylamine	mg/kg	<0.027	0.088	0.027	05/13/22 13:41	
N-Nitrosodiphenylamine	mg/kg	<0.23	0.76	0.23	05/13/22 13:41	
Naphthalene	mg/kg	<0.058	0.19	0.058	05/13/22 13:41	
Nitrobenzene	mg/kg	<0.034	0.11	0.034	05/13/22 13:41	
Pentachlorophenol	mg/kg	<0.037	0.12	0.037	05/13/22 13:41	
Phenanthrene	mg/kg	<0.021	0.071	0.021	05/13/22 13:41	
Phenol	mg/kg	<0.040	0.13	0.040	05/13/22 13:41	
Pyrene	mg/kg	<0.037	0.12	0.037	05/13/22 13:41	
2,4,6-Tribromophenol (S)	%	89	10-144		05/13/22 13:41	
2-Fluorobiphenyl (S)	%	81	12-118		05/13/22 13:41	
2-Fluorophenol (S)	%	82	10-130		05/13/22 13:41	
Nitrobenzene-d5 (S)	%	89	10-125		05/13/22 13:41	
Phenol-d6 (S)	%	79	10-125		05/13/22 13:41	
Terphenyl-d14 (S)	%	99	10-124		05/13/22 13:41	

LABORATORY CONTROL SAMPLE: 2393054

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	1.7	1.5	92	70-130	
1,2-Dichlorobenzene	mg/kg	1.7	1.7	102	66-130	
1,3-Dichlorobenzene	mg/kg	1.7	1.6	95	66-130	
1,4-Dichlorobenzene	mg/kg	1.7	1.5	92	64-130	
2,2'-Oxybis(1-chloropropane)	mg/kg	1.7	1.5	92	65-130	
2,4,5-Trichlorophenol	mg/kg	1.7	1.7	102	70-125	
2,4,6-Trichlorophenol	mg/kg	1.7	1.6	95	70-124	
2,4-Dichlorophenol	mg/kg	1.7	1.7	104	70-121	
2,4-Dimethylphenol	mg/kg	1.7	1.7	103	70-130	
2,4-Dinitrophenol	mg/kg	1.7	1.1	67	26-103	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

LABORATORY CONTROL SAMPLE: 2393054

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrotoluene	mg/kg	1.7	1.7	101	70-130	
2,6-Dinitrotoluene	mg/kg	1.7	1.7	101	70-130	
2-Chloronaphthalene	mg/kg	1.7	1.6	98	70-130	
2-Chlorophenol	mg/kg	1.7	1.6	98	67-130	
2-Methylnaphthalene	mg/kg	1.7	1.7	100	70-130	
2-Methylphenol(o-Cresol)	mg/kg	1.7	1.8	106	69-130	
2-Nitroaniline	mg/kg	1.7	1.8	105	70-124	
2-Nitrophenol	mg/kg	1.7	1.7	104	70-130	
3&4-Methylphenol(m&p Cresol)	mg/kg	1.7	1.8	109	70-130	
3,3'-Dichlorobenzidine	mg/kg	1.7	1.4	85	48-112	
3-Nitroaniline	mg/kg	1.7	1.5	90	57-121	
4,6-Dinitro-2-methylphenol	mg/kg	1.7	1.4	84	59-115	
4-Bromophenylphenyl ether	mg/kg	1.7	1.6	97	70-130	
4-Chloro-3-methylphenol	mg/kg	1.7	1.8	105	70-130	
4-Chloroaniline	mg/kg	1.7	1.1	68	45-130	1q
4-Chlorophenylphenyl ether	mg/kg	1.7	1.7	100	70-130	
4-Nitroaniline	mg/kg	1.7	1.6	93	62-127	
4-Nitrophenol	mg/kg	1.7	1.6	96	50-126	
Acenaphthene	mg/kg	1.7	1.6	98	70-130	
Acenaphthylene	mg/kg	1.7	1.6	98	70-130	
Anthracene	mg/kg	1.7	1.7	101	70-130	
Benzo(a)anthracene	mg/kg	1.7	1.6	96	70-130	
Benzo(a)pyrene	mg/kg	1.7	1.7	100	70-130	
Benzo(b)fluoranthene	mg/kg	1.7	1.6	94	70-130	
Benzo(g,h,i)perylene	mg/kg	1.7	1.5	90	65-130	
Benzo(k)fluoranthene	mg/kg	1.7	1.7	100	70-130	
bis(2-Chloroethoxy)methane	mg/kg	1.7	1.7	101	70-130	
bis(2-Chloroethyl) ether	mg/kg	1.7	1.5	90	68-130	
bis(2-Ethylhexyl)phthalate	mg/kg	1.7	1.7	104	70-130	
Butylbenzylphthalate	mg/kg	1.7	1.9	113	70-130	
Carbazole	mg/kg	1.7	1.7	101	70-130	
Chrysene	mg/kg	1.7	1.8	106	70-130	
Di-n-butylphthalate	mg/kg	1.7	1.7	105	70-130	
Di-n-octylphthalate	mg/kg	1.7	1.7	101	67-134	
Dibenz(a,h)anthracene	mg/kg	1.7	1.5	91	68-130	
Dibenzofuran	mg/kg	1.7	1.7	103	70-130	
Diethylphthalate	mg/kg	1.7	1.7	102	70-130	
Dimethylphthalate	mg/kg	1.7	1.7	101	70-130	
Fluoranthene	mg/kg	1.7	1.7	100	70-130	
Fluorene	mg/kg	1.7	1.7	100	70-130	
Hexachloro-1,3-butadiene	mg/kg	1.7	1.7	100	67-130	
Hexachlorobenzene	mg/kg	1.7	1.5	91	70-130	
Hexachlorocyclopentadiene	mg/kg	1.7	1.4	82	54-114	
Hexachloroethane	mg/kg	1.7	1.7	104	64-130	
Indeno(1,2,3-cd)pyrene	mg/kg	1.7	1.4	86	63-130	
Isophorone	mg/kg	1.7	1.8	106	70-130	
N-Nitroso-di-n-propylamine	mg/kg	1.7	1.8	108	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

LABORATORY CONTROL SAMPLE: 2393054

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
N-Nitrosodiphenylamine	mg/kg	1.7	1.6	95	70-130	
Naphthalene	mg/kg	1.7	1.7	100	70-130	
Nitrobenzene	mg/kg	1.7	1.6	94	70-130	
Pentachlorophenol	mg/kg	1.7	1.5	92	47-108	
Phenanthrene	mg/kg	1.7	1.6	97	70-130	
Phenol	mg/kg	1.7	1.6	97	67-130	
Pyrene	mg/kg	1.7	1.7	101	70-130	
2,4,6-Tribromophenol (S)	%			101	10-144	
2-Fluorobiphenyl (S)	%			94	12-118	
2-Fluorophenol (S)	%			89	10-130	
Nitrobenzene-d5 (S)	%			97	10-125	
Phenol-d6 (S)	%			92	10-125	
Terphenyl-d14 (S)	%			90	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2393055 2393056

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244640006 Result	Spike Conc.	Spike Conc.	Conc.								
1,2,4-Trichlorobenzene	mg/kg	<0.025	2.2	2.2	2.2	1.7	1.8	76	83	45-130	9	28	
1,2-Dichlorobenzene	mg/kg	<0.069	2.2	2.2	2.2	1.7	1.7	76	78	45-130	2	29	
1,3-Dichlorobenzene	mg/kg	<0.030	2.2	2.2	2.2	1.7	1.6	76	74	42-130	2	30	
1,4-Dichlorobenzene	mg/kg	<0.030	2.2	2.2	2.2	1.6	1.7	72	78	42-130	7	32	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.056	2.2	2.2	2.2	1.5	1.6	70	72	44-130	2	26	
2,4,5-Trichlorophenol	mg/kg	<0.039	2.2	2.2	2.2	1.8	1.7	82	80	11-125	3	30	
2,4,6-Trichlorophenol	mg/kg	<0.033	2.2	2.2	2.2	1.6	1.7	73	78	16-124	6	31	
2,4-Dichlorophenol	mg/kg	<0.058	2.2	2.2	2.2	1.5	1.6	71	75	19-121	6	29	
2,4-Dimethylphenol	mg/kg	<0.043	2.2	2.2	2.2	0.95	1.1	44	50	29-130	15	32	
2,4-Dinitrophenol	mg/kg	<0.067	2.2	2.2	2.2	0.93	1.1	43	51	10-103	17	50	
2,4-Dinitrotoluene	mg/kg	<0.031	2.2	2.2	2.2	1.8	1.9	84	89	38-130	6	27	
2,6-Dinitrotoluene	mg/kg	<0.041	2.2	2.2	2.2	1.9	1.9	85	88	41-130	3	28	
2-Chloronaphthalene	mg/kg	<0.028	2.2	2.2	2.2	1.6	1.7	74	77	44-130	4	24	
2-Chlorophenol	mg/kg	<0.055	2.2	2.2	2.2	1.6	1.6	73	73	33-130	0	30	
2-Methylnaphthalene	mg/kg	<0.057	2.2	2.2	2.2	1.7	1.8	79	84	46-130	6	23	
2-Methylphenol(o-Cresol)	mg/kg	<0.040	2.2	2.2	2.2	1.3	1.4	58	64	30-130	11	30	
2-Nitroaniline	mg/kg	<0.062	2.2	2.2	2.2	1.9	2.0	87	91	27-124	4	25	
2-Nitrophenol	mg/kg	<0.069	2.2	2.2	2.2	1.9	2.0	86	91	10-130	5	27	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.040	2.2	2.2	2.2	1.2	1.2	54	53	28-130	1	33	
3,3'-Dichlorobenzidine	mg/kg	<0.059	2.2	2.2	2.2	1.4	1.3	63	62	10-112	2	43	
3-Nitroaniline	mg/kg	<0.037	2.2	2.2	2.2	1.8	1.7	81	77	10-121	5	33	
4,6-Dinitro-2-methylphenol	mg/kg	<0.067	2.2	2.2	2.2	1.4	1.4	64	66	10-115	4	50	
4-Bromophenylphenyl ether	mg/kg	<0.046	2.2	2.2	2.2	1.7	1.7	76	77	40-130	1	25	
4-Chloro-3-methylphenol	mg/kg	<0.068	2.2	2.2	2.2	1.5	1.6	69	72	30-130	3	29	
4-Chloroaniline	mg/kg	<0.036	2.2	2.2	2.2	1.5	1.4	69	66	16-130	4	33	1q
4-Chlorophenylphenyl ether	mg/kg	<0.041	2.2	2.2	2.2	1.7	1.6	79	76	46-130	4	24	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Parameter	Units	2393055		2393056		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40244640006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
4-Nitroaniline	mg/kg	<0.091	2.2	2.2	1.7	1.8	76	80	10-127	5	40		
4-Nitrophenol	mg/kg	<0.055	2.2	2.2	1.4	1.6	63	71	10-128	12	50		
Acenaphthene	mg/kg	<0.078	2.2	2.2	1.7	1.7	77	79	47-130	3	21		
Acenaphthylene	mg/kg	<0.078	2.2	2.2	1.8	1.8	83	84	49-130	1	22		
Anthracene	mg/kg	<0.035	2.2	2.2	1.7	1.7	77	77	46-130	0	27		
Benzo(a)anthracene	mg/kg	<0.034	2.2	2.2	1.7	1.8	76	80	45-130	6	24		
Benzo(a)pyrene	mg/kg	<0.033	2.2	2.2	1.6	1.8	75	82	48-130	8	27		
Benzo(b)fluoranthene	mg/kg	<0.038	2.2	2.2	1.7	1.7	77	76	41-130	1	31		
Benzo(g,h,i)perylene	mg/kg	<0.057	2.2	2.2	1.6	1.8	71	81	37-130	13	31		
Benzo(k)fluoranthene	mg/kg	<0.052	2.2	2.2	1.6	1.8	73	85	46-130	15	27		
bis(2-Chloroethoxy)methane	mg/kg	<0.059	2.2	2.2	1.7	1.7	76	77	38-130	1	26		
bis(2-Chloroethyl) ether	mg/kg	<0.068	2.2	2.2	1.5	1.6	70	74	42-130	5	29		
bis(2-Ethylhexyl)phthalate	mg/kg	<0.036	2.2	2.2	1.8	1.8	84	84	39-130	1	27		
Butylbenzylphthalate	mg/kg	<0.035	2.2	2.2	1.8	1.9	82	88	39-130	6	27		
Carbazole	mg/kg	<0.034	2.2	2.2	1.6	1.7	75	78	44-130	5	24		
Chrysene	mg/kg	<0.033	2.2	2.2	1.8	1.9	84	87	44-130	4	25		
Di-n-butylphthalate	mg/kg	<0.033	2.2	2.2	1.7	1.9	79	86	45-130	8	26		
Di-n-octylphthalate	mg/kg	<0.049	2.2	2.2	1.8	1.9	84	88	40-134	4	27		
Dibenz(a,h)anthracene	mg/kg	<0.059	2.2	2.2	1.7	1.7	79	79	41-130	0	33		
Dibenzofuran	mg/kg	<0.026	2.2	2.2	1.8	1.9	84	86	47-130	2	23		
Diethylphthalate	mg/kg	<0.036	2.2	2.2	1.7	1.8	78	83	46-130	6	24		
Dimethylphthalate	mg/kg	<0.028	2.2	2.2	1.7	1.7	78	78	47-130	0	24		
Fluoranthene	mg/kg	<0.031	2.2	2.2	1.8	1.9	80	85	50-130	5	27		
Fluorene	mg/kg	<0.026	2.2	2.2	1.8	1.8	80	82	48-130	2	25		
Hexachloro-1,3-butadiene	mg/kg	<0.056	2.2	2.2	1.6	1.8	75	82	42-130	9	27		
Hexachlorobenzene	mg/kg	<0.037	2.2	2.2	1.5	1.6	69	75	51-130	8	24		
Hexachlorocyclopentadiene	mg/kg	<0.052	2.2	2.2	1.4	1.4	63	63	10-114	1	50		
Hexachloroethane	mg/kg	<0.035	2.2	2.2	1.6	1.7	74	77	33-130	3	35		
Indeno(1,2,3-cd)pyrene	mg/kg	<0.047	2.2	2.2	1.4	1.4	62	63	34-130	1	38		
Isophorone	mg/kg	<0.034	2.2	2.2	1.7	1.9	80	88	45-130	9	28		
N-Nitroso-di-n-propylamine	mg/kg	<0.035	2.2	2.2	1.6	1.8	74	81	47-130	9	27		
N-Nitrosodiphenylamine	mg/kg	<0.30	2.2	2.2	1.5	1.6	69	72	42-130	4	25		
Naphthalene	mg/kg	<0.076	2.2	2.2	1.7	1.7	78	78	48-130	0	24		
Nitrobenzene	mg/kg	<0.044	2.2	2.2	1.8	1.8	80	82	42-130	2	25		
Pentachlorophenol	mg/kg	<0.048	2.2	2.2	1.3	1.3	59	59	10-108	1	50		
Phenanthrene	mg/kg	<0.028	2.2	2.2	1.6	1.6	71	72	50-130	1	27		
Phenol	mg/kg	<0.052	2.2	2.2	1.3	1.3	59	61	37-130	4	30		
Pyrene	mg/kg	<0.048	2.2	2.2	1.8	1.8	80	82	43-130	2	29		
2,4,6-Tribromophenol (S)	%						68	78	10-144				
2-Fluorobiphenyl (S)	%						71	77	12-118				
2-Fluorophenol (S)	%						61	59	10-130				
Nitrobenzene-d5 (S)	%						78	78	10-125				
Phenol-d6 (S)	%						56	59	10-125				
Terphenyl-d14 (S)	%						74	73	10-124				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

QC Batch:	415752	Analysis Method:	EPA 8270E
QC Batch Method:	EPA 3546	Analysis Description:	8270E Solid MSSV Microwave
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244640008, 40244640009, 40244640010, 40244640011, 40244640012, 40244640013, 40244640014, 40244640015, 40244640016

METHOD BLANK: 2393973 Matrix: Solid
Associated Lab Samples: 40244640008, 40244640009, 40244640010, 40244640011, 40244640012, 40244640013, 40244640014, 40244640015, 40244640016

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	<0.019	0.063	0.019	05/16/22 17:34	
1,2-Dichlorobenzene	mg/kg	<0.053	0.18	0.053	05/16/22 17:34	
1,3-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/16/22 17:34	
1,4-Dichlorobenzene	mg/kg	<0.023	0.078	0.023	05/16/22 17:34	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.043	0.14	0.043	05/16/22 17:34	
2,4,5-Trichlorophenol	mg/kg	<0.030	0.098	0.030	05/16/22 17:34	
2,4,6-Trichlorophenol	mg/kg	<0.025	0.085	0.025	05/16/22 17:34	
2,4-Dichlorophenol	mg/kg	<0.045	0.15	0.045	05/16/22 17:34	
2,4-Dimethylphenol	mg/kg	<0.033	0.11	0.033	05/16/22 17:34	
2,4-Dinitrophenol	mg/kg	<0.051	0.17	0.051	05/16/22 17:34	
2,4-Dinitrotoluene	mg/kg	<0.024	0.080	0.024	05/16/22 17:34	
2,6-Dinitrotoluene	mg/kg	<0.032	0.11	0.032	05/16/22 17:34	
2-Chloronaphthalene	mg/kg	<0.021	0.071	0.021	05/16/22 17:34	
2-Chlorophenol	mg/kg	<0.042	0.14	0.042	05/16/22 17:34	
2-Methylnaphthalene	mg/kg	<0.043	0.14	0.043	05/16/22 17:34	
2-Methylphenol(o-Cresol)	mg/kg	<0.030	0.10	0.030	05/16/22 17:34	
2-Nitroaniline	mg/kg	<0.048	0.16	0.048	05/16/22 17:34	
2-Nitrophenol	mg/kg	<0.053	0.18	0.053	05/16/22 17:34	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.031	0.10	0.031	05/16/22 17:34	
3,3'-Dichlorobenzidine	mg/kg	<0.045	0.15	0.045	05/16/22 17:34	
3-Nitroaniline	mg/kg	<0.028	0.095	0.028	05/16/22 17:34	
4,6-Dinitro-2-methylphenol	mg/kg	<0.051	0.17	0.051	05/16/22 17:34	
4-Bromophenylphenyl ether	mg/kg	<0.035	0.12	0.035	05/16/22 17:34	
4-Chloro-3-methylphenol	mg/kg	<0.052	0.17	0.052	05/16/22 17:34	
4-Chloroaniline	mg/kg	<0.027	0.091	0.027	05/16/22 17:34	1q
4-Chlorophenylphenyl ether	mg/kg	<0.031	0.10	0.031	05/16/22 17:34	
4-Nitroaniline	mg/kg	<0.069	0.23	0.069	05/16/22 17:34	
4-Nitrophenol	mg/kg	<0.042	0.14	0.042	05/16/22 17:34	
Acenaphthene	mg/kg	<0.059	0.20	0.059	05/16/22 17:34	
Acenaphthylene	mg/kg	<0.060	0.20	0.060	05/16/22 17:34	
Anthracene	mg/kg	<0.027	0.089	0.027	05/16/22 17:34	
Benzo(a)anthracene	mg/kg	<0.026	0.086	0.026	05/16/22 17:34	
Benzo(a)pyrene	mg/kg	<0.025	0.084	0.025	05/16/22 17:34	
Benzo(b)fluoranthene	mg/kg	<0.029	0.096	0.029	05/16/22 17:34	
Benzo(g,h,i)perylene	mg/kg	<0.044	0.15	0.044	05/16/22 17:34	
Benzo(k)fluoranthene	mg/kg	<0.040	0.13	0.040	05/16/22 17:34	
bis(2-Chloroethoxy)methane	mg/kg	<0.045	0.15	0.045	05/16/22 17:34	
bis(2-Chloroethyl) ether	mg/kg	<0.052	0.17	0.052	05/16/22 17:34	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.028	0.093	0.028	05/16/22 17:34	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

METHOD BLANK: 2393973

Matrix: Solid

Associated Lab Samples: 40244640008, 40244640009, 40244640010, 40244640011, 40244640012, 40244640013, 40244640014, 40244640015, 40244640016

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Butylbenzylphthalate	mg/kg	<0.027	0.089	0.027	05/16/22 17:34	
Carbazole	mg/kg	<0.026	0.087	0.026	05/16/22 17:34	
Chrysene	mg/kg	<0.025	0.083	0.025	05/16/22 17:34	
Di-n-butylphthalate	mg/kg	<0.025	0.083	0.025	05/16/22 17:34	
Di-n-octylphthalate	mg/kg	<0.038	0.13	0.038	05/16/22 17:34	
Dibenz(a,h)anthracene	mg/kg	<0.045	0.15	0.045	05/16/22 17:34	
Dibenzofuran	mg/kg	<0.020	0.067	0.020	05/16/22 17:34	
Diethylphthalate	mg/kg	<0.028	0.092	0.028	05/16/22 17:34	
Dimethylphthalate	mg/kg	<0.022	0.072	0.022	05/16/22 17:34	
Fluoranthene	mg/kg	<0.024	0.079	0.024	05/16/22 17:34	
Fluorene	mg/kg	<0.020	0.065	0.020	05/16/22 17:34	
Hexachloro-1,3-butadiene	mg/kg	<0.043	0.14	0.043	05/16/22 17:34	
Hexachlorobenzene	mg/kg	<0.028	0.094	0.028	05/16/22 17:34	
Hexachlorocyclopentadiene	mg/kg	<0.040	0.13	0.040	05/16/22 17:34	
Hexachloroethane	mg/kg	<0.027	0.089	0.027	05/16/22 17:34	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.036	0.12	0.036	05/16/22 17:34	
Isophorone	mg/kg	<0.026	0.086	0.026	05/16/22 17:34	
N-Nitroso-di-n-propylamine	mg/kg	<0.026	0.088	0.026	05/16/22 17:34	
N-Nitrosodiphenylamine	mg/kg	<0.23	0.76	0.23	05/16/22 17:34	
Naphthalene	mg/kg	<0.058	0.19	0.058	05/16/22 17:34	
Nitrobenzene	mg/kg	<0.034	0.11	0.034	05/16/22 17:34	
Pentachlorophenol	mg/kg	<0.037	0.12	0.037	05/16/22 17:34	
Phenanthrene	mg/kg	<0.021	0.071	0.021	05/16/22 17:34	
Phenol	mg/kg	<0.040	0.13	0.040	05/16/22 17:34	
Pyrene	mg/kg	<0.037	0.12	0.037	05/16/22 17:34	
2,4,6-Tribromophenol (S)	%	77	10-144		05/16/22 17:34	
2-Fluorobiphenyl (S)	%	64	12-118		05/16/22 17:34	
2-Fluorophenol (S)	%	58	10-130		05/16/22 17:34	
Nitrobenzene-d5 (S)	%	60	10-125		05/16/22 17:34	
Phenol-d6 (S)	%	54	10-125		05/16/22 17:34	
Terphenyl-d14 (S)	%	90	10-124		05/16/22 17:34	

LABORATORY CONTROL SAMPLE: 2393974

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	1.7	1.6	98	70-130	
1,2-Dichlorobenzene	mg/kg	1.7	1.5	93	66-130	
1,3-Dichlorobenzene	mg/kg	1.7	1.4	85	66-130	
1,4-Dichlorobenzene	mg/kg	1.7	1.4	87	64-130	
2,2'-Oxybis(1-chloropropane)	mg/kg	1.7	1.5	88	65-130	
2,4,5-Trichlorophenol	mg/kg	1.7	1.7	103	70-125	
2,4,6-Trichlorophenol	mg/kg	1.7	1.5	89	70-124	
2,4-Dichlorophenol	mg/kg	1.7	1.6	95	70-121	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

LABORATORY CONTROL SAMPLE: 2393974

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dimethylphenol	mg/kg	1.7	1.6	94	70-130	
2,4-Dinitrophenol	mg/kg	1.7	0.97	58	26-103	
2,4-Dinitrotoluene	mg/kg	1.7	1.7	101	70-130	
2,6-Dinitrotoluene	mg/kg	1.7	1.6	95	70-130	
2-Chloronaphthalene	mg/kg	1.7	1.5	93	70-130	
2-Chlorophenol	mg/kg	1.7	1.5	92	67-130	
2-Methylnaphthalene	mg/kg	1.7	1.6	95	70-130	
2-Methylphenol(o-Cresol)	mg/kg	1.7	1.5	91	69-130	
2-Nitroaniline	mg/kg	1.7	1.7	103	70-124	
2-Nitrophenol	mg/kg	1.7	1.7	104	70-130	
3&4-Methylphenol(m&p Cresol)	mg/kg	1.7	1.5	92	70-130	
3,3'-Dichlorobenzidine	mg/kg	1.7	1.3	81	48-112	
3-Nitroaniline	mg/kg	1.7	1.5	89	57-121	
4,6-Dinitro-2-methylphenol	mg/kg	1.7	1.4	83	59-115	
4-Bromophenylphenyl ether	mg/kg	1.7	1.6	95	70-130	
4-Chloro-3-methylphenol	mg/kg	1.7	1.7	101	70-130	
4-Chloroaniline	mg/kg	1.7	1.1	68	45-130	1q
4-Chlorophenylphenyl ether	mg/kg	1.7	1.6	98	70-130	
4-Nitroaniline	mg/kg	1.7	1.4	87	62-127	
4-Nitrophenol	mg/kg	1.7	1.5	89	50-126	
Acenaphthene	mg/kg	1.7	1.6	94	70-130	
Acenaphthylene	mg/kg	1.7	1.7	100	70-130	
Anthracene	mg/kg	1.7	1.6	97	70-130	
Benzo(a)anthracene	mg/kg	1.7	1.6	97	70-130	
Benzo(a)pyrene	mg/kg	1.7	1.7	103	70-130	
Benzo(b)fluoranthene	mg/kg	1.7	1.6	96	70-130	
Benzo(g,h,i)perylene	mg/kg	1.7	1.4	86	65-130	
Benzo(k)fluoranthene	mg/kg	1.7	1.8	106	70-130	
bis(2-Chloroethoxy)methane	mg/kg	1.7	1.5	92	70-130	
bis(2-Chloroethyl) ether	mg/kg	1.7	1.4	85	68-130	
bis(2-Ethylhexyl)phthalate	mg/kg	1.7	1.7	103	70-130	
Butylbenzylphthalate	mg/kg	1.7	1.8	110	70-130	
Carbazole	mg/kg	1.7	1.6	95	70-130	
Chrysene	mg/kg	1.7	1.8	105	70-130	
Di-n-butylphthalate	mg/kg	1.7	1.7	100	70-130	
Di-n-octylphthalate	mg/kg	1.7	1.7	105	67-134	
Dibenz(a,h)anthracene	mg/kg	1.7	1.5	89	68-130	
Dibenzofuran	mg/kg	1.7	1.7	99	70-130	
Diethylphthalate	mg/kg	1.7	1.7	100	70-130	
Dimethylphthalate	mg/kg	1.7	1.6	96	70-130	
Fluoranthene	mg/kg	1.7	1.6	99	70-130	
Fluorene	mg/kg	1.7	1.6	97	70-130	
Hexachloro-1,3-butadiene	mg/kg	1.7	1.5	92	67-130	
Hexachlorobenzene	mg/kg	1.7	1.5	87	70-130	
Hexachlorocyclopentadiene	mg/kg	1.7	1.2	74	54-114	
Hexachloroethane	mg/kg	1.7	1.6	95	64-130	
Indeno(1,2,3-cd)pyrene	mg/kg	1.7	1.1	68	63-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

LABORATORY CONTROL SAMPLE: 2393974

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Isophorone	mg/kg	1.7	1.7	101	70-130	
N-Nitroso-di-n-propylamine	mg/kg	1.7	1.6	96	70-130	
N-Nitrosodiphenylamine	mg/kg	1.7	1.5	91	70-130	
Naphthalene	mg/kg	1.7	1.5	93	70-130	
Nitrobenzene	mg/kg	1.7	1.6	97	70-130	
Pentachlorophenol	mg/kg	1.7	1.2	73	47-108	
Phenanthrene	mg/kg	1.7	1.5	92	70-130	
Phenol	mg/kg	1.7	1.5	91	67-130	
Pyrene	mg/kg	1.7	1.6	98	70-130	
2,4,6-Tribromophenol (S)	%			100	10-144	
2-Fluorobiphenyl (S)	%			91	12-118	
2-Fluorophenol (S)	%			86	10-130	
Nitrobenzene-d5 (S)	%			94	10-125	
Phenol-d6 (S)	%			87	10-125	
Terphenyl-d14 (S)	%			97	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2393975 2393976

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244735004	Spike Conc.	Spike Conc.	Result								
1,2,4-Trichlorobenzene	mg/kg	<0.024	2.1	2.1	1.6	1.8	77	84	45-130	9	28		
1,2-Dichlorobenzene	mg/kg	<0.066	2.1	2.1	1.5	1.8	71	83	45-130	16	29		
1,3-Dichlorobenzene	mg/kg	<0.029	2.1	2.1	1.5	1.7	69	81	42-130	16	30		
1,4-Dichlorobenzene	mg/kg	<0.029	2.1	2.1	1.5	1.7	70	82	42-130	17	32		
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.054	2.1	2.1	1.4	1.6	67	76	44-130	13	26		
2,4,5-Trichlorophenol	mg/kg	<0.037	2.1	2.1	1.5	2.0	73	94	11-125	25	30		
2,4,6-Trichlorophenol	mg/kg	<0.032	2.1	2.1	1.5	1.8	72	85	16-124	16	31		
2,4-Dichlorophenol	mg/kg	<0.056	2.1	2.1	1.7	1.9	79	88	19-121	11	29		
2,4-Dimethylphenol	mg/kg	<0.042	2.1	2.1	1.3	1.5	62	72	29-130	15	32		
2,4-Dinitrophenol	mg/kg	<0.064	2.1	2.1	0.55	0.88	26	42	10-103	45	50		
2,4-Dinitrotoluene	mg/kg	<0.030	2.1	2.1	1.5	2.0	72	93	38-130	26	27		
2,6-Dinitrotoluene	mg/kg	<0.040	2.1	2.1	1.7	2.0	81	94	41-130	16	28		
2-Chloronaphthalene	mg/kg	<0.027	2.1	2.1	1.5	1.7	71	82	44-130	16	24		
2-Chlorophenol	mg/kg	<0.053	2.1	2.1	1.5	1.8	71	87	33-130	20	30		
2-Methylnaphthalene	mg/kg	<0.055	2.1	2.1	1.6	1.8	78	85	46-130	9	23		
2-Methylphenol(o-Cresol)	mg/kg	<0.038	2.1	2.1	1.4	1.8	66	84	30-130	24	30		
2-Nitroaniline	mg/kg	<0.060	2.1	2.1	1.7	2.0	79	94	27-124	17	25		
2-Nitrophenol	mg/kg	<0.067	2.1	2.1	1.6	2.0	76	96	10-130	23	27		
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.039	2.1	2.1	1.3	1.7	60	79	28-130	27	33		
3,3'-Dichlorobenzidine	mg/kg	<0.057	2.1	2.1	1.5	1.8	70	83	10-112	17	43		
3-Nitroaniline	mg/kg	<0.036	2.1	2.1	1.4	1.7	67	80	10-121	17	33		
4,6-Dinitro-2-methylphenol	mg/kg	<0.065	2.1	2.1	1.1	1.7	53	81	10-115	42	50		
4-Bromophenylphenyl ether	mg/kg	<0.044	2.1	2.1	1.5	1.9	70	92	40-130	27	25	R1	
4-Chloro-3-methylphenol	mg/kg	<0.066	2.1	2.1	1.7	1.8	79	85	30-130	7	29		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2393975												2393976											
Parameter	Units	40244735004		MS	MSD	MS		MSD		% Rec	% Rec	Limits	RPD	Max	RPD	Qual							
		Result	Conc.	Spike	Spike	Result	Result	% Rec	% Rec														
4-Chloroaniline	mg/kg	<0.035	2.1	2.1	2.1	1.2	1.3	59	60	16-130	1	33	1q,6q										
4-Chlorophenylphenyl ether	mg/kg	<0.039	2.1	2.1	2.1	1.6	2.0	76	95	46-130	22	24											
4-Nitroaniline	mg/kg	<0.088	2.1	2.1	2.1	1.5	1.8	72	86	10-127	18	40											
4-Nitrophenol	mg/kg	<0.053	2.1	2.1	2.1	0.98	1.8	46	87	10-128	61	50	R1										
Acenaphthene	mg/kg	<0.075	2.1	2.1	2.1	1.5	1.8	69	84	47-130	20	21											
Acenaphthylene	mg/kg	<0.075	2.1	2.1	2.1	1.5	1.8	73	86	49-130	17	22											
Anthracene	mg/kg	<0.034	2.1	2.1	2.1	1.5	1.7	71	81	46-130	14	27											
Benzo(a)anthracene	mg/kg	<0.033	2.1	2.1	2.1	1.6	2.0	75	94	45-130	22	24											
Benzo(a)pyrene	mg/kg	<0.032	2.1	2.1	2.1	1.7	1.9	78	88	48-130	12	27											
Benzo(b)fluoranthene	mg/kg	<0.036	2.1	2.1	2.1	1.6	1.8	74	87	41-130	16	31											
Benzo(g,h,i)perylene	mg/kg	<0.055	2.1	2.1	2.1	1.7	1.8	79	88	37-130	10	31											
Benzo(k)fluoranthene	mg/kg	<0.050	2.1	2.1	2.1	1.6	1.8	74	84	46-130	12	27											
bis(2-Chloroethoxy)methane	mg/kg	<0.057	2.1	2.1	2.1	1.5	1.7	72	83	38-130	15	26											
bis(2-Chloroethyl) ether	mg/kg	<0.066	2.1	2.1	2.1	1.4	1.6	68	76	42-130	11	29											
bis(2-Ethylhexyl)phthalate	mg/kg	<0.035	2.1	2.1	2.1	1.6	1.9	78	90	39-130	14	27											
Butylbenzylphthalate	mg/kg	<0.034	2.1	2.1	2.1	1.7	2.1	80	98	39-130	20	27											
Carbazole	mg/kg	<0.033	2.1	2.1	2.1	1.5	1.8	71	86	44-130	19	24											
Chrysene	mg/kg	<0.032	2.1	2.1	2.1	1.7	1.9	82	92	44-130	12	25											
Di-n-butylphthalate	mg/kg	<0.032	2.1	2.1	2.1	1.7	1.9	79	91	45-130	14	26											
Di-n-octylphthalate	mg/kg	<0.047	2.1	2.1	2.1	1.7	2.0	82	96	40-134	16	27											
Dibenz(a,h)anthracene	mg/kg	<0.057	2.1	2.1	2.1	1.8	1.8	85	87	41-130	3	33											
Dibenzofuran	mg/kg	<0.026	2.1	2.1	2.1	1.5	1.9	73	88	47-130	19	23											
Diethylphthalate	mg/kg	<0.035	2.1	2.1	2.1	1.5	1.8	74	87	46-130	16	24											
Dimethylphthalate	mg/kg	<0.027	2.1	2.1	2.1	1.5	1.8	72	87	47-130	19	24											
Fluoranthene	mg/kg	<0.030	2.1	2.1	2.1	1.6	1.9	77	89	50-130	14	27											
Fluorene	mg/kg	<0.025	2.1	2.1	2.1	1.5	1.9	72	89	48-130	22	25											
Hexachloro-1,3-butadiene	mg/kg	<0.054	2.1	2.1	2.1	1.9	1.9	92	88	42-130	4	27											
Hexachlorobenzene	mg/kg	<0.035	2.1	2.1	2.1	1.5	1.8	73	86	51-130	16	24											
Hexachlorocyclopentadiene	mg/kg	<0.050	2.1	2.1	2.1	1.1	1.8	50	83	10-114	50	50											
Hexachloroethane	mg/kg	<0.034	2.1	2.1	2.1	1.6	1.8	74	83	33-130	12	35											
Indeno(1,2,3-cd)pyrene	mg/kg	<0.046	2.1	2.1	2.1	1.6	1.8	75	85	34-130	12	38											
Isophorone	mg/kg	<0.032	2.1	2.1	2.1	1.7	1.8	80	88	45-130	9	28											
N-Nitroso-di-n-propylamine	mg/kg	<0.033	2.1	2.1	2.1	1.5	1.8	69	87	47-130	23	27											
N-Nitrosodiphenylamine	mg/kg	<0.29	2.1	2.1	2.1	1.4	1.8	67	84	42-130	22	25											
Naphthalene	mg/kg	<0.074	2.1	2.1	2.1	1.6	1.8	76	83	48-130	9	24											
Nitrobenzene	mg/kg	<0.043	2.1	2.1	2.1	1.6	1.7	75	83	42-130	10	25											
Pentachlorophenol	mg/kg	<0.046	2.1	2.1	2.1	1.3	1.6	61	76	10-108	22	50											
Phenanthrene	mg/kg	<0.027	2.1	2.1	2.1	1.5	1.7	70	82	50-130	17	27											
Phenol	mg/kg	<0.050	2.1	2.1	2.1	1.4	1.7	66	80	37-130	19	30											
Pyrene	mg/kg	<0.047	2.1	2.1	2.1	1.5	1.8	74	87	43-130	16	29											
2,4,6-Tribromophenol (S)	%							77	92	10-144													
2-Fluorobiphenyl (S)	%							63	81	12-118													
2-Fluorophenol (S)	%							68	76	10-130													
Nitrobenzene-d5 (S)	%							74	84	10-125													
Phenol-d6 (S)	%							61	75	10-125													

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2393975 2393976												
Parameter	Units	40244735004 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	Spike Conc.								
Terphenyl-d14 (S)	%						67	83	10-124			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

QC Batch:	415577	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244640001, 40244640002, 40244640003, 40244640004, 40244640005, 40244640006

SAMPLE DUPLICATE: 2392468

Parameter	Units	40244640006 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	23.5	22.9	3	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

QC Batch: 415696

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244640008, 40244640009, 40244640010, 40244640011, 40244640012, 40244640013

SAMPLE DUPLICATE: 2393271

Parameter	Units	40244804003 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	3.8	3.9	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

QC Batch: 415703

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244640007, 40244640014, 40244640015, 40244640016

SAMPLE DUPLICATE: 2393311

Parameter	Units	40244640015 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	21.2	21.9	3	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

QC Batch: 415934

Analysis Method: EPA 9040

QC Batch Method: EPA 9040

Analysis Description: 9040 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244640001, 40244640002, 40244640003, 40244640005, 40244640006

SAMPLE DUPLICATE: 2394823

Parameter	Units	40244577002 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	8.3	8.2	1	20	3q,H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

QC Batch: 416178

Analysis Method: EPA 9040

QC Batch Method: EPA 9040

Analysis Description: 9040 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244640007, 40244640008, 40244640009, 40244640010, 40244640012, 40244640013, 40244640014, 40244640015, 40244640016

SAMPLE DUPLICATE: 2396188

Parameter	Units	40244640007 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.1	7.2	1	20	4q,H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

QC Batch: 415898

Analysis Method: EPA 9045

QC Batch Method: EPA 9045

Analysis Description: 9045 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244640004

SAMPLE DUPLICATE: 2394677

Parameter	Units	40244475001 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	9.08	9.12	0	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

QC Batch: 416067

Analysis Method: EPA 9045

QC Batch Method: EPA 9045

Analysis Description: 9045 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244640011

SAMPLE DUPLICATE: 2395554

Parameter	Units	40244892001 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	8.05	8.12	1	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

QC Batch:	416035	Analysis Method:	EPA 9012B
QC Batch Method:	EPA 9012B	Analysis Description:	9012 Cyanide
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244640001, 40244640002, 40244640003, 40244640004, 40244640005, 40244640006, 40244640007, 40244640008, 40244640009, 40244640010, 40244640011

METHOD BLANK: 2395428 Matrix: Solid
Associated Lab Samples: 40244640001, 40244640002, 40244640003, 40244640004, 40244640005, 40244640006, 40244640007, 40244640008, 40244640009, 40244640010, 40244640011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Cyanide	mg/kg	<0.31	0.92	0.31	05/18/22 15:13	

LABORATORY CONTROL SAMPLE: 2395429

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/kg	3	3.2	106	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2395430 2395431

Parameter	Units	40244577010 Result	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	MS Result	MSD Result							
Cyanide	mg/kg	<0.30	2.9	3.0	3.2	101	102	80-120	6	20		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2395432 2395433

Parameter	Units	40244640011 Result	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	MS Result	MSD Result							
Cyanide	mg/kg	<0.29	2.9	3.0	2.9	100	96	80-120	4	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

QC Batch: 416036 Analysis Method: EPA 9012B
QC Batch Method: EPA 9012B Analysis Description: 9012 Cyanide
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244640012, 40244640013, 40244640014, 40244640015, 40244640016

METHOD BLANK: 2395434 Matrix: Solid
Associated Lab Samples: 40244640012, 40244640013, 40244640014, 40244640015, 40244640016

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Cyanide	mg/kg	<0.31	0.92	0.31	05/18/22 15:33	

LABORATORY CONTROL SAMPLE: 2395435

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/kg	3	3.4	114	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2395436 2395437

Parameter	Units	40244735002		40244735012		40244735013		40244735014		% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.				
Cyanide	mg/kg	<0.33	3.5	3.6	3.4	3.7	89	97	80-120	10	20		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2395438 2395439

Parameter	Units	40244735012		40244735013		40244735014		40244735015		% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.				
Cyanide	mg/kg	<0.35	3.5	3.4	3.5	3.1	99	93	80-120	11	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

WORKORDER QUALIFIERS

WO: 40244640

[1] Revised Report to add SPLP to select sample. 6/17/22 CDH

BATCH QUALIFIERS

Batch: 415846

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 415954

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

1q This analyte's recovery was below secondary source verification limits. The results may be biased low.

2q Due to sample matrix, DI water was added and stirred on a one to one ratio before analysis.

3q Due to sample matrix, DI water was added and stirred on a one to one ratio before analysis.

4q Due to the sample matrix, DI water was added to this sample on a one to one basis and the sample was stirred before analysis.

5q Sample was brown in color and needed to be centrifuged.

6q This analyte's recovery was below secondary source verification limits. The results may be biased low.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

ANALYTE QUALIFIERS

- CU The continuing calibration for this analyte is above laboratory acceptance limits. Analyte was not detected above the reporting limit in any of the associated samples.

- D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
- E Analyte concentration exceeded the calibration range. The reported result is estimated.
- H6 Analysis initiated outside of the 15 minute EPA required holding time.
- L2 Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.
- M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
- P6 Matrix spike recovery was outside laboratory control limits due to a parent sample concentration notably higher than the spike level.
- R1 RPD value was outside control limits.
- S0 Surrogate recovery outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244640001	SB-68 (1.5-2.5)	EPA 3550	814675	EPA 8081B	815861
40244640002	SB-68 (4.5-5.5)	EPA 3550	814675	EPA 8081B	815861
40244640003	SB-69 (1.8-2.8)	EPA 3550	814675	EPA 8081B	815861
40244640004	SB-69 (4.5-5.5)	EPA 3550	814675	EPA 8081B	815861
40244640005	SB-70 (1.8-2.8)	EPA 3550	814675	EPA 8081B	815861
40244640006	SB-70 (5-6)	EPA 3550	814675	EPA 8081B	815861
40244640007	SB-63 (1.3-2.3)	EPA 3550	814675	EPA 8081B	815861
40244640008	SB-63 (4.5-5.5)	EPA 3550	814675	EPA 8081B	815861
40244640009	SB-62 (1.0-2.0)	EPA 3550	814675	EPA 8081B	815861
40244640010	SB-62 (4.5-5.5)	EPA 3550	814675	EPA 8081B	815861
40244640011	SB-59 (1.0-2.0)	EPA 3550	814675	EPA 8081B	815861
40244640012	SB-59 (4.5-5.5)	EPA 3550	814675	EPA 8081B	815861
40244640013	SB-58 (1.0-2.0)	EPA 3550	814675	EPA 8081B	815861
40244640014	SB-58 (4.5-5.5)	EPA 3550	814675	EPA 8081B	815861
40244640015	SB-57 (1.5-2.5)	EPA 3550	814675	EPA 8081B	815861
40244640016	SB-57 (4.5-5.5)	EPA 3550	814675	EPA 8081B	815861
40244640001	SB-68 (1.5-2.5)	EPA 3541	415403	EPA 8082A	415465
40244640002	SB-68 (4.5-5.5)	EPA 3541	415403	EPA 8082A	415465
40244640003	SB-69 (1.8-2.8)	EPA 3541	415403	EPA 8082A	415465
40244640004	SB-69 (4.5-5.5)	EPA 3541	415403	EPA 8082A	415465
40244640005	SB-70 (1.8-2.8)	EPA 3541	415403	EPA 8082A	415465
40244640006	SB-70 (5-6)	EPA 3541	415403	EPA 8082A	415465
40244640007	SB-63 (1.3-2.3)	EPA 3541	415403	EPA 8082A	415465
40244640008	SB-63 (4.5-5.5)	EPA 3541	415403	EPA 8082A	415465
40244640009	SB-62 (1.0-2.0)	EPA 3541	415403	EPA 8082A	415465
40244640010	SB-62 (4.5-5.5)	EPA 3541	415403	EPA 8082A	415465
40244640011	SB-59 (1.0-2.0)	EPA 3541	415403	EPA 8082A	415465
40244640012	SB-59 (4.5-5.5)	EPA 3541	415403	EPA 8082A	415465
40244640013	SB-58 (1.0-2.0)	EPA 3541	415481	EPA 8082A	415501
40244640014	SB-58 (4.5-5.5)	EPA 3541	415481	EPA 8082A	415501
40244640015	SB-57 (1.5-2.5)	EPA 3541	415481	EPA 8082A	415501
40244640016	SB-57 (4.5-5.5)	EPA 3541	415481	EPA 8082A	415501
40244640005	SB-70 (1.8-2.8)	EPA 3015A	418338	EPA 6010D	418377
40244640001	SB-68 (1.5-2.5)	EPA 3050B	815039	EPA 6020B	815685
40244640002	SB-68 (4.5-5.5)	EPA 3050B	815039	EPA 6020B	815685
40244640003	SB-69 (1.8-2.8)	EPA 3050B	815039	EPA 6020B	815685
40244640004	SB-69 (4.5-5.5)	EPA 3050B	815039	EPA 6020B	815685
40244640005	SB-70 (1.8-2.8)	EPA 3050B	815038	EPA 6020B	815504
40244640006	SB-70 (5-6)	EPA 3050B	815039	EPA 6020B	815685
40244640007	SB-63 (1.3-2.3)	EPA 3050B	815038	EPA 6020B	815504
40244640008	SB-63 (4.5-5.5)	EPA 3050B	815038	EPA 6020B	815504
40244640009	SB-62 (1.0-2.0)	EPA 3050B	815038	EPA 6020B	815504
40244640010	SB-62 (4.5-5.5)	EPA 3050B	815038	EPA 6020B	815504
40244640011	SB-59 (1.0-2.0)	EPA 3050B	815038	EPA 6020B	815504
40244640012	SB-59 (4.5-5.5)	EPA 3050B	815038	EPA 6020B	815504

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244640013	SB-58 (1.0-2.0)	EPA 3050B	815038	EPA 6020B	815504
40244640014	SB-58 (4.5-5.5)	EPA 3050B	815038	EPA 6020B	815504
40244640015	SB-57 (1.5-2.5)	EPA 3050B	815038	EPA 6020B	815504
40244640016	SB-57 (4.5-5.5)	EPA 3050B	815038	EPA 6020B	815504
40244640001	SB-68 (1.5-2.5)	EPA 7471	415912	EPA 7471	415978
40244640002	SB-68 (4.5-5.5)	EPA 7471	415912	EPA 7471	415978
40244640003	SB-69 (1.8-2.8)	EPA 7471	415912	EPA 7471	415978
40244640004	SB-69 (4.5-5.5)	EPA 7471	415912	EPA 7471	415978
40244640005	SB-70 (1.8-2.8)	EPA 7471	415912	EPA 7471	415978
40244640006	SB-70 (5-6)	EPA 7471	415912	EPA 7471	415978
40244640007	SB-63 (1.3-2.3)	EPA 7471	415912	EPA 7471	415978
40244640008	SB-63 (4.5-5.5)	EPA 7471	415912	EPA 7471	415978
40244640009	SB-62 (1.0-2.0)	EPA 7471	415912	EPA 7471	415978
40244640010	SB-62 (4.5-5.5)	EPA 7471	415912	EPA 7471	415978
40244640011	SB-59 (1.0-2.0)	EPA 7471	415912	EPA 7471	415978
40244640012	SB-59 (4.5-5.5)	EPA 7471	415912	EPA 7471	415978
40244640013	SB-58 (1.0-2.0)	EPA 7471	415912	EPA 7471	415978
40244640014	SB-58 (4.5-5.5)	EPA 7471	415912	EPA 7471	415978
40244640015	SB-57 (1.5-2.5)	EPA 7471	415912	EPA 7471	415978
40244640016	SB-57 (4.5-5.5)	EPA 7471	415912	EPA 7471	415978
40244640001	SB-68 (1.5-2.5)	EPA 3546	415660	EPA 8270E	415718
40244640002	SB-68 (4.5-5.5)	EPA 3546	415660	EPA 8270E	415718
40244640003	SB-69 (1.8-2.8)	EPA 3546	415660	EPA 8270E	415718
40244640004	SB-69 (4.5-5.5)	EPA 3546	415660	EPA 8270E	415718
40244640005	SB-70 (1.8-2.8)	EPA 3546	415660	EPA 8270E	415718
40244640006	SB-70 (5-6)	EPA 3546	415660	EPA 8270E	415718
40244640007	SB-63 (1.3-2.3)	EPA 3546	415660	EPA 8270E	415718
40244640008	SB-63 (4.5-5.5)	EPA 3546	415752	EPA 8270E	415840
40244640009	SB-62 (1.0-2.0)	EPA 3546	415752	EPA 8270E	415840
40244640010	SB-62 (4.5-5.5)	EPA 3546	415752	EPA 8270E	415840
40244640011	SB-59 (1.0-2.0)	EPA 3546	415752	EPA 8270E	415840
40244640012	SB-59 (4.5-5.5)	EPA 3546	415752	EPA 8270E	415840
40244640013	SB-58 (1.0-2.0)	EPA 3546	415752	EPA 8270E	415840
40244640014	SB-58 (4.5-5.5)	EPA 3546	415752	EPA 8270E	415840
40244640015	SB-57 (1.5-2.5)	EPA 3546	415752	EPA 8270E	415840
40244640016	SB-57 (4.5-5.5)	EPA 3546	415752	EPA 8270E	415840
40244640001	SB-68 (1.5-2.5)	EPA 5035/5030	415845	EPA 8260	415846
40244640002	SB-68 (4.5-5.5)	EPA 5035/5030	415845	EPA 8260	415846
40244640003	SB-69 (1.8-2.8)	EPA 5035/5030	415845	EPA 8260	415846
40244640004	SB-69 (4.5-5.5)	EPA 5035/5030	415845	EPA 8260	415846
40244640005	SB-70 (1.8-2.8)	EPA 5035/5030	415845	EPA 8260	415846
40244640006	SB-70 (5-6)	EPA 5035/5030	415845	EPA 8260	415846
40244640007	SB-63 (1.3-2.3)	EPA 5035/5030	415845	EPA 8260	415846
40244640008	SB-63 (4.5-5.5)	EPA 5035/5030	415845	EPA 8260	415846
40244640009	SB-62 (1.0-2.0)	EPA 5035/5030	415845	EPA 8260	415846
40244640010	SB-62 (4.5-5.5)	EPA 5035/5030	415845	EPA 8260	415846
40244640011	SB-59 (1.0-2.0)	EPA 5035/5030	415845	EPA 8260	415846

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244640

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244640012	SB-59 (4.5-5.5)	EPA 5035/5030	415845	EPA 8260	415846
40244640013	SB-58 (1.0-2.0)	EPA 5035/5030	415845	EPA 8260	415846
40244640014	SB-58 (4.5-5.5)	EPA 5035/5030	415845	EPA 8260	415846
40244640015	SB-57 (1.5-2.5)	EPA 5035/5030	415946	EPA 8260	415954
40244640016	SB-57 (4.5-5.5)	EPA 5035/5030	415946	EPA 8260	415954
40244640017	TB-05	EPA 5035/5030	415946	EPA 8260	415954
40244640001	SB-68 (1.5-2.5)	ASTM D2974-87	415577		
40244640002	SB-68 (4.5-5.5)	ASTM D2974-87	415577		
40244640003	SB-69 (1.8-2.8)	ASTM D2974-87	415577		
40244640004	SB-69 (4.5-5.5)	ASTM D2974-87	415577		
40244640005	SB-70 (1.8-2.8)	ASTM D2974-87	415577		
40244640006	SB-70 (5-6)	ASTM D2974-87	415577		
40244640007	SB-63 (1.3-2.3)	ASTM D2974-87	415703		
40244640008	SB-63 (4.5-5.5)	ASTM D2974-87	415696		
40244640009	SB-62 (1.0-2.0)	ASTM D2974-87	415696		
40244640010	SB-62 (4.5-5.5)	ASTM D2974-87	415696		
40244640011	SB-59 (1.0-2.0)	ASTM D2974-87	415696		
40244640012	SB-59 (4.5-5.5)	ASTM D2974-87	415696		
40244640013	SB-58 (1.0-2.0)	ASTM D2974-87	415696		
40244640014	SB-58 (4.5-5.5)	ASTM D2974-87	415703		
40244640015	SB-57 (1.5-2.5)	ASTM D2974-87	415703		
40244640016	SB-57 (4.5-5.5)	ASTM D2974-87	415703		
40244640001	SB-68 (1.5-2.5)	EPA 9040	415934		
40244640002	SB-68 (4.5-5.5)	EPA 9040	415934		
40244640003	SB-69 (1.8-2.8)	EPA 9040	415934		
40244640005	SB-70 (1.8-2.8)	EPA 9040	415934		
40244640006	SB-70 (5-6)	EPA 9040	415934		
40244640007	SB-63 (1.3-2.3)	EPA 9040	416178		
40244640008	SB-63 (4.5-5.5)	EPA 9040	416178		
40244640009	SB-62 (1.0-2.0)	EPA 9040	416178		
40244640010	SB-62 (4.5-5.5)	EPA 9040	416178		
40244640012	SB-59 (4.5-5.5)	EPA 9040	416178		
40244640013	SB-58 (1.0-2.0)	EPA 9040	416178		
40244640014	SB-58 (4.5-5.5)	EPA 9040	416178		
40244640015	SB-57 (1.5-2.5)	EPA 9040	416178		
40244640016	SB-57 (4.5-5.5)	EPA 9040	416178		
40244640004	SB-69 (4.5-5.5)	EPA 9045	415898		
40244640011	SB-59 (1.0-2.0)	EPA 9045	416067		
40244640001	SB-68 (1.5-2.5)	EPA 9012B	416035	EPA 9012B	416093
40244640002	SB-68 (4.5-5.5)	EPA 9012B	416035	EPA 9012B	416093
40244640003	SB-69 (1.8-2.8)	EPA 9012B	416035	EPA 9012B	416093
40244640004	SB-69 (4.5-5.5)	EPA 9012B	416035	EPA 9012B	416093
40244640005	SB-70 (1.8-2.8)	EPA 9012B	416035	EPA 9012B	416093
40244640006	SB-70 (5-6)	EPA 9012B	416035	EPA 9012B	416093

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244640

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244640007	SB-63 (1.3-2.3)	EPA 9012B	416035	EPA 9012B	416093
40244640008	SB-63 (4.5-5.5)	EPA 9012B	416035	EPA 9012B	416093
40244640009	SB-62 (1.0-2.0)	EPA 9012B	416035	EPA 9012B	416093
40244640010	SB-62 (4.5-5.5)	EPA 9012B	416035	EPA 9012B	416093
40244640011	SB-59 (1.0-2.0)	EPA 9012B	416035	EPA 9012B	416093
40244640012	SB-59 (4.5-5.5)	EPA 9012B	416036	EPA 9012B	416094
40244640013	SB-58 (1.0-2.0)	EPA 9012B	416036	EPA 9012B	416094
40244640014	SB-58 (4.5-5.5)	EPA 9012B	416036	EPA 9012B	416094
40244640015	SB-57 (1.5-2.5)	EPA 9012B	416036	EPA 9012B	416094
40244640016	SB-57 (4.5-5.5)	EPA 9012B	416036	EPA 9012B	416094

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: **Fehr Graham**
 Branch/Location: **Rockford**
 Project Contact: **Tony Guajardo**
 Phone: **815-394-4700**
 Project Number: **22-521 PH01**
 Project Name: **Pillsbury**
 Project State: **Illinois**
 Sampled By (Print): **Hannan Insko**
 Sampled By (Sign): *Hannan Insko*
 PO #: **22-521 PH01** Regulatory Program:

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Analyzed	VOCs	Pesticides	SIOCs, PCBs, CNs, TAL Metals, PH
		DATE	TIME					
001	SB-68 (1.5-2.5)	5.9.22	1600	S	X	X	X	
002	SB-68 (4.5-5.5)	5.9	1605	S	X	X	X	
003	SB-69 (1.8-2.8)	5.9	1510	S	X	X	X	
004	SB-69 (4.5-5.5)	5.9	1515	S	X	X	X	
005	SB-70 (1.8-2.8)	5.9	1435	S	X	X	X	
006	SB-70 (3-6)	5.9	1440	S	X	X	X	
007	SB-63 (1.3-2.3)	5.9	1350	S	X	X	X	HI
008	SB-63 (4.5-5.5)	5.9	1355	S	X	X	X	
009	SB-62 (1.0-2.0)	5.9	1315	S	X	X	X	
010	SB-62 (4.5-5.5)	5.9	1320	S	X	X	X	
011	SB-59 (1.0-2.0)	5.9	1150	S	X	X	X	
012	SB-59 (4.5-5.5)	5.9	1155	J	X	X	X	
013	SB-59 (1.0-2.0)	5.9	1105	S	X	X	X	

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed: _____

Transmit Prelim Rush Results by (complete what you want):
 Email #1: _____
 Email #2: _____
 Telephone: _____
 Fax: _____

Samples on HOLD are subject to special pricing and release of liability

Relinquished By: *Hannan Insko* Date/Time: **5.9.22 1645**

Relinquished By: **UPS** Date/Time: **5.10.22 1100**

Relinquished By: _____ Date/Time: _____

Relinquished By: _____ Date/Time: _____

Relinquished By: _____ Date/Time: _____

Received By: _____ Date/Time: _____

Received By: *[Signature]* Date/Time: **5.10.22 1100**

Received By: _____ Date/Time: _____

Received By: _____ Date/Time: _____

Received By: _____ Date/Time: _____

PACE Project No. **40244640**

Receipt Temp = **31.21** °C

Sample Receipt pH
OK / Adjusted

Cooler Custody Seal
Present / Not Present
Intact / Not Intact

UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

40244640 Page 1 of 2



CHAIN OF CUSTODY

*Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED? (YES/NO)	PRESERVATION (CODE)*	Y/N	N	N	N	HI									
		EIF	A	R											

Quote #: _____

Mail To Contact: **Tony Guajardo**

Mail To Company: **Fehr Graham**

Mail To Address: **200 Prairie St Suite 208 Rockford IL 61107**

Invoice To Contact: **Tony Guajardo**

Invoice To Company: **Fehr Graham**

Invoice To Address: **200 Prairie St Suite 208 Rockford IL 61107**

Invoice To Phone: **815-394-4700**

CLIENT COMMENTS

LAB COMMENTS (Lab Use Only)

Profile #

(2 coolers)

(Please Print Clearly)

Company Name: Fehr Graham
 Branch/Location: Rockford, IL
 Project Contact: Tony Guajardo
 Phone: 815-394-4700
 Project Number: 22-521 PH01
 Project Name: Pillsbury
 Project State: Illinois
 Sampled By (Print): Hannan Insko
 Sampled By (Sign): [Signature]
 PO #: 22-521 PH01 Regulatory Program:

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 Sl = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
014	SB-58 (4.5-5.5)	5.9.22	1110	S
015	SB-57 (1.5-2.5)	5.9	1030	S
016	SB-57 (4.5-5.5)	5.9	1035	S
017	TB-05	5.9	1130	S



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

40244640 Page 2 of 2

(2 Coolers)

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

Y/N	2	2	2							
Filtered? (YES/NO)	2	2	2							
Preservation (CODE)*	EIF	A	A							
ANALYSES REQUESTED	VOLS									
	PESTICIDES									
	SNOGS, PCBs, CM, TAL METALS, P, H									

Quote #:

Mail To Contact: Tony Guajardo

Mail To Company: Fehr Graham

Mail To Address: 200 Prairie St Suite 208 Rockford IL 61107

Invoice To Contact: Tony Guajardo

Invoice To Company: Fehr Graham

Invoice To Address: 200 prairie st Suite 208 Rockford IL 61107

Invoice To Phone: 815-394-4700

CLIENT COMMENTS | **LAB COMMENTS (Lab Use Only)** | **Profile #**

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed:	Relinquished By: <u>[Signature]</u> Date/Time: <u>5.9.22 1645</u>	Received By: _____ Date/Time: _____	PACE Project No.
Transmit Prelim Rush Results by (complete what you want):	Relinquished By: <u>UPS</u> Date/Time: <u>5.10.22 1100</u>	Received By: <u>[Signature]</u> Date/Time: <u>5.10.22 1100</u>	
Email #1:	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	
Email #2:	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	
Telephone:	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	
Fax:	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	Receipt Temp = 3.1/2.1 °C
Samples on HOLD are subject to special pricing and release of liability	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	Sample Receipt pH OK / Adjusted
			Cooler Custody Seal Present / Not Present Intact / Not Intact

Sample Preservation Receipt Form

Client Name: Fehr Graham

Project # 44241640

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed:

Date/Time:

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass						Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)					
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU								SP5T	ZPLC	GN		
001																	2																		2.5/5/10
002																	2																		2.5/5/10
003																	2																		2.5/5/10
004																	2																		2.5/5/10
005																	2																		2.5/5/10
006																	2																		2.5/5/10
007																	2																		2.5/5/10
008																	2																		2.5/5/10
009																	2																		2.5/5/10
010																	2																		2.5/5/10
011																	2																		2.5/5/10
012																	2																		2.5/5/10
013																	2																		2.5/5/10
014																	2																		2.5/5/10
015																	2																		2.5/5/10
016																	2																		2.5/5/10
017																	2																		2.5/5/10
018																	2																		2.5/5/10
019																	2																		2.5/5/10
020																	2																		2.5/5/10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm): Yes No N/A *If yes look in headspace column


AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9A	40 mL clear ascorbic	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG5U	100 mL amber glass unpres			VG9D	40 mL clear vial DI	ZPLC	ziploc bag
AG2S	500 mL amber glass H2SO4					GN	
BG3U	250 mL clear glass unpres						

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: FehrGraham

WO#: **40244640**



40244640

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

Tracking #: 12 90E 6F3 13 9830 2594 / 1290E 6F3 13 9809 5805

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 116 Type of Ice: Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 3/2 / Corr: 3/12A

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:
 Date: 5-10-22 / Initials: AS
 Labeled By Initials: TP

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1. <u>↑ CC 5-10-22</u>
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>S</u>		
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample login

June 17, 2022

Annie Ray
Fehr Graham
200 Prairie St
Suite 208
Rockford, IL 61107

RE: Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Dear Annie Ray:

Enclosed are the analytical results for sample(s) received by the laboratory on May 11, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay
- Pace Analytical Services - Indianapolis
- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
A2LA Certification #: 2926.01*
1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009*
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014*
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605*
Georgia Certification #: 959
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086*
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064*
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137*
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240*
Mississippi Certification #: MN00064

Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081*
New Jersey Certification #: MN002
New York Certification #: 11647*
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification (A2LA) #: R-036
North Dakota Certification (MN) #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Ohio VAP Certification (1800) #: CL110*
Oklahoma Certification #: 9507*
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001*
Pennsylvania Certification #: 68-00563*
Puerto Rico Certification #: MN00064
South Carolina Certification #:74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192*
Utah Certification #: MN00064*
Vermont Certification #: VT-027053137
Virginia Certification #: 460163*
Washington Certification #: C486*
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification #: via A2LA 2926.01
USDA Permit #: P330-19-00208
Please Note: Applicable air certifications are denoted with an asterisk ().

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019

Michigan Drinking Water Laboratory #9050
Ohio VAP Certified Laboratory #: CL0065
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Wisconsin Laboratory #: 999788130
USDA Soil Permit #: P330-19-00257

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40244735001	SB-67 (1.2-2.2)	Solid	05/10/22 08:25	05/11/22 13:30
40244735002	SB-67 (4.5-5.5)	Solid	05/10/22 08:30	05/11/22 13:30
40244735003	SB-66 (1.0-2.0)	Solid	05/10/22 08:55	05/11/22 13:30
40244735004	SB-66 (4.0-5.0)	Solid	05/10/22 09:00	05/11/22 13:30
40244735005	SB-46 (1.0-2.0)	Solid	05/10/22 09:45	05/11/22 13:30
40244735006	SB-46 (4.0-5.0)	Solid	05/10/22 09:50	05/11/22 13:30
40244735007	SB-47 (1.5-2.5)	Solid	05/10/22 10:10	05/11/22 13:30
40244735008	SB-47 (4.0-5.0)	Solid	05/10/22 10:15	05/11/22 13:30
40244735009	SB-56 (1.5-2.5)	Solid	05/10/22 10:55	05/11/22 13:30
40244735010	SB-56 (5.0-6.0)	Solid	05/10/22 11:00	05/11/22 13:30
40244735011	SB-64 (1.4-2.4)	Solid	05/10/22 13:05	05/11/22 13:30
40244735012	SB-64 (4.5-5.5)	Solid	05/10/22 13:15	05/11/22 13:30
40244735013	SB-65 (1.5-2.5)	Solid	05/10/22 13:50	05/11/22 13:30
40244735014	SB-65 (4.5-5.5)	Solid	05/10/22 13:53	05/11/22 13:30
40244735015	SB-44 (5.0-6.0)	Solid	05/10/22 15:00	05/11/22 13:30
40244735016	SB-44 (8.5-9.5)	Solid	05/10/22 15:05	05/11/22 13:30
40244735017	SB-39 (5.0-6.0)	Solid	05/10/22 15:50	05/11/22 13:30
40244735018	SB-39 (8.5-9.0)	Solid	05/10/22 15:55	05/11/22 13:30
40244735019	05102022 DUP-03	Solid	05/10/22 00:00	05/11/22 13:30
40244735020	TB-06	Solid	05/10/22 16:45	05/11/22 13:30

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244735001	SB-67 (1.2-2.2)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244735002	SB-67 (4.5-5.5)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
40244735003	SB-66 (1.0-2.0)	EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
40244735004	SB-66 (4.0-5.0)	EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
EPA 9012B	DAW	1	PASI-G		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244735005	SB-46 (1.0-2.0)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244735006	SB-46 (4.0-5.0)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244735007	SB-47 (1.5-2.5)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244735008	SB-47 (4.0-5.0)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244735009	SB-56 (1.5-2.5)	EPA 8081	KAV	23	PASI-I

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244735010	SB-56 (5.0-6.0)	EPA 8082A	BLM	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		40244735011	SB-64 (1.4-2.4)	ASTM D2974-87	PDV
EPA 9040	YER			1	PASI-G
EPA 9012B	DAW			1	PASI-G
EPA 8081	KAV			23	PASI-I
EPA 8082A	BLM			10	PASI-G
EPA 6020B	PW1			22	PASI-M
EPA 7471	AJT			1	PASI-G
EPA 8270E	TPO			70	PASI-G
EPA 8260	LAP			38	PASI-G
ASTM D2974-87	PDV			1	PASI-G
EPA 9040	YER			1	PASI-G
EPA 9012B	DAW			1	PASI-G
EPA 8081	KAV			23	PASI-I
EPA 8082A	BLM			10	PASI-G
40244735012	SB-64 (4.5-5.5)			EPA 6020B	PW1
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		40244735013	SB-65 (1.5-2.5)	EPA 9040	YER
EPA 9012B	DAW			1	PASI-G
EPA 8081	KAV			23	PASI-I
EPA 8082A	BLM			10	PASI-G
EPA 8081	KAV			23	PASI-I

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244735014	SB-65 (4.5-5.5)	EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
40244735015	SB-44 (5.0-6.0)	EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
40244735016	SB-44 (8.5-9.5)	EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		40244735017	SB-39 (5.0-6.0)	EPA 8082A	BLM
EPA 6020B	PW1			22	PASI-M
EPA 8081	KAV			23	PASI-I

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244735018	SB-39 (8.5-9.0)	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6010D	TXW	1	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244735019	05102022 DUP-03	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244735020	TB-06	EPA 8260	LAP	38	PASI-G

PASI-G = Pace Analytical Services - Green Bay
PASI-I = Pace Analytical Services - Indianapolis
PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244735001	SB-67 (1.2-2.2)					
EPA 6020B	Aluminum	15800	mg/kg	38.7	05/24/22 14:03	P6
EPA 6020B	Antimony	0.15J	mg/kg	0.64	05/24/22 14:03	M1
EPA 6020B	Arsenic	6.2	mg/kg	0.64	05/24/22 14:03	
EPA 6020B	Barium	221	mg/kg	0.39	05/24/22 14:03	M1, R1
EPA 6020B	Beryllium	0.94	mg/kg	0.26	05/24/22 14:03	
EPA 6020B	Cadmium	0.23	mg/kg	0.10	05/24/22 14:03	
EPA 6020B	Calcium	6590	mg/kg	129	05/24/22 14:03	M1
EPA 6020B	Chromium	19.6	mg/kg	2.6	05/24/22 14:03	
EPA 6020B	Cobalt	4.7	mg/kg	0.64	05/24/22 14:03	
EPA 6020B	Copper	20.5	mg/kg	1.3	05/24/22 14:03	
EPA 6020B	Iron	21000	mg/kg	64.4	05/24/22 14:03	P6
EPA 6020B	Lead	12.1	mg/kg	0.64	05/24/22 14:03	
EPA 6020B	Magnesium	2610	mg/kg	38.7	05/24/22 14:03	M1
EPA 6020B	Manganese	271	mg/kg	0.64	05/24/22 14:03	M1, R1
EPA 6020B	Nickel	15.2	mg/kg	0.64	05/24/22 14:03	
EPA 6020B	Potassium	1660	mg/kg	129	05/24/22 14:03	M1
EPA 6020B	Selenium	1.2	mg/kg	0.64	05/24/22 14:03	
EPA 6020B	Silver	0.58J	mg/kg	0.64	05/25/22 14:30	
EPA 6020B	Sodium	35.6J	mg/kg	64.4	05/24/22 14:03	
EPA 6020B	Thallium	0.22	mg/kg	0.13	05/24/22 14:03	
EPA 6020B	Vanadium	32.3	mg/kg	1.3	05/24/22 14:03	M1
EPA 6020B	Zinc	87.9	mg/kg	6.4	05/24/22 14:03	
EPA 7471	Mercury	0.026J	mg/kg	0.046	05/18/22 13:25	
ASTM D2974-87	Percent Moisture	24.9	%	0.10	05/13/22 10:20	
EPA 9040	pH at 25 Degrees C	6.4	Std. Units	0.10	05/19/22 14:24	2q,H6
40244735002	SB-67 (4.5-5.5)					
EPA 6020B	Aluminum	11800	mg/kg	37.2	05/24/22 14:20	
EPA 6020B	Antimony	0.44J	mg/kg	0.62	05/24/22 14:20	
EPA 6020B	Arsenic	33.0	mg/kg	0.62	05/24/22 14:20	
EPA 6020B	Barium	140	mg/kg	0.37	05/24/22 14:20	
EPA 6020B	Beryllium	0.85	mg/kg	0.25	05/24/22 14:20	
EPA 6020B	Cadmium	0.60	mg/kg	0.099	05/24/22 14:20	
EPA 6020B	Calcium	3610	mg/kg	124	05/24/22 14:20	
EPA 6020B	Chromium	18.0	mg/kg	2.5	05/24/22 14:20	
EPA 6020B	Cobalt	9.4	mg/kg	0.62	05/24/22 14:20	
EPA 6020B	Copper	23.6	mg/kg	1.2	05/24/22 14:20	
EPA 6020B	Iron	50200	mg/kg	310	05/25/22 14:51	
EPA 6020B	Lead	15.7	mg/kg	0.62	05/24/22 14:20	
EPA 6020B	Magnesium	3210	mg/kg	37.2	05/24/22 14:20	
EPA 6020B	Manganese	319	mg/kg	0.62	05/24/22 14:20	
EPA 6020B	Nickel	27.0	mg/kg	0.62	05/24/22 14:20	
EPA 6020B	Potassium	766	mg/kg	124	05/24/22 14:20	
EPA 6020B	Selenium	0.35J	mg/kg	0.62	05/24/22 14:20	
EPA 6020B	Silver	0.55J	mg/kg	0.62	05/25/22 14:47	
EPA 6020B	Sodium	38.2J	mg/kg	61.9	05/24/22 14:20	
EPA 6020B	Thallium	0.18	mg/kg	0.12	05/24/22 14:20	
EPA 6020B	Vanadium	45.8	mg/kg	1.2	05/24/22 14:20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244735002	SB-67 (4.5-5.5)					
EPA 6020B	Zinc	83.8	mg/kg	6.2	05/24/22 14:20	
EPA 7471	Mercury	0.032J	mg/kg	0.043	05/18/22 13:32	
ASTM D2974-87	Percent Moisture	21.8	%	0.10	05/13/22 10:20	
EPA 9040	pH at 25 Degrees C	6.4	Std. Units	0.10	05/19/22 14:27	2q,H6
40244735003	SB-66 (1.0-2.0)					
EPA 6020B	Aluminum	14100	mg/kg	36.7	05/24/22 14:24	
EPA 6020B	Antimony	0.20J	mg/kg	0.61	05/24/22 14:24	
EPA 6020B	Arsenic	9.0	mg/kg	0.61	05/24/22 14:24	
EPA 6020B	Barium	148	mg/kg	0.37	05/24/22 14:24	
EPA 6020B	Beryllium	0.78	mg/kg	0.24	05/24/22 14:24	
EPA 6020B	Cadmium	0.11	mg/kg	0.098	05/24/22 14:24	
EPA 6020B	Calcium	4580	mg/kg	122	05/24/22 14:24	
EPA 6020B	Chromium	17.3	mg/kg	2.4	05/24/22 14:24	
EPA 6020B	Cobalt	6.0	mg/kg	0.61	05/24/22 14:24	
EPA 6020B	Copper	15.8	mg/kg	1.2	05/24/22 14:24	
EPA 6020B	Iron	22100	mg/kg	61.1	05/24/22 14:24	
EPA 6020B	Lead	12.1	mg/kg	0.61	05/24/22 14:24	
EPA 6020B	Magnesium	2390	mg/kg	36.7	05/24/22 14:24	
EPA 6020B	Manganese	434	mg/kg	0.61	05/24/22 14:24	
EPA 6020B	Nickel	15.5	mg/kg	0.61	05/24/22 14:24	
EPA 6020B	Potassium	1300	mg/kg	122	05/24/22 14:24	
EPA 6020B	Selenium	1.0	mg/kg	0.61	05/24/22 14:24	
EPA 6020B	Silver	0.25J	mg/kg	0.61	05/25/22 15:04	
EPA 6020B	Sodium	36.6J	mg/kg	61.1	05/24/22 14:24	
EPA 6020B	Thallium	0.19	mg/kg	0.12	05/24/22 14:24	
EPA 6020B	Vanadium	34.5	mg/kg	1.2	05/24/22 14:24	
EPA 6020B	Zinc	48.9	mg/kg	6.1	05/24/22 14:24	
EPA 7471	Mercury	0.021J	mg/kg	0.042	05/18/22 13:39	
ASTM D2974-87	Percent Moisture	22.3	%	0.10	05/13/22 10:20	
EPA 9040	pH at 25 Degrees C	6.8	Std. Units	0.10	05/19/22 14:33	2q,H6
40244735004	SB-66 (4.0-5.0)					
EPA 6020B	Aluminum	7550	mg/kg	34.9	05/24/22 14:38	
EPA 6020B	Antimony	0.15J	mg/kg	0.58	05/24/22 14:38	
EPA 6020B	Arsenic	10.3	mg/kg	0.58	05/24/22 14:38	
EPA 6020B	Barium	70.8	mg/kg	0.35	05/24/22 14:38	
EPA 6020B	Beryllium	0.42	mg/kg	0.23	05/24/22 14:38	
EPA 6020B	Cadmium	0.15	mg/kg	0.093	05/24/22 14:38	
EPA 6020B	Calcium	50900	mg/kg	116	05/24/22 14:38	
EPA 6020B	Chromium	13.0	mg/kg	2.3	05/24/22 14:38	
EPA 6020B	Cobalt	5.9	mg/kg	0.58	05/24/22 14:38	
EPA 6020B	Copper	11.5	mg/kg	1.2	05/24/22 14:38	
EPA 6020B	Iron	19200	mg/kg	58.2	05/24/22 14:38	
EPA 6020B	Lead	6.7	mg/kg	0.58	05/24/22 14:38	
EPA 6020B	Magnesium	28900	mg/kg	34.9	05/24/22 14:38	
EPA 6020B	Manganese	342	mg/kg	0.58	05/24/22 14:38	
EPA 6020B	Nickel	13.7	mg/kg	0.58	05/24/22 14:38	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244735004	SB-66 (4.0-5.0)					
EPA 6020B	Potassium	635	mg/kg	116	05/24/22 14:38	
EPA 6020B	Selenium	0.21J	mg/kg	0.58	05/24/22 14:38	
EPA 6020B	Sodium	94.3	mg/kg	58.2	05/24/22 14:38	
EPA 6020B	Thallium	0.19	mg/kg	0.12	05/24/22 14:38	
EPA 6020B	Vanadium	21.6	mg/kg	1.2	05/24/22 14:38	
EPA 6020B	Zinc	45.5	mg/kg	5.8	05/24/22 14:38	
EPA 7471	Mercury	0.018J	mg/kg	0.040	05/18/22 13:41	
ASTM D2974-87	Percent Moisture	20.8	%	0.10	05/13/22 10:20	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/19/22 14:44	2q,H6
40244735005	SB-46 (1.0-2.0)					
EPA 6020B	Aluminum	19500	mg/kg	37.2	05/24/22 14:41	
EPA 6020B	Antimony	0.21J	mg/kg	0.62	05/24/22 14:41	
EPA 6020B	Arsenic	10.7	mg/kg	0.62	05/24/22 14:41	
EPA 6020B	Barium	208	mg/kg	0.37	05/24/22 14:41	
EPA 6020B	Beryllium	1.0	mg/kg	0.25	05/24/22 14:41	
EPA 6020B	Cadmium	0.099	mg/kg	0.099	05/24/22 14:41	
EPA 6020B	Calcium	3840	mg/kg	124	05/24/22 14:41	
EPA 6020B	Chromium	21.8	mg/kg	2.5	05/24/22 14:41	
EPA 6020B	Cobalt	13.7	mg/kg	0.62	05/24/22 14:41	
EPA 6020B	Copper	18.4	mg/kg	1.2	05/24/22 14:41	
EPA 6020B	Iron	27200	mg/kg	62.1	05/24/22 14:41	
EPA 6020B	Lead	16.3	mg/kg	0.62	05/24/22 14:41	
EPA 6020B	Magnesium	3500	mg/kg	37.2	05/24/22 14:41	
EPA 6020B	Manganese	440	mg/kg	0.62	05/24/22 14:41	
EPA 6020B	Nickel	20.1	mg/kg	0.62	05/24/22 14:41	
EPA 6020B	Potassium	1420	mg/kg	124	05/24/22 14:41	
EPA 6020B	Selenium	1.2	mg/kg	0.62	05/24/22 14:41	
EPA 6020B	Sodium	132	mg/kg	62.1	05/24/22 14:41	
EPA 6020B	Thallium	0.22	mg/kg	0.12	05/24/22 14:41	
EPA 6020B	Vanadium	42.2	mg/kg	1.2	05/24/22 14:41	
EPA 6020B	Zinc	60.7	mg/kg	6.2	05/24/22 14:41	
EPA 7471	Mercury	0.025J	mg/kg	0.042	05/18/22 13:44	
ASTM D2974-87	Percent Moisture	22.9	%	0.10	05/13/22 10:20	
EPA 9040	pH at 25 Degrees C	7.4	Std. Units	0.10	05/19/22 14:49	2q,H6
40244735006	SB-46 (4.0-5.0)					
EPA 6020B	Aluminum	18800	mg/kg	37.4	05/24/22 14:44	
EPA 6020B	Antimony	0.36J	mg/kg	0.62	05/24/22 14:44	
EPA 6020B	Arsenic	16.8	mg/kg	0.62	05/24/22 14:44	
EPA 6020B	Barium	222	mg/kg	0.37	05/24/22 14:44	
EPA 6020B	Beryllium	1.1	mg/kg	0.25	05/24/22 14:44	
EPA 6020B	Cadmium	0.32	mg/kg	0.10	05/24/22 14:44	
EPA 6020B	Calcium	3620	mg/kg	125	05/24/22 14:44	
EPA 6020B	Chromium	23.6	mg/kg	2.5	05/24/22 14:44	
EPA 6020B	Cobalt	12.2	mg/kg	0.62	05/24/22 14:44	
EPA 6020B	Copper	27.1	mg/kg	1.2	05/24/22 14:44	
EPA 6020B	Iron	42900	mg/kg	311	05/25/22 15:19	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244735006	SB-46 (4.0-5.0)					
EPA 6020B	Lead	11.6	mg/kg	0.62	05/24/22 14:44	
EPA 6020B	Magnesium	4090	mg/kg	37.4	05/24/22 14:44	
EPA 6020B	Manganese	354	mg/kg	0.62	05/24/22 14:44	
EPA 6020B	Nickel	33.2	mg/kg	0.62	05/24/22 14:44	
EPA 6020B	Potassium	1130	mg/kg	125	05/24/22 14:44	
EPA 6020B	Selenium	0.53J	mg/kg	0.62	05/24/22 14:44	
EPA 6020B	Sodium	163	mg/kg	62.3	05/24/22 14:44	
EPA 6020B	Thallium	0.19	mg/kg	0.12	05/24/22 14:44	
EPA 6020B	Vanadium	47.1	mg/kg	1.2	05/24/22 14:44	
EPA 6020B	Zinc	71.9	mg/kg	6.2	05/24/22 14:44	
EPA 7471	Mercury	0.030J	mg/kg	0.042	05/18/22 13:46	
ASTM D2974-87	Percent Moisture	21.4	%	0.10	05/13/22 10:20	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/20/22 11:26	2q,H6
40244735007	SB-47 (1.5-2.5)					
EPA 6020B	Aluminum	11000	mg/kg	35.7	05/24/22 14:48	
EPA 6020B	Antimony	0.28J	mg/kg	0.60	05/24/22 14:48	
EPA 6020B	Arsenic	9.0	mg/kg	0.60	05/24/22 14:48	
EPA 6020B	Barium	120	mg/kg	0.36	05/24/22 14:48	
EPA 6020B	Beryllium	0.65	mg/kg	0.24	05/24/22 14:48	
EPA 6020B	Cadmium	0.46	mg/kg	0.095	05/24/22 14:48	
EPA 6020B	Calcium	21200	mg/kg	119	05/24/22 14:48	
EPA 6020B	Chromium	16.9	mg/kg	2.4	05/24/22 14:48	
EPA 6020B	Cobalt	10.5	mg/kg	0.60	05/24/22 14:48	
EPA 6020B	Copper	19.4	mg/kg	1.2	05/24/22 14:48	
EPA 6020B	Iron	20900	mg/kg	59.5	05/24/22 14:48	
EPA 6020B	Lead	17.2	mg/kg	0.60	05/24/22 14:48	
EPA 6020B	Magnesium	13400	mg/kg	35.7	05/24/22 14:48	
EPA 6020B	Manganese	1110	mg/kg	3.0	05/25/22 15:25	
EPA 6020B	Nickel	21.5	mg/kg	0.60	05/24/22 14:48	
EPA 6020B	Potassium	1020	mg/kg	119	05/24/22 14:48	
EPA 6020B	Selenium	0.30J	mg/kg	0.60	05/24/22 14:48	
EPA 6020B	Sodium	82.9	mg/kg	59.5	05/24/22 14:48	
EPA 6020B	Thallium	0.22	mg/kg	0.12	05/24/22 14:48	
EPA 6020B	Vanadium	30.7	mg/kg	1.2	05/24/22 14:48	
EPA 6020B	Zinc	65.0	mg/kg	6.0	05/24/22 14:48	
EPA 7471	Mercury	0.039J	mg/kg	0.041	05/18/22 13:48	
EPA 8270E	Phenanthrene	0.055J	mg/kg	0.092	05/17/22 18:36	
EPA 8270E	Pyrene	0.050J	mg/kg	0.16	05/17/22 18:36	
ASTM D2974-87	Percent Moisture	22.6	%	0.10	05/13/22 10:20	
EPA 9040	pH at 25 Degrees C	7.7	Std. Units	0.10	05/20/22 11:41	2q,H6
EPA 9012B	Cyanide	0.38J	mg/kg	0.93	05/18/22 15:48	
40244735008	SB-47 (4.0-5.0)					
EPA 6020B	Aluminum	14800	mg/kg	37.9	05/24/22 14:51	
EPA 6020B	Antimony	0.21J	mg/kg	0.63	05/24/22 14:51	
EPA 6020B	Arsenic	12.2	mg/kg	0.63	05/24/22 14:51	
EPA 6020B	Barium	160	mg/kg	0.38	05/24/22 14:51	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244735008	SB-47 (4.0-5.0)					
EPA 6020B	Beryllium	0.85	mg/kg	0.25	05/24/22 14:51	
EPA 6020B	Cadmium	0.37	mg/kg	0.10	05/24/22 14:51	
EPA 6020B	Calcium	9650	mg/kg	126	05/24/22 14:51	
EPA 6020B	Chromium	19.7	mg/kg	2.5	05/24/22 14:51	
EPA 6020B	Cobalt	9.5	mg/kg	0.63	05/24/22 14:51	
EPA 6020B	Copper	24.1	mg/kg	1.3	05/24/22 14:51	
EPA 6020B	Iron	28400	mg/kg	63.1	05/24/22 14:51	
EPA 6020B	Lead	16.2	mg/kg	0.63	05/24/22 14:51	
EPA 6020B	Magnesium	6660	mg/kg	37.9	05/24/22 14:51	
EPA 6020B	Manganese	530	mg/kg	0.63	05/24/22 14:51	
EPA 6020B	Nickel	24.1	mg/kg	0.63	05/24/22 14:51	
EPA 6020B	Potassium	952	mg/kg	126	05/24/22 14:51	
EPA 6020B	Selenium	0.54J	mg/kg	0.63	05/24/22 14:51	
EPA 6020B	Sodium	93.0	mg/kg	63.1	05/24/22 14:51	
EPA 6020B	Thallium	0.22	mg/kg	0.13	05/24/22 14:51	
EPA 6020B	Vanadium	36.4	mg/kg	1.3	05/24/22 14:51	
EPA 6020B	Zinc	67.1	mg/kg	6.3	05/24/22 14:51	
EPA 7471	Mercury	0.023J	mg/kg	0.042	05/18/22 13:51	
EPA 8270E	Fluoranthene	0.036J	mg/kg	0.10	05/17/22 18:58	
EPA 8270E	Phenanthrene	0.038J	mg/kg	0.093	05/17/22 18:58	
ASTM D2974-87	Percent Moisture	23.3	%	0.10	05/13/22 10:21	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/20/22 11:45	2q,H6
40244735009	SB-56 (1.5-2.5)					
EPA 6020B	Aluminum	13500	mg/kg	38.0	05/24/22 14:55	
EPA 6020B	Antimony	0.25J	mg/kg	0.63	05/24/22 14:55	
EPA 6020B	Arsenic	5.6	mg/kg	0.63	05/24/22 14:55	
EPA 6020B	Barium	119	mg/kg	0.38	05/24/22 14:55	
EPA 6020B	Beryllium	0.82	mg/kg	0.25	05/24/22 14:55	
EPA 6020B	Cadmium	0.30	mg/kg	0.10	05/24/22 14:55	
EPA 6020B	Calcium	13100	mg/kg	127	05/24/22 14:55	
EPA 6020B	Chromium	17.7	mg/kg	2.5	05/24/22 14:55	
EPA 6020B	Cobalt	6.8	mg/kg	0.63	05/24/22 14:55	
EPA 6020B	Copper	21.0	mg/kg	1.3	05/24/22 14:55	
EPA 6020B	Iron	18500	mg/kg	63.4	05/24/22 14:55	
EPA 6020B	Lead	25.7	mg/kg	0.63	05/24/22 14:55	
EPA 6020B	Magnesium	7780	mg/kg	38.0	05/24/22 14:55	
EPA 6020B	Manganese	328	mg/kg	0.63	05/24/22 14:55	
EPA 6020B	Nickel	15.7	mg/kg	0.63	05/24/22 14:55	
EPA 6020B	Potassium	1240	mg/kg	127	05/24/22 14:55	
EPA 6020B	Selenium	0.74	mg/kg	0.63	05/24/22 14:55	
EPA 6020B	Sodium	119	mg/kg	63.4	05/24/22 14:55	
EPA 6020B	Thallium	0.24	mg/kg	0.13	05/24/22 14:55	
EPA 6020B	Vanadium	31.2	mg/kg	1.3	05/24/22 14:55	
EPA 6020B	Zinc	74.7	mg/kg	6.3	05/24/22 14:55	
EPA 7471	Mercury	0.071	mg/kg	0.044	05/18/22 13:53	
EPA 8270E	2-Methylnaphthalene	0.080J	mg/kg	0.19	05/17/22 19:19	
EPA 8270E	Benzo(a)anthracene	0.042J	mg/kg	0.11	05/17/22 19:19	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244735009	SB-56 (1.5-2.5)					
EPA 8270E	Benzo(b)fluoranthene	0.044J	mg/kg	0.12	05/17/22 19:19	
EPA 8270E	Chrysene	0.052J	mg/kg	0.11	05/17/22 19:19	
EPA 8270E	Fluoranthene	0.089J	mg/kg	0.10	05/17/22 19:19	
EPA 8270E	Phenanthrene	0.070J	mg/kg	0.093	05/17/22 19:19	
EPA 8270E	Pyrene	0.063J	mg/kg	0.16	05/17/22 19:19	
ASTM D2974-87	Percent Moisture	23.2	%	0.10	05/13/22 10:21	
EPA 9040	pH at 25 Degrees C	7.2	Std. Units	0.10	05/20/22 11:48	2q,H6
40244735010	SB-56 (5.0-6.0)					
EPA 6020B	Aluminum	13500	mg/kg	34.8	05/24/22 14:58	
EPA 6020B	Antimony	0.15J	mg/kg	0.58	05/24/22 14:58	
EPA 6020B	Arsenic	10	mg/kg	0.58	05/24/22 14:58	
EPA 6020B	Barium	259	mg/kg	0.35	05/24/22 14:58	
EPA 6020B	Beryllium	0.89	mg/kg	0.23	05/24/22 14:58	
EPA 6020B	Cadmium	0.53	mg/kg	0.093	05/24/22 14:58	
EPA 6020B	Calcium	4720	mg/kg	116	05/24/22 14:58	
EPA 6020B	Chromium	17.0	mg/kg	2.3	05/24/22 14:58	
EPA 6020B	Cobalt	16.0	mg/kg	0.58	05/24/22 14:58	
EPA 6020B	Copper	24.6	mg/kg	1.2	05/24/22 14:58	
EPA 6020B	Iron	19900	mg/kg	58.1	05/24/22 14:58	
EPA 6020B	Lead	13.8	mg/kg	0.58	05/24/22 14:58	
EPA 6020B	Magnesium	3940	mg/kg	34.8	05/24/22 14:58	
EPA 6020B	Manganese	1510	mg/kg	2.9	05/25/22 15:46	
EPA 6020B	Nickel	32.2	mg/kg	0.58	05/24/22 14:58	
EPA 6020B	Potassium	554	mg/kg	116	05/24/22 14:58	
EPA 6020B	Selenium	0.31J	mg/kg	0.58	05/24/22 14:58	
EPA 6020B	Silver	0.26J	mg/kg	0.58	05/25/22 15:43	
EPA 6020B	Sodium	120	mg/kg	58.1	05/24/22 14:58	
EPA 6020B	Thallium	0.13	mg/kg	0.12	05/24/22 14:58	
EPA 6020B	Vanadium	28.9	mg/kg	1.2	05/24/22 14:58	
EPA 6020B	Zinc	58.1	mg/kg	5.8	05/24/22 14:58	
EPA 7471	Mercury	0.045	mg/kg	0.041	05/18/22 13:55	
ASTM D2974-87	Percent Moisture	21.2	%	0.10	05/13/22 10:21	
EPA 9040	pH at 25 Degrees C	7.5	Std. Units	0.10	05/20/22 11:52	2q,H6
40244735011	SB-64 (1.4-2.4)					
EPA 6020B	Aluminum	13400	mg/kg	37.4	05/24/22 15:02	
EPA 6020B	Antimony	0.25J	mg/kg	0.62	05/24/22 15:02	
EPA 6020B	Arsenic	7.3	mg/kg	0.62	05/24/22 15:02	
EPA 6020B	Barium	165	mg/kg	0.37	05/24/22 15:02	
EPA 6020B	Beryllium	0.90	mg/kg	0.25	05/24/22 15:02	
EPA 6020B	Cadmium	0.39	mg/kg	0.10	05/24/22 15:02	
EPA 6020B	Calcium	6290	mg/kg	125	05/24/22 15:02	
EPA 6020B	Chromium	16.5	mg/kg	2.5	05/24/22 15:02	
EPA 6020B	Cobalt	4.4	mg/kg	0.62	05/24/22 15:02	
EPA 6020B	Copper	18.5	mg/kg	1.2	05/24/22 15:02	
EPA 6020B	Iron	19300	mg/kg	62.3	05/24/22 15:02	
EPA 6020B	Lead	39.5	mg/kg	0.62	05/24/22 15:02	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244735011	SB-64 (1.4-2.4)					
EPA 6020B	Magnesium	2500	mg/kg	37.4	05/24/22 15:02	
EPA 6020B	Manganese	216	mg/kg	0.62	05/24/22 15:02	
EPA 6020B	Nickel	12.9	mg/kg	0.62	05/24/22 15:02	
EPA 6020B	Potassium	1390	mg/kg	125	05/24/22 15:02	
EPA 6020B	Selenium	0.64	mg/kg	0.62	05/24/22 15:02	
EPA 6020B	Silver	0.26J	mg/kg	0.62	05/25/22 16:17	
EPA 6020B	Sodium	38.5J	mg/kg	62.3	05/24/22 15:02	
EPA 6020B	Thallium	0.27	mg/kg	0.12	05/24/22 15:02	
EPA 6020B	Vanadium	32.3	mg/kg	1.2	05/24/22 15:02	
EPA 6020B	Zinc	87.4	mg/kg	6.2	05/24/22 15:02	
EPA 7471	Mercury	0.053	mg/kg	0.045	05/18/22 13:58	
ASTM D2974-87	Percent Moisture	26.8	%	0.10	05/13/22 10:21	
EPA 9040	pH at 25 Degrees C	8.0	Std. Units	0.10	05/20/22 11:55	2q,H6
40244735012	SB-64 (4.5-5.5)					
EPA 6020B	Aluminum	19400	mg/kg	37.3	05/24/22 15:16	
EPA 6020B	Antimony	0.30J	mg/kg	0.62	05/24/22 15:16	
EPA 6020B	Arsenic	19.5	mg/kg	0.62	05/24/22 15:16	
EPA 6020B	Barium	312	mg/kg	0.37	05/24/22 15:16	
EPA 6020B	Beryllium	1.2	mg/kg	0.25	05/24/22 15:16	
EPA 6020B	Cadmium	0.49	mg/kg	0.10	05/24/22 15:16	
EPA 6020B	Calcium	5810	mg/kg	124	05/24/22 15:16	
EPA 6020B	Chromium	24.3	mg/kg	2.5	05/24/22 15:16	
EPA 6020B	Cobalt	23.5	mg/kg	0.62	05/24/22 15:16	
EPA 6020B	Copper	28.7	mg/kg	1.2	05/24/22 15:16	
EPA 6020B	Iron	37500	mg/kg	311	05/25/22 16:21	
EPA 6020B	Lead	24.7	mg/kg	0.62	05/24/22 15:16	
EPA 6020B	Magnesium	4580	mg/kg	37.3	05/24/22 15:16	
EPA 6020B	Manganese	1810	mg/kg	3.1	05/25/22 16:21	
EPA 6020B	Nickel	37.0	mg/kg	0.62	05/24/22 15:16	
EPA 6020B	Potassium	930	mg/kg	124	05/24/22 15:16	
EPA 6020B	Selenium	0.57J	mg/kg	0.62	05/24/22 15:16	
EPA 6020B	Silver	0.24J	mg/kg	0.62	05/24/22 15:16	
EPA 6020B	Sodium	54.1J	mg/kg	62.2	05/24/22 15:16	
EPA 6020B	Thallium	0.24	mg/kg	0.12	05/24/22 15:16	
EPA 6020B	Vanadium	53.3	mg/kg	1.2	05/24/22 15:16	
EPA 6020B	Zinc	71.3	mg/kg	6.2	05/24/22 15:16	
EPA 7471	Mercury	0.049	mg/kg	0.044	05/18/22 14:00	
ASTM D2974-87	Percent Moisture	22.8	%	0.10	05/13/22 10:21	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/20/22 11:57	2q,H6
40244735013	SB-65 (1.5-2.5)					
EPA 6020B	Aluminum	7950	mg/kg	30.0	05/24/22 15:19	
EPA 6020B	Antimony	0.16J	mg/kg	0.50	05/24/22 15:19	
EPA 6020B	Arsenic	8.8	mg/kg	0.50	05/24/22 15:19	
EPA 6020B	Barium	120	mg/kg	0.30	05/24/22 15:19	
EPA 6020B	Beryllium	0.47	mg/kg	0.20	05/24/22 15:19	
EPA 6020B	Cadmium	0.21	mg/kg	0.080	05/24/22 15:19	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244735013	SB-65 (1.5-2.5)					
EPA 6020B	Calcium	32600	mg/kg	99.9	05/24/22 15:19	
EPA 6020B	Chromium	13.7	mg/kg	2.0	05/24/22 15:19	
EPA 6020B	Cobalt	6.4	mg/kg	0.50	05/24/22 15:19	
EPA 6020B	Copper	13.1	mg/kg	1.0	05/24/22 15:19	
EPA 6020B	Iron	18700	mg/kg	49.9	05/24/22 15:19	
EPA 6020B	Lead	20.2	mg/kg	0.50	05/24/22 15:19	
EPA 6020B	Magnesium	19300	mg/kg	30.0	05/24/22 15:19	
EPA 6020B	Manganese	979	mg/kg	2.5	05/25/22 16:24	
EPA 6020B	Nickel	15.6	mg/kg	0.50	05/24/22 15:19	
EPA 6020B	Potassium	877	mg/kg	99.9	05/24/22 15:19	
EPA 6020B	Selenium	0.23J	mg/kg	0.50	05/24/22 15:19	
EPA 6020B	Sodium	64.5	mg/kg	49.9	05/24/22 15:19	
EPA 6020B	Thallium	0.19	mg/kg	0.10	05/24/22 15:19	
EPA 6020B	Vanadium	23.9	mg/kg	1.0	05/24/22 15:19	
EPA 6020B	Zinc	45.3	mg/kg	5.0	05/24/22 15:19	
EPA 8270E	Benzo(a)anthracene	0.030J	mg/kg	0.089	05/17/22 20:01	
EPA 8270E	Benzo(a)pyrene	0.038J	mg/kg	0.086	05/17/22 20:01	
EPA 8270E	Benzo(b)fluoranthene	0.050J	mg/kg	0.098	05/17/22 20:01	
EPA 8270E	Chrysene	0.032J	mg/kg	0.086	05/17/22 20:01	
EPA 8270E	Fluoranthene	0.047J	mg/kg	0.081	05/17/22 20:01	
EPA 8270E	Phenanthrene	0.042J	mg/kg	0.074	05/17/22 20:01	
EPA 8270E	Pyrene	0.045J	mg/kg	0.13	05/17/22 20:01	
ASTM D2974-87	Percent Moisture	3.0	%	0.10	05/13/22 10:21	
EPA 9045	pH at 25 Degrees C	8.15	Std. Units	0.100	05/20/22 09:13	H6
40244735014	SB-65 (4.5-5.5)					
EPA 6020B	Aluminum	15300	mg/kg	37.7	05/24/22 15:22	
EPA 6020B	Antimony	0.29J	mg/kg	0.63	05/24/22 15:22	
EPA 6020B	Arsenic	17.4	mg/kg	0.63	05/24/22 15:22	
EPA 6020B	Barium	202	mg/kg	0.38	05/24/22 15:22	
EPA 6020B	Beryllium	0.92	mg/kg	0.25	05/24/22 15:22	
EPA 6020B	Cadmium	0.66	mg/kg	0.10	05/24/22 15:22	
EPA 6020B	Calcium	17100	mg/kg	126	05/24/22 15:22	
EPA 6020B	Chromium	21.4	mg/kg	2.5	05/24/22 15:22	
EPA 6020B	Cobalt	16.9	mg/kg	0.63	05/24/22 15:22	
EPA 6020B	Copper	24.7	mg/kg	1.3	05/24/22 15:22	
EPA 6020B	Iron	36200	mg/kg	314	05/25/22 16:27	
EPA 6020B	Lead	21.4	mg/kg	0.63	05/24/22 15:22	
EPA 6020B	Magnesium	11200	mg/kg	37.7	05/24/22 15:22	
EPA 6020B	Manganese	1690	mg/kg	3.1	05/25/22 16:27	
EPA 6020B	Nickel	40.1	mg/kg	0.63	05/24/22 15:22	
EPA 6020B	Potassium	968	mg/kg	126	05/24/22 15:22	
EPA 6020B	Selenium	0.45J	mg/kg	0.63	05/24/22 15:22	
EPA 6020B	Sodium	92.3	mg/kg	62.8	05/24/22 15:22	
EPA 6020B	Thallium	0.29	mg/kg	0.13	05/24/22 15:22	
EPA 6020B	Vanadium	43.7	mg/kg	1.3	05/24/22 15:22	
EPA 6020B	Zinc	65.0	mg/kg	6.3	05/24/22 15:22	
EPA 7471	Mercury	0.092	mg/kg	0.044	05/18/22 14:12	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244735014	SB-65 (4.5-5.5)					
ASTM D2974-87	Percent Moisture	24.3	%	0.10	05/12/22 15:45	
EPA 9040	pH at 25 Degrees C	8.0	Std. Units	0.10	05/20/22 12:01	2q,H6
40244735015	SB-44 (5.0-6.0)					
EPA 6020B	Aluminum	13900	mg/kg	38.1	05/24/22 15:26	
EPA 6020B	Arsenic	5.3	mg/kg	0.64	05/24/22 15:26	
EPA 6020B	Barium	99.1	mg/kg	0.38	05/24/22 15:26	
EPA 6020B	Beryllium	0.90	mg/kg	0.25	05/24/22 15:26	
EPA 6020B	Cadmium	0.22	mg/kg	0.10	05/24/22 15:26	
EPA 6020B	Calcium	6020	mg/kg	127	05/24/22 15:26	
EPA 6020B	Chromium	17.1	mg/kg	2.5	05/24/22 15:26	
EPA 6020B	Cobalt	6.2	mg/kg	0.64	05/24/22 15:26	
EPA 6020B	Copper	19.0	mg/kg	1.3	05/24/22 15:26	
EPA 6020B	Iron	15500	mg/kg	63.5	05/24/22 15:26	
EPA 6020B	Lead	17.8	mg/kg	0.64	05/24/22 15:26	
EPA 6020B	Magnesium	2960	mg/kg	38.1	05/24/22 15:26	
EPA 6020B	Manganese	253	mg/kg	0.64	05/24/22 15:26	
EPA 6020B	Nickel	14.0	mg/kg	0.64	05/24/22 15:26	
EPA 6020B	Potassium	1410	mg/kg	127	05/24/22 15:26	
EPA 6020B	Selenium	0.88	mg/kg	0.64	05/24/22 15:26	
EPA 6020B	Sodium	114	mg/kg	63.5	05/24/22 15:26	
EPA 6020B	Thallium	0.19	mg/kg	0.13	05/24/22 15:26	
EPA 6020B	Vanadium	26.4	mg/kg	1.3	05/24/22 15:26	
EPA 6020B	Zinc	65.5	mg/kg	6.4	05/24/22 15:26	
EPA 7471	Mercury	0.021J	mg/kg	0.046	05/18/22 14:14	
ASTM D2974-87	Percent Moisture	24.7	%	0.10	05/12/22 15:45	
EPA 9040	pH at 25 Degrees C	7.2	Std. Units	0.10	05/20/22 12:06	2q,H6
40244735016	SB-44 (8.5-9.5)					
EPA 6020B	Aluminum	17400	mg/kg	37.5	05/24/22 15:29	
EPA 6020B	Antimony	0.28J	mg/kg	0.63	05/24/22 15:29	
EPA 6020B	Arsenic	12.5	mg/kg	0.63	05/24/22 15:29	
EPA 6020B	Barium	138	mg/kg	0.38	05/24/22 15:29	
EPA 6020B	Beryllium	0.89	mg/kg	0.25	05/24/22 15:29	
EPA 6020B	Cadmium	0.17	mg/kg	0.10	05/24/22 15:29	
EPA 6020B	Calcium	6500	mg/kg	125	05/24/22 15:29	
EPA 6020B	Chromium	23.5	mg/kg	2.5	05/24/22 15:29	
EPA 6020B	Cobalt	6.3	mg/kg	0.63	05/24/22 15:29	
EPA 6020B	Copper	21.2	mg/kg	1.3	05/24/22 15:29	
EPA 6020B	Iron	34100	mg/kg	313	05/25/22 16:31	
EPA 6020B	Lead	12.4	mg/kg	0.63	05/24/22 15:29	
EPA 6020B	Magnesium	5010	mg/kg	37.5	05/24/22 15:29	
EPA 6020B	Manganese	120	mg/kg	0.63	05/24/22 15:29	
EPA 6020B	Nickel	21.4	mg/kg	0.63	05/24/22 15:29	
EPA 6020B	Potassium	847	mg/kg	125	05/24/22 15:29	
EPA 6020B	Selenium	0.33J	mg/kg	0.63	05/24/22 15:29	
EPA 6020B	Sodium	113	mg/kg	62.6	05/24/22 15:29	
EPA 6020B	Thallium	0.18	mg/kg	0.13	05/24/22 15:29	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244735016	SB-44 (8.5-9.5)					
EPA 6020B	Vanadium	40.5	mg/kg	1.3	05/24/22 15:29	
EPA 6020B	Zinc	74.8	mg/kg	6.3	05/24/22 15:29	
EPA 7471	Mercury	0.047	mg/kg	0.043	05/18/22 14:16	
ASTM D2974-87	Percent Moisture	21.7	%	0.10	05/12/22 15:45	
EPA 9040	pH at 25 Degrees C	6.5	Std. Units	0.10	05/20/22 13:04	2q,H6
40244735017	SB-39 (5.0-6.0)					
EPA 6020B	Aluminum	15400	mg/kg	37.2	05/24/22 15:33	
EPA 6020B	Antimony	0.12J	mg/kg	0.62	05/24/22 15:33	
EPA 6020B	Arsenic	7.5	mg/kg	0.62	05/24/22 15:33	
EPA 6020B	Barium	222	mg/kg	0.37	05/24/22 15:33	
EPA 6020B	Beryllium	0.90	mg/kg	0.25	05/24/22 15:33	
EPA 6020B	Cadmium	0.22	mg/kg	0.099	05/24/22 15:33	
EPA 6020B	Calcium	6960	mg/kg	124	05/24/22 15:33	
EPA 6020B	Chromium	18.5	mg/kg	2.5	05/24/22 15:33	
EPA 6020B	Cobalt	6.5	mg/kg	0.62	05/24/22 15:33	
EPA 6020B	Copper	17.7	mg/kg	1.2	05/24/22 15:33	
EPA 6020B	Iron	20100	mg/kg	61.9	05/24/22 15:33	
EPA 6020B	Lead	12.8	mg/kg	0.62	05/24/22 15:33	
EPA 6020B	Magnesium	3010	mg/kg	37.2	05/24/22 15:33	
EPA 6020B	Manganese	453	mg/kg	0.62	05/24/22 15:33	
EPA 6020B	Nickel	17.1	mg/kg	0.62	05/24/22 15:33	
EPA 6020B	Potassium	1480	mg/kg	124	05/24/22 15:33	
EPA 6020B	Selenium	1.2	mg/kg	0.62	05/24/22 15:33	
EPA 6020B	Sodium	116	mg/kg	61.9	05/24/22 15:33	
EPA 6020B	Thallium	0.20	mg/kg	0.12	05/24/22 15:33	
EPA 6020B	Vanadium	34.6	mg/kg	1.2	05/24/22 15:33	
EPA 6020B	Zinc	62.4	mg/kg	6.2	05/24/22 15:33	
EPA 7471	Mercury	0.046	mg/kg	0.040	05/18/22 14:18	
ASTM D2974-87	Percent Moisture	20.9	%	0.10	05/12/22 15:45	
EPA 9040	pH at 25 Degrees C	7.0	Std. Units	0.10	05/20/22 13:13	2q,H6
40244735018	SB-39 (8.5-9.0)					
EPA 6020B	Aluminum	16200	mg/kg	38.3	05/24/22 15:36	
EPA 6020B	Antimony	0.53J	mg/kg	0.64	05/24/22 15:36	
EPA 6020B	Arsenic	31.7	mg/kg	0.64	05/24/22 15:36	
EPA 6020B	Barium	190	mg/kg	0.38	05/24/22 15:36	
EPA 6020B	Beryllium	1.1	mg/kg	0.26	05/24/22 15:36	
EPA 6020B	Cadmium	0.45	mg/kg	0.10	05/24/22 15:36	
EPA 6020B	Calcium	4740	mg/kg	128	05/24/22 15:36	
EPA 6020B	Chromium	23.3	mg/kg	2.6	05/24/22 15:36	
EPA 6020B	Cobalt	20.0	mg/kg	0.64	05/24/22 15:36	
EPA 6020B	Copper	34.7	mg/kg	1.3	05/24/22 15:36	
EPA 6020B	Iron	50800	mg/kg	319	05/25/22 16:34	
EPA 6020B	Lead	21.4	mg/kg	0.64	05/24/22 15:36	
EPA 6020B	Magnesium	4340	mg/kg	38.3	05/24/22 15:36	
EPA 6020B	Manganese	499	mg/kg	0.64	05/24/22 15:36	
EPA 6020B	Nickel	36.4	mg/kg	0.64	05/24/22 15:36	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244735018	SB-39 (8.5-9.0)					
EPA 6020B	Potassium	842	mg/kg	128	05/24/22 15:36	
EPA 6020B	Selenium	0.49J	mg/kg	0.64	05/24/22 15:36	
EPA 6020B	Sodium	95.2	mg/kg	63.8	05/24/22 15:36	
EPA 6020B	Thallium	0.18	mg/kg	0.13	05/24/22 15:36	
EPA 6020B	Vanadium	55.5	mg/kg	1.3	05/24/22 15:36	
EPA 6020B	Zinc	95.3	mg/kg	6.4	05/24/22 15:36	
EPA 7471	Mercury	0.024J	mg/kg	0.043	05/18/22 14:21	
ASTM D2974-87	Percent Moisture	22.8	%	0.10	05/12/22 15:45	
EPA 9040	pH at 25 Degrees C	7.3	Std. Units	0.10	05/20/22 13:19	2q,H6
40244735019	05102022 DUP-03					
EPA 6020B	Aluminum	19600	mg/kg	38.4	05/24/22 15:40	
EPA 6020B	Antimony	0.32J	mg/kg	0.64	05/24/22 15:40	
EPA 6020B	Arsenic	18.1	mg/kg	0.64	05/24/22 15:40	
EPA 6020B	Barium	284	mg/kg	0.38	05/24/22 15:40	
EPA 6020B	Beryllium	1.1	mg/kg	0.26	05/24/22 15:40	
EPA 6020B	Cadmium	0.69	mg/kg	0.10	05/24/22 15:40	
EPA 6020B	Calcium	5750	mg/kg	128	05/24/22 15:40	
EPA 6020B	Chromium	24.9	mg/kg	2.6	05/24/22 15:40	
EPA 6020B	Cobalt	20.5	mg/kg	0.64	05/24/22 15:40	
EPA 6020B	Copper	29.2	mg/kg	1.3	05/24/22 15:40	
EPA 6020B	Iron	34100	mg/kg	320	05/25/22 16:38	
EPA 6020B	Lead	20.4	mg/kg	0.64	05/24/22 15:40	
EPA 6020B	Magnesium	4610	mg/kg	38.4	05/24/22 15:40	
EPA 6020B	Manganese	1850	mg/kg	3.2	05/25/22 16:38	
EPA 6020B	Nickel	43.2	mg/kg	0.64	05/24/22 15:40	
EPA 6020B	Potassium	1000	mg/kg	128	05/24/22 15:40	
EPA 6020B	Selenium	0.53J	mg/kg	0.64	05/24/22 15:40	
EPA 6020B	Sodium	53.4J	mg/kg	63.9	05/24/22 15:40	
EPA 6020B	Thallium	0.22	mg/kg	0.13	05/24/22 15:40	
EPA 6020B	Vanadium	52.3	mg/kg	1.3	05/24/22 15:40	
EPA 6020B	Zinc	71.7	mg/kg	6.4	05/24/22 15:40	
EPA 7471	Mercury	0.025J	mg/kg	0.045	05/18/22 14:23	
ASTM D2974-87	Percent Moisture	22.9	%	0.10	05/12/22 15:46	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/20/22 13:21	2q,H6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-67 (1.2-2.2) **Lab ID: 40244735001** Collected: 05/10/22 08:25 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00062	mg/kg	0.0032	0.00062	1	05/16/22 13:43	05/17/22 15:24	309-00-2	
alpha-BHC	<0.00067	mg/kg	0.0032	0.00067	1	05/16/22 13:43	05/17/22 15:24	319-84-6	
beta-BHC	<0.00060	mg/kg	0.0032	0.00060	1	05/16/22 13:43	05/17/22 15:24	319-85-7	
delta-BHC	<0.00084	mg/kg	0.0032	0.00084	1	05/16/22 13:43	05/17/22 15:24	319-86-8	
gamma-BHC (Lindane)	<0.00058	mg/kg	0.0032	0.00058	1	05/16/22 13:43	05/17/22 15:24	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.064	0.013	1	05/16/22 13:43	05/17/22 15:24	57-74-9	
alpha-Chlordane	<0.00057	mg/kg	0.0032	0.00057	1	05/16/22 13:43	05/17/22 15:24	5103-71-9	
gamma-Chlordane	<0.00067	mg/kg	0.0032	0.00067	1	05/16/22 13:43	05/17/22 15:24	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0064	0.0012	1	05/16/22 13:43	05/17/22 15:24	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0064	0.0011	1	05/16/22 13:43	05/17/22 15:24	72-55-9	
4,4'-DDT	<0.0021	mg/kg	0.0064	0.0021	1	05/16/22 13:43	05/17/22 15:24	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0064	0.0011	1	05/16/22 13:43	05/17/22 15:24	60-57-1	
Endosulfan I	<0.00053	mg/kg	0.0032	0.00053	1	05/16/22 13:43	05/17/22 15:24	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0064	0.0011	1	05/16/22 13:43	05/17/22 15:24	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0064	0.0012	1	05/16/22 13:43	05/17/22 15:24	1031-07-8	
Endrin	<0.0011	mg/kg	0.0064	0.0011	1	05/16/22 13:43	05/17/22 15:24	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0064	0.0015	1	05/16/22 13:43	05/17/22 15:24	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0064	0.0016	1	05/16/22 13:43	05/17/22 15:24	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0032	0.00057	1	05/16/22 13:43	05/17/22 15:24	76-44-8	
Heptachlor epoxide	<0.00054	mg/kg	0.0032	0.00054	1	05/16/22 13:43	05/17/22 15:24	1024-57-3	
Methoxychlor	<0.0074	mg/kg	0.032	0.0074	1	05/16/22 13:43	05/17/22 15:24	72-43-5	
Toxaphene	<0.023	mg/kg	0.064	0.023	1	05/16/22 13:43	05/17/22 15:24	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	48	%	10-147		1	05/16/22 13:43	05/17/22 15:24	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/12/22 05:57	05/14/22 09:16	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/12/22 05:57	05/14/22 09:16	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/12/22 05:57	05/14/22 09:16	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/12/22 05:57	05/14/22 09:16	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/12/22 05:57	05/14/22 09:16	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/12/22 05:57	05/14/22 09:16	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/12/22 05:57	05/14/22 09:16	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/12/22 05:57	05/14/22 09:16	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	71	%	50-99		1	05/12/22 05:57	05/14/22 09:16	877-09-8	
Decachlorobiphenyl (S)	69	%	38-95		1	05/12/22 05:57	05/14/22 09:16	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	15800	mg/kg	38.7	7.8	1	05/18/22 15:33	05/24/22 14:03	7429-90-5	P6
Antimony	0.15J	mg/kg	0.64	0.12	1	05/18/22 15:33	05/24/22 14:03	7440-36-0	M1
Arsenic	6.2	mg/kg	0.64	0.14	1	05/18/22 15:33	05/24/22 14:03	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: **SB-67 (1.2-2.2)** Lab ID: **40244735001** Collected: 05/10/22 08:25 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	221	mg/kg	0.39	0.069	1	05/18/22 15:33	05/24/22 14:03	7440-39-3	M1, R1
Beryllium	0.94	mg/kg	0.26	0.051	1	05/18/22 15:33	05/24/22 14:03	7440-41-7	
Cadmium	0.23	mg/kg	0.10	0.040	1	05/18/22 15:33	05/24/22 14:03	7440-43-9	
Calcium	6590	mg/kg	129	15.2	1	05/18/22 15:33	05/24/22 14:03	7440-70-2	M1
Chromium	19.6	mg/kg	2.6	0.18	1	05/18/22 15:33	05/24/22 14:03	7440-47-3	
Cobalt	4.7	mg/kg	0.64	0.13	1	05/18/22 15:33	05/24/22 14:03	7440-48-4	
Copper	20.5	mg/kg	1.3	0.31	1	05/18/22 15:33	05/24/22 14:03	7440-50-8	
Iron	21000	mg/kg	64.4	13.5	1	05/18/22 15:33	05/24/22 14:03	7439-89-6	P6
Lead	12.1	mg/kg	0.64	0.038	1	05/18/22 15:33	05/24/22 14:03	7439-92-1	
Magnesium	2610	mg/kg	38.7	5.5	1	05/18/22 15:33	05/24/22 14:03	7439-95-4	M1
Manganese	271	mg/kg	0.64	0.32	1	05/18/22 15:33	05/24/22 14:03	7439-96-5	M1, R1
Nickel	15.2	mg/kg	0.64	0.26	1	05/18/22 15:33	05/24/22 14:03	7440-02-0	
Potassium	1660	mg/kg	129	14.8	1	05/18/22 15:33	05/24/22 14:03	7440-09-7	M1
Selenium	1.2	mg/kg	0.64	0.11	1	05/18/22 15:33	05/24/22 14:03	7782-49-2	
Silver	0.58J	mg/kg	0.64	0.19	1	05/18/22 15:33	05/25/22 14:30	7440-22-4	
Sodium	35.6J	mg/kg	64.4	14.3	1	05/18/22 15:33	05/24/22 14:03	7440-23-5	
Thallium	0.22	mg/kg	0.13	0.047	1	05/18/22 15:33	05/24/22 14:03	7440-28-0	
Vanadium	32.3	mg/kg	1.3	0.23	1	05/18/22 15:33	05/24/22 14:03	7440-62-2	M1
Zinc	87.9	mg/kg	6.4	1.2	1	05/18/22 15:33	05/24/22 14:03	7440-66-6	

7471 Mercury

Analytical Method: EPA 7471 Preparation Method: EPA 7471

Pace Analytical Services - Green Bay

Mercury	0.026J	mg/kg	0.046	0.013	1	05/17/22 09:27	05/18/22 13:25	7439-97-6	
---------	--------	-------	-------	-------	---	----------------	----------------	-----------	--

8270E MSSV FULL LIST MICROWAVE

Analytical Method: EPA 8270E Preparation Method: EPA 3546

Pace Analytical Services - Green Bay

1,2,4-Trichlorobenzene	<0.025	mg/kg	0.084	0.025	1	05/16/22 12:51	05/17/22 17:10	120-82-1	
1,2-Dichlorobenzene	<0.070	mg/kg	0.23	0.070	1	05/16/22 12:51	05/17/22 17:10	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/17/22 17:10	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/17/22 17:10	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/17/22 17:10	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/17/22 17:10	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 17:10	88-06-2	
2,4-Dichlorophenol	<0.059	mg/kg	0.20	0.059	1	05/16/22 12:51	05/17/22 17:10	120-83-2	
2,4-Dimethylphenol	<0.044	mg/kg	0.15	0.044	1	05/16/22 12:51	05/17/22 17:10	105-67-9	
2,4-Dinitrophenol	<0.068	mg/kg	0.23	0.068	1	05/16/22 12:51	05/17/22 17:10	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 17:10	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/16/22 12:51	05/17/22 17:10	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.095	0.028	1	05/16/22 12:51	05/17/22 17:10	91-58-7	
2-Chlorophenol	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/17/22 17:10	95-57-8	
2-Methylnaphthalene	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/17/22 17:10	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/17/22 17:10	95-48-7	
2-Nitroaniline	<0.063	mg/kg	0.21	0.063	1	05/16/22 12:51	05/17/22 17:10	88-74-4	
2-Nitrophenol	<0.070	mg/kg	0.23	0.070	1	05/16/22 12:51	05/17/22 17:10	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: **SB-67 (1.2-2.2)** Lab ID: **40244735001** Collected: 05/10/22 08:25 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.041	mg/kg	0.14	0.041	1	05/16/22 12:51	05/17/22 17:10		
3,3'-Dichlorobenzidine	<0.060	mg/kg	0.20	0.060	1	05/16/22 12:51	05/17/22 17:10	91-94-1	
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/16/22 12:51	05/17/22 17:10	99-09-2	
4,6-Dinitro-2-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/16/22 12:51	05/17/22 17:10	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/16/22 12:51	05/17/22 17:10	101-55-3	
4-Chloro-3-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/16/22 12:51	05/17/22 17:10	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 17:10	106-47-8	3q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/16/22 12:51	05/17/22 17:10	7005-72-3	
4-Nitroaniline	<0.092	mg/kg	0.31	0.092	1	05/16/22 12:51	05/17/22 17:10	100-01-6	
4-Nitrophenol	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/17/22 17:10	100-02-7	
Acenaphthene	<0.079	mg/kg	0.26	0.079	1	05/16/22 12:51	05/17/22 17:10	83-32-9	
Acenaphthylene	<0.079	mg/kg	0.26	0.079	1	05/16/22 12:51	05/17/22 17:10	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 17:10	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 17:10	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 17:10	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/16/22 12:51	05/17/22 17:10	205-99-2	
Benzo(g,h,i)perylene	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/17/22 17:10	191-24-2	
Benzo(k)fluoranthene	<0.053	mg/kg	0.18	0.053	1	05/16/22 12:51	05/17/22 17:10	207-08-9	
Butylbenzylphthalate	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 17:10	85-68-7	
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 17:10	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 17:10	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 17:10	84-74-2	
Di-n-octylphthalate	<0.050	mg/kg	0.17	0.050	1	05/16/22 12:51	05/17/22 17:10	117-84-0	
Dibenz(a,h)anthracene	<0.060	mg/kg	0.20	0.060	1	05/16/22 12:51	05/17/22 17:10	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.090	0.027	1	05/16/22 12:51	05/17/22 17:10	132-64-9	
Diethylphthalate	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 17:10	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.096	0.029	1	05/16/22 12:51	05/17/22 17:10	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/17/22 17:10	206-44-0	
Fluorene	<0.026	mg/kg	0.086	0.026	1	05/16/22 12:51	05/17/22 17:10	86-73-7	
Hexachloro-1,3-butadiene	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/17/22 17:10	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 17:10	118-74-1	
Hexachlorocyclopentadiene	<0.053	mg/kg	0.18	0.053	1	05/16/22 12:51	05/17/22 17:10	77-47-4	
Hexachloroethane	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 17:10	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.048	mg/kg	0.16	0.048	1	05/16/22 12:51	05/17/22 17:10	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 17:10	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 17:10	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	1.0	0.30	1	05/16/22 12:51	05/17/22 17:10	86-30-6	
Naphthalene	<0.078	mg/kg	0.26	0.078	1	05/16/22 12:51	05/17/22 17:10	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/16/22 12:51	05/17/22 17:10	98-95-3	
Pentachlorophenol	<0.049	mg/kg	0.16	0.049	1	05/16/22 12:51	05/17/22 17:10	87-86-5	
Phenanthrene	<0.028	mg/kg	0.095	0.028	1	05/16/22 12:51	05/17/22 17:10	85-01-8	
Phenol	<0.053	mg/kg	0.18	0.053	1	05/16/22 12:51	05/17/22 17:10	108-95-2	
Pyrene	<0.049	mg/kg	0.16	0.049	1	05/16/22 12:51	05/17/22 17:10	129-00-0	
bis(2-Chloroethoxy)methane	<0.060	mg/kg	0.20	0.060	1	05/16/22 12:51	05/17/22 17:10	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-67 (1.2-2.2) **Lab ID: 40244735001** Collected: 05/10/22 08:25 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.069	mg/kg	0.23	0.069	1	05/16/22 12:51	05/17/22 17:10	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 17:10	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	59	%	10-125		1	05/16/22 12:51	05/17/22 17:10	4165-60-0	
2-Fluorobiphenyl (S)	53	%	12-118		1	05/16/22 12:51	05/17/22 17:10	321-60-8	
Terphenyl-d14 (S)	59	%	10-124		1	05/16/22 12:51	05/17/22 17:10	1718-51-0	
Phenol-d6 (S)	49	%	10-125		1	05/16/22 12:51	05/17/22 17:10	13127-88-3	
2-Fluorophenol (S)	48	%	10-130		1	05/16/22 12:51	05/17/22 17:10	367-12-4	
2,4,6-Tribromophenol (S)	65	%	10-144		1	05/16/22 12:51	05/17/22 17:10	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0057	0.0017	1	05/16/22 06:00	05/16/22 11:39	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0029	mg/kg	0.0057	0.0029	1	05/16/22 06:00	05/16/22 11:39	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0057	0.0017	1	05/16/22 06:00	05/16/22 11:39	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0057	0.0012	1	05/16/22 06:00	05/16/22 11:39	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0057	0.0012	1	05/16/22 06:00	05/16/22 11:39	75-35-4	
1,2-Dichloroethane	<0.00094	mg/kg	0.0057	0.00094	1	05/16/22 06:00	05/16/22 11:39	107-06-2	
1,2-Dichloropropane	<0.0012	mg/kg	0.0057	0.0012	1	05/16/22 06:00	05/16/22 11:39	78-87-5	
2-Butanone (MEK)	<0.018	mg/kg	0.028	0.018	1	05/16/22 06:00	05/16/22 11:39	78-93-3	
2-Hexanone	<0.013	mg/kg	0.028	0.013	1	05/16/22 06:00	05/16/22 11:39	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.023	mg/kg	0.028	0.023	1	05/16/22 06:00	05/16/22 11:39	108-10-1	
Acetone	<0.054	mg/kg	0.11	0.054	1	05/16/22 06:00	05/16/22 11:39	67-64-1	
Benzene	<0.00081	mg/kg	0.0057	0.00081	1	05/16/22 06:00	05/16/22 11:39	71-43-2	
Bromodichloromethane	<0.00077	mg/kg	0.0057	0.00077	1	05/16/22 06:00	05/16/22 11:39	75-27-4	
Bromoform	<0.0092	mg/kg	0.023	0.0092	1	05/16/22 06:00	05/16/22 11:39	75-25-2	
Bromomethane	<0.0051	mg/kg	0.0057	0.0051	1	05/16/22 06:00	05/16/22 11:39	74-83-9	
Carbon disulfide	<0.0013	mg/kg	0.0057	0.0013	1	05/16/22 06:00	05/16/22 11:39	75-15-0	
Carbon tetrachloride	<0.0036	mg/kg	0.0057	0.0036	1	05/16/22 06:00	05/16/22 11:39	56-23-5	
Chlorobenzene	<0.0011	mg/kg	0.0057	0.0011	1	05/16/22 06:00	05/16/22 11:39	108-90-7	
Chloroethane	<0.0041	mg/kg	0.0057	0.0041	1	05/16/22 06:00	05/16/22 11:39	75-00-3	
Chloroform	<0.00096	mg/kg	0.0057	0.00096	1	05/16/22 06:00	05/16/22 11:39	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0057	0.0012	1	05/16/22 06:00	05/16/22 11:39	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0057	0.0011	1	05/16/22 06:00	05/16/22 11:39	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0057	0.0010	1	05/16/22 06:00	05/16/22 11:39	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0057	0.0023	1	05/16/22 06:00	05/16/22 11:39	1634-04-4	
Methylene Chloride	<0.0045	mg/kg	0.0057	0.0045	1	05/16/22 06:00	05/16/22 11:39	75-09-2	
Styrene	<0.00081	mg/kg	0.0057	0.00081	1	05/16/22 06:00	05/16/22 11:39	100-42-5	
Tetrachloroethene	<0.0010	mg/kg	0.0057	0.0010	1	05/16/22 06:00	05/16/22 11:39	127-18-4	
Toluene	<0.0010	mg/kg	0.0057	0.0010	1	05/16/22 06:00	05/16/22 11:39	108-88-3	
Trichloroethene	<0.00081	mg/kg	0.0057	0.00081	1	05/16/22 06:00	05/16/22 11:39	79-01-6	
Vinyl chloride	<0.0015	mg/kg	0.0057	0.0015	1	05/16/22 06:00	05/16/22 11:39	75-01-4	
Xylene (Total)	<0.0039	mg/kg	0.011	0.0039	1	05/16/22 06:00	05/16/22 11:39	1330-20-7	
cis-1,2-Dichloroethene	<0.0010	mg/kg	0.0057	0.0010	1	05/16/22 06:00	05/16/22 11:39	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-67 (1.2-2.2) **Lab ID: 40244735001** Collected: 05/10/22 08:25 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0012	mg/kg	0.0057	0.0012	1	05/16/22 06:00	05/16/22 11:39	10061-01-5	
trans-1,2-Dichloroethene	<0.00082	mg/kg	0.0057	0.00082	1	05/16/22 06:00	05/16/22 11:39	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0057	0.0011	1	05/16/22 06:00	05/16/22 11:39	10061-02-6	
Surrogates									
Toluene-d8 (S)	98	%	69-156		1	05/16/22 06:00	05/16/22 11:39	2037-26-5	
4-Bromofluorobenzene (S)	83	%	61-175		1	05/16/22 06:00	05/16/22 11:39	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1	05/16/22 06:00	05/16/22 11:39	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	24.9	%	0.10	0.10	1		05/13/22 10:20		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	6.4	Std. Units	0.10	0.010	1		05/19/22 14:24		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.38	mg/kg	1.1	0.38	1	05/18/22 10:45	05/18/22 15:41	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: **SB-67 (4.5-5.5)** Lab ID: **40244735002** Collected: 05/10/22 08:30 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00059	mg/kg	0.0031	0.00059	1	05/16/22 13:43	05/17/22 15:37	309-00-2	
alpha-BHC	<0.00064	mg/kg	0.0031	0.00064	1	05/16/22 13:43	05/17/22 15:37	319-84-6	
beta-BHC	<0.00058	mg/kg	0.0031	0.00058	1	05/16/22 13:43	05/17/22 15:37	319-85-7	
delta-BHC	<0.00080	mg/kg	0.0031	0.00080	1	05/16/22 13:43	05/17/22 15:37	319-86-8	
gamma-BHC (Lindane)	<0.00055	mg/kg	0.0031	0.00055	1	05/16/22 13:43	05/17/22 15:37	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.061	0.013	1	05/16/22 13:43	05/17/22 15:37	57-74-9	
alpha-Chlordane	<0.00054	mg/kg	0.0031	0.00054	1	05/16/22 13:43	05/17/22 15:37	5103-71-9	
gamma-Chlordane	<0.00064	mg/kg	0.0031	0.00064	1	05/16/22 13:43	05/17/22 15:37	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0061	0.0012	1	05/16/22 13:43	05/17/22 15:37	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0061	0.0010	1	05/16/22 13:43	05/17/22 15:37	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0061	0.0020	1	05/16/22 13:43	05/17/22 15:37	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0061	0.0011	1	05/16/22 13:43	05/17/22 15:37	60-57-1	
Endosulfan I	<0.00051	mg/kg	0.0031	0.00051	1	05/16/22 13:43	05/17/22 15:37	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0061	0.0010	1	05/16/22 13:43	05/17/22 15:37	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0061	0.0012	1	05/16/22 13:43	05/17/22 15:37	1031-07-8	
Endrin	<0.0011	mg/kg	0.0061	0.0011	1	05/16/22 13:43	05/17/22 15:37	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0061	0.0014	1	05/16/22 13:43	05/17/22 15:37	7421-93-4	
Endrin ketone	<0.0015	mg/kg	0.0061	0.0015	1	05/16/22 13:43	05/17/22 15:37	53494-70-5	
Heptachlor	<0.00054	mg/kg	0.0031	0.00054	1	05/16/22 13:43	05/17/22 15:37	76-44-8	
Heptachlor epoxide	<0.00052	mg/kg	0.0031	0.00052	1	05/16/22 13:43	05/17/22 15:37	1024-57-3	
Methoxychlor	<0.0070	mg/kg	0.031	0.0070	1	05/16/22 13:43	05/17/22 15:37	72-43-5	
Toxaphene	<0.022	mg/kg	0.061	0.022	1	05/16/22 13:43	05/17/22 15:37	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	60	%	10-147		1	05/16/22 13:43	05/17/22 15:37	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.064	0.020	1	05/12/22 05:57	05/14/22 09:40	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.064	0.020	1	05/12/22 05:57	05/14/22 09:40	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.064	0.020	1	05/12/22 05:57	05/14/22 09:40	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.064	0.020	1	05/12/22 05:57	05/14/22 09:40	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.064	0.020	1	05/12/22 05:57	05/14/22 09:40	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.064	0.020	1	05/12/22 05:57	05/14/22 09:40	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.064	0.020	1	05/12/22 05:57	05/14/22 09:40	11096-82-5	
PCB, Total	<0.020	mg/kg	0.064	0.020	1	05/12/22 05:57	05/14/22 09:40	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	67	%	50-99		1	05/12/22 05:57	05/14/22 09:40	877-09-8	
Decachlorobiphenyl (S)	68	%	38-95		1	05/12/22 05:57	05/14/22 09:40	2051-24-3	
6010D MET ICP, SPLP									
Analytical Method: EPA 6010D Preparation Method: EPA 3015A									
Leachate Method/Date: EPA 1312; 06/13/22 13:54									
Pace Analytical Services - Green Bay									
Arsenic	<0.0083	mg/L	0.025	0.0083	1	06/15/22 08:24	06/15/22 11:07	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-67 (4.5-5.5) **Lab ID: 40244735002** Collected: 05/10/22 08:30 Received: 05/11/22 13:30 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis									
Aluminum	11800	mg/kg	37.2	7.5	1	05/18/22 15:33	05/24/22 14:20	7429-90-5	
Antimony	0.44J	mg/kg	0.62	0.12	1	05/18/22 15:33	05/24/22 14:20	7440-36-0	
Arsenic	33.0	mg/kg	0.62	0.14	1	05/18/22 15:33	05/24/22 14:20	7440-38-2	
Barium	140	mg/kg	0.37	0.066	1	05/18/22 15:33	05/24/22 14:20	7440-39-3	
Beryllium	0.85	mg/kg	0.25	0.049	1	05/18/22 15:33	05/24/22 14:20	7440-41-7	
Cadmium	0.60	mg/kg	0.099	0.039	1	05/18/22 15:33	05/24/22 14:20	7440-43-9	
Calcium	3610	mg/kg	124	14.6	1	05/18/22 15:33	05/24/22 14:20	7440-70-2	
Chromium	18.0	mg/kg	2.5	0.17	1	05/18/22 15:33	05/24/22 14:20	7440-47-3	
Cobalt	9.4	mg/kg	0.62	0.12	1	05/18/22 15:33	05/24/22 14:20	7440-48-4	
Copper	23.6	mg/kg	1.2	0.30	1	05/18/22 15:33	05/24/22 14:20	7440-50-8	
Iron	50200	mg/kg	310	65.0	5	05/18/22 15:33	05/25/22 14:51	7439-89-6	
Lead	15.7	mg/kg	0.62	0.036	1	05/18/22 15:33	05/24/22 14:20	7439-92-1	
Magnesium	3210	mg/kg	37.2	5.3	1	05/18/22 15:33	05/24/22 14:20	7439-95-4	
Manganese	319	mg/kg	0.62	0.30	1	05/18/22 15:33	05/24/22 14:20	7439-96-5	
Nickel	27.0	mg/kg	0.62	0.25	1	05/18/22 15:33	05/24/22 14:20	7440-02-0	
Potassium	766	mg/kg	124	14.2	1	05/18/22 15:33	05/24/22 14:20	7440-09-7	
Selenium	0.35J	mg/kg	0.62	0.11	1	05/18/22 15:33	05/24/22 14:20	7782-49-2	
Silver	0.55J	mg/kg	0.62	0.18	1	05/18/22 15:33	05/25/22 14:47	7440-22-4	
Sodium	38.2J	mg/kg	61.9	13.8	1	05/18/22 15:33	05/24/22 14:20	7440-23-5	
Thallium	0.18	mg/kg	0.12	0.045	1	05/18/22 15:33	05/24/22 14:20	7440-28-0	
Vanadium	45.8	mg/kg	1.2	0.22	1	05/18/22 15:33	05/24/22 14:20	7440-62-2	
Zinc	83.8	mg/kg	6.2	1.1	1	05/18/22 15:33	05/24/22 14:20	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471 Pace Analytical Services - Green Bay									
Mercury	0.032J	mg/kg	0.043	0.012	1	05/17/22 09:27	05/18/22 13:32	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/16/22 12:51	05/17/22 17:32	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/17/22 17:32	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/16/22 12:51	05/17/22 17:32	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/16/22 12:51	05/17/22 17:32	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/17/22 17:32	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/16/22 12:51	05/17/22 17:32	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 17:32	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/17/22 17:32	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/16/22 12:51	05/17/22 17:32	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/16/22 12:51	05/17/22 17:32	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/17/22 17:32	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/16/22 12:51	05/17/22 17:32	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/16/22 12:51	05/17/22 17:32	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/16/22 12:51	05/17/22 17:32	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/17/22 17:32	91-57-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-67 (4.5-5.5) **Lab ID: 40244735002** Collected: 05/10/22 08:30 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/17/22 17:32	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/16/22 12:51	05/17/22 17:32	88-74-4	
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/17/22 17:32	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/17/22 17:32		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/17/22 17:32	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 17:32	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/17/22 17:32	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/16/22 12:51	05/17/22 17:32	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/17/22 17:32	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 17:32	106-47-8	3q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/17/22 17:32	7005-72-3	
4-Nitroaniline	<0.089	mg/kg	0.30	0.089	1	05/16/22 12:51	05/17/22 17:32	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/17/22 17:32	100-02-7	
Acenaphthene	<0.076	mg/kg	0.25	0.076	1	05/16/22 12:51	05/17/22 17:32	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/16/22 12:51	05/17/22 17:32	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 17:32	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 17:32	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 17:32	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 17:32	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/17/22 17:32	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/16/22 12:51	05/17/22 17:32	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 17:32	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 17:32	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 17:32	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 17:32	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/16/22 12:51	05/17/22 17:32	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/17/22 17:32	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/16/22 12:51	05/17/22 17:32	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 17:32	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.093	0.028	1	05/16/22 12:51	05/17/22 17:32	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/17/22 17:32	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/16/22 12:51	05/17/22 17:32	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/17/22 17:32	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 17:32	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/16/22 12:51	05/17/22 17:32	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 17:32	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/16/22 12:51	05/17/22 17:32	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 17:32	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 17:32	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.97	0.29	1	05/16/22 12:51	05/17/22 17:32	86-30-6	
Naphthalene	<0.075	mg/kg	0.25	0.075	1	05/16/22 12:51	05/17/22 17:32	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/16/22 12:51	05/17/22 17:32	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/17/22 17:32	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/16/22 12:51	05/17/22 17:32	85-01-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-67 (4.5-5.5) **Lab ID: 40244735002** Collected: 05/10/22 08:30 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Phenol	<0.051	mg/kg	0.17	0.051	1	05/16/22 12:51	05/17/22 17:32	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/17/22 17:32	129-00-0	
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/17/22 17:32	111-91-1	
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/17/22 17:32	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 17:32	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	22	%	10-125		1	05/16/22 12:51	05/17/22 17:32	4165-60-0	
2-Fluorobiphenyl (S)	11	%	12-118		1	05/16/22 12:51	05/17/22 17:32	321-60-8	S0
Terphenyl-d14 (S)	39	%	10-124		1	05/16/22 12:51	05/17/22 17:32	1718-51-0	
Phenol-d6 (S)	36	%	10-125		1	05/16/22 12:51	05/17/22 17:32	13127-88-3	
2-Fluorophenol (S)	20	%	10-130		1	05/16/22 12:51	05/17/22 17:32	367-12-4	
2,4,6-Tribromophenol (S)	22	%	10-144		1	05/16/22 12:51	05/17/22 17:32	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0051	0.0016	1	05/16/22 06:00	05/16/22 12:04	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0051	0.0026	1	05/16/22 06:00	05/16/22 12:04	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0051	0.0016	1	05/16/22 06:00	05/16/22 12:04	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0051	0.0011	1	05/16/22 06:00	05/16/22 12:04	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0051	0.0011	1	05/16/22 06:00	05/16/22 12:04	75-35-4	
1,2-Dichloroethane	<0.00085	mg/kg	0.0051	0.00085	1	05/16/22 06:00	05/16/22 12:04	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0051	0.0010	1	05/16/22 06:00	05/16/22 12:04	78-87-5	
2-Butanone (MEK)	<0.0016	mg/kg	0.026	0.016	1	05/16/22 06:00	05/16/22 12:04	78-93-3	
2-Hexanone	<0.0012	mg/kg	0.026	0.012	1	05/16/22 06:00	05/16/22 12:04	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.0020	mg/kg	0.026	0.020	1	05/16/22 06:00	05/16/22 12:04	108-10-1	
Acetone	<0.0049	mg/kg	0.10	0.049	1	05/16/22 06:00	05/16/22 12:04	67-64-1	
Benzene	<0.00073	mg/kg	0.0051	0.00073	1	05/16/22 06:00	05/16/22 12:04	71-43-2	
Bromodichloromethane	<0.00070	mg/kg	0.0051	0.00070	1	05/16/22 06:00	05/16/22 12:04	75-27-4	
Bromoform	<0.0083	mg/kg	0.021	0.0083	1	05/16/22 06:00	05/16/22 12:04	75-25-2	
Bromomethane	<0.0046	mg/kg	0.0051	0.0046	1	05/16/22 06:00	05/16/22 12:04	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0051	0.0011	1	05/16/22 06:00	05/16/22 12:04	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0051	0.0032	1	05/16/22 06:00	05/16/22 12:04	56-23-5	
Chlorobenzene	<0.00095	mg/kg	0.0051	0.00095	1	05/16/22 06:00	05/16/22 12:04	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0051	0.0037	1	05/16/22 06:00	05/16/22 12:04	75-00-3	
Chloroform	<0.00087	mg/kg	0.0051	0.00087	1	05/16/22 06:00	05/16/22 12:04	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0051	0.0011	1	05/16/22 06:00	05/16/22 12:04	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0051	0.0010	1	05/16/22 06:00	05/16/22 12:04	124-48-1	
Ethylbenzene	<0.00092	mg/kg	0.0051	0.00092	1	05/16/22 06:00	05/16/22 12:04	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0051	0.0021	1	05/16/22 06:00	05/16/22 12:04	1634-04-4	
Methylene Chloride	<0.0041	mg/kg	0.0051	0.0041	1	05/16/22 06:00	05/16/22 12:04	75-09-2	
Styrene	<0.00073	mg/kg	0.0051	0.00073	1	05/16/22 06:00	05/16/22 12:04	100-42-5	
Tetrachloroethene	<0.00091	mg/kg	0.0051	0.00091	1	05/16/22 06:00	05/16/22 12:04	127-18-4	
Toluene	<0.00091	mg/kg	0.0051	0.00091	1	05/16/22 06:00	05/16/22 12:04	108-88-3	
Trichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/16/22 06:00	05/16/22 12:04	79-01-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-67 (4.5-5.5) **Lab ID: 40244735002** Collected: 05/10/22 08:30 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
Vinyl chloride	<0.0013	mg/kg	0.0051	0.0013	1	05/16/22 06:00	05/16/22 12:04	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/16/22 06:00	05/16/22 12:04	1330-20-7	
cis-1,2-Dichloroethene	<0.00091	mg/kg	0.0051	0.00091	1	05/16/22 06:00	05/16/22 12:04	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/16/22 06:00	05/16/22 12:04	10061-01-5	
trans-1,2-Dichloroethene	<0.00074	mg/kg	0.0051	0.00074	1	05/16/22 06:00	05/16/22 12:04	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/16/22 06:00	05/16/22 12:04	10061-02-6	
Surrogates									
Toluene-d8 (S)	93	%	69-156		1	05/16/22 06:00	05/16/22 12:04	2037-26-5	
4-Bromofluorobenzene (S)	88	%	61-175		1	05/16/22 06:00	05/16/22 12:04	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1	05/16/22 06:00	05/16/22 12:04	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.8	%	0.10	0.10	1		05/13/22 10:20		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	6.4	Std. Units	0.10	0.010	1		05/19/22 14:27		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.33	mg/kg	0.98	0.33	1	05/18/22 10:45	05/18/22 15:42	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: **SB-66 (1.0-2.0)** Lab ID: **40244735003** Collected: 05/10/22 08:55 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00062	mg/kg	0.0032	0.00062	1	05/16/22 13:43	05/17/22 15:49	309-00-2	
alpha-BHC	<0.00067	mg/kg	0.0032	0.00067	1	05/16/22 13:43	05/17/22 15:49	319-84-6	
beta-BHC	<0.00060	mg/kg	0.0032	0.00060	1	05/16/22 13:43	05/17/22 15:49	319-85-7	
delta-BHC	<0.00084	mg/kg	0.0032	0.00084	1	05/16/22 13:43	05/17/22 15:49	319-86-8	
gamma-BHC (Lindane)	<0.00058	mg/kg	0.0032	0.00058	1	05/16/22 13:43	05/17/22 15:49	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.064	0.013	1	05/16/22 13:43	05/17/22 15:49	57-74-9	
alpha-Chlordane	<0.00057	mg/kg	0.0032	0.00057	1	05/16/22 13:43	05/17/22 15:49	5103-71-9	
gamma-Chlordane	<0.00067	mg/kg	0.0032	0.00067	1	05/16/22 13:43	05/17/22 15:49	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0064	0.0012	1	05/16/22 13:43	05/17/22 15:49	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0064	0.0011	1	05/16/22 13:43	05/17/22 15:49	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0064	0.0020	1	05/16/22 13:43	05/17/22 15:49	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0064	0.0011	1	05/16/22 13:43	05/17/22 15:49	60-57-1	
Endosulfan I	<0.00053	mg/kg	0.0032	0.00053	1	05/16/22 13:43	05/17/22 15:49	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0064	0.0010	1	05/16/22 13:43	05/17/22 15:49	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0064	0.0012	1	05/16/22 13:43	05/17/22 15:49	1031-07-8	
Endrin	<0.0011	mg/kg	0.0064	0.0011	1	05/16/22 13:43	05/17/22 15:49	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0064	0.0015	1	05/16/22 13:43	05/17/22 15:49	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0064	0.0016	1	05/16/22 13:43	05/17/22 15:49	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0032	0.00057	1	05/16/22 13:43	05/17/22 15:49	76-44-8	
Heptachlor epoxide	<0.00054	mg/kg	0.0032	0.00054	1	05/16/22 13:43	05/17/22 15:49	1024-57-3	
Methoxychlor	<0.0073	mg/kg	0.032	0.0073	1	05/16/22 13:43	05/17/22 15:49	72-43-5	
Toxaphene	<0.023	mg/kg	0.064	0.023	1	05/16/22 13:43	05/17/22 15:49	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	51	%	10-147		1	05/16/22 13:43	05/17/22 15:49	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.064	0.020	1	05/12/22 05:57	05/14/22 10:05	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.064	0.020	1	05/12/22 05:57	05/14/22 10:05	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.064	0.020	1	05/12/22 05:57	05/14/22 10:05	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.064	0.020	1	05/12/22 05:57	05/14/22 10:05	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.064	0.020	1	05/12/22 05:57	05/14/22 10:05	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.064	0.020	1	05/12/22 05:57	05/14/22 10:05	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.064	0.020	1	05/12/22 05:57	05/14/22 10:05	11096-82-5	
PCB, Total	<0.020	mg/kg	0.064	0.020	1	05/12/22 05:57	05/14/22 10:05	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	66	%	50-99		1	05/12/22 05:57	05/14/22 10:05	877-09-8	
Decachlorobiphenyl (S)	68	%	38-95		1	05/12/22 05:57	05/14/22 10:05	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	14100	mg/kg	36.7	7.4	1	05/18/22 15:33	05/24/22 14:24	7429-90-5	
Antimony	0.20J	mg/kg	0.61	0.12	1	05/18/22 15:33	05/24/22 14:24	7440-36-0	
Arsenic	9.0	mg/kg	0.61	0.13	1	05/18/22 15:33	05/24/22 14:24	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-66 (1.0-2.0) **Lab ID: 40244735003** Collected: 05/10/22 08:55 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	148	mg/kg	0.37	0.065	1	05/18/22 15:33	05/24/22 14:24	7440-39-3	
Beryllium	0.78	mg/kg	0.24	0.049	1	05/18/22 15:33	05/24/22 14:24	7440-41-7	
Cadmium	0.11	mg/kg	0.098	0.038	1	05/18/22 15:33	05/24/22 14:24	7440-43-9	
Calcium	4580	mg/kg	122	14.4	1	05/18/22 15:33	05/24/22 14:24	7440-70-2	
Chromium	17.3	mg/kg	2.4	0.17	1	05/18/22 15:33	05/24/22 14:24	7440-47-3	
Cobalt	6.0	mg/kg	0.61	0.12	1	05/18/22 15:33	05/24/22 14:24	7440-48-4	
Copper	15.8	mg/kg	1.2	0.30	1	05/18/22 15:33	05/24/22 14:24	7440-50-8	
Iron	22100	mg/kg	61.1	12.8	1	05/18/22 15:33	05/24/22 14:24	7439-89-6	
Lead	12.1	mg/kg	0.61	0.036	1	05/18/22 15:33	05/24/22 14:24	7439-92-1	
Magnesium	2390	mg/kg	36.7	5.3	1	05/18/22 15:33	05/24/22 14:24	7439-95-4	
Manganese	434	mg/kg	0.61	0.30	1	05/18/22 15:33	05/24/22 14:24	7439-96-5	
Nickel	15.5	mg/kg	0.61	0.24	1	05/18/22 15:33	05/24/22 14:24	7440-02-0	
Potassium	1300	mg/kg	122	14.0	1	05/18/22 15:33	05/24/22 14:24	7440-09-7	
Selenium	1.0	mg/kg	0.61	0.10	1	05/18/22 15:33	05/24/22 14:24	7782-49-2	
Silver	0.25J	mg/kg	0.61	0.18	1	05/18/22 15:33	05/25/22 15:04	7440-22-4	
Sodium	36.6J	mg/kg	61.1	13.6	1	05/18/22 15:33	05/24/22 14:24	7440-23-5	
Thallium	0.19	mg/kg	0.12	0.045	1	05/18/22 15:33	05/24/22 14:24	7440-28-0	
Vanadium	34.5	mg/kg	1.2	0.22	1	05/18/22 15:33	05/24/22 14:24	7440-62-2	
Zinc	48.9	mg/kg	6.1	1.1	1	05/18/22 15:33	05/24/22 14:24	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.021J	mg/kg	0.042	0.012	1	05/17/22 09:27	05/18/22 13:39	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/16/22 12:51	05/18/22 14:22	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/16/22 12:51	05/18/22 14:22	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/16/22 12:51	05/18/22 14:22	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/18/22 14:22	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/18/22 14:22	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/16/22 12:51	05/18/22 14:22	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/18/22 14:22	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/18/22 14:22	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/16/22 12:51	05/18/22 14:22	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/18/22 14:22	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/18/22 14:22	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/16/22 12:51	05/18/22 14:22	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.092	0.028	1	05/16/22 12:51	05/18/22 14:22	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/18/22 14:22	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/18/22 14:22	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/18/22 14:22	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/16/22 12:51	05/18/22 14:22	88-74-4	
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/16/22 12:51	05/18/22 14:22	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-66 (1.0-2.0) **Lab ID: 40244735003** Collected: 05/10/22 08:55 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/18/22 14:22		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/18/22 14:22	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/18/22 14:22	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/18/22 14:22	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/16/22 12:51	05/18/22 14:22	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/18/22 14:22	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/18/22 14:22	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/18/22 14:22	7005-72-3	
4-Nitroaniline	<0.089	mg/kg	0.30	0.089	1	05/16/22 12:51	05/18/22 14:22	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/18/22 14:22	100-02-7	
Acenaphthene	<0.076	mg/kg	0.25	0.076	1	05/16/22 12:51	05/18/22 14:22	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/16/22 12:51	05/18/22 14:22	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/18/22 14:22	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/18/22 14:22	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/18/22 14:22	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/18/22 14:22	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/18/22 14:22	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/16/22 12:51	05/18/22 14:22	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.11	0.035	1	05/16/22 12:51	05/18/22 14:22	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/18/22 14:22	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/18/22 14:22	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/18/22 14:22	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/16/22 12:51	05/18/22 14:22	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/18/22 14:22	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/16/22 12:51	05/18/22 14:22	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/18/22 14:22	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.093	0.028	1	05/16/22 12:51	05/18/22 14:22	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/18/22 14:22	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/16/22 12:51	05/18/22 14:22	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/18/22 14:22	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/18/22 14:22	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/16/22 12:51	05/18/22 14:22	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/18/22 14:22	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/18/22 14:22	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/18/22 14:22	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/18/22 14:22	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.97	0.29	1	05/16/22 12:51	05/18/22 14:22	86-30-6	
Naphthalene	<0.075	mg/kg	0.25	0.075	1	05/16/22 12:51	05/18/22 14:22	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/16/22 12:51	05/18/22 14:22	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/18/22 14:22	87-86-5	
Phenanthrene	<0.028	mg/kg	0.092	0.028	1	05/16/22 12:51	05/18/22 14:22	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/16/22 12:51	05/18/22 14:22	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/16/22 12:51	05/18/22 14:22	129-00-0	
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/18/22 14:22	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-66 (1.0-2.0) **Lab ID: 40244735003** Collected: 05/10/22 08:55 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/18/22 14:22	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/18/22 14:22	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	76	%	10-125		1	05/16/22 12:51	05/18/22 14:22	4165-60-0	
2-Fluorobiphenyl (S)	65	%	12-118		1	05/16/22 12:51	05/18/22 14:22	321-60-8	
Terphenyl-d14 (S)	81	%	10-124		1	05/16/22 12:51	05/18/22 14:22	1718-51-0	
Phenol-d6 (S)	65	%	10-125		1	05/16/22 12:51	05/18/22 14:22	13127-88-3	
2-Fluorophenol (S)	67	%	10-130		1	05/16/22 12:51	05/18/22 14:22	367-12-4	
2,4,6-Tribromophenol (S)	79	%	10-144		1	05/16/22 12:51	05/18/22 14:22	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/16/22 06:00	05/16/22 12:28	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0025	mg/kg	0.0050	0.0025	1	05/16/22 06:00	05/16/22 12:28	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/16/22 06:00	05/16/22 12:28	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/16/22 06:00	05/16/22 12:28	75-34-3	
1,1-Dichloroethene	<0.0010	mg/kg	0.0050	0.0010	1	05/16/22 06:00	05/16/22 12:28	75-35-4	
1,2-Dichloroethane	<0.00082	mg/kg	0.0050	0.00082	1	05/16/22 06:00	05/16/22 12:28	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/16/22 06:00	05/16/22 12:28	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/16/22 06:00	05/16/22 12:28	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/16/22 06:00	05/16/22 12:28	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/16/22 06:00	05/16/22 12:28	108-10-1	
Acetone	<0.047	mg/kg	0.099	0.047	1	05/16/22 06:00	05/16/22 12:28	67-64-1	
Benzene	<0.00070	mg/kg	0.0050	0.00070	1	05/16/22 06:00	05/16/22 12:28	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/16/22 06:00	05/16/22 12:28	75-27-4	
Bromoform	<0.0081	mg/kg	0.020	0.0081	1	05/16/22 06:00	05/16/22 12:28	75-25-2	
Bromomethane	<0.0044	mg/kg	0.0050	0.0044	1	05/16/22 06:00	05/16/22 12:28	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/16/22 06:00	05/16/22 12:28	75-15-0	
Carbon tetrachloride	<0.0031	mg/kg	0.0050	0.0031	1	05/16/22 06:00	05/16/22 12:28	56-23-5	
Chlorobenzene	<0.00092	mg/kg	0.0050	0.00092	1	05/16/22 06:00	05/16/22 12:28	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0050	0.0036	1	05/16/22 06:00	05/16/22 12:28	75-00-3	
Chloroform	<0.00084	mg/kg	0.0050	0.00084	1	05/16/22 06:00	05/16/22 12:28	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/16/22 06:00	05/16/22 12:28	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/16/22 06:00	05/16/22 12:28	124-48-1	
Ethylbenzene	<0.00089	mg/kg	0.0050	0.00089	1	05/16/22 06:00	05/16/22 12:28	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0050	0.0020	1	05/16/22 06:00	05/16/22 12:28	1634-04-4	
Methylene Chloride	<0.0039	mg/kg	0.0050	0.0039	1	05/16/22 06:00	05/16/22 12:28	75-09-2	
Styrene	<0.00071	mg/kg	0.0050	0.00071	1	05/16/22 06:00	05/16/22 12:28	100-42-5	
Tetrachloroethene	<0.00088	mg/kg	0.0050	0.00088	1	05/16/22 06:00	05/16/22 12:28	127-18-4	
Toluene	<0.00088	mg/kg	0.0050	0.00088	1	05/16/22 06:00	05/16/22 12:28	108-88-3	
Trichloroethene	<0.00071	mg/kg	0.0050	0.00071	1	05/16/22 06:00	05/16/22 12:28	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/16/22 06:00	05/16/22 12:28	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.0099	0.0034	1	05/16/22 06:00	05/16/22 12:28	1330-20-7	
cis-1,2-Dichloroethene	<0.00088	mg/kg	0.0050	0.00088	1	05/16/22 06:00	05/16/22 12:28	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-66 (1.0-2.0) **Lab ID: 40244735003** Collected: 05/10/22 08:55 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/16/22 06:00	05/16/22 12:28	10061-01-5	
trans-1,2-Dichloroethene	<0.00071	mg/kg	0.0050	0.00071	1	05/16/22 06:00	05/16/22 12:28	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/16/22 06:00	05/16/22 12:28	10061-02-6	
Surrogates									
Toluene-d8 (S)	92	%	69-156		1	05/16/22 06:00	05/16/22 12:28	2037-26-5	
4-Bromofluorobenzene (S)	84	%	61-175		1	05/16/22 06:00	05/16/22 12:28	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1	05/16/22 06:00	05/16/22 12:28	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.3	%	0.10	0.10	1		05/13/22 10:20		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	6.8	Std. Units	0.10	0.010	1		05/19/22 14:33		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.35	mg/kg	1.0	0.35	1	05/18/22 10:45	05/18/22 15:46	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: **SB-66 (4.0-5.0)** Lab ID: **40244735004** Collected: 05/10/22 09:00 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00061	mg/kg	0.0031	0.00061	1	05/16/22 13:43	05/17/22 16:02	309-00-2	
alpha-BHC	<0.00065	mg/kg	0.0031	0.00065	1	05/16/22 13:43	05/17/22 16:02	319-84-6	
beta-BHC	<0.00059	mg/kg	0.0031	0.00059	1	05/16/22 13:43	05/17/22 16:02	319-85-7	
delta-BHC	<0.00082	mg/kg	0.0031	0.00082	1	05/16/22 13:43	05/17/22 16:02	319-86-8	
gamma-BHC (Lindane)	<0.00057	mg/kg	0.0031	0.00057	1	05/16/22 13:43	05/17/22 16:02	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.063	0.013	1	05/16/22 13:43	05/17/22 16:02	57-74-9	
alpha-Chlordane	<0.00055	mg/kg	0.0031	0.00055	1	05/16/22 13:43	05/17/22 16:02	5103-71-9	
gamma-Chlordane	<0.00066	mg/kg	0.0031	0.00066	1	05/16/22 13:43	05/17/22 16:02	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0063	0.0012	1	05/16/22 13:43	05/17/22 16:02	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0063	0.0010	1	05/16/22 13:43	05/17/22 16:02	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0063	0.0020	1	05/16/22 13:43	05/17/22 16:02	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0063	0.0011	1	05/16/22 13:43	05/17/22 16:02	60-57-1	
Endosulfan I	<0.00052	mg/kg	0.0031	0.00052	1	05/16/22 13:43	05/17/22 16:02	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0063	0.0010	1	05/16/22 13:43	05/17/22 16:02	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0063	0.0012	1	05/16/22 13:43	05/17/22 16:02	1031-07-8	
Endrin	<0.0011	mg/kg	0.0063	0.0011	1	05/16/22 13:43	05/17/22 16:02	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0063	0.0014	1	05/16/22 13:43	05/17/22 16:02	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0063	0.0016	1	05/16/22 13:43	05/17/22 16:02	53494-70-5	
Heptachlor	<0.00056	mg/kg	0.0031	0.00056	1	05/16/22 13:43	05/17/22 16:02	76-44-8	
Heptachlor epoxide	<0.00053	mg/kg	0.0031	0.00053	1	05/16/22 13:43	05/17/22 16:02	1024-57-3	
Methoxychlor	<0.0072	mg/kg	0.031	0.0072	1	05/16/22 13:43	05/17/22 16:02	72-43-5	
Toxaphene	<0.022	mg/kg	0.063	0.022	1	05/16/22 13:43	05/17/22 16:02	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	42	%	10-147		1	05/16/22 13:43	05/17/22 16:02	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.063	0.019	1	05/12/22 05:57	05/14/22 10:29	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.063	0.019	1	05/12/22 05:57	05/14/22 10:29	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.063	0.019	1	05/12/22 05:57	05/14/22 10:29	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.063	0.019	1	05/12/22 05:57	05/14/22 10:29	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.063	0.019	1	05/12/22 05:57	05/14/22 10:29	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.063	0.019	1	05/12/22 05:57	05/14/22 10:29	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.063	0.019	1	05/12/22 05:57	05/14/22 10:29	11096-82-5	
PCB, Total	<0.019	mg/kg	0.063	0.019	1	05/12/22 05:57	05/14/22 10:29	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	62	%	50-99		1	05/12/22 05:57	05/14/22 10:29	877-09-8	
Decachlorobiphenyl (S)	66	%	38-95		1	05/12/22 05:57	05/14/22 10:29	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	7550	mg/kg	34.9	7.0	1	05/18/22 15:33	05/24/22 14:38	7429-90-5	
Antimony	0.15J	mg/kg	0.58	0.11	1	05/18/22 15:33	05/24/22 14:38	7440-36-0	
Arsenic	10.3	mg/kg	0.58	0.13	1	05/18/22 15:33	05/24/22 14:38	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-66 (4.0-5.0) **Lab ID: 40244735004** Collected: 05/10/22 09:00 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	70.8	mg/kg	0.35	0.062	1	05/18/22 15:33	05/24/22 14:38	7440-39-3	
Beryllium	0.42	mg/kg	0.23	0.046	1	05/18/22 15:33	05/24/22 14:38	7440-41-7	
Cadmium	0.15	mg/kg	0.093	0.037	1	05/18/22 15:33	05/24/22 14:38	7440-43-9	
Calcium	50900	mg/kg	116	13.7	1	05/18/22 15:33	05/24/22 14:38	7440-70-2	
Chromium	13.0	mg/kg	2.3	0.16	1	05/18/22 15:33	05/24/22 14:38	7440-47-3	
Cobalt	5.9	mg/kg	0.58	0.12	1	05/18/22 15:33	05/24/22 14:38	7440-48-4	
Copper	11.5	mg/kg	1.2	0.28	1	05/18/22 15:33	05/24/22 14:38	7440-50-8	
Iron	19200	mg/kg	58.2	12.2	1	05/18/22 15:33	05/24/22 14:38	7439-89-6	
Lead	6.7	mg/kg	0.58	0.034	1	05/18/22 15:33	05/24/22 14:38	7439-92-1	
Magnesium	28900	mg/kg	34.9	5.0	1	05/18/22 15:33	05/24/22 14:38	7439-95-4	
Manganese	342	mg/kg	0.58	0.29	1	05/18/22 15:33	05/24/22 14:38	7439-96-5	
Nickel	13.7	mg/kg	0.58	0.23	1	05/18/22 15:33	05/24/22 14:38	7440-02-0	
Potassium	635	mg/kg	116	13.4	1	05/18/22 15:33	05/24/22 14:38	7440-09-7	
Selenium	0.21J	mg/kg	0.58	0.10	1	05/18/22 15:33	05/24/22 14:38	7782-49-2	
Silver	<0.17	mg/kg	0.58	0.17	1	05/18/22 15:33	05/25/22 15:08	7440-22-4	
Sodium	94.3	mg/kg	58.2	12.9	1	05/18/22 15:33	05/24/22 14:38	7440-23-5	
Thallium	0.19	mg/kg	0.12	0.043	1	05/18/22 15:33	05/24/22 14:38	7440-28-0	
Vanadium	21.6	mg/kg	1.2	0.20	1	05/18/22 15:33	05/24/22 14:38	7440-62-2	
Zinc	45.5	mg/kg	5.8	1.0	1	05/18/22 15:33	05/24/22 14:38	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.018J	mg/kg	0.040	0.011	1	05/17/22 09:27	05/18/22 13:41	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.079	0.024	1	05/16/22 12:51	05/16/22 17:13	120-82-1	
1,2-Dichlorobenzene	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/16/22 17:13	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.097	0.029	1	05/16/22 12:51	05/16/22 17:13	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/16/22 12:51	05/16/22 17:13	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/16/22 17:13	108-60-1	
2,4,5-Trichlorophenol	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/16/22 17:13	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/16/22 17:13	88-06-2	
2,4-Dichlorophenol	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/16/22 17:13	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/16/22 12:51	05/16/22 17:13	105-67-9	
2,4-Dinitrophenol	<0.064	mg/kg	0.21	0.064	1	05/16/22 12:51	05/16/22 17:13	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/16/22 17:13	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/16/22 17:13	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.090	0.027	1	05/16/22 12:51	05/16/22 17:13	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/16/22 12:51	05/16/22 17:13	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/16/22 17:13	91-57-6	
2-Methylphenol(o-Cresol)	<0.038	mg/kg	0.13	0.038	1	05/16/22 12:51	05/16/22 17:13	95-48-7	
2-Nitroaniline	<0.060	mg/kg	0.20	0.060	1	05/16/22 12:51	05/16/22 17:13	88-74-4	
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/16/22 17:13	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-66 (4.0-5.0) **Lab ID: 40244735004** Collected: 05/10/22 09:00 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/16/22 17:13		
3,3'-Dichlorobenzidine	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/16/22 17:13	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/16/22 17:13	99-09-2	
4,6-Dinitro-2-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/16/22 12:51	05/16/22 17:13	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/16/22 12:51	05/16/22 17:13	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/16/22 17:13	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/16/22 17:13	106-47-8	1q
4-Chlorophenylphenyl ether	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/16/22 17:13	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/16/22 12:51	05/16/22 17:13	100-01-6	
4-Nitrophenol	<0.053	mg/kg	0.18	0.053	1	05/16/22 12:51	05/16/22 17:13	100-02-7	
Acenaphthene	<0.075	mg/kg	0.25	0.075	1	05/16/22 12:51	05/16/22 17:13	83-32-9	
Acenaphthylene	<0.075	mg/kg	0.25	0.075	1	05/16/22 12:51	05/16/22 17:13	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/16/22 17:13	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/16/22 17:13	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/16/22 17:13	50-32-8	
Benzo(b)fluoranthene	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/16/22 17:13	205-99-2	
Benzo(g,h,i)perylene	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/16/22 17:13	191-24-2	
Benzo(k)fluoranthene	<0.050	mg/kg	0.17	0.050	1	05/16/22 12:51	05/16/22 17:13	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/16/22 17:13	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/16/22 17:13	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/16/22 17:13	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/16/22 17:13	84-74-2	
Di-n-octylphthalate	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/16/22 17:13	117-84-0	
Dibenz(a,h)anthracene	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/16/22 17:13	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.085	0.026	1	05/16/22 12:51	05/16/22 17:13	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/16/22 17:13	84-66-2	
Dimethylphthalate	<0.027	mg/kg	0.091	0.027	1	05/16/22 12:51	05/16/22 17:13	131-11-3	
Fluoranthene	<0.030	mg/kg	0.099	0.030	1	05/16/22 12:51	05/16/22 17:13	206-44-0	
Fluorene	<0.025	mg/kg	0.082	0.025	1	05/16/22 12:51	05/16/22 17:13	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/16/22 17:13	87-68-3	
Hexachlorobenzene	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/16/22 17:13	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/16/22 12:51	05/16/22 17:13	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/16/22 17:13	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/16/22 12:51	05/16/22 17:13	193-39-5	
Isophorone	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/16/22 17:13	78-59-1	
N-Nitroso-di-n-propylamine	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/16/22 17:13	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.95	0.29	1	05/16/22 12:51	05/16/22 17:13	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/16/22 12:51	05/16/22 17:13	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/16/22 12:51	05/16/22 17:13	98-95-3	
Pentachlorophenol	<0.046	mg/kg	0.15	0.046	1	05/16/22 12:51	05/16/22 17:13	87-86-5	
Phenanthrene	<0.027	mg/kg	0.090	0.027	1	05/16/22 12:51	05/16/22 17:13	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/16/22 12:51	05/16/22 17:13	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/16/22 17:13	129-00-0	
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/16/22 17:13	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-66 (4.0-5.0) **Lab ID: 40244735004** Collected: 05/10/22 09:00 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/16/22 17:13	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/16/22 17:13	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	77	%	10-125		1	05/16/22 12:51	05/16/22 17:13	4165-60-0	
2-Fluorobiphenyl (S)	60	%	12-118		1	05/16/22 12:51	05/16/22 17:13	321-60-8	
Terphenyl-d14 (S)	67	%	10-124		1	05/16/22 12:51	05/16/22 17:13	1718-51-0	
Phenol-d6 (S)	65	%	10-125		1	05/16/22 12:51	05/16/22 17:13	13127-88-3	
2-Fluorophenol (S)	72	%	10-130		1	05/16/22 12:51	05/16/22 17:13	367-12-4	
2,4,6-Tribromophenol (S)	79	%	10-144		1	05/16/22 12:51	05/16/22 17:13	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/16/22 06:00	05/16/22 12:52	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0051	0.0026	1	05/16/22 06:00	05/16/22 12:52	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/16/22 06:00	05/16/22 12:52	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0051	0.0011	1	05/16/22 06:00	05/16/22 12:52	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0051	0.0011	1	05/16/22 06:00	05/16/22 12:52	75-35-4	
1,2-Dichloroethane	<0.00084	mg/kg	0.0051	0.00084	1	05/16/22 06:00	05/16/22 12:52	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0051	0.0010	1	05/16/22 06:00	05/16/22 12:52	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.026	0.016	1	05/16/22 06:00	05/16/22 12:52	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/16/22 06:00	05/16/22 12:52	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.026	0.020	1	05/16/22 06:00	05/16/22 12:52	108-10-1	
Acetone	<0.048	mg/kg	0.10	0.048	1	05/16/22 06:00	05/16/22 12:52	67-64-1	
Benzene	<0.00072	mg/kg	0.0051	0.00072	1	05/16/22 06:00	05/16/22 12:52	71-43-2	
Bromodichloromethane	<0.00069	mg/kg	0.0051	0.00069	1	05/16/22 06:00	05/16/22 12:52	75-27-4	
Bromoform	<0.0083	mg/kg	0.020	0.0083	1	05/16/22 06:00	05/16/22 12:52	75-25-2	
Bromomethane	<0.0046	mg/kg	0.0051	0.0046	1	05/16/22 06:00	05/16/22 12:52	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0051	0.0011	1	05/16/22 06:00	05/16/22 12:52	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0051	0.0032	1	05/16/22 06:00	05/16/22 12:52	56-23-5	
Chlorobenzene	<0.00094	mg/kg	0.0051	0.00094	1	05/16/22 06:00	05/16/22 12:52	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0051	0.0037	1	05/16/22 06:00	05/16/22 12:52	75-00-3	
Chloroform	<0.00086	mg/kg	0.0051	0.00086	1	05/16/22 06:00	05/16/22 12:52	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0051	0.0011	1	05/16/22 06:00	05/16/22 12:52	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0051	0.0010	1	05/16/22 06:00	05/16/22 12:52	124-48-1	
Ethylbenzene	<0.00091	mg/kg	0.0051	0.00091	1	05/16/22 06:00	05/16/22 12:52	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0051	0.0021	1	05/16/22 06:00	05/16/22 12:52	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0051	0.0040	1	05/16/22 06:00	05/16/22 12:52	75-09-2	
Styrene	<0.00073	mg/kg	0.0051	0.00073	1	05/16/22 06:00	05/16/22 12:52	100-42-5	
Tetrachloroethene	<0.00091	mg/kg	0.0051	0.00091	1	05/16/22 06:00	05/16/22 12:52	127-18-4	
Toluene	<0.00090	mg/kg	0.0051	0.00090	1	05/16/22 06:00	05/16/22 12:52	108-88-3	
Trichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/16/22 06:00	05/16/22 12:52	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0051	0.0013	1	05/16/22 06:00	05/16/22 12:52	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/16/22 06:00	05/16/22 12:52	1330-20-7	
cis-1,2-Dichloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/16/22 06:00	05/16/22 12:52	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-66 (4.0-5.0) **Lab ID: 40244735004** Collected: 05/10/22 09:00 Received: 05/11/22 13:30 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/16/22 06:00	05/16/22 12:52	10061-01-5	
trans-1,2-Dichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/16/22 06:00	05/16/22 12:52	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/16/22 06:00	05/16/22 12:52	10061-02-6	
Surrogates									
Toluene-d8 (S)	93	%	69-156		1	05/16/22 06:00	05/16/22 12:52	2037-26-5	
4-Bromofluorobenzene (S)	75	%	61-175		1	05/16/22 06:00	05/16/22 12:52	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1	05/16/22 06:00	05/16/22 12:52	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	20.8	%	0.10	0.10	1		05/13/22 10:20		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/19/22 14:44		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.31	mg/kg	0.93	0.31	1	05/18/22 10:45	05/18/22 15:46	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-46 (1.0-2.0) **Lab ID: 40244735005** Collected: 05/10/22 09:45 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00060	mg/kg	0.0031	0.00060	1	05/16/22 13:43	05/20/22 19:30	309-00-2	
alpha-BHC	<0.00065	mg/kg	0.0031	0.00065	1	05/16/22 13:43	05/20/22 19:30	319-84-6	
beta-BHC	<0.00058	mg/kg	0.0031	0.00058	1	05/16/22 13:43	05/20/22 19:30	319-85-7	
delta-BHC	<0.00081	mg/kg	0.0031	0.00081	1	05/16/22 13:43	05/20/22 19:30	319-86-8	
gamma-BHC (Lindane)	<0.00056	mg/kg	0.0031	0.00056	1	05/16/22 13:43	05/20/22 19:30	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.062	0.013	1	05/16/22 13:43	05/20/22 19:30	57-74-9	
alpha-Chlordane	<0.00055	mg/kg	0.0031	0.00055	1	05/16/22 13:43	05/20/22 19:30	5103-71-9	
gamma-Chlordane	<0.00065	mg/kg	0.0031	0.00065	1	05/16/22 13:43	05/20/22 19:30	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0062	0.0012	1	05/16/22 13:43	05/20/22 19:30	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0062	0.0010	1	05/16/22 13:43	05/20/22 19:30	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0062	0.0020	1	05/16/22 13:43	05/20/22 19:30	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0062	0.0011	1	05/16/22 13:43	05/20/22 19:30	60-57-1	
Endosulfan I	<0.00052	mg/kg	0.0031	0.00052	1	05/16/22 13:43	05/20/22 19:30	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0062	0.0010	1	05/16/22 13:43	05/20/22 19:30	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0062	0.0012	1	05/16/22 13:43	05/20/22 19:30	1031-07-8	
Endrin	<0.0011	mg/kg	0.0062	0.0011	1	05/16/22 13:43	05/20/22 19:30	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0062	0.0014	1	05/16/22 13:43	05/20/22 19:30	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0062	0.0016	1	05/16/22 13:43	05/20/22 19:30	53494-70-5	
Heptachlor	<0.00055	mg/kg	0.0031	0.00055	1	05/16/22 13:43	05/20/22 19:30	76-44-8	
Heptachlor epoxide	<0.00052	mg/kg	0.0031	0.00052	1	05/16/22 13:43	05/20/22 19:30	1024-57-3	
Methoxychlor	<0.0071	mg/kg	0.031	0.0071	1	05/16/22 13:43	05/20/22 19:30	72-43-5	
Toxaphene	<0.022	mg/kg	0.062	0.022	1	05/16/22 13:43	05/20/22 19:30	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	41	%	10-147		1	05/16/22 13:43	05/20/22 19:30	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 10:53	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 10:53	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 10:53	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 10:53	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 10:53	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 10:53	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 10:53	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 10:53	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	61	%	50-99		1	05/12/22 05:57	05/14/22 10:53	877-09-8	
Decachlorobiphenyl (S)	66	%	38-95		1	05/12/22 05:57	05/14/22 10:53	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	19500	mg/kg	37.2	7.5	1	05/18/22 15:33	05/24/22 14:41	7429-90-5	
Antimony	0.21J	mg/kg	0.62	0.12	1	05/18/22 15:33	05/24/22 14:41	7440-36-0	
Arsenic	10.7	mg/kg	0.62	0.14	1	05/18/22 15:33	05/24/22 14:41	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-46 (1.0-2.0) **Lab ID: 40244735005** Collected: 05/10/22 09:45 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	208	mg/kg	0.37	0.066	1	05/18/22 15:33	05/24/22 14:41	7440-39-3	
Beryllium	1.0	mg/kg	0.25	0.049	1	05/18/22 15:33	05/24/22 14:41	7440-41-7	
Cadmium	0.099	mg/kg	0.099	0.039	1	05/18/22 15:33	05/24/22 14:41	7440-43-9	
Calcium	3840	mg/kg	124	14.7	1	05/18/22 15:33	05/24/22 14:41	7440-70-2	
Chromium	21.8	mg/kg	2.5	0.17	1	05/18/22 15:33	05/24/22 14:41	7440-47-3	
Cobalt	13.7	mg/kg	0.62	0.12	1	05/18/22 15:33	05/24/22 14:41	7440-48-4	
Copper	18.4	mg/kg	1.2	0.30	1	05/18/22 15:33	05/24/22 14:41	7440-50-8	
Iron	27200	mg/kg	62.1	13.0	1	05/18/22 15:33	05/24/22 14:41	7439-89-6	
Lead	16.3	mg/kg	0.62	0.037	1	05/18/22 15:33	05/24/22 14:41	7439-92-1	
Magnesium	3500	mg/kg	37.2	5.3	1	05/18/22 15:33	05/24/22 14:41	7439-95-4	
Manganese	440	mg/kg	0.62	0.30	1	05/18/22 15:33	05/24/22 14:41	7439-96-5	
Nickel	20.1	mg/kg	0.62	0.25	1	05/18/22 15:33	05/24/22 14:41	7440-02-0	
Potassium	1420	mg/kg	124	14.3	1	05/18/22 15:33	05/24/22 14:41	7440-09-7	
Selenium	1.2	mg/kg	0.62	0.11	1	05/18/22 15:33	05/24/22 14:41	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/18/22 15:33	05/25/22 15:11	7440-22-4	
Sodium	132	mg/kg	62.1	13.8	1	05/18/22 15:33	05/24/22 14:41	7440-23-5	
Thallium	0.22	mg/kg	0.12	0.045	1	05/18/22 15:33	05/24/22 14:41	7440-28-0	
Vanadium	42.2	mg/kg	1.2	0.22	1	05/18/22 15:33	05/24/22 14:41	7440-62-2	
Zinc	60.7	mg/kg	6.2	1.1	1	05/18/22 15:33	05/24/22 14:41	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.025J	mg/kg	0.042	0.012	1	05/17/22 09:27	05/18/22 13:44	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.049	mg/kg	0.16	0.049	2	05/16/22 12:51	05/18/22 19:21	120-82-1	
1,2-Dichlorobenzene	<0.14	mg/kg	0.45	0.14	2	05/16/22 12:51	05/18/22 19:21	95-50-1	
1,3-Dichlorobenzene	<0.060	mg/kg	0.20	0.060	2	05/16/22 12:51	05/18/22 19:21	541-73-1	
1,4-Dichlorobenzene	<0.060	mg/kg	0.20	0.060	2	05/16/22 12:51	05/18/22 19:21	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.11	mg/kg	0.37	0.11	2	05/16/22 12:51	05/18/22 19:21	108-60-1	
2,4,5-Trichlorophenol	<0.077	mg/kg	0.26	0.077	2	05/16/22 12:51	05/18/22 19:21	95-95-4	
2,4,6-Trichlorophenol	<0.066	mg/kg	0.22	0.066	2	05/16/22 12:51	05/18/22 19:21	88-06-2	
2,4-Dichlorophenol	<0.12	mg/kg	0.39	0.12	2	05/16/22 12:51	05/18/22 19:21	120-83-2	
2,4-Dimethylphenol	<0.086	mg/kg	0.29	0.086	2	05/16/22 12:51	05/18/22 19:21	105-67-9	
2,4-Dinitrophenol	<0.13	mg/kg	0.44	0.13	2	05/16/22 12:51	05/18/22 19:21	51-28-5	
2,4-Dinitrotoluene	<0.062	mg/kg	0.21	0.062	2	05/16/22 12:51	05/18/22 19:21	121-14-2	
2,6-Dinitrotoluene	<0.082	mg/kg	0.27	0.082	2	05/16/22 12:51	05/18/22 19:21	606-20-2	
2-Chloronaphthalene	<0.056	mg/kg	0.19	0.056	2	05/16/22 12:51	05/18/22 19:21	91-58-7	
2-Chlorophenol	<0.11	mg/kg	0.36	0.11	2	05/16/22 12:51	05/18/22 19:21	95-57-8	
2-Methylnaphthalene	<0.11	mg/kg	0.38	0.11	2	05/16/22 12:51	05/18/22 19:21	91-57-6	
2-Methylphenol(o-Cresol)	<0.079	mg/kg	0.26	0.079	2	05/16/22 12:51	05/18/22 19:21	95-48-7	
2-Nitroaniline	<0.12	mg/kg	0.41	0.12	2	05/16/22 12:51	05/18/22 19:21	88-74-4	
2-Nitrophenol	<0.14	mg/kg	0.46	0.14	2	05/16/22 12:51	05/18/22 19:21	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-46 (1.0-2.0) **Lab ID: 40244735005** Collected: 05/10/22 09:45 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.079	mg/kg	0.26	0.079	2	05/16/22 12:51	05/18/22 19:21		
3,3'-Dichlorobenzidine	<0.12	mg/kg	0.39	0.12	2	05/16/22 12:51	05/18/22 19:21	91-94-1	
3-Nitroaniline	<0.074	mg/kg	0.25	0.074	2	05/16/22 12:51	05/18/22 19:21	99-09-2	
4,6-Dinitro-2-methylphenol	<0.13	mg/kg	0.45	0.13	2	05/16/22 12:51	05/18/22 19:21	534-52-1	
4-Bromophenylphenyl ether	<0.091	mg/kg	0.30	0.091	2	05/16/22 12:51	05/18/22 19:21	101-55-3	
4-Chloro-3-methylphenol	<0.13	mg/kg	0.45	0.13	2	05/16/22 12:51	05/18/22 19:21	59-50-7	
4-Chloroaniline	<0.071	mg/kg	0.24	0.071	2	05/16/22 12:51	05/18/22 19:21	106-47-8	1q
4-Chlorophenylphenyl ether	<0.081	mg/kg	0.27	0.081	2	05/16/22 12:51	05/18/22 19:21	7005-72-3	
4-Nitroaniline	<0.18	mg/kg	0.60	0.18	2	05/16/22 12:51	05/18/22 19:21	100-01-6	
4-Nitrophenol	<0.11	mg/kg	0.36	0.11	2	05/16/22 12:51	05/18/22 19:21	100-02-7	
Acenaphthene	<0.15	mg/kg	0.51	0.15	2	05/16/22 12:51	05/18/22 19:21	83-32-9	
Acenaphthylene	<0.15	mg/kg	0.52	0.15	2	05/16/22 12:51	05/18/22 19:21	208-96-8	
Anthracene	<0.069	mg/kg	0.23	0.069	2	05/16/22 12:51	05/18/22 19:21	120-12-7	
Benzo(a)anthracene	<0.067	mg/kg	0.22	0.067	2	05/16/22 12:51	05/18/22 19:21	56-55-3	
Benzo(a)pyrene	<0.065	mg/kg	0.22	0.065	2	05/16/22 12:51	05/18/22 19:21	50-32-8	
Benzo(b)fluoranthene	<0.075	mg/kg	0.25	0.075	2	05/16/22 12:51	05/18/22 19:21	205-99-2	
Benzo(g,h,i)perylene	<0.11	mg/kg	0.38	0.11	2	05/16/22 12:51	05/18/22 19:21	191-24-2	
Benzo(k)fluoranthene	<0.10	mg/kg	0.35	0.10	2	05/16/22 12:51	05/18/22 19:21	207-08-9	
Butylbenzylphthalate	<0.070	mg/kg	0.23	0.070	2	05/16/22 12:51	05/18/22 19:21	85-68-7	
Carbazole	<0.068	mg/kg	0.23	0.068	2	05/16/22 12:51	05/18/22 19:21	86-74-8	
Chrysene	<0.065	mg/kg	0.22	0.065	2	05/16/22 12:51	05/18/22 19:21	218-01-9	
Di-n-butylphthalate	<0.065	mg/kg	0.22	0.065	2	05/16/22 12:51	05/18/22 19:21	84-74-2	
Di-n-octylphthalate	<0.098	mg/kg	0.33	0.098	2	05/16/22 12:51	05/18/22 19:21	117-84-0	
Dibenz(a,h)anthracene	<0.12	mg/kg	0.39	0.12	2	05/16/22 12:51	05/18/22 19:21	53-70-3	
Dibenzofuran	<0.053	mg/kg	0.17	0.053	2	05/16/22 12:51	05/18/22 19:21	132-64-9	
Diethylphthalate	<0.072	mg/kg	0.24	0.072	2	05/16/22 12:51	05/18/22 19:21	84-66-2	
Dimethylphthalate	<0.056	mg/kg	0.19	0.056	2	05/16/22 12:51	05/18/22 19:21	131-11-3	
Fluoranthene	<0.061	mg/kg	0.20	0.061	2	05/16/22 12:51	05/18/22 19:21	206-44-0	
Fluorene	<0.051	mg/kg	0.17	0.051	2	05/16/22 12:51	05/18/22 19:21	86-73-7	
Hexachloro-1,3-butadiene	<0.11	mg/kg	0.37	0.11	2	05/16/22 12:51	05/18/22 19:21	87-68-3	
Hexachlorobenzene	<0.073	mg/kg	0.24	0.073	2	05/16/22 12:51	05/18/22 19:21	118-74-1	
Hexachlorocyclopentadiene	<0.10	mg/kg	0.34	0.10	2	05/16/22 12:51	05/18/22 19:21	77-47-4	
Hexachloroethane	<0.069	mg/kg	0.23	0.069	2	05/16/22 12:51	05/18/22 19:21	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.094	mg/kg	0.31	0.094	2	05/16/22 12:51	05/18/22 19:21	193-39-5	
Isophorone	<0.067	mg/kg	0.22	0.067	2	05/16/22 12:51	05/18/22 19:21	78-59-1	
N-Nitroso-di-n-propylamine	<0.069	mg/kg	0.23	0.069	2	05/16/22 12:51	05/18/22 19:21	621-64-7	
N-Nitrosodiphenylamine	<0.59	mg/kg	2.0	0.59	2	05/16/22 12:51	05/18/22 19:21	86-30-6	
Naphthalene	<0.15	mg/kg	0.51	0.15	2	05/16/22 12:51	05/18/22 19:21	91-20-3	
Nitrobenzene	<0.088	mg/kg	0.29	0.088	2	05/16/22 12:51	05/18/22 19:21	98-95-3	
Pentachlorophenol	<0.096	mg/kg	0.32	0.096	2	05/16/22 12:51	05/18/22 19:21	87-86-5	
Phenanthrene	<0.056	mg/kg	0.19	0.056	2	05/16/22 12:51	05/18/22 19:21	85-01-8	
Phenol	<0.10	mg/kg	0.34	0.10	2	05/16/22 12:51	05/18/22 19:21	108-95-2	D3
Pyrene	<0.096	mg/kg	0.32	0.096	2	05/16/22 12:51	05/18/22 19:21	129-00-0	
bis(2-Chloroethoxy)methane	<0.12	mg/kg	0.39	0.12	2	05/16/22 12:51	05/18/22 19:21	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-46 (1.0-2.0) **Lab ID: 40244735005** Collected: 05/10/22 09:45 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.14	mg/kg	0.45	0.14	2	05/16/22 12:51	05/18/22 19:21	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.072	mg/kg	0.24	0.072	2	05/16/22 12:51	05/18/22 19:21	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	79	%	10-125		2	05/16/22 12:51	05/18/22 19:21	4165-60-0	
2-Fluorobiphenyl (S)	64	%	12-118		2	05/16/22 12:51	05/18/22 19:21	321-60-8	
Terphenyl-d14 (S)	76	%	10-124		2	05/16/22 12:51	05/18/22 19:21	1718-51-0	
Phenol-d6 (S)	68	%	10-125		2	05/16/22 12:51	05/18/22 19:21	13127-88-3	
2-Fluorophenol (S)	73	%	10-130		2	05/16/22 12:51	05/18/22 19:21	367-12-4	
2,4,6-Tribromophenol (S)	73	%	10-144		2	05/16/22 12:51	05/18/22 19:21	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/16/22 06:00	05/16/22 13:17	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0052	0.0027	1	05/16/22 06:00	05/16/22 13:17	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/16/22 06:00	05/16/22 13:17	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0052	0.0011	1	05/16/22 06:00	05/16/22 13:17	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0052	0.0011	1	05/16/22 06:00	05/16/22 13:17	75-35-4	
1,2-Dichloroethane	<0.00086	mg/kg	0.0052	0.00086	1	05/16/22 06:00	05/16/22 13:17	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0052	0.0011	1	05/16/22 06:00	05/16/22 13:17	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.026	0.016	1	05/16/22 06:00	05/16/22 13:17	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/16/22 06:00	05/16/22 13:17	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.026	0.021	1	05/16/22 06:00	05/16/22 13:17	108-10-1	
Acetone	<0.049	mg/kg	0.10	0.049	1	05/16/22 06:00	05/16/22 13:17	67-64-1	
Benzene	<0.00074	mg/kg	0.0052	0.00074	1	05/16/22 06:00	05/16/22 13:17	71-43-2	
Bromodichloromethane	<0.00071	mg/kg	0.0052	0.00071	1	05/16/22 06:00	05/16/22 13:17	75-27-4	
Bromoform	<0.0085	mg/kg	0.021	0.0085	1	05/16/22 06:00	05/16/22 13:17	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0052	0.0047	1	05/16/22 06:00	05/16/22 13:17	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0052	0.0012	1	05/16/22 06:00	05/16/22 13:17	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0052	0.0033	1	05/16/22 06:00	05/16/22 13:17	56-23-5	
Chlorobenzene	<0.00096	mg/kg	0.0052	0.00096	1	05/16/22 06:00	05/16/22 13:17	108-90-7	
Chloroethane	<0.0038	mg/kg	0.0052	0.0038	1	05/16/22 06:00	05/16/22 13:17	75-00-3	
Chloroform	<0.00088	mg/kg	0.0052	0.00088	1	05/16/22 06:00	05/16/22 13:17	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0052	0.0011	1	05/16/22 06:00	05/16/22 13:17	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0052	0.0011	1	05/16/22 06:00	05/16/22 13:17	124-48-1	
Ethylbenzene	<0.00093	mg/kg	0.0052	0.00093	1	05/16/22 06:00	05/16/22 13:17	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0052	0.0021	1	05/16/22 06:00	05/16/22 13:17	1634-04-4	
Methylene Chloride	<0.0041	mg/kg	0.0052	0.0041	1	05/16/22 06:00	05/16/22 13:17	75-09-2	
Styrene	<0.00074	mg/kg	0.0052	0.00074	1	05/16/22 06:00	05/16/22 13:17	100-42-5	
Tetrachloroethene	<0.00093	mg/kg	0.0052	0.00093	1	05/16/22 06:00	05/16/22 13:17	127-18-4	
Toluene	<0.00092	mg/kg	0.0052	0.00092	1	05/16/22 06:00	05/16/22 13:17	108-88-3	
Trichloroethene	<0.00075	mg/kg	0.0052	0.00075	1	05/16/22 06:00	05/16/22 13:17	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0052	0.0014	1	05/16/22 06:00	05/16/22 13:17	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.010	0.0036	1	05/16/22 06:00	05/16/22 13:17	1330-20-7	
cis-1,2-Dichloroethene	<0.00092	mg/kg	0.0052	0.00092	1	05/16/22 06:00	05/16/22 13:17	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-46 (1.0-2.0) **Lab ID: 40244735005** Collected: 05/10/22 09:45 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0052	0.0011	1	05/16/22 06:00	05/16/22 13:17	10061-01-5	
trans-1,2-Dichloroethene	<0.00075	mg/kg	0.0052	0.00075	1	05/16/22 06:00	05/16/22 13:17	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0052	0.0010	1	05/16/22 06:00	05/16/22 13:17	10061-02-6	
Surrogates									
Toluene-d8 (S)	92	%	69-156		1	05/16/22 06:00	05/16/22 13:17	2037-26-5	
4-Bromofluorobenzene (S)	81	%	61-175		1	05/16/22 06:00	05/16/22 13:17	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1	05/16/22 06:00	05/16/22 13:17	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.9	%	0.10	0.10	1		05/13/22 10:20		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.4	Std. Units	0.10	0.010	1		05/19/22 14:49		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.30	mg/kg	0.89	0.30	1	05/18/22 10:45	05/18/22 15:47	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-46 (4.0-5.0) **Lab ID: 40244735006** Collected: 05/10/22 09:50 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00061	mg/kg	0.0032	0.00061	1	05/16/22 13:43	05/20/22 19:43	309-00-2	
alpha-BHC	<0.00066	mg/kg	0.0032	0.00066	1	05/16/22 13:43	05/20/22 19:43	319-84-6	
beta-BHC	<0.00060	mg/kg	0.0032	0.00060	1	05/16/22 13:43	05/20/22 19:43	319-85-7	
delta-BHC	<0.00083	mg/kg	0.0032	0.00083	1	05/16/22 13:43	05/20/22 19:43	319-86-8	
gamma-BHC (Lindane)	<0.00057	mg/kg	0.0032	0.00057	1	05/16/22 13:43	05/20/22 19:43	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.063	0.013	1	05/16/22 13:43	05/20/22 19:43	57-74-9	
alpha-Chlordane	<0.00056	mg/kg	0.0032	0.00056	1	05/16/22 13:43	05/20/22 19:43	5103-71-9	
gamma-Chlordane	<0.00066	mg/kg	0.0032	0.00066	1	05/16/22 13:43	05/20/22 19:43	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0063	0.0012	1	05/16/22 13:43	05/20/22 19:43	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0063	0.0010	1	05/16/22 13:43	05/20/22 19:43	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0063	0.0020	1	05/16/22 13:43	05/20/22 19:43	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0063	0.0011	1	05/16/22 13:43	05/20/22 19:43	60-57-1	
Endosulfan I	<0.00053	mg/kg	0.0032	0.00053	1	05/16/22 13:43	05/20/22 19:43	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0063	0.0010	1	05/16/22 13:43	05/20/22 19:43	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0063	0.0012	1	05/16/22 13:43	05/20/22 19:43	1031-07-8	
Endrin	<0.0011	mg/kg	0.0063	0.0011	1	05/16/22 13:43	05/20/22 19:43	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0063	0.0014	1	05/16/22 13:43	05/20/22 19:43	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0063	0.0016	1	05/16/22 13:43	05/20/22 19:43	53494-70-5	
Heptachlor	<0.00056	mg/kg	0.0032	0.00056	1	05/16/22 13:43	05/20/22 19:43	76-44-8	
Heptachlor epoxide	<0.00053	mg/kg	0.0032	0.00053	1	05/16/22 13:43	05/20/22 19:43	1024-57-3	
Methoxychlor	<0.0072	mg/kg	0.032	0.0072	1	05/16/22 13:43	05/20/22 19:43	72-43-5	
Toxaphene	<0.022	mg/kg	0.063	0.022	1	05/16/22 13:43	05/20/22 19:43	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	48	%	10-147		1	05/16/22 13:43	05/20/22 19:43	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.064	0.019	1	05/12/22 05:57	05/14/22 11:18	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.064	0.019	1	05/12/22 05:57	05/14/22 11:18	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.064	0.019	1	05/12/22 05:57	05/14/22 11:18	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.064	0.019	1	05/12/22 05:57	05/14/22 11:18	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.064	0.019	1	05/12/22 05:57	05/14/22 11:18	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.064	0.019	1	05/12/22 05:57	05/14/22 11:18	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.064	0.019	1	05/12/22 05:57	05/14/22 11:18	11096-82-5	
PCB, Total	<0.019	mg/kg	0.064	0.019	1	05/12/22 05:57	05/14/22 11:18	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	67	%	50-99		1	05/12/22 05:57	05/14/22 11:18	877-09-8	
Decachlorobiphenyl (S)	68	%	38-95		1	05/12/22 05:57	05/14/22 11:18	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	18800	mg/kg	37.4	7.5	1	05/18/22 15:33	05/24/22 14:44	7429-90-5	
Antimony	0.36J	mg/kg	0.62	0.12	1	05/18/22 15:33	05/24/22 14:44	7440-36-0	
Arsenic	16.8	mg/kg	0.62	0.14	1	05/18/22 15:33	05/24/22 14:44	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-46 (4.0-5.0) **Lab ID: 40244735006** Collected: 05/10/22 09:50 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	222	mg/kg	0.37	0.067	1	05/18/22 15:33	05/24/22 14:44	7440-39-3	
Beryllium	1.1	mg/kg	0.25	0.049	1	05/18/22 15:33	05/24/22 14:44	7440-41-7	
Cadmium	0.32	mg/kg	0.10	0.039	1	05/18/22 15:33	05/24/22 14:44	7440-43-9	
Calcium	3620	mg/kg	125	14.7	1	05/18/22 15:33	05/24/22 14:44	7440-70-2	
Chromium	23.6	mg/kg	2.5	0.17	1	05/18/22 15:33	05/24/22 14:44	7440-47-3	
Cobalt	12.2	mg/kg	0.62	0.12	1	05/18/22 15:33	05/24/22 14:44	7440-48-4	
Copper	27.1	mg/kg	1.2	0.30	1	05/18/22 15:33	05/24/22 14:44	7440-50-8	
Iron	42900	mg/kg	311	65.4	5	05/18/22 15:33	05/25/22 15:19	7439-89-6	
Lead	11.6	mg/kg	0.62	0.037	1	05/18/22 15:33	05/24/22 14:44	7439-92-1	
Magnesium	4090	mg/kg	37.4	5.4	1	05/18/22 15:33	05/24/22 14:44	7439-95-4	
Manganese	354	mg/kg	0.62	0.31	1	05/18/22 15:33	05/24/22 14:44	7439-96-5	
Nickel	33.2	mg/kg	0.62	0.25	1	05/18/22 15:33	05/24/22 14:44	7440-02-0	
Potassium	1130	mg/kg	125	14.3	1	05/18/22 15:33	05/24/22 14:44	7440-09-7	
Selenium	0.53J	mg/kg	0.62	0.11	1	05/18/22 15:33	05/24/22 14:44	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/18/22 15:33	05/25/22 15:15	7440-22-4	
Sodium	163	mg/kg	62.3	13.8	1	05/18/22 15:33	05/24/22 14:44	7440-23-5	
Thallium	0.19	mg/kg	0.12	0.046	1	05/18/22 15:33	05/24/22 14:44	7440-28-0	
Vanadium	47.1	mg/kg	1.2	0.22	1	05/18/22 15:33	05/24/22 14:44	7440-62-2	
Zinc	71.9	mg/kg	6.2	1.1	1	05/18/22 15:33	05/24/22 14:44	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.030J	mg/kg	0.042	0.012	1	05/17/22 09:27	05/18/22 13:46	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/16/22 12:51	05/17/22 18:15	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/17/22 18:15	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/16/22 12:51	05/17/22 18:15	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/16/22 12:51	05/17/22 18:15	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/17/22 18:15	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/16/22 12:51	05/17/22 18:15	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 18:15	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/17/22 18:15	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/16/22 12:51	05/17/22 18:15	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/16/22 12:51	05/17/22 18:15	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/17/22 18:15	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/17/22 18:15	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/16/22 12:51	05/17/22 18:15	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/16/22 12:51	05/17/22 18:15	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/17/22 18:15	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/17/22 18:15	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/16/22 12:51	05/17/22 18:15	88-74-4	
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/17/22 18:15	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-46 (4.0-5.0) **Lab ID: 40244735006** Collected: 05/10/22 09:50 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/17/22 18:15		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/17/22 18:15	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 18:15	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/17/22 18:15	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/16/22 12:51	05/17/22 18:15	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/17/22 18:15	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 18:15	106-47-8	3q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/17/22 18:15	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/16/22 12:51	05/17/22 18:15	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/17/22 18:15	100-02-7	
Acenaphthene	<0.075	mg/kg	0.25	0.075	1	05/16/22 12:51	05/17/22 18:15	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/16/22 12:51	05/17/22 18:15	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 18:15	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 18:15	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 18:15	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 18:15	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/17/22 18:15	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/16/22 12:51	05/17/22 18:15	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 18:15	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 18:15	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 18:15	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 18:15	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/16/22 12:51	05/17/22 18:15	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/17/22 18:15	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/16/22 12:51	05/17/22 18:15	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 18:15	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.092	0.028	1	05/16/22 12:51	05/17/22 18:15	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/17/22 18:15	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/16/22 12:51	05/17/22 18:15	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/17/22 18:15	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 18:15	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/16/22 12:51	05/17/22 18:15	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 18:15	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/16/22 12:51	05/17/22 18:15	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 18:15	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 18:15	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/16/22 12:51	05/17/22 18:15	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/16/22 12:51	05/17/22 18:15	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/16/22 12:51	05/17/22 18:15	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/17/22 18:15	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/16/22 12:51	05/17/22 18:15	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/16/22 12:51	05/17/22 18:15	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/17/22 18:15	129-00-0	
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/17/22 18:15	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-46 (4.0-5.0) **Lab ID: 40244735006** Collected: 05/10/22 09:50 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/17/22 18:15	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 18:15	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	77	%	10-125		1	05/16/22 12:51	05/17/22 18:15	4165-60-0	
2-Fluorobiphenyl (S)	68	%	12-118		1	05/16/22 12:51	05/17/22 18:15	321-60-8	
Terphenyl-d14 (S)	80	%	10-124		1	05/16/22 12:51	05/17/22 18:15	1718-51-0	
Phenol-d6 (S)	73	%	10-125		1	05/16/22 12:51	05/17/22 18:15	13127-88-3	
2-Fluorophenol (S)	74	%	10-130		1	05/16/22 12:51	05/17/22 18:15	367-12-4	
2,4,6-Tribromophenol (S)	84	%	10-144		1	05/16/22 12:51	05/17/22 18:15	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/16/22 06:00	05/16/22 13:41	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/16/22 06:00	05/16/22 13:41	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/16/22 06:00	05/16/22 13:41	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/16/22 06:00	05/16/22 13:41	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/16/22 06:00	05/16/22 13:41	75-35-4	
1,2-Dichloroethane	<0.00087	mg/kg	0.0053	0.00087	1	05/16/22 06:00	05/16/22 13:41	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/16/22 06:00	05/16/22 13:41	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.026	0.016	1	05/16/22 06:00	05/16/22 13:41	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/16/22 06:00	05/16/22 13:41	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.026	0.021	1	05/16/22 06:00	05/16/22 13:41	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/16/22 06:00	05/16/22 13:41	67-64-1	
Benzene	<0.00074	mg/kg	0.0053	0.00074	1	05/16/22 06:00	05/16/22 13:41	71-43-2	
Bromodichloromethane	<0.00071	mg/kg	0.0053	0.00071	1	05/16/22 06:00	05/16/22 13:41	75-27-4	
Bromoform	<0.0085	mg/kg	0.021	0.0085	1	05/16/22 06:00	05/16/22 13:41	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0053	0.0047	1	05/16/22 06:00	05/16/22 13:41	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/16/22 06:00	05/16/22 13:41	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0053	0.0033	1	05/16/22 06:00	05/16/22 13:41	56-23-5	
Chlorobenzene	<0.00097	mg/kg	0.0053	0.00097	1	05/16/22 06:00	05/16/22 13:41	108-90-7	
Chloroethane	<0.0038	mg/kg	0.0053	0.0038	1	05/16/22 06:00	05/16/22 13:41	75-00-3	
Chloroform	<0.00089	mg/kg	0.0053	0.00089	1	05/16/22 06:00	05/16/22 13:41	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/16/22 06:00	05/16/22 13:41	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/16/22 06:00	05/16/22 13:41	124-48-1	
Ethylbenzene	<0.00094	mg/kg	0.0053	0.00094	1	05/16/22 06:00	05/16/22 13:41	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/16/22 06:00	05/16/22 13:41	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/16/22 06:00	05/16/22 13:41	75-09-2	
Styrene	<0.00075	mg/kg	0.0053	0.00075	1	05/16/22 06:00	05/16/22 13:41	100-42-5	
Tetrachloroethene	<0.00093	mg/kg	0.0053	0.00093	1	05/16/22 06:00	05/16/22 13:41	127-18-4	
Toluene	<0.00093	mg/kg	0.0053	0.00093	1	05/16/22 06:00	05/16/22 13:41	108-88-3	
Trichloroethene	<0.00075	mg/kg	0.0053	0.00075	1	05/16/22 06:00	05/16/22 13:41	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/16/22 06:00	05/16/22 13:41	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/16/22 06:00	05/16/22 13:41	1330-20-7	
cis-1,2-Dichloroethene	<0.00093	mg/kg	0.0053	0.00093	1	05/16/22 06:00	05/16/22 13:41	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-46 (4.0-5.0) **Lab ID: 40244735006** Collected: 05/10/22 09:50 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/16/22 06:00	05/16/22 13:41	10061-01-5	
trans-1,2-Dichloroethene	<0.00075	mg/kg	0.0053	0.00075	1	05/16/22 06:00	05/16/22 13:41	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/16/22 06:00	05/16/22 13:41	10061-02-6	
Surrogates									
Toluene-d8 (S)	88	%	69-156		1	05/16/22 06:00	05/16/22 13:41	2037-26-5	
4-Bromofluorobenzene (S)	82	%	61-175		1	05/16/22 06:00	05/16/22 13:41	460-00-4	
1,2-Dichlorobenzene-d4 (S)	95	%	70-130		1	05/16/22 06:00	05/16/22 13:41	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.4	%	0.10	0.10	1		05/13/22 10:20		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/20/22 11:26		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.38	mg/kg	1.1	0.38	1	05/18/22 10:45	05/18/22 15:48	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-47 (1.5-2.5) **Lab ID: 40244735007** Collected: 05/10/22 10:10 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00060	mg/kg	0.0031	0.00060	1	05/16/22 13:43	05/17/22 19:04	309-00-2	
alpha-BHC	<0.00065	mg/kg	0.0031	0.00065	1	05/16/22 13:43	05/17/22 19:04	319-84-6	
beta-BHC	<0.00058	mg/kg	0.0031	0.00058	1	05/16/22 13:43	05/17/22 19:04	319-85-7	
delta-BHC	<0.00081	mg/kg	0.0031	0.00081	1	05/16/22 13:43	05/17/22 19:04	319-86-8	
gamma-BHC (Lindane)	<0.00056	mg/kg	0.0031	0.00056	1	05/16/22 13:43	05/17/22 19:04	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.062	0.013	1	05/16/22 13:43	05/17/22 19:04	57-74-9	
alpha-Chlordane	<0.00055	mg/kg	0.0031	0.00055	1	05/16/22 13:43	05/17/22 19:04	5103-71-9	
gamma-Chlordane	<0.00065	mg/kg	0.0031	0.00065	1	05/16/22 13:43	05/17/22 19:04	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0062	0.0012	1	05/16/22 13:43	05/17/22 19:04	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0062	0.0010	1	05/16/22 13:43	05/17/22 19:04	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0062	0.0020	1	05/16/22 13:43	05/17/22 19:04	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0062	0.0011	1	05/16/22 13:43	05/17/22 19:04	60-57-1	
Endosulfan I	<0.00052	mg/kg	0.0031	0.00052	1	05/16/22 13:43	05/17/22 19:04	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0062	0.0010	1	05/16/22 13:43	05/17/22 19:04	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0062	0.0012	1	05/16/22 13:43	05/17/22 19:04	1031-07-8	
Endrin	<0.0011	mg/kg	0.0062	0.0011	1	05/16/22 13:43	05/17/22 19:04	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0062	0.0014	1	05/16/22 13:43	05/17/22 19:04	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0062	0.0016	1	05/16/22 13:43	05/17/22 19:04	53494-70-5	
Heptachlor	<0.00055	mg/kg	0.0031	0.00055	1	05/16/22 13:43	05/17/22 19:04	76-44-8	
Heptachlor epoxide	<0.00052	mg/kg	0.0031	0.00052	1	05/16/22 13:43	05/17/22 19:04	1024-57-3	
Methoxychlor	<0.0071	mg/kg	0.031	0.0071	1	05/16/22 13:43	05/17/22 19:04	72-43-5	
Toxaphene	<0.022	mg/kg	0.062	0.022	1	05/16/22 13:43	05/17/22 19:04	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	100	%	10-147		1	05/16/22 13:43	05/17/22 19:04	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 11:42	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 11:42	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 11:42	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 11:42	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 11:42	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 11:42	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 11:42	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 11:42	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	57	%	50-99		1	05/12/22 05:57	05/14/22 11:42	877-09-8	
Decachlorobiphenyl (S)	54	%	38-95		1	05/12/22 05:57	05/14/22 11:42	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	11000	mg/kg	35.7	7.2	1	05/18/22 15:33	05/24/22 14:48	7429-90-5	
Antimony	0.28J	mg/kg	0.60	0.11	1	05/18/22 15:33	05/24/22 14:48	7440-36-0	
Arsenic	9.0	mg/kg	0.60	0.13	1	05/18/22 15:33	05/24/22 14:48	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-47 (1.5-2.5) **Lab ID: 40244735007** Collected: 05/10/22 10:10 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	120	mg/kg	0.36	0.064	1	05/18/22 15:33	05/24/22 14:48	7440-39-3	
Beryllium	0.65	mg/kg	0.24	0.047	1	05/18/22 15:33	05/24/22 14:48	7440-41-7	
Cadmium	0.46	mg/kg	0.095	0.037	1	05/18/22 15:33	05/24/22 14:48	7440-43-9	
Calcium	21200	mg/kg	119	14.0	1	05/18/22 15:33	05/24/22 14:48	7440-70-2	
Chromium	16.9	mg/kg	2.4	0.17	1	05/18/22 15:33	05/24/22 14:48	7440-47-3	
Cobalt	10.5	mg/kg	0.60	0.12	1	05/18/22 15:33	05/24/22 14:48	7440-48-4	
Copper	19.4	mg/kg	1.2	0.29	1	05/18/22 15:33	05/24/22 14:48	7440-50-8	
Iron	20900	mg/kg	59.5	12.5	1	05/18/22 15:33	05/24/22 14:48	7439-89-6	
Lead	17.2	mg/kg	0.60	0.035	1	05/18/22 15:33	05/24/22 14:48	7439-92-1	
Magnesium	13400	mg/kg	35.7	5.1	1	05/18/22 15:33	05/24/22 14:48	7439-95-4	
Manganese	1110	mg/kg	3.0	1.5	5	05/18/22 15:33	05/25/22 15:25	7439-96-5	
Nickel	21.5	mg/kg	0.60	0.24	1	05/18/22 15:33	05/24/22 14:48	7440-02-0	
Potassium	1020	mg/kg	119	13.7	1	05/18/22 15:33	05/24/22 14:48	7440-09-7	
Selenium	0.30J	mg/kg	0.60	0.10	1	05/18/22 15:33	05/24/22 14:48	7782-49-2	
Silver	<0.17	mg/kg	0.60	0.17	1	05/18/22 15:33	05/25/22 15:22	7440-22-4	
Sodium	82.9	mg/kg	59.5	13.2	1	05/18/22 15:33	05/24/22 14:48	7440-23-5	
Thallium	0.22	mg/kg	0.12	0.044	1	05/18/22 15:33	05/24/22 14:48	7440-28-0	
Vanadium	30.7	mg/kg	1.2	0.21	1	05/18/22 15:33	05/24/22 14:48	7440-62-2	
Zinc	65.0	mg/kg	6.0	1.1	1	05/18/22 15:33	05/24/22 14:48	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.039J	mg/kg	0.041	0.012	1	05/17/22 09:27	05/18/22 13:48	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/16/22 12:51	05/17/22 18:36	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/16/22 12:51	05/17/22 18:36	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/17/22 18:36	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/17/22 18:36	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/17/22 18:36	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/16/22 12:51	05/17/22 18:36	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 18:36	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/17/22 18:36	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/16/22 12:51	05/17/22 18:36	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/17/22 18:36	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/17/22 18:36	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/16/22 12:51	05/17/22 18:36	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.092	0.028	1	05/16/22 12:51	05/17/22 18:36	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/17/22 18:36	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/17/22 18:36	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/17/22 18:36	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/16/22 12:51	05/17/22 18:36	88-74-4	
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/16/22 12:51	05/17/22 18:36	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-47 (1.5-2.5) **Lab ID: 40244735007** Collected: 05/10/22 10:10 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/17/22 18:36		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/16/22 12:51	05/17/22 18:36	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 18:36	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/17/22 18:36	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/16/22 12:51	05/17/22 18:36	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/17/22 18:36	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 18:36	106-47-8	3q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/17/22 18:36	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/16/22 12:51	05/17/22 18:36	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/17/22 18:36	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/16/22 12:51	05/17/22 18:36	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/16/22 12:51	05/17/22 18:36	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 18:36	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 18:36	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 18:36	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 18:36	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/17/22 18:36	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/16/22 12:51	05/17/22 18:36	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 18:36	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 18:36	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 18:36	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 18:36	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/16/22 12:51	05/17/22 18:36	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/16/22 12:51	05/17/22 18:36	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/16/22 12:51	05/17/22 18:36	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 18:36	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/16/22 12:51	05/17/22 18:36	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/17/22 18:36	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/16/22 12:51	05/17/22 18:36	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/17/22 18:36	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 18:36	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/16/22 12:51	05/17/22 18:36	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 18:36	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/17/22 18:36	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 18:36	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 18:36	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/16/22 12:51	05/17/22 18:36	86-30-6	
Naphthalene	<0.075	mg/kg	0.25	0.075	1	05/16/22 12:51	05/17/22 18:36	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/16/22 12:51	05/17/22 18:36	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/16/22 12:51	05/17/22 18:36	87-86-5	
Phenanthrene	0.055J	mg/kg	0.092	0.028	1	05/16/22 12:51	05/17/22 18:36	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/16/22 12:51	05/17/22 18:36	108-95-2	
Pyrene	0.050J	mg/kg	0.16	0.048	1	05/16/22 12:51	05/17/22 18:36	129-00-0	
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/17/22 18:36	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-47 (1.5-2.5) **Lab ID: 40244735007** Collected: 05/10/22 10:10 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/17/22 18:36	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 18:36	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	70	%	10-125		1	05/16/22 12:51	05/17/22 18:36	4165-60-0	
2-Fluorobiphenyl (S)	59	%	12-118		1	05/16/22 12:51	05/17/22 18:36	321-60-8	
Terphenyl-d14 (S)	66	%	10-124		1	05/16/22 12:51	05/17/22 18:36	1718-51-0	
Phenol-d6 (S)	57	%	10-125		1	05/16/22 12:51	05/17/22 18:36	13127-88-3	
2-Fluorophenol (S)	61	%	10-130		1	05/16/22 12:51	05/17/22 18:36	367-12-4	
2,4,6-Tribromophenol (S)	69	%	10-144		1	05/16/22 12:51	05/17/22 18:36	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0014	mg/kg	0.0046	0.0014	1	05/17/22 06:00	05/17/22 12:07	71-55-6	L1
1,1,2,2-Tetrachloroethane	<0.0024	mg/kg	0.0046	0.0024	1	05/17/22 06:00	05/17/22 12:07	79-34-5	
1,1,2-Trichloroethane	<0.0014	mg/kg	0.0046	0.0014	1	05/17/22 06:00	05/17/22 12:07	79-00-5	
1,1-Dichloroethane	<0.00099	mg/kg	0.0046	0.00099	1	05/17/22 06:00	05/17/22 12:07	75-34-3	L1
1,1-Dichloroethene	<0.00098	mg/kg	0.0046	0.00098	1	05/17/22 06:00	05/17/22 12:07	75-35-4	L1
1,2-Dichloroethane	<0.00076	mg/kg	0.0046	0.00076	1	05/17/22 06:00	05/17/22 12:07	107-06-2	
1,2-Dichloropropane	<0.00094	mg/kg	0.0046	0.00094	1	05/17/22 06:00	05/17/22 12:07	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.023	0.015	1	05/17/22 06:00	05/17/22 12:07	78-93-3	
2-Hexanone	<0.010	mg/kg	0.023	0.010	1	05/17/22 06:00	05/17/22 12:07	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.018	mg/kg	0.023	0.018	1	05/17/22 06:00	05/17/22 12:07	108-10-1	
Acetone	<0.044	mg/kg	0.093	0.044	1	05/17/22 06:00	05/17/22 12:07	67-64-1	
Benzene	<0.00066	mg/kg	0.0046	0.00066	1	05/17/22 06:00	05/17/22 12:07	71-43-2	
Bromodichloromethane	<0.00063	mg/kg	0.0046	0.00063	1	05/17/22 06:00	05/17/22 12:07	75-27-4	
Bromoform	<0.0075	mg/kg	0.019	0.0075	1	05/17/22 06:00	05/17/22 12:07	75-25-2	
Bromomethane	<0.0041	mg/kg	0.0046	0.0041	1	05/17/22 06:00	05/17/22 12:07	74-83-9	
Carbon disulfide	<0.0010	mg/kg	0.0046	0.0010	1	05/17/22 06:00	05/17/22 12:07	75-15-0	
Carbon tetrachloride	<0.0029	mg/kg	0.0046	0.0029	1	05/17/22 06:00	05/17/22 12:07	56-23-5	
Chlorobenzene	<0.00086	mg/kg	0.0046	0.00086	1	05/17/22 06:00	05/17/22 12:07	108-90-7	
Chloroethane	<0.0034	mg/kg	0.0046	0.0034	1	05/17/22 06:00	05/17/22 12:07	75-00-3	
Chloroform	<0.00078	mg/kg	0.0046	0.00078	1	05/17/22 06:00	05/17/22 12:07	67-66-3	
Chloromethane	<0.0010	mg/kg	0.0046	0.0010	1	05/17/22 06:00	05/17/22 12:07	74-87-3	
Dibromochloromethane	<0.00093	mg/kg	0.0046	0.00093	1	05/17/22 06:00	05/17/22 12:07	124-48-1	
Ethylbenzene	<0.00083	mg/kg	0.0046	0.00083	1	05/17/22 06:00	05/17/22 12:07	100-41-4	
Methyl-tert-butyl ether	<0.0019	mg/kg	0.0046	0.0019	1	05/17/22 06:00	05/17/22 12:07	1634-04-4	
Methylene Chloride	<0.0037	mg/kg	0.0046	0.0037	1	05/17/22 06:00	05/17/22 12:07	75-09-2	L1
Styrene	<0.00066	mg/kg	0.0046	0.00066	1	05/17/22 06:00	05/17/22 12:07	100-42-5	
Tetrachloroethene	<0.00082	mg/kg	0.0046	0.00082	1	05/17/22 06:00	05/17/22 12:07	127-18-4	
Toluene	<0.00082	mg/kg	0.0046	0.00082	1	05/17/22 06:00	05/17/22 12:07	108-88-3	
Trichloroethene	<0.00066	mg/kg	0.0046	0.00066	1	05/17/22 06:00	05/17/22 12:07	79-01-6	
Vinyl chloride	<0.0012	mg/kg	0.0046	0.0012	1	05/17/22 06:00	05/17/22 12:07	75-01-4	
Xylene (Total)	<0.0032	mg/kg	0.0093	0.0032	1	05/17/22 06:00	05/17/22 12:07	1330-20-7	
cis-1,2-Dichloroethene	<0.00082	mg/kg	0.0046	0.00082	1	05/17/22 06:00	05/17/22 12:07	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-47 (1.5-2.5) **Lab ID: 40244735007** Collected: 05/10/22 10:10 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.00095	mg/kg	0.0046	0.00095	1	05/17/22 06:00	05/17/22 12:07	10061-01-5	
trans-1,2-Dichloroethene	<0.00067	mg/kg	0.0046	0.00067	1	05/17/22 06:00	05/17/22 12:07	156-60-5	L1
trans-1,3-Dichloropropene	<0.00093	mg/kg	0.0046	0.00093	1	05/17/22 06:00	05/17/22 12:07	10061-02-6	
Surrogates									
Toluene-d8 (S)	94	%	69-156		1	05/17/22 06:00	05/17/22 12:07	2037-26-5	
4-Bromofluorobenzene (S)	87	%	61-175		1	05/17/22 06:00	05/17/22 12:07	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1	05/17/22 06:00	05/17/22 12:07	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.6	%	0.10	0.10	1		05/13/22 10:20		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.7	Std. Units	0.10	0.010	1		05/20/22 11:41		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	0.38J	mg/kg	0.93	0.31	1	05/18/22 10:45	05/18/22 15:48	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-47 (4.0-5.0) **Lab ID: 40244735008** Collected: 05/10/22 10:15 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00063	mg/kg	0.0033	0.00063	1	05/16/22 13:43	05/17/22 19:17	309-00-2	
alpha-BHC	<0.00068	mg/kg	0.0033	0.00068	1	05/16/22 13:43	05/17/22 19:17	319-84-6	
beta-BHC	<0.00061	mg/kg	0.0033	0.00061	1	05/16/22 13:43	05/17/22 19:17	319-85-7	
delta-BHC	<0.00085	mg/kg	0.0033	0.00085	1	05/16/22 13:43	05/17/22 19:17	319-86-8	
gamma-BHC (Lindane)	<0.00059	mg/kg	0.0033	0.00059	1	05/16/22 13:43	05/17/22 19:17	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.065	0.013	1	05/16/22 13:43	05/17/22 19:17	57-74-9	
alpha-Chlordane	<0.00058	mg/kg	0.0033	0.00058	1	05/16/22 13:43	05/17/22 19:17	5103-71-9	
gamma-Chlordane	<0.00068	mg/kg	0.0033	0.00068	1	05/16/22 13:43	05/17/22 19:17	5103-74-2	
4,4'-DDD	<0.0013	mg/kg	0.0065	0.0013	1	05/16/22 13:43	05/17/22 19:17	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0065	0.0011	1	05/16/22 13:43	05/17/22 19:17	72-55-9	
4,4'-DDT	<0.0021	mg/kg	0.0065	0.0021	1	05/16/22 13:43	05/17/22 19:17	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0065	0.0011	1	05/16/22 13:43	05/17/22 19:17	60-57-1	
Endosulfan I	<0.00054	mg/kg	0.0033	0.00054	1	05/16/22 13:43	05/17/22 19:17	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0065	0.0011	1	05/16/22 13:43	05/17/22 19:17	33213-65-9	
Endosulfan sulfate	<0.0013	mg/kg	0.0065	0.0013	1	05/16/22 13:43	05/17/22 19:17	1031-07-8	
Endrin	<0.0011	mg/kg	0.0065	0.0011	1	05/16/22 13:43	05/17/22 19:17	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0065	0.0015	1	05/16/22 13:43	05/17/22 19:17	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0065	0.0016	1	05/16/22 13:43	05/17/22 19:17	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0033	0.00058	1	05/16/22 13:43	05/17/22 19:17	76-44-8	
Heptachlor epoxide	<0.00055	mg/kg	0.0033	0.00055	1	05/16/22 13:43	05/17/22 19:17	1024-57-3	
Methoxychlor	<0.0075	mg/kg	0.033	0.0075	1	05/16/22 13:43	05/17/22 19:17	72-43-5	
Toxaphene	<0.023	mg/kg	0.065	0.023	1	05/16/22 13:43	05/17/22 19:17	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	40	%	10-147		1	05/16/22 13:43	05/17/22 19:17	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 12:06	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 12:06	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 12:06	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 12:06	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 12:06	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 12:06	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 12:06	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 12:06	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	62	%	50-99		1	05/12/22 05:57	05/14/22 12:06	877-09-8	
Decachlorobiphenyl (S)	65	%	38-95		1	05/12/22 05:57	05/14/22 12:06	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	14800	mg/kg	37.9	7.6	1	05/18/22 15:33	05/24/22 14:51	7429-90-5	
Antimony	0.21J	mg/kg	0.63	0.12	1	05/18/22 15:33	05/24/22 14:51	7440-36-0	
Arsenic	12.2	mg/kg	0.63	0.14	1	05/18/22 15:33	05/24/22 14:51	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-47 (4.0-5.0) **Lab ID: 40244735008** Collected: 05/10/22 10:15 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	160	mg/kg	0.38	0.067	1	05/18/22 15:33	05/24/22 14:51	7440-39-3	
Beryllium	0.85	mg/kg	0.25	0.050	1	05/18/22 15:33	05/24/22 14:51	7440-41-7	
Cadmium	0.37	mg/kg	0.10	0.040	1	05/18/22 15:33	05/24/22 14:51	7440-43-9	
Calcium	9650	mg/kg	126	14.9	1	05/18/22 15:33	05/24/22 14:51	7440-70-2	
Chromium	19.7	mg/kg	2.5	0.18	1	05/18/22 15:33	05/24/22 14:51	7440-47-3	
Cobalt	9.5	mg/kg	0.63	0.13	1	05/18/22 15:33	05/24/22 14:51	7440-48-4	
Copper	24.1	mg/kg	1.3	0.31	1	05/18/22 15:33	05/24/22 14:51	7440-50-8	
Iron	28400	mg/kg	63.1	13.3	1	05/18/22 15:33	05/24/22 14:51	7439-89-6	
Lead	16.2	mg/kg	0.63	0.037	1	05/18/22 15:33	05/24/22 14:51	7439-92-1	
Magnesium	6660	mg/kg	37.9	5.4	1	05/18/22 15:33	05/24/22 14:51	7439-95-4	
Manganese	530	mg/kg	0.63	0.31	1	05/18/22 15:33	05/24/22 14:51	7439-96-5	
Nickel	24.1	mg/kg	0.63	0.25	1	05/18/22 15:33	05/24/22 14:51	7440-02-0	
Potassium	952	mg/kg	126	14.5	1	05/18/22 15:33	05/24/22 14:51	7440-09-7	
Selenium	0.54J	mg/kg	0.63	0.11	1	05/18/22 15:33	05/24/22 14:51	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/18/22 15:33	05/25/22 15:29	7440-22-4	
Sodium	93.0	mg/kg	63.1	14.0	1	05/18/22 15:33	05/24/22 14:51	7440-23-5	
Thallium	0.22	mg/kg	0.13	0.046	1	05/18/22 15:33	05/24/22 14:51	7440-28-0	
Vanadium	36.4	mg/kg	1.3	0.22	1	05/18/22 15:33	05/24/22 14:51	7440-62-2	
Zinc	67.1	mg/kg	6.3	1.1	1	05/18/22 15:33	05/24/22 14:51	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.023J	mg/kg	0.042	0.012	1	05/17/22 09:27	05/18/22 13:51	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.082	0.025	1	05/16/22 12:51	05/17/22 18:58	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/16/22 12:51	05/17/22 18:58	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/17/22 18:58	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/17/22 18:58	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/17/22 18:58	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/16/22 12:51	05/17/22 18:58	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 18:58	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/17/22 18:58	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/16/22 12:51	05/17/22 18:58	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/17/22 18:58	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/17/22 18:58	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/16/22 12:51	05/17/22 18:58	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/16/22 12:51	05/17/22 18:58	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/17/22 18:58	95-57-8	
2-Methylnaphthalene	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/17/22 18:58	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/17/22 18:58	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/16/22 12:51	05/17/22 18:58	88-74-4	
2-Nitrophenol	<0.069	mg/kg	0.23	0.069	1	05/16/22 12:51	05/17/22 18:58	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-47 (4.0-5.0) **Lab ID: 40244735008** Collected: 05/10/22 10:15 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/17/22 18:58		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/16/22 12:51	05/17/22 18:58	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 18:58	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/17/22 18:58	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/16/22 12:51	05/17/22 18:58	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/16/22 12:51	05/17/22 18:58	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 18:58	106-47-8	3q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/16/22 12:51	05/17/22 18:58	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/16/22 12:51	05/17/22 18:58	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/17/22 18:58	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/16/22 12:51	05/17/22 18:58	83-32-9	
Acenaphthylene	<0.078	mg/kg	0.26	0.078	1	05/16/22 12:51	05/17/22 18:58	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 18:58	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 18:58	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 18:58	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 18:58	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/17/22 18:58	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/16/22 12:51	05/17/22 18:58	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 18:58	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 18:58	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 18:58	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 18:58	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/16/22 12:51	05/17/22 18:58	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/16/22 12:51	05/17/22 18:58	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.088	0.026	1	05/16/22 12:51	05/17/22 18:58	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 18:58	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/16/22 12:51	05/17/22 18:58	131-11-3	
Fluoranthene	0.036J	mg/kg	0.10	0.031	1	05/16/22 12:51	05/17/22 18:58	206-44-0	
Fluorene	<0.025	mg/kg	0.085	0.025	1	05/16/22 12:51	05/17/22 18:58	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/17/22 18:58	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 18:58	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/16/22 12:51	05/17/22 18:58	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 18:58	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/17/22 18:58	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 18:58	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 18:58	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	0.99	0.30	1	05/16/22 12:51	05/17/22 18:58	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/16/22 12:51	05/17/22 18:58	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/16/22 12:51	05/17/22 18:58	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/16/22 12:51	05/17/22 18:58	87-86-5	
Phenanthrene	0.038J	mg/kg	0.093	0.028	1	05/16/22 12:51	05/17/22 18:58	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/16/22 12:51	05/17/22 18:58	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/16/22 12:51	05/17/22 18:58	129-00-0	
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/16/22 12:51	05/17/22 18:58	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: **SB-47 (4.0-5.0)** Lab ID: **40244735008** Collected: 05/10/22 10:15 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/16/22 12:51	05/17/22 18:58	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 18:58	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	79	%	10-125		1	05/16/22 12:51	05/17/22 18:58	4165-60-0	
2-Fluorobiphenyl (S)	63	%	12-118		1	05/16/22 12:51	05/17/22 18:58	321-60-8	
Terphenyl-d14 (S)	70	%	10-124		1	05/16/22 12:51	05/17/22 18:58	1718-51-0	
Phenol-d6 (S)	64	%	10-125		1	05/16/22 12:51	05/17/22 18:58	13127-88-3	
2-Fluorophenol (S)	71	%	10-130		1	05/16/22 12:51	05/17/22 18:58	367-12-4	
2,4,6-Tribromophenol (S)	81	%	10-144		1	05/16/22 12:51	05/17/22 18:58	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0057	0.0017	1	05/17/22 06:00	05/17/22 12:31	71-55-6	L1
1,1,2,2-Tetrachloroethane	<0.0029	mg/kg	0.0057	0.0029	1	05/17/22 06:00	05/17/22 12:31	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0057	0.0017	1	05/17/22 06:00	05/17/22 12:31	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0057	0.0012	1	05/17/22 06:00	05/17/22 12:31	75-34-3	L1
1,1-Dichloroethene	<0.0012	mg/kg	0.0057	0.0012	1	05/17/22 06:00	05/17/22 12:31	75-35-4	L1
1,2-Dichloroethane	<0.00094	mg/kg	0.0057	0.00094	1	05/17/22 06:00	05/17/22 12:31	107-06-2	
1,2-Dichloropropane	<0.0012	mg/kg	0.0057	0.0012	1	05/17/22 06:00	05/17/22 12:31	78-87-5	
2-Butanone (MEK)	<0.018	mg/kg	0.029	0.018	1	05/17/22 06:00	05/17/22 12:31	78-93-3	
2-Hexanone	<0.013	mg/kg	0.029	0.013	1	05/17/22 06:00	05/17/22 12:31	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.023	mg/kg	0.029	0.023	1	05/17/22 06:00	05/17/22 12:31	108-10-1	
Acetone	<0.054	mg/kg	0.11	0.054	1	05/17/22 06:00	05/17/22 12:31	67-64-1	
Benzene	<0.00081	mg/kg	0.0057	0.00081	1	05/17/22 06:00	05/17/22 12:31	71-43-2	
Bromodichloromethane	<0.00078	mg/kg	0.0057	0.00078	1	05/17/22 06:00	05/17/22 12:31	75-27-4	
Bromoform	<0.0093	mg/kg	0.023	0.0093	1	05/17/22 06:00	05/17/22 12:31	75-25-2	
Bromomethane	<0.0051	mg/kg	0.0057	0.0051	1	05/17/22 06:00	05/17/22 12:31	74-83-9	
Carbon disulfide	<0.0013	mg/kg	0.0057	0.0013	1	05/17/22 06:00	05/17/22 12:31	75-15-0	
Carbon tetrachloride	<0.0036	mg/kg	0.0057	0.0036	1	05/17/22 06:00	05/17/22 12:31	56-23-5	
Chlorobenzene	<0.0011	mg/kg	0.0057	0.0011	1	05/17/22 06:00	05/17/22 12:31	108-90-7	
Chloroethane	<0.0041	mg/kg	0.0057	0.0041	1	05/17/22 06:00	05/17/22 12:31	75-00-3	
Chloroform	<0.00097	mg/kg	0.0057	0.00097	1	05/17/22 06:00	05/17/22 12:31	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0057	0.0012	1	05/17/22 06:00	05/17/22 12:31	74-87-3	
Dibromochloromethane	<0.0012	mg/kg	0.0057	0.0012	1	05/17/22 06:00	05/17/22 12:31	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0057	0.0010	1	05/17/22 06:00	05/17/22 12:31	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0057	0.0023	1	05/17/22 06:00	05/17/22 12:31	1634-04-4	
Methylene Chloride	<0.0045	mg/kg	0.0057	0.0045	1	05/17/22 06:00	05/17/22 12:31	75-09-2	L1
Styrene	<0.00081	mg/kg	0.0057	0.00081	1	05/17/22 06:00	05/17/22 12:31	100-42-5	
Tetrachloroethene	<0.0010	mg/kg	0.0057	0.0010	1	05/17/22 06:00	05/17/22 12:31	127-18-4	
Toluene	<0.0010	mg/kg	0.0057	0.0010	1	05/17/22 06:00	05/17/22 12:31	108-88-3	
Trichloroethene	<0.00082	mg/kg	0.0057	0.00082	1	05/17/22 06:00	05/17/22 12:31	79-01-6	
Vinyl chloride	<0.0015	mg/kg	0.0057	0.0015	1	05/17/22 06:00	05/17/22 12:31	75-01-4	
Xylene (Total)	<0.0039	mg/kg	0.011	0.0039	1	05/17/22 06:00	05/17/22 12:31	1330-20-7	
cis-1,2-Dichloroethene	<0.0010	mg/kg	0.0057	0.0010	1	05/17/22 06:00	05/17/22 12:31	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-47 (4.0-5.0) **Lab ID: 40244735008** Collected: 05/10/22 10:15 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0012	mg/kg	0.0057	0.0012	1	05/17/22 06:00	05/17/22 12:31	10061-01-5	
trans-1,2-Dichloroethene	<0.00082	mg/kg	0.0057	0.00082	1	05/17/22 06:00	05/17/22 12:31	156-60-5	L1
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0057	0.0011	1	05/17/22 06:00	05/17/22 12:31	10061-02-6	
Surrogates									
Toluene-d8 (S)	100	%	69-156		1	05/17/22 06:00	05/17/22 12:31	2037-26-5	
4-Bromofluorobenzene (S)	93	%	61-175		1	05/17/22 06:00	05/17/22 12:31	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1	05/17/22 06:00	05/17/22 12:31	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.3	%	0.10	0.10	1		05/13/22 10:21		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/20/22 11:45		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.38	mg/kg	1.1	0.38	1	05/18/22 10:45	05/18/22 15:49	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-56 (1.5-2.5) **Lab ID: 40244735009** Collected: 05/10/22 10:55 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00062	mg/kg	0.0032	0.00062	1	05/16/22 13:43	05/17/22 19:29	309-00-2	
alpha-BHC	<0.00066	mg/kg	0.0032	0.00066	1	05/16/22 13:43	05/17/22 19:29	319-84-6	
beta-BHC	<0.00060	mg/kg	0.0032	0.00060	1	05/16/22 13:43	05/17/22 19:29	319-85-7	
delta-BHC	<0.00084	mg/kg	0.0032	0.00084	1	05/16/22 13:43	05/17/22 19:29	319-86-8	
gamma-BHC (Lindane)	<0.00058	mg/kg	0.0032	0.00058	1	05/16/22 13:43	05/17/22 19:29	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.064	0.013	1	05/16/22 13:43	05/17/22 19:29	57-74-9	
alpha-Chlordane	<0.00056	mg/kg	0.0032	0.00056	1	05/16/22 13:43	05/17/22 19:29	5103-71-9	
gamma-Chlordane	<0.00067	mg/kg	0.0032	0.00067	1	05/16/22 13:43	05/17/22 19:29	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0064	0.0012	1	05/16/22 13:43	05/17/22 19:29	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0064	0.0011	1	05/16/22 13:43	05/17/22 19:29	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0064	0.0020	1	05/16/22 13:43	05/17/22 19:29	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0064	0.0011	1	05/16/22 13:43	05/17/22 19:29	60-57-1	
Endosulfan I	<0.00053	mg/kg	0.0032	0.00053	1	05/16/22 13:43	05/17/22 19:29	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0064	0.0010	1	05/16/22 13:43	05/17/22 19:29	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0064	0.0012	1	05/16/22 13:43	05/17/22 19:29	1031-07-8	
Endrin	<0.0011	mg/kg	0.0064	0.0011	1	05/16/22 13:43	05/17/22 19:29	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0064	0.0015	1	05/16/22 13:43	05/17/22 19:29	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0064	0.0016	1	05/16/22 13:43	05/17/22 19:29	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0032	0.00057	1	05/16/22 13:43	05/17/22 19:29	76-44-8	
Heptachlor epoxide	<0.00054	mg/kg	0.0032	0.00054	1	05/16/22 13:43	05/17/22 19:29	1024-57-3	
Methoxychlor	<0.0073	mg/kg	0.032	0.0073	1	05/16/22 13:43	05/17/22 19:29	72-43-5	
Toxaphene	<0.023	mg/kg	0.064	0.023	1	05/16/22 13:43	05/17/22 19:29	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	124	%	10-147		1	05/16/22 13:43	05/17/22 19:29	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 12:30	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 12:30	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 12:30	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 12:30	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 12:30	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 12:30	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 12:30	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 12:30	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	63	%	50-99		1	05/12/22 05:57	05/14/22 12:30	877-09-8	
Decachlorobiphenyl (S)	64	%	38-95		1	05/12/22 05:57	05/14/22 12:30	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	13500	mg/kg	38.0	7.7	1	05/18/22 15:33	05/24/22 14:55	7429-90-5	
Antimony	0.25J	mg/kg	0.63	0.12	1	05/18/22 15:33	05/24/22 14:55	7440-36-0	
Arsenic	5.6	mg/kg	0.63	0.14	1	05/18/22 15:33	05/24/22 14:55	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-56 (1.5-2.5) **Lab ID: 40244735009** Collected: 05/10/22 10:55 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	119	mg/kg	0.38	0.068	1	05/18/22 15:33	05/24/22 14:55	7440-39-3	
Beryllium	0.82	mg/kg	0.25	0.050	1	05/18/22 15:33	05/24/22 14:55	7440-41-7	
Cadmium	0.30	mg/kg	0.10	0.040	1	05/18/22 15:33	05/24/22 14:55	7440-43-9	
Calcium	13100	mg/kg	127	15.0	1	05/18/22 15:33	05/24/22 14:55	7440-70-2	
Chromium	17.7	mg/kg	2.5	0.18	1	05/18/22 15:33	05/24/22 14:55	7440-47-3	
Cobalt	6.8	mg/kg	0.63	0.13	1	05/18/22 15:33	05/24/22 14:55	7440-48-4	
Copper	21.0	mg/kg	1.3	0.31	1	05/18/22 15:33	05/24/22 14:55	7440-50-8	
Iron	18500	mg/kg	63.4	13.3	1	05/18/22 15:33	05/24/22 14:55	7439-89-6	
Lead	25.7	mg/kg	0.63	0.037	1	05/18/22 15:33	05/24/22 14:55	7439-92-1	
Magnesium	7780	mg/kg	38.0	5.4	1	05/18/22 15:33	05/24/22 14:55	7439-95-4	
Manganese	328	mg/kg	0.63	0.31	1	05/18/22 15:33	05/24/22 14:55	7439-96-5	
Nickel	15.7	mg/kg	0.63	0.25	1	05/18/22 15:33	05/24/22 14:55	7440-02-0	
Potassium	1240	mg/kg	127	14.6	1	05/18/22 15:33	05/24/22 14:55	7440-09-7	
Selenium	0.74	mg/kg	0.63	0.11	1	05/18/22 15:33	05/24/22 14:55	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/18/22 15:33	05/25/22 15:32	7440-22-4	
Sodium	119	mg/kg	63.4	14.1	1	05/18/22 15:33	05/24/22 14:55	7440-23-5	
Thallium	0.24	mg/kg	0.13	0.046	1	05/18/22 15:33	05/24/22 14:55	7440-28-0	
Vanadium	31.2	mg/kg	1.3	0.22	1	05/18/22 15:33	05/24/22 14:55	7440-62-2	
Zinc	74.7	mg/kg	6.3	1.1	1	05/18/22 15:33	05/24/22 14:55	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.071	mg/kg	0.044	0.013	1	05/17/22 09:27	05/18/22 13:53	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.082	0.025	1	05/16/22 12:51	05/17/22 19:19	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/16/22 12:51	05/17/22 19:19	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/17/22 19:19	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/17/22 19:19	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/17/22 19:19	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/16/22 12:51	05/17/22 19:19	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 19:19	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/17/22 19:19	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/16/22 12:51	05/17/22 19:19	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/17/22 19:19	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/16/22 12:51	05/17/22 19:19	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/16/22 12:51	05/17/22 19:19	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/16/22 12:51	05/17/22 19:19	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/17/22 19:19	95-57-8	
2-Methylnaphthalene	0.080J	mg/kg	0.19	0.056	1	05/16/22 12:51	05/17/22 19:19	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/17/22 19:19	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/16/22 12:51	05/17/22 19:19	88-74-4	
2-Nitrophenol	<0.069	mg/kg	0.23	0.069	1	05/16/22 12:51	05/17/22 19:19	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-56 (1.5-2.5) **Lab ID: 40244735009** Collected: 05/10/22 10:55 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/17/22 19:19		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/16/22 12:51	05/17/22 19:19	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 19:19	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/17/22 19:19	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/16/22 12:51	05/17/22 19:19	101-55-3	
4-Chloro-3-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/16/22 12:51	05/17/22 19:19	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 19:19	106-47-8	3q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/17/22 19:19	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/16/22 12:51	05/17/22 19:19	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/17/22 19:19	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/16/22 12:51	05/17/22 19:19	83-32-9	
Acenaphthylene	<0.078	mg/kg	0.26	0.078	1	05/16/22 12:51	05/17/22 19:19	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 19:19	120-12-7	
Benzo(a)anthracene	0.042J	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 19:19	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 19:19	50-32-8	
Benzo(b)fluoranthene	0.044J	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 19:19	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/17/22 19:19	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/16/22 12:51	05/17/22 19:19	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 19:19	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 19:19	86-74-8	
Chrysene	0.052J	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 19:19	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 19:19	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/16/22 12:51	05/17/22 19:19	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/16/22 12:51	05/17/22 19:19	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.088	0.026	1	05/16/22 12:51	05/17/22 19:19	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 19:19	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/16/22 12:51	05/17/22 19:19	131-11-3	
Fluoranthene	0.089J	mg/kg	0.10	0.031	1	05/16/22 12:51	05/17/22 19:19	206-44-0	
Fluorene	<0.025	mg/kg	0.085	0.025	1	05/16/22 12:51	05/17/22 19:19	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/17/22 19:19	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 19:19	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/16/22 12:51	05/17/22 19:19	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 19:19	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/17/22 19:19	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 19:19	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 19:19	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/16/22 12:51	05/17/22 19:19	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/16/22 12:51	05/17/22 19:19	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/16/22 12:51	05/17/22 19:19	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/16/22 12:51	05/17/22 19:19	87-86-5	
Phenanthrene	0.070J	mg/kg	0.093	0.028	1	05/16/22 12:51	05/17/22 19:19	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/16/22 12:51	05/17/22 19:19	108-95-2	
Pyrene	0.063J	mg/kg	0.16	0.048	1	05/16/22 12:51	05/17/22 19:19	129-00-0	
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/16/22 12:51	05/17/22 19:19	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-56 (1.5-2.5) **Lab ID: 40244735009** Collected: 05/10/22 10:55 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/16/22 12:51	05/17/22 19:19	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 19:19	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	79	%	10-125		1	05/16/22 12:51	05/17/22 19:19	4165-60-0	
2-Fluorobiphenyl (S)	67	%	12-118		1	05/16/22 12:51	05/17/22 19:19	321-60-8	
Terphenyl-d14 (S)	81	%	10-124		1	05/16/22 12:51	05/17/22 19:19	1718-51-0	
Phenol-d6 (S)	69	%	10-125		1	05/16/22 12:51	05/17/22 19:19	13127-88-3	
2-Fluorophenol (S)	69	%	10-130		1	05/16/22 12:51	05/17/22 19:19	367-12-4	
2,4,6-Tribromophenol (S)	89	%	10-144		1	05/16/22 12:51	05/17/22 19:19	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/17/22 06:00	05/17/22 12:56	71-55-6	L1
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/17/22 06:00	05/17/22 12:56	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/17/22 06:00	05/17/22 12:56	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/17/22 12:56	75-34-3	L1
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/17/22 12:56	75-35-4	L1
1,2-Dichloroethane	<0.00087	mg/kg	0.0053	0.00087	1	05/17/22 06:00	05/17/22 12:56	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/17/22 12:56	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.026	0.017	1	05/17/22 06:00	05/17/22 12:56	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/17/22 06:00	05/17/22 12:56	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.026	0.021	1	05/17/22 06:00	05/17/22 12:56	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/17/22 06:00	05/17/22 12:56	67-64-1	
Benzene	<0.00075	mg/kg	0.0053	0.00075	1	05/17/22 06:00	05/17/22 12:56	71-43-2	
Bromodichloromethane	<0.00072	mg/kg	0.0053	0.00072	1	05/17/22 06:00	05/17/22 12:56	75-27-4	
Bromoform	<0.0086	mg/kg	0.021	0.0086	1	05/17/22 06:00	05/17/22 12:56	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0053	0.0047	1	05/17/22 06:00	05/17/22 12:56	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/17/22 06:00	05/17/22 12:56	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0053	0.0033	1	05/17/22 06:00	05/17/22 12:56	56-23-5	
Chlorobenzene	<0.00097	mg/kg	0.0053	0.00097	1	05/17/22 06:00	05/17/22 12:56	108-90-7	
Chloroethane	<0.0038	mg/kg	0.0053	0.0038	1	05/17/22 06:00	05/17/22 12:56	75-00-3	
Chloroform	<0.00089	mg/kg	0.0053	0.00089	1	05/17/22 06:00	05/17/22 12:56	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/17/22 12:56	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/17/22 12:56	124-48-1	
Ethylbenzene	<0.00094	mg/kg	0.0053	0.00094	1	05/17/22 06:00	05/17/22 12:56	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/17/22 06:00	05/17/22 12:56	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/17/22 06:00	05/17/22 12:56	75-09-2	L1
Styrene	<0.00075	mg/kg	0.0053	0.00075	1	05/17/22 06:00	05/17/22 12:56	100-42-5	
Tetrachloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/17/22 06:00	05/17/22 12:56	127-18-4	
Toluene	<0.00093	mg/kg	0.0053	0.00093	1	05/17/22 06:00	05/17/22 12:56	108-88-3	
Trichloroethene	<0.00075	mg/kg	0.0053	0.00075	1	05/17/22 06:00	05/17/22 12:56	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/17/22 06:00	05/17/22 12:56	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/17/22 06:00	05/17/22 12:56	1330-20-7	
cis-1,2-Dichloroethene	<0.00093	mg/kg	0.0053	0.00093	1	05/17/22 06:00	05/17/22 12:56	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-56 (1.5-2.5) **Lab ID: 40244735009** Collected: 05/10/22 10:55 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/17/22 12:56	10061-01-5	
trans-1,2-Dichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/17/22 06:00	05/17/22 12:56	156-60-5	L1
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/17/22 12:56	10061-02-6	
Surrogates									
Toluene-d8 (S)	93	%	69-156		1	05/17/22 06:00	05/17/22 12:56	2037-26-5	
4-Bromofluorobenzene (S)	92	%	61-175		1	05/17/22 06:00	05/17/22 12:56	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1	05/17/22 06:00	05/17/22 12:56	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.2	%	0.10	0.10	1		05/13/22 10:21		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.2	Std. Units	0.10	0.010	1		05/20/22 11:48		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.36	mg/kg	1.1	0.36	1	05/18/22 10:45	05/18/22 15:50	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-56 (5.0-6.0) **Lab ID: 40244735010** Collected: 05/10/22 11:00 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00061	mg/kg	0.0031	0.00061	1	05/16/22 13:43	05/17/22 19:42	309-00-2	
alpha-BHC	<0.00065	mg/kg	0.0031	0.00065	1	05/16/22 13:43	05/17/22 19:42	319-84-6	
beta-BHC	<0.00059	mg/kg	0.0031	0.00059	1	05/16/22 13:43	05/17/22 19:42	319-85-7	
delta-BHC	<0.00082	mg/kg	0.0031	0.00082	1	05/16/22 13:43	05/17/22 19:42	319-86-8	
gamma-BHC (Lindane)	<0.00057	mg/kg	0.0031	0.00057	1	05/16/22 13:43	05/17/22 19:42	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.063	0.013	1	05/16/22 13:43	05/17/22 19:42	57-74-9	
alpha-Chlordane	<0.00055	mg/kg	0.0031	0.00055	1	05/16/22 13:43	05/17/22 19:42	5103-71-9	
gamma-Chlordane	<0.00066	mg/kg	0.0031	0.00066	1	05/16/22 13:43	05/17/22 19:42	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0063	0.0012	1	05/16/22 13:43	05/17/22 19:42	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0063	0.0010	1	05/16/22 13:43	05/17/22 19:42	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0063	0.0020	1	05/16/22 13:43	05/17/22 19:42	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0063	0.0011	1	05/16/22 13:43	05/17/22 19:42	60-57-1	
Endosulfan I	<0.00052	mg/kg	0.0031	0.00052	1	05/16/22 13:43	05/17/22 19:42	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0063	0.0010	1	05/16/22 13:43	05/17/22 19:42	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0063	0.0012	1	05/16/22 13:43	05/17/22 19:42	1031-07-8	
Endrin	<0.0011	mg/kg	0.0063	0.0011	1	05/16/22 13:43	05/17/22 19:42	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0063	0.0014	1	05/16/22 13:43	05/17/22 19:42	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0063	0.0016	1	05/16/22 13:43	05/17/22 19:42	53494-70-5	
Heptachlor	<0.00056	mg/kg	0.0031	0.00056	1	05/16/22 13:43	05/17/22 19:42	76-44-8	
Heptachlor epoxide	<0.00053	mg/kg	0.0031	0.00053	1	05/16/22 13:43	05/17/22 19:42	1024-57-3	
Methoxychlor	<0.0072	mg/kg	0.031	0.0072	1	05/16/22 13:43	05/17/22 19:42	72-43-5	
Toxaphene	<0.022	mg/kg	0.063	0.022	1	05/16/22 13:43	05/17/22 19:42	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	94	%	10-147		1	05/16/22 13:43	05/17/22 19:42	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.063	0.019	1	05/12/22 05:57	05/14/22 12:54	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.063	0.019	1	05/12/22 05:57	05/14/22 12:54	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.063	0.019	1	05/12/22 05:57	05/14/22 12:54	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.063	0.019	1	05/12/22 05:57	05/14/22 12:54	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.063	0.019	1	05/12/22 05:57	05/14/22 12:54	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.063	0.019	1	05/12/22 05:57	05/14/22 12:54	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.063	0.019	1	05/12/22 05:57	05/14/22 12:54	11096-82-5	
PCB, Total	<0.019	mg/kg	0.063	0.019	1	05/12/22 05:57	05/14/22 12:54	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	66	%	50-99		1	05/12/22 05:57	05/14/22 12:54	877-09-8	
Decachlorobiphenyl (S)	69	%	38-95		1	05/12/22 05:57	05/14/22 12:54	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	13500	mg/kg	34.8	7.0	1	05/18/22 15:33	05/24/22 14:58	7429-90-5	
Antimony	0.15J	mg/kg	0.58	0.11	1	05/18/22 15:33	05/24/22 14:58	7440-36-0	
Arsenic	10	mg/kg	0.58	0.13	1	05/18/22 15:33	05/24/22 14:58	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-56 (5.0-6.0) **Lab ID: 40244735010** Collected: 05/10/22 11:00 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	259	mg/kg	0.35	0.062	1	05/18/22 15:33	05/24/22 14:58	7440-39-3	
Beryllium	0.89	mg/kg	0.23	0.046	1	05/18/22 15:33	05/24/22 14:58	7440-41-7	
Cadmium	0.53	mg/kg	0.093	0.036	1	05/18/22 15:33	05/24/22 14:58	7440-43-9	
Calcium	4720	mg/kg	116	13.7	1	05/18/22 15:33	05/24/22 14:58	7440-70-2	
Chromium	17.0	mg/kg	2.3	0.16	1	05/18/22 15:33	05/24/22 14:58	7440-47-3	
Cobalt	16.0	mg/kg	0.58	0.12	1	05/18/22 15:33	05/24/22 14:58	7440-48-4	
Copper	24.6	mg/kg	1.2	0.28	1	05/18/22 15:33	05/24/22 14:58	7440-50-8	
Iron	19900	mg/kg	58.1	12.2	1	05/18/22 15:33	05/24/22 14:58	7439-89-6	
Lead	13.8	mg/kg	0.58	0.034	1	05/18/22 15:33	05/24/22 14:58	7439-92-1	
Magnesium	3940	mg/kg	34.8	5.0	1	05/18/22 15:33	05/24/22 14:58	7439-95-4	
Manganese	1510	mg/kg	2.9	1.4	5	05/18/22 15:33	05/25/22 15:46	7439-96-5	
Nickel	32.2	mg/kg	0.58	0.23	1	05/18/22 15:33	05/24/22 14:58	7440-02-0	
Potassium	554	mg/kg	116	13.4	1	05/18/22 15:33	05/24/22 14:58	7440-09-7	
Selenium	0.31J	mg/kg	0.58	0.10	1	05/18/22 15:33	05/24/22 14:58	7782-49-2	
Silver	0.26J	mg/kg	0.58	0.17	1	05/18/22 15:33	05/25/22 15:43	7440-22-4	
Sodium	120	mg/kg	58.1	12.9	1	05/18/22 15:33	05/24/22 14:58	7440-23-5	
Thallium	0.13	mg/kg	0.12	0.043	1	05/18/22 15:33	05/24/22 14:58	7440-28-0	
Vanadium	28.9	mg/kg	1.2	0.20	1	05/18/22 15:33	05/24/22 14:58	7440-62-2	
Zinc	58.1	mg/kg	5.8	1.0	1	05/18/22 15:33	05/24/22 14:58	7440-66-6	

7471 Mercury

Analytical Method: EPA 7471 Preparation Method: EPA 7471

Pace Analytical Services - Green Bay

Mercury	0.045	mg/kg	0.041	0.012	1	05/17/22 09:27	05/18/22 13:55	7439-97-6	
---------	--------------	-------	-------	-------	---	----------------	----------------	-----------	--

8270E MSSV FULL LIST MICROWAVE

Analytical Method: EPA 8270E Preparation Method: EPA 3546

Pace Analytical Services - Green Bay

1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/16/22 12:51	05/17/22 19:40	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/17/22 19:40	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/16/22 12:51	05/17/22 19:40	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/16/22 12:51	05/17/22 19:40	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/17/22 19:40	108-60-1	
2,4,5-Trichlorophenol	<0.037	mg/kg	0.12	0.037	1	05/16/22 12:51	05/17/22 19:40	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 19:40	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/17/22 19:40	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/16/22 12:51	05/17/22 19:40	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/16/22 12:51	05/17/22 19:40	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/17/22 19:40	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/17/22 19:40	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/16/22 12:51	05/17/22 19:40	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/16/22 12:51	05/17/22 19:40	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/16/22 12:51	05/17/22 19:40	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/17/22 19:40	95-48-7	
2-Nitroaniline	<0.060	mg/kg	0.20	0.060	1	05/16/22 12:51	05/17/22 19:40	88-74-4	
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/16/22 12:51	05/17/22 19:40	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-56 (5.0-6.0) **Lab ID: 40244735010** Collected: 05/10/22 11:00 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/16/22 12:51	05/17/22 19:40		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/17/22 19:40	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 19:40	99-09-2	
4,6-Dinitro-2-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/16/22 12:51	05/17/22 19:40	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/16/22 12:51	05/17/22 19:40	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/17/22 19:40	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 19:40	106-47-8	3q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/16/22 12:51	05/17/22 19:40	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/16/22 12:51	05/17/22 19:40	100-01-6	
4-Nitrophenol	<0.053	mg/kg	0.18	0.053	1	05/16/22 12:51	05/17/22 19:40	100-02-7	
Acenaphthene	<0.075	mg/kg	0.25	0.075	1	05/16/22 12:51	05/17/22 19:40	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/16/22 12:51	05/17/22 19:40	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 19:40	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 19:40	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 19:40	50-32-8	
Benzo(b)fluoranthene	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 19:40	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/16/22 12:51	05/17/22 19:40	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/16/22 12:51	05/17/22 19:40	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 19:40	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 19:40	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 19:40	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/16/22 12:51	05/17/22 19:40	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/16/22 12:51	05/17/22 19:40	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/16/22 12:51	05/17/22 19:40	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/16/22 12:51	05/17/22 19:40	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 19:40	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.092	0.028	1	05/16/22 12:51	05/17/22 19:40	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/16/22 12:51	05/17/22 19:40	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/16/22 12:51	05/17/22 19:40	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/16/22 12:51	05/17/22 19:40	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/16/22 12:51	05/17/22 19:40	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/16/22 12:51	05/17/22 19:40	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 19:40	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/16/22 12:51	05/17/22 19:40	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/16/22 12:51	05/17/22 19:40	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/16/22 12:51	05/17/22 19:40	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/16/22 12:51	05/17/22 19:40	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/16/22 12:51	05/17/22 19:40	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/16/22 12:51	05/17/22 19:40	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/17/22 19:40	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/16/22 12:51	05/17/22 19:40	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/16/22 12:51	05/17/22 19:40	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/16/22 12:51	05/17/22 19:40	129-00-0	
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/16/22 12:51	05/17/22 19:40	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-56 (5.0-6.0) **Lab ID: 40244735010** Collected: 05/10/22 11:00 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.066	mg/kg	0.22	0.066	1	05/16/22 12:51	05/17/22 19:40	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/16/22 12:51	05/17/22 19:40	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	74	%	10-125		1	05/16/22 12:51	05/17/22 19:40	4165-60-0	
2-Fluorobiphenyl (S)	61	%	12-118		1	05/16/22 12:51	05/17/22 19:40	321-60-8	
Terphenyl-d14 (S)	70	%	10-124		1	05/16/22 12:51	05/17/22 19:40	1718-51-0	
Phenol-d6 (S)	49	%	10-125		1	05/16/22 12:51	05/17/22 19:40	13127-88-3	
2-Fluorophenol (S)	55	%	10-130		1	05/16/22 12:51	05/17/22 19:40	367-12-4	
2,4,6-Tribromophenol (S)	62	%	10-144		1	05/16/22 12:51	05/17/22 19:40	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/17/22 06:00	05/17/22 13:20	71-55-6	L1
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0051	0.0026	1	05/17/22 06:00	05/17/22 13:20	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/17/22 06:00	05/17/22 13:20	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0051	0.0011	1	05/17/22 06:00	05/17/22 13:20	75-34-3	L1
1,1-Dichloroethene	<0.0011	mg/kg	0.0051	0.0011	1	05/17/22 06:00	05/17/22 13:20	75-35-4	L1
1,2-Dichloroethane	<0.00083	mg/kg	0.0051	0.00083	1	05/17/22 06:00	05/17/22 13:20	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0051	0.0010	1	05/17/22 06:00	05/17/22 13:20	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/17/22 06:00	05/17/22 13:20	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/17/22 06:00	05/17/22 13:20	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/17/22 06:00	05/17/22 13:20	108-10-1	
Acetone	<0.048	mg/kg	0.10	0.048	1	05/17/22 06:00	05/17/22 13:20	67-64-1	
Benzene	<0.00072	mg/kg	0.0051	0.00072	1	05/17/22 06:00	05/17/22 13:20	71-43-2	
Bromodichloromethane	<0.00069	mg/kg	0.0051	0.00069	1	05/17/22 06:00	05/17/22 13:20	75-27-4	
Bromoform	<0.0082	mg/kg	0.020	0.0082	1	05/17/22 06:00	05/17/22 13:20	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0051	0.0045	1	05/17/22 06:00	05/17/22 13:20	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0051	0.0011	1	05/17/22 06:00	05/17/22 13:20	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0051	0.0032	1	05/17/22 06:00	05/17/22 13:20	56-23-5	
Chlorobenzene	<0.00093	mg/kg	0.0051	0.00093	1	05/17/22 06:00	05/17/22 13:20	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0051	0.0037	1	05/17/22 06:00	05/17/22 13:20	75-00-3	
Chloroform	<0.00085	mg/kg	0.0051	0.00085	1	05/17/22 06:00	05/17/22 13:20	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0051	0.0011	1	05/17/22 06:00	05/17/22 13:20	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0051	0.0010	1	05/17/22 06:00	05/17/22 13:20	124-48-1	
Ethylbenzene	<0.00090	mg/kg	0.0051	0.00090	1	05/17/22 06:00	05/17/22 13:20	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0051	0.0021	1	05/17/22 06:00	05/17/22 13:20	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0051	0.0040	1	05/17/22 06:00	05/17/22 13:20	75-09-2	L1
Styrene	<0.00072	mg/kg	0.0051	0.00072	1	05/17/22 06:00	05/17/22 13:20	100-42-5	
Tetrachloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/17/22 06:00	05/17/22 13:20	127-18-4	
Toluene	<0.00089	mg/kg	0.0051	0.00089	1	05/17/22 06:00	05/17/22 13:20	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0051	0.00072	1	05/17/22 06:00	05/17/22 13:20	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0051	0.0013	1	05/17/22 06:00	05/17/22 13:20	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/17/22 06:00	05/17/22 13:20	1330-20-7	
cis-1,2-Dichloroethene	<0.00089	mg/kg	0.0051	0.00089	1	05/17/22 06:00	05/17/22 13:20	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-56 (5.0-6.0) **Lab ID: 40244735010** Collected: 05/10/22 11:00 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/17/22 06:00	05/17/22 13:20	10061-01-5	
trans-1,2-Dichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/17/22 06:00	05/17/22 13:20	156-60-5	L1
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/17/22 06:00	05/17/22 13:20	10061-02-6	
Surrogates									
Toluene-d8 (S)	101	%	69-156		1	05/17/22 06:00	05/17/22 13:20	2037-26-5	
4-Bromofluorobenzene (S)	90	%	61-175		1	05/17/22 06:00	05/17/22 13:20	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1	05/17/22 06:00	05/17/22 13:20	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.2	%	0.10	0.10	1		05/13/22 10:21		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.5	Std. Units	0.10	0.010	1		05/20/22 11:52		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.37	mg/kg	1.1	0.37	1	05/18/22 10:45	05/18/22 15:50	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-64 (1.4-2.4) **Lab ID: 40244735011** Collected: 05/10/22 13:05 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00065	mg/kg	0.0034	0.00065	1	05/16/22 13:43	05/17/22 19:54	309-00-2	
alpha-BHC	<0.00070	mg/kg	0.0034	0.00070	1	05/16/22 13:43	05/17/22 19:54	319-84-6	
beta-BHC	<0.00064	mg/kg	0.0034	0.00064	1	05/16/22 13:43	05/17/22 19:54	319-85-7	
delta-BHC	<0.00089	mg/kg	0.0034	0.00089	1	05/16/22 13:43	05/17/22 19:54	319-86-8	
gamma-BHC (Lindane)	<0.00061	mg/kg	0.0034	0.00061	1	05/16/22 13:43	05/17/22 19:54	58-89-9	
Chlordane (Technical)	<0.014	mg/kg	0.068	0.014	1	05/16/22 13:43	05/17/22 19:54	57-74-9	
alpha-Chlordane	<0.00060	mg/kg	0.0034	0.00060	1	05/16/22 13:43	05/17/22 19:54	5103-71-9	
gamma-Chlordane	<0.00071	mg/kg	0.0034	0.00071	1	05/16/22 13:43	05/17/22 19:54	5103-74-2	
4,4'-DDD	<0.0013	mg/kg	0.0068	0.0013	1	05/16/22 13:43	05/17/22 19:54	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0068	0.0011	1	05/16/22 13:43	05/17/22 19:54	72-55-9	
4,4'-DDT	<0.0022	mg/kg	0.0068	0.0022	1	05/16/22 13:43	05/17/22 19:54	50-29-3	
Dieldrin	<0.0012	mg/kg	0.0068	0.0012	1	05/16/22 13:43	05/17/22 19:54	60-57-1	
Endosulfan I	<0.00056	mg/kg	0.0034	0.00056	1	05/16/22 13:43	05/17/22 19:54	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0068	0.0011	1	05/16/22 13:43	05/17/22 19:54	33213-65-9	
Endosulfan sulfate	<0.0013	mg/kg	0.0068	0.0013	1	05/16/22 13:43	05/17/22 19:54	1031-07-8	
Endrin	<0.0012	mg/kg	0.0068	0.0012	1	05/16/22 13:43	05/17/22 19:54	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0068	0.0015	1	05/16/22 13:43	05/17/22 19:54	7421-93-4	
Endrin ketone	<0.0017	mg/kg	0.0068	0.0017	1	05/16/22 13:43	05/17/22 19:54	53494-70-5	
Heptachlor	<0.00060	mg/kg	0.0034	0.00060	1	05/16/22 13:43	05/17/22 19:54	76-44-8	
Heptachlor epoxide	<0.00057	mg/kg	0.0034	0.00057	1	05/16/22 13:43	05/17/22 19:54	1024-57-3	
Methoxychlor	<0.0077	mg/kg	0.034	0.0077	1	05/16/22 13:43	05/17/22 19:54	72-43-5	
Toxaphene	<0.024	mg/kg	0.068	0.024	1	05/16/22 13:43	05/17/22 19:54	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	61	%	10-147		1	05/16/22 13:43	05/17/22 19:54	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.021	mg/kg	0.068	0.021	1	05/12/22 05:57	05/14/22 13:18	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.021	mg/kg	0.068	0.021	1	05/12/22 05:57	05/14/22 13:18	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.021	mg/kg	0.068	0.021	1	05/12/22 05:57	05/14/22 13:18	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.021	mg/kg	0.068	0.021	1	05/12/22 05:57	05/14/22 13:18	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.021	mg/kg	0.068	0.021	1	05/12/22 05:57	05/14/22 13:18	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.021	mg/kg	0.068	0.021	1	05/12/22 05:57	05/14/22 13:18	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.021	mg/kg	0.068	0.021	1	05/12/22 05:57	05/14/22 13:18	11096-82-5	
PCB, Total	<0.021	mg/kg	0.068	0.021	1	05/12/22 05:57	05/14/22 13:18	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	64	%	50-99		1	05/12/22 05:57	05/14/22 13:18	877-09-8	
Decachlorobiphenyl (S)	70	%	38-95		1	05/12/22 05:57	05/14/22 13:18	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	13400	mg/kg	37.4	7.5	1	05/18/22 15:33	05/24/22 15:02	7429-90-5	
Antimony	0.25J	mg/kg	0.62	0.12	1	05/18/22 15:33	05/24/22 15:02	7440-36-0	
Arsenic	7.3	mg/kg	0.62	0.14	1	05/18/22 15:33	05/24/22 15:02	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-64 (1.4-2.4) **Lab ID: 40244735011** Collected: 05/10/22 13:05 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	165	mg/kg	0.37	0.067	1	05/18/22 15:33	05/24/22 15:02	7440-39-3	
Beryllium	0.90	mg/kg	0.25	0.049	1	05/18/22 15:33	05/24/22 15:02	7440-41-7	
Cadmium	0.39	mg/kg	0.10	0.039	1	05/18/22 15:33	05/24/22 15:02	7440-43-9	
Calcium	6290	mg/kg	125	14.7	1	05/18/22 15:33	05/24/22 15:02	7440-70-2	
Chromium	16.5	mg/kg	2.5	0.17	1	05/18/22 15:33	05/24/22 15:02	7440-47-3	
Cobalt	4.4	mg/kg	0.62	0.12	1	05/18/22 15:33	05/24/22 15:02	7440-48-4	
Copper	18.5	mg/kg	1.2	0.30	1	05/18/22 15:33	05/24/22 15:02	7440-50-8	
Iron	19300	mg/kg	62.3	13.1	1	05/18/22 15:33	05/24/22 15:02	7439-89-6	
Lead	39.5	mg/kg	0.62	0.037	1	05/18/22 15:33	05/24/22 15:02	7439-92-1	
Magnesium	2500	mg/kg	37.4	5.4	1	05/18/22 15:33	05/24/22 15:02	7439-95-4	
Manganese	216	mg/kg	0.62	0.31	1	05/18/22 15:33	05/24/22 15:02	7439-96-5	
Nickel	12.9	mg/kg	0.62	0.25	1	05/18/22 15:33	05/24/22 15:02	7440-02-0	
Potassium	1390	mg/kg	125	14.3	1	05/18/22 15:33	05/24/22 15:02	7440-09-7	
Selenium	0.64	mg/kg	0.62	0.11	1	05/18/22 15:33	05/24/22 15:02	7782-49-2	
Silver	0.26J	mg/kg	0.62	0.18	1	05/18/22 15:33	05/25/22 16:17	7440-22-4	
Sodium	38.5J	mg/kg	62.3	13.8	1	05/18/22 15:33	05/24/22 15:02	7440-23-5	
Thallium	0.27	mg/kg	0.12	0.046	1	05/18/22 15:33	05/24/22 15:02	7440-28-0	
Vanadium	32.3	mg/kg	1.2	0.22	1	05/18/22 15:33	05/24/22 15:02	7440-62-2	
Zinc	87.4	mg/kg	6.2	1.1	1	05/18/22 15:33	05/24/22 15:02	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.053	mg/kg	0.045	0.013	1	05/17/22 09:27	05/18/22 13:58	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.026	mg/kg	0.086	0.026	1	05/17/22 12:38	05/17/22 15:44	120-82-1	
1,2-Dichlorobenzene	<0.072	mg/kg	0.24	0.072	1	05/17/22 12:38	05/17/22 15:44	95-50-1	
1,3-Dichlorobenzene	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/17/22 15:44	541-73-1	
1,4-Dichlorobenzene	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/17/22 15:44	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.059	mg/kg	0.20	0.059	1	05/17/22 12:38	05/17/22 15:44	108-60-1	
2,4,5-Trichlorophenol	<0.040	mg/kg	0.13	0.040	1	05/17/22 12:38	05/17/22 15:44	95-95-4	
2,4,6-Trichlorophenol	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 15:44	88-06-2	
2,4-Dichlorophenol	<0.061	mg/kg	0.20	0.061	1	05/17/22 12:38	05/17/22 15:44	120-83-2	
2,4-Dimethylphenol	<0.045	mg/kg	0.15	0.045	1	05/17/22 12:38	05/17/22 15:44	105-67-9	
2,4-Dinitrophenol	<0.069	mg/kg	0.23	0.069	1	05/17/22 12:38	05/17/22 15:44	51-28-5	
2,4-Dinitrotoluene	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 15:44	121-14-2	
2,6-Dinitrotoluene	<0.043	mg/kg	0.14	0.043	1	05/17/22 12:38	05/17/22 15:44	606-20-2	
2-Chloronaphthalene	<0.029	mg/kg	0.097	0.029	1	05/17/22 12:38	05/17/22 15:44	91-58-7	
2-Chlorophenol	<0.057	mg/kg	0.19	0.057	1	05/17/22 12:38	05/17/22 15:44	95-57-8	
2-Methylnaphthalene	<0.059	mg/kg	0.20	0.059	1	05/17/22 12:38	05/17/22 15:44	91-57-6	
2-Methylphenol(o-Cresol)	<0.041	mg/kg	0.14	0.041	1	05/17/22 12:38	05/17/22 15:44	95-48-7	
2-Nitroaniline	<0.065	mg/kg	0.22	0.065	1	05/17/22 12:38	05/17/22 15:44	88-74-4	
2-Nitrophenol	<0.072	mg/kg	0.24	0.072	1	05/17/22 12:38	05/17/22 15:44	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-64 (1.4-2.4) **Lab ID: 40244735011** Collected: 05/10/22 13:05 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.042	mg/kg	0.14	0.042	1	05/17/22 12:38	05/17/22 15:44		
3,3'-Dichlorobenzidine	<0.062	mg/kg	0.21	0.062	1	05/17/22 12:38	05/17/22 15:44	91-94-1	
3-Nitroaniline	<0.039	mg/kg	0.13	0.039	1	05/17/22 12:38	05/17/22 15:44	99-09-2	
4,6-Dinitro-2-methylphenol	<0.070	mg/kg	0.23	0.070	1	05/17/22 12:38	05/17/22 15:44	534-52-1	
4-Bromophenylphenyl ether	<0.048	mg/kg	0.16	0.048	1	05/17/22 12:38	05/17/22 15:44	101-55-3	
4-Chloro-3-methylphenol	<0.071	mg/kg	0.24	0.071	1	05/17/22 12:38	05/17/22 15:44	59-50-7	
4-Chloroaniline	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/17/22 15:44	106-47-8	3q
4-Chlorophenylphenyl ether	<0.042	mg/kg	0.14	0.042	1	05/17/22 12:38	05/17/22 15:44	7005-72-3	
4-Nitroaniline	<0.095	mg/kg	0.32	0.095	1	05/17/22 12:38	05/17/22 15:44	100-01-6	
4-Nitrophenol	<0.057	mg/kg	0.19	0.057	1	05/17/22 12:38	05/17/22 15:44	100-02-7	
Acenaphthene	<0.081	mg/kg	0.27	0.081	1	05/17/22 12:38	05/17/22 15:44	83-32-9	
Acenaphthylene	<0.081	mg/kg	0.27	0.081	1	05/17/22 12:38	05/17/22 15:44	208-96-8	
Anthracene	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 15:44	120-12-7	
Benzo(a)anthracene	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 15:44	56-55-3	
Benzo(a)pyrene	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 15:44	50-32-8	
Benzo(b)fluoranthene	<0.039	mg/kg	0.13	0.039	1	05/17/22 12:38	05/17/22 15:44	205-99-2	
Benzo(g,h,i)perylene	<0.060	mg/kg	0.20	0.060	1	05/17/22 12:38	05/17/22 15:44	191-24-2	
Benzo(k)fluoranthene	<0.055	mg/kg	0.18	0.055	1	05/17/22 12:38	05/17/22 15:44	207-08-9	
Butylbenzylphthalate	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/17/22 15:44	85-68-7	
Carbazole	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 15:44	86-74-8	
Chrysene	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 15:44	218-01-9	
Di-n-butylphthalate	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 15:44	84-74-2	
Di-n-octylphthalate	<0.051	mg/kg	0.17	0.051	1	05/17/22 12:38	05/17/22 15:44	117-84-0	
Dibenz(a,h)anthracene	<0.062	mg/kg	0.21	0.062	1	05/17/22 12:38	05/17/22 15:44	53-70-3	
Dibenzofuran	<0.028	mg/kg	0.092	0.028	1	05/17/22 12:38	05/17/22 15:44	132-64-9	
Diethylphthalate	<0.038	mg/kg	0.13	0.038	1	05/17/22 12:38	05/17/22 15:44	84-66-2	
Dimethylphthalate	<0.030	mg/kg	0.099	0.030	1	05/17/22 12:38	05/17/22 15:44	131-11-3	
Fluoranthene	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/17/22 15:44	206-44-0	
Fluorene	<0.027	mg/kg	0.089	0.027	1	05/17/22 12:38	05/17/22 15:44	86-73-7	
Hexachloro-1,3-butadiene	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/17/22 15:44	87-68-3	
Hexachlorobenzene	<0.038	mg/kg	0.13	0.038	1	05/17/22 12:38	05/17/22 15:44	118-74-1	
Hexachlorocyclopentadiene	<0.054	mg/kg	0.18	0.054	1	05/17/22 12:38	05/17/22 15:44	77-47-4	
Hexachloroethane	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 15:44	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.049	mg/kg	0.16	0.049	1	05/17/22 12:38	05/17/22 15:44	193-39-5	
Isophorone	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 15:44	78-59-1	
N-Nitroso-di-n-propylamine	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 15:44	621-64-7	
N-Nitrosodiphenylamine	<0.31	mg/kg	1.0	0.31	1	05/17/22 12:38	05/17/22 15:44	86-30-6	
Naphthalene	<0.080	mg/kg	0.27	0.080	1	05/17/22 12:38	05/17/22 15:44	91-20-3	
Nitrobenzene	<0.046	mg/kg	0.15	0.046	1	05/17/22 12:38	05/17/22 15:44	98-95-3	
Pentachlorophenol	<0.050	mg/kg	0.17	0.050	1	05/17/22 12:38	05/17/22 15:44	87-86-5	
Phenanthrene	<0.029	mg/kg	0.097	0.029	1	05/17/22 12:38	05/17/22 15:44	85-01-8	
Phenol	<0.054	mg/kg	0.18	0.054	1	05/17/22 12:38	05/17/22 15:44	108-95-2	
Pyrene	<0.050	mg/kg	0.17	0.050	1	05/17/22 12:38	05/17/22 15:44	129-00-0	
bis(2-Chloroethoxy)methane	<0.061	mg/kg	0.20	0.061	1	05/17/22 12:38	05/17/22 15:44	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Sample Project No.: 40244735

Sample: **SB-64 (1.4-2.4)** Lab ID: **40244735011** Collected: 05/10/22 13:05 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.071	mg/kg	0.24	0.071	1	05/17/22 12:38	05/17/22 15:44	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.038	mg/kg	0.13	0.038	1	05/17/22 12:38	05/17/22 15:44	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	75	%	10-125		1	05/17/22 12:38	05/17/22 15:44	4165-60-0	
2-Fluorobiphenyl (S)	60	%	12-118		1	05/17/22 12:38	05/17/22 15:44	321-60-8	
Terphenyl-d14 (S)	70	%	10-124		1	05/17/22 12:38	05/17/22 15:44	1718-51-0	
Phenol-d6 (S)	59	%	10-125		1	05/17/22 12:38	05/17/22 15:44	13127-88-3	
2-Fluorophenol (S)	66	%	10-130		1	05/17/22 12:38	05/17/22 15:44	367-12-4	
2,4,6-Tribromophenol (S)	65	%	10-144		1	05/17/22 12:38	05/17/22 15:44	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0018	mg/kg	0.0060	0.0018	1	05/17/22 06:00	05/18/22 15:07	71-55-6	L1
1,1,2,2-Tetrachloroethane	<0.0031	mg/kg	0.0060	0.0031	1	05/17/22 06:00	05/18/22 15:07	79-34-5	
1,1,2-Trichloroethane	<0.0018	mg/kg	0.0060	0.0018	1	05/17/22 06:00	05/18/22 15:07	79-00-5	
1,1-Dichloroethane	<0.0013	mg/kg	0.0060	0.0013	1	05/17/22 06:00	05/18/22 15:07	75-34-3	L1
1,1-Dichloroethene	<0.0013	mg/kg	0.0060	0.0013	1	05/17/22 06:00	05/18/22 15:07	75-35-4	L1
1,2-Dichloroethane	<0.00098	mg/kg	0.0060	0.00098	1	05/17/22 06:00	05/18/22 15:07	107-06-2	
1,2-Dichloropropane	<0.0012	mg/kg	0.0060	0.0012	1	05/17/22 06:00	05/18/22 15:07	78-87-5	
2-Butanone (MEK)	<0.019	mg/kg	0.030	0.019	1	05/17/22 06:00	05/18/22 15:07	78-93-3	
2-Hexanone	<0.013	mg/kg	0.030	0.013	1	05/17/22 06:00	05/18/22 15:07	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.024	mg/kg	0.030	0.024	1	05/17/22 06:00	05/18/22 15:07	108-10-1	
Acetone	<0.056	mg/kg	0.12	0.056	1	05/17/22 06:00	05/18/22 15:07	67-64-1	
Benzene	<0.00085	mg/kg	0.0060	0.00085	1	05/17/22 06:00	05/18/22 15:07	71-43-2	
Bromodichloromethane	<0.00081	mg/kg	0.0060	0.00081	1	05/17/22 06:00	05/18/22 15:07	75-27-4	
Bromoform	<0.0097	mg/kg	0.024	0.0097	1	05/17/22 06:00	05/18/22 15:07	75-25-2	
Bromomethane	<0.0053	mg/kg	0.0060	0.0053	1	05/17/22 06:00	05/18/22 15:07	74-83-9	
Carbon disulfide	<0.0013	mg/kg	0.0060	0.0013	1	05/17/22 06:00	05/18/22 15:07	75-15-0	
Carbon tetrachloride	<0.0038	mg/kg	0.0060	0.0038	1	05/17/22 06:00	05/18/22 15:07	56-23-5	
Chlorobenzene	<0.0011	mg/kg	0.0060	0.0011	1	05/17/22 06:00	05/18/22 15:07	108-90-7	
Chloroethane	<0.0043	mg/kg	0.0060	0.0043	1	05/17/22 06:00	05/18/22 15:07	75-00-3	
Chloroform	<0.0010	mg/kg	0.0060	0.0010	1	05/17/22 06:00	05/18/22 15:07	67-66-3	
Chloromethane	<0.0013	mg/kg	0.0060	0.0013	1	05/17/22 06:00	05/18/22 15:07	74-87-3	
Dibromochloromethane	<0.0012	mg/kg	0.0060	0.0012	1	05/17/22 06:00	05/18/22 15:07	124-48-1	
Ethylbenzene	<0.0011	mg/kg	0.0060	0.0011	1	05/17/22 06:00	05/18/22 15:07	100-41-4	
Methyl-tert-butyl ether	<0.0024	mg/kg	0.0060	0.0024	1	05/17/22 06:00	05/18/22 15:07	1634-04-4	
Methylene Chloride	<0.0047	mg/kg	0.0060	0.0047	1	05/17/22 06:00	05/18/22 15:07	75-09-2	L1
Styrene	<0.00085	mg/kg	0.0060	0.00085	1	05/17/22 06:00	05/18/22 15:07	100-42-5	
Tetrachloroethene	<0.0011	mg/kg	0.0060	0.0011	1	05/17/22 06:00	05/18/22 15:07	127-18-4	
Toluene	<0.0011	mg/kg	0.0060	0.0011	1	05/17/22 06:00	05/18/22 15:07	108-88-3	
Trichloroethene	<0.00085	mg/kg	0.0060	0.00085	1	05/17/22 06:00	05/18/22 15:07	79-01-6	
Vinyl chloride	<0.0015	mg/kg	0.0060	0.0015	1	05/17/22 06:00	05/18/22 15:07	75-01-4	
Xylene (Total)	<0.0041	mg/kg	0.012	0.0041	1	05/17/22 06:00	05/18/22 15:07	1330-20-7	
cis-1,2-Dichloroethene	<0.0011	mg/kg	0.0060	0.0011	1	05/17/22 06:00	05/18/22 15:07	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-64 (1.4-2.4) **Lab ID: 40244735011** Collected: 05/10/22 13:05 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0012	mg/kg	0.0060	0.0012	1	05/17/22 06:00	05/18/22 15:07	10061-01-5	
trans-1,2-Dichloroethene	<0.00086	mg/kg	0.0060	0.00086	1	05/17/22 06:00	05/18/22 15:07	156-60-5	L1
trans-1,3-Dichloropropene	<0.0012	mg/kg	0.0060	0.0012	1	05/17/22 06:00	05/18/22 15:07	10061-02-6	
Surrogates									
Toluene-d8 (S)	101	%	69-156		1	05/17/22 06:00	05/18/22 15:07	2037-26-5	
4-Bromofluorobenzene (S)	101	%	61-175		1	05/17/22 06:00	05/18/22 15:07	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1	05/17/22 06:00	05/18/22 15:07	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	26.8	%	0.10	0.10	1		05/13/22 10:21		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.0	Std. Units	0.10	0.010	1		05/20/22 11:55		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.35	mg/kg	1.1	0.35	1	05/18/22 10:45	05/18/22 15:51	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-64 (4.5-5.5) **Lab ID: 40244735012** Collected: 05/10/22 13:15 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00062	mg/kg	0.0032	0.00062	1	05/16/22 13:43	05/17/22 20:07	309-00-2	
alpha-BHC	<0.00066	mg/kg	0.0032	0.00066	1	05/16/22 13:43	05/17/22 20:07	319-84-6	
beta-BHC	<0.00060	mg/kg	0.0032	0.00060	1	05/16/22 13:43	05/17/22 20:07	319-85-7	
delta-BHC	<0.00084	mg/kg	0.0032	0.00084	1	05/16/22 13:43	05/17/22 20:07	319-86-8	
gamma-BHC (Lindane)	<0.00058	mg/kg	0.0032	0.00058	1	05/16/22 13:43	05/17/22 20:07	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.064	0.013	1	05/16/22 13:43	05/17/22 20:07	57-74-9	
alpha-Chlordane	<0.00056	mg/kg	0.0032	0.00056	1	05/16/22 13:43	05/17/22 20:07	5103-71-9	
gamma-Chlordane	<0.00067	mg/kg	0.0032	0.00067	1	05/16/22 13:43	05/17/22 20:07	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0064	0.0012	1	05/16/22 13:43	05/17/22 20:07	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0064	0.0011	1	05/16/22 13:43	05/17/22 20:07	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0064	0.0020	1	05/16/22 13:43	05/17/22 20:07	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0064	0.0011	1	05/16/22 13:43	05/17/22 20:07	60-57-1	
Endosulfan I	<0.00053	mg/kg	0.0032	0.00053	1	05/16/22 13:43	05/17/22 20:07	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0064	0.0010	1	05/16/22 13:43	05/17/22 20:07	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0064	0.0012	1	05/16/22 13:43	05/17/22 20:07	1031-07-8	
Endrin	<0.0011	mg/kg	0.0064	0.0011	1	05/16/22 13:43	05/17/22 20:07	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0064	0.0015	1	05/16/22 13:43	05/17/22 20:07	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0064	0.0016	1	05/16/22 13:43	05/17/22 20:07	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0032	0.00057	1	05/16/22 13:43	05/17/22 20:07	76-44-8	
Heptachlor epoxide	<0.00054	mg/kg	0.0032	0.00054	1	05/16/22 13:43	05/17/22 20:07	1024-57-3	
Methoxychlor	<0.0073	mg/kg	0.032	0.0073	1	05/16/22 13:43	05/17/22 20:07	72-43-5	
Toxaphene	<0.023	mg/kg	0.064	0.023	1	05/16/22 13:43	05/17/22 20:07	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	62	%	10-147		1	05/16/22 13:43	05/17/22 20:07	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 13:43	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 13:43	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 13:43	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 13:43	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 13:43	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 13:43	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 13:43	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/12/22 05:57	05/14/22 13:43	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	72	%	50-99		1	05/12/22 05:57	05/14/22 13:43	877-09-8	
Decachlorobiphenyl (S)	73	%	38-95		1	05/12/22 05:57	05/14/22 13:43	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	19400	mg/kg	37.3	7.5	1	05/18/22 15:33	05/24/22 15:16	7429-90-5	
Antimony	0.30J	mg/kg	0.62	0.12	1	05/18/22 15:33	05/24/22 15:16	7440-36-0	
Arsenic	19.5	mg/kg	0.62	0.14	1	05/18/22 15:33	05/24/22 15:16	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-64 (4.5-5.5) **Lab ID: 40244735012** Collected: 05/10/22 13:15 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	312	mg/kg	0.37	0.066	1	05/18/22 15:33	05/24/22 15:16	7440-39-3	
Beryllium	1.2	mg/kg	0.25	0.049	1	05/18/22 15:33	05/24/22 15:16	7440-41-7	
Cadmium	0.49	mg/kg	0.10	0.039	1	05/18/22 15:33	05/24/22 15:16	7440-43-9	
Calcium	5810	mg/kg	124	14.7	1	05/18/22 15:33	05/24/22 15:16	7440-70-2	
Chromium	24.3	mg/kg	2.5	0.17	1	05/18/22 15:33	05/24/22 15:16	7440-47-3	
Cobalt	23.5	mg/kg	0.62	0.12	1	05/18/22 15:33	05/24/22 15:16	7440-48-4	
Copper	28.7	mg/kg	1.2	0.30	1	05/18/22 15:33	05/24/22 15:16	7440-50-8	
Iron	37500	mg/kg	311	65.3	5	05/18/22 15:33	05/25/22 16:21	7439-89-6	
Lead	24.7	mg/kg	0.62	0.037	1	05/18/22 15:33	05/24/22 15:16	7439-92-1	
Magnesium	4580	mg/kg	37.3	5.3	1	05/18/22 15:33	05/24/22 15:16	7439-95-4	
Manganese	1810	mg/kg	3.1	1.5	5	05/18/22 15:33	05/25/22 16:21	7439-96-5	
Nickel	37.0	mg/kg	0.62	0.25	1	05/18/22 15:33	05/24/22 15:16	7440-02-0	
Potassium	930	mg/kg	124	14.3	1	05/18/22 15:33	05/24/22 15:16	7440-09-7	
Selenium	0.57J	mg/kg	0.62	0.11	1	05/18/22 15:33	05/24/22 15:16	7782-49-2	
Silver	0.24J	mg/kg	0.62	0.18	1	05/18/22 15:33	05/24/22 15:16	7440-22-4	
Sodium	54.1J	mg/kg	62.2	13.8	1	05/18/22 15:33	05/24/22 15:16	7440-23-5	
Thallium	0.24	mg/kg	0.12	0.046	1	05/18/22 15:33	05/24/22 15:16	7440-28-0	
Vanadium	53.3	mg/kg	1.2	0.22	1	05/18/22 15:33	05/24/22 15:16	7440-62-2	
Zinc	71.3	mg/kg	6.2	1.1	1	05/18/22 15:33	05/24/22 15:16	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.049	mg/kg	0.044	0.013	1	05/17/22 09:27	05/18/22 14:00	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/17/22 12:38	05/17/22 15:23	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/17/22 12:38	05/17/22 15:23	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/17/22 12:38	05/17/22 15:23	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/17/22 12:38	05/17/22 15:23	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/17/22 12:38	05/17/22 15:23	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/17/22 12:38	05/17/22 15:23	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 15:23	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/17/22 15:23	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/17/22 12:38	05/17/22 15:23	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/17/22 12:38	05/17/22 15:23	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/17/22 12:38	05/17/22 15:23	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/17/22 12:38	05/17/22 15:23	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/17/22 12:38	05/17/22 15:23	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/17/22 12:38	05/17/22 15:23	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/17/22 12:38	05/17/22 15:23	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/17/22 12:38	05/17/22 15:23	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/17/22 12:38	05/17/22 15:23	88-74-4	
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/17/22 12:38	05/17/22 15:23	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-64 (4.5-5.5) **Lab ID: 40244735012** Collected: 05/10/22 13:15 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/17/22 12:38	05/17/22 15:23		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/17/22 12:38	05/17/22 15:23	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/17/22 15:23	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/17/22 12:38	05/17/22 15:23	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/17/22 12:38	05/17/22 15:23	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/17/22 12:38	05/17/22 15:23	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 15:23	106-47-8	3q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/17/22 12:38	05/17/22 15:23	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/17/22 12:38	05/17/22 15:23	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/17/22 12:38	05/17/22 15:23	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/17/22 12:38	05/17/22 15:23	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/17/22 12:38	05/17/22 15:23	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 15:23	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 15:23	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 15:23	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/17/22 15:23	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/17/22 12:38	05/17/22 15:23	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/17/22 12:38	05/17/22 15:23	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 15:23	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 15:23	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/17/22 15:23	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/17/22 15:23	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/17/22 12:38	05/17/22 15:23	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/17/22 12:38	05/17/22 15:23	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/17/22 12:38	05/17/22 15:23	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 15:23	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/17/22 12:38	05/17/22 15:23	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/17/22 12:38	05/17/22 15:23	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/17/22 12:38	05/17/22 15:23	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/17/22 12:38	05/17/22 15:23	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 15:23	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/17/22 12:38	05/17/22 15:23	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 15:23	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/17/22 12:38	05/17/22 15:23	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 15:23	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 15:23	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/17/22 12:38	05/17/22 15:23	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/17/22 12:38	05/17/22 15:23	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/17/22 12:38	05/17/22 15:23	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/17/22 12:38	05/17/22 15:23	87-86-5	
Phenanthrene	<0.028	mg/kg	0.092	0.028	1	05/17/22 12:38	05/17/22 15:23	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/17/22 12:38	05/17/22 15:23	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/17/22 12:38	05/17/22 15:23	129-00-0	
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/17/22 15:23	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-64 (4.5-5.5) **Lab ID: 40244735012** Collected: 05/10/22 13:15 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/17/22 12:38	05/17/22 15:23	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 15:23	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	65	%	10-125		1	05/17/22 12:38	05/17/22 15:23	4165-60-0	
2-Fluorobiphenyl (S)	58	%	12-118		1	05/17/22 12:38	05/17/22 15:23	321-60-8	
Terphenyl-d14 (S)	59	%	10-124		1	05/17/22 12:38	05/17/22 15:23	1718-51-0	
Phenol-d6 (S)	50	%	10-125		1	05/17/22 12:38	05/17/22 15:23	13127-88-3	
2-Fluorophenol (S)	54	%	10-130		1	05/17/22 12:38	05/17/22 15:23	367-12-4	
2,4,6-Tribromophenol (S)	58	%	10-144		1	05/17/22 12:38	05/17/22 15:23	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/17/22 06:00	05/17/22 14:09	71-55-6	L1
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/17/22 06:00	05/17/22 14:09	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/17/22 06:00	05/17/22 14:09	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/17/22 14:09	75-34-3	L1
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/17/22 14:09	75-35-4	L1
1,2-Dichloroethane	<0.00088	mg/kg	0.0053	0.00088	1	05/17/22 06:00	05/17/22 14:09	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/17/22 14:09	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/17/22 06:00	05/17/22 14:09	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/17/22 06:00	05/17/22 14:09	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/17/22 06:00	05/17/22 14:09	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/17/22 06:00	05/17/22 14:09	67-64-1	
Benzene	<0.00076	mg/kg	0.0053	0.00076	1	05/17/22 06:00	05/17/22 14:09	71-43-2	
Bromodichloromethane	<0.00073	mg/kg	0.0053	0.00073	1	05/17/22 06:00	05/17/22 14:09	75-27-4	
Bromoform	<0.0087	mg/kg	0.021	0.0087	1	05/17/22 06:00	05/17/22 14:09	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0053	0.0048	1	05/17/22 06:00	05/17/22 14:09	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/17/22 06:00	05/17/22 14:09	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0053	0.0034	1	05/17/22 06:00	05/17/22 14:09	56-23-5	
Chlorobenzene	<0.00099	mg/kg	0.0053	0.00099	1	05/17/22 06:00	05/17/22 14:09	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0053	0.0039	1	05/17/22 06:00	05/17/22 14:09	75-00-3	
Chloroform	<0.00090	mg/kg	0.0053	0.00090	1	05/17/22 06:00	05/17/22 14:09	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/17/22 14:09	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/17/22 14:09	124-48-1	
Ethylbenzene	<0.00096	mg/kg	0.0053	0.00096	1	05/17/22 06:00	05/17/22 14:09	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/17/22 06:00	05/17/22 14:09	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/17/22 06:00	05/17/22 14:09	75-09-2	L1
Styrene	<0.00076	mg/kg	0.0053	0.00076	1	05/17/22 06:00	05/17/22 14:09	100-42-5	
Tetrachloroethene	<0.00095	mg/kg	0.0053	0.00095	1	05/17/22 06:00	05/17/22 14:09	127-18-4	
Toluene	<0.00094	mg/kg	0.0053	0.00094	1	05/17/22 06:00	05/17/22 14:09	108-88-3	
Trichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/17/22 06:00	05/17/22 14:09	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/17/22 06:00	05/17/22 14:09	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/17/22 06:00	05/17/22 14:09	1330-20-7	
cis-1,2-Dichloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/17/22 06:00	05/17/22 14:09	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-64 (4.5-5.5) **Lab ID: 40244735012** Collected: 05/10/22 13:15 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/17/22 14:09	10061-01-5	
trans-1,2-Dichloroethene	<0.00077	mg/kg	0.0053	0.00077	1	05/17/22 06:00	05/17/22 14:09	156-60-5	L1
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/17/22 14:09	10061-02-6	
Surrogates									
Toluene-d8 (S)	95	%	69-156		1	05/17/22 06:00	05/17/22 14:09	2037-26-5	
4-Bromofluorobenzene (S)	89	%	61-175		1	05/17/22 06:00	05/17/22 14:09	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1	05/17/22 06:00	05/17/22 14:09	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.8	%	0.10	0.10	1		05/13/22 10:21		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/20/22 11:57		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.35	mg/kg	1.1	0.35	1	05/18/22 10:45	05/18/22 15:52	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-65 (1.5-2.5) **Lab ID: 40244735013** Collected: 05/10/22 13:50 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00049	mg/kg	0.0025	0.00049	1	05/16/22 13:43	05/17/22 20:20	309-00-2	
alpha-BHC	<0.00053	mg/kg	0.0025	0.00053	1	05/16/22 13:43	05/17/22 20:20	319-84-6	
beta-BHC	<0.00048	mg/kg	0.0025	0.00048	1	05/16/22 13:43	05/17/22 20:20	319-85-7	
delta-BHC	<0.00066	mg/kg	0.0025	0.00066	1	05/16/22 13:43	05/17/22 20:20	319-86-8	
gamma-BHC (Lindane)	<0.00046	mg/kg	0.0025	0.00046	1	05/16/22 13:43	05/17/22 20:20	58-89-9	
Chlordane (Technical)	<0.010	mg/kg	0.051	0.010	1	05/16/22 13:43	05/17/22 20:20	57-74-9	
alpha-Chlordane	<0.00045	mg/kg	0.0025	0.00045	1	05/16/22 13:43	05/17/22 20:20	5103-71-9	
gamma-Chlordane	<0.00053	mg/kg	0.0025	0.00053	1	05/16/22 13:43	05/17/22 20:20	5103-74-2	
4,4'-DDD	<0.00098	mg/kg	0.0051	0.00098	1	05/16/22 13:43	05/17/22 20:20	72-54-8	
4,4'-DDE	<0.00083	mg/kg	0.0051	0.00083	1	05/16/22 13:43	05/17/22 20:20	72-55-9	
4,4'-DDT	<0.0016	mg/kg	0.0051	0.0016	1	05/16/22 13:43	05/17/22 20:20	50-29-3	
Dieldrin	<0.00088	mg/kg	0.0051	0.00088	1	05/16/22 13:43	05/17/22 20:20	60-57-1	
Endosulfan I	<0.00042	mg/kg	0.0025	0.00042	1	05/16/22 13:43	05/17/22 20:20	959-98-8	
Endosulfan II	<0.00083	mg/kg	0.0051	0.00083	1	05/16/22 13:43	05/17/22 20:20	33213-65-9	
Endosulfan sulfate	<0.00098	mg/kg	0.0051	0.00098	1	05/16/22 13:43	05/17/22 20:20	1031-07-8	
Endrin	<0.00089	mg/kg	0.0051	0.00089	1	05/16/22 13:43	05/17/22 20:20	72-20-8	
Endrin aldehyde	<0.0012	mg/kg	0.0051	0.0012	1	05/16/22 13:43	05/17/22 20:20	7421-93-4	
Endrin ketone	<0.0013	mg/kg	0.0051	0.0013	1	05/16/22 13:43	05/17/22 20:20	53494-70-5	
Heptachlor	<0.00045	mg/kg	0.0025	0.00045	1	05/16/22 13:43	05/17/22 20:20	76-44-8	
Heptachlor epoxide	<0.00043	mg/kg	0.0025	0.00043	1	05/16/22 13:43	05/17/22 20:20	1024-57-3	
Methoxychlor	<0.0058	mg/kg	0.025	0.0058	1	05/16/22 13:43	05/17/22 20:20	72-43-5	
Toxaphene	<0.018	mg/kg	0.051	0.018	1	05/16/22 13:43	05/17/22 20:20	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	98	%	10-147		1	05/16/22 13:43	05/17/22 20:20	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.016	mg/kg	0.052	0.016	1	05/12/22 19:38	05/13/22 22:48	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.016	mg/kg	0.052	0.016	1	05/12/22 19:38	05/13/22 22:48	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.016	mg/kg	0.052	0.016	1	05/12/22 19:38	05/13/22 22:48	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.016	mg/kg	0.052	0.016	1	05/12/22 19:38	05/13/22 22:48	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.016	mg/kg	0.052	0.016	1	05/12/22 19:38	05/13/22 22:48	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.016	mg/kg	0.052	0.016	1	05/12/22 19:38	05/13/22 22:48	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.016	mg/kg	0.052	0.016	1	05/12/22 19:38	05/13/22 22:48	11096-82-5	
PCB, Total	<0.016	mg/kg	0.052	0.016	1	05/12/22 19:38	05/13/22 22:48	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	89	%	50-99		1	05/12/22 19:38	05/13/22 22:48	877-09-8	
Decachlorobiphenyl (S)	85	%	38-95		1	05/12/22 19:38	05/13/22 22:48	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	7950	mg/kg	30.0	6.0	1	05/18/22 15:33	05/24/22 15:19	7429-90-5	
Antimony	0.16J	mg/kg	0.50	0.096	1	05/18/22 15:33	05/24/22 15:19	7440-36-0	
Arsenic	8.8	mg/kg	0.50	0.11	1	05/18/22 15:33	05/24/22 15:19	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: **SB-65 (1.5-2.5)** Lab ID: **40244735013** Collected: 05/10/22 13:50 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	120	mg/kg	0.30	0.053	1	05/18/22 15:33	05/24/22 15:19	7440-39-3	
Beryllium	0.47	mg/kg	0.20	0.040	1	05/18/22 15:33	05/24/22 15:19	7440-41-7	
Cadmium	0.21	mg/kg	0.080	0.031	1	05/18/22 15:33	05/24/22 15:19	7440-43-9	
Calcium	32600	mg/kg	99.9	11.8	1	05/18/22 15:33	05/24/22 15:19	7440-70-2	
Chromium	13.7	mg/kg	2.0	0.14	1	05/18/22 15:33	05/24/22 15:19	7440-47-3	
Cobalt	6.4	mg/kg	0.50	0.099	1	05/18/22 15:33	05/24/22 15:19	7440-48-4	
Copper	13.1	mg/kg	1.0	0.24	1	05/18/22 15:33	05/24/22 15:19	7440-50-8	
Iron	18700	mg/kg	49.9	10.5	1	05/18/22 15:33	05/24/22 15:19	7439-89-6	
Lead	20.2	mg/kg	0.50	0.029	1	05/18/22 15:33	05/24/22 15:19	7439-92-1	
Magnesium	19300	mg/kg	30.0	4.3	1	05/18/22 15:33	05/24/22 15:19	7439-95-4	
Manganese	979	mg/kg	2.5	1.2	5	05/18/22 15:33	05/25/22 16:24	7439-96-5	
Nickel	15.6	mg/kg	0.50	0.20	1	05/18/22 15:33	05/24/22 15:19	7440-02-0	
Potassium	877	mg/kg	99.9	11.5	1	05/18/22 15:33	05/24/22 15:19	7440-09-7	
Selenium	0.23J	mg/kg	0.50	0.086	1	05/18/22 15:33	05/24/22 15:19	7782-49-2	
Silver	<0.14	mg/kg	0.50	0.14	1	05/18/22 15:33	05/24/22 15:19	7440-22-4	
Sodium	64.5	mg/kg	49.9	11.1	1	05/18/22 15:33	05/24/22 15:19	7440-23-5	
Thallium	0.19	mg/kg	0.10	0.037	1	05/18/22 15:33	05/24/22 15:19	7440-28-0	
Vanadium	23.9	mg/kg	1.0	0.18	1	05/18/22 15:33	05/24/22 15:19	7440-62-2	
Zinc	45.3	mg/kg	5.0	0.90	1	05/18/22 15:33	05/24/22 15:19	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	<0.010	mg/kg	0.036	0.010	1	05/17/22 09:27	05/18/22 14:09	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.019	mg/kg	0.065	0.019	1	05/17/22 12:38	05/17/22 20:01	120-82-1	
1,2-Dichlorobenzene	<0.054	mg/kg	0.18	0.054	1	05/17/22 12:38	05/17/22 20:01	95-50-1	
1,3-Dichlorobenzene	<0.024	mg/kg	0.079	0.024	1	05/17/22 12:38	05/17/22 20:01	541-73-1	
1,4-Dichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/17/22 12:38	05/17/22 20:01	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.044	mg/kg	0.15	0.044	1	05/17/22 12:38	05/17/22 20:01	108-60-1	
2,4,5-Trichlorophenol	<0.030	mg/kg	0.10	0.030	1	05/17/22 12:38	05/17/22 20:01	95-95-4	
2,4,6-Trichlorophenol	<0.026	mg/kg	0.087	0.026	1	05/17/22 12:38	05/17/22 20:01	88-06-2	
2,4-Dichlorophenol	<0.046	mg/kg	0.15	0.046	1	05/17/22 12:38	05/17/22 20:01	120-83-2	
2,4-Dimethylphenol	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 20:01	105-67-9	
2,4-Dinitrophenol	<0.052	mg/kg	0.17	0.052	1	05/17/22 12:38	05/17/22 20:01	51-28-5	
2,4-Dinitrotoluene	<0.025	mg/kg	0.082	0.025	1	05/17/22 12:38	05/17/22 20:01	121-14-2	
2,6-Dinitrotoluene	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 20:01	606-20-2	
2-Chloronaphthalene	<0.022	mg/kg	0.074	0.022	1	05/17/22 12:38	05/17/22 20:01	91-58-7	
2-Chlorophenol	<0.043	mg/kg	0.14	0.043	1	05/17/22 12:38	05/17/22 20:01	95-57-8	
2-Methylnaphthalene	<0.045	mg/kg	0.15	0.045	1	05/17/22 12:38	05/17/22 20:01	91-57-6	
2-Methylphenol(o-Cresol)	<0.031	mg/kg	0.10	0.031	1	05/17/22 12:38	05/17/22 20:01	95-48-7	
2-Nitroaniline	<0.049	mg/kg	0.16	0.049	1	05/17/22 12:38	05/17/22 20:01	88-74-4	
2-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/17/22 12:38	05/17/22 20:01	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: **SB-65 (1.5-2.5)** Lab ID: **40244735013** Collected: 05/10/22 13:50 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/17/22 20:01		
3,3'-Dichlorobenzidine	<0.047	mg/kg	0.16	0.047	1	05/17/22 12:38	05/17/22 20:01	91-94-1	
3-Nitroaniline	<0.029	mg/kg	0.097	0.029	1	05/17/22 12:38	05/17/22 20:01	99-09-2	
4,6-Dinitro-2-methylphenol	<0.053	mg/kg	0.18	0.053	1	05/17/22 12:38	05/17/22 20:01	534-52-1	
4-Bromophenylphenyl ether	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 20:01	101-55-3	
4-Chloro-3-methylphenol	<0.053	mg/kg	0.18	0.053	1	05/17/22 12:38	05/17/22 20:01	59-50-7	
4-Chloroaniline	<0.028	mg/kg	0.094	0.028	1	05/17/22 12:38	05/17/22 20:01	106-47-8	3q
4-Chlorophenylphenyl ether	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/17/22 20:01	7005-72-3	
4-Nitroaniline	<0.071	mg/kg	0.24	0.071	1	05/17/22 12:38	05/17/22 20:01	100-01-6	
4-Nitrophenol	<0.043	mg/kg	0.14	0.043	1	05/17/22 12:38	05/17/22 20:01	100-02-7	
Acenaphthene	<0.061	mg/kg	0.20	0.061	1	05/17/22 12:38	05/17/22 20:01	83-32-9	
Acenaphthylene	<0.061	mg/kg	0.20	0.061	1	05/17/22 12:38	05/17/22 20:01	208-96-8	
Anthracene	<0.027	mg/kg	0.092	0.027	1	05/17/22 12:38	05/17/22 20:01	120-12-7	
Benzo(a)anthracene	0.030J	mg/kg	0.089	0.027	1	05/17/22 12:38	05/17/22 20:01	56-55-3	
Benzo(a)pyrene	0.038J	mg/kg	0.086	0.026	1	05/17/22 12:38	05/17/22 20:01	50-32-8	
Benzo(b)fluoranthene	0.050J	mg/kg	0.098	0.030	1	05/17/22 12:38	05/17/22 20:01	205-99-2	
Benzo(g,h,i)perylene	<0.045	mg/kg	0.15	0.045	1	05/17/22 12:38	05/17/22 20:01	191-24-2	
Benzo(k)fluoranthene	<0.041	mg/kg	0.14	0.041	1	05/17/22 12:38	05/17/22 20:01	207-08-9	
Butylbenzylphthalate	<0.028	mg/kg	0.092	0.028	1	05/17/22 12:38	05/17/22 20:01	85-68-7	
Carbazole	<0.027	mg/kg	0.090	0.027	1	05/17/22 12:38	05/17/22 20:01	86-74-8	
Chrysene	0.032J	mg/kg	0.086	0.026	1	05/17/22 12:38	05/17/22 20:01	218-01-9	
Di-n-butylphthalate	<0.026	mg/kg	0.086	0.026	1	05/17/22 12:38	05/17/22 20:01	84-74-2	
Di-n-octylphthalate	<0.039	mg/kg	0.13	0.039	1	05/17/22 12:38	05/17/22 20:01	117-84-0	
Dibenz(a,h)anthracene	<0.047	mg/kg	0.16	0.047	1	05/17/22 12:38	05/17/22 20:01	53-70-3	
Dibenzofuran	<0.021	mg/kg	0.069	0.021	1	05/17/22 12:38	05/17/22 20:01	132-64-9	
Diethylphthalate	<0.029	mg/kg	0.095	0.029	1	05/17/22 12:38	05/17/22 20:01	84-66-2	
Dimethylphthalate	<0.022	mg/kg	0.075	0.022	1	05/17/22 12:38	05/17/22 20:01	131-11-3	
Fluoranthene	0.047J	mg/kg	0.081	0.024	1	05/17/22 12:38	05/17/22 20:01	206-44-0	
Fluorene	<0.020	mg/kg	0.067	0.020	1	05/17/22 12:38	05/17/22 20:01	86-73-7	
Hexachloro-1,3-butadiene	<0.044	mg/kg	0.15	0.044	1	05/17/22 12:38	05/17/22 20:01	87-68-3	
Hexachlorobenzene	<0.029	mg/kg	0.096	0.029	1	05/17/22 12:38	05/17/22 20:01	118-74-1	
Hexachlorocyclopentadiene	<0.041	mg/kg	0.14	0.041	1	05/17/22 12:38	05/17/22 20:01	77-47-4	
Hexachloroethane	<0.028	mg/kg	0.092	0.028	1	05/17/22 12:38	05/17/22 20:01	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/17/22 20:01	193-39-5	
Isophorone	<0.026	mg/kg	0.088	0.026	1	05/17/22 12:38	05/17/22 20:01	78-59-1	
N-Nitroso-di-n-propylamine	<0.027	mg/kg	0.091	0.027	1	05/17/22 12:38	05/17/22 20:01	621-64-7	
N-Nitrosodiphenylamine	<0.23	mg/kg	0.78	0.23	1	05/17/22 12:38	05/17/22 20:01	86-30-6	
Naphthalene	<0.060	mg/kg	0.20	0.060	1	05/17/22 12:38	05/17/22 20:01	91-20-3	
Nitrobenzene	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 20:01	98-95-3	
Pentachlorophenol	<0.038	mg/kg	0.13	0.038	1	05/17/22 12:38	05/17/22 20:01	87-86-5	
Phenanthrene	0.042J	mg/kg	0.074	0.022	1	05/17/22 12:38	05/17/22 20:01	85-01-8	
Phenol	<0.041	mg/kg	0.14	0.041	1	05/17/22 12:38	05/17/22 20:01	108-95-2	
Pyrene	0.045J	mg/kg	0.13	0.038	1	05/17/22 12:38	05/17/22 20:01	129-00-0	
bis(2-Chloroethoxy)methane	<0.046	mg/kg	0.15	0.046	1	05/17/22 12:38	05/17/22 20:01	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-65 (1.5-2.5) **Lab ID: 40244735013** Collected: 05/10/22 13:50 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.054	mg/kg	0.18	0.054	1	05/17/22 12:38	05/17/22 20:01	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.029	mg/kg	0.095	0.029	1	05/17/22 12:38	05/17/22 20:01	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	88	%	10-125		1	05/17/22 12:38	05/17/22 20:01	4165-60-0	
2-Fluorobiphenyl (S)	93	%	12-118		1	05/17/22 12:38	05/17/22 20:01	321-60-8	
Terphenyl-d14 (S)	111	%	10-124		1	05/17/22 12:38	05/17/22 20:01	1718-51-0	
Phenol-d6 (S)	77	%	10-125		1	05/17/22 12:38	05/17/22 20:01	13127-88-3	
2-Fluorophenol (S)	73	%	10-130		1	05/17/22 12:38	05/17/22 20:01	367-12-4	
2,4,6-Tribromophenol (S)	117	%	10-144		1	05/17/22 12:38	05/17/22 20:01	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0012	mg/kg	0.0039	0.0012	1	05/17/22 06:00	05/17/22 14:33	71-55-6	L1
1,1,2,2-Tetrachloroethane	<0.0020	mg/kg	0.0039	0.0020	1	05/17/22 06:00	05/17/22 14:33	79-34-5	
1,1,2-Trichloroethane	<0.0012	mg/kg	0.0039	0.0012	1	05/17/22 06:00	05/17/22 14:33	79-00-5	
1,1-Dichloroethane	<0.00084	mg/kg	0.0039	0.00084	1	05/17/22 06:00	05/17/22 14:33	75-34-3	L1
1,1-Dichloroethene	<0.00083	mg/kg	0.0039	0.00083	1	05/17/22 06:00	05/17/22 14:33	75-35-4	L1
1,2-Dichloroethane	<0.00065	mg/kg	0.0039	0.00065	1	05/17/22 06:00	05/17/22 14:33	107-06-2	
1,2-Dichloropropane	<0.00079	mg/kg	0.0039	0.00079	1	05/17/22 06:00	05/17/22 14:33	78-87-5	
2-Butanone (MEK)	<0.012	mg/kg	0.020	0.012	1	05/17/22 06:00	05/17/22 14:33	78-93-3	
2-Hexanone	<0.0089	mg/kg	0.020	0.0089	1	05/17/22 06:00	05/17/22 14:33	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.016	mg/kg	0.020	0.016	1	05/17/22 06:00	05/17/22 14:33	108-10-1	
Acetone	<0.037	mg/kg	0.078	0.037	1	05/17/22 06:00	05/17/22 14:33	67-64-1	
Benzene	<0.00056	mg/kg	0.0039	0.00056	1	05/17/22 06:00	05/17/22 14:33	71-43-2	
Bromodichloromethane	<0.00053	mg/kg	0.0039	0.00053	1	05/17/22 06:00	05/17/22 14:33	75-27-4	
Bromoform	<0.0064	mg/kg	0.016	0.0064	1	05/17/22 06:00	05/17/22 14:33	75-25-2	
Bromomethane	<0.0035	mg/kg	0.0039	0.0035	1	05/17/22 06:00	05/17/22 14:33	74-83-9	
Carbon disulfide	<0.00087	mg/kg	0.0039	0.00087	1	05/17/22 06:00	05/17/22 14:33	75-15-0	
Carbon tetrachloride	<0.0025	mg/kg	0.0039	0.0025	1	05/17/22 06:00	05/17/22 14:33	56-23-5	
Chlorobenzene	<0.00072	mg/kg	0.0039	0.00072	1	05/17/22 06:00	05/17/22 14:33	108-90-7	
Chloroethane	<0.0028	mg/kg	0.0039	0.0028	1	05/17/22 06:00	05/17/22 14:33	75-00-3	
Chloroform	<0.00066	mg/kg	0.0039	0.00066	1	05/17/22 06:00	05/17/22 14:33	67-66-3	
Chloromethane	<0.00084	mg/kg	0.0039	0.00084	1	05/17/22 06:00	05/17/22 14:33	74-87-3	
Dibromochloromethane	<0.00079	mg/kg	0.0039	0.00079	1	05/17/22 06:00	05/17/22 14:33	124-48-1	
Ethylbenzene	<0.00070	mg/kg	0.0039	0.00070	1	05/17/22 06:00	05/17/22 14:33	100-41-4	
Methyl-tert-butyl ether	<0.0016	mg/kg	0.0039	0.0016	1	05/17/22 06:00	05/17/22 14:33	1634-04-4	
Methylene Chloride	<0.0031	mg/kg	0.0039	0.0031	1	05/17/22 06:00	05/17/22 14:33	75-09-2	L1
Styrene	<0.00056	mg/kg	0.0039	0.00056	1	05/17/22 06:00	05/17/22 14:33	100-42-5	
Tetrachloroethene	<0.00070	mg/kg	0.0039	0.00070	1	05/17/22 06:00	05/17/22 14:33	127-18-4	
Toluene	<0.00069	mg/kg	0.0039	0.00069	1	05/17/22 06:00	05/17/22 14:33	108-88-3	
Trichloroethene	<0.00056	mg/kg	0.0039	0.00056	1	05/17/22 06:00	05/17/22 14:33	79-01-6	
Vinyl chloride	<0.0010	mg/kg	0.0039	0.0010	1	05/17/22 06:00	05/17/22 14:33	75-01-4	
Xylene (Total)	<0.0027	mg/kg	0.0078	0.0027	1	05/17/22 06:00	05/17/22 14:33	1330-20-7	
cis-1,2-Dichloroethene	<0.00069	mg/kg	0.0039	0.00069	1	05/17/22 06:00	05/17/22 14:33	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-65 (1.5-2.5) **Lab ID: 40244735013** Collected: 05/10/22 13:50 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.00080	mg/kg	0.0039	0.00080	1	05/17/22 06:00	05/17/22 14:33	10061-01-5	
trans-1,2-Dichloroethene	<0.00056	mg/kg	0.0039	0.00056	1	05/17/22 06:00	05/17/22 14:33	156-60-5	L1
trans-1,3-Dichloropropene	<0.00079	mg/kg	0.0039	0.00079	1	05/17/22 06:00	05/17/22 14:33	10061-02-6	
Surrogates									
Toluene-d8 (S)	95	%	69-156		1	05/17/22 06:00	05/17/22 14:33	2037-26-5	
4-Bromofluorobenzene (S)	88	%	61-175		1	05/17/22 06:00	05/17/22 14:33	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1	05/17/22 06:00	05/17/22 14:33	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	3.0	%	0.10	0.10	1		05/13/22 10:21		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.15	Std. Units	0.100	0.0100	1		05/20/22 09:13		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.24	mg/kg	0.71	0.24	1	05/18/22 12:20	05/18/22 15:56	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-65 (4.5-5.5) **Lab ID: 40244735014** Collected: 05/10/22 13:53 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00063	mg/kg	0.0033	0.00063	1	05/16/22 13:43	05/17/22 20:32	309-00-2	
alpha-BHC	<0.00068	mg/kg	0.0033	0.00068	1	05/16/22 13:43	05/17/22 20:32	319-84-6	
beta-BHC	<0.00061	mg/kg	0.0033	0.00061	1	05/16/22 13:43	05/17/22 20:32	319-85-7	
delta-BHC	<0.00085	mg/kg	0.0033	0.00085	1	05/16/22 13:43	05/17/22 20:32	319-86-8	
gamma-BHC (Lindane)	<0.00059	mg/kg	0.0033	0.00059	1	05/16/22 13:43	05/17/22 20:32	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.065	0.013	1	05/16/22 13:43	05/17/22 20:32	57-74-9	
alpha-Chlordane	<0.00057	mg/kg	0.0033	0.00057	1	05/16/22 13:43	05/17/22 20:32	5103-71-9	
gamma-Chlordane	<0.00068	mg/kg	0.0033	0.00068	1	05/16/22 13:43	05/17/22 20:32	5103-74-2	
4,4'-DDD	<0.0013	mg/kg	0.0065	0.0013	1	05/16/22 13:43	05/17/22 20:32	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0065	0.0011	1	05/16/22 13:43	05/17/22 20:32	72-55-9	
4,4'-DDT	<0.0021	mg/kg	0.0065	0.0021	1	05/16/22 13:43	05/17/22 20:32	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0065	0.0011	1	05/16/22 13:43	05/17/22 20:32	60-57-1	
Endosulfan I	<0.00054	mg/kg	0.0033	0.00054	1	05/16/22 13:43	05/17/22 20:32	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0065	0.0011	1	05/16/22 13:43	05/17/22 20:32	33213-65-9	
Endosulfan sulfate	<0.0013	mg/kg	0.0065	0.0013	1	05/16/22 13:43	05/17/22 20:32	1031-07-8	
Endrin	<0.0011	mg/kg	0.0065	0.0011	1	05/16/22 13:43	05/17/22 20:32	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0065	0.0015	1	05/16/22 13:43	05/17/22 20:32	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0065	0.0016	1	05/16/22 13:43	05/17/22 20:32	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0033	0.00058	1	05/16/22 13:43	05/17/22 20:32	76-44-8	
Heptachlor epoxide	<0.00055	mg/kg	0.0033	0.00055	1	05/16/22 13:43	05/17/22 20:32	1024-57-3	
Methoxychlor	<0.0074	mg/kg	0.033	0.0074	1	05/16/22 13:43	05/17/22 20:32	72-43-5	
Toxaphene	<0.023	mg/kg	0.065	0.023	1	05/16/22 13:43	05/17/22 20:32	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	73	%	10-147		1	05/16/22 13:43	05/17/22 20:32	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/12/22 19:38	05/13/22 23:12	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/12/22 19:38	05/13/22 23:12	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/12/22 19:38	05/13/22 23:12	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/12/22 19:38	05/13/22 23:12	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/12/22 19:38	05/13/22 23:12	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/12/22 19:38	05/13/22 23:12	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/12/22 19:38	05/13/22 23:12	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/12/22 19:38	05/13/22 23:12	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	85	%	50-99		1	05/12/22 19:38	05/13/22 23:12	877-09-8	
Decachlorobiphenyl (S)	83	%	38-95		1	05/12/22 19:38	05/13/22 23:12	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	15300	mg/kg	37.7	7.6	1	05/18/22 15:33	05/24/22 15:22	7429-90-5	
Antimony	0.29J	mg/kg	0.63	0.12	1	05/18/22 15:33	05/24/22 15:22	7440-36-0	
Arsenic	17.4	mg/kg	0.63	0.14	1	05/18/22 15:33	05/24/22 15:22	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-65 (4.5-5.5) **Lab ID: 40244735014** Collected: 05/10/22 13:53 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	202	mg/kg	0.38	0.067	1	05/18/22 15:33	05/24/22 15:22	7440-39-3	
Beryllium	0.92	mg/kg	0.25	0.050	1	05/18/22 15:33	05/24/22 15:22	7440-41-7	
Cadmium	0.66	mg/kg	0.10	0.039	1	05/18/22 15:33	05/24/22 15:22	7440-43-9	
Calcium	17100	mg/kg	126	14.8	1	05/18/22 15:33	05/24/22 15:22	7440-70-2	
Chromium	21.4	mg/kg	2.5	0.18	1	05/18/22 15:33	05/24/22 15:22	7440-47-3	
Cobalt	16.9	mg/kg	0.63	0.12	1	05/18/22 15:33	05/24/22 15:22	7440-48-4	
Copper	24.7	mg/kg	1.3	0.30	1	05/18/22 15:33	05/24/22 15:22	7440-50-8	
Iron	36200	mg/kg	314	66.0	5	05/18/22 15:33	05/25/22 16:27	7439-89-6	
Lead	21.4	mg/kg	0.63	0.037	1	05/18/22 15:33	05/24/22 15:22	7439-92-1	
Magnesium	11200	mg/kg	37.7	5.4	1	05/18/22 15:33	05/24/22 15:22	7439-95-4	
Manganese	1690	mg/kg	3.1	1.5	5	05/18/22 15:33	05/25/22 16:27	7439-96-5	
Nickel	40.1	mg/kg	0.63	0.25	1	05/18/22 15:33	05/24/22 15:22	7440-02-0	
Potassium	968	mg/kg	126	14.4	1	05/18/22 15:33	05/24/22 15:22	7440-09-7	
Selenium	0.45J	mg/kg	0.63	0.11	1	05/18/22 15:33	05/24/22 15:22	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/18/22 15:33	05/24/22 15:22	7440-22-4	
Sodium	92.3	mg/kg	62.8	13.9	1	05/18/22 15:33	05/24/22 15:22	7440-23-5	
Thallium	0.29	mg/kg	0.13	0.046	1	05/18/22 15:33	05/24/22 15:22	7440-28-0	
Vanadium	43.7	mg/kg	1.3	0.22	1	05/18/22 15:33	05/24/22 15:22	7440-62-2	
Zinc	65.0	mg/kg	6.3	1.1	1	05/18/22 15:33	05/24/22 15:22	7440-66-6	

7471 Mercury

Analytical Method: EPA 7471 Preparation Method: EPA 7471

Pace Analytical Services - Green Bay

Mercury	0.092	mg/kg	0.044	0.013	1	05/17/22 09:27	05/18/22 14:12	7439-97-6	
---------	-------	-------	-------	-------	---	----------------	----------------	-----------	--

8270E MSSV FULL LIST MICROWAVE

Analytical Method: EPA 8270E Preparation Method: EPA 3546

Pace Analytical Services - Green Bay

1,2,4-Trichlorobenzene	<0.025	mg/kg	0.083	0.025	1	05/17/22 12:38	05/17/22 20:22	120-82-1	
1,2-Dichlorobenzene	<0.069	mg/kg	0.23	0.069	1	05/17/22 12:38	05/17/22 20:22	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/17/22 12:38	05/17/22 20:22	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/17/22 12:38	05/17/22 20:22	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.057	mg/kg	0.19	0.057	1	05/17/22 12:38	05/17/22 20:22	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/17/22 12:38	05/17/22 20:22	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 20:22	88-06-2	
2,4-Dichlorophenol	<0.059	mg/kg	0.20	0.059	1	05/17/22 12:38	05/17/22 20:22	120-83-2	
2,4-Dimethylphenol	<0.044	mg/kg	0.15	0.044	1	05/17/22 12:38	05/17/22 20:22	105-67-9	
2,4-Dinitrophenol	<0.067	mg/kg	0.22	0.067	1	05/17/22 12:38	05/17/22 20:22	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/17/22 20:22	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/17/22 12:38	05/17/22 20:22	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.095	0.028	1	05/17/22 12:38	05/17/22 20:22	91-58-7	
2-Chlorophenol	<0.055	mg/kg	0.18	0.055	1	05/17/22 12:38	05/17/22 20:22	95-57-8	
2-Methylnaphthalene	<0.057	mg/kg	0.19	0.057	1	05/17/22 12:38	05/17/22 20:22	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/17/22 12:38	05/17/22 20:22	95-48-7	
2-Nitroaniline	<0.063	mg/kg	0.21	0.063	1	05/17/22 12:38	05/17/22 20:22	88-74-4	
2-Nitrophenol	<0.070	mg/kg	0.23	0.070	1	05/17/22 12:38	05/17/22 20:22	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-65 (4.5-5.5) **Lab ID: 40244735014** Collected: 05/10/22 13:53 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/17/22 12:38	05/17/22 20:22		
3,3'-Dichlorobenzidine	<0.060	mg/kg	0.20	0.060	1	05/17/22 12:38	05/17/22 20:22	91-94-1	
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/17/22 12:38	05/17/22 20:22	99-09-2	
4,6-Dinitro-2-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/17/22 12:38	05/17/22 20:22	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/17/22 12:38	05/17/22 20:22	101-55-3	
4-Chloro-3-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/17/22 12:38	05/17/22 20:22	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 20:22	106-47-8	3q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/17/22 12:38	05/17/22 20:22	7005-72-3	
4-Nitroaniline	<0.092	mg/kg	0.31	0.092	1	05/17/22 12:38	05/17/22 20:22	100-01-6	
4-Nitrophenol	<0.056	mg/kg	0.19	0.056	1	05/17/22 12:38	05/17/22 20:22	100-02-7	
Acenaphthene	<0.078	mg/kg	0.26	0.078	1	05/17/22 12:38	05/17/22 20:22	83-32-9	
Acenaphthylene	<0.079	mg/kg	0.26	0.079	1	05/17/22 12:38	05/17/22 20:22	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 20:22	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 20:22	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 20:22	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/17/22 12:38	05/17/22 20:22	205-99-2	
Benzo(g,h,i)perylene	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/17/22 20:22	191-24-2	
Benzo(k)fluoranthene	<0.053	mg/kg	0.18	0.053	1	05/17/22 12:38	05/17/22 20:22	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 20:22	85-68-7	
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 20:22	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 20:22	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 20:22	84-74-2	
Di-n-octylphthalate	<0.050	mg/kg	0.17	0.050	1	05/17/22 12:38	05/17/22 20:22	117-84-0	
Dibenz(a,h)anthracene	<0.060	mg/kg	0.20	0.060	1	05/17/22 12:38	05/17/22 20:22	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.089	0.027	1	05/17/22 12:38	05/17/22 20:22	132-64-9	
Diethylphthalate	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/17/22 20:22	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.096	0.029	1	05/17/22 12:38	05/17/22 20:22	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/17/22 12:38	05/17/22 20:22	206-44-0	
Fluorene	<0.026	mg/kg	0.086	0.026	1	05/17/22 12:38	05/17/22 20:22	86-73-7	
Hexachloro-1,3-butadiene	<0.056	mg/kg	0.19	0.056	1	05/17/22 12:38	05/17/22 20:22	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/17/22 20:22	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/17/22 12:38	05/17/22 20:22	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 20:22	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.048	mg/kg	0.16	0.048	1	05/17/22 12:38	05/17/22 20:22	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 20:22	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 20:22	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	1.0	0.30	1	05/17/22 12:38	05/17/22 20:22	86-30-6	
Naphthalene	<0.077	mg/kg	0.26	0.077	1	05/17/22 12:38	05/17/22 20:22	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/17/22 12:38	05/17/22 20:22	98-95-3	
Pentachlorophenol	<0.049	mg/kg	0.16	0.049	1	05/17/22 12:38	05/17/22 20:22	87-86-5	
Phenanthrene	<0.028	mg/kg	0.094	0.028	1	05/17/22 12:38	05/17/22 20:22	85-01-8	
Phenol	<0.052	mg/kg	0.17	0.052	1	05/17/22 12:38	05/17/22 20:22	108-95-2	
Pyrene	<0.049	mg/kg	0.16	0.049	1	05/17/22 12:38	05/17/22 20:22	129-00-0	
bis(2-Chloroethoxy)methane	<0.059	mg/kg	0.20	0.059	1	05/17/22 12:38	05/17/22 20:22	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Sample Project No.: 40244735

Sample: SB-65 (4.5-5.5) **Lab ID: 40244735014** Collected: 05/10/22 13:53 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.069	mg/kg	0.23	0.069	1	05/17/22 12:38	05/17/22 20:22	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/17/22 20:22	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	69	%	10-125		1	05/17/22 12:38	05/17/22 20:22	4165-60-0	
2-Fluorobiphenyl (S)	58	%	12-118		1	05/17/22 12:38	05/17/22 20:22	321-60-8	
Terphenyl-d14 (S)	69	%	10-124		1	05/17/22 12:38	05/17/22 20:22	1718-51-0	
Phenol-d6 (S)	58	%	10-125		1	05/17/22 12:38	05/17/22 20:22	13127-88-3	
2-Fluorophenol (S)	60	%	10-130		1	05/17/22 12:38	05/17/22 20:22	367-12-4	
2,4,6-Tribromophenol (S)	68	%	10-144		1	05/17/22 12:38	05/17/22 20:22	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/17/22 06:00	05/18/22 15:31	71-55-6	L1
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/17/22 06:00	05/18/22 15:31	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/17/22 06:00	05/18/22 15:31	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/18/22 15:31	75-34-3	L1
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/18/22 15:31	75-35-4	L1
1,2-Dichloroethane	<0.00088	mg/kg	0.0053	0.00088	1	05/17/22 06:00	05/18/22 15:31	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/18/22 15:31	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/17/22 06:00	05/18/22 15:31	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/17/22 06:00	05/18/22 15:31	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/17/22 06:00	05/18/22 15:31	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/17/22 06:00	05/18/22 15:31	67-64-1	
Benzene	<0.00075	mg/kg	0.0053	0.00075	1	05/17/22 06:00	05/18/22 15:31	71-43-2	
Bromodichloromethane	<0.00072	mg/kg	0.0053	0.00072	1	05/17/22 06:00	05/18/22 15:31	75-27-4	
Bromoform	<0.0086	mg/kg	0.021	0.0086	1	05/17/22 06:00	05/18/22 15:31	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0053	0.0047	1	05/17/22 06:00	05/18/22 15:31	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/17/22 06:00	05/18/22 15:31	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0053	0.0034	1	05/17/22 06:00	05/18/22 15:31	56-23-5	
Chlorobenzene	<0.00098	mg/kg	0.0053	0.00098	1	05/17/22 06:00	05/18/22 15:31	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0053	0.0039	1	05/17/22 06:00	05/18/22 15:31	75-00-3	
Chloroform	<0.00090	mg/kg	0.0053	0.00090	1	05/17/22 06:00	05/18/22 15:31	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/18/22 15:31	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/18/22 15:31	124-48-1	
Ethylbenzene	<0.00095	mg/kg	0.0053	0.00095	1	05/17/22 06:00	05/18/22 15:31	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/17/22 06:00	05/18/22 15:31	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/17/22 06:00	05/18/22 15:31	75-09-2	L1
Styrene	<0.00075	mg/kg	0.0053	0.00075	1	05/17/22 06:00	05/18/22 15:31	100-42-5	
Tetrachloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/17/22 06:00	05/18/22 15:31	127-18-4	
Toluene	<0.00094	mg/kg	0.0053	0.00094	1	05/17/22 06:00	05/18/22 15:31	108-88-3	
Trichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/17/22 06:00	05/18/22 15:31	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/17/22 06:00	05/18/22 15:31	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/17/22 06:00	05/18/22 15:31	1330-20-7	
cis-1,2-Dichloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/17/22 06:00	05/18/22 15:31	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-65 (4.5-5.5) **Lab ID: 40244735014** Collected: 05/10/22 13:53 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/18/22 15:31	10061-01-5	
trans-1,2-Dichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/17/22 06:00	05/18/22 15:31	156-60-5	L1
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/17/22 06:00	05/18/22 15:31	10061-02-6	
Surrogates									
Toluene-d8 (S)	97	%	69-156		1	05/17/22 06:00	05/18/22 15:31	2037-26-5	
4-Bromofluorobenzene (S)	107	%	61-175		1	05/17/22 06:00	05/18/22 15:31	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1	05/17/22 06:00	05/18/22 15:31	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	24.3	%	0.10	0.10	1		05/12/22 15:45		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.0	Std. Units	0.10	0.010	1		05/20/22 12:01		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.36	mg/kg	1.1	0.36	1	05/18/22 12:20	05/18/22 15:57	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-44 (5.0-6.0) Lab ID: 40244735015 Collected: 05/10/22 15:00 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00062	mg/kg	0.0032	0.00062	1	05/16/22 13:43	05/17/22 20:45	309-00-2	
alpha-BHC	<0.00068	mg/kg	0.0032	0.00068	1	05/16/22 13:43	05/17/22 20:45	319-84-6	
beta-BHC	<0.00061	mg/kg	0.0032	0.00061	1	05/16/22 13:43	05/17/22 20:45	319-85-7	
delta-BHC	<0.00085	mg/kg	0.0032	0.00085	1	05/16/22 13:43	05/17/22 20:45	319-86-8	
gamma-BHC (Lindane)	<0.00059	mg/kg	0.0032	0.00059	1	05/16/22 13:43	05/17/22 20:45	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.065	0.013	1	05/16/22 13:43	05/17/22 20:45	57-74-9	
alpha-Chlordane	<0.00057	mg/kg	0.0032	0.00057	1	05/16/22 13:43	05/17/22 20:45	5103-71-9	
gamma-Chlordane	<0.00068	mg/kg	0.0032	0.00068	1	05/16/22 13:43	05/17/22 20:45	5103-74-2	
4,4'-DDD	<0.0013	mg/kg	0.0065	0.0013	1	05/16/22 13:43	05/17/22 20:45	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0065	0.0011	1	05/16/22 13:43	05/17/22 20:45	72-55-9	
4,4'-DDT	<0.0021	mg/kg	0.0065	0.0021	1	05/16/22 13:43	05/17/22 20:45	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0065	0.0011	1	05/16/22 13:43	05/17/22 20:45	60-57-1	
Endosulfan I	<0.00054	mg/kg	0.0032	0.00054	1	05/16/22 13:43	05/17/22 20:45	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0065	0.0011	1	05/16/22 13:43	05/17/22 20:45	33213-65-9	
Endosulfan sulfate	<0.0013	mg/kg	0.0065	0.0013	1	05/16/22 13:43	05/17/22 20:45	1031-07-8	
Endrin	<0.0011	mg/kg	0.0065	0.0011	1	05/16/22 13:43	05/17/22 20:45	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0065	0.0015	1	05/16/22 13:43	05/17/22 20:45	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0065	0.0016	1	05/16/22 13:43	05/17/22 20:45	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0032	0.00058	1	05/16/22 13:43	05/17/22 20:45	76-44-8	
Heptachlor epoxide	<0.00055	mg/kg	0.0032	0.00055	1	05/16/22 13:43	05/17/22 20:45	1024-57-3	
Methoxychlor	<0.0074	mg/kg	0.032	0.0074	1	05/16/22 13:43	05/17/22 20:45	72-43-5	
Toxaphene	<0.023	mg/kg	0.065	0.023	1	05/16/22 13:43	05/17/22 20:45	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	36	%	10-147		1	05/16/22 13:43	05/17/22 20:45	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/12/22 19:38	05/13/22 23:36	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/12/22 19:38	05/13/22 23:36	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/12/22 19:38	05/13/22 23:36	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/12/22 19:38	05/13/22 23:36	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/12/22 19:38	05/13/22 23:36	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/12/22 19:38	05/13/22 23:36	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/12/22 19:38	05/13/22 23:36	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/12/22 19:38	05/13/22 23:36	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	85	%	50-99		1	05/12/22 19:38	05/13/22 23:36	877-09-8	
Decachlorobiphenyl (S)	82	%	38-95		1	05/12/22 19:38	05/13/22 23:36	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	13900	mg/kg	38.1	7.7	1	05/18/22 15:33	05/24/22 15:26	7429-90-5	
Antimony	<0.12	mg/kg	0.64	0.12	1	05/18/22 15:33	05/24/22 15:26	7440-36-0	
Arsenic	5.3	mg/kg	0.64	0.14	1	05/18/22 15:33	05/24/22 15:26	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: **SB-44 (5.0-6.0)** Lab ID: **40244735015** Collected: 05/10/22 15:00 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	99.1	mg/kg	0.38	0.068	1	05/18/22 15:33	05/24/22 15:26	7440-39-3	
Beryllium	0.90	mg/kg	0.25	0.050	1	05/18/22 15:33	05/24/22 15:26	7440-41-7	
Cadmium	0.22	mg/kg	0.10	0.040	1	05/18/22 15:33	05/24/22 15:26	7440-43-9	
Calcium	6020	mg/kg	127	15.0	1	05/18/22 15:33	05/24/22 15:26	7440-70-2	
Chromium	17.1	mg/kg	2.5	0.18	1	05/18/22 15:33	05/24/22 15:26	7440-47-3	
Cobalt	6.2	mg/kg	0.64	0.13	1	05/18/22 15:33	05/24/22 15:26	7440-48-4	
Copper	19.0	mg/kg	1.3	0.31	1	05/18/22 15:33	05/24/22 15:26	7440-50-8	
Iron	15500	mg/kg	63.5	13.3	1	05/18/22 15:33	05/24/22 15:26	7439-89-6	
Lead	17.8	mg/kg	0.64	0.037	1	05/18/22 15:33	05/24/22 15:26	7439-92-1	
Magnesium	2960	mg/kg	38.1	5.5	1	05/18/22 15:33	05/24/22 15:26	7439-95-4	
Manganese	253	mg/kg	0.64	0.31	1	05/18/22 15:33	05/24/22 15:26	7439-96-5	
Nickel	14.0	mg/kg	0.64	0.25	1	05/18/22 15:33	05/24/22 15:26	7440-02-0	
Potassium	1410	mg/kg	127	14.6	1	05/18/22 15:33	05/24/22 15:26	7440-09-7	
Selenium	0.88	mg/kg	0.64	0.11	1	05/18/22 15:33	05/24/22 15:26	7782-49-2	
Silver	<0.18	mg/kg	0.64	0.18	1	05/18/22 15:33	05/24/22 15:26	7440-22-4	
Sodium	114	mg/kg	63.5	14.1	1	05/18/22 15:33	05/24/22 15:26	7440-23-5	
Thallium	0.19	mg/kg	0.13	0.047	1	05/18/22 15:33	05/24/22 15:26	7440-28-0	
Vanadium	26.4	mg/kg	1.3	0.22	1	05/18/22 15:33	05/24/22 15:26	7440-62-2	
Zinc	65.5	mg/kg	6.4	1.1	1	05/18/22 15:33	05/24/22 15:26	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.021J	mg/kg	0.046	0.013	1	05/17/22 09:27	05/18/22 14:14	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.083	0.025	1	05/17/22 12:38	05/17/22 21:04	120-82-1	
1,2-Dichlorobenzene	<0.070	mg/kg	0.23	0.070	1	05/17/22 12:38	05/17/22 21:04	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/17/22 12:38	05/17/22 21:04	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/17/22 12:38	05/17/22 21:04	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.057	mg/kg	0.19	0.057	1	05/17/22 12:38	05/17/22 21:04	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/17/22 12:38	05/17/22 21:04	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 21:04	88-06-2	
2,4-Dichlorophenol	<0.059	mg/kg	0.20	0.059	1	05/17/22 12:38	05/17/22 21:04	120-83-2	
2,4-Dimethylphenol	<0.044	mg/kg	0.15	0.044	1	05/17/22 12:38	05/17/22 21:04	105-67-9	
2,4-Dinitrophenol	<0.067	mg/kg	0.22	0.067	1	05/17/22 12:38	05/17/22 21:04	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/17/22 21:04	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/17/22 12:38	05/17/22 21:04	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.095	0.028	1	05/17/22 12:38	05/17/22 21:04	91-58-7	
2-Chlorophenol	<0.055	mg/kg	0.18	0.055	1	05/17/22 12:38	05/17/22 21:04	95-57-8	
2-Methylnaphthalene	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/17/22 21:04	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/17/22 12:38	05/17/22 21:04	95-48-7	
2-Nitroaniline	<0.063	mg/kg	0.21	0.063	1	05/17/22 12:38	05/17/22 21:04	88-74-4	
2-Nitrophenol	<0.070	mg/kg	0.23	0.070	1	05/17/22 12:38	05/17/22 21:04	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-44 (5.0-6.0) **Lab ID: 40244735015** Collected: 05/10/22 15:00 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.041	mg/kg	0.14	0.041	1	05/17/22 12:38	05/17/22 21:04		
3,3'-Dichlorobenzidine	<0.060	mg/kg	0.20	0.060	1	05/17/22 12:38	05/17/22 21:04	91-94-1	
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/17/22 12:38	05/17/22 21:04	99-09-2	
4,6-Dinitro-2-methylphenol	<0.068	mg/kg	0.23	0.068	1	05/17/22 12:38	05/17/22 21:04	534-52-1	
4-Bromophenylphenyl ether	<0.046	mg/kg	0.15	0.046	1	05/17/22 12:38	05/17/22 21:04	101-55-3	
4-Chloro-3-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/17/22 12:38	05/17/22 21:04	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 21:04	106-47-8	3q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/17/22 12:38	05/17/22 21:04	7005-72-3	
4-Nitroaniline	<0.092	mg/kg	0.31	0.092	1	05/17/22 12:38	05/17/22 21:04	100-01-6	
4-Nitrophenol	<0.056	mg/kg	0.19	0.056	1	05/17/22 12:38	05/17/22 21:04	100-02-7	
Acenaphthene	<0.079	mg/kg	0.26	0.079	1	05/17/22 12:38	05/17/22 21:04	83-32-9	
Acenaphthylene	<0.079	mg/kg	0.26	0.079	1	05/17/22 12:38	05/17/22 21:04	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 21:04	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 21:04	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 21:04	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/17/22 12:38	05/17/22 21:04	205-99-2	
Benzo(g,h,i)perylene	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/17/22 21:04	191-24-2	
Benzo(k)fluoranthene	<0.053	mg/kg	0.18	0.053	1	05/17/22 12:38	05/17/22 21:04	207-08-9	
Butylbenzylphthalate	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 21:04	85-68-7	
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 21:04	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 21:04	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 21:04	84-74-2	
Di-n-octylphthalate	<0.050	mg/kg	0.17	0.050	1	05/17/22 12:38	05/17/22 21:04	117-84-0	
Dibenz(a,h)anthracene	<0.060	mg/kg	0.20	0.060	1	05/17/22 12:38	05/17/22 21:04	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.089	0.027	1	05/17/22 12:38	05/17/22 21:04	132-64-9	
Diethylphthalate	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/17/22 21:04	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.096	0.029	1	05/17/22 12:38	05/17/22 21:04	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/17/22 12:38	05/17/22 21:04	206-44-0	
Fluorene	<0.026	mg/kg	0.086	0.026	1	05/17/22 12:38	05/17/22 21:04	86-73-7	
Hexachloro-1,3-butadiene	<0.056	mg/kg	0.19	0.056	1	05/17/22 12:38	05/17/22 21:04	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/17/22 21:04	118-74-1	
Hexachlorocyclopentadiene	<0.052	mg/kg	0.17	0.052	1	05/17/22 12:38	05/17/22 21:04	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 21:04	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.048	mg/kg	0.16	0.048	1	05/17/22 12:38	05/17/22 21:04	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 21:04	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 21:04	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	1.0	0.30	1	05/17/22 12:38	05/17/22 21:04	86-30-6	
Naphthalene	<0.077	mg/kg	0.26	0.077	1	05/17/22 12:38	05/17/22 21:04	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/17/22 12:38	05/17/22 21:04	98-95-3	
Pentachlorophenol	<0.049	mg/kg	0.16	0.049	1	05/17/22 12:38	05/17/22 21:04	87-86-5	
Phenanthrene	<0.028	mg/kg	0.095	0.028	1	05/17/22 12:38	05/17/22 21:04	85-01-8	
Phenol	<0.053	mg/kg	0.18	0.053	1	05/17/22 12:38	05/17/22 21:04	108-95-2	
Pyrene	<0.049	mg/kg	0.16	0.049	1	05/17/22 12:38	05/17/22 21:04	129-00-0	
bis(2-Chloroethoxy)methane	<0.060	mg/kg	0.20	0.060	1	05/17/22 12:38	05/17/22 21:04	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: **SB-44 (5.0-6.0)** Lab ID: **40244735015** Collected: 05/10/22 15:00 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.069	mg/kg	0.23	0.069	1	05/17/22 12:38	05/17/22 21:04	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/17/22 21:04	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	78	%	10-125		1	05/17/22 12:38	05/17/22 21:04	4165-60-0	
2-Fluorobiphenyl (S)	71	%	12-118		1	05/17/22 12:38	05/17/22 21:04	321-60-8	
Terphenyl-d14 (S)	69	%	10-124		1	05/17/22 12:38	05/17/22 21:04	1718-51-0	
Phenol-d6 (S)	64	%	10-125		1	05/17/22 12:38	05/17/22 21:04	13127-88-3	
2-Fluorophenol (S)	70	%	10-130		1	05/17/22 12:38	05/17/22 21:04	367-12-4	
2,4,6-Tribromophenol (S)	73	%	10-144		1	05/17/22 12:38	05/17/22 21:04	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0018	mg/kg	0.0058	0.0018	1	05/17/22 06:00	05/17/22 15:22	71-55-6	L1
1,1,2,2-Tetrachloroethane	<0.0030	mg/kg	0.0058	0.0030	1	05/17/22 06:00	05/17/22 15:22	79-34-5	
1,1,2-Trichloroethane	<0.0018	mg/kg	0.0058	0.0018	1	05/17/22 06:00	05/17/22 15:22	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0058	0.0012	1	05/17/22 06:00	05/17/22 15:22	75-34-3	L1
1,1-Dichloroethene	<0.0012	mg/kg	0.0058	0.0012	1	05/17/22 06:00	05/17/22 15:22	75-35-4	L1
1,2-Dichloroethane	<0.00096	mg/kg	0.0058	0.00096	1	05/17/22 06:00	05/17/22 15:22	107-06-2	
1,2-Dichloropropane	<0.0012	mg/kg	0.0058	0.0012	1	05/17/22 06:00	05/17/22 15:22	78-87-5	
2-Butanone (MEK)	<0.018	mg/kg	0.029	0.018	1	05/17/22 06:00	05/17/22 15:22	78-93-3	
2-Hexanone	<0.013	mg/kg	0.029	0.013	1	05/17/22 06:00	05/17/22 15:22	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.023	mg/kg	0.029	0.023	1	05/17/22 06:00	05/17/22 15:22	108-10-1	
Acetone	<0.055	mg/kg	0.12	0.055	1	05/17/22 06:00	05/17/22 15:22	67-64-1	
Benzene	<0.00082	mg/kg	0.0058	0.00082	1	05/17/22 06:00	05/17/22 15:22	71-43-2	
Bromodichloromethane	<0.00079	mg/kg	0.0058	0.00079	1	05/17/22 06:00	05/17/22 15:22	75-27-4	
Bromoform	<0.0094	mg/kg	0.023	0.0094	1	05/17/22 06:00	05/17/22 15:22	75-25-2	
Bromomethane	<0.0052	mg/kg	0.0058	0.0052	1	05/17/22 06:00	05/17/22 15:22	74-83-9	
Carbon disulfide	<0.0013	mg/kg	0.0058	0.0013	1	05/17/22 06:00	05/17/22 15:22	75-15-0	
Carbon tetrachloride	<0.0037	mg/kg	0.0058	0.0037	1	05/17/22 06:00	05/17/22 15:22	56-23-5	
Chlorobenzene	<0.0011	mg/kg	0.0058	0.0011	1	05/17/22 06:00	05/17/22 15:22	108-90-7	
Chloroethane	<0.0042	mg/kg	0.0058	0.0042	1	05/17/22 06:00	05/17/22 15:22	75-00-3	
Chloroform	<0.00098	mg/kg	0.0058	0.00098	1	05/17/22 06:00	05/17/22 15:22	67-66-3	
Chloromethane	<0.0013	mg/kg	0.0058	0.0013	1	05/17/22 06:00	05/17/22 15:22	74-87-3	
Dibromochloromethane	<0.0012	mg/kg	0.0058	0.0012	1	05/17/22 06:00	05/17/22 15:22	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0058	0.0010	1	05/17/22 06:00	05/17/22 15:22	100-41-4	
Methyl-tert-butyl ether	<0.0024	mg/kg	0.0058	0.0024	1	05/17/22 06:00	05/17/22 15:22	1634-04-4	
Methylene Chloride	<0.0046	mg/kg	0.0058	0.0046	1	05/17/22 06:00	05/17/22 15:22	75-09-2	L1
Styrene	<0.00083	mg/kg	0.0058	0.00083	1	05/17/22 06:00	05/17/22 15:22	100-42-5	
Tetrachloroethene	<0.0010	mg/kg	0.0058	0.0010	1	05/17/22 06:00	05/17/22 15:22	127-18-4	
Toluene	<0.0010	mg/kg	0.0058	0.0010	1	05/17/22 06:00	05/17/22 15:22	108-88-3	
Trichloroethene	<0.00083	mg/kg	0.0058	0.00083	1	05/17/22 06:00	05/17/22 15:22	79-01-6	
Vinyl chloride	<0.0015	mg/kg	0.0058	0.0015	1	05/17/22 06:00	05/17/22 15:22	75-01-4	
Xylene (Total)	<0.0040	mg/kg	0.012	0.0040	1	05/17/22 06:00	05/17/22 15:22	1330-20-7	
cis-1,2-Dichloroethene	<0.0010	mg/kg	0.0058	0.0010	1	05/17/22 06:00	05/17/22 15:22	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-44 (5.0-6.0) **Lab ID: 40244735015** Collected: 05/10/22 15:00 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0012	mg/kg	0.0058	0.0012	1	05/17/22 06:00	05/17/22 15:22	10061-01-5	
trans-1,2-Dichloroethene	<0.00084	mg/kg	0.0058	0.00084	1	05/17/22 06:00	05/17/22 15:22	156-60-5	L1
trans-1,3-Dichloropropene	<0.0012	mg/kg	0.0058	0.0012	1	05/17/22 06:00	05/17/22 15:22	10061-02-6	
Surrogates									
Toluene-d8 (S)	95	%	69-156		1	05/17/22 06:00	05/17/22 15:22	2037-26-5	
4-Bromofluorobenzene (S)	92	%	61-175		1	05/17/22 06:00	05/17/22 15:22	460-00-4	
1,2-Dichlorobenzene-d4 (S)	111	%	70-130		1	05/17/22 06:00	05/17/22 15:22	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	24.7	%	0.10	0.10	1		05/12/22 15:45		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.2	Std. Units	0.10	0.010	1		05/20/22 12:06		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.40	mg/kg	1.2	0.40	1	05/18/22 12:20	05/18/22 15:58	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-44 (8.5-9.5) **Lab ID: 40244735016** Collected: 05/10/22 15:05 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00060	mg/kg	0.0031	0.00060	1	05/16/22 13:43	05/17/22 20:58	309-00-2	
alpha-BHC	<0.00064	mg/kg	0.0031	0.00064	1	05/16/22 13:43	05/17/22 20:58	319-84-6	
beta-BHC	<0.00058	mg/kg	0.0031	0.00058	1	05/16/22 13:43	05/17/22 20:58	319-85-7	
delta-BHC	<0.00081	mg/kg	0.0031	0.00081	1	05/16/22 13:43	05/17/22 20:58	319-86-8	
gamma-BHC (Lindane)	<0.00056	mg/kg	0.0031	0.00056	1	05/16/22 13:43	05/17/22 20:58	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.062	0.013	1	05/16/22 13:43	05/17/22 20:58	57-74-9	
alpha-Chlordane	<0.00054	mg/kg	0.0031	0.00054	1	05/16/22 13:43	05/17/22 20:58	5103-71-9	
gamma-Chlordane	<0.00065	mg/kg	0.0031	0.00065	1	05/16/22 13:43	05/17/22 20:58	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0062	0.0012	1	05/16/22 13:43	05/17/22 20:58	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0062	0.0010	1	05/16/22 13:43	05/17/22 20:58	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0062	0.0020	1	05/16/22 13:43	05/17/22 20:58	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0062	0.0011	1	05/16/22 13:43	05/17/22 20:58	60-57-1	
Endosulfan I	<0.00051	mg/kg	0.0031	0.00051	1	05/16/22 13:43	05/17/22 20:58	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0062	0.0010	1	05/16/22 13:43	05/17/22 20:58	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0062	0.0012	1	05/16/22 13:43	05/17/22 20:58	1031-07-8	
Endrin	<0.0011	mg/kg	0.0062	0.0011	1	05/16/22 13:43	05/17/22 20:58	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0062	0.0014	1	05/16/22 13:43	05/17/22 20:58	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0062	0.0016	1	05/16/22 13:43	05/17/22 20:58	53494-70-5	
Heptachlor	<0.00055	mg/kg	0.0031	0.00055	1	05/16/22 13:43	05/17/22 20:58	76-44-8	
Heptachlor epoxide	<0.00052	mg/kg	0.0031	0.00052	1	05/16/22 13:43	05/17/22 20:58	1024-57-3	
Methoxychlor	<0.0071	mg/kg	0.031	0.0071	1	05/16/22 13:43	05/17/22 20:58	72-43-5	
Toxaphene	<0.022	mg/kg	0.062	0.022	1	05/16/22 13:43	05/17/22 20:58	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	61	%	10-147		1	05/16/22 13:43	05/17/22 20:58	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.064	0.019	1	05/12/22 19:38	05/14/22 00:01	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.064	0.019	1	05/12/22 19:38	05/14/22 00:01	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.064	0.019	1	05/12/22 19:38	05/14/22 00:01	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.064	0.019	1	05/12/22 19:38	05/14/22 00:01	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.064	0.019	1	05/12/22 19:38	05/14/22 00:01	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.064	0.019	1	05/12/22 19:38	05/14/22 00:01	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.064	0.019	1	05/12/22 19:38	05/14/22 00:01	11096-82-5	
PCB, Total	<0.019	mg/kg	0.064	0.019	1	05/12/22 19:38	05/14/22 00:01	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	86	%	50-99		1	05/12/22 19:38	05/14/22 00:01	877-09-8	
Decachlorobiphenyl (S)	76	%	38-95		1	05/12/22 19:38	05/14/22 00:01	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	17400	mg/kg	37.5	7.6	1	05/18/22 15:33	05/24/22 15:29	7429-90-5	
Antimony	0.28J	mg/kg	0.63	0.12	1	05/18/22 15:33	05/24/22 15:29	7440-36-0	
Arsenic	12.5	mg/kg	0.63	0.14	1	05/18/22 15:33	05/24/22 15:29	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-44 (8.5-9.5) **Lab ID: 40244735016** Collected: 05/10/22 15:05 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	138	mg/kg	0.38	0.067	1	05/18/22 15:33	05/24/22 15:29	7440-39-3	
Beryllium	0.89	mg/kg	0.25	0.050	1	05/18/22 15:33	05/24/22 15:29	7440-41-7	
Cadmium	0.17	mg/kg	0.10	0.039	1	05/18/22 15:33	05/24/22 15:29	7440-43-9	
Calcium	6500	mg/kg	125	14.8	1	05/18/22 15:33	05/24/22 15:29	7440-70-2	
Chromium	23.5	mg/kg	2.5	0.18	1	05/18/22 15:33	05/24/22 15:29	7440-47-3	
Cobalt	6.3	mg/kg	0.63	0.12	1	05/18/22 15:33	05/24/22 15:29	7440-48-4	
Copper	21.2	mg/kg	1.3	0.30	1	05/18/22 15:33	05/24/22 15:29	7440-50-8	
Iron	34100	mg/kg	313	65.7	5	05/18/22 15:33	05/25/22 16:31	7439-89-6	
Lead	12.4	mg/kg	0.63	0.037	1	05/18/22 15:33	05/24/22 15:29	7439-92-1	
Magnesium	5010	mg/kg	37.5	5.4	1	05/18/22 15:33	05/24/22 15:29	7439-95-4	
Manganese	120	mg/kg	0.63	0.31	1	05/18/22 15:33	05/24/22 15:29	7439-96-5	
Nickel	21.4	mg/kg	0.63	0.25	1	05/18/22 15:33	05/24/22 15:29	7440-02-0	
Potassium	847	mg/kg	125	14.4	1	05/18/22 15:33	05/24/22 15:29	7440-09-7	
Selenium	0.33J	mg/kg	0.63	0.11	1	05/18/22 15:33	05/24/22 15:29	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/18/22 15:33	05/24/22 15:29	7440-22-4	
Sodium	113	mg/kg	62.6	13.9	1	05/18/22 15:33	05/24/22 15:29	7440-23-5	
Thallium	0.18	mg/kg	0.13	0.046	1	05/18/22 15:33	05/24/22 15:29	7440-28-0	
Vanadium	40.5	mg/kg	1.3	0.22	1	05/18/22 15:33	05/24/22 15:29	7440-62-2	
Zinc	74.8	mg/kg	6.3	1.1	1	05/18/22 15:33	05/24/22 15:29	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.047	mg/kg	0.043	0.012	1	05/17/22 09:27	05/18/22 14:16	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/17/22 12:38	05/17/22 21:24	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/17/22 12:38	05/17/22 21:24	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/17/22 12:38	05/17/22 21:24	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/17/22 12:38	05/17/22 21:24	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/17/22 12:38	05/17/22 21:24	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/17/22 12:38	05/17/22 21:24	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/17/22 21:24	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/17/22 12:38	05/17/22 21:24	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/17/22 12:38	05/17/22 21:24	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/17/22 12:38	05/17/22 21:24	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/17/22 12:38	05/17/22 21:24	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/17/22 12:38	05/17/22 21:24	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/17/22 12:38	05/17/22 21:24	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/17/22 12:38	05/17/22 21:24	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/17/22 12:38	05/17/22 21:24	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/17/22 12:38	05/17/22 21:24	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/17/22 12:38	05/17/22 21:24	88-74-4	
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/17/22 12:38	05/17/22 21:24	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-44 (8.5-9.5) Lab ID: **40244735016** Collected: 05/10/22 15:05 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/17/22 12:38	05/17/22 21:24		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/17/22 21:24	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 21:24	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/17/22 12:38	05/17/22 21:24	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/17/22 12:38	05/17/22 21:24	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/17/22 12:38	05/17/22 21:24	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 21:24	106-47-8	3q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/17/22 12:38	05/17/22 21:24	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/17/22 12:38	05/17/22 21:24	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/17/22 12:38	05/17/22 21:24	100-02-7	
Acenaphthene	<0.076	mg/kg	0.25	0.076	1	05/17/22 12:38	05/17/22 21:24	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/17/22 12:38	05/17/22 21:24	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 21:24	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 21:24	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/17/22 21:24	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/17/22 21:24	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/17/22 12:38	05/17/22 21:24	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/17/22 12:38	05/17/22 21:24	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 21:24	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 21:24	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/17/22 21:24	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/17/22 21:24	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/17/22 12:38	05/17/22 21:24	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/17/22 21:24	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/17/22 12:38	05/17/22 21:24	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 21:24	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.092	0.028	1	05/17/22 12:38	05/17/22 21:24	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/17/22 12:38	05/17/22 21:24	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/17/22 12:38	05/17/22 21:24	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/17/22 12:38	05/17/22 21:24	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 21:24	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/17/22 12:38	05/17/22 21:24	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 21:24	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/17/22 12:38	05/17/22 21:24	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 21:24	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 21:24	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/17/22 12:38	05/17/22 21:24	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/17/22 12:38	05/17/22 21:24	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/17/22 12:38	05/17/22 21:24	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/17/22 12:38	05/17/22 21:24	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/17/22 12:38	05/17/22 21:24	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/17/22 12:38	05/17/22 21:24	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/17/22 12:38	05/17/22 21:24	129-00-0	
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/17/22 12:38	05/17/22 21:24	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Sample Project No.: 40244735

Sample: **SB-44 (8.5-9.5)** Lab ID: **40244735016** Collected: 05/10/22 15:05 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/17/22 12:38	05/17/22 21:24	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 21:24	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	84	%	10-125		1	05/17/22 12:38	05/17/22 21:24	4165-60-0	
2-Fluorobiphenyl (S)	75	%	12-118		1	05/17/22 12:38	05/17/22 21:24	321-60-8	
Terphenyl-d14 (S)	82	%	10-124		1	05/17/22 12:38	05/17/22 21:24	1718-51-0	
Phenol-d6 (S)	74	%	10-125		1	05/17/22 12:38	05/17/22 21:24	13127-88-3	
2-Fluorophenol (S)	80	%	10-130		1	05/17/22 12:38	05/17/22 21:24	367-12-4	
2,4,6-Tribromophenol (S)	94	%	10-144		1	05/17/22 12:38	05/17/22 21:24	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0055	0.0017	1	05/17/22 06:00	05/17/22 18:04	71-55-6	L1
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0055	0.0028	1	05/17/22 06:00	05/17/22 18:04	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0055	0.0017	1	05/17/22 06:00	05/17/22 18:04	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0055	0.0012	1	05/17/22 06:00	05/17/22 18:04	75-34-3	L1
1,1-Dichloroethene	<0.0012	mg/kg	0.0055	0.0012	1	05/17/22 06:00	05/17/22 18:04	75-35-4	L1
1,2-Dichloroethane	<0.00091	mg/kg	0.0055	0.00091	1	05/17/22 06:00	05/17/22 18:04	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0055	0.0011	1	05/17/22 06:00	05/17/22 18:04	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.028	0.017	1	05/17/22 06:00	05/17/22 18:04	78-93-3	
2-Hexanone	<0.012	mg/kg	0.028	0.012	1	05/17/22 06:00	05/17/22 18:04	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.028	0.022	1	05/17/22 06:00	05/17/22 18:04	108-10-1	
Acetone	<0.052	mg/kg	0.11	0.052	1	05/17/22 06:00	05/17/22 18:04	67-64-1	
Benzene	<0.00078	mg/kg	0.0055	0.00078	1	05/17/22 06:00	05/17/22 18:04	71-43-2	
Bromodichloromethane	<0.00075	mg/kg	0.0055	0.00075	1	05/17/22 06:00	05/17/22 18:04	75-27-4	
Bromoform	<0.0090	mg/kg	0.022	0.0090	1	05/17/22 06:00	05/17/22 18:04	75-25-2	
Bromomethane	<0.0049	mg/kg	0.0055	0.0049	1	05/17/22 06:00	05/17/22 18:04	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0055	0.0012	1	05/17/22 06:00	05/17/22 18:04	75-15-0	
Carbon tetrachloride	<0.0035	mg/kg	0.0055	0.0035	1	05/17/22 06:00	05/17/22 18:04	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0055	0.0010	1	05/17/22 06:00	05/17/22 18:04	108-90-7	
Chloroethane	<0.0040	mg/kg	0.0055	0.0040	1	05/17/22 06:00	05/17/22 18:04	75-00-3	
Chloroform	<0.00093	mg/kg	0.0055	0.00093	1	05/17/22 06:00	05/17/22 18:04	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0055	0.0012	1	05/17/22 06:00	05/17/22 18:04	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0055	0.0011	1	05/17/22 06:00	05/17/22 18:04	124-48-1	
Ethylbenzene	<0.00099	mg/kg	0.0055	0.00099	1	05/17/22 06:00	05/17/22 18:04	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0055	0.0023	1	05/17/22 06:00	05/17/22 18:04	1634-04-4	
Methylene Chloride	<0.0044	mg/kg	0.0055	0.0044	1	05/17/22 06:00	05/17/22 18:04	75-09-2	L1
Styrene	<0.00078	mg/kg	0.0055	0.00078	1	05/17/22 06:00	05/17/22 18:04	100-42-5	
Tetrachloroethene	<0.00098	mg/kg	0.0055	0.00098	1	05/17/22 06:00	05/17/22 18:04	127-18-4	
Toluene	<0.00097	mg/kg	0.0055	0.00097	1	05/17/22 06:00	05/17/22 18:04	108-88-3	
Trichloroethene	<0.00079	mg/kg	0.0055	0.00079	1	05/17/22 06:00	05/17/22 18:04	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0055	0.0014	1	05/17/22 06:00	05/17/22 18:04	75-01-4	
Xylene (Total)	<0.0038	mg/kg	0.011	0.0038	1	05/17/22 06:00	05/17/22 18:04	1330-20-7	
cis-1,2-Dichloroethene	<0.00097	mg/kg	0.0055	0.00097	1	05/17/22 06:00	05/17/22 18:04	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-44 (8.5-9.5) **Lab ID: 40244735016** Collected: 05/10/22 15:05 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0055	0.0011	1	05/17/22 06:00	05/17/22 18:04	10061-01-5	
trans-1,2-Dichloroethene	<0.00079	mg/kg	0.0055	0.00079	1	05/17/22 06:00	05/17/22 18:04	156-60-5	L1
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0055	0.0011	1	05/17/22 06:00	05/17/22 18:04	10061-02-6	
Surrogates									
Toluene-d8 (S)	91	%	69-156		1	05/17/22 06:00	05/17/22 18:04	2037-26-5	
4-Bromofluorobenzene (S)	84	%	61-175		1	05/17/22 06:00	05/17/22 18:04	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1	05/17/22 06:00	05/17/22 18:04	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.7	%	0.10	0.10	1		05/12/22 15:45		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	6.5	Std. Units	0.10	0.010	1		05/20/22 13:04		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.29	mg/kg	0.87	0.29	1	05/18/22 12:20	05/18/22 15:59	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-39 (5.0-6.0) **Lab ID: 40244735017** Collected: 05/10/22 15:50 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00059	mg/kg	0.0031	0.00059	1	05/16/22 13:43	05/17/22 21:10	309-00-2	
alpha-BHC	<0.00064	mg/kg	0.0031	0.00064	1	05/16/22 13:43	05/17/22 21:10	319-84-6	
beta-BHC	<0.00058	mg/kg	0.0031	0.00058	1	05/16/22 13:43	05/17/22 21:10	319-85-7	
delta-BHC	<0.00080	mg/kg	0.0031	0.00080	1	05/16/22 13:43	05/17/22 21:10	319-86-8	
gamma-BHC (Lindane)	<0.00056	mg/kg	0.0031	0.00056	1	05/16/22 13:43	05/17/22 21:10	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.061	0.013	1	05/16/22 13:43	05/17/22 21:10	57-74-9	
alpha-Chlordane	<0.00054	mg/kg	0.0031	0.00054	1	05/16/22 13:43	05/17/22 21:10	5103-71-9	
gamma-Chlordane	<0.00064	mg/kg	0.0031	0.00064	1	05/16/22 13:43	05/17/22 21:10	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0061	0.0012	1	05/16/22 13:43	05/17/22 21:10	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0061	0.0010	1	05/16/22 13:43	05/17/22 21:10	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0061	0.0020	1	05/16/22 13:43	05/17/22 21:10	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0061	0.0011	1	05/16/22 13:43	05/17/22 21:10	60-57-1	
Endosulfan I	<0.00051	mg/kg	0.0031	0.00051	1	05/16/22 13:43	05/17/22 21:10	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0061	0.0010	1	05/16/22 13:43	05/17/22 21:10	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0061	0.0012	1	05/16/22 13:43	05/17/22 21:10	1031-07-8	
Endrin	<0.0011	mg/kg	0.0061	0.0011	1	05/16/22 13:43	05/17/22 21:10	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0061	0.0014	1	05/16/22 13:43	05/17/22 21:10	7421-93-4	
Endrin ketone	<0.0015	mg/kg	0.0061	0.0015	1	05/16/22 13:43	05/17/22 21:10	53494-70-5	
Heptachlor	<0.00055	mg/kg	0.0031	0.00055	1	05/16/22 13:43	05/17/22 21:10	76-44-8	
Heptachlor epoxide	<0.00052	mg/kg	0.0031	0.00052	1	05/16/22 13:43	05/17/22 21:10	1024-57-3	
Methoxychlor	<0.0070	mg/kg	0.031	0.0070	1	05/16/22 13:43	05/17/22 21:10	72-43-5	
Toxaphene	<0.022	mg/kg	0.061	0.022	1	05/16/22 13:43	05/17/22 21:10	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	63	%	10-147		1	05/16/22 13:43	05/17/22 21:10	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.063	0.019	1	05/12/22 19:38	05/14/22 00:25	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.063	0.019	1	05/12/22 19:38	05/14/22 00:25	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.063	0.019	1	05/12/22 19:38	05/14/22 00:25	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.063	0.019	1	05/12/22 19:38	05/14/22 00:25	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.063	0.019	1	05/12/22 19:38	05/14/22 00:25	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.063	0.019	1	05/12/22 19:38	05/14/22 00:25	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.063	0.019	1	05/12/22 19:38	05/14/22 00:25	11096-82-5	
PCB, Total	<0.019	mg/kg	0.063	0.019	1	05/12/22 19:38	05/14/22 00:25	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	80	%	50-99		1	05/12/22 19:38	05/14/22 00:25	877-09-8	
Decachlorobiphenyl (S)	63	%	38-95		1	05/12/22 19:38	05/14/22 00:25	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	15400	mg/kg	37.2	7.5	1	05/18/22 15:33	05/24/22 15:33	7429-90-5	
Antimony	0.12J	mg/kg	0.62	0.12	1	05/18/22 15:33	05/24/22 15:33	7440-36-0	
Arsenic	7.5	mg/kg	0.62	0.14	1	05/18/22 15:33	05/24/22 15:33	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-39 (5.0-6.0) Lab ID: 40244735017 Collected: 05/10/22 15:50 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	222	mg/kg	0.37	0.066	1	05/18/22 15:33	05/24/22 15:33	7440-39-3	
Beryllium	0.90	mg/kg	0.25	0.049	1	05/18/22 15:33	05/24/22 15:33	7440-41-7	
Cadmium	0.22	mg/kg	0.099	0.039	1	05/18/22 15:33	05/24/22 15:33	7440-43-9	
Calcium	6960	mg/kg	124	14.6	1	05/18/22 15:33	05/24/22 15:33	7440-70-2	
Chromium	18.5	mg/kg	2.5	0.17	1	05/18/22 15:33	05/24/22 15:33	7440-47-3	
Cobalt	6.5	mg/kg	0.62	0.12	1	05/18/22 15:33	05/24/22 15:33	7440-48-4	
Copper	17.7	mg/kg	1.2	0.30	1	05/18/22 15:33	05/24/22 15:33	7440-50-8	
Iron	20100	mg/kg	61.9	13.0	1	05/18/22 15:33	05/24/22 15:33	7439-89-6	
Lead	12.8	mg/kg	0.62	0.036	1	05/18/22 15:33	05/24/22 15:33	7439-92-1	
Magnesium	3010	mg/kg	37.2	5.3	1	05/18/22 15:33	05/24/22 15:33	7439-95-4	
Manganese	453	mg/kg	0.62	0.30	1	05/18/22 15:33	05/24/22 15:33	7439-96-5	
Nickel	17.1	mg/kg	0.62	0.25	1	05/18/22 15:33	05/24/22 15:33	7440-02-0	
Potassium	1480	mg/kg	124	14.2	1	05/18/22 15:33	05/24/22 15:33	7440-09-7	
Selenium	1.2	mg/kg	0.62	0.11	1	05/18/22 15:33	05/24/22 15:33	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/18/22 15:33	05/24/22 15:33	7440-22-4	
Sodium	116	mg/kg	61.9	13.7	1	05/18/22 15:33	05/24/22 15:33	7440-23-5	
Thallium	0.20	mg/kg	0.12	0.045	1	05/18/22 15:33	05/24/22 15:33	7440-28-0	
Vanadium	34.6	mg/kg	1.2	0.22	1	05/18/22 15:33	05/24/22 15:33	7440-62-2	
Zinc	62.4	mg/kg	6.2	1.1	1	05/18/22 15:33	05/24/22 15:33	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.046	mg/kg	0.040	0.011	1	05/17/22 09:27	05/18/22 14:18	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.095	mg/kg	0.32	0.095	4	05/17/22 12:38	05/18/22 14:01	120-82-1	
1,2-Dichlorobenzene	<0.27	mg/kg	0.88	0.27	4	05/17/22 12:38	05/18/22 14:01	95-50-1	
1,3-Dichlorobenzene	<0.12	mg/kg	0.39	0.12	4	05/17/22 12:38	05/18/22 14:01	541-73-1	
1,4-Dichlorobenzene	<0.12	mg/kg	0.39	0.12	4	05/17/22 12:38	05/18/22 14:01	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.22	mg/kg	0.73	0.22	4	05/17/22 12:38	05/18/22 14:01	108-60-1	
2,4,5-Trichlorophenol	<0.15	mg/kg	0.50	0.15	4	05/17/22 12:38	05/18/22 14:01	95-95-4	
2,4,6-Trichlorophenol	<0.13	mg/kg	0.43	0.13	4	05/17/22 12:38	05/18/22 14:01	88-06-2	
2,4-Dichlorophenol	<0.23	mg/kg	0.75	0.23	4	05/17/22 12:38	05/18/22 14:01	120-83-2	
2,4-Dimethylphenol	<0.17	mg/kg	0.56	0.17	4	05/17/22 12:38	05/18/22 14:01	105-67-9	
2,4-Dinitrophenol	<0.26	mg/kg	0.86	0.26	4	05/17/22 12:38	05/18/22 14:01	51-28-5	
2,4-Dinitrotoluene	<0.12	mg/kg	0.40	0.12	4	05/17/22 12:38	05/18/22 14:01	121-14-2	
2,6-Dinitrotoluene	<0.16	mg/kg	0.53	0.16	4	05/17/22 12:38	05/18/22 14:01	606-20-2	
2-Chloronaphthalene	<0.11	mg/kg	0.36	0.11	4	05/17/22 12:38	05/18/22 14:01	91-58-7	
2-Chlorophenol	<0.21	mg/kg	0.70	0.21	4	05/17/22 12:38	05/18/22 14:01	95-57-8	
2-Methylnaphthalene	<0.22	mg/kg	0.73	0.22	4	05/17/22 12:38	05/18/22 14:01	91-57-6	
2-Methylphenol(o-Cresol)	<0.15	mg/kg	0.51	0.15	4	05/17/22 12:38	05/18/22 14:01	95-48-7	
2-Nitroaniline	<0.24	mg/kg	0.80	0.24	4	05/17/22 12:38	05/18/22 14:01	88-74-4	
2-Nitrophenol	<0.27	mg/kg	0.89	0.27	4	05/17/22 12:38	05/18/22 14:01	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-39 (5.0-6.0) Lab ID: **40244735017** Collected: 05/10/22 15:50 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.15	mg/kg	0.52	0.15	4	05/17/22 12:38	05/18/22 14:01		
3,3'-Dichlorobenzidine	<0.23	mg/kg	0.76	0.23	4	05/17/22 12:38	05/18/22 14:01	91-94-1	
3-Nitroaniline	<0.14	mg/kg	0.48	0.14	4	05/17/22 12:38	05/18/22 14:01	99-09-2	
4,6-Dinitro-2-methylphenol	<0.26	mg/kg	0.87	0.26	4	05/17/22 12:38	05/18/22 14:01	534-52-1	
4-Bromophenylphenyl ether	<0.18	mg/kg	0.59	0.18	4	05/17/22 12:38	05/18/22 14:01	101-55-3	
4-Chloro-3-methylphenol	<0.26	mg/kg	0.88	0.26	4	05/17/22 12:38	05/18/22 14:01	59-50-7	
4-Chloroaniline	<0.14	mg/kg	0.46	0.14	4	05/17/22 12:38	05/18/22 14:01	106-47-8	1q
4-Chlorophenylphenyl ether	<0.16	mg/kg	0.52	0.16	4	05/17/22 12:38	05/18/22 14:01	7005-72-3	
4-Nitroaniline	<0.35	mg/kg	1.2	0.35	4	05/17/22 12:38	05/18/22 14:01	100-01-6	
4-Nitrophenol	<0.21	mg/kg	0.71	0.21	4	05/17/22 12:38	05/18/22 14:01	100-02-7	
Acenaphthene	<0.30	mg/kg	1.0	0.30	4	05/17/22 12:38	05/18/22 14:01	83-32-9	
Acenaphthylene	<0.30	mg/kg	1.0	0.30	4	05/17/22 12:38	05/18/22 14:01	208-96-8	
Anthracene	<0.13	mg/kg	0.45	0.13	4	05/17/22 12:38	05/18/22 14:01	120-12-7	
Benzo(a)anthracene	<0.13	mg/kg	0.44	0.13	4	05/17/22 12:38	05/18/22 14:01	56-55-3	
Benzo(a)pyrene	<0.13	mg/kg	0.42	0.13	4	05/17/22 12:38	05/18/22 14:01	50-32-8	
Benzo(b)fluoranthene	<0.14	mg/kg	0.48	0.14	4	05/17/22 12:38	05/18/22 14:01	205-99-2	
Benzo(g,h,i)perylene	<0.22	mg/kg	0.74	0.22	4	05/17/22 12:38	05/18/22 14:01	191-24-2	
Benzo(k)fluoranthene	<0.20	mg/kg	0.67	0.20	4	05/17/22 12:38	05/18/22 14:01	207-08-9	
Butylbenzylphthalate	<0.14	mg/kg	0.45	0.14	4	05/17/22 12:38	05/18/22 14:01	85-68-7	
Carbazole	<0.13	mg/kg	0.44	0.13	4	05/17/22 12:38	05/18/22 14:01	86-74-8	
Chrysene	<0.13	mg/kg	0.42	0.13	4	05/17/22 12:38	05/18/22 14:01	218-01-9	
Di-n-butylphthalate	<0.13	mg/kg	0.42	0.13	4	05/17/22 12:38	05/18/22 14:01	84-74-2	
Di-n-octylphthalate	<0.19	mg/kg	0.63	0.19	4	05/17/22 12:38	05/18/22 14:01	117-84-0	
Dibenz(a,h)anthracene	<0.23	mg/kg	0.76	0.23	4	05/17/22 12:38	05/18/22 14:01	53-70-3	
Dibenzofuran	<0.10	mg/kg	0.34	0.10	4	05/17/22 12:38	05/18/22 14:01	132-64-9	
Diethylphthalate	<0.14	mg/kg	0.47	0.14	4	05/17/22 12:38	05/18/22 14:01	84-66-2	
Dimethylphthalate	<0.11	mg/kg	0.37	0.11	4	05/17/22 12:38	05/18/22 14:01	131-11-3	
Fluoranthene	<0.12	mg/kg	0.40	0.12	4	05/17/22 12:38	05/18/22 14:01	206-44-0	
Fluorene	<0.099	mg/kg	0.33	0.099	4	05/17/22 12:38	05/18/22 14:01	86-73-7	
Hexachloro-1,3-butadiene	<0.21	mg/kg	0.72	0.21	4	05/17/22 12:38	05/18/22 14:01	87-68-3	
Hexachlorobenzene	<0.14	mg/kg	0.47	0.14	4	05/17/22 12:38	05/18/22 14:01	118-74-1	
Hexachlorocyclopentadiene	<0.20	mg/kg	0.67	0.20	4	05/17/22 12:38	05/18/22 14:01	77-47-4	
Hexachloroethane	<0.14	mg/kg	0.45	0.14	4	05/17/22 12:38	05/18/22 14:01	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.18	mg/kg	0.61	0.18	4	05/17/22 12:38	05/18/22 14:01	193-39-5	
Isophorone	<0.13	mg/kg	0.43	0.13	4	05/17/22 12:38	05/18/22 14:01	78-59-1	
N-Nitroso-di-n-propylamine	<0.13	mg/kg	0.45	0.13	4	05/17/22 12:38	05/18/22 14:01	621-64-7	
N-Nitrosodiphenylamine	<1.1	mg/kg	3.8	1.1	4	05/17/22 12:38	05/18/22 14:01	86-30-6	
Naphthalene	<0.30	mg/kg	0.98	0.30	4	05/17/22 12:38	05/18/22 14:01	91-20-3	
Nitrobenzene	<0.17	mg/kg	0.57	0.17	4	05/17/22 12:38	05/18/22 14:01	98-95-3	
Pentachlorophenol	<0.19	mg/kg	0.62	0.19	4	05/17/22 12:38	05/18/22 14:01	87-86-5	
Phenanthrene	<0.11	mg/kg	0.36	0.11	4	05/17/22 12:38	05/18/22 14:01	85-01-8	
Phenol	<0.20	mg/kg	0.67	0.20	4	05/17/22 12:38	05/18/22 14:01	108-95-2	D3
Pyrene	<0.19	mg/kg	0.62	0.19	4	05/17/22 12:38	05/18/22 14:01	129-00-0	
bis(2-Chloroethoxy)methane	<0.23	mg/kg	0.76	0.23	4	05/17/22 12:38	05/18/22 14:01	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: **SB-39 (5.0-6.0)** Lab ID: **40244735017** Collected: 05/10/22 15:50 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.26	mg/kg	0.88	0.26	4	05/17/22 12:38	05/18/22 14:01	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.14	mg/kg	0.47	0.14	4	05/17/22 12:38	05/18/22 14:01	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	69	%	10-125		4	05/17/22 12:38	05/18/22 14:01	4165-60-0	
2-Fluorobiphenyl (S)	65	%	12-118		4	05/17/22 12:38	05/18/22 14:01	321-60-8	
Terphenyl-d14 (S)	79	%	10-124		4	05/17/22 12:38	05/18/22 14:01	1718-51-0	
Phenol-d6 (S)	56	%	10-125		4	05/17/22 12:38	05/18/22 14:01	13127-88-3	
2-Fluorophenol (S)	55	%	10-130		4	05/17/22 12:38	05/18/22 14:01	367-12-4	
2,4,6-Tribromophenol (S)	67	%	10-144		4	05/17/22 12:38	05/18/22 14:01	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0051	0.0016	1	05/17/22 06:00	05/17/22 18:28	71-55-6	L1
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0051	0.0026	1	05/17/22 06:00	05/17/22 18:28	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0051	0.0016	1	05/17/22 06:00	05/17/22 18:28	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0051	0.0011	1	05/17/22 06:00	05/17/22 18:28	75-34-3	L1
1,1-Dichloroethene	<0.0011	mg/kg	0.0051	0.0011	1	05/17/22 06:00	05/17/22 18:28	75-35-4	L1
1,2-Dichloroethane	<0.00085	mg/kg	0.0051	0.00085	1	05/17/22 06:00	05/17/22 18:28	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0051	0.0010	1	05/17/22 06:00	05/17/22 18:28	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.026	0.016	1	05/17/22 06:00	05/17/22 18:28	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/17/22 06:00	05/17/22 18:28	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.026	0.020	1	05/17/22 06:00	05/17/22 18:28	108-10-1	
Acetone	<0.049	mg/kg	0.10	0.049	1	05/17/22 06:00	05/17/22 18:28	67-64-1	
Benzene	<0.00073	mg/kg	0.0051	0.00073	1	05/17/22 06:00	05/17/22 18:28	71-43-2	
Bromodichloromethane	<0.00070	mg/kg	0.0051	0.00070	1	05/17/22 06:00	05/17/22 18:28	75-27-4	
Bromoform	<0.0083	mg/kg	0.021	0.0083	1	05/17/22 06:00	05/17/22 18:28	75-25-2	
Bromomethane	<0.0046	mg/kg	0.0051	0.0046	1	05/17/22 06:00	05/17/22 18:28	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0051	0.0011	1	05/17/22 06:00	05/17/22 18:28	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0051	0.0033	1	05/17/22 06:00	05/17/22 18:28	56-23-5	
Chlorobenzene	<0.00095	mg/kg	0.0051	0.00095	1	05/17/22 06:00	05/17/22 18:28	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0051	0.0037	1	05/17/22 06:00	05/17/22 18:28	75-00-3	
Chloroform	<0.00087	mg/kg	0.0051	0.00087	1	05/17/22 06:00	05/17/22 18:28	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0051	0.0011	1	05/17/22 06:00	05/17/22 18:28	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0051	0.0010	1	05/17/22 06:00	05/17/22 18:28	124-48-1	
Ethylbenzene	<0.00092	mg/kg	0.0051	0.00092	1	05/17/22 06:00	05/17/22 18:28	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0051	0.0021	1	05/17/22 06:00	05/17/22 18:28	1634-04-4	
Methylene Chloride	<0.0041	mg/kg	0.0051	0.0041	1	05/17/22 06:00	05/17/22 18:28	75-09-2	L1
Styrene	<0.00073	mg/kg	0.0051	0.00073	1	05/17/22 06:00	05/17/22 18:28	100-42-5	
Tetrachloroethene	<0.00091	mg/kg	0.0051	0.00091	1	05/17/22 06:00	05/17/22 18:28	127-18-4	
Toluene	<0.00091	mg/kg	0.0051	0.00091	1	05/17/22 06:00	05/17/22 18:28	108-88-3	
Trichloroethene	<0.00074	mg/kg	0.0051	0.00074	1	05/17/22 06:00	05/17/22 18:28	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0051	0.0013	1	05/17/22 06:00	05/17/22 18:28	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/17/22 06:00	05/17/22 18:28	1330-20-7	
cis-1,2-Dichloroethene	<0.00091	mg/kg	0.0051	0.00091	1	05/17/22 06:00	05/17/22 18:28	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-39 (5.0-6.0) **Lab ID: 40244735017** Collected: 05/10/22 15:50 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/17/22 06:00	05/17/22 18:28	10061-01-5	
trans-1,2-Dichloroethene	<0.00074	mg/kg	0.0051	0.00074	1	05/17/22 06:00	05/17/22 18:28	156-60-5	L1
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/17/22 06:00	05/17/22 18:28	10061-02-6	
Surrogates									
Toluene-d8 (S)	100	%	69-156		1	05/17/22 06:00	05/17/22 18:28	2037-26-5	
4-Bromofluorobenzene (S)	78	%	61-175		1	05/17/22 06:00	05/17/22 18:28	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1	05/17/22 06:00	05/17/22 18:28	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	20.9	%	0.10	0.10	1		05/12/22 15:45		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.0	Std. Units	0.10	0.010	1		05/20/22 13:13		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.28	mg/kg	0.84	0.28	1	05/18/22 12:20	05/18/22 15:59	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-39 (8.5-9.0) **Lab ID: 40244735018** Collected: 05/10/22 15:55 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00061	mg/kg	0.0032	0.00061	1	05/16/22 13:43	05/17/22 21:23	309-00-2	
alpha-BHC	<0.00066	mg/kg	0.0032	0.00066	1	05/16/22 13:43	05/17/22 21:23	319-84-6	
beta-BHC	<0.00060	mg/kg	0.0032	0.00060	1	05/16/22 13:43	05/17/22 21:23	319-85-7	
delta-BHC	<0.00083	mg/kg	0.0032	0.00083	1	05/16/22 13:43	05/17/22 21:23	319-86-8	
gamma-BHC (Lindane)	<0.00058	mg/kg	0.0032	0.00058	1	05/16/22 13:43	05/17/22 21:23	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.064	0.013	1	05/16/22 13:43	05/17/22 21:23	57-74-9	
alpha-Chlordane	<0.00056	mg/kg	0.0032	0.00056	1	05/16/22 13:43	05/17/22 21:23	5103-71-9	
gamma-Chlordane	<0.00066	mg/kg	0.0032	0.00066	1	05/16/22 13:43	05/17/22 21:23	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0064	0.0012	1	05/16/22 13:43	05/17/22 21:23	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0064	0.0010	1	05/16/22 13:43	05/17/22 21:23	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0064	0.0020	1	05/16/22 13:43	05/17/22 21:23	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0064	0.0011	1	05/16/22 13:43	05/17/22 21:23	60-57-1	
Endosulfan I	<0.00053	mg/kg	0.0032	0.00053	1	05/16/22 13:43	05/17/22 21:23	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0064	0.0010	1	05/16/22 13:43	05/17/22 21:23	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0064	0.0012	1	05/16/22 13:43	05/17/22 21:23	1031-07-8	
Endrin	<0.0011	mg/kg	0.0064	0.0011	1	05/16/22 13:43	05/17/22 21:23	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0064	0.0014	1	05/16/22 13:43	05/17/22 21:23	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0064	0.0016	1	05/16/22 13:43	05/17/22 21:23	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0032	0.00057	1	05/16/22 13:43	05/17/22 21:23	76-44-8	
Heptachlor epoxide	<0.00054	mg/kg	0.0032	0.00054	1	05/16/22 13:43	05/17/22 21:23	1024-57-3	
Methoxychlor	<0.0073	mg/kg	0.032	0.0073	1	05/16/22 13:43	05/17/22 21:23	72-43-5	
Toxaphene	<0.022	mg/kg	0.064	0.022	1	05/16/22 13:43	05/17/22 21:23	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	49	%	10-147		1	05/16/22 13:43	05/17/22 21:23	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/12/22 19:38	05/14/22 00:49	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/12/22 19:38	05/14/22 00:49	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/12/22 19:38	05/14/22 00:49	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/12/22 19:38	05/14/22 00:49	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/12/22 19:38	05/14/22 00:49	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/12/22 19:38	05/14/22 00:49	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/12/22 19:38	05/14/22 00:49	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/12/22 19:38	05/14/22 00:49	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	86	%	50-99		1	05/12/22 19:38	05/14/22 00:49	877-09-8	
Decachlorobiphenyl (S)	80	%	38-95		1	05/12/22 19:38	05/14/22 00:49	2051-24-3	
6010D MET ICP, SPLP									
Analytical Method: EPA 6010D Preparation Method: EPA 3015A									
Leachate Method/Date: EPA 1312; 06/13/22 13:54									
Pace Analytical Services - Green Bay									
Arsenic	<0.0083	mg/L	0.025	0.0083	1	06/15/22 08:24	06/15/22 11:12	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-39 (8.5-9.0) **Lab ID: 40244735018** Collected: 05/10/22 15:55 Received: 05/11/22 13:30 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	16200	mg/kg	38.3	7.7	1	05/18/22 15:33	05/24/22 15:36	7429-90-5	
Antimony	0.53J	mg/kg	0.64	0.12	1	05/18/22 15:33	05/24/22 15:36	7440-36-0	
Arsenic	31.7	mg/kg	0.64	0.14	1	05/18/22 15:33	05/24/22 15:36	7440-38-2	
Barium	190	mg/kg	0.38	0.068	1	05/18/22 15:33	05/24/22 15:36	7440-39-3	
Beryllium	1.1	mg/kg	0.26	0.051	1	05/18/22 15:33	05/24/22 15:36	7440-41-7	
Cadmium	0.45	mg/kg	0.10	0.040	1	05/18/22 15:33	05/24/22 15:36	7440-43-9	
Calcium	4740	mg/kg	128	15.1	1	05/18/22 15:33	05/24/22 15:36	7440-70-2	
Chromium	23.3	mg/kg	2.6	0.18	1	05/18/22 15:33	05/24/22 15:36	7440-47-3	
Cobalt	20.0	mg/kg	0.64	0.13	1	05/18/22 15:33	05/24/22 15:36	7440-48-4	
Copper	34.7	mg/kg	1.3	0.31	1	05/18/22 15:33	05/24/22 15:36	7440-50-8	
Iron	50800	mg/kg	319	67.0	5	05/18/22 15:33	05/25/22 16:34	7439-89-6	
Lead	21.4	mg/kg	0.64	0.038	1	05/18/22 15:33	05/24/22 15:36	7439-92-1	
Magnesium	4340	mg/kg	38.3	5.5	1	05/18/22 15:33	05/24/22 15:36	7439-95-4	
Manganese	499	mg/kg	0.64	0.31	1	05/18/22 15:33	05/24/22 15:36	7439-96-5	
Nickel	36.4	mg/kg	0.64	0.25	1	05/18/22 15:33	05/24/22 15:36	7440-02-0	
Potassium	842	mg/kg	128	14.7	1	05/18/22 15:33	05/24/22 15:36	7440-09-7	
Selenium	0.49J	mg/kg	0.64	0.11	1	05/18/22 15:33	05/24/22 15:36	7782-49-2	
Silver	<0.19	mg/kg	0.64	0.19	1	05/18/22 15:33	05/24/22 15:36	7440-22-4	
Sodium	95.2	mg/kg	63.8	14.2	1	05/18/22 15:33	05/24/22 15:36	7440-23-5	
Thallium	0.18	mg/kg	0.13	0.047	1	05/18/22 15:33	05/24/22 15:36	7440-28-0	
Vanadium	55.5	mg/kg	1.3	0.22	1	05/18/22 15:33	05/24/22 15:36	7440-62-2	
Zinc	95.3	mg/kg	6.4	1.1	1	05/18/22 15:33	05/24/22 15:36	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.024J	mg/kg	0.043	0.012	1	05/17/22 09:27	05/18/22 14:21	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/17/22 12:38	05/17/22 21:45	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/17/22 12:38	05/17/22 21:45	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/17/22 12:38	05/17/22 21:45	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/17/22 12:38	05/17/22 21:45	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/17/22 12:38	05/17/22 21:45	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/17/22 12:38	05/17/22 21:45	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 21:45	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/17/22 21:45	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/17/22 12:38	05/17/22 21:45	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/17/22 12:38	05/17/22 21:45	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/17/22 12:38	05/17/22 21:45	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/17/22 12:38	05/17/22 21:45	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/17/22 12:38	05/17/22 21:45	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/17/22 12:38	05/17/22 21:45	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/17/22 12:38	05/17/22 21:45	91-57-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-39 (8.5-9.0) **Lab ID: 40244735018** Collected: 05/10/22 15:55 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/17/22 12:38	05/17/22 21:45	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/17/22 12:38	05/17/22 21:45	88-74-4	
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/17/22 12:38	05/17/22 21:45	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/17/22 12:38	05/17/22 21:45		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/17/22 12:38	05/17/22 21:45	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/17/22 21:45	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/17/22 12:38	05/17/22 21:45	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/17/22 12:38	05/17/22 21:45	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/17/22 12:38	05/17/22 21:45	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 21:45	106-47-8	3q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/17/22 12:38	05/17/22 21:45	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/17/22 12:38	05/17/22 21:45	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/17/22 12:38	05/17/22 21:45	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/17/22 12:38	05/17/22 21:45	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/17/22 12:38	05/17/22 21:45	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 21:45	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 21:45	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 21:45	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/17/22 21:45	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/17/22 12:38	05/17/22 21:45	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/17/22 12:38	05/17/22 21:45	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 21:45	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 21:45	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/17/22 21:45	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/17/22 21:45	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/17/22 12:38	05/17/22 21:45	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/17/22 12:38	05/17/22 21:45	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/17/22 12:38	05/17/22 21:45	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 21:45	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/17/22 12:38	05/17/22 21:45	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/17/22 12:38	05/17/22 21:45	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/17/22 12:38	05/17/22 21:45	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/17/22 12:38	05/17/22 21:45	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 21:45	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/17/22 12:38	05/17/22 21:45	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 21:45	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/17/22 12:38	05/17/22 21:45	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 21:45	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 21:45	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/17/22 12:38	05/17/22 21:45	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/17/22 12:38	05/17/22 21:45	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/17/22 12:38	05/17/22 21:45	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/17/22 12:38	05/17/22 21:45	87-86-5	
Phenanthrene	<0.028	mg/kg	0.092	0.028	1	05/17/22 12:38	05/17/22 21:45	85-01-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: SB-39 (8.5-9.0) **Lab ID: 40244735018** Collected: 05/10/22 15:55 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Phenol	<0.051	mg/kg	0.17	0.051	1	05/17/22 12:38	05/17/22 21:45	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/17/22 12:38	05/17/22 21:45	129-00-0	
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/17/22 21:45	111-91-1	
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/17/22 12:38	05/17/22 21:45	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 21:45	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	79	%	10-125		1	05/17/22 12:38	05/17/22 21:45	4165-60-0	
2-Fluorobiphenyl (S)	72	%	12-118		1	05/17/22 12:38	05/17/22 21:45	321-60-8	
Terphenyl-d14 (S)	85	%	10-124		1	05/17/22 12:38	05/17/22 21:45	1718-51-0	
Phenol-d6 (S)	70	%	10-125		1	05/17/22 12:38	05/17/22 21:45	13127-88-3	
2-Fluorophenol (S)	69	%	10-130		1	05/17/22 12:38	05/17/22 21:45	367-12-4	
2,4,6-Tribromophenol (S)	89	%	10-144		1	05/17/22 12:38	05/17/22 21:45	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/17/22 06:00	05/17/22 18:53	71-55-6	L1
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0054	0.0027	1	05/17/22 06:00	05/17/22 18:53	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/17/22 06:00	05/17/22 18:53	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0054	0.0011	1	05/17/22 06:00	05/17/22 18:53	75-34-3	L1
1,1-Dichloroethene	<0.0011	mg/kg	0.0054	0.0011	1	05/17/22 06:00	05/17/22 18:53	75-35-4	L1
1,2-Dichloroethane	<0.00088	mg/kg	0.0054	0.00088	1	05/17/22 06:00	05/17/22 18:53	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0054	0.0011	1	05/17/22 06:00	05/17/22 18:53	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/17/22 06:00	05/17/22 18:53	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/17/22 06:00	05/17/22 18:53	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/17/22 06:00	05/17/22 18:53	108-10-1	
Acetone	<0.051	mg/kg	0.11	0.051	1	05/17/22 06:00	05/17/22 18:53	67-64-1	
Benzene	<0.00076	mg/kg	0.0054	0.00076	1	05/17/22 06:00	05/17/22 18:53	71-43-2	
Bromodichloromethane	<0.00073	mg/kg	0.0054	0.00073	1	05/17/22 06:00	05/17/22 18:53	75-27-4	
Bromoform	<0.0087	mg/kg	0.021	0.0087	1	05/17/22 06:00	05/17/22 18:53	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0054	0.0048	1	05/17/22 06:00	05/17/22 18:53	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0054	0.0012	1	05/17/22 06:00	05/17/22 18:53	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0054	0.0034	1	05/17/22 06:00	05/17/22 18:53	56-23-5	
Chlorobenzene	<0.00099	mg/kg	0.0054	0.00099	1	05/17/22 06:00	05/17/22 18:53	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0054	0.0039	1	05/17/22 06:00	05/17/22 18:53	75-00-3	
Chloroform	<0.00090	mg/kg	0.0054	0.00090	1	05/17/22 06:00	05/17/22 18:53	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0054	0.0012	1	05/17/22 06:00	05/17/22 18:53	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0054	0.0011	1	05/17/22 06:00	05/17/22 18:53	124-48-1	
Ethylbenzene	<0.00096	mg/kg	0.0054	0.00096	1	05/17/22 06:00	05/17/22 18:53	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0054	0.0022	1	05/17/22 06:00	05/17/22 18:53	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0054	0.0042	1	05/17/22 06:00	05/17/22 18:53	75-09-2	L1
Styrene	<0.00076	mg/kg	0.0054	0.00076	1	05/17/22 06:00	05/17/22 18:53	100-42-5	
Tetrachloroethene	<0.00095	mg/kg	0.0054	0.00095	1	05/17/22 06:00	05/17/22 18:53	127-18-4	
Toluene	<0.00094	mg/kg	0.0054	0.00094	1	05/17/22 06:00	05/17/22 18:53	108-88-3	
Trichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/17/22 06:00	05/17/22 18:53	79-01-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: SB-39 (8.5-9.0) **Lab ID: 40244735018** Collected: 05/10/22 15:55 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
Vinyl chloride	<0.0014	mg/kg	0.0054	0.0014	1	05/17/22 06:00	05/17/22 18:53	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/17/22 06:00	05/17/22 18:53	1330-20-7	
cis-1,2-Dichloroethene	<0.00094	mg/kg	0.0054	0.00094	1	05/17/22 06:00	05/17/22 18:53	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/17/22 06:00	05/17/22 18:53	10061-01-5	
trans-1,2-Dichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/17/22 06:00	05/17/22 18:53	156-60-5	L1
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/17/22 06:00	05/17/22 18:53	10061-02-6	
Surrogates									
Toluene-d8 (S)	99	%	69-156		1	05/17/22 06:00	05/17/22 18:53	2037-26-5	
4-Bromofluorobenzene (S)	87	%	61-175		1	05/17/22 06:00	05/17/22 18:53	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1	05/17/22 06:00	05/17/22 18:53	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.8	%	0.10	0.10	1		05/12/22 15:45		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.3	Std. Units	0.10	0.010	1		05/20/22 13:19		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.38	mg/kg	1.1	0.38	1	05/18/22 12:20	05/18/22 16:00	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: 05102022 DUP-03 **Lab ID: 40244735019** Collected: 05/10/22 00:00 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00062	mg/kg	0.0032	0.00062	1	05/16/22 13:43	05/17/22 21:36	309-00-2	
alpha-BHC	<0.00067	mg/kg	0.0032	0.00067	1	05/16/22 13:43	05/17/22 21:36	319-84-6	
beta-BHC	<0.00060	mg/kg	0.0032	0.00060	1	05/16/22 13:43	05/17/22 21:36	319-85-7	
delta-BHC	<0.00084	mg/kg	0.0032	0.00084	1	05/16/22 13:43	05/17/22 21:36	319-86-8	
gamma-BHC (Lindane)	<0.00058	mg/kg	0.0032	0.00058	1	05/16/22 13:43	05/17/22 21:36	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.064	0.013	1	05/16/22 13:43	05/17/22 21:36	57-74-9	
alpha-Chlordane	<0.00057	mg/kg	0.0032	0.00057	1	05/16/22 13:43	05/17/22 21:36	5103-71-9	
gamma-Chlordane	<0.00067	mg/kg	0.0032	0.00067	1	05/16/22 13:43	05/17/22 21:36	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0064	0.0012	1	05/16/22 13:43	05/17/22 21:36	72-54-8	
4,4'-DDE	<0.0011	mg/kg	0.0064	0.0011	1	05/16/22 13:43	05/17/22 21:36	72-55-9	
4,4'-DDT	<0.0021	mg/kg	0.0064	0.0021	1	05/16/22 13:43	05/17/22 21:36	50-29-3	
Dieldrin	<0.0011	mg/kg	0.0064	0.0011	1	05/16/22 13:43	05/17/22 21:36	60-57-1	
Endosulfan I	<0.00053	mg/kg	0.0032	0.00053	1	05/16/22 13:43	05/17/22 21:36	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0064	0.0011	1	05/16/22 13:43	05/17/22 21:36	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0064	0.0012	1	05/16/22 13:43	05/17/22 21:36	1031-07-8	
Endrin	<0.0011	mg/kg	0.0064	0.0011	1	05/16/22 13:43	05/17/22 21:36	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0064	0.0015	1	05/16/22 13:43	05/17/22 21:36	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0064	0.0016	1	05/16/22 13:43	05/17/22 21:36	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0032	0.00057	1	05/16/22 13:43	05/17/22 21:36	76-44-8	
Heptachlor epoxide	<0.00054	mg/kg	0.0032	0.00054	1	05/16/22 13:43	05/17/22 21:36	1024-57-3	
Methoxychlor	<0.0073	mg/kg	0.032	0.0073	1	05/16/22 13:43	05/17/22 21:36	72-43-5	
Toxaphene	<0.023	mg/kg	0.064	0.023	1	05/16/22 13:43	05/17/22 21:36	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	46	%	10-147		1	05/16/22 13:43	05/17/22 21:36	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/12/22 19:38	05/14/22 01:14	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/12/22 19:38	05/14/22 01:14	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/12/22 19:38	05/14/22 01:14	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/12/22 19:38	05/14/22 01:14	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/12/22 19:38	05/14/22 01:14	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/12/22 19:38	05/14/22 01:14	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/12/22 19:38	05/14/22 01:14	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/12/22 19:38	05/14/22 01:14	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	86	%	50-99		1	05/12/22 19:38	05/14/22 01:14	877-09-8	
Decachlorobiphenyl (S)	81	%	38-95		1	05/12/22 19:38	05/14/22 01:14	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	19600	mg/kg	38.4	7.7	1	05/18/22 15:33	05/24/22 15:40	7429-90-5	
Antimony	0.32J	mg/kg	0.64	0.12	1	05/18/22 15:33	05/24/22 15:40	7440-36-0	
Arsenic	18.1	mg/kg	0.64	0.14	1	05/18/22 15:33	05/24/22 15:40	7440-38-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: 05102022 DUP-03 **Lab ID: 40244735019** Collected: 05/10/22 00:00 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Barium	284	mg/kg	0.38	0.068	1	05/18/22 15:33	05/24/22 15:40	7440-39-3	
Beryllium	1.1	mg/kg	0.26	0.051	1	05/18/22 15:33	05/24/22 15:40	7440-41-7	
Cadmium	0.69	mg/kg	0.10	0.040	1	05/18/22 15:33	05/24/22 15:40	7440-43-9	
Calcium	5750	mg/kg	128	15.1	1	05/18/22 15:33	05/24/22 15:40	7440-70-2	
Chromium	24.9	mg/kg	2.6	0.18	1	05/18/22 15:33	05/24/22 15:40	7440-47-3	
Cobalt	20.5	mg/kg	0.64	0.13	1	05/18/22 15:33	05/24/22 15:40	7440-48-4	
Copper	29.2	mg/kg	1.3	0.31	1	05/18/22 15:33	05/24/22 15:40	7440-50-8	
Iron	34100	mg/kg	320	67.1	5	05/18/22 15:33	05/25/22 16:38	7439-89-6	
Lead	20.4	mg/kg	0.64	0.038	1	05/18/22 15:33	05/24/22 15:40	7439-92-1	
Magnesium	4610	mg/kg	38.4	5.5	1	05/18/22 15:33	05/24/22 15:40	7439-95-4	
Manganese	1850	mg/kg	3.2	1.6	5	05/18/22 15:33	05/25/22 16:38	7439-96-5	
Nickel	43.2	mg/kg	0.64	0.25	1	05/18/22 15:33	05/24/22 15:40	7440-02-0	
Potassium	1000	mg/kg	128	14.7	1	05/18/22 15:33	05/24/22 15:40	7440-09-7	
Selenium	0.53J	mg/kg	0.64	0.11	1	05/18/22 15:33	05/24/22 15:40	7782-49-2	
Silver	<0.19	mg/kg	0.64	0.19	1	05/18/22 15:33	05/24/22 15:40	7440-22-4	
Sodium	53.4J	mg/kg	63.9	14.2	1	05/18/22 15:33	05/24/22 15:40	7440-23-5	
Thallium	0.22	mg/kg	0.13	0.047	1	05/18/22 15:33	05/24/22 15:40	7440-28-0	
Vanadium	52.3	mg/kg	1.3	0.23	1	05/18/22 15:33	05/24/22 15:40	7440-62-2	
Zinc	71.7	mg/kg	6.4	1.1	1	05/18/22 15:33	05/24/22 15:40	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.025J	mg/kg	0.045	0.013	1	05/17/22 09:27	05/18/22 14:23	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.082	0.025	1	05/17/22 12:38	05/17/22 23:29	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/17/22 12:38	05/17/22 23:29	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/17/22 12:38	05/17/22 23:29	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/17/22 12:38	05/17/22 23:29	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/17/22 12:38	05/17/22 23:29	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/17/22 12:38	05/17/22 23:29	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 23:29	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/17/22 23:29	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/17/22 12:38	05/17/22 23:29	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/17/22 12:38	05/17/22 23:29	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/17/22 12:38	05/17/22 23:29	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/17/22 12:38	05/17/22 23:29	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/17/22 12:38	05/17/22 23:29	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/17/22 12:38	05/17/22 23:29	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/17/22 12:38	05/17/22 23:29	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/17/22 12:38	05/17/22 23:29	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/17/22 12:38	05/17/22 23:29	88-74-4	
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/17/22 12:38	05/17/22 23:29	88-75-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: 05102022 DUP-03 **Lab ID: 40244735019** Collected: 05/10/22 00:00 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/17/22 12:38	05/17/22 23:29		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/17/22 12:38	05/17/22 23:29	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/17/22 23:29	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/17/22 12:38	05/17/22 23:29	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/17/22 12:38	05/17/22 23:29	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/17/22 12:38	05/17/22 23:29	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 23:29	106-47-8	3q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/17/22 12:38	05/17/22 23:29	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/17/22 12:38	05/17/22 23:29	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/17/22 12:38	05/17/22 23:29	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/17/22 12:38	05/17/22 23:29	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/17/22 12:38	05/17/22 23:29	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 23:29	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 23:29	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 23:29	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/17/22 23:29	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/17/22 12:38	05/17/22 23:29	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/17/22 12:38	05/17/22 23:29	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 23:29	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 23:29	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/17/22 23:29	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/17/22 23:29	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/17/22 12:38	05/17/22 23:29	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/17/22 12:38	05/17/22 23:29	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/17/22 12:38	05/17/22 23:29	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 23:29	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/17/22 12:38	05/17/22 23:29	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/17/22 12:38	05/17/22 23:29	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/17/22 12:38	05/17/22 23:29	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/17/22 12:38	05/17/22 23:29	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 23:29	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/17/22 12:38	05/17/22 23:29	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/17/22 23:29	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/17/22 12:38	05/17/22 23:29	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/17/22 23:29	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/17/22 23:29	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/17/22 12:38	05/17/22 23:29	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/17/22 12:38	05/17/22 23:29	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/17/22 12:38	05/17/22 23:29	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/17/22 12:38	05/17/22 23:29	87-86-5	
Phenanthrene	<0.028	mg/kg	0.093	0.028	1	05/17/22 12:38	05/17/22 23:29	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/17/22 12:38	05/17/22 23:29	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/17/22 12:38	05/17/22 23:29	129-00-0	
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/17/22 23:29	111-91-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: 05102022 DUP-03 **Lab ID: 40244735019** Collected: 05/10/22 00:00 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/17/22 12:38	05/17/22 23:29	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/17/22 23:29	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	63	%	10-125		1	05/17/22 12:38	05/17/22 23:29	4165-60-0	
2-Fluorobiphenyl (S)	44	%	12-118		1	05/17/22 12:38	05/17/22 23:29	321-60-8	
Terphenyl-d14 (S)	72	%	10-124		1	05/17/22 12:38	05/17/22 23:29	1718-51-0	
Phenol-d6 (S)	57	%	10-125		1	05/17/22 12:38	05/17/22 23:29	13127-88-3	
2-Fluorophenol (S)	55	%	10-130		1	05/17/22 12:38	05/17/22 23:29	367-12-4	
2,4,6-Tribromophenol (S)	68	%	10-144		1	05/17/22 12:38	05/17/22 23:29	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/17/22 06:00	05/17/22 19:17	71-55-6	L1
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0054	0.0028	1	05/17/22 06:00	05/17/22 19:17	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/17/22 06:00	05/17/22 19:17	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0054	0.0011	1	05/17/22 06:00	05/17/22 19:17	75-34-3	L1
1,1-Dichloroethene	<0.0011	mg/kg	0.0054	0.0011	1	05/17/22 06:00	05/17/22 19:17	75-35-4	L1
1,2-Dichloroethane	<0.00088	mg/kg	0.0054	0.00088	1	05/17/22 06:00	05/17/22 19:17	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0054	0.0011	1	05/17/22 06:00	05/17/22 19:17	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/17/22 06:00	05/17/22 19:17	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/17/22 06:00	05/17/22 19:17	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/17/22 06:00	05/17/22 19:17	108-10-1	
Acetone	<0.051	mg/kg	0.11	0.051	1	05/17/22 06:00	05/17/22 19:17	67-64-1	
Benzene	<0.00076	mg/kg	0.0054	0.00076	1	05/17/22 06:00	05/17/22 19:17	71-43-2	
Bromodichloromethane	<0.00073	mg/kg	0.0054	0.00073	1	05/17/22 06:00	05/17/22 19:17	75-27-4	
Bromoform	<0.0087	mg/kg	0.021	0.0087	1	05/17/22 06:00	05/17/22 19:17	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0054	0.0048	1	05/17/22 06:00	05/17/22 19:17	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0054	0.0012	1	05/17/22 06:00	05/17/22 19:17	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0054	0.0034	1	05/17/22 06:00	05/17/22 19:17	56-23-5	
Chlorobenzene	<0.00099	mg/kg	0.0054	0.00099	1	05/17/22 06:00	05/17/22 19:17	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0054	0.0039	1	05/17/22 06:00	05/17/22 19:17	75-00-3	
Chloroform	<0.00091	mg/kg	0.0054	0.00091	1	05/17/22 06:00	05/17/22 19:17	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0054	0.0012	1	05/17/22 06:00	05/17/22 19:17	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0054	0.0011	1	05/17/22 06:00	05/17/22 19:17	124-48-1	
Ethylbenzene	<0.00096	mg/kg	0.0054	0.00096	1	05/17/22 06:00	05/17/22 19:17	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0054	0.0022	1	05/17/22 06:00	05/17/22 19:17	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0054	0.0042	1	05/17/22 06:00	05/17/22 19:17	75-09-2	L1
Styrene	<0.00076	mg/kg	0.0054	0.00076	1	05/17/22 06:00	05/17/22 19:17	100-42-5	
Tetrachloroethene	<0.00095	mg/kg	0.0054	0.00095	1	05/17/22 06:00	05/17/22 19:17	127-18-4	
Toluene	<0.00095	mg/kg	0.0054	0.00095	1	05/17/22 06:00	05/17/22 19:17	108-88-3	
Trichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/17/22 06:00	05/17/22 19:17	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0054	0.0014	1	05/17/22 06:00	05/17/22 19:17	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/17/22 06:00	05/17/22 19:17	1330-20-7	
cis-1,2-Dichloroethene	<0.00095	mg/kg	0.0054	0.00095	1	05/17/22 06:00	05/17/22 19:17	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Sample: 05102022 DUP-03 **Lab ID: 40244735019** Collected: 05/10/22 00:00 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/17/22 06:00	05/17/22 19:17	10061-01-5	
trans-1,2-Dichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/17/22 06:00	05/17/22 19:17	156-60-5	L1
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/17/22 06:00	05/17/22 19:17	10061-02-6	
Surrogates									
Toluene-d8 (S)	93	%	69-156		1	05/17/22 06:00	05/17/22 19:17	2037-26-5	
4-Bromofluorobenzene (S)	85	%	61-175		1	05/17/22 06:00	05/17/22 19:17	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1	05/17/22 06:00	05/17/22 19:17	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.9	%	0.10	0.10	1		05/12/22 15:46		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/20/22 13:21		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.36	mg/kg	1.1	0.36	1	05/18/22 12:20	05/18/22 16:02	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Sample: TB-06 Lab ID: 40244735020 Collected: 05/10/22 16:45 Received: 05/11/22 13:30 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/17/22 06:00	05/17/22 11:43	71-55-6	L1
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0050	0.0026	1	05/17/22 06:00	05/17/22 11:43	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/17/22 06:00	05/17/22 11:43	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/17/22 06:00	05/17/22 11:43	75-34-3	L1
1,1-Dichloroethene	<0.0011	mg/kg	0.0050	0.0011	1	05/17/22 06:00	05/17/22 11:43	75-35-4	L1
1,2-Dichloroethane	<0.00082	mg/kg	0.0050	0.00082	1	05/17/22 06:00	05/17/22 11:43	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/17/22 06:00	05/17/22 11:43	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/17/22 06:00	05/17/22 11:43	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/17/22 06:00	05/17/22 11:43	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/17/22 06:00	05/17/22 11:43	108-10-1	
Acetone	<0.047	mg/kg	0.10	0.047	1	05/17/22 06:00	05/17/22 11:43	67-64-1	
Benzene	<0.00071	mg/kg	0.0050	0.00071	1	05/17/22 06:00	05/17/22 11:43	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/17/22 06:00	05/17/22 11:43	75-27-4	
Bromoform	<0.0081	mg/kg	0.020	0.0081	1	05/17/22 06:00	05/17/22 11:43	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0050	0.0045	1	05/17/22 06:00	05/17/22 11:43	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/17/22 06:00	05/17/22 11:43	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0050	0.0032	1	05/17/22 06:00	05/17/22 11:43	56-23-5	
Chlorobenzene	<0.00092	mg/kg	0.0050	0.00092	1	05/17/22 06:00	05/17/22 11:43	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0050	0.0036	1	05/17/22 06:00	05/17/22 11:43	75-00-3	
Chloroform	<0.00084	mg/kg	0.0050	0.00084	1	05/17/22 06:00	05/17/22 11:43	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/17/22 06:00	05/17/22 11:43	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/17/22 06:00	05/17/22 11:43	124-48-1	
Ethylbenzene	<0.00089	mg/kg	0.0050	0.00089	1	05/17/22 06:00	05/17/22 11:43	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0050	0.0020	1	05/17/22 06:00	05/17/22 11:43	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0050	0.0040	1	05/17/22 06:00	05/17/22 11:43	75-09-2	L1
Styrene	<0.00071	mg/kg	0.0050	0.00071	1	05/17/22 06:00	05/17/22 11:43	100-42-5	
Tetrachloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/17/22 06:00	05/17/22 11:43	127-18-4	
Toluene	<0.00088	mg/kg	0.0050	0.00088	1	05/17/22 06:00	05/17/22 11:43	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/17/22 06:00	05/17/22 11:43	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/17/22 06:00	05/17/22 11:43	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.010	0.0034	1	05/17/22 06:00	05/17/22 11:43	1330-20-7	
cis-1,2-Dichloroethene	<0.00088	mg/kg	0.0050	0.00088	1	05/17/22 06:00	05/17/22 11:43	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/17/22 06:00	05/17/22 11:43	10061-01-5	
trans-1,2-Dichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/17/22 06:00	05/17/22 11:43	156-60-5	L1
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/17/22 06:00	05/17/22 11:43	10061-02-6	
Surrogates									
Toluene-d8 (S)	101	%	69-156		1	05/17/22 06:00	05/17/22 11:43	2037-26-5	
4-Bromofluorobenzene (S)	94	%	61-175		1	05/17/22 06:00	05/17/22 11:43	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1	05/17/22 06:00	05/17/22 11:43	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

QC Batch:	415913	Analysis Method:	EPA 7471
QC Batch Method:	EPA 7471	Analysis Description:	7471 Mercury
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244735001, 40244735002, 40244735003, 40244735004, 40244735005, 40244735006, 40244735007, 40244735008, 40244735009, 40244735010, 40244735011, 40244735012, 40244735013, 40244735014, 40244735015, 40244735016, 40244735017, 40244735018, 40244735019

METHOD BLANK: 2394727 Matrix: Solid
Associated Lab Samples: 40244735001, 40244735002, 40244735003, 40244735004, 40244735005, 40244735006, 40244735007, 40244735008, 40244735009, 40244735010, 40244735011, 40244735012, 40244735013, 40244735014, 40244735015, 40244735016, 40244735017, 40244735018, 40244735019

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	0.010	05/18/22 13:21	

LABORATORY CONTROL SAMPLE: 2394728

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.87	105	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2394729 2394730

Parameter	Units	40244735001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	0.026J	1.1	1.1	1.2	1.2	105	103	85-115	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

QC Batch: 418338	Analysis Method: EPA 6010D
QC Batch Method: EPA 3015A	Analysis Description: 6010D MET SPLP
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244735002, 40244735018

METHOD BLANK: 2409234 Matrix: Water

Associated Lab Samples: 40244735002, 40244735018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic	mg/L	<0.0083	0.025	0.0083	06/15/22 10:53	

METHOD BLANK: 2408116 Matrix: Solid

Associated Lab Samples: 40244735002, 40244735018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic	mg/L	<0.0083	0.025	0.0083	06/15/22 11:34	

LABORATORY CONTROL SAMPLE: 2409235

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	0.28	0.27	98	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2409236 2409237

Parameter	Units	MS		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		40244640005	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
Arsenic	mg/L	<0.0083	0.28	0.28	0.28	0.27	99	97	75-125	2	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

QC Batch:	815676	Analysis Method:	EPA 6020B
QC Batch Method:	EPA 3050B	Analysis Description:	6020B Solids UPD5
		Laboratory:	Pace Analytical Services - Minneapolis

Associated Lab Samples: 40244735001, 40244735002, 40244735003, 40244735004, 40244735005, 40244735006, 40244735007, 40244735008, 40244735009, 40244735010, 40244735011, 40244735012, 40244735013, 40244735014, 40244735015, 40244735016, 40244735017, 40244735018, 40244735019

METHOD BLANK: 4323765 Matrix: Solid
Associated Lab Samples: 40244735001, 40244735002, 40244735003, 40244735004, 40244735005, 40244735006, 40244735007, 40244735008, 40244735009, 40244735010, 40244735011, 40244735012, 40244735013, 40244735014, 40244735015, 40244735016, 40244735017, 40244735018, 40244735019

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Aluminum	mg/kg	<5.7	28.5	5.7	05/24/22 13:56	
Antimony	mg/kg	<0.091	0.47	0.091	05/24/22 13:56	
Arsenic	mg/kg	<0.10	0.47	0.10	05/24/22 13:56	
Barium	mg/kg	<0.051	0.28	0.051	05/24/22 13:56	
Beryllium	mg/kg	<0.038	0.19	0.038	05/24/22 13:56	
Cadmium	mg/kg	<0.030	0.076	0.030	05/24/22 13:56	
Calcium	mg/kg	<11.2	94.9	11.2	05/24/22 13:56	
Chromium	mg/kg	<0.13	1.9	0.13	05/24/22 13:56	
Cobalt	mg/kg	<0.094	0.47	0.094	05/24/22 13:56	
Copper	mg/kg	<0.23	0.95	0.23	05/24/22 13:56	
Iron	mg/kg	<10	47.4	10	05/24/22 13:56	
Lead	mg/kg	<0.028	0.47	0.028	05/24/22 13:56	
Magnesium	mg/kg	<4.1	28.5	4.1	05/24/22 13:56	
Manganese	mg/kg	<0.23	0.47	0.23	05/24/22 13:56	
Nickel	mg/kg	<0.19	0.47	0.19	05/24/22 13:56	
Potassium	mg/kg	<10.9	94.9	10.9	05/24/22 13:56	
Selenium	mg/kg	<0.081	0.47	0.081	05/24/22 13:56	
Silver	mg/kg	<0.14	0.47	0.14	05/25/22 14:23	
Sodium	mg/kg	<10.5	47.4	10.5	05/24/22 13:56	
Thallium	mg/kg	<0.035	0.095	0.035	05/24/22 13:56	
Vanadium	mg/kg	<0.17	0.95	0.17	05/24/22 13:56	
Zinc	mg/kg	<0.85	4.7	0.85	05/24/22 13:56	

LABORATORY CONTROL SAMPLE: 4323766

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Aluminum	mg/kg	953	941	99	80-120	
Antimony	mg/kg	47.7	47.1	99	80-120	
Arsenic	mg/kg	47.7	46.8	98	80-120	
Barium	mg/kg	47.7	46.6	98	80-120	
Beryllium	mg/kg	47.7	49.7	104	80-120	
Cadmium	mg/kg	47.7	47.8	100	80-120	
Calcium	mg/kg	953	999	105	80-120	
Chromium	mg/kg	47.7	48.4	102	80-120	
Cobalt	mg/kg	47.7	48.8	102	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

LABORATORY CONTROL SAMPLE: 4323766

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Copper	mg/kg	47.7	48.6	102	80-120	
Iron	mg/kg	953	974	102	80-120	
Lead	mg/kg	47.7	46.2	97	80-120	
Magnesium	mg/kg	953	961	101	80-120	
Manganese	mg/kg	47.7	47.3	99	80-120	
Nickel	mg/kg	47.7	49.6	104	80-120	
Potassium	mg/kg	953	986	103	80-120	
Selenium	mg/kg	47.7	47.3	99	80-120	
Silver	mg/kg	23.8	21.2	89	80-120	
Sodium	mg/kg	953	988	104	80-120	
Thallium	mg/kg	47.7	47.3	99	80-120	
Vanadium	mg/kg	47.7	47.5	100	80-120	
Zinc	mg/kg	47.7	47.7	100	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4323767 4323768

Parameter	Units	40244735001		MS	MSD	MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
Aluminum	mg/kg	15800	1240	1260	22000	21700	496	468	75-125	1	20	P6	
Antimony	mg/kg	0.15J	62.3	62.8	27.3	24.6	44	39	75-125	10	20	M1	
Arsenic	mg/kg	6.2	62.3	62.8	64.0	67.5	93	98	75-125	5	20		
Barium	mg/kg	221	62.3	62.8	264	436	68	341	75-125	49	20	M1,R1	
Beryllium	mg/kg	0.94	62.3	62.8	64.1	62.9	102	99	75-125	2	20		
Cadmium	mg/kg	0.23	62.3	62.8	61.1	59.1	98	94	75-125	3	20		
Calcium	mg/kg	6590	1240	1260	7620	7380	83	63	75-125	3	20	P6	
Chromium	mg/kg	19.6	62.3	62.8	85.7	83.4	106	102	75-125	3	20		
Cobalt	mg/kg	4.7	62.3	62.8	65.6	77.9	98	117	75-125	17	20		
Copper	mg/kg	20.5	62.3	62.8	79.4	79.1	95	93	75-125	0	20		
Iron	mg/kg	21000	1240	1260	25000	28900	322	625	75-125	14	20	E,P6	
Lead	mg/kg	12.1	62.3	62.8	70.0	74.5	93	99	75-125	6	20		
Magnesium	mg/kg	2610	1240	1260	4390	4340	143	137	75-125	1	20	M1	
Manganese	mg/kg	271	62.3	62.8	297	1580	41	2090	75-125	137	20	E,M1,P6,R1	
Nickel	mg/kg	15.2	62.3	62.8	79.7	83.0	104	108	75-125	4	20		
Potassium	mg/kg	1660	1240	1260	3240	3170	127	121	75-125	2	20	M1	
Selenium	mg/kg	1.2	62.3	62.8	60.5	59.4	95	93	75-125	2	20		
Silver	mg/kg	0.58J	31.1	31.4	37.8	36.8	119	115	75-125	3	20		
Sodium	mg/kg	35.6J	1240	1260	1270	1250	99	97	75-125	2	20		
Thallium	mg/kg	0.22	62.3	62.8	59.8	58.2	96	92	75-125	3	20		
Vanadium	mg/kg	32.3	62.3	62.8	101	112	110	128	75-125	11	20	M1	
Zinc	mg/kg	87.9	62.3	62.8	153	150	104	99	75-125	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

QC Batch: 415946 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030 Analysis Description: 8260 MSV Low
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244735001, 40244735002, 40244735003, 40244735004, 40244735005, 40244735006

METHOD BLANK: 2394851 Matrix: Solid
Associated Lab Samples: 40244735001, 40244735002, 40244735003, 40244735004, 40244735005, 40244735006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/16/22 09:22	
1,1,2,2-Tetrachloroethane	mg/kg	<0.0026	0.0050	0.0026	05/16/22 09:22	
1,1,2-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/16/22 09:22	
1,1-Dichloroethane	mg/kg	<0.0011	0.0050	0.0011	05/16/22 09:22	
1,1-Dichloroethene	mg/kg	<0.0011	0.0050	0.0011	05/16/22 09:22	
1,2-Dichloroethane	mg/kg	<0.00082	0.0050	0.00082	05/16/22 09:22	
1,2-Dichloropropane	mg/kg	<0.0010	0.0050	0.0010	05/16/22 09:22	
2-Butanone (MEK)	mg/kg	<0.016	0.025	0.016	05/16/22 09:22	
2-Hexanone	mg/kg	<0.011	0.025	0.011	05/16/22 09:22	
4-Methyl-2-pentanone (MIBK)	mg/kg	<0.020	0.025	0.020	05/16/22 09:22	
Acetone	mg/kg	<0.047	0.10	0.047	05/16/22 09:22	
Benzene	mg/kg	<0.00071	0.0050	0.00071	05/16/22 09:22	
Bromodichloromethane	mg/kg	<0.00068	0.0050	0.00068	05/16/22 09:22	
Bromoform	mg/kg	<0.0081	0.020	0.0081	05/16/22 09:22	
Bromomethane	mg/kg	<0.0045	0.0050	0.0045	05/16/22 09:22	
Carbon disulfide	mg/kg	<0.0011	0.0050	0.0011	05/16/22 09:22	
Carbon tetrachloride	mg/kg	<0.0032	0.0050	0.0032	05/16/22 09:22	
Chlorobenzene	mg/kg	<0.00092	0.0050	0.00092	05/16/22 09:22	
Chloroethane	mg/kg	<0.0036	0.0050	0.0036	05/16/22 09:22	
Chloroform	mg/kg	<0.00084	0.0050	0.00084	05/16/22 09:22	
Chloromethane	mg/kg	<0.0011	0.0050	0.0011	05/16/22 09:22	
cis-1,2-Dichloroethene	mg/kg	<0.00088	0.0050	0.00088	05/16/22 09:22	
cis-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/16/22 09:22	
Dibromochloromethane	mg/kg	<0.0010	0.0050	0.0010	05/16/22 09:22	
Ethylbenzene	mg/kg	<0.00089	0.0050	0.00089	05/16/22 09:22	
Methyl-tert-butyl ether	mg/kg	<0.0020	0.0050	0.0020	05/16/22 09:22	
Methylene Chloride	mg/kg	<0.0040	0.0050	0.0040	05/16/22 09:22	
Styrene	mg/kg	<0.00071	0.0050	0.00071	05/16/22 09:22	
Tetrachloroethene	mg/kg	<0.00089	0.0050	0.00089	05/16/22 09:22	
Toluene	mg/kg	<0.00088	0.0050	0.00088	05/16/22 09:22	
trans-1,2-Dichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/16/22 09:22	
trans-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/16/22 09:22	
Trichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/16/22 09:22	
Vinyl chloride	mg/kg	<0.0013	0.0050	0.0013	05/16/22 09:22	
Xylene (Total)	mg/kg	<0.0034	0.010	0.0034	05/16/22 09:22	
1,2-Dichlorobenzene-d4 (S)	%	102	70-130		05/16/22 09:22	
4-Bromofluorobenzene (S)	%	82	61-175		05/16/22 09:22	
Toluene-d8 (S)	%	97	69-156		05/16/22 09:22	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

LABORATORY CONTROL SAMPLE & LCSD: 2394852		2394853								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	mg/kg	0.05	0.052	0.054	103	108	57-126	5	22	
1,1,2,2-Tetrachloroethane	mg/kg	0.05	0.043	0.043	85	87	70-170	2	20	
1,1,2-Trichloroethane	mg/kg	0.05	0.047	0.046	94	92	59-128	2	20	
1,1-Dichloroethane	mg/kg	0.05	0.051	0.051	101	102	70-130	1	20	
1,1-Dichloroethene	mg/kg	0.05	0.050	0.052	101	103	57-118	2	23	
1,2-Dichloroethane	mg/kg	0.05	0.047	0.050	93	100	75-137	6	23	
1,2-Dichloropropane	mg/kg	0.05	0.047	0.048	94	97	74-132	3	22	
Benzene	mg/kg	0.05	0.049	0.049	98	98	68-130	0	24	
Bromodichloromethane	mg/kg	0.05	0.049	0.050	99	100	57-139	2	23	
Bromoform	mg/kg	0.05	0.051	0.046	103	93	62-131	10	20	
Bromomethane	mg/kg	0.05	0.063	0.059	125	117	20-175	7	28	
Carbon disulfide	mg/kg	0.05	0.049	0.050	99	100	40-128	1	22	
Carbon tetrachloride	mg/kg	0.05	0.051	0.053	102	105	50-128	3	24	
Chlorobenzene	mg/kg	0.05	0.054	0.050	108	100	70-130	8	20	
Chloroethane	mg/kg	0.05	0.051	0.046	101	93	49-129	9	25	
Chloroform	mg/kg	0.05	0.050	0.053	100	107	65-128	6	23	
Chloromethane	mg/kg	0.05	0.051	0.051	103	103	39-134	0	25	
cis-1,2-Dichloroethene	mg/kg	0.05	0.051	0.052	102	104	69-130	2	24	
cis-1,3-Dichloropropene	mg/kg	0.05	0.047	0.046	94	93	67-132	1	23	
Dibromochloromethane	mg/kg	0.05	0.050	0.047	101	94	60-127	7	20	
Ethylbenzene	mg/kg	0.05	0.049	0.045	99	91	64-128	9	21	
Methyl-tert-butyl ether	mg/kg	0.05	0.047	0.048	95	96	64-126	1	25	
Methylene Chloride	mg/kg	0.05	0.058	0.058	117	115	54-133	1	22	
Styrene	mg/kg	0.05	0.052	0.048	105	95	64-130	9	21	
Tetrachloroethene	mg/kg	0.05	0.053	0.049	107	99	62-130	8	23	
Toluene	mg/kg	0.05	0.049	0.045	97	91	71-117	7	21	
trans-1,2-Dichloroethene	mg/kg	0.05	0.059	0.057	118	114	67-130	4	20	
trans-1,3-Dichloropropene	mg/kg	0.05	0.044	0.041	89	82	63-130	8	22	
Trichloroethene	mg/kg	0.05	0.050	0.050	100	100	67-130	1	22	
Vinyl chloride	mg/kg	0.05	0.051	0.049	102	98	47-138	4	24	
Xylene (Total)	mg/kg	0.15	0.15	0.14	98	92	60-125	6	21	
1,2-Dichlorobenzene-d4 (S)	%				103	96	70-130			
4-Bromofluorobenzene (S)	%				87	85	61-175			
Toluene-d8 (S)	%				97	95	69-156			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

QC Batch:	416140	Analysis Method:	EPA 8260
QC Batch Method:	EPA 5035/5030	Analysis Description:	8260 MSV Low
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244735007, 40244735008, 40244735009, 40244735010, 40244735011, 40244735012, 40244735013, 40244735014, 40244735015, 40244735016, 40244735017, 40244735018, 40244735019, 40244735020

METHOD BLANK: 2395953 Matrix: Solid
Associated Lab Samples: 40244735007, 40244735008, 40244735009, 40244735010, 40244735011, 40244735012, 40244735013, 40244735014, 40244735015, 40244735016, 40244735017, 40244735018, 40244735019, 40244735020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/17/22 08:52	
1,1,2,2-Tetrachloroethane	mg/kg	<0.0026	0.0050	0.0026	05/17/22 08:52	
1,1,2-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/17/22 08:52	
1,1-Dichloroethane	mg/kg	<0.0011	0.0050	0.0011	05/17/22 08:52	
1,1-Dichloroethene	mg/kg	<0.0011	0.0050	0.0011	05/17/22 08:52	
1,2-Dichloroethane	mg/kg	<0.00082	0.0050	0.00082	05/17/22 08:52	
1,2-Dichloropropane	mg/kg	<0.0010	0.0050	0.0010	05/17/22 08:52	
2-Butanone (MEK)	mg/kg	<0.016	0.025	0.016	05/17/22 08:52	
2-Hexanone	mg/kg	<0.011	0.025	0.011	05/17/22 08:52	
4-Methyl-2-pentanone (MIBK)	mg/kg	<0.020	0.025	0.020	05/17/22 08:52	
Acetone	mg/kg	<0.047	0.10	0.047	05/17/22 08:52	
Benzene	mg/kg	<0.00071	0.0050	0.00071	05/17/22 08:52	
Bromodichloromethane	mg/kg	<0.00068	0.0050	0.00068	05/17/22 08:52	
Bromoform	mg/kg	<0.0081	0.020	0.0081	05/17/22 08:52	
Bromomethane	mg/kg	<0.0045	0.0050	0.0045	05/17/22 08:52	
Carbon disulfide	mg/kg	<0.0011	0.0050	0.0011	05/17/22 08:52	
Carbon tetrachloride	mg/kg	<0.0032	0.0050	0.0032	05/17/22 08:52	
Chlorobenzene	mg/kg	<0.00092	0.0050	0.00092	05/17/22 08:52	
Chloroethane	mg/kg	<0.0036	0.0050	0.0036	05/17/22 08:52	
Chloroform	mg/kg	<0.00084	0.0050	0.00084	05/17/22 08:52	
Chloromethane	mg/kg	<0.0011	0.0050	0.0011	05/17/22 08:52	
cis-1,2-Dichloroethene	mg/kg	<0.00088	0.0050	0.00088	05/17/22 08:52	
cis-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/17/22 08:52	
Dibromochloromethane	mg/kg	<0.0010	0.0050	0.0010	05/17/22 08:52	
Ethylbenzene	mg/kg	<0.00089	0.0050	0.00089	05/17/22 08:52	
Methyl-tert-butyl ether	mg/kg	<0.0020	0.0050	0.0020	05/17/22 08:52	
Methylene Chloride	mg/kg	<0.0040	0.0050	0.0040	05/17/22 08:52	
Styrene	mg/kg	<0.00071	0.0050	0.00071	05/17/22 08:52	
Tetrachloroethene	mg/kg	<0.00089	0.0050	0.00089	05/17/22 08:52	
Toluene	mg/kg	<0.00088	0.0050	0.00088	05/17/22 08:52	
trans-1,2-Dichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/17/22 08:52	
trans-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/17/22 08:52	
Trichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/17/22 08:52	
Vinyl chloride	mg/kg	<0.0013	0.0050	0.0013	05/17/22 08:52	
Xylene (Total)	mg/kg	<0.0034	0.010	0.0034	05/17/22 08:52	
1,2-Dichlorobenzene-d4 (S)	%	97	70-130		05/17/22 08:52	
4-Bromofluorobenzene (S)	%	92	61-175		05/17/22 08:52	
Toluene-d8 (S)	%	102	69-156		05/17/22 08:52	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

LABORATORY CONTROL SAMPLE & LCSD: 2395954		2395955									
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
1,1,1-Trichloroethane	mg/kg	0.05	0.052	0.065	103	130	57-126	23	22	L1,R1	
1,1,2,2-Tetrachloroethane	mg/kg	0.05	0.049	0.059	97	118	70-170	19	20		
1,1,2-Trichloroethane	mg/kg	0.05	0.050	0.060	101	120	59-128	17	20		
1,1-Dichloroethane	mg/kg	0.05	0.055	0.066	110	132	70-130	18	20	L1	
1,1-Dichloroethene	mg/kg	0.05	0.050	0.065	101	129	57-118	25	23	L1,R1	
1,2-Dichloroethane	mg/kg	0.05	0.051	0.064	102	128	75-137	23	23		
1,2-Dichloropropane	mg/kg	0.05	0.053	0.064	106	127	74-132	18	22		
Benzene	mg/kg	0.05	0.049	0.063	99	126	68-130	25	24	R1	
Bromodichloromethane	mg/kg	0.05	0.048	0.061	96	122	57-139	24	23	R1	
Bromoform	mg/kg	0.05	0.048	0.058	96	115	62-131	18	20		
Bromomethane	mg/kg	0.05	0.055	0.067	110	134	20-175	20	28		
Carbon disulfide	mg/kg	0.05	0.048	0.060	95	120	40-128	23	22	R1	
Carbon tetrachloride	mg/kg	0.05	0.052	0.063	105	126	50-128	18	24		
Chlorobenzene	mg/kg	0.05	0.051	0.063	103	126	70-130	20	20		
Chloroethane	mg/kg	0.05	0.046	0.057	92	114	49-129	22	25		
Chloroform	mg/kg	0.05	0.049	0.063	99	126	65-128	24	23	R1	
Chloromethane	mg/kg	0.05	0.046	0.058	93	116	39-134	22	25		
cis-1,2-Dichloroethene	mg/kg	0.05	0.053	0.064	107	128	69-130	18	24		
cis-1,3-Dichloropropene	mg/kg	0.05	0.051	0.062	101	123	67-132	20	23		
Dibromochloromethane	mg/kg	0.05	0.051	0.063	103	126	60-127	20	20		
Ethylbenzene	mg/kg	0.05	0.050	0.060	100	119	64-128	18	21		
Methyl-tert-butyl ether	mg/kg	0.05	0.052	0.063	105	126	64-126	18	25		
Methylene Chloride	mg/kg	0.05	0.056	0.069	112	138	54-133	20	22	L1	
Styrene	mg/kg	0.05	0.050	0.060	101	120	64-130	18	21		
Tetrachloroethene	mg/kg	0.05	0.050	0.060	101	120	62-130	18	23		
Toluene	mg/kg	0.05	0.047	0.057	94	115	71-117	20	21		
trans-1,2-Dichloroethene	mg/kg	0.05	0.055	0.066	109	132	67-130	19	20	L1	
trans-1,3-Dichloropropene	mg/kg	0.05	0.047	0.057	95	114	63-130	19	22		
Trichloroethene	mg/kg	0.05	0.048	0.059	96	117	67-130	20	22		
Vinyl chloride	mg/kg	0.05	0.047	0.057	94	114	47-138	20	24		
Xylene (Total)	mg/kg	0.15	0.14	0.17	95	116	60-125	20	21		
1,2-Dichlorobenzene-d4 (S)	%				96	100	70-130				
4-Bromofluorobenzene (S)	%				95	96	61-175				
Toluene-d8 (S)	%				100	101	69-156				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

QC Batch:	676421	Analysis Method:	EPA 8081
QC Batch Method:	EPA 3546	Analysis Description:	8081 GCS Pesticides
		Laboratory:	Pace Analytical Services - Indianapolis

Associated Lab Samples: 40244735001, 40244735002, 40244735003, 40244735004, 40244735005, 40244735006, 40244735007, 40244735008, 40244735009, 40244735010, 40244735011, 40244735012, 40244735013, 40244735014, 40244735015, 40244735016, 40244735017, 40244735018, 40244735019

METHOD BLANK: 3114627 Matrix: Solid
Associated Lab Samples: 40244735001, 40244735002, 40244735003, 40244735004, 40244735005, 40244735006, 40244735007, 40244735008, 40244735009, 40244735010, 40244735011, 40244735012, 40244735013, 40244735014, 40244735015, 40244735016, 40244735017, 40244735018, 40244735019

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	mg/kg	<0.00097	0.0050	0.00097	05/17/22 13:56	
4,4'-DDE	mg/kg	<0.00082	0.0050	0.00082	05/17/22 13:56	
4,4'-DDT	mg/kg	<0.0016	0.0050	0.0016	05/17/22 13:56	
Aldrin	mg/kg	<0.00048	0.0025	0.00048	05/17/22 13:56	
alpha-BHC	mg/kg	<0.00052	0.0025	0.00052	05/17/22 13:56	
alpha-Chlordane	mg/kg	<0.00044	0.0025	0.00044	05/17/22 13:56	
beta-BHC	mg/kg	<0.00047	0.0025	0.00047	05/17/22 13:56	
Chlordane (Technical)	mg/kg	<0.010	0.050	0.010	05/17/22 13:56	
delta-BHC	mg/kg	<0.00065	0.0025	0.00065	05/17/22 13:56	
Dieldrin	mg/kg	<0.00087	0.0050	0.00087	05/17/22 13:56	
Endosulfan I	mg/kg	<0.00041	0.0025	0.00041	05/17/22 13:56	
Endosulfan II	mg/kg	<0.00081	0.0050	0.00081	05/17/22 13:56	
Endosulfan sulfate	mg/kg	<0.00096	0.0050	0.00096	05/17/22 13:56	
Endrin	mg/kg	<0.00087	0.0050	0.00087	05/17/22 13:56	
Endrin aldehyde	mg/kg	<0.0011	0.0050	0.0011	05/17/22 13:56	
Endrin ketone	mg/kg	<0.0013	0.0050	0.0013	05/17/22 13:56	
gamma-BHC (Lindane)	mg/kg	<0.00045	0.0025	0.00045	05/17/22 13:56	
gamma-Chlordane	mg/kg	<0.00052	0.0025	0.00052	05/17/22 13:56	
Heptachlor	mg/kg	<0.00044	0.0025	0.00044	05/17/22 13:56	
Heptachlor epoxide	mg/kg	<0.00042	0.0025	0.00042	05/17/22 13:56	
Methoxychlor	mg/kg	<0.0057	0.025	0.0057	05/17/22 13:56	
Toxaphene	mg/kg	<0.018	0.050	0.018	05/17/22 13:56	
Decachlorobiphenyl (S)	%	71	10-147		05/17/22 13:56	

LABORATORY CONTROL SAMPLE: 3114628

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	mg/kg	0.019	0.023	118	40-148	
4,4'-DDE	mg/kg	0.019	0.022	115	42-145	
4,4'-DDT	mg/kg	0.019	0.024	123	28-169	
Aldrin	mg/kg	0.0096	0.010	105	42-137	
alpha-BHC	mg/kg	0.0096	0.010	107	40-141	
alpha-Chlordane	mg/kg	0.0096	0.010	107	38-141	
beta-BHC	mg/kg	0.0096	0.011	112	42-137	
delta-BHC	mg/kg	0.0096	0.0096	100	33-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

LABORATORY CONTROL SAMPLE: 3114628

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Dieldrin	mg/kg	0.019	0.022	114	42-143	
Endosulfan I	mg/kg	0.0096	0.011	111	38-142	
Endosulfan II	mg/kg	0.019	0.023	121	42-153	
Endosulfan sulfate	mg/kg	0.019	0.020	103	36-133	
Endrin	mg/kg	0.019	0.022	113	43-145	
Endrin aldehyde	mg/kg	0.019	0.022	113	40-138	
Endrin ketone	mg/kg	0.019	0.022	113	35-154	
gamma-BHC (Lindane)	mg/kg	0.0096	0.010	108	42-142	
gamma-Chlordane	mg/kg	0.0096	0.011	112	44-148	
Heptachlor	mg/kg	0.0096	0.011	115	42-143	
Heptachlor epoxide	mg/kg	0.0096	0.011	110	41-136	
Methoxychlor	mg/kg	0.096	0.11	116	37-157	
Decachlorobiphenyl (S)	%			85	10-147	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3114629 3114630

Parameter	Units	3114629		3114630		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
4,4'-DDD	mg/kg	<0.0012	0.024	0.023	0.024	93	96	10-171	6	20	
4,4'-DDE	mg/kg	<0.0010	0.024	0.022	0.024	91	94	10-146	6	20	
4,4'-DDT	mg/kg	<0.0020	0.024	0.024	0.024	97	96	10-165	3	20	
Aldrin	mg/kg	<0.00061	0.0121	0.011	0.012	91	94	12-141	6	20	
alpha-BHC	mg/kg	<0.00065	0.0121	0.012	0.012	97	98	14-157	4	20	
alpha-Chlordane	mg/kg	<0.00055	0.0121	0.010	0.011	86	88	10-153	7	20	
beta-BHC	mg/kg	<0.00059	0.0121	0.012	0.012	98	97	10-163	3	20	
delta-BHC	mg/kg	<0.00082	0.0121	0.010	0.011	84	86	10-155	6	20	
Dieldrin	mg/kg	<0.0011	0.024	0.023	0.024	93	94	14-141	5	20	
Endosulfan I	mg/kg	<0.00052	0.0121	0.011	0.012	89	92	10-141	7	20	
Endosulfan II	mg/kg	<0.0010	0.024	0.023	0.024	96	98	10-149	5	20	
Endosulfan sulfate	mg/kg	<0.0012	0.024	0.020	0.020	83	81	10-126	2	20	
Endrin	mg/kg	<0.0011	0.024	0.022	0.024	92	94	13-136	6	20	
Endrin aldehyde	mg/kg	<0.0014	0.024	0.020	0.019	82	78	10-150	1	20	
Endrin ketone	mg/kg	<0.0016	0.024	0.022	0.022	90	88	10-171	1	20	
gamma-BHC (Lindane)	mg/kg	<0.00057	0.0121	0.012	0.012	96	97	18-152	4	20	
gamma-Chlordane	mg/kg	<0.00066	0.0121	0.010	0.011	85	88	10-159	7	20	
Heptachlor	mg/kg	<0.00056	0.0121	0.012	0.013	99	101	10-162	5	20	
Heptachlor epoxide	mg/kg	<0.00053	0.0121	0.011	0.011	88	91	15-142	7	20	
Methoxychlor	mg/kg	<0.0072	0.121	0.11	0.11	92	91	10-178	2	20	
Decachlorobiphenyl (S)	%					66	66	10-147			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

QC Batch:	415575	Analysis Method:	EPA 8082A
QC Batch Method:	EPA 3541	Analysis Description:	8082 GCS PCB
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244735001, 40244735002, 40244735003, 40244735004, 40244735005, 40244735006, 40244735007, 40244735008, 40244735009, 40244735010, 40244735011, 40244735012

METHOD BLANK: 2392463 Matrix: Solid
Associated Lab Samples: 40244735001, 40244735002, 40244735003, 40244735004, 40244735005, 40244735006, 40244735007, 40244735008, 40244735009, 40244735010, 40244735011, 40244735012

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	0.015	05/14/22 03:14	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	0.015	05/14/22 03:14	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	0.015	05/14/22 03:14	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	0.015	05/14/22 03:14	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	0.015	05/14/22 03:14	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	0.015	05/14/22 03:14	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	0.015	05/14/22 03:14	
Decachlorobiphenyl (S)	%	79	38-95		05/14/22 03:14	
Tetrachloro-m-xylene (S)	%	69	50-99		05/14/22 03:14	

LABORATORY CONTROL SAMPLE: 2392464

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.41	81	71-104	
Decachlorobiphenyl (S)	%			80	38-95	
Tetrachloro-m-xylene (S)	%			75	50-99	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2392465 2392466

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244696012	Result	Conc.	Conc.						
PCB-1016 (Aroclor 1016)	mg/kg	<0.017				<0.017	<0.017				20
PCB-1221 (Aroclor 1221)	mg/kg	<0.017				<0.017	<0.017				20
PCB-1232 (Aroclor 1232)	mg/kg	<0.017				<0.017	<0.017				20
PCB-1242 (Aroclor 1242)	mg/kg	<0.017				<0.017	<0.017				20
PCB-1248 (Aroclor 1248)	mg/kg	<0.017				<0.017	<0.017				20
PCB-1254 (Aroclor 1254)	mg/kg	<0.017				<0.017	<0.017				20
PCB-1260 (Aroclor 1260)	mg/kg	<0.017	0.57	0.57	0.40	0.41	71	73	42-109	3	20
Decachlorobiphenyl (S)	%						71	74	38-95		
Tetrachloro-m-xylene (S)	%						64	67	50-99		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

QC Batch: 415633	Analysis Method: EPA 8082A
QC Batch Method: EPA 3541	Analysis Description: 8082 GCS PCB
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244735013, 40244735014, 40244735015, 40244735016, 40244735017, 40244735018, 40244735019

METHOD BLANK: 2392964 Matrix: Solid
Associated Lab Samples: 40244735013, 40244735014, 40244735015, 40244735016, 40244735017, 40244735018, 40244735019

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	0.015	05/13/22 15:32	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	0.015	05/13/22 15:32	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	0.015	05/13/22 15:32	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	0.015	05/13/22 15:32	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	0.015	05/13/22 15:32	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	0.015	05/13/22 15:32	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	0.015	05/13/22 15:32	
Decachlorobiphenyl (S)	%	84	38-95		05/13/22 15:32	
Tetrachloro-m-xylene (S)	%	90	50-99		05/13/22 15:32	

LABORATORY CONTROL SAMPLE: 2392965

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.40	80	71-104	
Decachlorobiphenyl (S)	%			82	38-95	
Tetrachloro-m-xylene (S)	%			88	50-99	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2392966 2392967

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244807003	Spike Conc.	Spike Conc.	Result						
PCB-1016 (Aroclor 1016)	mg/kg	<15.8 ug/kg			<0.016	<0.016				20	
PCB-1221 (Aroclor 1221)	mg/kg	<15.8 ug/kg			<0.016	<0.016				20	
PCB-1232 (Aroclor 1232)	mg/kg	<15.8 ug/kg			<0.016	<0.016				20	
PCB-1242 (Aroclor 1242)	mg/kg	<15.8 ug/kg			<0.016	<0.016				20	
PCB-1248 (Aroclor 1248)	mg/kg	<15.8 ug/kg			<0.016	<0.016				20	
PCB-1254 (Aroclor 1254)	mg/kg	<15.8 ug/kg			<0.016	<0.016				20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Parameter	Units	40244807003		2392966		2392967		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec							
PCB-1260 (Aroclor 1260)	mg/kg	<15.8 ug/kg	0.52	0.52	0.40	0.42	77	80	42-109	4	20			
Decachlorobiphenyl (S)	%						79	81	38-95					
Tetrachloro-m-xylene (S)	%						84	86	50-99					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

QC Batch:	415752	Analysis Method:	EPA 8270E
QC Batch Method:	EPA 3546	Analysis Description:	8270E Solid MSSV Microwave
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244735001, 40244735002, 40244735003, 40244735004, 40244735005, 40244735006, 40244735007, 40244735008, 40244735009, 40244735010

METHOD BLANK: 2393973 Matrix: Solid
Associated Lab Samples: 40244735001, 40244735002, 40244735003, 40244735004, 40244735005, 40244735006, 40244735007, 40244735008, 40244735009, 40244735010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	<0.019	0.063	0.019	05/16/22 17:34	
1,2-Dichlorobenzene	mg/kg	<0.053	0.18	0.053	05/16/22 17:34	
1,3-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/16/22 17:34	
1,4-Dichlorobenzene	mg/kg	<0.023	0.078	0.023	05/16/22 17:34	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.043	0.14	0.043	05/16/22 17:34	
2,4,5-Trichlorophenol	mg/kg	<0.030	0.098	0.030	05/16/22 17:34	
2,4,6-Trichlorophenol	mg/kg	<0.025	0.085	0.025	05/16/22 17:34	
2,4-Dichlorophenol	mg/kg	<0.045	0.15	0.045	05/16/22 17:34	
2,4-Dimethylphenol	mg/kg	<0.033	0.11	0.033	05/16/22 17:34	
2,4-Dinitrophenol	mg/kg	<0.051	0.17	0.051	05/16/22 17:34	
2,4-Dinitrotoluene	mg/kg	<0.024	0.080	0.024	05/16/22 17:34	
2,6-Dinitrotoluene	mg/kg	<0.032	0.11	0.032	05/16/22 17:34	
2-Chloronaphthalene	mg/kg	<0.021	0.071	0.021	05/16/22 17:34	
2-Chlorophenol	mg/kg	<0.042	0.14	0.042	05/16/22 17:34	
2-Methylnaphthalene	mg/kg	<0.043	0.14	0.043	05/16/22 17:34	
2-Methylphenol(o-Cresol)	mg/kg	<0.030	0.10	0.030	05/16/22 17:34	
2-Nitroaniline	mg/kg	<0.048	0.16	0.048	05/16/22 17:34	
2-Nitrophenol	mg/kg	<0.053	0.18	0.053	05/16/22 17:34	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.031	0.10	0.031	05/16/22 17:34	
3,3'-Dichlorobenzidine	mg/kg	<0.045	0.15	0.045	05/16/22 17:34	
3-Nitroaniline	mg/kg	<0.028	0.095	0.028	05/16/22 17:34	
4,6-Dinitro-2-methylphenol	mg/kg	<0.051	0.17	0.051	05/16/22 17:34	
4-Bromophenylphenyl ether	mg/kg	<0.035	0.12	0.035	05/16/22 17:34	
4-Chloro-3-methylphenol	mg/kg	<0.052	0.17	0.052	05/16/22 17:34	
4-Chloroaniline	mg/kg	<0.027	0.091	0.027	05/16/22 17:34	1q
4-Chlorophenylphenyl ether	mg/kg	<0.031	0.10	0.031	05/16/22 17:34	
4-Nitroaniline	mg/kg	<0.069	0.23	0.069	05/16/22 17:34	
4-Nitrophenol	mg/kg	<0.042	0.14	0.042	05/16/22 17:34	
Acenaphthene	mg/kg	<0.059	0.20	0.059	05/16/22 17:34	
Acenaphthylene	mg/kg	<0.060	0.20	0.060	05/16/22 17:34	
Anthracene	mg/kg	<0.027	0.089	0.027	05/16/22 17:34	
Benzo(a)anthracene	mg/kg	<0.026	0.086	0.026	05/16/22 17:34	
Benzo(a)pyrene	mg/kg	<0.025	0.084	0.025	05/16/22 17:34	
Benzo(b)fluoranthene	mg/kg	<0.029	0.096	0.029	05/16/22 17:34	
Benzo(g,h,i)perylene	mg/kg	<0.044	0.15	0.044	05/16/22 17:34	
Benzo(k)fluoranthene	mg/kg	<0.040	0.13	0.040	05/16/22 17:34	
bis(2-Chloroethoxy)methane	mg/kg	<0.045	0.15	0.045	05/16/22 17:34	
bis(2-Chloroethyl) ether	mg/kg	<0.052	0.17	0.052	05/16/22 17:34	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.028	0.093	0.028	05/16/22 17:34	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

METHOD BLANK: 2393973

Matrix: Solid

Associated Lab Samples: 40244735001, 40244735002, 40244735003, 40244735004, 40244735005, 40244735006, 40244735007, 40244735008, 40244735009, 40244735010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Butylbenzylphthalate	mg/kg	<0.027	0.089	0.027	05/16/22 17:34	
Carbazole	mg/kg	<0.026	0.087	0.026	05/16/22 17:34	
Chrysene	mg/kg	<0.025	0.083	0.025	05/16/22 17:34	
Di-n-butylphthalate	mg/kg	<0.025	0.083	0.025	05/16/22 17:34	
Di-n-octylphthalate	mg/kg	<0.038	0.13	0.038	05/16/22 17:34	
Dibenz(a,h)anthracene	mg/kg	<0.045	0.15	0.045	05/16/22 17:34	
Dibenzofuran	mg/kg	<0.020	0.067	0.020	05/16/22 17:34	
Diethylphthalate	mg/kg	<0.028	0.092	0.028	05/16/22 17:34	
Dimethylphthalate	mg/kg	<0.022	0.072	0.022	05/16/22 17:34	
Fluoranthene	mg/kg	<0.024	0.079	0.024	05/16/22 17:34	
Fluorene	mg/kg	<0.020	0.065	0.020	05/16/22 17:34	
Hexachloro-1,3-butadiene	mg/kg	<0.043	0.14	0.043	05/16/22 17:34	
Hexachlorobenzene	mg/kg	<0.028	0.094	0.028	05/16/22 17:34	
Hexachlorocyclopentadiene	mg/kg	<0.040	0.13	0.040	05/16/22 17:34	
Hexachloroethane	mg/kg	<0.027	0.089	0.027	05/16/22 17:34	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.036	0.12	0.036	05/16/22 17:34	
Isophorone	mg/kg	<0.026	0.086	0.026	05/16/22 17:34	
N-Nitroso-di-n-propylamine	mg/kg	<0.026	0.088	0.026	05/16/22 17:34	
N-Nitrosodiphenylamine	mg/kg	<0.23	0.76	0.23	05/16/22 17:34	
Naphthalene	mg/kg	<0.058	0.19	0.058	05/16/22 17:34	
Nitrobenzene	mg/kg	<0.034	0.11	0.034	05/16/22 17:34	
Pentachlorophenol	mg/kg	<0.037	0.12	0.037	05/16/22 17:34	
Phenanthrene	mg/kg	<0.021	0.071	0.021	05/16/22 17:34	
Phenol	mg/kg	<0.040	0.13	0.040	05/16/22 17:34	
Pyrene	mg/kg	<0.037	0.12	0.037	05/16/22 17:34	
2,4,6-Tribromophenol (S)	%	77	10-144		05/16/22 17:34	
2-Fluorobiphenyl (S)	%	64	12-118		05/16/22 17:34	
2-Fluorophenol (S)	%	58	10-130		05/16/22 17:34	
Nitrobenzene-d5 (S)	%	60	10-125		05/16/22 17:34	
Phenol-d6 (S)	%	54	10-125		05/16/22 17:34	
Terphenyl-d14 (S)	%	90	10-124		05/16/22 17:34	

LABORATORY CONTROL SAMPLE: 2393974

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	1.7	1.6	98	70-130	
1,2-Dichlorobenzene	mg/kg	1.7	1.5	93	66-130	
1,3-Dichlorobenzene	mg/kg	1.7	1.4	85	66-130	
1,4-Dichlorobenzene	mg/kg	1.7	1.4	87	64-130	
2,2'-Oxybis(1-chloropropane)	mg/kg	1.7	1.5	88	65-130	
2,4,5-Trichlorophenol	mg/kg	1.7	1.7	103	70-125	
2,4,6-Trichlorophenol	mg/kg	1.7	1.5	89	70-124	
2,4-Dichlorophenol	mg/kg	1.7	1.6	95	70-121	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

LABORATORY CONTROL SAMPLE: 2393974

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dimethylphenol	mg/kg	1.7	1.6	94	70-130	
2,4-Dinitrophenol	mg/kg	1.7	0.97	58	26-103	
2,4-Dinitrotoluene	mg/kg	1.7	1.7	101	70-130	
2,6-Dinitrotoluene	mg/kg	1.7	1.6	95	70-130	
2-Chloronaphthalene	mg/kg	1.7	1.5	93	70-130	
2-Chlorophenol	mg/kg	1.7	1.5	92	67-130	
2-Methylnaphthalene	mg/kg	1.7	1.6	95	70-130	
2-Methylphenol(o-Cresol)	mg/kg	1.7	1.5	91	69-130	
2-Nitroaniline	mg/kg	1.7	1.7	103	70-124	
2-Nitrophenol	mg/kg	1.7	1.7	104	70-130	
3&4-Methylphenol(m&p Cresol)	mg/kg	1.7	1.5	92	70-130	
3,3'-Dichlorobenzidine	mg/kg	1.7	1.3	81	48-112	
3-Nitroaniline	mg/kg	1.7	1.5	89	57-121	
4,6-Dinitro-2-methylphenol	mg/kg	1.7	1.4	83	59-115	
4-Bromophenylphenyl ether	mg/kg	1.7	1.6	95	70-130	
4-Chloro-3-methylphenol	mg/kg	1.7	1.7	101	70-130	
4-Chloroaniline	mg/kg	1.7	1.1	68	45-130	1q
4-Chlorophenylphenyl ether	mg/kg	1.7	1.6	98	70-130	
4-Nitroaniline	mg/kg	1.7	1.4	87	62-127	
4-Nitrophenol	mg/kg	1.7	1.5	89	50-126	
Acenaphthene	mg/kg	1.7	1.6	94	70-130	
Acenaphthylene	mg/kg	1.7	1.7	100	70-130	
Anthracene	mg/kg	1.7	1.6	97	70-130	
Benzo(a)anthracene	mg/kg	1.7	1.6	97	70-130	
Benzo(a)pyrene	mg/kg	1.7	1.7	103	70-130	
Benzo(b)fluoranthene	mg/kg	1.7	1.6	96	70-130	
Benzo(g,h,i)perylene	mg/kg	1.7	1.4	86	65-130	
Benzo(k)fluoranthene	mg/kg	1.7	1.8	106	70-130	
bis(2-Chloroethoxy)methane	mg/kg	1.7	1.5	92	70-130	
bis(2-Chloroethyl) ether	mg/kg	1.7	1.4	85	68-130	
bis(2-Ethylhexyl)phthalate	mg/kg	1.7	1.7	103	70-130	
Butylbenzylphthalate	mg/kg	1.7	1.8	110	70-130	
Carbazole	mg/kg	1.7	1.6	95	70-130	
Chrysene	mg/kg	1.7	1.8	105	70-130	
Di-n-butylphthalate	mg/kg	1.7	1.7	100	70-130	
Di-n-octylphthalate	mg/kg	1.7	1.7	105	67-134	
Dibenz(a,h)anthracene	mg/kg	1.7	1.5	89	68-130	
Dibenzofuran	mg/kg	1.7	1.7	99	70-130	
Diethylphthalate	mg/kg	1.7	1.7	100	70-130	
Dimethylphthalate	mg/kg	1.7	1.6	96	70-130	
Fluoranthene	mg/kg	1.7	1.6	99	70-130	
Fluorene	mg/kg	1.7	1.6	97	70-130	
Hexachloro-1,3-butadiene	mg/kg	1.7	1.5	92	67-130	
Hexachlorobenzene	mg/kg	1.7	1.5	87	70-130	
Hexachlorocyclopentadiene	mg/kg	1.7	1.2	74	54-114	
Hexachloroethane	mg/kg	1.7	1.6	95	64-130	
Indeno(1,2,3-cd)pyrene	mg/kg	1.7	1.1	68	63-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

LABORATORY CONTROL SAMPLE: 2393974

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Isophorone	mg/kg	1.7	1.7	101	70-130	
N-Nitroso-di-n-propylamine	mg/kg	1.7	1.6	96	70-130	
N-Nitrosodiphenylamine	mg/kg	1.7	1.5	91	70-130	
Naphthalene	mg/kg	1.7	1.5	93	70-130	
Nitrobenzene	mg/kg	1.7	1.6	97	70-130	
Pentachlorophenol	mg/kg	1.7	1.2	73	47-108	
Phenanthrene	mg/kg	1.7	1.5	92	70-130	
Phenol	mg/kg	1.7	1.5	91	67-130	
Pyrene	mg/kg	1.7	1.6	98	70-130	
2,4,6-Tribromophenol (S)	%			100	10-144	
2-Fluorobiphenyl (S)	%			91	12-118	
2-Fluorophenol (S)	%			86	10-130	
Nitrobenzene-d5 (S)	%			94	10-125	
Phenol-d6 (S)	%			87	10-125	
Terphenyl-d14 (S)	%			97	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2393975 2393976

Parameter	Units	40244735004		MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.	Result	Result						
1,2,4-Trichlorobenzene	mg/kg	<0.024	2.1	2.1	2.1	1.6	1.8	77	84	45-130	9	28	
1,2-Dichlorobenzene	mg/kg	<0.066	2.1	2.1	2.1	1.5	1.8	71	83	45-130	16	29	
1,3-Dichlorobenzene	mg/kg	<0.029	2.1	2.1	2.1	1.5	1.7	69	81	42-130	16	30	
1,4-Dichlorobenzene	mg/kg	<0.029	2.1	2.1	2.1	1.5	1.7	70	82	42-130	17	32	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.054	2.1	2.1	2.1	1.4	1.6	67	76	44-130	13	26	
2,4,5-Trichlorophenol	mg/kg	<0.037	2.1	2.1	2.1	1.5	2.0	73	94	11-125	25	30	
2,4,6-Trichlorophenol	mg/kg	<0.032	2.1	2.1	2.1	1.5	1.8	72	85	16-124	16	31	
2,4-Dichlorophenol	mg/kg	<0.056	2.1	2.1	2.1	1.7	1.9	79	88	19-121	11	29	
2,4-Dimethylphenol	mg/kg	<0.042	2.1	2.1	2.1	1.3	1.5	62	72	29-130	15	32	
2,4-Dinitrophenol	mg/kg	<0.064	2.1	2.1	2.1	0.55	0.88	26	42	10-103	45	50	
2,4-Dinitrotoluene	mg/kg	<0.030	2.1	2.1	2.1	1.5	2.0	72	93	38-130	26	27	
2,6-Dinitrotoluene	mg/kg	<0.040	2.1	2.1	2.1	1.7	2.0	81	94	41-130	16	28	
2-Chloronaphthalene	mg/kg	<0.027	2.1	2.1	2.1	1.5	1.7	71	82	44-130	16	24	
2-Chlorophenol	mg/kg	<0.053	2.1	2.1	2.1	1.5	1.8	71	87	33-130	20	30	
2-Methylnaphthalene	mg/kg	<0.055	2.1	2.1	2.1	1.6	1.8	78	85	46-130	9	23	
2-Methylphenol(o-Cresol)	mg/kg	<0.038	2.1	2.1	2.1	1.4	1.8	66	84	30-130	24	30	
2-Nitroaniline	mg/kg	<0.060	2.1	2.1	2.1	1.7	2.0	79	94	27-124	17	25	
2-Nitrophenol	mg/kg	<0.067	2.1	2.1	2.1	1.6	2.0	76	96	10-130	23	27	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.039	2.1	2.1	2.1	1.3	1.7	60	79	28-130	27	33	
3,3'-Dichlorobenzidine	mg/kg	<0.057	2.1	2.1	2.1	1.5	1.8	70	83	10-112	17	43	
3-Nitroaniline	mg/kg	<0.036	2.1	2.1	2.1	1.4	1.7	67	80	10-121	17	33	
4,6-Dinitro-2-methylphenol	mg/kg	<0.065	2.1	2.1	2.1	1.1	1.7	53	81	10-115	42	50	
4-Bromophenylphenyl ether	mg/kg	<0.044	2.1	2.1	2.1	1.5	1.9	70	92	40-130	27	25	R1
4-Chloro-3-methylphenol	mg/kg	<0.066	2.1	2.1	2.1	1.7	1.8	79	85	30-130	7	29	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Parameter	Units	40244735004		2393975				2393976				Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD		
4-Chloroaniline	mg/kg	<0.035	2.1	2.1	1.2	1.3	59	60	16-130	1	33	1q,3q
4-Chlorophenylphenyl ether	mg/kg	<0.039	2.1	2.1	1.6	2.0	76	95	46-130	22	24	
4-Nitroaniline	mg/kg	<0.088	2.1	2.1	1.5	1.8	72	86	10-127	18	40	
4-Nitrophenol	mg/kg	<0.053	2.1	2.1	0.98	1.8	46	87	10-128	61	50	R1
Acenaphthene	mg/kg	<0.075	2.1	2.1	1.5	1.8	69	84	47-130	20	21	
Acenaphthylene	mg/kg	<0.075	2.1	2.1	1.5	1.8	73	86	49-130	17	22	
Anthracene	mg/kg	<0.034	2.1	2.1	1.5	1.7	71	81	46-130	14	27	
Benzo(a)anthracene	mg/kg	<0.033	2.1	2.1	1.6	2.0	75	94	45-130	22	24	
Benzo(a)pyrene	mg/kg	<0.032	2.1	2.1	1.7	1.9	78	88	48-130	12	27	
Benzo(b)fluoranthene	mg/kg	<0.036	2.1	2.1	1.6	1.8	74	87	41-130	16	31	
Benzo(g,h,i)perylene	mg/kg	<0.055	2.1	2.1	1.7	1.8	79	88	37-130	10	31	
Benzo(k)fluoranthene	mg/kg	<0.050	2.1	2.1	1.6	1.8	74	84	46-130	12	27	
bis(2-Chloroethoxy)methane	mg/kg	<0.057	2.1	2.1	1.5	1.7	72	83	38-130	15	26	
bis(2-Chloroethyl) ether	mg/kg	<0.066	2.1	2.1	1.4	1.6	68	76	42-130	11	29	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.035	2.1	2.1	1.6	1.9	78	90	39-130	14	27	
Butylbenzylphthalate	mg/kg	<0.034	2.1	2.1	1.7	2.1	80	98	39-130	20	27	
Carbazole	mg/kg	<0.033	2.1	2.1	1.5	1.8	71	86	44-130	19	24	
Chrysene	mg/kg	<0.032	2.1	2.1	1.7	1.9	82	92	44-130	12	25	
Di-n-butylphthalate	mg/kg	<0.032	2.1	2.1	1.7	1.9	79	91	45-130	14	26	
Di-n-octylphthalate	mg/kg	<0.047	2.1	2.1	1.7	2.0	82	96	40-134	16	27	
Dibenz(a,h)anthracene	mg/kg	<0.057	2.1	2.1	1.8	1.8	85	87	41-130	3	33	
Dibenzofuran	mg/kg	<0.026	2.1	2.1	1.5	1.9	73	88	47-130	19	23	
Diethylphthalate	mg/kg	<0.035	2.1	2.1	1.5	1.8	74	87	46-130	16	24	
Dimethylphthalate	mg/kg	<0.027	2.1	2.1	1.5	1.8	72	87	47-130	19	24	
Fluoranthene	mg/kg	<0.030	2.1	2.1	1.6	1.9	77	89	50-130	14	27	
Fluorene	mg/kg	<0.025	2.1	2.1	1.5	1.9	72	89	48-130	22	25	
Hexachloro-1,3-butadiene	mg/kg	<0.054	2.1	2.1	1.9	1.9	92	88	42-130	4	27	
Hexachlorobenzene	mg/kg	<0.035	2.1	2.1	1.5	1.8	73	86	51-130	16	24	
Hexachlorocyclopentadiene	mg/kg	<0.050	2.1	2.1	1.1	1.8	50	83	10-114	50	50	
Hexachloroethane	mg/kg	<0.034	2.1	2.1	1.6	1.8	74	83	33-130	12	35	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.046	2.1	2.1	1.6	1.8	75	85	34-130	12	38	
Isophorone	mg/kg	<0.032	2.1	2.1	1.7	1.8	80	88	45-130	9	28	
N-Nitroso-di-n-propylamine	mg/kg	<0.033	2.1	2.1	1.5	1.8	69	87	47-130	23	27	
N-Nitrosodiphenylamine	mg/kg	<0.29	2.1	2.1	1.4	1.8	67	84	42-130	22	25	
Naphthalene	mg/kg	<0.074	2.1	2.1	1.6	1.8	76	83	48-130	9	24	
Nitrobenzene	mg/kg	<0.043	2.1	2.1	1.6	1.7	75	83	42-130	10	25	
Pentachlorophenol	mg/kg	<0.046	2.1	2.1	1.3	1.6	61	76	10-108	22	50	
Phenanthrene	mg/kg	<0.027	2.1	2.1	1.5	1.7	70	82	50-130	17	27	
Phenol	mg/kg	<0.050	2.1	2.1	1.4	1.7	66	80	37-130	19	30	
Pyrene	mg/kg	<0.047	2.1	2.1	1.5	1.8	74	87	43-130	16	29	
2,4,6-Tribromophenol (S)	%						77	92	10-144			
2-Fluorobiphenyl (S)	%						63	81	12-118			
2-Fluorophenol (S)	%						68	76	10-130			
Nitrobenzene-d5 (S)	%						74	84	10-125			
Phenol-d6 (S)	%						61	75	10-125			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2393975 2393976												
Parameter	Units	40244735004 Result	MS	MSD	MS	MSD	MS	MSD	% Rec	% Rec	Max	
			Spike	Spike								Result
Terphenyl-d14 (S)	%						67	83	10-124			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

QC Batch:	415911	Analysis Method:	EPA 8270E
QC Batch Method:	EPA 3546	Analysis Description:	8270E Solid MSSV Microwave
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244735011, 40244735012, 40244735013, 40244735014, 40244735015, 40244735016, 40244735017, 40244735018, 40244735019

METHOD BLANK: 2394719 Matrix: Solid
Associated Lab Samples: 40244735011, 40244735012, 40244735013, 40244735014, 40244735015, 40244735016, 40244735017, 40244735018, 40244735019

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	<0.019	0.063	0.019	05/17/22 13:57	
1,2-Dichlorobenzene	mg/kg	<0.052	0.17	0.052	05/17/22 13:57	
1,3-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/17/22 13:57	
1,4-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/17/22 13:57	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.043	0.14	0.043	05/17/22 13:57	
2,4,5-Trichlorophenol	mg/kg	<0.029	0.098	0.029	05/17/22 13:57	
2,4,6-Trichlorophenol	mg/kg	<0.025	0.085	0.025	05/17/22 13:57	
2,4-Dichlorophenol	mg/kg	<0.045	0.15	0.045	05/17/22 13:57	
2,4-Dimethylphenol	mg/kg	<0.033	0.11	0.033	05/17/22 13:57	
2,4-Dinitrophenol	mg/kg	<0.051	0.17	0.051	05/17/22 13:57	
2,4-Dinitrotoluene	mg/kg	<0.024	0.079	0.024	05/17/22 13:57	
2,6-Dinitrotoluene	mg/kg	<0.032	0.11	0.032	05/17/22 13:57	
2-Chloronaphthalene	mg/kg	<0.021	0.071	0.021	05/17/22 13:57	
2-Chlorophenol	mg/kg	<0.042	0.14	0.042	05/17/22 13:57	
2-Methylnaphthalene	mg/kg	<0.043	0.14	0.043	05/17/22 13:57	
2-Methylphenol(o-Cresol)	mg/kg	<0.030	0.10	0.030	05/17/22 13:57	
2-Nitroaniline	mg/kg	<0.048	0.16	0.048	05/17/22 13:57	
2-Nitrophenol	mg/kg	<0.053	0.18	0.053	05/17/22 13:57	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.031	0.10	0.031	05/17/22 13:57	
3,3'-Dichlorobenzidine	mg/kg	<0.045	0.15	0.045	05/17/22 13:57	
3-Nitroaniline	mg/kg	<0.028	0.095	0.028	05/17/22 13:57	
4,6-Dinitro-2-methylphenol	mg/kg	<0.051	0.17	0.051	05/17/22 13:57	
4-Bromophenylphenyl ether	mg/kg	<0.035	0.12	0.035	05/17/22 13:57	
4-Chloro-3-methylphenol	mg/kg	<0.052	0.17	0.052	05/17/22 13:57	
4-Chloroaniline	mg/kg	<0.027	0.091	0.027	05/17/22 13:57	3q
4-Chlorophenylphenyl ether	mg/kg	<0.031	0.10	0.031	05/17/22 13:57	
4-Nitroaniline	mg/kg	<0.069	0.23	0.069	05/17/22 13:57	
4-Nitrophenol	mg/kg	<0.042	0.14	0.042	05/17/22 13:57	
Acenaphthene	mg/kg	<0.059	0.20	0.059	05/17/22 13:57	
Acenaphthylene	mg/kg	<0.059	0.20	0.059	05/17/22 13:57	
Anthracene	mg/kg	<0.027	0.089	0.027	05/17/22 13:57	
Benzo(a)anthracene	mg/kg	<0.026	0.086	0.026	05/17/22 13:57	
Benzo(a)pyrene	mg/kg	<0.025	0.084	0.025	05/17/22 13:57	
Benzo(b)fluoranthene	mg/kg	<0.029	0.096	0.029	05/17/22 13:57	
Benzo(g,h,i)perylene	mg/kg	<0.044	0.15	0.044	05/17/22 13:57	
Benzo(k)fluoranthene	mg/kg	<0.040	0.13	0.040	05/17/22 13:57	
bis(2-Chloroethoxy)methane	mg/kg	<0.045	0.15	0.045	05/17/22 13:57	
bis(2-Chloroethyl) ether	mg/kg	<0.052	0.17	0.052	05/17/22 13:57	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.028	0.092	0.028	05/17/22 13:57	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

METHOD BLANK: 2394719

Matrix: Solid

Associated Lab Samples: 40244735011, 40244735012, 40244735013, 40244735014, 40244735015, 40244735016, 40244735017, 40244735018, 40244735019

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Butylbenzylphthalate	mg/kg	<0.027	0.089	0.027	05/17/22 13:57	
Carbazole	mg/kg	<0.026	0.087	0.026	05/17/22 13:57	
Chrysene	mg/kg	<0.025	0.083	0.025	05/17/22 13:57	
Di-n-butylphthalate	mg/kg	<0.025	0.083	0.025	05/17/22 13:57	
Di-n-octylphthalate	mg/kg	<0.037	0.12	0.037	05/17/22 13:57	
Dibenz(a,h)anthracene	mg/kg	<0.045	0.15	0.045	05/17/22 13:57	
Dibenzofuran	mg/kg	<0.020	0.067	0.020	05/17/22 13:57	
Diethylphthalate	mg/kg	<0.028	0.092	0.028	05/17/22 13:57	
Dimethylphthalate	mg/kg	<0.022	0.072	0.022	05/17/22 13:57	
Fluoranthene	mg/kg	<0.024	0.079	0.024	05/17/22 13:57	
Fluorene	mg/kg	<0.019	0.065	0.019	05/17/22 13:57	
Hexachloro-1,3-butadiene	mg/kg	<0.042	0.14	0.042	05/17/22 13:57	
Hexachlorobenzene	mg/kg	<0.028	0.093	0.028	05/17/22 13:57	
Hexachlorocyclopentadiene	mg/kg	<0.039	0.13	0.039	05/17/22 13:57	
Hexachloroethane	mg/kg	<0.027	0.089	0.027	05/17/22 13:57	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.036	0.12	0.036	05/17/22 13:57	
Isophorone	mg/kg	<0.026	0.085	0.026	05/17/22 13:57	
N-Nitroso-di-n-propylamine	mg/kg	<0.026	0.088	0.026	05/17/22 13:57	
N-Nitrosodiphenylamine	mg/kg	<0.23	0.75	0.23	05/17/22 13:57	
Naphthalene	mg/kg	<0.058	0.19	0.058	05/17/22 13:57	
Nitrobenzene	mg/kg	<0.034	0.11	0.034	05/17/22 13:57	
Pentachlorophenol	mg/kg	<0.037	0.12	0.037	05/17/22 13:57	
Phenanthrene	mg/kg	<0.021	0.071	0.021	05/17/22 13:57	
Phenol	mg/kg	<0.040	0.13	0.040	05/17/22 13:57	
Pyrene	mg/kg	<0.037	0.12	0.037	05/17/22 13:57	
2,4,6-Tribromophenol (S)	%	94	10-144		05/17/22 13:57	
2-Fluorobiphenyl (S)	%	85	12-118		05/17/22 13:57	
2-Fluorophenol (S)	%	85	10-130		05/17/22 13:57	
Nitrobenzene-d5 (S)	%	94	10-125		05/17/22 13:57	
Phenol-d6 (S)	%	82	10-125		05/17/22 13:57	
Terphenyl-d14 (S)	%	102	10-124		05/17/22 13:57	

LABORATORY CONTROL SAMPLE: 2394720

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	1.7	1.8	106	70-130	
1,2-Dichlorobenzene	mg/kg	1.7	1.6	96	66-130	
1,3-Dichlorobenzene	mg/kg	1.7	1.5	89	66-130	
1,4-Dichlorobenzene	mg/kg	1.7	1.5	88	64-130	
2,2'-Oxybis(1-chloropropane)	mg/kg	1.7	1.4	85	65-130	
2,4,5-Trichlorophenol	mg/kg	1.7	1.9	111	70-125	
2,4,6-Trichlorophenol	mg/kg	1.7	1.8	106	70-124	
2,4-Dichlorophenol	mg/kg	1.7	1.7	101	70-121	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

LABORATORY CONTROL SAMPLE: 2394720

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dimethylphenol	mg/kg	1.7	1.7	101	70-130	
2,4-Dinitrophenol	mg/kg	1.7	1.5	89	26-103	
2,4-Dinitrotoluene	mg/kg	1.7	1.9	114	70-130	
2,6-Dinitrotoluene	mg/kg	1.7	1.7	100	70-130	
2-Chloronaphthalene	mg/kg	1.7	1.6	94	70-130	
2-Chlorophenol	mg/kg	1.7	1.7	99	67-130	
2-Methylnaphthalene	mg/kg	1.7	1.6	97	70-130	
2-Methylphenol(o-Cresol)	mg/kg	1.7	1.6	97	69-130	
2-Nitroaniline	mg/kg	1.7	1.8	108	70-124	
2-Nitrophenol	mg/kg	1.7	1.9	114	70-130	
3&4-Methylphenol(m&p Cresol)	mg/kg	1.7	1.6	96	70-130	
3,3'-Dichlorobenzidine	mg/kg	1.7	1.4	83	48-112	
3-Nitroaniline	mg/kg	1.7	1.3	80	57-121	
4,6-Dinitro-2-methylphenol	mg/kg	1.7	1.9	112	59-115	
4-Bromophenylphenyl ether	mg/kg	1.7	1.8	106	70-130	
4-Chloro-3-methylphenol	mg/kg	1.7	1.6	96	70-130	
4-Chloroaniline	mg/kg	1.7	1.1	66	45-130	3q
4-Chlorophenylphenyl ether	mg/kg	1.7	1.8	110	70-130	
4-Nitroaniline	mg/kg	1.7	1.6	95	62-127	
4-Nitrophenol	mg/kg	1.7	1.7	103	50-126	
Acenaphthene	mg/kg	1.7	1.6	94	70-130	
Acenaphthylene	mg/kg	1.7	1.7	102	70-130	
Anthracene	mg/kg	1.7	1.7	104	70-130	
Benzo(a)anthracene	mg/kg	1.7	1.7	101	70-130	
Benzo(a)pyrene	mg/kg	1.7	1.6	98	70-130	
Benzo(b)fluoranthene	mg/kg	1.7	1.7	104	70-130	
Benzo(g,h,i)perylene	mg/kg	1.7	1.3	81	65-130	
Benzo(k)fluoranthene	mg/kg	1.7	1.6	97	70-130	
bis(2-Chloroethoxy)methane	mg/kg	1.7	1.5	93	70-130	
bis(2-Chloroethyl) ether	mg/kg	1.7	1.5	89	68-130	
bis(2-Ethylhexyl)phthalate	mg/kg	1.7	1.7	100	70-130	
Butylbenzylphthalate	mg/kg	1.7	1.9	113	70-130	
Carbazole	mg/kg	1.7	1.8	105	70-130	
Chrysene	mg/kg	1.7	1.7	103	70-130	
Di-n-butylphthalate	mg/kg	1.7	1.9	112	70-130	
Di-n-octylphthalate	mg/kg	1.7	1.8	108	67-134	
Dibenz(a,h)anthracene	mg/kg	1.7	1.5	88	68-130	
Dibenzofuran	mg/kg	1.7	1.7	103	70-130	
Diethylphthalate	mg/kg	1.7	1.7	99	70-130	
Dimethylphthalate	mg/kg	1.7	1.7	102	70-130	
Fluoranthene	mg/kg	1.7	1.8	111	70-130	
Fluorene	mg/kg	1.7	1.6	97	70-130	
Hexachloro-1,3-butadiene	mg/kg	1.7	1.8	106	67-130	
Hexachlorobenzene	mg/kg	1.7	1.9	114	70-130	
Hexachlorocyclopentadiene	mg/kg	1.7	1.8	111	54-114	
Hexachloroethane	mg/kg	1.7	1.6	93	64-130	
Indeno(1,2,3-cd)pyrene	mg/kg	1.7	1.4	87	63-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

LABORATORY CONTROL SAMPLE: 2394720

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Isophorone	mg/kg	1.7	1.7	102	70-130	
N-Nitroso-di-n-propylamine	mg/kg	1.7	1.6	97	70-130	
N-Nitrosodiphenylamine	mg/kg	1.7	1.7	103	70-130	
Naphthalene	mg/kg	1.7	1.6	97	70-130	
Nitrobenzene	mg/kg	1.7	1.7	101	70-130	
Pentachlorophenol	mg/kg	1.7	1.8	107	47-108	
Phenanthrene	mg/kg	1.7	1.7	99	70-130	
Phenol	mg/kg	1.7	1.5	88	67-130	
Pyrene	mg/kg	1.7	1.7	103	70-130	
2,4,6-Tribromophenol (S)	%			114	10-144	
2-Fluorobiphenyl (S)	%			95	12-118	
2-Fluorophenol (S)	%			93	10-130	
Nitrobenzene-d5 (S)	%			100	10-125	
Phenol-d6 (S)	%			87	10-125	
Terphenyl-d14 (S)	%			102	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2394721 2394722

Parameter	Units	MS 40244735012		MSD		MS 2394722		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
1,2,4-Trichlorobenzene	mg/kg	<0.024	2.2	2.2	1.7	1.8	79	82	45-130	3	28		
1,2-Dichlorobenzene	mg/kg	<0.068	2.2	2.2	1.8	1.6	82	73	45-130	11	29		
1,3-Dichlorobenzene	mg/kg	<0.030	2.2	2.2	1.7	1.5	76	71	42-130	8	30		
1,4-Dichlorobenzene	mg/kg	<0.030	2.2	2.2	1.7	1.5	78	72	42-130	9	32		
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.056	2.2	2.2	1.6	1.5	74	68	44-130	8	26		
2,4,5-Trichlorophenol	mg/kg	<0.038	2.2	2.2	1.8	1.9	83	89	11-125	8	30		
2,4,6-Trichlorophenol	mg/kg	<0.033	2.2	2.2	1.7	1.8	78	83	16-124	6	31		
2,4-Dichlorophenol	mg/kg	<0.058	2.2	2.2	1.7	1.7	78	80	19-121	3	29		
2,4-Dimethylphenol	mg/kg	<0.043	2.2	2.2	1.4	1.4	67	64	29-130	4	32		
2,4-Dinitrophenol	mg/kg	<0.066	2.2	2.2	0.63	1.3	29	60	10-103	69	50		
2,4-Dinitrotoluene	mg/kg	<0.031	2.2	2.2	1.9	2.0	90	92	38-130	2	27		
2,6-Dinitrotoluene	mg/kg	<0.041	2.2	2.2	1.7	2.0	81	91	41-130	11	28		
2-Chloronaphthalene	mg/kg	<0.028	2.2	2.2	1.6	1.7	76	79	44-130	5	24		
2-Chlorophenol	mg/kg	<0.054	2.2	2.2	1.8	1.6	84	76	33-130	10	30		
2-Methylnaphthalene	mg/kg	<0.056	2.2	2.2	1.7	1.7	77	80	46-130	3	23		
2-Methylphenol(o-Cresol)	mg/kg	<0.039	2.2	2.2	1.7	1.6	78	75	30-130	4	30		
2-Nitroaniline	mg/kg	<0.062	2.2	2.2	1.8	1.9	85	88	27-124	4	25		
2-Nitrophenol	mg/kg	<0.068	2.2	2.2	1.8	2.0	85	91	10-130	6	27		
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.040	2.2	2.2	1.7	1.5	79	70	28-130	13	33		
3,3'-Dichlorobenzidine	mg/kg	<0.059	2.2	2.2	1.9	1.8	88	82	10-112	7	43 CH		
3-Nitroaniline	mg/kg	<0.037	2.2	2.2	1.6	1.7	76	79	10-121	3	33		
4,6-Dinitro-2-methylphenol	mg/kg	<0.067	2.2	2.2	1.3	1.8	58	83	10-115	34	50		
4-Bromophenylphenyl ether	mg/kg	<0.045	2.2	2.2	1.8	1.9	82	86	40-130	6	25		
4-Chloro-3-methylphenol	mg/kg	<0.067	2.2	2.2	1.6	1.6	75	76	30-130	1	29		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2394721 2394722												
Parameter	Units	MS		MSD		MS		MSD		% Rec Limits	Max RPD	Qual
		40244735012	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec				
4-Chloroaniline	mg/kg	<0.036	2.2	2.2	1.5	1.4	69	67	16-130	4	33	1q,3q
4-Chlorophenylphenyl ether	mg/kg	<0.040	2.2	2.2	1.9	1.9	88	88	46-130	1	24	
4-Nitroaniline	mg/kg	<0.090	2.2	2.2	1.7	1.8	78	82	10-127	4	40	
4-Nitrophenol	mg/kg	<0.054	2.2	2.2	1.5	1.7	69	80	10-128	15	50	
Acenaphthene	mg/kg	<0.077	2.2	2.2	1.6	1.7	76	78	47-130	2	21	
Acenaphthylene	mg/kg	<0.077	2.2	2.2	1.6	1.7	75	81	49-130	8	22	
Anthracene	mg/kg	<0.035	2.2	2.2	1.7	1.7	78	79	46-130	2	27	
Benzo(a)anthracene	mg/kg	<0.033	2.2	2.2	1.9	1.9	86	86	45-130	1	24	
Benzo(a)pyrene	mg/kg	<0.033	2.2	2.2	1.7	1.8	80	85	48-130	6	27	
Benzo(b)fluoranthene	mg/kg	<0.037	2.2	2.2	1.7	1.8	79	83	41-130	5	31	
Benzo(g,h,i)perylene	mg/kg	<0.057	2.2	2.2	1.8	1.8	82	84	37-130	3	31	
Benzo(k)fluoranthene	mg/kg	<0.052	2.2	2.2	1.7	1.8	78	82	46-130	5	27	
bis(2-Chloroethoxy)methane	mg/kg	<0.058	2.2	2.2	1.7	1.7	77	78	38-130	1	26	
bis(2-Chloroethyl) ether	mg/kg	<0.068	2.2	2.2	1.7	1.5	77	69	42-130	11	29	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.036	2.2	2.2	1.9	1.9	86	86	39-130	0	27	
Butylbenzylphthalate	mg/kg	<0.035	2.2	2.2	2.0	2.0	93	92	39-130	0	27	
Carbazole	mg/kg	<0.034	2.2	2.2	1.7	1.8	79	82	44-130	4	24	
Chrysene	mg/kg	<0.032	2.2	2.2	1.9	1.9	88	86	44-130	2	25	
Di-n-butylphthalate	mg/kg	<0.032	2.2	2.2	1.8	1.9	82	87	45-130	7	26	
Di-n-octylphthalate	mg/kg	<0.049	2.2	2.2	2.0	1.9	91	89	40-134	2	27	
Dibenz(a,h)anthracene	mg/kg	<0.059	2.2	2.2	2.0	1.9	91	85	41-130	6	33	
Dibenzofuran	mg/kg	<0.026	2.2	2.2	1.8	1.8	84	83	47-130	1	23	
Diethylphthalate	mg/kg	<0.036	2.2	2.2	1.8	1.7	81	80	46-130	1	24	
Dimethylphthalate	mg/kg	<0.028	2.2	2.2	1.7	1.8	79	83	47-130	5	24	
Fluoranthene	mg/kg	<0.031	2.2	2.2	1.8	1.8	85	84	50-130	0	27	
Fluorene	mg/kg	<0.025	2.2	2.2	1.7	1.8	78	82	48-130	5	25	
Hexachloro-1,3-butadiene	mg/kg	<0.055	2.2	2.2	1.7	1.9	78	86	42-130	10	27	
Hexachlorobenzene	mg/kg	<0.036	2.2	2.2	1.5	1.9	72	86	51-130	19	24	
Hexachlorocyclopentadiene	mg/kg	<0.051	2.2	2.2	0.88	1.8	41	81	10-114	66	50	
Hexachloroethane	mg/kg	<0.035	2.2	2.2	1.8	1.5	82	72	33-130	14	35	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.047	2.2	2.2	1.7	1.7	79	80	34-130	2	38	
Isophorone	mg/kg	<0.033	2.2	2.2	1.7	1.8	80	84	45-130	5	28	
N-Nitroso-di-n-propylamine	mg/kg	<0.034	2.2	2.2	1.7	1.7	80	78	47-130	2	27	
N-Nitrosodiphenylamine	mg/kg	<0.29	2.2	2.2	1.6	1.7	75	80	42-130	6	25	
Naphthalene	mg/kg	<0.076	2.2	2.2	1.7	1.7	77	78	48-130	1	24	
Nitrobenzene	mg/kg	<0.044	2.2	2.2	1.6	1.7	74	77	42-130	4	25	
Pentachlorophenol	mg/kg	<0.048	2.2	2.2	1.2	1.5	55	71	10-108	25	50	
Phenanthrene	mg/kg	<0.028	2.2	2.2	1.6	1.7	73	79	50-130	8	27	
Phenol	mg/kg	<0.051	2.2	2.2	1.7	1.5	78	70	37-130	11	30	
Pyrene	mg/kg	<0.048	2.2	2.2	1.7	1.9	81	87	43-130	7	29	
2,4,6-Tribromophenol (S)	%						76	86	10-144			
2-Fluorobiphenyl (S)	%						74	80	12-118			
2-Fluorophenol (S)	%						70	67	10-130			
Nitrobenzene-d5 (S)	%						74	78	10-125			
Phenol-d6 (S)	%						75	67	10-125			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2394721 2394722												
Parameter	Units	40244735012 Result	MS	MSD	MS	MSD	MS	MSD	% Rec	% Rec	Max	
			Spike	Spike		Result		Result				Limit
Terphenyl-d14 (S)	%							82	83	10-124		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

QC Batch: 415621

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244735014, 40244735015, 40244735016, 40244735017, 40244735018, 40244735019

SAMPLE DUPLICATE: 2392858

Parameter	Units	40244774005 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	3.5	3.5	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

QC Batch:	415696	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244735001, 40244735002, 40244735003, 40244735004, 40244735005, 40244735006, 40244735007, 40244735008, 40244735009, 40244735010, 40244735011, 40244735012, 40244735013

SAMPLE DUPLICATE: 2393271

Parameter	Units	40244804003 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	3.8	3.9	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

QC Batch: 416223

Analysis Method: EPA 9040

QC Batch Method: EPA 9040

Analysis Description: 9040 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244735001, 40244735002, 40244735003, 40244735004, 40244735005

SAMPLE DUPLICATE: 2396376

Parameter	Units	40244898001 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	6.8	6.9	1	20	2q,H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

QC Batch:	416280	Analysis Method:	EPA 9040
QC Batch Method:	EPA 9040	Analysis Description:	9040 pH
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244735006, 40244735007, 40244735008, 40244735009, 40244735010, 40244735011, 40244735012, 40244735014, 40244735015, 40244735016, 40244735017, 40244735018, 40244735019

SAMPLE DUPLICATE: 2396939

Parameter	Units	40244735006 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.6	7.7	1	20	2q,H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

QC Batch: 416285

Analysis Method: EPA 9045

QC Batch Method: EPA 9045

Analysis Description: 9045 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244735013

SAMPLE DUPLICATE: 2396952

Parameter	Units	40244735013 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	8.15	8.14	0	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

QC Batch:	416036	Analysis Method:	EPA 9012B
QC Batch Method:	EPA 9012B	Analysis Description:	9012 Cyanide
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40244735001, 40244735002, 40244735003, 40244735004, 40244735005, 40244735006, 40244735007, 40244735008, 40244735009, 40244735010, 40244735011, 40244735012		

METHOD BLANK:	2395434	Matrix:	Solid
Associated Lab Samples:	40244735001, 40244735002, 40244735003, 40244735004, 40244735005, 40244735006, 40244735007, 40244735008, 40244735009, 40244735010, 40244735011, 40244735012		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Cyanide	mg/kg	<0.31	0.92	0.31	05/18/22 15:33	

LABORATORY CONTROL SAMPLE: 2395435						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/kg	3	3.4	114	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2395436												2395437	
Parameter	Units	40244735002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
Cyanide	mg/kg	<0.33	3.5	3.6	3.4	3.7	89	97	80-120	10	20		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2395438												2395439	
Parameter	Units	40244735012 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
Cyanide	mg/kg	<0.35	3.5	3.4	3.5	3.1	99	93	80-120	11	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

QC Batch: 416037	Analysis Method: EPA 9012B
QC Batch Method: EPA 9012B	Analysis Description: 9012 Cyanide
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244735013, 40244735014, 40244735015, 40244735016, 40244735017, 40244735018, 40244735019

METHOD BLANK: 2395440 Matrix: Solid
Associated Lab Samples: 40244735013, 40244735014, 40244735015, 40244735016, 40244735017, 40244735018, 40244735019

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Cyanide	mg/kg	<0.31	0.92	0.31	05/18/22 15:55	

LABORATORY CONTROL SAMPLE: 2395441

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/kg	3	3.2	107	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2395442 2395443

Parameter	Units	40244680009		2395443		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.							
Cyanide	mg/kg	<0.21	2	2	1.9	1.7	95	81	80-120	16	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2395444 2395445

Parameter	Units	40244696009		2395445		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.							
Cyanide	mg/kg	<0.37	3.6	3.6	1.5	2.2	37	57	80-120	40	20	M0,R1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

WORKORDER QUALIFIERS

WO: 40244735

[1] Revised Report to add SPLP to select samples. 6/17/22 CDH

BATCH QUALIFIERS

Batch: 415954

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 416142

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

1q This analyte's recovery was below secondary source verification limits. The results may be biased low.

2q Due to the sample matrix, DI water was added to this sample on a one to one basis and the sample was stirred before analysis.

3q This analyte's recovery was below secondary source verification limits. The results may be biased low.

CH The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

E Analyte concentration exceeded the calibration range. The reported result is estimated.

H6 Analysis initiated outside of the 15 minute EPA required holding time.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

ANALYTE QUALIFIERS

- L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.
- M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
- M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
- P6 Matrix spike recovery was outside laboratory control limits due to a parent sample concentration notably higher than the spike level.
- R1 RPD value was outside control limits.
- S0 Surrogate recovery outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244735001	SB-67 (1.2-2.2)	EPA 3546	676421	EPA 8081	676510
40244735002	SB-67 (4.5-5.5)	EPA 3546	676421	EPA 8081	676510
40244735003	SB-66 (1.0-2.0)	EPA 3546	676421	EPA 8081	676510
40244735004	SB-66 (4.0-5.0)	EPA 3546	676421	EPA 8081	676510
40244735005	SB-46 (1.0-2.0)	EPA 3546	676421	EPA 8081	676510
40244735006	SB-46 (4.0-5.0)	EPA 3546	676421	EPA 8081	676510
40244735007	SB-47 (1.5-2.5)	EPA 3546	676421	EPA 8081	676510
40244735008	SB-47 (4.0-5.0)	EPA 3546	676421	EPA 8081	676510
40244735009	SB-56 (1.5-2.5)	EPA 3546	676421	EPA 8081	676510
40244735010	SB-56 (5.0-6.0)	EPA 3546	676421	EPA 8081	676510
40244735011	SB-64 (1.4-2.4)	EPA 3546	676421	EPA 8081	676510
40244735012	SB-64 (4.5-5.5)	EPA 3546	676421	EPA 8081	676510
40244735013	SB-65 (1.5-2.5)	EPA 3546	676421	EPA 8081	676510
40244735014	SB-65 (4.5-5.5)	EPA 3546	676421	EPA 8081	676510
40244735015	SB-44 (5.0-6.0)	EPA 3546	676421	EPA 8081	676510
40244735016	SB-44 (8.5-9.5)	EPA 3546	676421	EPA 8081	676510
40244735017	SB-39 (5.0-6.0)	EPA 3546	676421	EPA 8081	676510
40244735018	SB-39 (8.5-9.0)	EPA 3546	676421	EPA 8081	676510
40244735019	05102022 DUP-03	EPA 3546	676421	EPA 8081	676510
40244735001	SB-67 (1.2-2.2)	EPA 3541	415575	EPA 8082A	415611
40244735002	SB-67 (4.5-5.5)	EPA 3541	415575	EPA 8082A	415611
40244735003	SB-66 (1.0-2.0)	EPA 3541	415575	EPA 8082A	415611
40244735004	SB-66 (4.0-5.0)	EPA 3541	415575	EPA 8082A	415611
40244735005	SB-46 (1.0-2.0)	EPA 3541	415575	EPA 8082A	415611
40244735006	SB-46 (4.0-5.0)	EPA 3541	415575	EPA 8082A	415611
40244735007	SB-47 (1.5-2.5)	EPA 3541	415575	EPA 8082A	415611
40244735008	SB-47 (4.0-5.0)	EPA 3541	415575	EPA 8082A	415611
40244735009	SB-56 (1.5-2.5)	EPA 3541	415575	EPA 8082A	415611
40244735010	SB-56 (5.0-6.0)	EPA 3541	415575	EPA 8082A	415611
40244735011	SB-64 (1.4-2.4)	EPA 3541	415575	EPA 8082A	415611
40244735012	SB-64 (4.5-5.5)	EPA 3541	415575	EPA 8082A	415611
40244735013	SB-65 (1.5-2.5)	EPA 3541	415633	EPA 8082A	415650
40244735014	SB-65 (4.5-5.5)	EPA 3541	415633	EPA 8082A	415650
40244735015	SB-44 (5.0-6.0)	EPA 3541	415633	EPA 8082A	415650
40244735016	SB-44 (8.5-9.5)	EPA 3541	415633	EPA 8082A	415650
40244735017	SB-39 (5.0-6.0)	EPA 3541	415633	EPA 8082A	415650
40244735018	SB-39 (8.5-9.0)	EPA 3541	415633	EPA 8082A	415650
40244735019	05102022 DUP-03	EPA 3541	415633	EPA 8082A	415650
40244735002	SB-67 (4.5-5.5)	EPA 3015A	418338	EPA 6010D	418377
40244735018	SB-39 (8.5-9.0)	EPA 3015A	418338	EPA 6010D	418377
40244735001	SB-67 (1.2-2.2)	EPA 3050B	815676	EPA 6020B	816301
40244735002	SB-67 (4.5-5.5)	EPA 3050B	815676	EPA 6020B	816301
40244735003	SB-66 (1.0-2.0)	EPA 3050B	815676	EPA 6020B	816301
40244735004	SB-66 (4.0-5.0)	EPA 3050B	815676	EPA 6020B	816301
40244735005	SB-46 (1.0-2.0)	EPA 3050B	815676	EPA 6020B	816301
40244735006	SB-46 (4.0-5.0)	EPA 3050B	815676	EPA 6020B	816301
40244735007	SB-47 (1.5-2.5)	EPA 3050B	815676	EPA 6020B	816301

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244735008	SB-47 (4.0-5.0)	EPA 3050B	815676	EPA 6020B	816301
40244735009	SB-56 (1.5-2.5)	EPA 3050B	815676	EPA 6020B	816301
40244735010	SB-56 (5.0-6.0)	EPA 3050B	815676	EPA 6020B	816301
40244735011	SB-64 (1.4-2.4)	EPA 3050B	815676	EPA 6020B	816301
40244735012	SB-64 (4.5-5.5)	EPA 3050B	815676	EPA 6020B	816301
40244735013	SB-65 (1.5-2.5)	EPA 3050B	815676	EPA 6020B	816301
40244735014	SB-65 (4.5-5.5)	EPA 3050B	815676	EPA 6020B	816301
40244735015	SB-44 (5.0-6.0)	EPA 3050B	815676	EPA 6020B	816301
40244735016	SB-44 (8.5-9.5)	EPA 3050B	815676	EPA 6020B	816301
40244735017	SB-39 (5.0-6.0)	EPA 3050B	815676	EPA 6020B	816301
40244735018	SB-39 (8.5-9.0)	EPA 3050B	815676	EPA 6020B	816301
40244735019	05102022 DUP-03	EPA 3050B	815676	EPA 6020B	816301
40244735001	SB-67 (1.2-2.2)	EPA 7471	415913	EPA 7471	415980
40244735002	SB-67 (4.5-5.5)	EPA 7471	415913	EPA 7471	415980
40244735003	SB-66 (1.0-2.0)	EPA 7471	415913	EPA 7471	415980
40244735004	SB-66 (4.0-5.0)	EPA 7471	415913	EPA 7471	415980
40244735005	SB-46 (1.0-2.0)	EPA 7471	415913	EPA 7471	415980
40244735006	SB-46 (4.0-5.0)	EPA 7471	415913	EPA 7471	415980
40244735007	SB-47 (1.5-2.5)	EPA 7471	415913	EPA 7471	415980
40244735008	SB-47 (4.0-5.0)	EPA 7471	415913	EPA 7471	415980
40244735009	SB-56 (1.5-2.5)	EPA 7471	415913	EPA 7471	415980
40244735010	SB-56 (5.0-6.0)	EPA 7471	415913	EPA 7471	415980
40244735011	SB-64 (1.4-2.4)	EPA 7471	415913	EPA 7471	415980
40244735012	SB-64 (4.5-5.5)	EPA 7471	415913	EPA 7471	415980
40244735013	SB-65 (1.5-2.5)	EPA 7471	415913	EPA 7471	415980
40244735014	SB-65 (4.5-5.5)	EPA 7471	415913	EPA 7471	415980
40244735015	SB-44 (5.0-6.0)	EPA 7471	415913	EPA 7471	415980
40244735016	SB-44 (8.5-9.5)	EPA 7471	415913	EPA 7471	415980
40244735017	SB-39 (5.0-6.0)	EPA 7471	415913	EPA 7471	415980
40244735018	SB-39 (8.5-9.0)	EPA 7471	415913	EPA 7471	415980
40244735019	05102022 DUP-03	EPA 7471	415913	EPA 7471	415980
40244735001	SB-67 (1.2-2.2)	EPA 3546	415752	EPA 8270E	415840
40244735002	SB-67 (4.5-5.5)	EPA 3546	415752	EPA 8270E	415840
40244735003	SB-66 (1.0-2.0)	EPA 3546	415752	EPA 8270E	415840
40244735004	SB-66 (4.0-5.0)	EPA 3546	415752	EPA 8270E	415840
40244735005	SB-46 (1.0-2.0)	EPA 3546	415752	EPA 8270E	415840
40244735006	SB-46 (4.0-5.0)	EPA 3546	415752	EPA 8270E	415840
40244735007	SB-47 (1.5-2.5)	EPA 3546	415752	EPA 8270E	415840
40244735008	SB-47 (4.0-5.0)	EPA 3546	415752	EPA 8270E	415840
40244735009	SB-56 (1.5-2.5)	EPA 3546	415752	EPA 8270E	415840
40244735010	SB-56 (5.0-6.0)	EPA 3546	415752	EPA 8270E	415840
40244735011	SB-64 (1.4-2.4)	EPA 3546	415911	EPA 8270E	415977
40244735012	SB-64 (4.5-5.5)	EPA 3546	415911	EPA 8270E	415977
40244735013	SB-65 (1.5-2.5)	EPA 3546	415911	EPA 8270E	415977
40244735014	SB-65 (4.5-5.5)	EPA 3546	415911	EPA 8270E	415977
40244735015	SB-44 (5.0-6.0)	EPA 3546	415911	EPA 8270E	415977
40244735016	SB-44 (8.5-9.5)	EPA 3546	415911	EPA 8270E	415977

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244735

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244735017	SB-39 (5.0-6.0)	EPA 3546	415911	EPA 8270E	415977
40244735018	SB-39 (8.5-9.0)	EPA 3546	415911	EPA 8270E	415977
40244735019	05102022 DUP-03	EPA 3546	415911	EPA 8270E	415977
40244735001	SB-67 (1.2-2.2)	EPA 5035/5030	415946	EPA 8260	415954
40244735002	SB-67 (4.5-5.5)	EPA 5035/5030	415946	EPA 8260	415954
40244735003	SB-66 (1.0-2.0)	EPA 5035/5030	415946	EPA 8260	415954
40244735004	SB-66 (4.0-5.0)	EPA 5035/5030	415946	EPA 8260	415954
40244735005	SB-46 (1.0-2.0)	EPA 5035/5030	415946	EPA 8260	415954
40244735006	SB-46 (4.0-5.0)	EPA 5035/5030	415946	EPA 8260	415954
40244735007	SB-47 (1.5-2.5)	EPA 5035/5030	416140	EPA 8260	416142
40244735008	SB-47 (4.0-5.0)	EPA 5035/5030	416140	EPA 8260	416142
40244735009	SB-56 (1.5-2.5)	EPA 5035/5030	416140	EPA 8260	416142
40244735010	SB-56 (5.0-6.0)	EPA 5035/5030	416140	EPA 8260	416142
40244735011	SB-64 (1.4-2.4)	EPA 5035/5030	416140	EPA 8260	416142
40244735012	SB-64 (4.5-5.5)	EPA 5035/5030	416140	EPA 8260	416142
40244735013	SB-65 (1.5-2.5)	EPA 5035/5030	416140	EPA 8260	416142
40244735014	SB-65 (4.5-5.5)	EPA 5035/5030	416140	EPA 8260	416142
40244735015	SB-44 (5.0-6.0)	EPA 5035/5030	416140	EPA 8260	416142
40244735016	SB-44 (8.5-9.5)	EPA 5035/5030	416140	EPA 8260	416142
40244735017	SB-39 (5.0-6.0)	EPA 5035/5030	416140	EPA 8260	416142
40244735018	SB-39 (8.5-9.0)	EPA 5035/5030	416140	EPA 8260	416142
40244735019	05102022 DUP-03	EPA 5035/5030	416140	EPA 8260	416142
40244735020	TB-06	EPA 5035/5030	416140	EPA 8260	416142
40244735001	SB-67 (1.2-2.2)	ASTM D2974-87	415696		
40244735002	SB-67 (4.5-5.5)	ASTM D2974-87	415696		
40244735003	SB-66 (1.0-2.0)	ASTM D2974-87	415696		
40244735004	SB-66 (4.0-5.0)	ASTM D2974-87	415696		
40244735005	SB-46 (1.0-2.0)	ASTM D2974-87	415696		
40244735006	SB-46 (4.0-5.0)	ASTM D2974-87	415696		
40244735007	SB-47 (1.5-2.5)	ASTM D2974-87	415696		
40244735008	SB-47 (4.0-5.0)	ASTM D2974-87	415696		
40244735009	SB-56 (1.5-2.5)	ASTM D2974-87	415696		
40244735010	SB-56 (5.0-6.0)	ASTM D2974-87	415696		
40244735011	SB-64 (1.4-2.4)	ASTM D2974-87	415696		
40244735012	SB-64 (4.5-5.5)	ASTM D2974-87	415696		
40244735013	SB-65 (1.5-2.5)	ASTM D2974-87	415696		
40244735014	SB-65 (4.5-5.5)	ASTM D2974-87	415621		
40244735015	SB-44 (5.0-6.0)	ASTM D2974-87	415621		
40244735016	SB-44 (8.5-9.5)	ASTM D2974-87	415621		
40244735017	SB-39 (5.0-6.0)	ASTM D2974-87	415621		
40244735018	SB-39 (8.5-9.0)	ASTM D2974-87	415621		
40244735019	05102022 DUP-03	ASTM D2974-87	415621		
40244735001	SB-67 (1.2-2.2)	EPA 9040	416223		
40244735002	SB-67 (4.5-5.5)	EPA 9040	416223		
40244735003	SB-66 (1.0-2.0)	EPA 9040	416223		
40244735004	SB-66 (4.0-5.0)	EPA 9040	416223		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244735

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244735005	SB-46 (1.0-2.0)	EPA 9040	416223		
40244735006	SB-46 (4.0-5.0)	EPA 9040	416280		
40244735007	SB-47 (1.5-2.5)	EPA 9040	416280		
40244735008	SB-47 (4.0-5.0)	EPA 9040	416280		
40244735009	SB-56 (1.5-2.5)	EPA 9040	416280		
40244735010	SB-56 (5.0-6.0)	EPA 9040	416280		
40244735011	SB-64 (1.4-2.4)	EPA 9040	416280		
40244735012	SB-64 (4.5-5.5)	EPA 9040	416280		
40244735014	SB-65 (4.5-5.5)	EPA 9040	416280		
40244735015	SB-44 (5.0-6.0)	EPA 9040	416280		
40244735016	SB-44 (8.5-9.5)	EPA 9040	416280		
40244735017	SB-39 (5.0-6.0)	EPA 9040	416280		
40244735018	SB-39 (8.5-9.0)	EPA 9040	416280		
40244735019	05102022 DUP-03	EPA 9040	416280		
40244735013	SB-65 (1.5-2.5)	EPA 9045	416285		
40244735001	SB-67 (1.2-2.2)	EPA 9012B	416036	EPA 9012B	416094
40244735002	SB-67 (4.5-5.5)	EPA 9012B	416036	EPA 9012B	416094
40244735003	SB-66 (1.0-2.0)	EPA 9012B	416036	EPA 9012B	416094
40244735004	SB-66 (4.0-5.0)	EPA 9012B	416036	EPA 9012B	416094
40244735005	SB-46 (1.0-2.0)	EPA 9012B	416036	EPA 9012B	416094
40244735006	SB-46 (4.0-5.0)	EPA 9012B	416036	EPA 9012B	416094
40244735007	SB-47 (1.5-2.5)	EPA 9012B	416036	EPA 9012B	416094
40244735008	SB-47 (4.0-5.0)	EPA 9012B	416036	EPA 9012B	416094
40244735009	SB-56 (1.5-2.5)	EPA 9012B	416036	EPA 9012B	416094
40244735010	SB-56 (5.0-6.0)	EPA 9012B	416036	EPA 9012B	416094
40244735011	SB-64 (1.4-2.4)	EPA 9012B	416036	EPA 9012B	416094
40244735012	SB-64 (4.5-5.5)	EPA 9012B	416036	EPA 9012B	416094
40244735013	SB-65 (1.5-2.5)	EPA 9012B	416037	EPA 9012B	416095
40244735014	SB-65 (4.5-5.5)	EPA 9012B	416037	EPA 9012B	416095
40244735015	SB-44 (5.0-6.0)	EPA 9012B	416037	EPA 9012B	416095
40244735016	SB-44 (8.5-9.5)	EPA 9012B	416037	EPA 9012B	416095
40244735017	SB-39 (5.0-6.0)	EPA 9012B	416037	EPA 9012B	416095
40244735018	SB-39 (8.5-9.0)	EPA 9012B	416037	EPA 9012B	416095
40244735019	05102022 DUP-03	EPA 9012B	416037	EPA 9012B	416095

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Company Name: Fehr (Graham)
 Branch/Location: Rockford IL
 Project Contact: Tony Guajardo
 Phone: 815-394-4700
 Project Number: 22-521 PH01
 Project Name: Pillsbury
 Project State: Illinois
 Sampled By (Print): Hannah Insko
 Sampled By (Sign): Hannah Insko
 PO #: 22-521 PH01
 Regulatory Program:



CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

40244735 (3 coolers)

Quote #:
Mail To Contact: Tony Guajardo
Mail To Company: Fehr Graham
Mail To Address: 200 Prairie Street Suite 208 Rockford IL 61107
Invoice To Contact: Tony Guajardo
Invoice To Company: Fehr Graham
Invoice To Address: 200 Prairie Street Suite 208 Rockford IL 61107
Invoice To Phone: 815-394-4700
CLIENT COMMENTS
LAB COMMENTS (Lab Use Only)
Profile #

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y/N	Pick Letter	Analyzed Requested	VOLs	Pesticides	SVOCs, PCBs, CNV, TAL METALS, PH
		DATE	TIME							
001	SB-67 (1.2-2.2)	5/10/22	0825	S		E/F		X	X	X
002	SB-67 (4.5-5.5)	5/10	0830	S				X	X	X
003	SB-66 (1-2)	5/10	0835	S				X	X	X
004	SB-64 (4-5)	5/10	0900	S				X	X	X
005	SB-46 (1-2)	5/10	0945	S				X	X	X
006	SB-46 (4-5)	5/10	0950	S				X	X	X
007	SB-47 (1.5-2.5)	5/10	1010	S				X	X	X
008	SB-47 (4.0-5.0)	5/10	1015	S				X	X	X
009	SB-56 (1.5-2.5)	5/10	1055	S				X	X	X
010	SB-56 (5.0-6.0)	5/10	1100	S				X	X	X
011	SB-64 (1.4-2.4)	5/10	1305	S				X	X	X
012	SB-64 (4.5-5.5)	5/10	1315	S				X	X	X
013	SB-65 (1.5-2.5)	5/10	1330	S				X	X	X

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed: _____

Transmit Prelim Rush Results by (complete what you want):

Relinquished By: <i>Hannah Insko</i>	Date/Time: 5/10/22 1730	Received By:	Date/Time:
Relinquished By: <i>UPS</i>	Date/Time: 5/11/22 1330	Received By: <i>Anthony Heald</i>	Date/Time: 5/11/22 1330
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:

PACE Project No. 40244735
 Receipt Temp = 37.1222°C
 Sample Receipt pH OK / Adjusted
 Cooler Custody Seal Present / Not Present Intact / Not Intact

(Please Print Clearly)

Company Name: **Fehr Graham**
 Branch/Location: **Rockford IL**
 Project Contact: **Tony Guajardo**
 Phone: **815-394-4700**
 Project Number: **22-521 PH01**
 Project Name: **Pillsbury**
 Project State: **Illinois**
 Sampled By (Print): **Hannah Insko**
 Sampled By (Sign): *Hannah Insko*
 PO #: **22-521 PH01** Regulatory Program:



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

40244735 (3 coolers)

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N							
Pick Letter	EF	A	A							
Analyses Requested	VOLS	PESTICIDES	SVOCs, PESTs, CNs, PAHs, PCBs, PH							

Quote #: **40244735**
 Mail To Contact: **Tony Guajardo**
 Mail To Company: **Fehr Graham**
 Mail To Address: **200 Prairie St Suite 208 Rockford IL 61107**
 Invoice To Contact: **Tony Guajardo**
 Invoice To Company: **Fehr Graham**
 Invoice To Address: **200 Prairie St Suite 208 ROCKford IL 61107**
 Invoice To Phone: **815-394-4700**
 CLIENT COMMENTS
 LAB COMMENTS (Lab Use Only)
 Profile #

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	DATE	TIME
		DATE	TIME			
014	SB-65 (4.5-5.5)	5.10	1355	S		
015	SB-44 (5.0-6.0)	5.10	1500	S		
016	SB-44 (8.5-9.5)	5.10	1505	S		
017	SB-39 (8.0-6.0)	5.10	1550	S		
018	SB-39 (8.5-9.5)	5.10	1555	S		
019	SI02022 DUP-03	5.10	-	S		
020	TB-a	5.10	1645	S		

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed:	Relinquished By: <i>Hannah Insko</i> Date/Time: 5.10.22 1730	Received By: Date/Time:	PACE Project No. 40244735 Receipt Temp = 3.7/2.2°C Sample Receipt pH OK / Adjusted Cooler Custody Seal Present / Not Present Intact / Not Intact
Transmit Prelim Rush Results by (complete what you want):	Relinquished By: <i>UPS</i> Date/Time: 5/11/22 1330	Received By: <i>Anthony N...</i> Date/Time: 5/11/22 1330	
Email #1:	Relinquished By: Date/Time:	Received By: Date/Time:	
Email #2:	Relinquished By: Date/Time:	Received By: Date/Time:	
Telephone:	Relinquished By: Date/Time:	Received By: Date/Time:	
Fax:	Relinquished By: Date/Time:	Received By: Date/Time:	

Samples on HOLD are subject to special pricing and release of liability

Sample Preservation Receipt Form

Client Name: Fehr Graham

Project # 40244735

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed:

Date/Time:

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass						Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act. pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)								
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU								SP5T	ZPLC	GN					
001																																						2.5 / 5 / 10
002																																						2.5 / 5 / 10
003																																						2.5 / 5 / 10
004																																						2.5 / 5 / 10
005																																						2.5 / 5 / 10
006																																						2.5 / 5 / 10
007																																						2.5 / 5 / 10
008																																						2.5 / 5 / 10
009																																						2.5 / 5 / 10
010																																						2.5 / 5 / 10
011																																						2.5 / 5 / 10
012																																						2.5 / 5 / 10
013																																						2.5 / 5 / 10
014																																						2.5 / 5 / 10
015																																						2.5 / 5 / 10
016																																						2.5 / 5 / 10
017																																						2.5 / 5 / 10
018																																						2.5 / 5 / 10
019																																						2.5 / 5 / 10
020																																						2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm): Yes No N/A *if yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9A	40 mL clear ascorbic	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG5U	100 mL amber glass unpres			VG9D	40 mL clear vial DI	ZPLC	ziploc bag
AG2S	500 mL amber glass H2SO4					GN	
BG3U	250 mL clear glass unpres						

Sample Condition Upon Receipt Form (SCUR)

Client Name: Fehr Graham

Project #:

WO#: **40244735**

Courier: CS Logistics Fed Ex Speedee UPS Walco
 Client Pace Other:



40244735

Tracking #: 1Z90E6531395479785, "9632 2178, "95615381

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR-108 Type of Ice: Wet Blue Dry None

Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 35.1, 2 / Corr: 3.7, 1.2, 2.2

Temp Blank Present: yes no

Biological Tissue is Frozen: yes no

Person examining contents:

Date: 5/11/22 Initials: AW

Temp should be above freezing to 6°C only 5/11/22 AW

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Labeled By Initials: mt

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
- Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
- Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12.
- Includes date/time/ID/Analysis Matrix: <u>S</u>		<u>012-1310-015-016: one V&M one V&AD no depths in ids. 5/11/22 AW</u>
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		<u>002: "SB-67(1.2-2.2)" placed by time 5/11/22 AW</u>

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample login

May 26, 2022

Annie Ray
Fehr Graham
200 Prairie St
Suite 208
Rockford, IL 61107

RE: Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Dear Annie Ray:

Enclosed are the analytical results for sample(s) received by the laboratory on May 12, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay
- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
A2LA Certification #: 2926.01*
1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009*
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014*
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605*
Georgia Certification #: 959
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086*
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064*
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137*
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240*
Mississippi Certification #: MN00064

Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081*
New Jersey Certification #: MN002
New York Certification #: 11647*
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification (A2LA) #: R-036
North Dakota Certification (MN) #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Ohio VAP Certification (1800) #: CL110*
Oklahoma Certification #: 9507*
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001*
Pennsylvania Certification #: 68-00563*
Puerto Rico Certification #: MN00064
South Carolina Certification #:74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192*
Utah Certification #: MN00064*
Vermont Certification #: VT-027053137
Virginia Certification #: 460163*
Washington Certification #: C486*
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification #: via A2LA 2926.01
USDA Permit #: P330-19-00208
Please Note: Applicable air certifications are denoted with an asterisk ().

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40244803001	SB-38 (5.5-6.5)	Solid	05/11/22 08:10	05/12/22 10:10
40244803002	SB-38 (8.5-9.5)	Solid	05/11/22 08:15	05/12/22 10:10
40244803003	SB-43 (5.2-6.2)	Solid	05/11/22 08:55	05/12/22 10:10
40244803004	SB-43 (8.0-9.0)	Solid	05/11/22 09:00	05/12/22 10:10
40244803005	SB-42 (5.0-6.0)	Solid	05/11/22 09:45	05/12/22 10:10
40244803006	SB-42 (8.5-9.5)	Solid	05/11/22 09:50	05/12/22 10:10
40244803007	SB-41 (4.7-5.7)	Solid	05/11/22 10:35	05/12/22 10:10
40244803008	SB-41 (8.3-9.3)	Solid	05/11/22 10:40	05/12/22 10:10
40244803009	SB-22 (4.5-5.5)	Solid	05/11/22 11:30	05/12/22 10:10
40244803010	SB-22 (8.0-9.0)	Solid	05/11/22 11:35	05/12/22 10:10
40244803011	SB-23 (4.8-5.8)	Solid	05/11/22 12:45	05/12/22 10:10
40244803012	SB-23 (8.1-9.1)	Solid	05/11/22 12:50	05/12/22 10:10
40244803013	SB-24 (5.5-6.5)	Solid	05/11/22 13:30	05/12/22 10:10
40244803014	SB-24 (8.0-9.0)	Solid	05/11/22 13:35	05/12/22 10:10
40244803015	TB-07	Solid	05/11/22 17:30	05/12/22 10:10
40244803016	SB-25 (5.5-6.5)	Solid	05/11/22 14:35	05/12/22 10:10
40244803017	SB-25 (8.5-9.5)	Solid	05/11/22 14:40	05/12/22 10:10
40244803018	SB-29 (4.5-5.5)	Solid	05/11/22 15:35	05/12/22 10:10
40244803019	SB-29 (8.5-9.5)	Solid	05/11/22 15:40	05/12/22 10:10
40244803020	SB-36 (4.8-5.8)	Solid	05/11/22 16:25	05/12/22 10:10

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244803001	SB-38 (5.5-6.5)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244803002	SB-38 (8.5-9.5)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244803003	SB-43 (5.2-6.2)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BDS	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244803004	SB-43 (8.0-9.0)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BDS	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244803005	SB-42 (5.0-6.0)	EPA 8081B	AC2	24	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244803006	SB-42 (8.5-9.5)	EPA 8082A	BDS	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BDS	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
40244803007	SB-41 (4.7-5.7)	ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BDS	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BDS	10	PASI-G
40244803008	SB-41 (8.3-9.3)	EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BDS	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
40244803009	SB-22 (4.5-5.5)	EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BDS	10	PASI-G
		EPA 8082A	BDS	10	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244803010	SB-22 (8.0-9.0)	EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BDS	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
40244803011	SB-23 (4.8-5.8)	EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BDS	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BDS	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
40244803012	SB-23 (8.1-9.1)	EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BDS	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		40244803013	SB-24 (5.5-6.5)	EPA 9040	YER
EPA 9012B	DAW			1	PASI-G
EPA 8081B	AC2			24	PASI-M
EPA 8082A	BDS			10	PASI-G
		EPA 6020B	PW1	22	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244803014	SB-24 (8.0-9.0)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BDS	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244803015	TB-07	EPA 8260	LAP	38	PASI-G
40244803016	SB-25 (5.5-6.5)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BDS	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244803017	SB-25 (8.5-9.5)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BDS	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9045	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244803018	SB-29 (4.5-5.5)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BDS	10	PASI-G
		EPA 6020B	PW1	22	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244803019	SB-29 (8.5-9.5)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BDS	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244803020	SB-36 (4.8-5.8)	EPA 8081B	AC2	24	PASI-M
		EPA 8082A	BDS	10	PASI-G
		EPA 6020B	PW1	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G

PASI-G = Pace Analytical Services - Green Bay
PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244803001	SB-38 (5.5-6.5)					
EPA 6020B	Aluminum	20900	mg/kg	35.9	05/24/22 19:54	P6
EPA 6020B	Antimony	0.30J	mg/kg	0.60	05/24/22 19:54	M1
EPA 6020B	Arsenic	13.4	mg/kg	0.60	05/24/22 19:54	
EPA 6020B	Barium	296	mg/kg	0.36	05/24/22 19:54	M1
EPA 6020B	Beryllium	1.2	mg/kg	0.24	05/24/22 19:54	
EPA 6020B	Cadmium	0.36	mg/kg	0.096	05/24/22 19:54	
EPA 6020B	Calcium	5620	mg/kg	120	05/24/22 19:54	M1
EPA 6020B	Chromium	24.0	mg/kg	2.4	05/24/22 19:54	
EPA 6020B	Cobalt	27.1	mg/kg	0.60	05/24/22 19:54	M1
EPA 6020B	Copper	18.4	mg/kg	1.2	05/24/22 19:54	
EPA 6020B	Iron	32200	mg/kg	300	05/24/22 20:11	P6
EPA 6020B	Lead	28.3	mg/kg	0.60	05/24/22 19:54	
EPA 6020B	Magnesium	4300	mg/kg	35.9	05/24/22 19:54	M1
EPA 6020B	Manganese	2130	mg/kg	3.0	05/24/22 20:11	M1, R1
EPA 6020B	Nickel	27.1	mg/kg	0.60	05/24/22 19:54	
EPA 6020B	Potassium	1320	mg/kg	120	05/24/22 19:54	M1
EPA 6020B	Selenium	1.4	mg/kg	0.60	05/24/22 19:54	
EPA 6020B	Silver	0.59J	mg/kg	0.60	05/24/22 19:54	
EPA 6020B	Sodium	73.9	mg/kg	59.9	05/24/22 19:54	
EPA 6020B	Thallium	0.25	mg/kg	0.12	05/24/22 19:54	
EPA 6020B	Vanadium	54.2	mg/kg	1.2	05/24/22 19:54	
EPA 6020B	Zinc	66.0	mg/kg	6.0	05/24/22 19:54	
EPA 7471	Mercury	0.038J	mg/kg	0.044	05/18/22 14:37	
EPA 8260	Tetrachloroethene	0.0023J	mg/kg	0.0048	05/18/22 16:44	
ASTM D2974-87	Percent Moisture	21.6	%	0.10	05/13/22 11:11	
EPA 9040	pH at 25 Degrees C	7.7	Std. Units	0.10	05/23/22 13:03	2q,H6
40244803002	SB-38 (8.5-9.5)					
EPA 6020B	Aluminum	11200	mg/kg	36.6	05/24/22 00:18	
EPA 6020B	Antimony	0.21J	mg/kg	0.61	05/24/22 00:18	
EPA 6020B	Arsenic	13.7	mg/kg	0.61	05/24/22 00:18	
EPA 6020B	Barium	123	mg/kg	0.37	05/24/22 00:18	
EPA 6020B	Beryllium	0.78	mg/kg	0.24	05/24/22 20:32	
EPA 6020B	Cadmium	0.21	mg/kg	0.098	05/24/22 00:18	
EPA 6020B	Calcium	41900	mg/kg	122	05/24/22 00:18	
EPA 6020B	Chromium	17.2	mg/kg	2.4	05/24/22 00:18	
EPA 6020B	Cobalt	5.5	mg/kg	0.61	05/24/22 00:18	
EPA 6020B	Copper	17.8	mg/kg	1.2	05/24/22 00:18	
EPA 6020B	Iron	21300	mg/kg	61.0	05/24/22 00:18	
EPA 6020B	Lead	11.8	mg/kg	0.61	05/24/22 00:18	
EPA 6020B	Magnesium	14900	mg/kg	36.6	05/24/22 00:18	
EPA 6020B	Manganese	109	mg/kg	0.61	05/24/22 00:18	
EPA 6020B	Nickel	15.4	mg/kg	0.61	05/24/22 00:18	
EPA 6020B	Potassium	729	mg/kg	122	05/24/22 00:18	
EPA 6020B	Selenium	0.30J	mg/kg	0.61	05/24/22 20:32	
EPA 6020B	Silver	0.41J	mg/kg	0.61	05/24/22 00:18	
EPA 6020B	Sodium	85.2	mg/kg	61.0	05/24/22 00:18	
EPA 6020B	Thallium	0.24	mg/kg	0.12	05/24/22 00:18	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244803002	SB-38 (8.5-9.5)					
EPA 6020B	Vanadium	35.0	mg/kg	1.2	05/24/22 00:18	
EPA 6020B	Zinc	61.9	mg/kg	6.1	05/24/22 00:18	
EPA 7471	Mercury	0.056	mg/kg	0.043	05/18/22 14:44	
EPA 8260	Tetrachloroethene	0.0029J	mg/kg	0.0052	05/18/22 17:09	
ASTM D2974-87	Percent Moisture	21.3	%	0.10	05/13/22 11:11	
EPA 9040	pH at 25 Degrees C	7.8	Std. Units	0.10	05/23/22 13:10	2q,H6
40244803003	SB-43 (5.2-6.2)					
EPA 8081B	4,4'-DDD	0.0014J	mg/kg	0.0044	05/19/22 23:11	
EPA 8081B	4,4'-DDE	0.039	mg/kg	0.0044	05/19/22 23:11	
EPA 8081B	4,4'-DDT	0.011	mg/kg	0.0044	05/19/22 23:11	
EPA 6020B	Aluminum	15200	mg/kg	38.3	05/24/22 00:22	
EPA 6020B	Antimony	0.29J	mg/kg	0.64	05/24/22 00:22	
EPA 6020B	Arsenic	10.6	mg/kg	0.64	05/24/22 00:22	
EPA 6020B	Barium	115	mg/kg	0.38	05/24/22 00:22	
EPA 6020B	Beryllium	1.0	mg/kg	0.26	05/24/22 20:35	
EPA 6020B	Cadmium	0.95	mg/kg	0.10	05/24/22 00:22	
EPA 6020B	Calcium	6270	mg/kg	128	05/24/22 00:22	
EPA 6020B	Chromium	19.0	mg/kg	2.6	05/24/22 00:22	
EPA 6020B	Cobalt	7.5	mg/kg	0.64	05/24/22 00:22	
EPA 6020B	Copper	19.6	mg/kg	1.3	05/24/22 00:22	
EPA 6020B	Iron	25200	mg/kg	63.8	05/24/22 00:22	
EPA 6020B	Lead	33.7	mg/kg	0.64	05/24/22 00:22	
EPA 6020B	Magnesium	4240	mg/kg	38.3	05/24/22 00:22	
EPA 6020B	Manganese	243	mg/kg	0.64	05/24/22 00:22	
EPA 6020B	Nickel	19.7	mg/kg	0.64	05/24/22 00:22	
EPA 6020B	Potassium	1640	mg/kg	128	05/24/22 00:22	
EPA 6020B	Selenium	0.51J	mg/kg	0.64	05/24/22 20:35	
EPA 6020B	Silver	0.21J	mg/kg	0.64	05/24/22 00:22	
EPA 6020B	Sodium	103	mg/kg	63.8	05/24/22 00:22	
EPA 6020B	Thallium	0.34	mg/kg	0.13	05/24/22 00:22	
EPA 6020B	Vanadium	31.1	mg/kg	1.3	05/24/22 00:22	
EPA 6020B	Zinc	168	mg/kg	6.4	05/24/22 00:22	
EPA 7471	Mercury	0.025J	mg/kg	0.043	05/18/22 14:46	
EPA 8260	Carbon disulfide	0.0052J	mg/kg	0.0054	05/18/22 17:33	
ASTM D2974-87	Percent Moisture	25.2	%	0.10	05/13/22 11:11	
EPA 9040	pH at 25 Degrees C	7.9	Std. Units	0.10	05/23/22 13:15	2q,H6
40244803004	SB-43 (8.0-9.0)					
EPA 6020B	Aluminum	19200	mg/kg	38.1	05/24/22 20:39	
EPA 6020B	Antimony	0.27J	mg/kg	0.63	05/24/22 00:33	
EPA 6020B	Arsenic	14.3	mg/kg	0.63	05/24/22 00:33	
EPA 6020B	Barium	214	mg/kg	0.38	05/24/22 00:33	
EPA 6020B	Beryllium	1.2	mg/kg	0.25	05/24/22 20:39	
EPA 6020B	Cadmium	0.27	mg/kg	0.10	05/24/22 00:33	
EPA 6020B	Calcium	5310	mg/kg	127	05/24/22 20:39	
EPA 6020B	Chromium	24.0	mg/kg	2.5	05/24/22 20:39	
EPA 6020B	Cobalt	11.6	mg/kg	0.63	05/24/22 00:33	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244803004	SB-43 (8.0-9.0)					
EPA 6020B	Copper	24.8	mg/kg	1.3	05/24/22 00:33	
EPA 6020B	Iron	34600	mg/kg	317	05/24/22 20:42	
EPA 6020B	Lead	28.0	mg/kg	0.63	05/24/22 00:33	
EPA 6020B	Magnesium	4570	mg/kg	38.1	05/24/22 20:39	
EPA 6020B	Manganese	556	mg/kg	0.63	05/24/22 20:39	
EPA 6020B	Nickel	21.2	mg/kg	0.63	05/24/22 00:33	
EPA 6020B	Potassium	1310	mg/kg	127	05/24/22 20:39	
EPA 6020B	Selenium	0.66	mg/kg	0.63	05/24/22 00:33	
EPA 6020B	Silver	0.22J	mg/kg	0.63	05/24/22 00:33	
EPA 6020B	Sodium	152	mg/kg	63.5	05/24/22 20:39	
EPA 6020B	Thallium	0.18	mg/kg	0.13	05/24/22 00:33	
EPA 6020B	Vanadium	48.2	mg/kg	1.3	05/24/22 20:39	
EPA 6020B	Zinc	67.9	mg/kg	6.3	05/24/22 00:33	
EPA 7471	Mercury	0.057	mg/kg	0.045	05/18/22 14:49	
ASTM D2974-87	Percent Moisture	22.9	%	0.10	05/13/22 11:11	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/23/22 13:17	2q,H6
40244803005	SB-42 (5.0-6.0)					
EPA 8081B	Endrin	0.00094J	mg/kg	0.0044	05/20/22 02:57	
EPA 6020B	Aluminum	18300	mg/kg	37.8	05/24/22 20:46	
EPA 6020B	Antimony	0.27J	mg/kg	0.63	05/24/22 00:36	
EPA 6020B	Arsenic	8.4	mg/kg	0.63	05/24/22 00:36	
EPA 6020B	Barium	242	mg/kg	0.38	05/24/22 00:36	
EPA 6020B	Beryllium	1.0	mg/kg	0.25	05/24/22 20:46	
EPA 6020B	Cadmium	0.27	mg/kg	0.10	05/24/22 00:36	
EPA 6020B	Calcium	7280	mg/kg	126	05/24/22 20:46	
EPA 6020B	Chromium	22.7	mg/kg	2.5	05/24/22 20:46	
EPA 6020B	Cobalt	7.4	mg/kg	0.63	05/24/22 00:36	
EPA 6020B	Copper	22.8	mg/kg	1.3	05/24/22 00:36	
EPA 6020B	Iron	27300	mg/kg	63.1	05/24/22 20:46	
EPA 6020B	Lead	19.8	mg/kg	0.63	05/24/22 00:36	
EPA 6020B	Magnesium	4770	mg/kg	37.8	05/24/22 20:46	
EPA 6020B	Manganese	787	mg/kg	3.2	05/24/22 20:49	
EPA 6020B	Nickel	18.2	mg/kg	0.63	05/24/22 00:36	
EPA 6020B	Potassium	1420	mg/kg	126	05/24/22 20:46	
EPA 6020B	Selenium	0.88	mg/kg	0.63	05/24/22 00:36	
EPA 6020B	Sodium	202	mg/kg	63.1	05/24/22 20:46	
EPA 6020B	Thallium	0.24	mg/kg	0.13	05/24/22 00:36	
EPA 6020B	Vanadium	47.0	mg/kg	1.3	05/24/22 20:46	
EPA 6020B	Zinc	71.3	mg/kg	6.3	05/24/22 00:36	
EPA 7471	Mercury	0.050	mg/kg	0.046	05/18/22 14:51	
EPA 8270E	Benzo(b)fluoranthene	0.042J	mg/kg	0.13	05/18/22 11:52	
EPA 8270E	Chrysene	0.061J	mg/kg	0.11	05/18/22 11:52	
EPA 8270E	Fluoranthene	0.041J	mg/kg	0.11	05/18/22 11:52	
EPA 8270E	Phenanthrene	0.050J	mg/kg	0.095	05/18/22 11:52	
ASTM D2974-87	Percent Moisture	25.1	%	0.10	05/13/22 11:11	
EPA 9040	pH at 25 Degrees C	7.8	Std. Units	0.10	05/23/22 13:20	2q,H6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244803006	SB-42 (8.5-9.5)					
EPA 6020B	Aluminum	20500	mg/kg	36.1	05/24/22 20:53	
EPA 6020B	Antimony	0.32J	mg/kg	0.60	05/24/22 00:40	
EPA 6020B	Arsenic	14.8	mg/kg	0.60	05/24/22 00:40	
EPA 6020B	Barium	183	mg/kg	0.36	05/24/22 00:40	
EPA 6020B	Beryllium	1.1	mg/kg	0.24	05/24/22 20:53	
EPA 6020B	Cadmium	0.29	mg/kg	0.096	05/24/22 00:40	
EPA 6020B	Calcium	4830	mg/kg	120	05/24/22 20:53	
EPA 6020B	Chromium	27.5	mg/kg	2.4	05/24/22 20:53	
EPA 6020B	Cobalt	8.4	mg/kg	0.60	05/24/22 00:40	
EPA 6020B	Copper	26.6	mg/kg	1.2	05/24/22 00:40	
EPA 6020B	Iron	34600	mg/kg	301	05/24/22 20:56	
EPA 6020B	Lead	14.8	mg/kg	0.60	05/24/22 00:40	
EPA 6020B	Magnesium	5590	mg/kg	36.1	05/24/22 20:53	
EPA 6020B	Manganese	556	mg/kg	3.0	05/24/22 20:56	
EPA 6020B	Nickel	24.4	mg/kg	0.60	05/24/22 00:40	
EPA 6020B	Potassium	1100	mg/kg	120	05/24/22 20:53	
EPA 6020B	Selenium	0.35J	mg/kg	0.60	05/24/22 00:40	
EPA 6020B	Sodium	144	mg/kg	60.1	05/24/22 20:53	
EPA 6020B	Thallium	0.22	mg/kg	0.12	05/24/22 00:40	
EPA 6020B	Vanadium	49.9	mg/kg	1.2	05/24/22 20:53	
EPA 6020B	Zinc	66.4	mg/kg	6.0	05/24/22 00:40	
EPA 7471	Mercury	0.059	mg/kg	0.041	05/18/22 14:53	
EPA 8270E	Acenaphthene	0.90J	mg/kg	1.0	05/18/22 12:56	
EPA 8270E	Anthracene	2.2	mg/kg	0.46	05/18/22 12:56	
EPA 8270E	Benzo(a)anthracene	2.0	mg/kg	0.44	05/18/22 12:56	
EPA 8270E	Benzo(a)pyrene	1.2	mg/kg	0.43	05/18/22 12:56	
EPA 8270E	Benzo(b)fluoranthene	1.6	mg/kg	0.49	05/18/22 12:56	
EPA 8270E	Benzo(g,h,i)perylene	0.44J	mg/kg	0.75	05/18/22 12:56	
EPA 8270E	Benzo(k)fluoranthene	0.65J	mg/kg	0.68	05/18/22 12:56	
EPA 8270E	Chrysene	2.7	mg/kg	0.43	05/18/22 12:56	
EPA 8270E	Dibenzofuran	0.34J	mg/kg	0.34	05/18/22 12:56	
EPA 8270E	Fluoranthene	6.1	mg/kg	0.40	05/18/22 12:56	
EPA 8270E	Fluorene	1.2	mg/kg	0.33	05/18/22 12:56	
EPA 8270E	Indeno(1,2,3-cd)pyrene	0.54J	mg/kg	0.62	05/18/22 12:56	
EPA 8270E	Phenanthrene	7.7	mg/kg	0.37	05/18/22 12:56	
EPA 8270E	Pyrene	5.7	mg/kg	0.63	05/18/22 12:56	
ASTM D2974-87	Percent Moisture	21.8	%	0.10	05/13/22 11:11	
EPA 9040	pH at 25 Degrees C	7.5	Std. Units	0.10	05/23/22 13:23	2q,H6
EPA 9012B	Cyanide	0.49J	mg/kg	0.97	05/24/22 13:58	
40244803007	SB-41 (4.7-5.7)					
EPA 8081B	4,4'-DDD	0.0064J	mg/kg	0.0081	05/20/22 01:42	
EPA 8081B	4,4'-DDE	0.15	mg/kg	0.0081	05/20/22 01:42	
EPA 8081B	4,4'-DDT	0.15	mg/kg	0.0081	05/20/22 01:42	
EPA 6020B	Aluminum	8740	mg/kg	35.5	05/24/22 21:10	
EPA 6020B	Antimony	0.84	mg/kg	0.59	05/24/22 00:44	
EPA 6020B	Arsenic	26.2	mg/kg	0.59	05/24/22 00:44	
EPA 6020B	Barium	106	mg/kg	0.36	05/24/22 00:44	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244803007	SB-41 (4.7-5.7)					
EPA 6020B	Beryllium	0.65	mg/kg	0.24	05/24/22 21:10	
EPA 6020B	Cadmium	0.75	mg/kg	0.095	05/24/22 00:44	
EPA 6020B	Calcium	49800	mg/kg	592	05/26/22 09:56	
EPA 6020B	Chromium	14.9	mg/kg	2.4	05/24/22 21:10	
EPA 6020B	Cobalt	5.7	mg/kg	0.59	05/24/22 00:44	
EPA 6020B	Copper	28.9	mg/kg	1.2	05/24/22 00:44	
EPA 6020B	Iron	20100	mg/kg	59.2	05/24/22 21:10	
EPA 6020B	Lead	61.3	mg/kg	0.59	05/24/22 00:44	
EPA 6020B	Magnesium	27800	mg/kg	35.5	05/24/22 21:10	
EPA 6020B	Manganese	443	mg/kg	0.59	05/24/22 21:10	
EPA 6020B	Nickel	14.8	mg/kg	0.59	05/24/22 00:44	
EPA 6020B	Potassium	917	mg/kg	118	05/24/22 21:10	
EPA 6020B	Selenium	0.38J	mg/kg	0.59	05/24/22 00:44	
EPA 6020B	Sodium	310	mg/kg	59.2	05/24/22 21:10	
EPA 6020B	Thallium	0.19	mg/kg	0.12	05/24/22 00:44	
EPA 6020B	Vanadium	21.6	mg/kg	1.2	05/24/22 21:10	
EPA 6020B	Zinc	206	mg/kg	5.9	05/24/22 00:44	
EPA 7471	Mercury	0.031J	mg/kg	0.040	05/18/22 14:56	
EPA 8270E	Benzo(a)pyrene	0.058J	mg/kg	0.10	05/18/22 16:31	
EPA 8270E	Benzo(b)fluoranthene	0.088J	mg/kg	0.12	05/18/22 16:31	
EPA 8270E	Chrysene	0.041J	mg/kg	0.10	05/18/22 16:31	
EPA 8270E	Indeno(1,2,3-cd)pyrene	0.045J	mg/kg	0.15	05/18/22 16:31	
ASTM D2974-87	Percent Moisture	18.0	%	0.10	05/13/22 11:12	
EPA 9045	pH at 25 Degrees C	8.23	Std. Units	0.100	05/20/22 09:19	H6
40244803008	SB-41 (8.3-9.3)					
EPA 6020B	Aluminum	20700	mg/kg	35.8	05/24/22 21:13	
EPA 6020B	Antimony	0.23J	mg/kg	0.60	05/24/22 00:47	
EPA 6020B	Arsenic	9.0	mg/kg	0.60	05/24/22 00:47	
EPA 6020B	Barium	230	mg/kg	0.36	05/24/22 00:47	
EPA 6020B	Beryllium	1.1	mg/kg	0.24	05/24/22 21:13	
EPA 6020B	Cadmium	0.16	mg/kg	0.096	05/24/22 00:47	
EPA 6020B	Calcium	6420	mg/kg	119	05/24/22 21:13	
EPA 6020B	Chromium	26.0	mg/kg	2.4	05/24/22 21:13	
EPA 6020B	Cobalt	7.8	mg/kg	0.60	05/24/22 00:47	
EPA 6020B	Copper	23.2	mg/kg	1.2	05/24/22 00:47	
EPA 6020B	Iron	565000	mg/kg	5970	05/25/22 14:13	
EPA 6020B	Lead	14.8	mg/kg	0.60	05/24/22 00:47	
EPA 6020B	Magnesium	5790	mg/kg	35.8	05/24/22 21:13	
EPA 6020B	Manganese	243	mg/kg	0.60	05/24/22 21:13	
EPA 6020B	Nickel	20.4	mg/kg	0.60	05/24/22 00:47	
EPA 6020B	Potassium	1040	mg/kg	119	05/24/22 21:13	
EPA 6020B	Selenium	0.35J	mg/kg	0.60	05/24/22 00:47	
EPA 6020B	Sodium	59.7J	mg/kg	59.7	05/24/22 21:13	
EPA 6020B	Thallium	0.16	mg/kg	0.12	05/24/22 00:47	
EPA 6020B	Vanadium	49.3	mg/kg	1.2	05/24/22 21:13	
EPA 6020B	Zinc	67.9	mg/kg	6.0	05/24/22 00:47	
EPA 7471	Mercury	0.040J	mg/kg	0.042	05/18/22 14:58	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244803008	SB-41 (8.3-9.3)					
ASTM D2974-87	Percent Moisture	21.0	%	0.10	05/13/22 11:12	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/23/22 13:25	2q,H6
40244803009	SB-22 (4.5-5.5)					
EPA 6020B	Aluminum	16500	mg/kg	37.1	05/24/22 21:17	
EPA 6020B	Antimony	0.12J	mg/kg	0.62	05/24/22 00:51	
EPA 6020B	Arsenic	5.9	mg/kg	0.62	05/24/22 00:51	
EPA 6020B	Barium	155	mg/kg	0.37	05/24/22 00:51	
EPA 6020B	Beryllium	0.92	mg/kg	0.25	05/24/22 21:17	
EPA 6020B	Cadmium	0.24	mg/kg	0.099	05/24/22 00:51	
EPA 6020B	Calcium	6080	mg/kg	124	05/24/22 21:17	
EPA 6020B	Chromium	20.1	mg/kg	2.5	05/24/22 21:17	
EPA 6020B	Cobalt	5.1	mg/kg	0.62	05/24/22 00:51	
EPA 6020B	Copper	20.8	mg/kg	1.2	05/24/22 00:51	
EPA 6020B	Iron	20200	mg/kg	61.9	05/24/22 21:17	
EPA 6020B	Lead	16.2	mg/kg	0.62	05/24/22 00:51	
EPA 6020B	Magnesium	3480	mg/kg	37.1	05/24/22 21:17	
EPA 6020B	Manganese	172	mg/kg	0.62	05/24/22 21:17	
EPA 6020B	Nickel	14.5	mg/kg	0.62	05/24/22 00:51	
EPA 6020B	Potassium	1950	mg/kg	124	05/24/22 21:17	
EPA 6020B	Selenium	1.0	mg/kg	0.62	05/24/22 00:51	
EPA 6020B	Sodium	62.4	mg/kg	61.9	05/24/22 21:17	
EPA 6020B	Thallium	0.25	mg/kg	0.12	05/24/22 00:51	
EPA 6020B	Vanadium	34.1	mg/kg	1.2	05/24/22 21:17	
EPA 6020B	Zinc	73.0	mg/kg	6.2	05/24/22 00:51	
EPA 7471	Mercury	0.036J	mg/kg	0.043	05/18/22 15:05	
ASTM D2974-87	Percent Moisture	24.9	%	0.10	05/13/22 11:12	
EPA 9040	pH at 25 Degrees C	7.8	Std. Units	0.10	05/23/22 13:36	2q,H6
40244803010	SB-22 (8.0-9.0)					
EPA 6020B	Aluminum	17900	mg/kg	36.0	05/24/22 21:20	
EPA 6020B	Antimony	0.22J	mg/kg	0.60	05/24/22 00:54	
EPA 6020B	Arsenic	15.7	mg/kg	0.60	05/24/22 00:54	
EPA 6020B	Barium	228	mg/kg	0.36	05/24/22 00:54	
EPA 6020B	Beryllium	0.98	mg/kg	0.24	05/24/22 21:20	
EPA 6020B	Cadmium	0.29	mg/kg	0.096	05/24/22 00:54	
EPA 6020B	Calcium	4290	mg/kg	120	05/24/22 21:20	
EPA 6020B	Chromium	24.0	mg/kg	2.4	05/24/22 21:20	
EPA 6020B	Cobalt	10.4	mg/kg	0.60	05/24/22 00:54	
EPA 6020B	Copper	23.8	mg/kg	1.2	05/24/22 00:54	
EPA 6020B	Iron	34600	mg/kg	300	05/24/22 21:24	
EPA 6020B	Lead	21.0	mg/kg	0.60	05/24/22 00:54	
EPA 6020B	Magnesium	4740	mg/kg	36.0	05/24/22 21:20	
EPA 6020B	Manganese	821	mg/kg	3.0	05/24/22 21:24	
EPA 6020B	Nickel	25.3	mg/kg	0.60	05/24/22 00:54	
EPA 6020B	Potassium	1060	mg/kg	120	05/24/22 21:20	
EPA 6020B	Selenium	0.40J	mg/kg	0.60	05/24/22 00:54	
EPA 6020B	Sodium	67.7	mg/kg	60.1	05/24/22 21:20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244803010	SB-22 (8.0-9.0)					
EPA 6020B	Thallium	0.16	mg/kg	0.12	05/24/22 00:54	
EPA 6020B	Vanadium	41.4	mg/kg	1.2	05/24/22 21:20	
EPA 6020B	Zinc	67.6	mg/kg	6.0	05/24/22 00:54	
EPA 7471	Mercury	0.050	mg/kg	0.041	05/18/22 15:07	
ASTM D2974-87	Percent Moisture	21.8	%	0.10	05/13/22 11:12	
EPA 9040	pH at 25 Degrees C	7.7	Std. Units	0.10	05/23/22 13:38	2q,H6
40244803011	SB-23 (4.8-5.8)					
EPA 6020B	Aluminum	18100	mg/kg	35.3	05/24/22 21:27	
EPA 6020B	Arsenic	4.5	mg/kg	0.59	05/24/22 00:58	
EPA 6020B	Barium	248	mg/kg	0.35	05/24/22 00:58	
EPA 6020B	Beryllium	0.89	mg/kg	0.24	05/24/22 21:27	
EPA 6020B	Cadmium	0.046J	mg/kg	0.094	05/24/22 00:58	
EPA 6020B	Calcium	4830	mg/kg	118	05/24/22 21:27	
EPA 6020B	Chromium	20.7	mg/kg	2.4	05/24/22 21:27	
EPA 6020B	Cobalt	4.6	mg/kg	0.59	05/24/22 00:58	
EPA 6020B	Copper	17.0	mg/kg	1.2	05/24/22 00:58	
EPA 6020B	Iron	17400	mg/kg	58.9	05/24/22 21:27	
EPA 6020B	Lead	14.9	mg/kg	0.59	05/24/22 00:58	
EPA 6020B	Magnesium	3370	mg/kg	35.3	05/24/22 21:27	
EPA 6020B	Manganese	113	mg/kg	0.59	05/24/22 21:27	
EPA 6020B	Nickel	11.5	mg/kg	0.59	05/24/22 00:58	
EPA 6020B	Potassium	1490	mg/kg	118	05/24/22 21:27	
EPA 6020B	Selenium	0.93	mg/kg	0.59	05/24/22 00:58	
EPA 6020B	Sodium	82.8	mg/kg	58.9	05/24/22 21:27	
EPA 6020B	Thallium	0.19	mg/kg	0.12	05/24/22 00:58	
EPA 6020B	Vanadium	41.2	mg/kg	1.2	05/24/22 21:27	
EPA 6020B	Zinc	58.1	mg/kg	5.9	05/24/22 00:58	
EPA 7471	Mercury	0.028J	mg/kg	0.042	05/18/22 15:10	
EPA 8270E	Benzo(a)pyrene	0.037J	mg/kg	0.10	05/18/22 17:56	
EPA 8270E	Benzo(b)fluoranthene	0.065J	mg/kg	0.12	05/18/22 17:56	
EPA 8270E	Chrysene	0.035J	mg/kg	0.10	05/18/22 17:56	
ASTM D2974-87	Percent Moisture	19.8	%	0.10	05/13/22 11:14	
EPA 9045	pH at 25 Degrees C	8.17	Std. Units	0.100	05/20/22 09:20	H6
40244803012	SB-23 (8.1-9.1)					
EPA 6020B	Aluminum	18100	mg/kg	36.3	05/24/22 21:31	
EPA 6020B	Antimony	0.14J	mg/kg	0.60	05/24/22 01:09	
EPA 6020B	Arsenic	5.3	mg/kg	0.60	05/24/22 01:09	
EPA 6020B	Barium	119	mg/kg	0.36	05/24/22 01:09	
EPA 6020B	Beryllium	0.96	mg/kg	0.24	05/24/22 21:31	
EPA 6020B	Cadmium	0.14	mg/kg	0.097	05/24/22 01:09	
EPA 6020B	Calcium	4800	mg/kg	121	05/24/22 21:31	
EPA 6020B	Chromium	24.0	mg/kg	2.4	05/24/22 21:31	
EPA 6020B	Cobalt	4.4	mg/kg	0.60	05/24/22 01:09	
EPA 6020B	Copper	19.8	mg/kg	1.2	05/24/22 01:09	
EPA 6020B	Iron	18700	mg/kg	60.5	05/24/22 21:31	
EPA 6020B	Lead	13.9	mg/kg	0.60	05/24/22 01:09	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244803012	SB-23 (8.1-9.1)					
EPA 6020B	Magnesium	4840	mg/kg	36.3	05/24/22 21:31	
EPA 6020B	Manganese	101	mg/kg	0.60	05/24/22 21:31	
EPA 6020B	Nickel	17.3	mg/kg	0.60	05/24/22 01:09	
EPA 6020B	Potassium	929	mg/kg	121	05/24/22 21:31	
EPA 6020B	Selenium	0.25J	mg/kg	0.60	05/24/22 01:09	
EPA 6020B	Sodium	139	mg/kg	60.5	05/24/22 21:31	
EPA 6020B	Thallium	0.20	mg/kg	0.12	05/24/22 01:09	
EPA 6020B	Vanadium	35.5	mg/kg	1.2	05/24/22 21:31	
EPA 6020B	Zinc	69.9	mg/kg	6.0	05/24/22 01:09	
EPA 7471	Mercury	0.051	mg/kg	0.043	05/18/22 15:12	
ASTM D2974-87	Percent Moisture	21.1	%	0.10	05/13/22 11:14	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/23/22 13:40	2q,H6
EPA 9012B	Cyanide	0.33J	mg/kg	0.95	05/24/22 14:04	
40244803013	SB-24 (5.5-6.5)					
EPA 8081B	beta-BHC	0.0051	mg/kg	0.0039	05/20/22 02:19	
EPA 8081B	4,4'-DDD	0.0064J	mg/kg	0.0079	05/20/22 02:19	
EPA 8081B	4,4'-DDE	0.14	mg/kg	0.0079	05/20/22 02:19	
EPA 8081B	4,4'-DDT	0.13	mg/kg	0.0079	05/20/22 02:19	
EPA 6020B	Aluminum	8800	mg/kg	33.6	05/24/22 21:34	
EPA 6020B	Antimony	0.34J	mg/kg	0.56	05/24/22 01:12	
EPA 6020B	Arsenic	10.3	mg/kg	0.56	05/24/22 01:12	
EPA 6020B	Barium	79.6	mg/kg	0.34	05/24/22 01:12	
EPA 6020B	Beryllium	0.59	mg/kg	0.22	05/24/22 21:34	
EPA 6020B	Cadmium	0.26	mg/kg	0.089	05/24/22 01:12	
EPA 6020B	Calcium	37000	mg/kg	112	05/24/22 21:34	
EPA 6020B	Chromium	17.8	mg/kg	2.2	05/24/22 21:34	
EPA 6020B	Cobalt	4.7	mg/kg	0.56	05/24/22 01:12	
EPA 6020B	Copper	17.1	mg/kg	1.1	05/24/22 01:12	
EPA 6020B	Iron	22700	mg/kg	55.9	05/24/22 21:34	
EPA 6020B	Lead	24.5	mg/kg	0.56	05/24/22 01:12	
EPA 6020B	Magnesium	19700	mg/kg	33.6	05/24/22 21:34	
EPA 6020B	Manganese	311	mg/kg	0.56	05/24/22 21:34	
EPA 6020B	Nickel	12.9	mg/kg	0.56	05/24/22 01:12	
EPA 6020B	Potassium	1190	mg/kg	112	05/24/22 21:34	
EPA 6020B	Selenium	0.34J	mg/kg	0.56	05/24/22 01:12	
EPA 6020B	Sodium	213	mg/kg	55.9	05/24/22 21:34	
EPA 6020B	Thallium	0.24	mg/kg	0.11	05/24/22 01:12	
EPA 6020B	Vanadium	30.6	mg/kg	1.1	05/24/22 21:34	
EPA 6020B	Zinc	71.1	mg/kg	5.6	05/24/22 01:12	
EPA 7471	Mercury	0.033J	mg/kg	0.041	05/18/22 15:14	
EPA 8270E	Benzo(a)anthracene	0.078J	mg/kg	0.10	05/18/22 18:39	
EPA 8270E	Benzo(a)pyrene	0.11	mg/kg	0.099	05/18/22 18:39	
EPA 8270E	Benzo(b)fluoranthene	0.16	mg/kg	0.11	05/18/22 18:39	
EPA 8270E	Benzo(g,h,i)perylene	0.069J	mg/kg	0.17	05/18/22 18:39	
EPA 8270E	Benzo(k)fluoranthene	0.070J	mg/kg	0.16	05/18/22 18:39	
EPA 8270E	Chrysene	0.090J	mg/kg	0.098	05/18/22 18:39	
EPA 8270E	Fluoranthene	0.091J	mg/kg	0.093	05/18/22 18:39	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244803013	SB-24 (5.5-6.5)					
EPA 8270E	Indeno(1,2,3-cd)pyrene	0.083J	mg/kg	0.14	05/18/22 18:39	
EPA 8270E	Phenanthrene	0.085	mg/kg	0.084	05/18/22 18:39	
EPA 8270E	Pyrene	0.095J	mg/kg	0.15	05/18/22 18:39	
ASTM D2974-87	Percent Moisture	15.4	%	0.10	05/13/22 11:46	
EPA 9045	pH at 25 Degrees C	8.20	Std. Units	0.100	05/20/22 09:22	H6
40244803014	SB-24 (8.0-9.0)					
EPA 8081B	beta-BHC	0.0012J	mg/kg	0.0020	05/20/22 02:38	
EPA 8081B	4,4'-DDD	0.013	mg/kg	0.0040	05/20/22 02:38	
EPA 8081B	4,4'-DDE	0.058	mg/kg	0.0040	05/20/22 02:38	
EPA 8081B	4,4'-DDT	0.046	mg/kg	0.0040	05/20/22 02:38	
EPA 8082A	PCB-1254 (Aroclor 1254)	0.039J	mg/kg	0.060	05/16/22 19:01	
EPA 8082A	PCB, Total	0.039J	mg/kg	0.060	05/16/22 19:01	
EPA 6020B	Aluminum	11300	mg/kg	33.8	05/24/22 21:48	
EPA 6020B	Antimony	0.53J	mg/kg	0.56	05/24/22 01:16	
EPA 6020B	Arsenic	14.3	mg/kg	0.56	05/24/22 01:16	
EPA 6020B	Barium	128	mg/kg	0.34	05/24/22 01:16	
EPA 6020B	Beryllium	0.72	mg/kg	0.23	05/24/22 21:48	
EPA 6020B	Cadmium	0.33	mg/kg	0.090	05/24/22 01:16	
EPA 6020B	Calcium	18200	mg/kg	113	05/24/22 21:48	
EPA 6020B	Chromium	15.8	mg/kg	2.3	05/24/22 21:48	
EPA 6020B	Cobalt	5.4	mg/kg	0.56	05/24/22 01:16	
EPA 6020B	Copper	26.4	mg/kg	1.1	05/24/22 01:16	
EPA 6020B	Iron	24500	mg/kg	56.4	05/24/22 21:48	
EPA 6020B	Lead	19.0	mg/kg	0.56	05/24/22 01:16	
EPA 6020B	Magnesium	8890	mg/kg	33.8	05/24/22 21:48	
EPA 6020B	Manganese	362	mg/kg	0.56	05/24/22 21:48	
EPA 6020B	Nickel	16.2	mg/kg	0.56	05/24/22 01:16	
EPA 6020B	Potassium	1240	mg/kg	113	05/24/22 21:48	
EPA 6020B	Selenium	0.60	mg/kg	0.56	05/24/22 01:16	
EPA 6020B	Sodium	134	mg/kg	56.4	05/24/22 21:48	
EPA 6020B	Thallium	0.21	mg/kg	0.11	05/24/22 01:16	
EPA 6020B	Vanadium	29.3	mg/kg	1.1	05/24/22 21:48	
EPA 6020B	Zinc	82.8	mg/kg	5.6	05/24/22 01:16	
EPA 7471	Mercury	0.042	mg/kg	0.041	05/18/22 15:17	
EPA 8270E	Benzo(a)anthracene	0.088J	mg/kg	0.10	05/19/22 11:57	
EPA 8270E	Benzo(a)pyrene	0.15	mg/kg	0.10	05/19/22 11:57	
EPA 8270E	Benzo(b)fluoranthene	0.22	mg/kg	0.12	05/19/22 11:57	
EPA 8270E	Benzo(g,h,i)perylene	0.11J	mg/kg	0.18	05/19/22 11:57	
EPA 8270E	Benzo(k)fluoranthene	0.086J	mg/kg	0.16	05/19/22 11:57	
EPA 8270E	Chrysene	0.12	mg/kg	0.10	05/19/22 11:57	
EPA 8270E	Fluoranthene	0.096	mg/kg	0.095	05/19/22 11:57	
EPA 8270E	Indeno(1,2,3-cd)pyrene	0.12J	mg/kg	0.14	05/19/22 11:57	
EPA 8270E	Phenanthrene	0.039J	mg/kg	0.086	05/19/22 11:57	
EPA 8270E	Pyrene	0.11J	mg/kg	0.15	05/19/22 11:57	
EPA 8260	Carbon disulfide	0.0020J	mg/kg	0.0052	05/18/22 22:01	
ASTM D2974-87	Percent Moisture	16.9	%	0.10	05/13/22 11:46	
EPA 9045	pH at 25 Degrees C	8.08	Std. Units	0.100	05/20/22 09:24	H6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244803016	SB-25 (5.5-6.5)					
EPA 8081B	beta-BHC	0.0057	mg/kg	0.0038	05/20/22 02:01	
EPA 8081B	4,4'-DDD	0.0052J	mg/kg	0.0076	05/20/22 02:01	
EPA 8081B	4,4'-DDE	0.28	mg/kg	0.0076	05/20/22 02:01	
EPA 8081B	4,4'-DDT	0.24	mg/kg	0.0076	05/20/22 02:01	
EPA 6020B	Aluminum	7150	mg/kg	32.4	05/24/22 21:51	
EPA 6020B	Antimony	0.53J	mg/kg	0.54	05/24/22 01:20	
EPA 6020B	Arsenic	10.5	mg/kg	0.54	05/24/22 01:20	
EPA 6020B	Barium	55.3	mg/kg	0.32	05/24/22 01:20	
EPA 6020B	Beryllium	0.73	mg/kg	0.22	05/24/22 21:51	
EPA 6020B	Cadmium	0.41	mg/kg	0.086	05/24/22 01:20	
EPA 6020B	Calcium	34900	mg/kg	108	05/24/22 21:51	
EPA 6020B	Chromium	13.8	mg/kg	2.2	05/24/22 21:51	
EPA 6020B	Cobalt	5.3	mg/kg	0.54	05/24/22 01:20	
EPA 6020B	Copper	31.6	mg/kg	1.1	05/24/22 01:20	
EPA 6020B	Iron	29100	mg/kg	270	05/24/22 21:55	
EPA 6020B	Lead	28.8	mg/kg	0.54	05/24/22 01:20	
EPA 6020B	Magnesium	11600	mg/kg	32.4	05/24/22 21:51	
EPA 6020B	Manganese	373	mg/kg	0.54	05/24/22 21:51	
EPA 6020B	Nickel	16.8	mg/kg	0.54	05/24/22 01:20	
EPA 6020B	Potassium	948	mg/kg	108	05/24/22 21:51	
EPA 6020B	Selenium	0.35J	mg/kg	0.54	05/24/22 01:20	
EPA 6020B	Sodium	277	mg/kg	54.0	05/24/22 21:51	
EPA 6020B	Thallium	0.22	mg/kg	0.11	05/24/22 01:20	
EPA 6020B	Vanadium	19.6	mg/kg	1.1	05/24/22 21:51	
EPA 6020B	Zinc	112	mg/kg	5.4	05/24/22 01:20	
EPA 7471	Mercury	0.039J	mg/kg	0.039	05/18/22 15:19	
EPA 8270E	Benzo(a)anthracene	0.14	mg/kg	0.099	05/20/22 14:06	
EPA 8270E	Benzo(a)pyrene	0.092J	mg/kg	0.096	05/20/22 14:06	
EPA 8270E	Benzo(b)fluoranthene	0.17	mg/kg	0.11	05/20/22 14:06	
EPA 8270E	Benzo(g,h,i)perylene	0.077J	mg/kg	0.17	05/20/22 14:06	
EPA 8270E	Benzo(k)fluoranthene	0.062J	mg/kg	0.15	05/20/22 14:06	
EPA 8270E	Chrysene	0.17	mg/kg	0.095	05/20/22 14:06	
EPA 8270E	Fluoranthene	0.36	mg/kg	0.090	05/20/22 14:06	
EPA 8270E	Indeno(1,2,3-cd)pyrene	0.084J	mg/kg	0.14	05/20/22 14:06	
EPA 8270E	Phenanthrene	0.11	mg/kg	0.082	05/20/22 14:06	
EPA 8270E	Pyrene	0.31	mg/kg	0.14	05/20/22 14:06	
ASTM D2974-87	Percent Moisture	12.9	%	0.10	05/13/22 11:46	
EPA 9045	pH at 25 Degrees C	8.22	Std. Units	0.100	05/20/22 09:26	H6
40244803017	SB-25 (8.5-9.5)					
EPA 6020B	Aluminum	8120	mg/kg	33.8	05/24/22 21:58	
EPA 6020B	Antimony	0.18J	mg/kg	0.56	05/24/22 01:23	
EPA 6020B	Arsenic	7.9	mg/kg	0.56	05/24/22 01:23	
EPA 6020B	Barium	88.3	mg/kg	0.34	05/24/22 01:23	
EPA 6020B	Beryllium	0.51	mg/kg	0.23	05/24/22 21:58	
EPA 6020B	Cadmium	0.25	mg/kg	0.090	05/24/22 01:23	
EPA 6020B	Calcium	33700	mg/kg	113	05/24/22 21:58	
EPA 6020B	Chromium	11.8	mg/kg	2.3	05/24/22 21:58	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244803017	SB-25 (8.5-9.5)					
EPA 6020B	Cobalt	6.1	mg/kg	0.56	05/24/22 01:23	
EPA 6020B	Copper	13.2	mg/kg	1.1	05/24/22 01:23	
EPA 6020B	Iron	15100	mg/kg	56.4	05/24/22 21:58	
EPA 6020B	Lead	20.3	mg/kg	0.56	05/24/22 01:23	
EPA 6020B	Magnesium	8400	mg/kg	33.8	05/24/22 21:58	
EPA 6020B	Manganese	621	mg/kg	2.8	05/24/22 22:02	
EPA 6020B	Nickel	16.4	mg/kg	0.56	05/24/22 01:23	
EPA 6020B	Potassium	816	mg/kg	113	05/24/22 21:58	
EPA 6020B	Selenium	0.22J	mg/kg	0.56	05/24/22 01:23	
EPA 6020B	Sodium	52.7J	mg/kg	56.4	05/24/22 21:58	
EPA 6020B	Thallium	0.16	mg/kg	0.11	05/24/22 01:23	
EPA 6020B	Vanadium	22.3	mg/kg	1.1	05/24/22 21:58	
EPA 6020B	Zinc	47.4	mg/kg	5.6	05/24/22 01:23	
EPA 7471	Mercury	0.019J	mg/kg	0.040	05/18/22 15:21	
EPA 8270E	Benzo(a)anthracene	0.033J	mg/kg	0.10	05/20/22 14:28	
EPA 8270E	Benzo(b)fluoranthene	0.036J	mg/kg	0.11	05/20/22 14:28	
EPA 8270E	Fluoranthene	0.044J	mg/kg	0.092	05/20/22 14:28	
EPA 8270E	Phenanthrene	0.027J	mg/kg	0.083	05/20/22 14:28	
ASTM D2974-87	Percent Moisture	14.3	%	0.10	05/13/22 11:47	
EPA 9045	pH at 25 Degrees C	8.25	Std. Units	0.100	05/20/22 09:28	H6
40244803018	SB-29 (4.5-5.5)					
EPA 6020B	Aluminum	17500	mg/kg	36.4	05/24/22 22:05	
EPA 6020B	Antimony	0.15J	mg/kg	0.61	05/24/22 01:27	
EPA 6020B	Arsenic	6.6	mg/kg	0.61	05/24/22 01:27	
EPA 6020B	Barium	172	mg/kg	0.36	05/24/22 01:27	
EPA 6020B	Beryllium	0.85	mg/kg	0.24	05/24/22 22:05	
EPA 6020B	Cadmium	0.063J	mg/kg	0.097	05/24/22 01:27	
EPA 6020B	Calcium	3710	mg/kg	121	05/24/22 22:05	
EPA 6020B	Chromium	19.5	mg/kg	2.4	05/24/22 22:05	
EPA 6020B	Cobalt	6.2	mg/kg	0.61	05/24/22 01:27	
EPA 6020B	Copper	16.5	mg/kg	1.2	05/24/22 01:27	
EPA 6020B	Iron	19900	mg/kg	60.7	05/24/22 22:05	
EPA 6020B	Lead	13.0	mg/kg	0.61	05/24/22 01:27	
EPA 6020B	Magnesium	3110	mg/kg	36.4	05/24/22 22:05	
EPA 6020B	Manganese	284	mg/kg	0.61	05/24/22 22:05	
EPA 6020B	Nickel	14.5	mg/kg	0.61	05/24/22 01:27	
EPA 6020B	Potassium	1310	mg/kg	121	05/24/22 22:05	
EPA 6020B	Selenium	0.75	mg/kg	0.61	05/24/22 01:27	
EPA 6020B	Sodium	99.0	mg/kg	60.7	05/24/22 22:05	
EPA 6020B	Thallium	0.21	mg/kg	0.12	05/24/22 01:27	
EPA 6020B	Vanadium	39.5	mg/kg	1.2	05/24/22 22:05	
EPA 6020B	Zinc	52.9	mg/kg	6.1	05/24/22 01:27	
EPA 7471	Mercury	0.029J	mg/kg	0.044	05/18/22 15:23	
ASTM D2974-87	Percent Moisture	21.7	%	0.10	05/13/22 11:47	
EPA 9040	pH at 25 Degrees C	7.2	Std. Units	0.10	05/23/22 13:42	2q,H6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244803019	SB-29 (8.5-9.5)					
EPA 6020B	Aluminum	11000	mg/kg	36.8	05/24/22 22:09	
EPA 6020B	Antimony	0.32J	mg/kg	0.61	05/24/22 01:31	
EPA 6020B	Arsenic	10.2	mg/kg	0.61	05/24/22 01:31	
EPA 6020B	Barium	244	mg/kg	0.37	05/24/22 01:31	
EPA 6020B	Beryllium	0.71	mg/kg	0.25	05/24/22 22:09	
EPA 6020B	Cadmium	0.86	mg/kg	0.098	05/24/22 01:31	
EPA 6020B	Calcium	45900	mg/kg	123	05/24/22 22:09	
EPA 6020B	Chromium	17.0	mg/kg	2.5	05/24/22 22:09	
EPA 6020B	Cobalt	11.9	mg/kg	0.61	05/24/22 01:31	
EPA 6020B	Copper	19.0	mg/kg	1.2	05/24/22 01:31	
EPA 6020B	Iron	45300	mg/kg	306	05/24/22 22:12	
EPA 6020B	Lead	14.4	mg/kg	0.61	05/24/22 01:31	
EPA 6020B	Magnesium	29000	mg/kg	36.8	05/24/22 22:09	
EPA 6020B	Manganese	2240	mg/kg	3.1	05/24/22 22:12	
EPA 6020B	Nickel	32.3	mg/kg	0.61	05/24/22 01:31	
EPA 6020B	Potassium	819	mg/kg	123	05/24/22 22:09	
EPA 6020B	Selenium	0.33J	mg/kg	0.61	05/24/22 22:09	
EPA 6020B	Sodium	116	mg/kg	61.3	05/24/22 22:09	
EPA 6020B	Thallium	0.32	mg/kg	0.12	05/24/22 01:31	
EPA 6020B	Vanadium	43.3	mg/kg	1.2	05/24/22 22:09	
EPA 6020B	Zinc	52.4	mg/kg	6.1	05/24/22 01:31	
EPA 7471	Mercury	0.029J	mg/kg	0.044	05/18/22 15:26	
ASTM D2974-87	Percent Moisture	20.3	%	0.10	05/13/22 11:47	
EPA 9040	pH at 25 Degrees C	7.4	Std. Units	0.10	05/23/22 13:46	2q,H6
40244803020	SB-36 (4.8-5.8)					
EPA 6020B	Aluminum	18200	mg/kg	37.0	05/24/22 22:16	
EPA 6020B	Antimony	0.18J	mg/kg	0.62	05/24/22 01:34	
EPA 6020B	Arsenic	6.4	mg/kg	0.62	05/24/22 01:34	
EPA 6020B	Barium	193	mg/kg	0.37	05/24/22 01:34	
EPA 6020B	Beryllium	0.92	mg/kg	0.25	05/24/22 22:16	
EPA 6020B	Cadmium	0.085J	mg/kg	0.099	05/24/22 01:34	
EPA 6020B	Calcium	4630	mg/kg	123	05/24/22 22:16	
EPA 6020B	Chromium	20.7	mg/kg	2.5	05/24/22 22:16	
EPA 6020B	Cobalt	7.2	mg/kg	0.62	05/24/22 01:34	
EPA 6020B	Copper	17.5	mg/kg	1.2	05/24/22 01:34	
EPA 6020B	Iron	22000	mg/kg	61.7	05/24/22 22:16	
EPA 6020B	Lead	12.3	mg/kg	0.62	05/24/22 01:34	
EPA 6020B	Magnesium	3350	mg/kg	37.0	05/24/22 22:16	
EPA 6020B	Manganese	391	mg/kg	0.62	05/24/22 22:16	
EPA 6020B	Nickel	15.7	mg/kg	0.62	05/24/22 01:34	
EPA 6020B	Potassium	1390	mg/kg	123	05/24/22 22:16	
EPA 6020B	Selenium	0.76	mg/kg	0.62	05/24/22 01:34	
EPA 6020B	Sodium	70.8	mg/kg	61.7	05/24/22 22:16	
EPA 6020B	Thallium	0.21	mg/kg	0.12	05/24/22 01:34	
EPA 6020B	Vanadium	41.5	mg/kg	1.2	05/24/22 22:16	
EPA 6020B	Zinc	53.4	mg/kg	6.2	05/24/22 01:34	
EPA 7471	Mercury	0.026J	mg/kg	0.040	05/18/22 15:33	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244803020	SB-36 (4.8-5.8)					
ASTM D2974-87	Percent Moisture	22.4	%	0.10	05/13/22 11:47	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/23/22 13:50	2q,H6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-38 (5.5-6.5) **Lab ID: 40244803001** Collected: 05/11/22 08:10 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00051	mg/kg	0.0021	0.00051	1	05/16/22 10:43	05/19/22 21:55	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/19/22 21:55	319-84-6	
beta-BHC	<0.00066	mg/kg	0.0021	0.00066	1	05/16/22 10:43	05/19/22 21:55	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0021	0.00039	1	05/16/22 10:43	05/19/22 21:55	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/19/22 21:55	58-89-9	
Chlordane (Technical)	<0.0070	mg/kg	0.021	0.0070	1	05/16/22 10:43	05/19/22 21:55	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/16/22 10:43	05/19/22 21:55	5103-71-9	
gamma-Chlordane	<0.00079	mg/kg	0.0021	0.00079	1	05/16/22 10:43	05/19/22 21:55	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0042	0.00043	1	05/16/22 10:43	05/19/22 21:55	72-54-8	
4,4'-DDE	<0.00049	mg/kg	0.0042	0.00049	1	05/16/22 10:43	05/19/22 21:55	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0042	0.0013	1	05/16/22 10:43	05/19/22 21:55	50-29-3	
Dieldrin	<0.00040	mg/kg	0.0042	0.00040	1	05/16/22 10:43	05/19/22 21:55	60-57-1	
Endosulfan I	<0.00023	mg/kg	0.0021	0.00023	1	05/16/22 10:43	05/19/22 21:55	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0042	0.0010	1	05/16/22 10:43	05/19/22 21:55	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0042	0.0010	1	05/16/22 10:43	05/19/22 21:55	1031-07-8	L2
Endrin	<0.00048	mg/kg	0.0042	0.00048	1	05/16/22 10:43	05/19/22 21:55	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0042	0.0014	1	05/16/22 10:43	05/19/22 21:55	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0042	0.0011	1	05/16/22 10:43	05/19/22 21:55	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0021	0.00057	1	05/16/22 10:43	05/19/22 21:55	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0021	0.00022	1	05/16/22 10:43	05/19/22 21:55	1024-57-3	
Methoxychlor	<0.0065	mg/kg	0.021	0.0065	1	05/16/22 10:43	05/19/22 21:55	72-43-5	
Toxaphene	<0.020	mg/kg	0.064	0.020	1	05/16/22 10:43	05/19/22 21:55	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	74	%	53-138		1	05/16/22 10:43	05/19/22 21:55	877-09-8	
Decachlorobiphenyl (S)	64	%	30-150		1	05/16/22 10:43	05/19/22 21:55	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.064	0.019	1	05/12/22 19:38	05/14/22 01:38	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.064	0.019	1	05/12/22 19:38	05/14/22 01:38	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.064	0.019	1	05/12/22 19:38	05/14/22 01:38	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.064	0.019	1	05/12/22 19:38	05/14/22 01:38	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.064	0.019	1	05/12/22 19:38	05/14/22 01:38	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.064	0.019	1	05/12/22 19:38	05/14/22 01:38	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.064	0.019	1	05/12/22 19:38	05/14/22 01:38	11096-82-5	
PCB, Total	<0.019	mg/kg	0.064	0.019	1	05/12/22 19:38	05/14/22 01:38	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	85	%	50-99		1	05/12/22 19:38	05/14/22 01:38	877-09-8	
Decachlorobiphenyl (S)	81	%	38-95		1	05/12/22 19:38	05/14/22 01:38	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	20900	mg/kg	35.9	7.2	1	05/19/22 12:21	05/24/22 19:54	7429-90-5	P6
Antimony	0.30J	mg/kg	0.60	0.11	1	05/19/22 12:21	05/24/22 19:54	7440-36-0	M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: **SB-38 (5.5-6.5)** Lab ID: **40244803001** Collected: 05/11/22 08:10 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	13.4	mg/kg	0.60	0.13	1	05/19/22 12:21	05/24/22 19:54	7440-38-2	
Barium	296	mg/kg	0.36	0.064	1	05/19/22 12:21	05/24/22 19:54	7440-39-3	M1
Beryllium	1.2	mg/kg	0.24	0.048	1	05/19/22 12:21	05/24/22 19:54	7440-41-7	
Cadmium	0.36	mg/kg	0.096	0.038	1	05/19/22 12:21	05/24/22 19:54	7440-43-9	
Calcium	5620	mg/kg	120	14.1	1	05/19/22 12:21	05/24/22 19:54	7440-70-2	M1
Chromium	24.0	mg/kg	2.4	0.17	1	05/19/22 12:21	05/24/22 19:54	7440-47-3	
Cobalt	27.1	mg/kg	0.60	0.12	1	05/19/22 12:21	05/24/22 19:54	7440-48-4	M1
Copper	18.4	mg/kg	1.2	0.29	1	05/19/22 12:21	05/24/22 19:54	7440-50-8	
Iron	32200	mg/kg	300	62.9	5	05/19/22 12:21	05/24/22 20:11	7439-89-6	P6
Lead	28.3	mg/kg	0.60	0.035	1	05/19/22 12:21	05/24/22 19:54	7439-92-1	
Magnesium	4300	mg/kg	35.9	5.2	1	05/19/22 12:21	05/24/22 19:54	7439-95-4	M1
Manganese	2130	mg/kg	3.0	1.5	5	05/19/22 12:21	05/24/22 20:11	7439-96-5	M1, R1
Nickel	27.1	mg/kg	0.60	0.24	1	05/19/22 12:21	05/24/22 19:54	7440-02-0	
Potassium	1320	mg/kg	120	13.8	1	05/19/22 12:21	05/24/22 19:54	7440-09-7	M1
Selenium	1.4	mg/kg	0.60	0.10	1	05/19/22 12:21	05/24/22 19:54	7782-49-2	
Silver	0.59J	mg/kg	0.60	0.17	1	05/19/22 12:21	05/24/22 19:54	7440-22-4	
Sodium	73.9	mg/kg	59.9	13.3	1	05/19/22 12:21	05/24/22 19:54	7440-23-5	
Thallium	0.25	mg/kg	0.12	0.044	1	05/19/22 12:21	05/24/22 19:54	7440-28-0	
Vanadium	54.2	mg/kg	1.2	0.21	1	05/19/22 12:21	05/24/22 19:54	7440-62-2	
Zinc	66.0	mg/kg	6.0	1.1	1	05/19/22 12:21	05/24/22 19:54	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.038J	mg/kg	0.044	0.013	1	05/17/22 11:51	05/18/22 14:37	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/17/22 12:38	05/18/22 10:26	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/17/22 12:38	05/18/22 10:26	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/17/22 12:38	05/18/22 10:26	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/17/22 12:38	05/18/22 10:26	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/17/22 12:38	05/18/22 10:26	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/17/22 12:38	05/18/22 10:26	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/18/22 10:26	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/17/22 12:38	05/18/22 10:26	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/17/22 12:38	05/18/22 10:26	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/17/22 12:38	05/18/22 10:26	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/17/22 12:38	05/18/22 10:26	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/17/22 12:38	05/18/22 10:26	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/17/22 12:38	05/18/22 10:26	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/17/22 12:38	05/18/22 10:26	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/17/22 12:38	05/18/22 10:26	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/17/22 12:38	05/18/22 10:26	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/17/22 12:38	05/18/22 10:26	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-38 (5.5-6.5) **Lab ID: 40244803001** Collected: 05/11/22 08:10 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/17/22 12:38	05/18/22 10:26	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/17/22 12:38	05/18/22 10:26		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/18/22 10:26	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/18/22 10:26	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/17/22 12:38	05/18/22 10:26	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/17/22 12:38	05/18/22 10:26	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/17/22 12:38	05/18/22 10:26	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/18/22 10:26	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/17/22 12:38	05/18/22 10:26	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/17/22 12:38	05/18/22 10:26	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/17/22 12:38	05/18/22 10:26	100-02-7	
Acenaphthene	<0.075	mg/kg	0.25	0.075	1	05/17/22 12:38	05/18/22 10:26	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/17/22 12:38	05/18/22 10:26	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/18/22 10:26	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/18/22 10:26	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/18/22 10:26	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/18/22 10:26	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/17/22 12:38	05/18/22 10:26	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/17/22 12:38	05/18/22 10:26	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/18/22 10:26	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/18/22 10:26	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/18/22 10:26	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/18/22 10:26	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/17/22 12:38	05/18/22 10:26	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/18/22 10:26	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/17/22 12:38	05/18/22 10:26	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/18/22 10:26	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.092	0.028	1	05/17/22 12:38	05/18/22 10:26	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/17/22 12:38	05/18/22 10:26	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/17/22 12:38	05/18/22 10:26	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/17/22 12:38	05/18/22 10:26	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/18/22 10:26	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/17/22 12:38	05/18/22 10:26	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/18/22 10:26	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/17/22 12:38	05/18/22 10:26	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/18/22 10:26	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/18/22 10:26	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/17/22 12:38	05/18/22 10:26	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/17/22 12:38	05/18/22 10:26	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/17/22 12:38	05/18/22 10:26	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/17/22 12:38	05/18/22 10:26	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/17/22 12:38	05/18/22 10:26	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/17/22 12:38	05/18/22 10:26	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/17/22 12:38	05/18/22 10:26	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-38 (5.5-6.5) **Lab ID: 40244803001** Collected: 05/11/22 08:10 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/17/22 12:38	05/18/22 10:26	111-91-1	
bis(2-Chloroethyl) ether	<0.066	mg/kg	0.22	0.066	1	05/17/22 12:38	05/18/22 10:26	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/18/22 10:26	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	82	%	10-125		1	05/17/22 12:38	05/18/22 10:26	4165-60-0	
2-Fluorobiphenyl (S)	76	%	12-118		1	05/17/22 12:38	05/18/22 10:26	321-60-8	
Terphenyl-d14 (S)	82	%	10-124		1	05/17/22 12:38	05/18/22 10:26	1718-51-0	
Phenol-d6 (S)	65	%	10-125		1	05/17/22 12:38	05/18/22 10:26	13127-88-3	
2-Fluorophenol (S)	68	%	10-130		1	05/17/22 12:38	05/18/22 10:26	367-12-4	
2,4,6-Tribromophenol (S)	90	%	10-144		1	05/17/22 12:38	05/18/22 10:26	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0048	0.0015	1	05/18/22 06:00	05/18/22 16:44	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0025	mg/kg	0.0048	0.0025	1	05/18/22 06:00	05/18/22 16:44	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0048	0.0015	1	05/18/22 06:00	05/18/22 16:44	79-00-5	
1,1-Dichloroethane	<0.0010	mg/kg	0.0048	0.0010	1	05/18/22 06:00	05/18/22 16:44	75-34-3	
1,1-Dichloroethene	<0.0010	mg/kg	0.0048	0.0010	1	05/18/22 06:00	05/18/22 16:44	75-35-4	
1,2-Dichloroethane	<0.00079	mg/kg	0.0048	0.00079	1	05/18/22 06:00	05/18/22 16:44	107-06-2	
1,2-Dichloropropane	<0.00097	mg/kg	0.0048	0.00097	1	05/18/22 06:00	05/18/22 16:44	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.024	0.015	1	05/18/22 06:00	05/18/22 16:44	78-93-3	
2-Hexanone	<0.011	mg/kg	0.024	0.011	1	05/18/22 06:00	05/18/22 16:44	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.019	mg/kg	0.024	0.019	1	05/18/22 06:00	05/18/22 16:44	108-10-1	
Acetone	<0.045	mg/kg	0.096	0.045	1	05/18/22 06:00	05/18/22 16:44	67-64-1	
Benzene	<0.00068	mg/kg	0.0048	0.00068	1	05/18/22 06:00	05/18/22 16:44	71-43-2	
Bromodichloromethane	<0.00065	mg/kg	0.0048	0.00065	1	05/18/22 06:00	05/18/22 16:44	75-27-4	
Bromoform	<0.0078	mg/kg	0.019	0.0078	1	05/18/22 06:00	05/18/22 16:44	75-25-2	
Bromomethane	<0.0043	mg/kg	0.0048	0.0043	1	05/18/22 06:00	05/18/22 16:44	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0048	0.0011	1	05/18/22 06:00	05/18/22 16:44	75-15-0	
Carbon tetrachloride	<0.0030	mg/kg	0.0048	0.0030	1	05/18/22 06:00	05/18/22 16:44	56-23-5	
Chlorobenzene	<0.00088	mg/kg	0.0048	0.00088	1	05/18/22 06:00	05/18/22 16:44	108-90-7	
Chloroethane	<0.0035	mg/kg	0.0048	0.0035	1	05/18/22 06:00	05/18/22 16:44	75-00-3	
Chloroform	<0.00081	mg/kg	0.0048	0.00081	1	05/18/22 06:00	05/18/22 16:44	67-66-3	
Chloromethane	<0.0010	mg/kg	0.0048	0.0010	1	05/18/22 06:00	05/18/22 16:44	74-87-3	
Dibromochloromethane	<0.00097	mg/kg	0.0048	0.00097	1	05/18/22 06:00	05/18/22 16:44	124-48-1	
Ethylbenzene	<0.00086	mg/kg	0.0048	0.00086	1	05/18/22 06:00	05/18/22 16:44	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0048	0.0020	1	05/18/22 06:00	05/18/22 16:44	1634-04-4	
Methylene Chloride	<0.0038	mg/kg	0.0048	0.0038	1	05/18/22 06:00	05/18/22 16:44	75-09-2	
Styrene	<0.00068	mg/kg	0.0048	0.00068	1	05/18/22 06:00	05/18/22 16:44	100-42-5	
Tetrachloroethene	0.0023J	mg/kg	0.0048	0.00085	1	05/18/22 06:00	05/18/22 16:44	127-18-4	
Toluene	<0.00085	mg/kg	0.0048	0.00085	1	05/18/22 06:00	05/18/22 16:44	108-88-3	
Trichloroethene	<0.00069	mg/kg	0.0048	0.00069	1	05/18/22 06:00	05/18/22 16:44	79-01-6	
Vinyl chloride	<0.0012	mg/kg	0.0048	0.0012	1	05/18/22 06:00	05/18/22 16:44	75-01-4	
Xylene (Total)	<0.0033	mg/kg	0.0096	0.0033	1	05/18/22 06:00	05/18/22 16:44	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-38 (5.5-6.5) **Lab ID: 40244803001** Collected: 05/11/22 08:10 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00085	mg/kg	0.0048	0.00085	1	05/18/22 06:00	05/18/22 16:44	156-59-2	
cis-1,3-Dichloropropene	<0.00098	mg/kg	0.0048	0.00098	1	05/18/22 06:00	05/18/22 16:44	10061-01-5	
trans-1,2-Dichloroethene	<0.00069	mg/kg	0.0048	0.00069	1	05/18/22 06:00	05/18/22 16:44	156-60-5	
trans-1,3-Dichloropropene	<0.00096	mg/kg	0.0048	0.00096	1	05/18/22 06:00	05/18/22 16:44	10061-02-6	
Surrogates									
Toluene-d8 (S)	98	%	69-156		1	05/18/22 06:00	05/18/22 16:44	2037-26-5	
4-Bromofluorobenzene (S)	100	%	61-175		1	05/18/22 06:00	05/18/22 16:44	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1	05/18/22 06:00	05/18/22 16:44	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.6	%	0.10	0.10	1		05/13/22 11:11		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.7	Std. Units	0.10	0.010	1		05/23/22 13:03		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.32	mg/kg	0.97	0.32	1	05/24/22 10:40	05/24/22 13:54	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-38 (8.5-9.5) **Lab ID: 40244803002** Collected: 05/11/22 08:15 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00051	mg/kg	0.0021	0.00051	1	05/16/22 10:43	05/19/22 22:52	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/19/22 22:52	319-84-6	
beta-BHC	<0.00066	mg/kg	0.0021	0.00066	1	05/16/22 10:43	05/19/22 22:52	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0021	0.00039	1	05/16/22 10:43	05/19/22 22:52	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/19/22 22:52	58-89-9	
Chlordane (Technical)	<0.0070	mg/kg	0.021	0.0070	1	05/16/22 10:43	05/19/22 22:52	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/16/22 10:43	05/19/22 22:52	5103-71-9	
gamma-Chlordane	<0.00079	mg/kg	0.0021	0.00079	1	05/16/22 10:43	05/19/22 22:52	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0042	0.00043	1	05/16/22 10:43	05/19/22 22:52	72-54-8	
4,4'-DDE	<0.00049	mg/kg	0.0042	0.00049	1	05/16/22 10:43	05/19/22 22:52	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0042	0.0013	1	05/16/22 10:43	05/19/22 22:52	50-29-3	
Dieldrin	<0.00040	mg/kg	0.0042	0.00040	1	05/16/22 10:43	05/19/22 22:52	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0021	0.00024	1	05/16/22 10:43	05/19/22 22:52	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0042	0.0010	1	05/16/22 10:43	05/19/22 22:52	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0042	0.0010	1	05/16/22 10:43	05/19/22 22:52	1031-07-8	L2
Endrin	<0.00048	mg/kg	0.0042	0.00048	1	05/16/22 10:43	05/19/22 22:52	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0042	0.0014	1	05/16/22 10:43	05/19/22 22:52	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0042	0.0011	1	05/16/22 10:43	05/19/22 22:52	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0021	0.00057	1	05/16/22 10:43	05/19/22 22:52	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0021	0.00022	1	05/16/22 10:43	05/19/22 22:52	1024-57-3	
Methoxychlor	<0.0065	mg/kg	0.021	0.0065	1	05/16/22 10:43	05/19/22 22:52	72-43-5	
Toxaphene	<0.020	mg/kg	0.064	0.020	1	05/16/22 10:43	05/19/22 22:52	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	75	%	53-138		1	05/16/22 10:43	05/19/22 22:52	877-09-8	
Decachlorobiphenyl (S)	65	%	30-150		1	05/16/22 10:43	05/19/22 22:52	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.063	0.019	1	05/12/22 19:38	05/14/22 02:02	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.063	0.019	1	05/12/22 19:38	05/14/22 02:02	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.063	0.019	1	05/12/22 19:38	05/14/22 02:02	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.063	0.019	1	05/12/22 19:38	05/14/22 02:02	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.063	0.019	1	05/12/22 19:38	05/14/22 02:02	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.063	0.019	1	05/12/22 19:38	05/14/22 02:02	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.063	0.019	1	05/12/22 19:38	05/14/22 02:02	11096-82-5	
PCB, Total	<0.019	mg/kg	0.063	0.019	1	05/12/22 19:38	05/14/22 02:02	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	80	%	50-99		1	05/12/22 19:38	05/14/22 02:02	877-09-8	
Decachlorobiphenyl (S)	78	%	38-95		1	05/12/22 19:38	05/14/22 02:02	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	11200	mg/kg	36.6	7.4	1	05/19/22 12:21	05/24/22 00:18	7429-90-5	
Antimony	0.21J	mg/kg	0.61	0.12	1	05/19/22 12:21	05/24/22 00:18	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-38 (8.5-9.5) **Lab ID: 40244803002** Collected: 05/11/22 08:15 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	13.7	mg/kg	0.61	0.13	1	05/19/22 12:21	05/24/22 00:18	7440-38-2	
Barium	123	mg/kg	0.37	0.065	1	05/19/22 12:21	05/24/22 00:18	7440-39-3	
Beryllium	0.78	mg/kg	0.24	0.048	1	05/19/22 12:21	05/24/22 20:32	7440-41-7	
Cadmium	0.21	mg/kg	0.098	0.038	1	05/19/22 12:21	05/24/22 00:18	7440-43-9	
Calcium	41900	mg/kg	122	14.4	1	05/19/22 12:21	05/24/22 00:18	7440-70-2	
Chromium	17.2	mg/kg	2.4	0.17	1	05/19/22 12:21	05/24/22 00:18	7440-47-3	
Cobalt	5.5	mg/kg	0.61	0.12	1	05/19/22 12:21	05/24/22 00:18	7440-48-4	
Copper	17.8	mg/kg	1.2	0.30	1	05/19/22 12:21	05/24/22 00:18	7440-50-8	
Iron	21300	mg/kg	61.0	12.8	1	05/19/22 12:21	05/24/22 00:18	7439-89-6	
Lead	11.8	mg/kg	0.61	0.036	1	05/19/22 12:21	05/24/22 00:18	7439-92-1	
Magnesium	14900	mg/kg	36.6	5.2	1	05/19/22 12:21	05/24/22 00:18	7439-95-4	
Manganese	109	mg/kg	0.61	0.30	1	05/19/22 12:21	05/24/22 00:18	7439-96-5	
Nickel	15.4	mg/kg	0.61	0.24	1	05/19/22 12:21	05/24/22 00:18	7440-02-0	
Potassium	729	mg/kg	122	14.0	1	05/19/22 12:21	05/24/22 00:18	7440-09-7	
Selenium	0.30J	mg/kg	0.61	0.10	1	05/19/22 12:21	05/24/22 20:32	7782-49-2	
Silver	0.41J	mg/kg	0.61	0.18	1	05/19/22 12:21	05/24/22 00:18	7440-22-4	
Sodium	85.2	mg/kg	61.0	13.5	1	05/19/22 12:21	05/24/22 00:18	7440-23-5	
Thallium	0.24	mg/kg	0.12	0.045	1	05/19/22 12:21	05/24/22 00:18	7440-28-0	
Vanadium	35.0	mg/kg	1.2	0.21	1	05/19/22 12:21	05/24/22 00:18	7440-62-2	
Zinc	61.9	mg/kg	6.1	1.1	1	05/19/22 12:21	05/24/22 00:18	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.056	mg/kg	0.043	0.012	1	05/17/22 11:51	05/18/22 14:44	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/17/22 12:38	05/18/22 10:48	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/17/22 12:38	05/18/22 10:48	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/17/22 12:38	05/18/22 10:48	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/17/22 12:38	05/18/22 10:48	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/17/22 12:38	05/18/22 10:48	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/17/22 12:38	05/18/22 10:48	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/18/22 10:48	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/17/22 12:38	05/18/22 10:48	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/17/22 12:38	05/18/22 10:48	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/17/22 12:38	05/18/22 10:48	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/17/22 12:38	05/18/22 10:48	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/17/22 12:38	05/18/22 10:48	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/17/22 12:38	05/18/22 10:48	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/17/22 12:38	05/18/22 10:48	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/17/22 12:38	05/18/22 10:48	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/17/22 12:38	05/18/22 10:48	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/17/22 12:38	05/18/22 10:48	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-38 (8.5-9.5) Lab ID: 40244803002 Collected: 05/11/22 08:15 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/17/22 12:38	05/18/22 10:48	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/17/22 12:38	05/18/22 10:48		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/18/22 10:48	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/18/22 10:48	99-09-2	
4,6-Dinitro-2-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/17/22 12:38	05/18/22 10:48	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/17/22 12:38	05/18/22 10:48	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/17/22 12:38	05/18/22 10:48	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/18/22 10:48	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/17/22 12:38	05/18/22 10:48	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/17/22 12:38	05/18/22 10:48	100-01-6	
4-Nitrophenol	<0.053	mg/kg	0.18	0.053	1	05/17/22 12:38	05/18/22 10:48	100-02-7	
Acenaphthene	<0.075	mg/kg	0.25	0.075	1	05/17/22 12:38	05/18/22 10:48	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/17/22 12:38	05/18/22 10:48	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/18/22 10:48	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/18/22 10:48	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/18/22 10:48	50-32-8	
Benzo(b)fluoranthene	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/18/22 10:48	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/17/22 12:38	05/18/22 10:48	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/17/22 12:38	05/18/22 10:48	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/18/22 10:48	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/18/22 10:48	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/18/22 10:48	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/18/22 10:48	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/17/22 12:38	05/18/22 10:48	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/18/22 10:48	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/17/22 12:38	05/18/22 10:48	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/18/22 10:48	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.092	0.028	1	05/17/22 12:38	05/18/22 10:48	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/17/22 12:38	05/18/22 10:48	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/17/22 12:38	05/18/22 10:48	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/17/22 12:38	05/18/22 10:48	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/18/22 10:48	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/17/22 12:38	05/18/22 10:48	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/18/22 10:48	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/17/22 12:38	05/18/22 10:48	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/18/22 10:48	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/18/22 10:48	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/17/22 12:38	05/18/22 10:48	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/17/22 12:38	05/18/22 10:48	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/17/22 12:38	05/18/22 10:48	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/17/22 12:38	05/18/22 10:48	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/17/22 12:38	05/18/22 10:48	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/17/22 12:38	05/18/22 10:48	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/17/22 12:38	05/18/22 10:48	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-38 (8.5-9.5) **Lab ID: 40244803002** Collected: 05/11/22 08:15 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/17/22 12:38	05/18/22 10:48	111-91-1	
bis(2-Chloroethyl) ether	<0.066	mg/kg	0.22	0.066	1	05/17/22 12:38	05/18/22 10:48	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/18/22 10:48	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	70	%	10-125		1	05/17/22 12:38	05/18/22 10:48	4165-60-0	
2-Fluorobiphenyl (S)	57	%	12-118		1	05/17/22 12:38	05/18/22 10:48	321-60-8	
Terphenyl-d14 (S)	69	%	10-124		1	05/17/22 12:38	05/18/22 10:48	1718-51-0	
Phenol-d6 (S)	62	%	10-125		1	05/17/22 12:38	05/18/22 10:48	13127-88-3	
2-Fluorophenol (S)	61	%	10-130		1	05/17/22 12:38	05/18/22 10:48	367-12-4	
2,4,6-Tribromophenol (S)	72	%	10-144		1	05/17/22 12:38	05/18/22 10:48	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/18/22 06:00	05/18/22 17:09	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0052	0.0026	1	05/18/22 06:00	05/18/22 17:09	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/18/22 06:00	05/18/22 17:09	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0052	0.0011	1	05/18/22 06:00	05/18/22 17:09	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0052	0.0011	1	05/18/22 06:00	05/18/22 17:09	75-35-4	
1,2-Dichloroethane	<0.00085	mg/kg	0.0052	0.00085	1	05/18/22 06:00	05/18/22 17:09	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0052	0.0010	1	05/18/22 06:00	05/18/22 17:09	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.026	0.016	1	05/18/22 06:00	05/18/22 17:09	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/18/22 06:00	05/18/22 17:09	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.026	0.020	1	05/18/22 06:00	05/18/22 17:09	108-10-1	
Acetone	<0.049	mg/kg	0.10	0.049	1	05/18/22 06:00	05/18/22 17:09	67-64-1	
Benzene	<0.00073	mg/kg	0.0052	0.00073	1	05/18/22 06:00	05/18/22 17:09	71-43-2	
Bromodichloromethane	<0.00070	mg/kg	0.0052	0.00070	1	05/18/22 06:00	05/18/22 17:09	75-27-4	
Bromoform	<0.0084	mg/kg	0.021	0.0084	1	05/18/22 06:00	05/18/22 17:09	75-25-2	
Bromomethane	<0.0046	mg/kg	0.0052	0.0046	1	05/18/22 06:00	05/18/22 17:09	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0052	0.0011	1	05/18/22 06:00	05/18/22 17:09	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0052	0.0033	1	05/18/22 06:00	05/18/22 17:09	56-23-5	
Chlorobenzene	<0.00095	mg/kg	0.0052	0.00095	1	05/18/22 06:00	05/18/22 17:09	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0052	0.0037	1	05/18/22 06:00	05/18/22 17:09	75-00-3	
Chloroform	<0.00087	mg/kg	0.0052	0.00087	1	05/18/22 06:00	05/18/22 17:09	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0052	0.0011	1	05/18/22 06:00	05/18/22 17:09	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0052	0.0010	1	05/18/22 06:00	05/18/22 17:09	124-48-1	
Ethylbenzene	<0.00092	mg/kg	0.0052	0.00092	1	05/18/22 06:00	05/18/22 17:09	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0052	0.0021	1	05/18/22 06:00	05/18/22 17:09	1634-04-4	
Methylene Chloride	<0.0041	mg/kg	0.0052	0.0041	1	05/18/22 06:00	05/18/22 17:09	75-09-2	
Styrene	<0.00073	mg/kg	0.0052	0.00073	1	05/18/22 06:00	05/18/22 17:09	100-42-5	
Tetrachloroethene	0.0029J	mg/kg	0.0052	0.00091	1	05/18/22 06:00	05/18/22 17:09	127-18-4	
Toluene	<0.00091	mg/kg	0.0052	0.00091	1	05/18/22 06:00	05/18/22 17:09	108-88-3	
Trichloroethene	<0.00074	mg/kg	0.0052	0.00074	1	05/18/22 06:00	05/18/22 17:09	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0052	0.0013	1	05/18/22 06:00	05/18/22 17:09	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/18/22 06:00	05/18/22 17:09	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-38 (8.5-9.5) **Lab ID: 40244803002** Collected: 05/11/22 08:15 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00091	mg/kg	0.0052	0.00091	1	05/18/22 06:00	05/18/22 17:09	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0052	0.0011	1	05/18/22 06:00	05/18/22 17:09	10061-01-5	
trans-1,2-Dichloroethene	<0.00074	mg/kg	0.0052	0.00074	1	05/18/22 06:00	05/18/22 17:09	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0052	0.0010	1	05/18/22 06:00	05/18/22 17:09	10061-02-6	
Surrogates									
Toluene-d8 (S)	91	%	69-156		1	05/18/22 06:00	05/18/22 17:09	2037-26-5	
4-Bromofluorobenzene (S)	92	%	61-175		1	05/18/22 06:00	05/18/22 17:09	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1	05/18/22 06:00	05/18/22 17:09	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.3	%	0.10	0.10	1		05/13/22 11:11		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.8	Std. Units	0.10	0.010	1		05/23/22 13:10		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.38	mg/kg	1.1	0.38	1	05/24/22 10:40	05/24/22 13:55	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: **SB-43 (5.2-6.2)** Lab ID: **40244803003** Collected: 05/11/22 08:55 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00054	mg/kg	0.0022	0.00054	1	05/16/22 10:43	05/19/22 23:11	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/16/22 10:43	05/19/22 23:11	319-84-6	
beta-BHC	<0.00069	mg/kg	0.0022	0.00069	1	05/16/22 10:43	05/19/22 23:11	319-85-7	
delta-BHC	<0.00041	mg/kg	0.0022	0.00041	1	05/16/22 10:43	05/19/22 23:11	319-86-8	
gamma-BHC (Lindane)	<0.00022	mg/kg	0.0022	0.00022	1	05/16/22 10:43	05/19/22 23:11	58-89-9	
Chlordane (Technical)	<0.0074	mg/kg	0.022	0.0074	1	05/16/22 10:43	05/19/22 23:11	57-74-9	
alpha-Chlordane	<0.00028	mg/kg	0.0022	0.00028	1	05/16/22 10:43	05/19/22 23:11	5103-71-9	
gamma-Chlordane	<0.00083	mg/kg	0.0022	0.00083	1	05/16/22 10:43	05/19/22 23:11	5103-74-2	
4,4'-DDD	0.0014J	mg/kg	0.0044	0.00045	1	05/16/22 10:43	05/19/22 23:11	72-54-8	
4,4'-DDE	0.039	mg/kg	0.0044	0.00051	1	05/16/22 10:43	05/19/22 23:11	72-55-9	
4,4'-DDT	0.011	mg/kg	0.0044	0.0014	1	05/16/22 10:43	05/19/22 23:11	50-29-3	
Dieldrin	<0.00042	mg/kg	0.0044	0.00042	1	05/16/22 10:43	05/19/22 23:11	60-57-1	
Endosulfan I	<0.00025	mg/kg	0.0022	0.00025	1	05/16/22 10:43	05/19/22 23:11	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0044	0.0011	1	05/16/22 10:43	05/19/22 23:11	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0044	0.0010	1	05/16/22 10:43	05/19/22 23:11	1031-07-8	L2
Endrin	<0.00050	mg/kg	0.0044	0.00050	1	05/16/22 10:43	05/19/22 23:11	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0044	0.0014	1	05/16/22 10:43	05/19/22 23:11	7421-93-4	
Endrin ketone	<0.0012	mg/kg	0.0044	0.0012	1	05/16/22 10:43	05/19/22 23:11	53494-70-5	
Heptachlor	<0.00060	mg/kg	0.0022	0.00060	1	05/16/22 10:43	05/19/22 23:11	76-44-8	
Heptachlor epoxide	<0.00023	mg/kg	0.0022	0.00023	1	05/16/22 10:43	05/19/22 23:11	1024-57-3	
Methoxychlor	<0.0069	mg/kg	0.022	0.0069	1	05/16/22 10:43	05/19/22 23:11	72-43-5	
Toxaphene	<0.021	mg/kg	0.067	0.021	1	05/16/22 10:43	05/19/22 23:11	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	73	%	53-138		1	05/16/22 10:43	05/19/22 23:11	877-09-8	
Decachlorobiphenyl (S)	65	%	30-150		1	05/16/22 10:43	05/19/22 23:11	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.067	0.020	1	05/12/22 20:52	05/16/22 12:05	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.067	0.020	1	05/12/22 20:52	05/16/22 12:05	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.067	0.020	1	05/12/22 20:52	05/16/22 12:05	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.067	0.020	1	05/12/22 20:52	05/16/22 12:05	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.067	0.020	1	05/12/22 20:52	05/16/22 12:05	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.067	0.020	1	05/12/22 20:52	05/16/22 12:05	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.067	0.020	1	05/12/22 20:52	05/16/22 12:05	11096-82-5	
PCB, Total	<0.020	mg/kg	0.067	0.020	1	05/12/22 20:52	05/16/22 12:05	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	78	%	50-99		1	05/12/22 20:52	05/16/22 12:05	877-09-8	
Decachlorobiphenyl (S)	80	%	38-95		1	05/12/22 20:52	05/16/22 12:05	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	15200	mg/kg	38.3	7.7	1	05/19/22 12:21	05/24/22 00:22	7429-90-5	
Antimony	0.29J	mg/kg	0.64	0.12	1	05/19/22 12:21	05/24/22 00:22	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-43 (5.2-6.2) Lab ID: 40244803003 Collected: 05/11/22 08:55 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS		Analytical Method: EPA 6020B Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis							
Arsenic	10.6	mg/kg	0.64	0.14	1	05/19/22 12:21	05/24/22 00:22	7440-38-2	
Barium	115	mg/kg	0.38	0.068	1	05/19/22 12:21	05/24/22 00:22	7440-39-3	
Beryllium	1.0	mg/kg	0.26	0.051	1	05/19/22 12:21	05/24/22 20:35	7440-41-7	
Cadmium	0.95	mg/kg	0.10	0.040	1	05/19/22 12:21	05/24/22 00:22	7440-43-9	
Calcium	6270	mg/kg	128	15.1	1	05/19/22 12:21	05/24/22 00:22	7440-70-2	
Chromium	19.0	mg/kg	2.6	0.18	1	05/19/22 12:21	05/24/22 00:22	7440-47-3	
Cobalt	7.5	mg/kg	0.64	0.13	1	05/19/22 12:21	05/24/22 00:22	7440-48-4	
Copper	19.6	mg/kg	1.3	0.31	1	05/19/22 12:21	05/24/22 00:22	7440-50-8	
Iron	25200	mg/kg	63.8	13.4	1	05/19/22 12:21	05/24/22 00:22	7439-89-6	
Lead	33.7	mg/kg	0.64	0.038	1	05/19/22 12:21	05/24/22 00:22	7439-92-1	
Magnesium	4240	mg/kg	38.3	5.5	1	05/19/22 12:21	05/24/22 00:22	7439-95-4	
Manganese	243	mg/kg	0.64	0.31	1	05/19/22 12:21	05/24/22 00:22	7439-96-5	
Nickel	19.7	mg/kg	0.64	0.25	1	05/19/22 12:21	05/24/22 00:22	7440-02-0	
Potassium	1640	mg/kg	128	14.7	1	05/19/22 12:21	05/24/22 00:22	7440-09-7	
Selenium	0.51J	mg/kg	0.64	0.11	1	05/19/22 12:21	05/24/22 20:35	7782-49-2	
Silver	0.21J	mg/kg	0.64	0.19	1	05/19/22 12:21	05/24/22 00:22	7440-22-4	
Sodium	103	mg/kg	63.8	14.2	1	05/19/22 12:21	05/24/22 00:22	7440-23-5	
Thallium	0.34	mg/kg	0.13	0.047	1	05/19/22 12:21	05/24/22 00:22	7440-28-0	
Vanadium	31.1	mg/kg	1.3	0.22	1	05/19/22 12:21	05/24/22 00:22	7440-62-2	
Zinc	168	mg/kg	6.4	1.1	1	05/19/22 12:21	05/24/22 00:22	7440-66-6	
7471 Mercury		Analytical Method: EPA 7471 Preparation Method: EPA 7471 Pace Analytical Services - Green Bay							
Mercury	0.025J	mg/kg	0.043	0.012	1	05/17/22 11:51	05/18/22 14:46	7439-97-6	
8270E MSSV FULL LIST MICROWAVE		Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Green Bay							
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.084	0.025	1	05/17/22 12:38	05/18/22 11:09	120-82-1	
1,2-Dichlorobenzene	<0.070	mg/kg	0.23	0.070	1	05/17/22 12:38	05/18/22 11:09	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/17/22 12:38	05/18/22 11:09	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/17/22 12:38	05/18/22 11:09	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.057	mg/kg	0.19	0.057	1	05/17/22 12:38	05/18/22 11:09	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/17/22 12:38	05/18/22 11:09	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/18/22 11:09	88-06-2	
2,4-Dichlorophenol	<0.060	mg/kg	0.20	0.060	1	05/17/22 12:38	05/18/22 11:09	120-83-2	
2,4-Dimethylphenol	<0.044	mg/kg	0.15	0.044	1	05/17/22 12:38	05/18/22 11:09	105-67-9	
2,4-Dinitrophenol	<0.068	mg/kg	0.23	0.068	1	05/17/22 12:38	05/18/22 11:09	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/18/22 11:09	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/17/22 12:38	05/18/22 11:09	606-20-2	
2-Chloronaphthalene	<0.029	mg/kg	0.095	0.029	1	05/17/22 12:38	05/18/22 11:09	91-58-7	
2-Chlorophenol	<0.056	mg/kg	0.19	0.056	1	05/17/22 12:38	05/18/22 11:09	95-57-8	
2-Methylnaphthalene	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/18/22 11:09	91-57-6	
2-Methylphenol(o-Cresol)	<0.041	mg/kg	0.14	0.041	1	05/17/22 12:38	05/18/22 11:09	95-48-7	
2-Nitroaniline	<0.064	mg/kg	0.21	0.064	1	05/17/22 12:38	05/18/22 11:09	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: **SB-43 (5.2-6.2)** Lab ID: **40244803003** Collected: 05/11/22 08:55 Received: 05/12/22 10:10 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.070	mg/kg	0.23	0.070	1	05/17/22 12:38	05/18/22 11:09	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.041	mg/kg	0.14	0.041	1	05/17/22 12:38	05/18/22 11:09		
3,3'-Dichlorobenzidine	<0.060	mg/kg	0.20	0.060	1	05/17/22 12:38	05/18/22 11:09	91-94-1	
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/17/22 12:38	05/18/22 11:09	99-09-2	
4,6-Dinitro-2-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/17/22 12:38	05/18/22 11:09	534-52-1	
4-Bromophenylphenyl ether	<0.047	mg/kg	0.16	0.047	1	05/17/22 12:38	05/18/22 11:09	101-55-3	
4-Chloro-3-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/17/22 12:38	05/18/22 11:09	59-50-7	
4-Chloroaniline	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/18/22 11:09	106-47-8	1q
4-Chlorophenylphenyl ether	<0.042	mg/kg	0.14	0.042	1	05/17/22 12:38	05/18/22 11:09	7005-72-3	
4-Nitroaniline	<0.093	mg/kg	0.31	0.093	1	05/17/22 12:38	05/18/22 11:09	100-01-6	
4-Nitrophenol	<0.056	mg/kg	0.19	0.056	1	05/17/22 12:38	05/18/22 11:09	100-02-7	
Acenaphthene	<0.079	mg/kg	0.26	0.079	1	05/17/22 12:38	05/18/22 11:09	83-32-9	
Acenaphthylene	<0.080	mg/kg	0.27	0.080	1	05/17/22 12:38	05/18/22 11:09	208-96-8	
Anthracene	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/18/22 11:09	120-12-7	
Benzo(a)anthracene	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/18/22 11:09	56-55-3	
Benzo(a)pyrene	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/18/22 11:09	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/17/22 12:38	05/18/22 11:09	205-99-2	
Benzo(g,h,i)perylene	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/18/22 11:09	191-24-2	
Benzo(k)fluoranthene	<0.053	mg/kg	0.18	0.053	1	05/17/22 12:38	05/18/22 11:09	207-08-9	
Butylbenzylphthalate	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/18/22 11:09	85-68-7	
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/18/22 11:09	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/18/22 11:09	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/18/22 11:09	84-74-2	
Di-n-octylphthalate	<0.050	mg/kg	0.17	0.050	1	05/17/22 12:38	05/18/22 11:09	117-84-0	
Dibenz(a,h)anthracene	<0.061	mg/kg	0.20	0.061	1	05/17/22 12:38	05/18/22 11:09	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.090	0.027	1	05/17/22 12:38	05/18/22 11:09	132-64-9	
Diethylphthalate	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/18/22 11:09	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.097	0.029	1	05/17/22 12:38	05/18/22 11:09	131-11-3	
Fluoranthene	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/18/22 11:09	206-44-0	
Fluorene	<0.026	mg/kg	0.087	0.026	1	05/17/22 12:38	05/18/22 11:09	86-73-7	
Hexachloro-1,3-butadiene	<0.057	mg/kg	0.19	0.057	1	05/17/22 12:38	05/18/22 11:09	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/18/22 11:09	118-74-1	
Hexachlorocyclopentadiene	<0.053	mg/kg	0.18	0.053	1	05/17/22 12:38	05/18/22 11:09	77-47-4	
Hexachloroethane	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/18/22 11:09	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.048	mg/kg	0.16	0.048	1	05/17/22 12:38	05/18/22 11:09	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/18/22 11:09	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/18/22 11:09	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	1.0	0.30	1	05/17/22 12:38	05/18/22 11:09	86-30-6	
Naphthalene	<0.078	mg/kg	0.26	0.078	1	05/17/22 12:38	05/18/22 11:09	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/17/22 12:38	05/18/22 11:09	98-95-3	
Pentachlorophenol	<0.049	mg/kg	0.16	0.049	1	05/17/22 12:38	05/18/22 11:09	87-86-5	
Phenanthrene	<0.029	mg/kg	0.095	0.029	1	05/17/22 12:38	05/18/22 11:09	85-01-8	
Phenol	<0.053	mg/kg	0.18	0.053	1	05/17/22 12:38	05/18/22 11:09	108-95-2	
Pyrene	<0.049	mg/kg	0.16	0.049	1	05/17/22 12:38	05/18/22 11:09	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-43 (5.2-6.2) Lab ID: 40244803003 Collected: 05/11/22 08:55 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.060	mg/kg	0.20	0.060	1	05/17/22 12:38	05/18/22 11:09	111-91-1	
bis(2-Chloroethyl) ether	<0.070	mg/kg	0.23	0.070	1	05/17/22 12:38	05/18/22 11:09	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/18/22 11:09	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	76	%	10-125		1	05/17/22 12:38	05/18/22 11:09	4165-60-0	
2-Fluorobiphenyl (S)	67	%	12-118		1	05/17/22 12:38	05/18/22 11:09	321-60-8	
Terphenyl-d14 (S)	58	%	10-124		1	05/17/22 12:38	05/18/22 11:09	1718-51-0	
Phenol-d6 (S)	62	%	10-125		1	05/17/22 12:38	05/18/22 11:09	13127-88-3	
2-Fluorophenol (S)	67	%	10-130		1	05/17/22 12:38	05/18/22 11:09	367-12-4	
2,4,6-Tribromophenol (S)	62	%	10-144		1	05/17/22 12:38	05/18/22 11:09	118-79-6	
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/18/22 06:00	05/18/22 17:33	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0054	0.0028	1	05/18/22 06:00	05/18/22 17:33	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/18/22 06:00	05/18/22 17:33	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0054	0.0012	1	05/18/22 06:00	05/18/22 17:33	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 17:33	75-35-4	
1,2-Dichloroethane	<0.00089	mg/kg	0.0054	0.00089	1	05/18/22 06:00	05/18/22 17:33	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 17:33	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/18/22 06:00	05/18/22 17:33	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/18/22 06:00	05/18/22 17:33	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/18/22 06:00	05/18/22 17:33	108-10-1	
Acetone	<0.051	mg/kg	0.11	0.051	1	05/18/22 06:00	05/18/22 17:33	67-64-1	
Benzene	<0.00077	mg/kg	0.0054	0.00077	1	05/18/22 06:00	05/18/22 17:33	71-43-2	
Bromodichloromethane	<0.00073	mg/kg	0.0054	0.00073	1	05/18/22 06:00	05/18/22 17:33	75-27-4	
Bromoform	<0.0088	mg/kg	0.022	0.0088	1	05/18/22 06:00	05/18/22 17:33	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0054	0.0048	1	05/18/22 06:00	05/18/22 17:33	74-83-9	
Carbon disulfide	0.0052J	mg/kg	0.0054	0.0012	1	05/18/22 06:00	05/18/22 17:33	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0054	0.0034	1	05/18/22 06:00	05/18/22 17:33	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0054	0.0010	1	05/18/22 06:00	05/18/22 17:33	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0054	0.0039	1	05/18/22 06:00	05/18/22 17:33	75-00-3	
Chloroform	<0.00091	mg/kg	0.0054	0.00091	1	05/18/22 06:00	05/18/22 17:33	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0054	0.0012	1	05/18/22 06:00	05/18/22 17:33	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 17:33	124-48-1	
Ethylbenzene	<0.00096	mg/kg	0.0054	0.00096	1	05/18/22 06:00	05/18/22 17:33	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0054	0.0022	1	05/18/22 06:00	05/18/22 17:33	1634-04-4	
Methylene Chloride	<0.0043	mg/kg	0.0054	0.0043	1	05/18/22 06:00	05/18/22 17:33	75-09-2	
Styrene	<0.00077	mg/kg	0.0054	0.00077	1	05/18/22 06:00	05/18/22 17:33	100-42-5	
Tetrachloroethene	<0.00096	mg/kg	0.0054	0.00096	1	05/18/22 06:00	05/18/22 17:33	127-18-4	
Toluene	<0.00095	mg/kg	0.0054	0.00095	1	05/18/22 06:00	05/18/22 17:33	108-88-3	
Trichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/18/22 06:00	05/18/22 17:33	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0054	0.0014	1	05/18/22 06:00	05/18/22 17:33	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/18/22 06:00	05/18/22 17:33	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-43 (5.2-6.2) **Lab ID: 40244803003** Collected: 05/11/22 08:55 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00095	mg/kg	0.0054	0.00095	1	05/18/22 06:00	05/18/22 17:33	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 17:33	10061-01-5	
trans-1,2-Dichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/18/22 06:00	05/18/22 17:33	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 17:33	10061-02-6	
Surrogates									
Toluene-d8 (S)	96	%	69-156		1	05/18/22 06:00	05/18/22 17:33	2037-26-5	
4-Bromofluorobenzene (S)	90	%	61-175		1	05/18/22 06:00	05/18/22 17:33	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1	05/18/22 06:00	05/18/22 17:33	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	25.2	%	0.10	0.10	1		05/13/22 11:11		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.9	Std. Units	0.10	0.010	1		05/23/22 13:15		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.35	mg/kg	1.1	0.35	1	05/24/22 10:40	05/24/22 13:57	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-43 (8.0-9.0) **Lab ID: 40244803004** Collected: 05/11/22 09:00 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0022	0.00052	1	05/16/22 10:43	05/19/22 23:30	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/16/22 10:43	05/19/22 23:30	319-84-6	
beta-BHC	<0.00067	mg/kg	0.0022	0.00067	1	05/16/22 10:43	05/19/22 23:30	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0022	0.00039	1	05/16/22 10:43	05/19/22 23:30	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/16/22 10:43	05/19/22 23:30	58-89-9	
Chlordane (Technical)	<0.0071	mg/kg	0.022	0.0071	1	05/16/22 10:43	05/19/22 23:30	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/16/22 10:43	05/19/22 23:30	5103-71-9	
gamma-Chlordane	<0.00080	mg/kg	0.0022	0.00080	1	05/16/22 10:43	05/19/22 23:30	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0043	0.00044	1	05/16/22 10:43	05/19/22 23:30	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/16/22 10:43	05/19/22 23:30	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/16/22 10:43	05/19/22 23:30	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/16/22 10:43	05/19/22 23:30	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/16/22 10:43	05/19/22 23:30	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/16/22 10:43	05/19/22 23:30	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/16/22 10:43	05/19/22 23:30	1031-07-8	L2
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/16/22 10:43	05/19/22 23:30	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/16/22 10:43	05/19/22 23:30	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/16/22 10:43	05/19/22 23:30	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0022	0.00058	1	05/16/22 10:43	05/19/22 23:30	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/16/22 10:43	05/19/22 23:30	1024-57-3	
Methoxychlor	<0.0067	mg/kg	0.022	0.0067	1	05/16/22 10:43	05/19/22 23:30	72-43-5	
Toxaphene	<0.020	mg/kg	0.065	0.020	1	05/16/22 10:43	05/19/22 23:30	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	72	%	53-138		1	05/16/22 10:43	05/19/22 23:30	877-09-8	
Decachlorobiphenyl (S)	61	%	30-150		1	05/16/22 10:43	05/19/22 23:30	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/12/22 20:52	05/16/22 12:30	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/12/22 20:52	05/16/22 12:30	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/12/22 20:52	05/16/22 12:30	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/12/22 20:52	05/16/22 12:30	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/12/22 20:52	05/16/22 12:30	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/12/22 20:52	05/16/22 12:30	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/12/22 20:52	05/16/22 12:30	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/12/22 20:52	05/16/22 12:30	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	86	%	50-99		1	05/12/22 20:52	05/16/22 12:30	877-09-8	
Decachlorobiphenyl (S)	82	%	38-95		1	05/12/22 20:52	05/16/22 12:30	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	19200	mg/kg	38.1	7.7	1	05/19/22 12:21	05/24/22 20:39	7429-90-5	
Antimony	0.27J	mg/kg	0.63	0.12	1	05/19/22 12:21	05/24/22 00:33	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: **SB-43 (8.0-9.0)** Lab ID: **40244803004** Collected: 05/11/22 09:00 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	14.3	mg/kg	0.63	0.14	1	05/19/22 12:21	05/24/22 00:33	7440-38-2	
Barium	214	mg/kg	0.38	0.068	1	05/19/22 12:21	05/24/22 00:33	7440-39-3	
Beryllium	1.2	mg/kg	0.25	0.050	1	05/19/22 12:21	05/24/22 20:39	7440-41-7	
Cadmium	0.27	mg/kg	0.10	0.040	1	05/19/22 12:21	05/24/22 00:33	7440-43-9	
Calcium	5310	mg/kg	127	15.0	1	05/19/22 12:21	05/24/22 20:39	7440-70-2	
Chromium	24.0	mg/kg	2.5	0.18	1	05/19/22 12:21	05/24/22 20:39	7440-47-3	
Cobalt	11.6	mg/kg	0.63	0.13	1	05/19/22 12:21	05/24/22 00:33	7440-48-4	
Copper	24.8	mg/kg	1.3	0.31	1	05/19/22 12:21	05/24/22 00:33	7440-50-8	
Iron	34600	mg/kg	317	66.7	5	05/19/22 12:21	05/24/22 20:42	7439-89-6	
Lead	28.0	mg/kg	0.63	0.037	1	05/19/22 12:21	05/24/22 00:33	7439-92-1	
Magnesium	4570	mg/kg	38.1	5.5	1	05/19/22 12:21	05/24/22 20:39	7439-95-4	
Manganese	556	mg/kg	0.63	0.31	1	05/19/22 12:21	05/24/22 20:39	7439-96-5	
Nickel	21.2	mg/kg	0.63	0.25	1	05/19/22 12:21	05/24/22 00:33	7440-02-0	
Potassium	1310	mg/kg	127	14.6	1	05/19/22 12:21	05/24/22 20:39	7440-09-7	
Selenium	0.66	mg/kg	0.63	0.11	1	05/19/22 12:21	05/24/22 00:33	7782-49-2	
Silver	0.22J	mg/kg	0.63	0.18	1	05/19/22 12:21	05/24/22 00:33	7440-22-4	
Sodium	152	mg/kg	63.5	14.1	1	05/19/22 12:21	05/24/22 20:39	7440-23-5	
Thallium	0.18	mg/kg	0.13	0.046	1	05/19/22 12:21	05/24/22 00:33	7440-28-0	
Vanadium	48.2	mg/kg	1.3	0.22	1	05/19/22 12:21	05/24/22 20:39	7440-62-2	
Zinc	67.9	mg/kg	6.3	1.1	1	05/19/22 12:21	05/24/22 00:33	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.057	mg/kg	0.045	0.013	1	05/17/22 11:51	05/18/22 14:49	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.082	0.024	1	05/17/22 12:38	05/18/22 11:30	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/17/22 12:38	05/18/22 11:30	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/17/22 12:38	05/18/22 11:30	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/17/22 12:38	05/18/22 11:30	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/17/22 12:38	05/18/22 11:30	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/17/22 12:38	05/18/22 11:30	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/18/22 11:30	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/18/22 11:30	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/17/22 12:38	05/18/22 11:30	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/17/22 12:38	05/18/22 11:30	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/17/22 12:38	05/18/22 11:30	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/17/22 12:38	05/18/22 11:30	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/17/22 12:38	05/18/22 11:30	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/17/22 12:38	05/18/22 11:30	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/17/22 12:38	05/18/22 11:30	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/17/22 12:38	05/18/22 11:30	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/17/22 12:38	05/18/22 11:30	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: **SB-43 (8.0-9.0)** Lab ID: **40244803004** Collected: 05/11/22 09:00 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/17/22 12:38	05/18/22 11:30	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/17/22 12:38	05/18/22 11:30		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/17/22 12:38	05/18/22 11:30	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/18/22 11:30	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/17/22 12:38	05/18/22 11:30	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/17/22 12:38	05/18/22 11:30	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/17/22 12:38	05/18/22 11:30	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/18/22 11:30	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/17/22 12:38	05/18/22 11:30	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/17/22 12:38	05/18/22 11:30	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/17/22 12:38	05/18/22 11:30	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/17/22 12:38	05/18/22 11:30	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/17/22 12:38	05/18/22 11:30	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/18/22 11:30	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/18/22 11:30	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/18/22 11:30	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/18/22 11:30	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/17/22 12:38	05/18/22 11:30	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/17/22 12:38	05/18/22 11:30	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/18/22 11:30	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/18/22 11:30	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/18/22 11:30	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/18/22 11:30	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/17/22 12:38	05/18/22 11:30	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/17/22 12:38	05/18/22 11:30	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/17/22 12:38	05/18/22 11:30	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/18/22 11:30	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/17/22 12:38	05/18/22 11:30	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/17/22 12:38	05/18/22 11:30	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/17/22 12:38	05/18/22 11:30	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/17/22 12:38	05/18/22 11:30	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/18/22 11:30	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/17/22 12:38	05/18/22 11:30	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/18/22 11:30	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/17/22 12:38	05/18/22 11:30	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/18/22 11:30	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/18/22 11:30	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/17/22 12:38	05/18/22 11:30	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/17/22 12:38	05/18/22 11:30	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/17/22 12:38	05/18/22 11:30	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/17/22 12:38	05/18/22 11:30	87-86-5	
Phenanthrene	<0.028	mg/kg	0.093	0.028	1	05/17/22 12:38	05/18/22 11:30	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/17/22 12:38	05/18/22 11:30	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/17/22 12:38	05/18/22 11:30	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-43 (8.0-9.0) **Lab ID: 40244803004** Collected: 05/11/22 09:00 Received: 05/12/22 10:10 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/18/22 11:30	111-91-1	
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/17/22 12:38	05/18/22 11:30	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/18/22 11:30	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	66	%	10-125		1	05/17/22 12:38	05/18/22 11:30	4165-60-0	
2-Fluorobiphenyl (S)	55	%	12-118		1	05/17/22 12:38	05/18/22 11:30	321-60-8	
Terphenyl-d14 (S)	70	%	10-124		1	05/17/22 12:38	05/18/22 11:30	1718-51-0	
Phenol-d6 (S)	58	%	10-125		1	05/17/22 12:38	05/18/22 11:30	13127-88-3	
2-Fluorophenol (S)	58	%	10-130		1	05/17/22 12:38	05/18/22 11:30	367-12-4	
2,4,6-Tribromophenol (S)	73	%	10-144		1	05/17/22 12:38	05/18/22 11:30	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/18/22 06:00	05/18/22 17:57	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0054	0.0027	1	05/18/22 06:00	05/18/22 17:57	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/18/22 06:00	05/18/22 17:57	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 17:57	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 17:57	75-35-4	
1,2-Dichloroethane	<0.00088	mg/kg	0.0054	0.00088	1	05/18/22 06:00	05/18/22 17:57	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 17:57	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/18/22 06:00	05/18/22 17:57	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/18/22 06:00	05/18/22 17:57	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/18/22 06:00	05/18/22 17:57	108-10-1	
Acetone	<0.051	mg/kg	0.11	0.051	1	05/18/22 06:00	05/18/22 17:57	67-64-1	
Benzene	<0.00076	mg/kg	0.0054	0.00076	1	05/18/22 06:00	05/18/22 17:57	71-43-2	
Bromodichloromethane	<0.00073	mg/kg	0.0054	0.00073	1	05/18/22 06:00	05/18/22 17:57	75-27-4	
Bromoform	<0.0087	mg/kg	0.021	0.0087	1	05/18/22 06:00	05/18/22 17:57	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0054	0.0048	1	05/18/22 06:00	05/18/22 17:57	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0054	0.0012	1	05/18/22 06:00	05/18/22 17:57	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0054	0.0034	1	05/18/22 06:00	05/18/22 17:57	56-23-5	
Chlorobenzene	<0.00099	mg/kg	0.0054	0.00099	1	05/18/22 06:00	05/18/22 17:57	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0054	0.0039	1	05/18/22 06:00	05/18/22 17:57	75-00-3	
Chloroform	<0.00090	mg/kg	0.0054	0.00090	1	05/18/22 06:00	05/18/22 17:57	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0054	0.0012	1	05/18/22 06:00	05/18/22 17:57	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 17:57	124-48-1	
Ethylbenzene	<0.00096	mg/kg	0.0054	0.00096	1	05/18/22 06:00	05/18/22 17:57	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0054	0.0022	1	05/18/22 06:00	05/18/22 17:57	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0054	0.0042	1	05/18/22 06:00	05/18/22 17:57	75-09-2	
Styrene	<0.00076	mg/kg	0.0054	0.00076	1	05/18/22 06:00	05/18/22 17:57	100-42-5	
Tetrachloroethene	<0.00095	mg/kg	0.0054	0.00095	1	05/18/22 06:00	05/18/22 17:57	127-18-4	
Toluene	<0.00094	mg/kg	0.0054	0.00094	1	05/18/22 06:00	05/18/22 17:57	108-88-3	
Trichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/18/22 06:00	05/18/22 17:57	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0054	0.0014	1	05/18/22 06:00	05/18/22 17:57	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/18/22 06:00	05/18/22 17:57	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-43 (8.0-9.0) **Lab ID: 40244803004** Collected: 05/11/22 09:00 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00094	mg/kg	0.0054	0.00094	1	05/18/22 06:00	05/18/22 17:57	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 17:57	10061-01-5	
trans-1,2-Dichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/18/22 06:00	05/18/22 17:57	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 17:57	10061-02-6	
Surrogates									
Toluene-d8 (S)	100	%	69-156		1	05/18/22 06:00	05/18/22 17:57	2037-26-5	
4-Bromofluorobenzene (S)	98	%	61-175		1	05/18/22 06:00	05/18/22 17:57	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1	05/18/22 06:00	05/18/22 17:57	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.9	%	0.10	0.10	1		05/13/22 11:11		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/23/22 13:17		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.28	mg/kg	0.83	0.28	1	05/24/22 10:40	05/24/22 13:57	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: **SB-42 (5.0-6.0)** Lab ID: **40244803005** Collected: 05/11/22 09:45 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00054	mg/kg	0.0022	0.00054	1	05/16/22 10:43	05/20/22 02:57	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/16/22 10:43	05/20/22 02:57	319-84-6	
beta-BHC	<0.00069	mg/kg	0.0022	0.00069	1	05/16/22 10:43	05/20/22 02:57	319-85-7	
delta-BHC	<0.00041	mg/kg	0.0022	0.00041	1	05/16/22 10:43	05/20/22 02:57	319-86-8	
gamma-BHC (Lindane)	<0.00022	mg/kg	0.0022	0.00022	1	05/16/22 10:43	05/20/22 02:57	58-89-9	
Chlordane (Technical)	<0.0073	mg/kg	0.022	0.0073	1	05/16/22 10:43	05/20/22 02:57	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/16/22 10:43	05/20/22 02:57	5103-71-9	
gamma-Chlordane	<0.00083	mg/kg	0.0022	0.00083	1	05/16/22 10:43	05/20/22 02:57	5103-74-2	
4,4'-DDD	<0.00045	mg/kg	0.0044	0.00045	1	05/16/22 10:43	05/20/22 02:57	72-54-8	
4,4'-DDE	<0.00051	mg/kg	0.0044	0.00051	1	05/16/22 10:43	05/20/22 02:57	72-55-9	
4,4'-DDT	<0.0014	mg/kg	0.0044	0.0014	1	05/16/22 10:43	05/20/22 02:57	50-29-3	
Dieldrin	<0.00042	mg/kg	0.0044	0.00042	1	05/16/22 10:43	05/20/22 02:57	60-57-1	
Endosulfan I	<0.00025	mg/kg	0.0022	0.00025	1	05/16/22 10:43	05/20/22 02:57	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0044	0.0011	1	05/16/22 10:43	05/20/22 02:57	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0044	0.0010	1	05/16/22 10:43	05/20/22 02:57	1031-07-8	L2
Endrin	0.00094J	mg/kg	0.0044	0.00050	1	05/16/22 10:43	05/20/22 02:57	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0044	0.0014	1	05/16/22 10:43	05/20/22 02:57	7421-93-4	
Endrin ketone	<0.0012	mg/kg	0.0044	0.0012	1	05/16/22 10:43	05/20/22 02:57	53494-70-5	
Heptachlor	<0.00060	mg/kg	0.0022	0.00060	1	05/16/22 10:43	05/20/22 02:57	76-44-8	
Heptachlor epoxide	<0.00023	mg/kg	0.0022	0.00023	1	05/16/22 10:43	05/20/22 02:57	1024-57-3	
Methoxychlor	<0.0069	mg/kg	0.022	0.0069	1	05/16/22 10:43	05/20/22 02:57	72-43-5	
Toxaphene	<0.021	mg/kg	0.067	0.021	1	05/16/22 10:43	05/20/22 02:57	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	66	%	53-138		1	05/16/22 10:43	05/20/22 02:57	877-09-8	
Decachlorobiphenyl (S)	55	%	30-150		1	05/16/22 10:43	05/20/22 02:57	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.067	0.020	1	05/12/22 20:52	05/16/22 12:54	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.067	0.020	1	05/12/22 20:52	05/16/22 12:54	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.067	0.020	1	05/12/22 20:52	05/16/22 12:54	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.067	0.020	1	05/12/22 20:52	05/16/22 12:54	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.067	0.020	1	05/12/22 20:52	05/16/22 12:54	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.067	0.020	1	05/12/22 20:52	05/16/22 12:54	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.067	0.020	1	05/12/22 20:52	05/16/22 12:54	11096-82-5	
PCB, Total	<0.020	mg/kg	0.067	0.020	1	05/12/22 20:52	05/16/22 12:54	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	76	%	50-99		1	05/12/22 20:52	05/16/22 12:54	877-09-8	
Decachlorobiphenyl (S)	77	%	38-95		1	05/12/22 20:52	05/16/22 12:54	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	18300	mg/kg	37.8	7.6	1	05/19/22 12:21	05/24/22 20:46	7429-90-5	
Antimony	0.27J	mg/kg	0.63	0.12	1	05/19/22 12:21	05/24/22 00:36	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-42 (5.0-6.0) **Lab ID: 40244803005** Collected: 05/11/22 09:45 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	8.4	mg/kg	0.63	0.14	1	05/19/22 12:21	05/24/22 00:36	7440-38-2	
Barium	242	mg/kg	0.38	0.067	1	05/19/22 12:21	05/24/22 00:36	7440-39-3	
Beryllium	1.0	mg/kg	0.25	0.050	1	05/19/22 12:21	05/24/22 20:46	7440-41-7	
Cadmium	0.27	mg/kg	0.10	0.040	1	05/19/22 12:21	05/24/22 00:36	7440-43-9	
Calcium	7280	mg/kg	126	14.9	1	05/19/22 12:21	05/24/22 20:46	7440-70-2	
Chromium	22.7	mg/kg	2.5	0.18	1	05/19/22 12:21	05/24/22 20:46	7440-47-3	
Cobalt	7.4	mg/kg	0.63	0.12	1	05/19/22 12:21	05/24/22 00:36	7440-48-4	
Copper	22.8	mg/kg	1.3	0.31	1	05/19/22 12:21	05/24/22 00:36	7440-50-8	
Iron	27300	mg/kg	63.1	13.2	1	05/19/22 12:21	05/24/22 20:46	7439-89-6	
Lead	19.8	mg/kg	0.63	0.037	1	05/19/22 12:21	05/24/22 00:36	7439-92-1	
Magnesium	4770	mg/kg	37.8	5.4	1	05/19/22 12:21	05/24/22 20:46	7439-95-4	
Manganese	787	mg/kg	3.2	1.5	5	05/19/22 12:21	05/24/22 20:49	7439-96-5	
Nickel	18.2	mg/kg	0.63	0.25	1	05/19/22 12:21	05/24/22 00:36	7440-02-0	
Potassium	1420	mg/kg	126	14.5	1	05/19/22 12:21	05/24/22 20:46	7440-09-7	
Selenium	0.88	mg/kg	0.63	0.11	1	05/19/22 12:21	05/24/22 00:36	7782-49-2	
Silver	<0.18	mg/kg	0.63	0.18	1	05/19/22 12:21	05/24/22 00:36	7440-22-4	
Sodium	202	mg/kg	63.1	14.0	1	05/19/22 12:21	05/24/22 20:46	7440-23-5	
Thallium	0.24	mg/kg	0.13	0.046	1	05/19/22 12:21	05/24/22 00:36	7440-28-0	
Vanadium	47.0	mg/kg	1.3	0.22	1	05/19/22 12:21	05/24/22 20:46	7440-62-2	
Zinc	71.3	mg/kg	6.3	1.1	1	05/19/22 12:21	05/24/22 00:36	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.050	mg/kg	0.046	0.013	1	05/17/22 11:51	05/18/22 14:51	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.084	0.025	1	05/17/22 12:38	05/18/22 11:52	120-82-1	
1,2-Dichlorobenzene	<0.070	mg/kg	0.23	0.070	1	05/17/22 12:38	05/18/22 11:52	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/17/22 12:38	05/18/22 11:52	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/17/22 12:38	05/18/22 11:52	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/18/22 11:52	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/17/22 12:38	05/18/22 11:52	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/18/22 11:52	88-06-2	
2,4-Dichlorophenol	<0.060	mg/kg	0.20	0.060	1	05/17/22 12:38	05/18/22 11:52	120-83-2	
2,4-Dimethylphenol	<0.044	mg/kg	0.15	0.044	1	05/17/22 12:38	05/18/22 11:52	105-67-9	
2,4-Dinitrophenol	<0.068	mg/kg	0.23	0.068	1	05/17/22 12:38	05/18/22 11:52	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/17/22 12:38	05/18/22 11:52	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/17/22 12:38	05/18/22 11:52	606-20-2	
2-Chloronaphthalene	<0.029	mg/kg	0.095	0.029	1	05/17/22 12:38	05/18/22 11:52	91-58-7	
2-Chlorophenol	<0.056	mg/kg	0.19	0.056	1	05/17/22 12:38	05/18/22 11:52	95-57-8	
2-Methylnaphthalene	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/18/22 11:52	91-57-6	
2-Methylphenol(o-Cresol)	<0.041	mg/kg	0.14	0.041	1	05/17/22 12:38	05/18/22 11:52	95-48-7	
2-Nitroaniline	<0.064	mg/kg	0.21	0.064	1	05/17/22 12:38	05/18/22 11:52	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: **SB-42 (5.0-6.0)** Lab ID: **40244803005** Collected: 05/11/22 09:45 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.070	mg/kg	0.23	0.070	1	05/17/22 12:38	05/18/22 11:52	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.041	mg/kg	0.14	0.041	1	05/17/22 12:38	05/18/22 11:52		
3,3'-Dichlorobenzidine	<0.061	mg/kg	0.20	0.061	1	05/17/22 12:38	05/18/22 11:52	91-94-1	
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/17/22 12:38	05/18/22 11:52	99-09-2	
4,6-Dinitro-2-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/17/22 12:38	05/18/22 11:52	534-52-1	
4-Bromophenylphenyl ether	<0.047	mg/kg	0.16	0.047	1	05/17/22 12:38	05/18/22 11:52	101-55-3	
4-Chloro-3-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/17/22 12:38	05/18/22 11:52	59-50-7	
4-Chloroaniline	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/18/22 11:52	106-47-8	1q
4-Chlorophenylphenyl ether	<0.042	mg/kg	0.14	0.042	1	05/17/22 12:38	05/18/22 11:52	7005-72-3	
4-Nitroaniline	<0.093	mg/kg	0.31	0.093	1	05/17/22 12:38	05/18/22 11:52	100-01-6	
4-Nitrophenol	<0.056	mg/kg	0.19	0.056	1	05/17/22 12:38	05/18/22 11:52	100-02-7	
Acenaphthene	<0.079	mg/kg	0.26	0.079	1	05/17/22 12:38	05/18/22 11:52	83-32-9	
Acenaphthylene	<0.080	mg/kg	0.27	0.080	1	05/17/22 12:38	05/18/22 11:52	208-96-8	
Anthracene	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/18/22 11:52	120-12-7	
Benzo(a)anthracene	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/18/22 11:52	56-55-3	
Benzo(a)pyrene	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/18/22 11:52	50-32-8	
Benzo(b)fluoranthene	0.042J	mg/kg	0.13	0.038	1	05/17/22 12:38	05/18/22 11:52	205-99-2	
Benzo(g,h,i)perylene	<0.058	mg/kg	0.19	0.058	1	05/17/22 12:38	05/18/22 11:52	191-24-2	
Benzo(k)fluoranthene	<0.053	mg/kg	0.18	0.053	1	05/17/22 12:38	05/18/22 11:52	207-08-9	
Butylbenzylphthalate	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/18/22 11:52	85-68-7	
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/18/22 11:52	86-74-8	
Chrysene	0.061J	mg/kg	0.11	0.033	1	05/17/22 12:38	05/18/22 11:52	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/17/22 12:38	05/18/22 11:52	84-74-2	
Di-n-octylphthalate	<0.050	mg/kg	0.17	0.050	1	05/17/22 12:38	05/18/22 11:52	117-84-0	
Dibenz(a,h)anthracene	<0.061	mg/kg	0.20	0.061	1	05/17/22 12:38	05/18/22 11:52	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.090	0.027	1	05/17/22 12:38	05/18/22 11:52	132-64-9	
Diethylphthalate	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/18/22 11:52	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.097	0.029	1	05/17/22 12:38	05/18/22 11:52	131-11-3	
Fluoranthene	0.041J	mg/kg	0.11	0.032	1	05/17/22 12:38	05/18/22 11:52	206-44-0	
Fluorene	<0.026	mg/kg	0.087	0.026	1	05/17/22 12:38	05/18/22 11:52	86-73-7	
Hexachloro-1,3-butadiene	<0.057	mg/kg	0.19	0.057	1	05/17/22 12:38	05/18/22 11:52	87-68-3	
Hexachlorobenzene	<0.038	mg/kg	0.13	0.038	1	05/17/22 12:38	05/18/22 11:52	118-74-1	
Hexachlorocyclopentadiene	<0.053	mg/kg	0.18	0.053	1	05/17/22 12:38	05/18/22 11:52	77-47-4	
Hexachloroethane	<0.036	mg/kg	0.12	0.036	1	05/17/22 12:38	05/18/22 11:52	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.048	mg/kg	0.16	0.048	1	05/17/22 12:38	05/18/22 11:52	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/17/22 12:38	05/18/22 11:52	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/17/22 12:38	05/18/22 11:52	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	1.0	0.30	1	05/17/22 12:38	05/18/22 11:52	86-30-6	
Naphthalene	<0.078	mg/kg	0.26	0.078	1	05/17/22 12:38	05/18/22 11:52	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/17/22 12:38	05/18/22 11:52	98-95-3	
Pentachlorophenol	<0.049	mg/kg	0.16	0.049	1	05/17/22 12:38	05/18/22 11:52	87-86-5	
Phenanthrene	0.050J	mg/kg	0.095	0.029	1	05/17/22 12:38	05/18/22 11:52	85-01-8	
Phenol	<0.053	mg/kg	0.18	0.053	1	05/17/22 12:38	05/18/22 11:52	108-95-2	
Pyrene	<0.049	mg/kg	0.16	0.049	1	05/17/22 12:38	05/18/22 11:52	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-42 (5.0-6.0) **Lab ID: 40244803005** Collected: 05/11/22 09:45 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.060	mg/kg	0.20	0.060	1	05/17/22 12:38	05/18/22 11:52	111-91-1	
bis(2-Chloroethyl) ether	<0.070	mg/kg	0.23	0.070	1	05/17/22 12:38	05/18/22 11:52	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/17/22 12:38	05/18/22 11:52	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	76	%	10-125		1	05/17/22 12:38	05/18/22 11:52	4165-60-0	
2-Fluorobiphenyl (S)	72	%	12-118		1	05/17/22 12:38	05/18/22 11:52	321-60-8	
Terphenyl-d14 (S)	85	%	10-124		1	05/17/22 12:38	05/18/22 11:52	1718-51-0	
Phenol-d6 (S)	63	%	10-125		1	05/17/22 12:38	05/18/22 11:52	13127-88-3	
2-Fluorophenol (S)	66	%	10-130		1	05/17/22 12:38	05/18/22 11:52	367-12-4	
2,4,6-Tribromophenol (S)	92	%	10-144		1	05/17/22 12:38	05/18/22 11:52	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/18/22 06:00	05/18/22 18:22	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0051	0.0026	1	05/18/22 06:00	05/18/22 18:22	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/18/22 06:00	05/18/22 18:22	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0051	0.0011	1	05/18/22 06:00	05/18/22 18:22	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0051	0.0011	1	05/18/22 06:00	05/18/22 18:22	75-35-4	
1,2-Dichloroethane	<0.00084	mg/kg	0.0051	0.00084	1	05/18/22 06:00	05/18/22 18:22	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0051	0.0010	1	05/18/22 06:00	05/18/22 18:22	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.026	0.016	1	05/18/22 06:00	05/18/22 18:22	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/18/22 06:00	05/18/22 18:22	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.026	0.020	1	05/18/22 06:00	05/18/22 18:22	108-10-1	
Acetone	<0.048	mg/kg	0.10	0.048	1	05/18/22 06:00	05/18/22 18:22	67-64-1	
Benzene	<0.00072	mg/kg	0.0051	0.00072	1	05/18/22 06:00	05/18/22 18:22	71-43-2	
Bromodichloromethane	<0.00069	mg/kg	0.0051	0.00069	1	05/18/22 06:00	05/18/22 18:22	75-27-4	
Bromoform	<0.0083	mg/kg	0.020	0.0083	1	05/18/22 06:00	05/18/22 18:22	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0051	0.0045	1	05/18/22 06:00	05/18/22 18:22	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0051	0.0011	1	05/18/22 06:00	05/18/22 18:22	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0051	0.0032	1	05/18/22 06:00	05/18/22 18:22	56-23-5	
Chlorobenzene	<0.00094	mg/kg	0.0051	0.00094	1	05/18/22 06:00	05/18/22 18:22	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0051	0.0037	1	05/18/22 06:00	05/18/22 18:22	75-00-3	
Chloroform	<0.00086	mg/kg	0.0051	0.00086	1	05/18/22 06:00	05/18/22 18:22	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0051	0.0011	1	05/18/22 06:00	05/18/22 18:22	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0051	0.0010	1	05/18/22 06:00	05/18/22 18:22	124-48-1	
Ethylbenzene	<0.00091	mg/kg	0.0051	0.00091	1	05/18/22 06:00	05/18/22 18:22	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0051	0.0021	1	05/18/22 06:00	05/18/22 18:22	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0051	0.0040	1	05/18/22 06:00	05/18/22 18:22	75-09-2	
Styrene	<0.00072	mg/kg	0.0051	0.00072	1	05/18/22 06:00	05/18/22 18:22	100-42-5	
Tetrachloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/18/22 06:00	05/18/22 18:22	127-18-4	
Toluene	<0.00090	mg/kg	0.0051	0.00090	1	05/18/22 06:00	05/18/22 18:22	108-88-3	
Trichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/18/22 06:00	05/18/22 18:22	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0051	0.0013	1	05/18/22 06:00	05/18/22 18:22	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/18/22 06:00	05/18/22 18:22	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-42 (5.0-6.0) **Lab ID: 40244803005** Collected: 05/11/22 09:45 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/18/22 06:00	05/18/22 18:22	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/18/22 06:00	05/18/22 18:22	10061-01-5	
trans-1,2-Dichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/18/22 06:00	05/18/22 18:22	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/18/22 06:00	05/18/22 18:22	10061-02-6	
Surrogates									
Toluene-d8 (S)	97	%	69-156		1	05/18/22 06:00	05/18/22 18:22	2037-26-5	
4-Bromofluorobenzene (S)	92	%	61-175		1	05/18/22 06:00	05/18/22 18:22	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1	05/18/22 06:00	05/18/22 18:22	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	25.1	%	0.10	0.10	1		05/13/22 11:11		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.8	Std. Units	0.10	0.010	1		05/23/22 13:20		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.35	mg/kg	1.1	0.35	1	05/24/22 10:40	05/24/22 13:58	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: **SB-42 (8.5-9.5)** Lab ID: **40244803006** Collected: 05/11/22 09:50 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0021	0.00052	1	05/16/22 10:43	05/19/22 23:48	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/19/22 23:48	319-84-6	
beta-BHC	<0.00066	mg/kg	0.0021	0.00066	1	05/16/22 10:43	05/19/22 23:48	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0021	0.00039	1	05/16/22 10:43	05/19/22 23:48	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/19/22 23:48	58-89-9	
Chlordane (Technical)	<0.0070	mg/kg	0.021	0.0070	1	05/16/22 10:43	05/19/22 23:48	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/16/22 10:43	05/19/22 23:48	5103-71-9	
gamma-Chlordane	<0.00079	mg/kg	0.0021	0.00079	1	05/16/22 10:43	05/19/22 23:48	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0042	0.00043	1	05/16/22 10:43	05/19/22 23:48	72-54-8	
4,4'-DDE	<0.00049	mg/kg	0.0042	0.00049	1	05/16/22 10:43	05/19/22 23:48	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0042	0.0013	1	05/16/22 10:43	05/19/22 23:48	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0042	0.00041	1	05/16/22 10:43	05/19/22 23:48	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0021	0.00024	1	05/16/22 10:43	05/19/22 23:48	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0042	0.0010	1	05/16/22 10:43	05/19/22 23:48	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0042	0.0010	1	05/16/22 10:43	05/19/22 23:48	1031-07-8	L2
Endrin	<0.00048	mg/kg	0.0042	0.00048	1	05/16/22 10:43	05/19/22 23:48	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0042	0.0014	1	05/16/22 10:43	05/19/22 23:48	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0042	0.0011	1	05/16/22 10:43	05/19/22 23:48	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0021	0.00058	1	05/16/22 10:43	05/19/22 23:48	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0021	0.00022	1	05/16/22 10:43	05/19/22 23:48	1024-57-3	
Methoxychlor	<0.0066	mg/kg	0.021	0.0066	1	05/16/22 10:43	05/19/22 23:48	72-43-5	
Toxaphene	<0.020	mg/kg	0.064	0.020	1	05/16/22 10:43	05/19/22 23:48	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	68	%	53-138		1	05/16/22 10:43	05/19/22 23:48	877-09-8	
Decachlorobiphenyl (S)	57	%	30-150		1	05/16/22 10:43	05/19/22 23:48	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 13:19	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 13:19	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 13:19	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 13:19	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 13:19	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 13:19	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 13:19	11096-82-5	
PCB, Total	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 13:19	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	79	%	50-99		1	05/12/22 20:52	05/16/22 13:19	877-09-8	
Decachlorobiphenyl (S)	81	%	38-95		1	05/12/22 20:52	05/16/22 13:19	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	20500	mg/kg	36.1	7.3	1	05/19/22 12:21	05/24/22 20:53	7429-90-5	
Antimony	0.32J	mg/kg	0.60	0.12	1	05/19/22 12:21	05/24/22 00:40	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-42 (8.5-9.5) **Lab ID: 40244803006** Collected: 05/11/22 09:50 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	14.8	mg/kg	0.60	0.13	1	05/19/22 12:21	05/24/22 00:40	7440-38-2	
Barium	183	mg/kg	0.36	0.064	1	05/19/22 12:21	05/24/22 00:40	7440-39-3	
Beryllium	1.1	mg/kg	0.24	0.048	1	05/19/22 12:21	05/24/22 20:53	7440-41-7	
Cadmium	0.29	mg/kg	0.096	0.038	1	05/19/22 12:21	05/24/22 00:40	7440-43-9	
Calcium	4830	mg/kg	120	14.2	1	05/19/22 12:21	05/24/22 20:53	7440-70-2	
Chromium	27.5	mg/kg	2.4	0.17	1	05/19/22 12:21	05/24/22 20:53	7440-47-3	
Cobalt	8.4	mg/kg	0.60	0.12	1	05/19/22 12:21	05/24/22 00:40	7440-48-4	
Copper	26.6	mg/kg	1.2	0.29	1	05/19/22 12:21	05/24/22 00:40	7440-50-8	
Iron	34600	mg/kg	301	63.1	5	05/19/22 12:21	05/24/22 20:56	7439-89-6	
Lead	14.8	mg/kg	0.60	0.035	1	05/19/22 12:21	05/24/22 00:40	7439-92-1	
Magnesium	5590	mg/kg	36.1	5.2	1	05/19/22 12:21	05/24/22 20:53	7439-95-4	
Manganese	556	mg/kg	3.0	1.5	5	05/19/22 12:21	05/24/22 20:56	7439-96-5	
Nickel	24.4	mg/kg	0.60	0.24	1	05/19/22 12:21	05/24/22 00:40	7440-02-0	
Potassium	1100	mg/kg	120	13.8	1	05/19/22 12:21	05/24/22 20:53	7440-09-7	
Selenium	0.35J	mg/kg	0.60	0.10	1	05/19/22 12:21	05/24/22 00:40	7782-49-2	
Silver	<0.17	mg/kg	0.60	0.17	1	05/19/22 12:21	05/24/22 00:40	7440-22-4	
Sodium	144	mg/kg	60.1	13.3	1	05/19/22 12:21	05/24/22 20:53	7440-23-5	
Thallium	0.22	mg/kg	0.12	0.044	1	05/19/22 12:21	05/24/22 00:40	7440-28-0	
Vanadium	49.9	mg/kg	1.2	0.21	1	05/19/22 12:21	05/24/22 20:53	7440-62-2	
Zinc	66.4	mg/kg	6.0	1.1	1	05/19/22 12:21	05/24/22 00:40	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.059	mg/kg	0.041	0.012	1	05/17/22 11:51	05/18/22 14:53	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.097	mg/kg	0.32	0.097	4	05/17/22 12:38	05/18/22 12:56	120-82-1	
1,2-Dichlorobenzene	<0.27	mg/kg	0.90	0.27	4	05/17/22 12:38	05/18/22 12:56	95-50-1	
1,3-Dichlorobenzene	<0.12	mg/kg	0.39	0.12	4	05/17/22 12:38	05/18/22 12:56	541-73-1	
1,4-Dichlorobenzene	<0.12	mg/kg	0.40	0.12	4	05/17/22 12:38	05/18/22 12:56	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.22	mg/kg	0.73	0.22	4	05/17/22 12:38	05/18/22 12:56	108-60-1	
2,4,5-Trichlorophenol	<0.15	mg/kg	0.50	0.15	4	05/17/22 12:38	05/18/22 12:56	95-95-4	
2,4,6-Trichlorophenol	<0.13	mg/kg	0.43	0.13	4	05/17/22 12:38	05/18/22 12:56	88-06-2	
2,4-Dichlorophenol	<0.23	mg/kg	0.76	0.23	4	05/17/22 12:38	05/18/22 12:56	120-83-2	
2,4-Dimethylphenol	<0.17	mg/kg	0.56	0.17	4	05/17/22 12:38	05/18/22 12:56	105-67-9	
2,4-Dinitrophenol	<0.26	mg/kg	0.87	0.26	4	05/17/22 12:38	05/18/22 12:56	51-28-5	
2,4-Dinitrotoluene	<0.12	mg/kg	0.41	0.12	4	05/17/22 12:38	05/18/22 12:56	121-14-2	
2,6-Dinitrotoluene	<0.16	mg/kg	0.54	0.16	4	05/17/22 12:38	05/18/22 12:56	606-20-2	
2-Chloronaphthalene	<0.11	mg/kg	0.37	0.11	4	05/17/22 12:38	05/18/22 12:56	91-58-7	
2-Chlorophenol	<0.21	mg/kg	0.71	0.21	4	05/17/22 12:38	05/18/22 12:56	95-57-8	
2-Methylnaphthalene	<0.22	mg/kg	0.74	0.22	4	05/17/22 12:38	05/18/22 12:56	91-57-6	
2-Methylphenol(o-Cresol)	<0.16	mg/kg	0.52	0.16	4	05/17/22 12:38	05/18/22 12:56	95-48-7	
2-Nitroaniline	<0.24	mg/kg	0.81	0.24	4	05/17/22 12:38	05/18/22 12:56	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: **SB-42 (8.5-9.5)** Lab ID: **40244803006** Collected: 05/11/22 09:50 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.27	mg/kg	0.90	0.27	4	05/17/22 12:38	05/18/22 12:56	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.16	mg/kg	0.52	0.16	4	05/17/22 12:38	05/18/22 12:56		
3,3'-Dichlorobenzidine	<0.23	mg/kg	0.77	0.23	4	05/17/22 12:38	05/18/22 12:56	91-94-1	
3-Nitroaniline	<0.15	mg/kg	0.48	0.15	4	05/17/22 12:38	05/18/22 12:56	99-09-2	
4,6-Dinitro-2-methylphenol	<0.26	mg/kg	0.88	0.26	4	05/17/22 12:38	05/18/22 12:56	534-52-1	
4-Bromophenylphenyl ether	<0.18	mg/kg	0.60	0.18	4	05/17/22 12:38	05/18/22 12:56	101-55-3	
4-Chloro-3-methylphenol	<0.27	mg/kg	0.89	0.27	4	05/17/22 12:38	05/18/22 12:56	59-50-7	
4-Chloroaniline	<0.14	mg/kg	0.47	0.14	4	05/17/22 12:38	05/18/22 12:56	106-47-8	1q
4-Chlorophenylphenyl ether	<0.16	mg/kg	0.53	0.16	4	05/17/22 12:38	05/18/22 12:56	7005-72-3	
4-Nitroaniline	<0.35	mg/kg	1.2	0.35	4	05/17/22 12:38	05/18/22 12:56	100-01-6	
4-Nitrophenol	<0.22	mg/kg	0.72	0.22	4	05/17/22 12:38	05/18/22 12:56	100-02-7	
Acenaphthene	0.90J	mg/kg	1.0	0.30	4	05/17/22 12:38	05/18/22 12:56	83-32-9	
Acenaphthylene	<0.30	mg/kg	1.0	0.30	4	05/17/22 12:38	05/18/22 12:56	208-96-8	
Anthracene	2.2	mg/kg	0.46	0.14	4	05/17/22 12:38	05/18/22 12:56	120-12-7	
Benzo(a)anthracene	2.0	mg/kg	0.44	0.13	4	05/17/22 12:38	05/18/22 12:56	56-55-3	
Benzo(a)pyrene	1.2	mg/kg	0.43	0.13	4	05/17/22 12:38	05/18/22 12:56	50-32-8	
Benzo(b)fluoranthene	1.6	mg/kg	0.49	0.15	4	05/17/22 12:38	05/18/22 12:56	205-99-2	
Benzo(g,h,i)perylene	0.44J	mg/kg	0.75	0.22	4	05/17/22 12:38	05/18/22 12:56	191-24-2	
Benzo(k)fluoranthene	0.65J	mg/kg	0.68	0.20	4	05/17/22 12:38	05/18/22 12:56	207-08-9	
Butylbenzylphthalate	<0.14	mg/kg	0.46	0.14	4	05/17/22 12:38	05/18/22 12:56	85-68-7	
Carbazole	<0.13	mg/kg	0.45	0.13	4	05/17/22 12:38	05/18/22 12:56	86-74-8	
Chrysene	2.7	mg/kg	0.43	0.13	4	05/17/22 12:38	05/18/22 12:56	218-01-9	
Di-n-butylphthalate	<0.13	mg/kg	0.43	0.13	4	05/17/22 12:38	05/18/22 12:56	84-74-2	
Di-n-octylphthalate	<0.19	mg/kg	0.64	0.19	4	05/17/22 12:38	05/18/22 12:56	117-84-0	
Dibenz(a,h)anthracene	<0.23	mg/kg	0.77	0.23	4	05/17/22 12:38	05/18/22 12:56	53-70-3	
Dibenzofuran	0.34J	mg/kg	0.34	0.10	4	05/17/22 12:38	05/18/22 12:56	132-64-9	
Diethylphthalate	<0.14	mg/kg	0.47	0.14	4	05/17/22 12:38	05/18/22 12:56	84-66-2	
Dimethylphthalate	<0.11	mg/kg	0.37	0.11	4	05/17/22 12:38	05/18/22 12:56	131-11-3	
Fluoranthene	6.1	mg/kg	0.40	0.12	4	05/17/22 12:38	05/18/22 12:56	206-44-0	
Fluorene	1.2	mg/kg	0.33	0.10	4	05/17/22 12:38	05/18/22 12:56	86-73-7	
Hexachloro-1,3-butadiene	<0.22	mg/kg	0.73	0.22	4	05/17/22 12:38	05/18/22 12:56	87-68-3	
Hexachlorobenzene	<0.14	mg/kg	0.48	0.14	4	05/17/22 12:38	05/18/22 12:56	118-74-1	
Hexachlorocyclopentadiene	<0.20	mg/kg	0.67	0.20	4	05/17/22 12:38	05/18/22 12:56	77-47-4	
Hexachloroethane	<0.14	mg/kg	0.46	0.14	4	05/17/22 12:38	05/18/22 12:56	67-72-1	
Indeno(1,2,3-cd)pyrene	0.54J	mg/kg	0.62	0.18	4	05/17/22 12:38	05/18/22 12:56	193-39-5	
Isophorone	<0.13	mg/kg	0.44	0.13	4	05/17/22 12:38	05/18/22 12:56	78-59-1	
N-Nitroso-di-n-propylamine	<0.14	mg/kg	0.45	0.14	4	05/17/22 12:38	05/18/22 12:56	621-64-7	
N-Nitrosodiphenylamine	<1.2	mg/kg	3.9	1.2	4	05/17/22 12:38	05/18/22 12:56	86-30-6	
Naphthalene	<0.30	mg/kg	1.0	0.30	4	05/17/22 12:38	05/18/22 12:56	91-20-3	
Nitrobenzene	<0.17	mg/kg	0.58	0.17	4	05/17/22 12:38	05/18/22 12:56	98-95-3	
Pentachlorophenol	<0.19	mg/kg	0.63	0.19	4	05/17/22 12:38	05/18/22 12:56	87-86-5	
Phenanthrene	7.7	mg/kg	0.37	0.11	4	05/17/22 12:38	05/18/22 12:56	85-01-8	
Phenol	<0.20	mg/kg	0.68	0.20	4	05/17/22 12:38	05/18/22 12:56	108-95-2	
Pyrene	5.7	mg/kg	0.63	0.19	4	05/17/22 12:38	05/18/22 12:56	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-42 (8.5-9.5) **Lab ID: 40244803006** Collected: 05/11/22 09:50 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.23	mg/kg	0.77	0.23	4	05/17/22 12:38	05/18/22 12:56	111-91-1	
bis(2-Chloroethyl) ether	<0.27	mg/kg	0.89	0.27	4	05/17/22 12:38	05/18/22 12:56	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.14	mg/kg	0.47	0.14	4	05/17/22 12:38	05/18/22 12:56	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	62	%	10-125		4	05/17/22 12:38	05/18/22 12:56	4165-60-0	
2-Fluorobiphenyl (S)	54	%	12-118		4	05/17/22 12:38	05/18/22 12:56	321-60-8	
Terphenyl-d14 (S)	63	%	10-124		4	05/17/22 12:38	05/18/22 12:56	1718-51-0	
Phenol-d6 (S)	42	%	10-125		4	05/17/22 12:38	05/18/22 12:56	13127-88-3	
2-Fluorophenol (S)	44	%	10-130		4	05/17/22 12:38	05/18/22 12:56	367-12-4	
2,4,6-Tribromophenol (S)	51	%	10-144		4	05/17/22 12:38	05/18/22 12:56	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/18/22 06:00	05/18/22 18:46	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0053	0.0027	1	05/18/22 06:00	05/18/22 18:46	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0053	0.0016	1	05/18/22 06:00	05/18/22 18:46	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0053	0.0011	1	05/18/22 06:00	05/18/22 18:46	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0053	0.0011	1	05/18/22 06:00	05/18/22 18:46	75-35-4	
1,2-Dichloroethane	<0.00087	mg/kg	0.0053	0.00087	1	05/18/22 06:00	05/18/22 18:46	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0053	0.0011	1	05/18/22 06:00	05/18/22 18:46	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.026	0.017	1	05/18/22 06:00	05/18/22 18:46	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/18/22 06:00	05/18/22 18:46	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.026	0.021	1	05/18/22 06:00	05/18/22 18:46	108-10-1	
Acetone	<0.050	mg/kg	0.11	0.050	1	05/18/22 06:00	05/18/22 18:46	67-64-1	
Benzene	<0.00075	mg/kg	0.0053	0.00075	1	05/18/22 06:00	05/18/22 18:46	71-43-2	
Bromodichloromethane	<0.00072	mg/kg	0.0053	0.00072	1	05/18/22 06:00	05/18/22 18:46	75-27-4	
Bromoform	<0.0086	mg/kg	0.021	0.0086	1	05/18/22 06:00	05/18/22 18:46	75-25-2	
Bromomethane	<0.0047	mg/kg	0.0053	0.0047	1	05/18/22 06:00	05/18/22 18:46	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0053	0.0012	1	05/18/22 06:00	05/18/22 18:46	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0053	0.0033	1	05/18/22 06:00	05/18/22 18:46	56-23-5	
Chlorobenzene	<0.00098	mg/kg	0.0053	0.00098	1	05/18/22 06:00	05/18/22 18:46	108-90-7	
Chloroethane	<0.0038	mg/kg	0.0053	0.0038	1	05/18/22 06:00	05/18/22 18:46	75-00-3	
Chloroform	<0.00089	mg/kg	0.0053	0.00089	1	05/18/22 06:00	05/18/22 18:46	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/18/22 06:00	05/18/22 18:46	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0053	0.0011	1	05/18/22 06:00	05/18/22 18:46	124-48-1	
Ethylbenzene	<0.00094	mg/kg	0.0053	0.00094	1	05/18/22 06:00	05/18/22 18:46	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0053	0.0022	1	05/18/22 06:00	05/18/22 18:46	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0053	0.0042	1	05/18/22 06:00	05/18/22 18:46	75-09-2	
Styrene	<0.00075	mg/kg	0.0053	0.00075	1	05/18/22 06:00	05/18/22 18:46	100-42-5	
Tetrachloroethene	<0.00094	mg/kg	0.0053	0.00094	1	05/18/22 06:00	05/18/22 18:46	127-18-4	
Toluene	<0.00093	mg/kg	0.0053	0.00093	1	05/18/22 06:00	05/18/22 18:46	108-88-3	
Trichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/18/22 06:00	05/18/22 18:46	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0053	0.0014	1	05/18/22 06:00	05/18/22 18:46	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.011	0.0036	1	05/18/22 06:00	05/18/22 18:46	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-42 (8.5-9.5) **Lab ID: 40244803006** Collected: 05/11/22 09:50 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00093	mg/kg	0.0053	0.00093	1	05/18/22 06:00	05/18/22 18:46	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/18/22 06:00	05/18/22 18:46	10061-01-5	
trans-1,2-Dichloroethene	<0.00076	mg/kg	0.0053	0.00076	1	05/18/22 06:00	05/18/22 18:46	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0053	0.0011	1	05/18/22 06:00	05/18/22 18:46	10061-02-6	
Surrogates									
Toluene-d8 (S)	91	%	69-156		1	05/18/22 06:00	05/18/22 18:46	2037-26-5	
4-Bromofluorobenzene (S)	93	%	61-175		1	05/18/22 06:00	05/18/22 18:46	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1	05/18/22 06:00	05/18/22 18:46	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.8	%	0.10	0.10	1		05/13/22 11:11		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.5	Std. Units	0.10	0.010	1		05/23/22 13:23		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	0.49J	mg/kg	0.97	0.32	1	05/24/22 10:40	05/24/22 13:58	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-41 (4.7-5.7) **Lab ID: 40244803007** Collected: 05/11/22 10:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00098	mg/kg	0.0041	0.00098	2	05/16/22 10:43	05/20/22 01:42	309-00-2	
alpha-BHC	<0.00041	mg/kg	0.0041	0.00041	2	05/16/22 10:43	05/20/22 01:42	319-84-6	
beta-BHC	<0.0013	mg/kg	0.0041	0.0013	2	05/16/22 10:43	05/20/22 01:42	319-85-7	
delta-BHC	<0.00074	mg/kg	0.0041	0.00074	2	05/16/22 10:43	05/20/22 01:42	319-86-8	
gamma-BHC (Lindane)	<0.00040	mg/kg	0.0041	0.00040	2	05/16/22 10:43	05/20/22 01:42	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.041	0.013	2	05/16/22 10:43	05/20/22 01:42	57-74-9	
alpha-Chlordane	<0.00050	mg/kg	0.0041	0.00050	2	05/16/22 10:43	05/20/22 01:42	5103-71-9	
gamma-Chlordane	<0.0015	mg/kg	0.0041	0.0015	2	05/16/22 10:43	05/20/22 01:42	5103-74-2	
4,4'-DDD	0.0064J	mg/kg	0.0081	0.00082	2	05/16/22 10:43	05/20/22 01:42	72-54-8	
4,4'-DDE	0.15	mg/kg	0.0081	0.00093	2	05/16/22 10:43	05/20/22 01:42	72-55-9	
4,4'-DDT	0.15	mg/kg	0.0081	0.0025	2	05/16/22 10:43	05/20/22 01:42	50-29-3	
Dieldrin	<0.00077	mg/kg	0.0081	0.00077	2	05/16/22 10:43	05/20/22 01:42	60-57-1	
Endosulfan I	<0.00045	mg/kg	0.0041	0.00045	2	05/16/22 10:43	05/20/22 01:42	959-98-8	
Endosulfan II	<0.0019	mg/kg	0.0081	0.0019	2	05/16/22 10:43	05/20/22 01:42	33213-65-9	
Endosulfan sulfate	<0.0019	mg/kg	0.0081	0.0019	2	05/16/22 10:43	05/20/22 01:42	1031-07-8	L2
Endrin	<0.00091	mg/kg	0.0081	0.00091	2	05/16/22 10:43	05/20/22 01:42	72-20-8	
Endrin aldehyde	<0.0026	mg/kg	0.0081	0.0026	2	05/16/22 10:43	05/20/22 01:42	7421-93-4	
Endrin ketone	<0.0021	mg/kg	0.0081	0.0021	2	05/16/22 10:43	05/20/22 01:42	53494-70-5	
Heptachlor	<0.0011	mg/kg	0.0041	0.0011	2	05/16/22 10:43	05/20/22 01:42	76-44-8	
Heptachlor epoxide	<0.00041	mg/kg	0.0041	0.00041	2	05/16/22 10:43	05/20/22 01:42	1024-57-3	
Methoxychlor	<0.012	mg/kg	0.041	0.012	2	05/16/22 10:43	05/20/22 01:42	72-43-5	
Toxaphene	<0.038	mg/kg	0.12	0.038	2	05/16/22 10:43	05/20/22 01:42	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	68	%	53-138		2	05/16/22 10:43	05/20/22 01:42	877-09-8	D3
Decachlorobiphenyl (S)	64	%	30-150		2	05/16/22 10:43	05/20/22 01:42	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.061	0.019	1	05/12/22 20:52	05/16/22 13:46	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.061	0.019	1	05/12/22 20:52	05/16/22 13:46	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.061	0.019	1	05/12/22 20:52	05/16/22 13:46	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.061	0.019	1	05/12/22 20:52	05/16/22 13:46	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.061	0.019	1	05/12/22 20:52	05/16/22 13:46	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.061	0.019	1	05/12/22 20:52	05/16/22 13:46	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.061	0.019	1	05/12/22 20:52	05/16/22 13:46	11096-82-5	
PCB, Total	<0.019	mg/kg	0.061	0.019	1	05/12/22 20:52	05/16/22 13:46	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	79	%	50-99		1	05/12/22 20:52	05/16/22 13:46	877-09-8	
Decachlorobiphenyl (S)	75	%	38-95		1	05/12/22 20:52	05/16/22 13:46	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	8740	mg/kg	35.5	7.2	1	05/19/22 12:21	05/24/22 21:10	7429-90-5	
Antimony	0.84	mg/kg	0.59	0.11	1	05/19/22 12:21	05/24/22 00:44	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-41 (4.7-5.7) **Lab ID: 40244803007** Collected: 05/11/22 10:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	26.2	mg/kg	0.59	0.13	1	05/19/22 12:21	05/24/22 00:44	7440-38-2	
Barium	106	mg/kg	0.36	0.063	1	05/19/22 12:21	05/24/22 00:44	7440-39-3	
Beryllium	0.65	mg/kg	0.24	0.047	1	05/19/22 12:21	05/24/22 21:10	7440-41-7	
Cadmium	0.75	mg/kg	0.095	0.037	1	05/19/22 12:21	05/24/22 00:44	7440-43-9	
Calcium	49800	mg/kg	592	69.9	5	05/19/22 12:21	05/26/22 09:56	7440-70-2	
Chromium	14.9	mg/kg	2.4	0.17	1	05/19/22 12:21	05/24/22 21:10	7440-47-3	
Cobalt	5.7	mg/kg	0.59	0.12	1	05/19/22 12:21	05/24/22 00:44	7440-48-4	
Copper	28.9	mg/kg	1.2	0.29	1	05/19/22 12:21	05/24/22 00:44	7440-50-8	
Iron	20100	mg/kg	59.2	12.4	1	05/19/22 12:21	05/24/22 21:10	7439-89-6	
Lead	61.3	mg/kg	0.59	0.035	1	05/19/22 12:21	05/24/22 00:44	7439-92-1	
Magnesium	27800	mg/kg	35.5	5.1	1	05/19/22 12:21	05/24/22 21:10	7439-95-4	
Manganese	443	mg/kg	0.59	0.29	1	05/19/22 12:21	05/24/22 21:10	7439-96-5	
Nickel	14.8	mg/kg	0.59	0.24	1	05/19/22 12:21	05/24/22 00:44	7440-02-0	
Potassium	917	mg/kg	118	13.6	1	05/19/22 12:21	05/24/22 21:10	7440-09-7	
Selenium	0.38J	mg/kg	0.59	0.10	1	05/19/22 12:21	05/24/22 00:44	7782-49-2	
Silver	<0.17	mg/kg	0.59	0.17	1	05/19/22 12:21	05/24/22 00:44	7440-22-4	
Sodium	310	mg/kg	59.2	13.2	1	05/19/22 12:21	05/24/22 21:10	7440-23-5	
Thallium	0.19	mg/kg	0.12	0.043	1	05/19/22 12:21	05/24/22 00:44	7440-28-0	
Vanadium	21.6	mg/kg	1.2	0.21	1	05/19/22 12:21	05/24/22 21:10	7440-62-2	
Zinc	206	mg/kg	5.9	1.1	1	05/19/22 12:21	05/24/22 00:44	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.031J	mg/kg	0.040	0.011	1	05/17/22 11:51	05/18/22 14:56	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.023	mg/kg	0.077	0.023	1	05/18/22 11:18	05/18/22 16:31	120-82-1	
1,2-Dichlorobenzene	<0.064	mg/kg	0.21	0.064	1	05/18/22 11:18	05/18/22 16:31	95-50-1	
1,3-Dichlorobenzene	<0.028	mg/kg	0.094	0.028	1	05/18/22 11:18	05/18/22 16:31	541-73-1	
1,4-Dichlorobenzene	<0.028	mg/kg	0.095	0.028	1	05/18/22 11:18	05/18/22 16:31	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.053	mg/kg	0.18	0.053	1	05/18/22 11:18	05/18/22 16:31	108-60-1	
2,4,5-Trichlorophenol	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/18/22 16:31	95-95-4	
2,4,6-Trichlorophenol	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/18/22 16:31	88-06-2	
2,4-Dichlorophenol	<0.054	mg/kg	0.18	0.054	1	05/18/22 11:18	05/18/22 16:31	120-83-2	
2,4-Dimethylphenol	<0.040	mg/kg	0.13	0.040	1	05/18/22 11:18	05/18/22 16:31	105-67-9	
2,4-Dinitrophenol	<0.062	mg/kg	0.21	0.062	1	05/18/22 11:18	05/18/22 16:31	51-28-5	
2,4-Dinitrotoluene	<0.029	mg/kg	0.097	0.029	1	05/18/22 11:18	05/18/22 16:31	121-14-2	
2,6-Dinitrotoluene	<0.039	mg/kg	0.13	0.039	1	05/18/22 11:18	05/18/22 16:31	606-20-2	
2-Chloronaphthalene	<0.026	mg/kg	0.087	0.026	1	05/18/22 11:18	05/18/22 16:31	91-58-7	
2-Chlorophenol	<0.051	mg/kg	0.17	0.051	1	05/18/22 11:18	05/18/22 16:31	95-57-8	
2-Methylnaphthalene	<0.053	mg/kg	0.18	0.053	1	05/18/22 11:18	05/18/22 16:31	91-57-6	
2-Methylphenol(o-Cresol)	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/18/22 16:31	95-48-7	
2-Nitroaniline	<0.058	mg/kg	0.19	0.058	1	05/18/22 11:18	05/18/22 16:31	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-41 (4.7-5.7) **Lab ID: 40244803007** Collected: 05/11/22 10:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.064	mg/kg	0.21	0.064	1	05/18/22 11:18	05/18/22 16:31	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/18/22 16:31		
3,3'-Dichlorobenzidine	<0.055	mg/kg	0.18	0.055	1	05/18/22 11:18	05/18/22 16:31	91-94-1	
3-Nitroaniline	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/18/22 16:31	99-09-2	
4,6-Dinitro-2-methylphenol	<0.063	mg/kg	0.21	0.063	1	05/18/22 11:18	05/18/22 16:31	534-52-1	
4-Bromophenylphenyl ether	<0.043	mg/kg	0.14	0.043	1	05/18/22 11:18	05/18/22 16:31	101-55-3	
4-Chloro-3-methylphenol	<0.063	mg/kg	0.21	0.063	1	05/18/22 11:18	05/18/22 16:31	59-50-7	
4-Chloroaniline	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 16:31	106-47-8	1q
4-Chlorophenylphenyl ether	<0.038	mg/kg	0.13	0.038	1	05/18/22 11:18	05/18/22 16:31	7005-72-3	
4-Nitroaniline	<0.085	mg/kg	0.28	0.085	1	05/18/22 11:18	05/18/22 16:31	100-01-6	
4-Nitrophenol	<0.051	mg/kg	0.17	0.051	1	05/18/22 11:18	05/18/22 16:31	100-02-7	
Acenaphthene	<0.072	mg/kg	0.24	0.072	1	05/18/22 11:18	05/18/22 16:31	83-32-9	
Acenaphthylene	<0.073	mg/kg	0.24	0.073	1	05/18/22 11:18	05/18/22 16:31	208-96-8	
Anthracene	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 16:31	120-12-7	
Benzo(a)anthracene	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 16:31	56-55-3	
Benzo(a)pyrene	0.058J	mg/kg	0.10	0.031	1	05/18/22 11:18	05/18/22 16:31	50-32-8	
Benzo(b)fluoranthene	0.088J	mg/kg	0.12	0.035	1	05/18/22 11:18	05/18/22 16:31	205-99-2	
Benzo(g,h,i)perylene	<0.053	mg/kg	0.18	0.053	1	05/18/22 11:18	05/18/22 16:31	191-24-2	
Benzo(k)fluoranthene	<0.049	mg/kg	0.16	0.049	1	05/18/22 11:18	05/18/22 16:31	207-08-9	
Butylbenzylphthalate	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 16:31	85-68-7	
Carbazole	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 16:31	86-74-8	
Chrysene	0.041J	mg/kg	0.10	0.030	1	05/18/22 11:18	05/18/22 16:31	218-01-9	
Di-n-butylphthalate	<0.030	mg/kg	0.10	0.030	1	05/18/22 11:18	05/18/22 16:31	84-74-2	
Di-n-octylphthalate	<0.046	mg/kg	0.15	0.046	1	05/18/22 11:18	05/18/22 16:31	117-84-0	
Dibenz(a,h)anthracene	<0.055	mg/kg	0.18	0.055	1	05/18/22 11:18	05/18/22 16:31	53-70-3	
Dibenzofuran	<0.025	mg/kg	0.082	0.025	1	05/18/22 11:18	05/18/22 16:31	132-64-9	
Diethylphthalate	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 16:31	84-66-2	
Dimethylphthalate	<0.026	mg/kg	0.088	0.026	1	05/18/22 11:18	05/18/22 16:31	131-11-3	
Fluoranthene	<0.029	mg/kg	0.096	0.029	1	05/18/22 11:18	05/18/22 16:31	206-44-0	
Fluorene	<0.024	mg/kg	0.079	0.024	1	05/18/22 11:18	05/18/22 16:31	86-73-7	
Hexachloro-1,3-butadiene	<0.052	mg/kg	0.17	0.052	1	05/18/22 11:18	05/18/22 16:31	87-68-3	
Hexachlorobenzene	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 16:31	118-74-1	
Hexachlorocyclopentadiene	<0.048	mg/kg	0.16	0.048	1	05/18/22 11:18	05/18/22 16:31	77-47-4	
Hexachloroethane	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 16:31	67-72-1	
Indeno(1,2,3-cd)pyrene	0.045J	mg/kg	0.15	0.044	1	05/18/22 11:18	05/18/22 16:31	193-39-5	
Isophorone	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/18/22 16:31	78-59-1	
N-Nitroso-di-n-propylamine	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 16:31	621-64-7	
N-Nitrosodiphenylamine	<0.28	mg/kg	0.92	0.28	1	05/18/22 11:18	05/18/22 16:31	86-30-6	
Naphthalene	<0.071	mg/kg	0.24	0.071	1	05/18/22 11:18	05/18/22 16:31	91-20-3	
Nitrobenzene	<0.041	mg/kg	0.14	0.041	1	05/18/22 11:18	05/18/22 16:31	98-95-3	
Pentachlorophenol	<0.045	mg/kg	0.15	0.045	1	05/18/22 11:18	05/18/22 16:31	87-86-5	
Phenanthrene	<0.026	mg/kg	0.087	0.026	1	05/18/22 11:18	05/18/22 16:31	85-01-8	
Phenol	<0.048	mg/kg	0.16	0.048	1	05/18/22 11:18	05/18/22 16:31	108-95-2	
Pyrene	<0.045	mg/kg	0.15	0.045	1	05/18/22 11:18	05/18/22 16:31	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-41 (4.7-5.7) **Lab ID: 40244803007** Collected: 05/11/22 10:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.055	mg/kg	0.18	0.055	1	05/18/22 11:18	05/18/22 16:31	111-91-1	
bis(2-Chloroethyl) ether	<0.064	mg/kg	0.21	0.064	1	05/18/22 11:18	05/18/22 16:31	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 16:31	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	84	%	10-125		1	05/18/22 11:18	05/18/22 16:31	4165-60-0	
2-Fluorobiphenyl (S)	69	%	12-118		1	05/18/22 11:18	05/18/22 16:31	321-60-8	
Terphenyl-d14 (S)	76	%	10-124		1	05/18/22 11:18	05/18/22 16:31	1718-51-0	
Phenol-d6 (S)	69	%	10-125		1	05/18/22 11:18	05/18/22 16:31	13127-88-3	
2-Fluorophenol (S)	74	%	10-130		1	05/18/22 11:18	05/18/22 16:31	367-12-4	
2,4,6-Tribromophenol (S)	71	%	10-144		1	05/18/22 11:18	05/18/22 16:31	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/18/22 06:00	05/18/22 19:10	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0051	0.0026	1	05/18/22 06:00	05/18/22 19:10	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/18/22 06:00	05/18/22 19:10	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0051	0.0011	1	05/18/22 06:00	05/18/22 19:10	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0051	0.0011	1	05/18/22 06:00	05/18/22 19:10	75-35-4	
1,2-Dichloroethane	<0.00084	mg/kg	0.0051	0.00084	1	05/18/22 06:00	05/18/22 19:10	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0051	0.0010	1	05/18/22 06:00	05/18/22 19:10	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/18/22 06:00	05/18/22 19:10	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/18/22 06:00	05/18/22 19:10	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/18/22 06:00	05/18/22 19:10	108-10-1	
Acetone	<0.048	mg/kg	0.10	0.048	1	05/18/22 06:00	05/18/22 19:10	67-64-1	
Benzene	<0.00072	mg/kg	0.0051	0.00072	1	05/18/22 06:00	05/18/22 19:10	71-43-2	
Bromodichloromethane	<0.00069	mg/kg	0.0051	0.00069	1	05/18/22 06:00	05/18/22 19:10	75-27-4	
Bromoform	<0.0082	mg/kg	0.020	0.0082	1	05/18/22 06:00	05/18/22 19:10	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0051	0.0045	1	05/18/22 06:00	05/18/22 19:10	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0051	0.0011	1	05/18/22 06:00	05/18/22 19:10	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0051	0.0032	1	05/18/22 06:00	05/18/22 19:10	56-23-5	
Chlorobenzene	<0.00094	mg/kg	0.0051	0.00094	1	05/18/22 06:00	05/18/22 19:10	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0051	0.0037	1	05/18/22 06:00	05/18/22 19:10	75-00-3	
Chloroform	<0.00086	mg/kg	0.0051	0.00086	1	05/18/22 06:00	05/18/22 19:10	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0051	0.0011	1	05/18/22 06:00	05/18/22 19:10	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0051	0.0010	1	05/18/22 06:00	05/18/22 19:10	124-48-1	
Ethylbenzene	<0.00091	mg/kg	0.0051	0.00091	1	05/18/22 06:00	05/18/22 19:10	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0051	0.0021	1	05/18/22 06:00	05/18/22 19:10	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0051	0.0040	1	05/18/22 06:00	05/18/22 19:10	75-09-2	
Styrene	<0.00072	mg/kg	0.0051	0.00072	1	05/18/22 06:00	05/18/22 19:10	100-42-5	
Tetrachloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/18/22 06:00	05/18/22 19:10	127-18-4	
Toluene	<0.00090	mg/kg	0.0051	0.00090	1	05/18/22 06:00	05/18/22 19:10	108-88-3	
Trichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/18/22 06:00	05/18/22 19:10	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0051	0.0013	1	05/18/22 06:00	05/18/22 19:10	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/18/22 06:00	05/18/22 19:10	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-41 (4.7-5.7) **Lab ID: 40244803007** Collected: 05/11/22 10:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/18/22 06:00	05/18/22 19:10	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/18/22 06:00	05/18/22 19:10	10061-01-5	
trans-1,2-Dichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/18/22 06:00	05/18/22 19:10	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/18/22 06:00	05/18/22 19:10	10061-02-6	
Surrogates									
Toluene-d8 (S)	96	%	69-156		1	05/18/22 06:00	05/18/22 19:10	2037-26-5	
4-Bromofluorobenzene (S)	90	%	61-175		1	05/18/22 06:00	05/18/22 19:10	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1	05/18/22 06:00	05/18/22 19:10	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	18.0	%	0.10	0.10	1		05/13/22 11:12		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.23	Std. Units	0.100	0.0100	1		05/20/22 09:19		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.23	mg/kg	0.68	0.23	1	05/24/22 10:40	05/24/22 13:59	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-41 (8.3-9.3) **Lab ID: 40244803008** Collected: 05/11/22 10:40 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00051	mg/kg	0.0021	0.00051	1	05/16/22 10:43	05/20/22 00:07	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/20/22 00:07	319-84-6	
beta-BHC	<0.00065	mg/kg	0.0021	0.00065	1	05/16/22 10:43	05/20/22 00:07	319-85-7	
delta-BHC	<0.00038	mg/kg	0.0021	0.00038	1	05/16/22 10:43	05/20/22 00:07	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/20/22 00:07	58-89-9	
Chlordane (Technical)	<0.0070	mg/kg	0.021	0.0070	1	05/16/22 10:43	05/20/22 00:07	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/16/22 10:43	05/20/22 00:07	5103-71-9	
gamma-Chlordane	<0.00078	mg/kg	0.0021	0.00078	1	05/16/22 10:43	05/20/22 00:07	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0042	0.00043	1	05/16/22 10:43	05/20/22 00:07	72-54-8	
4,4'-DDE	<0.00049	mg/kg	0.0042	0.00049	1	05/16/22 10:43	05/20/22 00:07	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0042	0.0013	1	05/16/22 10:43	05/20/22 00:07	50-29-3	
Dieldrin	<0.00040	mg/kg	0.0042	0.00040	1	05/16/22 10:43	05/20/22 00:07	60-57-1	
Endosulfan I	<0.00023	mg/kg	0.0021	0.00023	1	05/16/22 10:43	05/20/22 00:07	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0042	0.0010	1	05/16/22 10:43	05/20/22 00:07	33213-65-9	
Endosulfan sulfate	<0.00099	mg/kg	0.0042	0.00099	1	05/16/22 10:43	05/20/22 00:07	1031-07-8	L2
Endrin	<0.00047	mg/kg	0.0042	0.00047	1	05/16/22 10:43	05/20/22 00:07	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0042	0.0014	1	05/16/22 10:43	05/20/22 00:07	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0042	0.0011	1	05/16/22 10:43	05/20/22 00:07	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0021	0.00057	1	05/16/22 10:43	05/20/22 00:07	76-44-8	
Heptachlor epoxide	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/20/22 00:07	1024-57-3	
Methoxychlor	<0.0065	mg/kg	0.021	0.0065	1	05/16/22 10:43	05/20/22 00:07	72-43-5	
Toxaphene	<0.020	mg/kg	0.063	0.020	1	05/16/22 10:43	05/20/22 00:07	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	72	%	53-138		1	05/16/22 10:43	05/20/22 00:07	877-09-8	
Decachlorobiphenyl (S)	59	%	30-150		1	05/16/22 10:43	05/20/22 00:07	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 14:10	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 14:10	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 14:10	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 14:10	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 14:10	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 14:10	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 14:10	11096-82-5	
PCB, Total	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 14:10	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	78	%	50-99		1	05/12/22 20:52	05/16/22 14:10	877-09-8	
Decachlorobiphenyl (S)	79	%	38-95		1	05/12/22 20:52	05/16/22 14:10	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	20700	mg/kg	35.8	7.2	1	05/19/22 12:21	05/24/22 21:13	7429-90-5	
Antimony	0.23J	mg/kg	0.60	0.11	1	05/19/22 12:21	05/24/22 00:47	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: **SB-41 (8.3-9.3)** Lab ID: **40244803008** Collected: 05/11/22 10:40 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	9.0	mg/kg	0.60	0.13	1	05/19/22 12:21	05/24/22 00:47	7440-38-2	
Barium	230	mg/kg	0.36	0.064	1	05/19/22 12:21	05/24/22 00:47	7440-39-3	
Beryllium	1.1	mg/kg	0.24	0.047	1	05/19/22 12:21	05/24/22 21:13	7440-41-7	
Cadmium	0.16	mg/kg	0.096	0.038	1	05/19/22 12:21	05/24/22 00:47	7440-43-9	
Calcium	6420	mg/kg	119	14.1	1	05/19/22 12:21	05/24/22 21:13	7440-70-2	
Chromium	26.0	mg/kg	2.4	0.17	1	05/19/22 12:21	05/24/22 21:13	7440-47-3	
Cobalt	7.8	mg/kg	0.60	0.12	1	05/19/22 12:21	05/24/22 00:47	7440-48-4	
Copper	23.2	mg/kg	1.2	0.29	1	05/19/22 12:21	05/24/22 00:47	7440-50-8	
Iron	565000	mg/kg	5970	1250	100	05/19/22 12:21	05/25/22 14:13	7439-89-6	
Lead	14.8	mg/kg	0.60	0.035	1	05/19/22 12:21	05/24/22 00:47	7439-92-1	
Magnesium	5790	mg/kg	35.8	5.1	1	05/19/22 12:21	05/24/22 21:13	7439-95-4	
Manganese	243	mg/kg	0.60	0.29	1	05/19/22 12:21	05/24/22 21:13	7439-96-5	
Nickel	20.4	mg/kg	0.60	0.24	1	05/19/22 12:21	05/24/22 00:47	7440-02-0	
Potassium	1040	mg/kg	119	13.7	1	05/19/22 12:21	05/24/22 21:13	7440-09-7	
Selenium	0.35J	mg/kg	0.60	0.10	1	05/19/22 12:21	05/24/22 00:47	7782-49-2	
Silver	<0.17	mg/kg	0.60	0.17	1	05/19/22 12:21	05/24/22 00:47	7440-22-4	
Sodium	59.7J	mg/kg	59.7	13.3	1	05/19/22 12:21	05/24/22 21:13	7440-23-5	
Thallium	0.16	mg/kg	0.12	0.044	1	05/19/22 12:21	05/24/22 00:47	7440-28-0	
Vanadium	49.3	mg/kg	1.2	0.21	1	05/19/22 12:21	05/24/22 21:13	7440-62-2	
Zinc	67.9	mg/kg	6.0	1.1	1	05/19/22 12:21	05/24/22 00:47	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.040J	mg/kg	0.042	0.012	1	05/17/22 11:51	05/18/22 14:58	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/18/22 11:18	05/18/22 15:27	120-82-1	
1,2-Dichlorobenzene	<0.066	mg/kg	0.22	0.066	1	05/18/22 11:18	05/18/22 15:27	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.097	0.029	1	05/18/22 11:18	05/18/22 15:27	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/18/22 11:18	05/18/22 15:27	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.054	mg/kg	0.18	0.054	1	05/18/22 11:18	05/18/22 15:27	108-60-1	
2,4,5-Trichlorophenol	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/18/22 15:27	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 15:27	88-06-2	
2,4-Dichlorophenol	<0.056	mg/kg	0.19	0.056	1	05/18/22 11:18	05/18/22 15:27	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/18/22 11:18	05/18/22 15:27	105-67-9	
2,4-Dinitrophenol	<0.064	mg/kg	0.21	0.064	1	05/18/22 11:18	05/18/22 15:27	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/18/22 11:18	05/18/22 15:27	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/18/22 11:18	05/18/22 15:27	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.090	0.027	1	05/18/22 11:18	05/18/22 15:27	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/18/22 11:18	05/18/22 15:27	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/18/22 11:18	05/18/22 15:27	91-57-6	
2-Methylphenol(o-Cresol)	<0.038	mg/kg	0.13	0.038	1	05/18/22 11:18	05/18/22 15:27	95-48-7	
2-Nitroaniline	<0.060	mg/kg	0.20	0.060	1	05/18/22 11:18	05/18/22 15:27	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: **SB-41 (8.3-9.3)** Lab ID: **40244803008** Collected: 05/11/22 10:40 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/18/22 11:18	05/18/22 15:27	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/18/22 11:18	05/18/22 15:27		
3,3'-Dichlorobenzidine	<0.057	mg/kg	0.19	0.057	1	05/18/22 11:18	05/18/22 15:27	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/18/22 15:27	99-09-2	
4,6-Dinitro-2-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/18/22 11:18	05/18/22 15:27	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/18/22 11:18	05/18/22 15:27	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/18/22 11:18	05/18/22 15:27	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/18/22 15:27	106-47-8	1q
4-Chlorophenylphenyl ether	<0.039	mg/kg	0.13	0.039	1	05/18/22 11:18	05/18/22 15:27	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/18/22 11:18	05/18/22 15:27	100-01-6	
4-Nitrophenol	<0.053	mg/kg	0.18	0.053	1	05/18/22 11:18	05/18/22 15:27	100-02-7	
Acenaphthene	<0.075	mg/kg	0.25	0.075	1	05/18/22 11:18	05/18/22 15:27	83-32-9	
Acenaphthylene	<0.075	mg/kg	0.25	0.075	1	05/18/22 11:18	05/18/22 15:27	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 15:27	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 15:27	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 15:27	50-32-8	
Benzo(b)fluoranthene	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/18/22 15:27	205-99-2	
Benzo(g,h,i)perylene	<0.055	mg/kg	0.18	0.055	1	05/18/22 11:18	05/18/22 15:27	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/18/22 11:18	05/18/22 15:27	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 15:27	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 15:27	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 15:27	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 15:27	84-74-2	
Di-n-octylphthalate	<0.047	mg/kg	0.16	0.047	1	05/18/22 11:18	05/18/22 15:27	117-84-0	
Dibenz(a,h)anthracene	<0.057	mg/kg	0.19	0.057	1	05/18/22 11:18	05/18/22 15:27	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.085	0.026	1	05/18/22 11:18	05/18/22 15:27	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/18/22 15:27	84-66-2	
Dimethylphthalate	<0.027	mg/kg	0.092	0.027	1	05/18/22 11:18	05/18/22 15:27	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/18/22 11:18	05/18/22 15:27	206-44-0	
Fluorene	<0.025	mg/kg	0.082	0.025	1	05/18/22 11:18	05/18/22 15:27	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/18/22 11:18	05/18/22 15:27	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/18/22 15:27	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/18/22 11:18	05/18/22 15:27	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 15:27	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/18/22 11:18	05/18/22 15:27	193-39-5	
Isophorone	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 15:27	78-59-1	
N-Nitroso-di-n-propylamine	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 15:27	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/18/22 11:18	05/18/22 15:27	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/18/22 11:18	05/18/22 15:27	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/18/22 11:18	05/18/22 15:27	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/18/22 11:18	05/18/22 15:27	87-86-5	
Phenanthrene	<0.027	mg/kg	0.090	0.027	1	05/18/22 11:18	05/18/22 15:27	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/18/22 11:18	05/18/22 15:27	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/18/22 11:18	05/18/22 15:27	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-41 (8.3-9.3) **Lab ID: 40244803008** Collected: 05/11/22 10:40 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/18/22 11:18	05/18/22 15:27	111-91-1	
bis(2-Chloroethyl) ether	<0.066	mg/kg	0.22	0.066	1	05/18/22 11:18	05/18/22 15:27	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/18/22 15:27	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	57	%	10-125		1	05/18/22 11:18	05/18/22 15:27	4165-60-0	
2-Fluorobiphenyl (S)	55	%	12-118		1	05/18/22 11:18	05/18/22 15:27	321-60-8	
Terphenyl-d14 (S)	61	%	10-124		1	05/18/22 11:18	05/18/22 15:27	1718-51-0	
Phenol-d6 (S)	54	%	10-125		1	05/18/22 11:18	05/18/22 15:27	13127-88-3	
2-Fluorophenol (S)	51	%	10-130		1	05/18/22 11:18	05/18/22 15:27	367-12-4	
2,4,6-Tribromophenol (S)	65	%	10-144		1	05/18/22 11:18	05/18/22 15:27	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/18/22 06:00	05/18/22 19:35	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0051	0.0026	1	05/18/22 06:00	05/18/22 19:35	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/18/22 06:00	05/18/22 19:35	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0051	0.0011	1	05/18/22 06:00	05/18/22 19:35	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0051	0.0011	1	05/18/22 06:00	05/18/22 19:35	75-35-4	
1,2-Dichloroethane	<0.00084	mg/kg	0.0051	0.00084	1	05/18/22 06:00	05/18/22 19:35	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0051	0.0010	1	05/18/22 06:00	05/18/22 19:35	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/18/22 06:00	05/18/22 19:35	78-93-3	
2-Hexanone	<0.012	mg/kg	0.025	0.012	1	05/18/22 06:00	05/18/22 19:35	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/18/22 06:00	05/18/22 19:35	108-10-1	
Acetone	<0.048	mg/kg	0.10	0.048	1	05/18/22 06:00	05/18/22 19:35	67-64-1	
Benzene	<0.00072	mg/kg	0.0051	0.00072	1	05/18/22 06:00	05/18/22 19:35	71-43-2	
Bromodichloromethane	<0.00069	mg/kg	0.0051	0.00069	1	05/18/22 06:00	05/18/22 19:35	75-27-4	
Bromoform	<0.0083	mg/kg	0.020	0.0083	1	05/18/22 06:00	05/18/22 19:35	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0051	0.0045	1	05/18/22 06:00	05/18/22 19:35	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0051	0.0011	1	05/18/22 06:00	05/18/22 19:35	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0051	0.0032	1	05/18/22 06:00	05/18/22 19:35	56-23-5	
Chlorobenzene	<0.00094	mg/kg	0.0051	0.00094	1	05/18/22 06:00	05/18/22 19:35	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0051	0.0037	1	05/18/22 06:00	05/18/22 19:35	75-00-3	
Chloroform	<0.00086	mg/kg	0.0051	0.00086	1	05/18/22 06:00	05/18/22 19:35	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0051	0.0011	1	05/18/22 06:00	05/18/22 19:35	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0051	0.0010	1	05/18/22 06:00	05/18/22 19:35	124-48-1	
Ethylbenzene	<0.00091	mg/kg	0.0051	0.00091	1	05/18/22 06:00	05/18/22 19:35	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0051	0.0021	1	05/18/22 06:00	05/18/22 19:35	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0051	0.0040	1	05/18/22 06:00	05/18/22 19:35	75-09-2	
Styrene	<0.00072	mg/kg	0.0051	0.00072	1	05/18/22 06:00	05/18/22 19:35	100-42-5	
Tetrachloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/18/22 06:00	05/18/22 19:35	127-18-4	
Toluene	<0.00090	mg/kg	0.0051	0.00090	1	05/18/22 06:00	05/18/22 19:35	108-88-3	
Trichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/18/22 06:00	05/18/22 19:35	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0051	0.0013	1	05/18/22 06:00	05/18/22 19:35	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/18/22 06:00	05/18/22 19:35	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-41 (8.3-9.3) **Lab ID: 40244803008** Collected: 05/11/22 10:40 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/18/22 06:00	05/18/22 19:35	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/18/22 06:00	05/18/22 19:35	10061-01-5	
trans-1,2-Dichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/18/22 06:00	05/18/22 19:35	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/18/22 06:00	05/18/22 19:35	10061-02-6	
Surrogates									
Toluene-d8 (S)	94	%	69-156		1	05/18/22 06:00	05/18/22 19:35	2037-26-5	
4-Bromofluorobenzene (S)	92	%	61-175		1	05/18/22 06:00	05/18/22 19:35	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1	05/18/22 06:00	05/18/22 19:35	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.0	%	0.10	0.10	1		05/13/22 11:12		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/23/22 13:25		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.33	mg/kg	0.99	0.33	1	05/24/22 10:40	05/24/22 14:00	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-22 (4.5-5.5) **Lab ID: 40244803009** Collected: 05/11/22 11:30 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00054	mg/kg	0.0022	0.00054	1	05/16/22 10:43	05/20/22 00:26	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/16/22 10:43	05/20/22 00:26	319-84-6	
beta-BHC	<0.00069	mg/kg	0.0022	0.00069	1	05/16/22 10:43	05/20/22 00:26	319-85-7	
delta-BHC	<0.00040	mg/kg	0.0022	0.00040	1	05/16/22 10:43	05/20/22 00:26	319-86-8	
gamma-BHC (Lindane)	<0.00022	mg/kg	0.0022	0.00022	1	05/16/22 10:43	05/20/22 00:26	58-89-9	
Chlordane (Technical)	<0.0073	mg/kg	0.022	0.0073	1	05/16/22 10:43	05/20/22 00:26	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/16/22 10:43	05/20/22 00:26	5103-71-9	
gamma-Chlordane	<0.00083	mg/kg	0.0022	0.00083	1	05/16/22 10:43	05/20/22 00:26	5103-74-2	
4,4'-DDD	<0.00045	mg/kg	0.0044	0.00045	1	05/16/22 10:43	05/20/22 00:26	72-54-8	
4,4'-DDE	<0.00051	mg/kg	0.0044	0.00051	1	05/16/22 10:43	05/20/22 00:26	72-55-9	
4,4'-DDT	<0.0014	mg/kg	0.0044	0.0014	1	05/16/22 10:43	05/20/22 00:26	50-29-3	
Dieldrin	<0.00042	mg/kg	0.0044	0.00042	1	05/16/22 10:43	05/20/22 00:26	60-57-1	
Endosulfan I	<0.00025	mg/kg	0.0022	0.00025	1	05/16/22 10:43	05/20/22 00:26	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0044	0.0011	1	05/16/22 10:43	05/20/22 00:26	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0044	0.0010	1	05/16/22 10:43	05/20/22 00:26	1031-07-8	L2
Endrin	<0.00050	mg/kg	0.0044	0.00050	1	05/16/22 10:43	05/20/22 00:26	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0044	0.0014	1	05/16/22 10:43	05/20/22 00:26	7421-93-4	
Endrin ketone	<0.0012	mg/kg	0.0044	0.0012	1	05/16/22 10:43	05/20/22 00:26	53494-70-5	
Heptachlor	<0.00060	mg/kg	0.0022	0.00060	1	05/16/22 10:43	05/20/22 00:26	76-44-8	
Heptachlor epoxide	<0.00023	mg/kg	0.0022	0.00023	1	05/16/22 10:43	05/20/22 00:26	1024-57-3	
Methoxychlor	<0.0068	mg/kg	0.022	0.0068	1	05/16/22 10:43	05/20/22 00:26	72-43-5	
Toxaphene	<0.021	mg/kg	0.067	0.021	1	05/16/22 10:43	05/20/22 00:26	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	67	%	53-138		1	05/16/22 10:43	05/20/22 00:26	877-09-8	
Decachlorobiphenyl (S)	52	%	30-150		1	05/16/22 10:43	05/20/22 00:26	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.066	0.020	1	05/12/22 20:52	05/16/22 14:35	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.066	0.020	1	05/12/22 20:52	05/16/22 14:35	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.066	0.020	1	05/12/22 20:52	05/16/22 14:35	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.066	0.020	1	05/12/22 20:52	05/16/22 14:35	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.066	0.020	1	05/12/22 20:52	05/16/22 14:35	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.066	0.020	1	05/12/22 20:52	05/16/22 14:35	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.066	0.020	1	05/12/22 20:52	05/16/22 14:35	11096-82-5	
PCB, Total	<0.020	mg/kg	0.066	0.020	1	05/12/22 20:52	05/16/22 14:35	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	78	%	50-99		1	05/12/22 20:52	05/16/22 14:35	877-09-8	
Decachlorobiphenyl (S)	79	%	38-95		1	05/12/22 20:52	05/16/22 14:35	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	16500	mg/kg	37.1	7.5	1	05/19/22 12:21	05/24/22 21:17	7429-90-5	
Antimony	0.12J	mg/kg	0.62	0.12	1	05/19/22 12:21	05/24/22 00:51	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: **SB-22 (4.5-5.5)** Lab ID: **40244803009** Collected: 05/11/22 11:30 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	5.9	mg/kg	0.62	0.13	1	05/19/22 12:21	05/24/22 00:51	7440-38-2	
Barium	155	mg/kg	0.37	0.066	1	05/19/22 12:21	05/24/22 00:51	7440-39-3	
Beryllium	0.92	mg/kg	0.25	0.049	1	05/19/22 12:21	05/24/22 21:17	7440-41-7	
Cadmium	0.24	mg/kg	0.099	0.039	1	05/19/22 12:21	05/24/22 00:51	7440-43-9	
Calcium	6080	mg/kg	124	14.6	1	05/19/22 12:21	05/24/22 21:17	7440-70-2	
Chromium	20.1	mg/kg	2.5	0.17	1	05/19/22 12:21	05/24/22 21:17	7440-47-3	
Cobalt	5.1	mg/kg	0.62	0.12	1	05/19/22 12:21	05/24/22 00:51	7440-48-4	
Copper	20.8	mg/kg	1.2	0.30	1	05/19/22 12:21	05/24/22 00:51	7440-50-8	
Iron	20200	mg/kg	61.9	13.0	1	05/19/22 12:21	05/24/22 21:17	7439-89-6	
Lead	16.2	mg/kg	0.62	0.036	1	05/19/22 12:21	05/24/22 00:51	7439-92-1	
Magnesium	3480	mg/kg	37.1	5.3	1	05/19/22 12:21	05/24/22 21:17	7439-95-4	
Manganese	172	mg/kg	0.62	0.30	1	05/19/22 12:21	05/24/22 21:17	7439-96-5	
Nickel	14.5	mg/kg	0.62	0.25	1	05/19/22 12:21	05/24/22 00:51	7440-02-0	
Potassium	1950	mg/kg	124	14.2	1	05/19/22 12:21	05/24/22 21:17	7440-09-7	
Selenium	1.0	mg/kg	0.62	0.11	1	05/19/22 12:21	05/24/22 00:51	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/19/22 12:21	05/24/22 00:51	7440-22-4	
Sodium	62.4	mg/kg	61.9	13.7	1	05/19/22 12:21	05/24/22 21:17	7440-23-5	
Thallium	0.25	mg/kg	0.12	0.045	1	05/19/22 12:21	05/24/22 00:51	7440-28-0	
Vanadium	34.1	mg/kg	1.2	0.22	1	05/19/22 12:21	05/24/22 21:17	7440-62-2	
Zinc	73.0	mg/kg	6.2	1.1	1	05/19/22 12:21	05/24/22 00:51	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.036J	mg/kg	0.043	0.012	1	05/17/22 11:51	05/18/22 15:05	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.084	0.025	1	05/18/22 11:18	05/18/22 16:52	120-82-1	
1,2-Dichlorobenzene	<0.070	mg/kg	0.23	0.070	1	05/18/22 11:18	05/18/22 16:52	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/18/22 16:52	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/18/22 16:52	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.057	mg/kg	0.19	0.057	1	05/18/22 11:18	05/18/22 16:52	108-60-1	
2,4,5-Trichlorophenol	<0.039	mg/kg	0.13	0.039	1	05/18/22 11:18	05/18/22 16:52	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 16:52	88-06-2	
2,4-Dichlorophenol	<0.059	mg/kg	0.20	0.059	1	05/18/22 11:18	05/18/22 16:52	120-83-2	
2,4-Dimethylphenol	<0.044	mg/kg	0.15	0.044	1	05/18/22 11:18	05/18/22 16:52	105-67-9	
2,4-Dinitrophenol	<0.068	mg/kg	0.23	0.068	1	05/18/22 11:18	05/18/22 16:52	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 16:52	121-14-2	
2,6-Dinitrotoluene	<0.042	mg/kg	0.14	0.042	1	05/18/22 11:18	05/18/22 16:52	606-20-2	
2-Chloronaphthalene	<0.029	mg/kg	0.095	0.029	1	05/18/22 11:18	05/18/22 16:52	91-58-7	
2-Chlorophenol	<0.056	mg/kg	0.19	0.056	1	05/18/22 11:18	05/18/22 16:52	95-57-8	
2-Methylnaphthalene	<0.058	mg/kg	0.19	0.058	1	05/18/22 11:18	05/18/22 16:52	91-57-6	
2-Methylphenol(o-Cresol)	<0.040	mg/kg	0.13	0.040	1	05/18/22 11:18	05/18/22 16:52	95-48-7	
2-Nitroaniline	<0.063	mg/kg	0.21	0.063	1	05/18/22 11:18	05/18/22 16:52	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: **SB-22 (4.5-5.5)** Lab ID: **40244803009** Collected: 05/11/22 11:30 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.070	mg/kg	0.23	0.070	1	05/18/22 11:18	05/18/22 16:52	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.041	mg/kg	0.14	0.041	1	05/18/22 11:18	05/18/22 16:52		
3,3'-Dichlorobenzidine	<0.060	mg/kg	0.20	0.060	1	05/18/22 11:18	05/18/22 16:52	91-94-1	
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/18/22 11:18	05/18/22 16:52	99-09-2	
4,6-Dinitro-2-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/18/22 11:18	05/18/22 16:52	534-52-1	
4-Bromophenylphenyl ether	<0.047	mg/kg	0.16	0.047	1	05/18/22 11:18	05/18/22 16:52	101-55-3	
4-Chloro-3-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/18/22 11:18	05/18/22 16:52	59-50-7	
4-Chloroaniline	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/18/22 16:52	106-47-8	1q
4-Chlorophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/18/22 11:18	05/18/22 16:52	7005-72-3	
4-Nitroaniline	<0.092	mg/kg	0.31	0.092	1	05/18/22 11:18	05/18/22 16:52	100-01-6	
4-Nitrophenol	<0.056	mg/kg	0.19	0.056	1	05/18/22 11:18	05/18/22 16:52	100-02-7	
Acenaphthene	<0.079	mg/kg	0.26	0.079	1	05/18/22 11:18	05/18/22 16:52	83-32-9	
Acenaphthylene	<0.079	mg/kg	0.26	0.079	1	05/18/22 11:18	05/18/22 16:52	208-96-8	
Anthracene	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/18/22 16:52	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 16:52	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 16:52	50-32-8	
Benzo(b)fluoranthene	<0.038	mg/kg	0.13	0.038	1	05/18/22 11:18	05/18/22 16:52	205-99-2	
Benzo(g,h,i)perylene	<0.058	mg/kg	0.19	0.058	1	05/18/22 11:18	05/18/22 16:52	191-24-2	
Benzo(k)fluoranthene	<0.053	mg/kg	0.18	0.053	1	05/18/22 11:18	05/18/22 16:52	207-08-9	
Butylbenzylphthalate	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/18/22 16:52	85-68-7	
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/18/22 16:52	86-74-8	
Chrysene	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 16:52	218-01-9	
Di-n-butylphthalate	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 16:52	84-74-2	
Di-n-octylphthalate	<0.050	mg/kg	0.17	0.050	1	05/18/22 11:18	05/18/22 16:52	117-84-0	
Dibenz(a,h)anthracene	<0.060	mg/kg	0.20	0.060	1	05/18/22 11:18	05/18/22 16:52	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.090	0.027	1	05/18/22 11:18	05/18/22 16:52	132-64-9	
Diethylphthalate	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/18/22 16:52	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.096	0.029	1	05/18/22 11:18	05/18/22 16:52	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/18/22 16:52	206-44-0	
Fluorene	<0.026	mg/kg	0.087	0.026	1	05/18/22 11:18	05/18/22 16:52	86-73-7	
Hexachloro-1,3-butadiene	<0.057	mg/kg	0.19	0.057	1	05/18/22 11:18	05/18/22 16:52	87-68-3	
Hexachlorobenzene	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/18/22 16:52	118-74-1	
Hexachlorocyclopentadiene	<0.053	mg/kg	0.18	0.053	1	05/18/22 11:18	05/18/22 16:52	77-47-4	
Hexachloroethane	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/18/22 16:52	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.048	mg/kg	0.16	0.048	1	05/18/22 11:18	05/18/22 16:52	193-39-5	
Isophorone	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 16:52	78-59-1	
N-Nitroso-di-n-propylamine	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/18/22 16:52	621-64-7	
N-Nitrosodiphenylamine	<0.30	mg/kg	1.0	0.30	1	05/18/22 11:18	05/18/22 16:52	86-30-6	
Naphthalene	<0.078	mg/kg	0.26	0.078	1	05/18/22 11:18	05/18/22 16:52	91-20-3	
Nitrobenzene	<0.045	mg/kg	0.15	0.045	1	05/18/22 11:18	05/18/22 16:52	98-95-3	
Pentachlorophenol	<0.049	mg/kg	0.16	0.049	1	05/18/22 11:18	05/18/22 16:52	87-86-5	
Phenanthrene	<0.029	mg/kg	0.095	0.029	1	05/18/22 11:18	05/18/22 16:52	85-01-8	
Phenol	<0.053	mg/kg	0.18	0.053	1	05/18/22 11:18	05/18/22 16:52	108-95-2	
Pyrene	<0.049	mg/kg	0.16	0.049	1	05/18/22 11:18	05/18/22 16:52	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-22 (4.5-5.5) **Lab ID: 40244803009** Collected: 05/11/22 11:30 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.060	mg/kg	0.20	0.060	1	05/18/22 11:18	05/18/22 16:52	111-91-1	
bis(2-Chloroethyl) ether	<0.069	mg/kg	0.23	0.069	1	05/18/22 11:18	05/18/22 16:52	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/18/22 16:52	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	54	%	10-125		1	05/18/22 11:18	05/18/22 16:52	4165-60-0	
2-Fluorobiphenyl (S)	53	%	12-118		1	05/18/22 11:18	05/18/22 16:52	321-60-8	
Terphenyl-d14 (S)	73	%	10-124		1	05/18/22 11:18	05/18/22 16:52	1718-51-0	
Phenol-d6 (S)	43	%	10-125		1	05/18/22 11:18	05/18/22 16:52	13127-88-3	
2-Fluorophenol (S)	42	%	10-130		1	05/18/22 11:18	05/18/22 16:52	367-12-4	
2,4,6-Tribromophenol (S)	64	%	10-144		1	05/18/22 11:18	05/18/22 16:52	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/18/22 06:00	05/18/22 19:59	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0054	0.0027	1	05/18/22 06:00	05/18/22 19:59	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/18/22 06:00	05/18/22 19:59	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 19:59	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 19:59	75-35-4	
1,2-Dichloroethane	<0.00088	mg/kg	0.0054	0.00088	1	05/18/22 06:00	05/18/22 19:59	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 19:59	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/18/22 06:00	05/18/22 19:59	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/18/22 06:00	05/18/22 19:59	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/18/22 06:00	05/18/22 19:59	108-10-1	
Acetone	<0.051	mg/kg	0.11	0.051	1	05/18/22 06:00	05/18/22 19:59	67-64-1	
Benzene	<0.00076	mg/kg	0.0054	0.00076	1	05/18/22 06:00	05/18/22 19:59	71-43-2	
Bromodichloromethane	<0.00073	mg/kg	0.0054	0.00073	1	05/18/22 06:00	05/18/22 19:59	75-27-4	
Bromoform	<0.0087	mg/kg	0.021	0.0087	1	05/18/22 06:00	05/18/22 19:59	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0054	0.0048	1	05/18/22 06:00	05/18/22 19:59	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0054	0.0012	1	05/18/22 06:00	05/18/22 19:59	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0054	0.0034	1	05/18/22 06:00	05/18/22 19:59	56-23-5	
Chlorobenzene	<0.00099	mg/kg	0.0054	0.00099	1	05/18/22 06:00	05/18/22 19:59	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0054	0.0039	1	05/18/22 06:00	05/18/22 19:59	75-00-3	
Chloroform	<0.00091	mg/kg	0.0054	0.00091	1	05/18/22 06:00	05/18/22 19:59	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0054	0.0012	1	05/18/22 06:00	05/18/22 19:59	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 19:59	124-48-1	
Ethylbenzene	<0.00096	mg/kg	0.0054	0.00096	1	05/18/22 06:00	05/18/22 19:59	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0054	0.0022	1	05/18/22 06:00	05/18/22 19:59	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0054	0.0042	1	05/18/22 06:00	05/18/22 19:59	75-09-2	
Styrene	<0.00076	mg/kg	0.0054	0.00076	1	05/18/22 06:00	05/18/22 19:59	100-42-5	
Tetrachloroethene	<0.00095	mg/kg	0.0054	0.00095	1	05/18/22 06:00	05/18/22 19:59	127-18-4	
Toluene	<0.00095	mg/kg	0.0054	0.00095	1	05/18/22 06:00	05/18/22 19:59	108-88-3	
Trichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/18/22 06:00	05/18/22 19:59	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0054	0.0014	1	05/18/22 06:00	05/18/22 19:59	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/18/22 06:00	05/18/22 19:59	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-22 (4.5-5.5) **Lab ID: 40244803009** Collected: 05/11/22 11:30 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00095	mg/kg	0.0054	0.00095	1	05/18/22 06:00	05/18/22 19:59	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 19:59	10061-01-5	
trans-1,2-Dichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/18/22 06:00	05/18/22 19:59	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 19:59	10061-02-6	
Surrogates									
Toluene-d8 (S)	93	%	69-156		1	05/18/22 06:00	05/18/22 19:59	2037-26-5	
4-Bromofluorobenzene (S)	87	%	61-175		1	05/18/22 06:00	05/18/22 19:59	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1	05/18/22 06:00	05/18/22 19:59	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	24.9	%	0.10	0.10	1		05/13/22 11:12		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.8	Std. Units	0.10	0.010	1		05/23/22 13:36		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.36	mg/kg	1.1	0.36	1	05/24/22 10:40	05/24/22 14:00	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-22 (8.0-9.0) **Lab ID: 40244803010** Collected: 05/11/22 11:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0021	0.00052	1	05/16/22 10:43	05/20/22 00:45	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/20/22 00:45	319-84-6	
beta-BHC	<0.00066	mg/kg	0.0021	0.00066	1	05/16/22 10:43	05/20/22 00:45	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0021	0.00039	1	05/16/22 10:43	05/20/22 00:45	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/20/22 00:45	58-89-9	
Chlordane (Technical)	<0.0070	mg/kg	0.021	0.0070	1	05/16/22 10:43	05/20/22 00:45	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/16/22 10:43	05/20/22 00:45	5103-71-9	
gamma-Chlordane	<0.00079	mg/kg	0.0021	0.00079	1	05/16/22 10:43	05/20/22 00:45	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0043	0.00043	1	05/16/22 10:43	05/20/22 00:45	72-54-8	
4,4'-DDE	<0.00049	mg/kg	0.0043	0.00049	1	05/16/22 10:43	05/20/22 00:45	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/16/22 10:43	05/20/22 00:45	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/16/22 10:43	05/20/22 00:45	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0021	0.00024	1	05/16/22 10:43	05/20/22 00:45	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/16/22 10:43	05/20/22 00:45	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/16/22 10:43	05/20/22 00:45	1031-07-8	L2
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/16/22 10:43	05/20/22 00:45	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/16/22 10:43	05/20/22 00:45	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/16/22 10:43	05/20/22 00:45	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0021	0.00058	1	05/16/22 10:43	05/20/22 00:45	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0021	0.00022	1	05/16/22 10:43	05/20/22 00:45	1024-57-3	
Methoxychlor	<0.0066	mg/kg	0.021	0.0066	1	05/16/22 10:43	05/20/22 00:45	72-43-5	
Toxaphene	<0.020	mg/kg	0.064	0.020	1	05/16/22 10:43	05/20/22 00:45	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	70	%	53-138		1	05/16/22 10:43	05/20/22 00:45	877-09-8	
Decachlorobiphenyl (S)	56	%	30-150		1	05/16/22 10:43	05/20/22 00:45	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 14:59	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 14:59	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 14:59	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 14:59	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 14:59	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 14:59	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 14:59	11096-82-5	
PCB, Total	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 14:59	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	80	%	50-99		1	05/12/22 20:52	05/16/22 14:59	877-09-8	
Decachlorobiphenyl (S)	78	%	38-95		1	05/12/22 20:52	05/16/22 14:59	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	17900	mg/kg	36.0	7.3	1	05/19/22 12:21	05/24/22 21:20	7429-90-5	
Antimony	0.22J	mg/kg	0.60	0.12	1	05/19/22 12:21	05/24/22 00:54	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: **SB-22 (8.0-9.0)** Lab ID: **40244803010** Collected: 05/11/22 11:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	15.7	mg/kg	0.60	0.13	1	05/19/22 12:21	05/24/22 00:54	7440-38-2	
Barium	228	mg/kg	0.36	0.064	1	05/19/22 12:21	05/24/22 00:54	7440-39-3	
Beryllium	0.98	mg/kg	0.24	0.048	1	05/19/22 12:21	05/24/22 21:20	7440-41-7	
Cadmium	0.29	mg/kg	0.096	0.038	1	05/19/22 12:21	05/24/22 00:54	7440-43-9	
Calcium	4290	mg/kg	120	14.2	1	05/19/22 12:21	05/24/22 21:20	7440-70-2	
Chromium	24.0	mg/kg	2.4	0.17	1	05/19/22 12:21	05/24/22 21:20	7440-47-3	
Cobalt	10.4	mg/kg	0.60	0.12	1	05/19/22 12:21	05/24/22 00:54	7440-48-4	
Copper	23.8	mg/kg	1.2	0.29	1	05/19/22 12:21	05/24/22 00:54	7440-50-8	
Iron	34600	mg/kg	300	63.1	5	05/19/22 12:21	05/24/22 21:24	7439-89-6	
Lead	21.0	mg/kg	0.60	0.035	1	05/19/22 12:21	05/24/22 00:54	7439-92-1	
Magnesium	4740	mg/kg	36.0	5.2	1	05/19/22 12:21	05/24/22 21:20	7439-95-4	
Manganese	821	mg/kg	3.0	1.5	5	05/19/22 12:21	05/24/22 21:24	7439-96-5	
Nickel	25.3	mg/kg	0.60	0.24	1	05/19/22 12:21	05/24/22 00:54	7440-02-0	
Potassium	1060	mg/kg	120	13.8	1	05/19/22 12:21	05/24/22 21:20	7440-09-7	
Selenium	0.40J	mg/kg	0.60	0.10	1	05/19/22 12:21	05/24/22 00:54	7782-49-2	
Silver	<0.17	mg/kg	0.60	0.17	1	05/19/22 12:21	05/24/22 00:54	7440-22-4	
Sodium	67.7	mg/kg	60.1	13.3	1	05/19/22 12:21	05/24/22 21:20	7440-23-5	
Thallium	0.16	mg/kg	0.12	0.044	1	05/19/22 12:21	05/24/22 00:54	7440-28-0	
Vanadium	41.4	mg/kg	1.2	0.21	1	05/19/22 12:21	05/24/22 21:20	7440-62-2	
Zinc	67.6	mg/kg	6.0	1.1	1	05/19/22 12:21	05/24/22 00:54	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.050	mg/kg	0.041	0.012	1	05/17/22 11:51	05/18/22 15:07	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/18/22 11:18	05/19/22 18:01	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/18/22 11:18	05/19/22 18:01	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/18/22 11:18	05/19/22 18:01	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/18/22 11:18	05/19/22 18:01	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/18/22 11:18	05/19/22 18:01	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/18/22 11:18	05/19/22 18:01	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/19/22 18:01	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/18/22 11:18	05/19/22 18:01	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/18/22 11:18	05/19/22 18:01	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/18/22 11:18	05/19/22 18:01	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/19/22 18:01	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/18/22 11:18	05/19/22 18:01	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/18/22 11:18	05/19/22 18:01	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/18/22 11:18	05/19/22 18:01	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/18/22 11:18	05/19/22 18:01	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/18/22 11:18	05/19/22 18:01	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/18/22 11:18	05/19/22 18:01	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-22 (8.0-9.0) **Lab ID: 40244803010** Collected: 05/11/22 11:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/18/22 11:18	05/19/22 18:01	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/18/22 11:18	05/19/22 18:01		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/18/22 11:18	05/19/22 18:01	91-94-1	CU
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/19/22 18:01	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/18/22 11:18	05/19/22 18:01	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/18/22 11:18	05/19/22 18:01	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/18/22 11:18	05/19/22 18:01	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/19/22 18:01	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/18/22 11:18	05/19/22 18:01	7005-72-3	
4-Nitroaniline	<0.089	mg/kg	0.30	0.089	1	05/18/22 11:18	05/19/22 18:01	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/18/22 11:18	05/19/22 18:01	100-02-7	
Acenaphthene	<0.076	mg/kg	0.25	0.076	1	05/18/22 11:18	05/19/22 18:01	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/18/22 11:18	05/19/22 18:01	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/19/22 18:01	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/19/22 18:01	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/19/22 18:01	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/19/22 18:01	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/18/22 11:18	05/19/22 18:01	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/18/22 11:18	05/19/22 18:01	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/19/22 18:01	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/19/22 18:01	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/19/22 18:01	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/19/22 18:01	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/18/22 11:18	05/19/22 18:01	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/18/22 11:18	05/19/22 18:01	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/18/22 11:18	05/19/22 18:01	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/19/22 18:01	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.093	0.028	1	05/18/22 11:18	05/19/22 18:01	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/18/22 11:18	05/19/22 18:01	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/18/22 11:18	05/19/22 18:01	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/18/22 11:18	05/19/22 18:01	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/19/22 18:01	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/18/22 11:18	05/19/22 18:01	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/19/22 18:01	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/18/22 11:18	05/19/22 18:01	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/19/22 18:01	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/19/22 18:01	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.97	0.29	1	05/18/22 11:18	05/19/22 18:01	86-30-6	
Naphthalene	<0.075	mg/kg	0.25	0.075	1	05/18/22 11:18	05/19/22 18:01	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/18/22 11:18	05/19/22 18:01	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/18/22 11:18	05/19/22 18:01	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/18/22 11:18	05/19/22 18:01	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/18/22 11:18	05/19/22 18:01	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/18/22 11:18	05/19/22 18:01	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-22 (8.0-9.0) Lab ID: 40244803010 Collected: 05/11/22 11:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/18/22 11:18	05/19/22 18:01	111-91-1	
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/18/22 11:18	05/19/22 18:01	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/19/22 18:01	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	66	%	10-125		1	05/18/22 11:18	05/19/22 18:01	4165-60-0	
2-Fluorobiphenyl (S)	51	%	12-118		1	05/18/22 11:18	05/19/22 18:01	321-60-8	
Terphenyl-d14 (S)	66	%	10-124		1	05/18/22 11:18	05/19/22 18:01	1718-51-0	
Phenol-d6 (S)	41	%	10-125		1	05/18/22 11:18	05/19/22 18:01	13127-88-3	
2-Fluorophenol (S)	46	%	10-130		1	05/18/22 11:18	05/19/22 18:01	367-12-4	
2,4,6-Tribromophenol (S)	62	%	10-144		1	05/18/22 11:18	05/19/22 18:01	118-79-6	

8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/18/22 06:00	05/18/22 20:23	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0054	0.0028	1	05/18/22 06:00	05/18/22 20:23	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/18/22 06:00	05/18/22 20:23	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0054	0.0012	1	05/18/22 06:00	05/18/22 20:23	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 20:23	75-35-4	
1,2-Dichloroethane	<0.00089	mg/kg	0.0054	0.00089	1	05/18/22 06:00	05/18/22 20:23	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 20:23	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/18/22 06:00	05/18/22 20:23	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/18/22 06:00	05/18/22 20:23	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/18/22 06:00	05/18/22 20:23	108-10-1	
Acetone	<0.051	mg/kg	0.11	0.051	1	05/18/22 06:00	05/18/22 20:23	67-64-1	
Benzene	<0.00076	mg/kg	0.0054	0.00076	1	05/18/22 06:00	05/18/22 20:23	71-43-2	
Bromodichloromethane	<0.00073	mg/kg	0.0054	0.00073	1	05/18/22 06:00	05/18/22 20:23	75-27-4	
Bromoform	<0.0087	mg/kg	0.022	0.0087	1	05/18/22 06:00	05/18/22 20:23	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0054	0.0048	1	05/18/22 06:00	05/18/22 20:23	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0054	0.0012	1	05/18/22 06:00	05/18/22 20:23	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0054	0.0034	1	05/18/22 06:00	05/18/22 20:23	56-23-5	
Chlorobenzene	<0.00099	mg/kg	0.0054	0.00099	1	05/18/22 06:00	05/18/22 20:23	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0054	0.0039	1	05/18/22 06:00	05/18/22 20:23	75-00-3	
Chloroform	<0.00091	mg/kg	0.0054	0.00091	1	05/18/22 06:00	05/18/22 20:23	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0054	0.0012	1	05/18/22 06:00	05/18/22 20:23	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 20:23	124-48-1	
Ethylbenzene	<0.00096	mg/kg	0.0054	0.00096	1	05/18/22 06:00	05/18/22 20:23	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0054	0.0022	1	05/18/22 06:00	05/18/22 20:23	1634-04-4	
Methylene Chloride	<0.0043	mg/kg	0.0054	0.0043	1	05/18/22 06:00	05/18/22 20:23	75-09-2	
Styrene	<0.00076	mg/kg	0.0054	0.00076	1	05/18/22 06:00	05/18/22 20:23	100-42-5	
Tetrachloroethene	<0.00096	mg/kg	0.0054	0.00096	1	05/18/22 06:00	05/18/22 20:23	127-18-4	
Toluene	<0.00095	mg/kg	0.0054	0.00095	1	05/18/22 06:00	05/18/22 20:23	108-88-3	
Trichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/18/22 06:00	05/18/22 20:23	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0054	0.0014	1	05/18/22 06:00	05/18/22 20:23	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/18/22 06:00	05/18/22 20:23	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-22 (8.0-9.0) **Lab ID: 40244803010** Collected: 05/11/22 11:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00095	mg/kg	0.0054	0.00095	1	05/18/22 06:00	05/18/22 20:23	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 20:23	10061-01-5	
trans-1,2-Dichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/18/22 06:00	05/18/22 20:23	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/18/22 20:23	10061-02-6	
Surrogates									
Toluene-d8 (S)	96	%	69-156		1	05/18/22 06:00	05/18/22 20:23	2037-26-5	
4-Bromofluorobenzene (S)	86	%	61-175		1	05/18/22 06:00	05/18/22 20:23	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1	05/18/22 06:00	05/18/22 20:23	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.8	%	0.10	0.10	1		05/13/22 11:12		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.7	Std. Units	0.10	0.010	1		05/23/22 13:38		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.37	mg/kg	1.1	0.37	1	05/24/22 10:40	05/24/22 14:01	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: **SB-23 (4.8-5.8)** Lab ID: **40244803011** Collected: 05/11/22 12:45 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550 Pace Analytical Services - Minneapolis									
Aldrin	<0.00050	mg/kg	0.0021	0.00050	1	05/16/22 10:43	05/20/22 03:35	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/20/22 03:35	319-84-6	
beta-BHC	<0.00064	mg/kg	0.0021	0.00064	1	05/16/22 10:43	05/20/22 03:35	319-85-7	
delta-BHC	<0.00038	mg/kg	0.0021	0.00038	1	05/16/22 10:43	05/20/22 03:35	319-86-8	
gamma-BHC (Lindane)	<0.00020	mg/kg	0.0021	0.00020	1	05/16/22 10:43	05/20/22 03:35	58-89-9	
Chlordane (Technical)	<0.0069	mg/kg	0.021	0.0069	1	05/16/22 10:43	05/20/22 03:35	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/16/22 10:43	05/20/22 03:35	5103-71-9	
gamma-Chlordane	<0.00077	mg/kg	0.0021	0.00077	1	05/16/22 10:43	05/20/22 03:35	5103-74-2	
4,4'-DDD	<0.00042	mg/kg	0.0041	0.00042	1	05/16/22 10:43	05/20/22 03:35	72-54-8	
4,4'-DDE	<0.00048	mg/kg	0.0041	0.00048	1	05/16/22 10:43	05/20/22 03:35	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0041	0.0013	1	05/16/22 10:43	05/20/22 03:35	50-29-3	
Dieldrin	<0.00040	mg/kg	0.0041	0.00040	1	05/16/22 10:43	05/20/22 03:35	60-57-1	
Endosulfan I	<0.00023	mg/kg	0.0021	0.00023	1	05/16/22 10:43	05/20/22 03:35	959-98-8	
Endosulfan II	<0.00099	mg/kg	0.0041	0.00099	1	05/16/22 10:43	05/20/22 03:35	33213-65-9	
Endosulfan sulfate	<0.00098	mg/kg	0.0041	0.00098	1	05/16/22 10:43	05/20/22 03:35	1031-07-8	L2
Endrin	<0.00047	mg/kg	0.0041	0.00047	1	05/16/22 10:43	05/20/22 03:35	72-20-8	
Endrin aldehyde	<0.0013	mg/kg	0.0041	0.0013	1	05/16/22 10:43	05/20/22 03:35	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0041	0.0011	1	05/16/22 10:43	05/20/22 03:35	53494-70-5	
Heptachlor	<0.00056	mg/kg	0.0021	0.00056	1	05/16/22 10:43	05/20/22 03:35	76-44-8	
Heptachlor epoxide	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/20/22 03:35	1024-57-3	
Methoxychlor	<0.0064	mg/kg	0.021	0.0064	1	05/16/22 10:43	05/20/22 03:35	72-43-5	
Toxaphene	<0.020	mg/kg	0.062	0.020	1	05/16/22 10:43	05/20/22 03:35	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	71	%	53-138		1	05/16/22 10:43	05/20/22 03:35	877-09-8	
Decachlorobiphenyl (S)	56	%	30-150		1	05/16/22 10:43	05/20/22 03:35	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541 Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.062	0.019	1	05/12/22 20:52	05/16/22 17:49	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.062	0.019	1	05/12/22 20:52	05/16/22 17:49	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.062	0.019	1	05/12/22 20:52	05/16/22 17:49	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.062	0.019	1	05/12/22 20:52	05/16/22 17:49	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.062	0.019	1	05/12/22 20:52	05/16/22 17:49	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.062	0.019	1	05/12/22 20:52	05/16/22 17:49	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.062	0.019	1	05/12/22 20:52	05/16/22 17:49	11096-82-5	
PCB, Total	<0.019	mg/kg	0.062	0.019	1	05/12/22 20:52	05/16/22 17:49	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	83	%	50-99		1	05/12/22 20:52	05/16/22 17:49	877-09-8	
Decachlorobiphenyl (S)	76	%	38-95		1	05/12/22 20:52	05/16/22 17:49	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis									
Aluminum	18100	mg/kg	35.3	7.1	1	05/19/22 12:21	05/24/22 21:27	7429-90-5	
Antimony	<0.11	mg/kg	0.59	0.11	1	05/19/22 12:21	05/24/22 00:58	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-23 (4.8-5.8) **Lab ID: 40244803011** Collected: 05/11/22 12:45 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	4.5	mg/kg	0.59	0.13	1	05/19/22 12:21	05/24/22 00:58	7440-38-2	
Barium	248	mg/kg	0.35	0.063	1	05/19/22 12:21	05/24/22 00:58	7440-39-3	
Beryllium	0.89	mg/kg	0.24	0.047	1	05/19/22 12:21	05/24/22 21:27	7440-41-7	
Cadmium	0.046J	mg/kg	0.094	0.037	1	05/19/22 12:21	05/24/22 00:58	7440-43-9	
Calcium	4830	mg/kg	118	13.9	1	05/19/22 12:21	05/24/22 21:27	7440-70-2	
Chromium	20.7	mg/kg	2.4	0.16	1	05/19/22 12:21	05/24/22 21:27	7440-47-3	
Cobalt	4.6	mg/kg	0.59	0.12	1	05/19/22 12:21	05/24/22 00:58	7440-48-4	
Copper	17.0	mg/kg	1.2	0.29	1	05/19/22 12:21	05/24/22 00:58	7440-50-8	
Iron	17400	mg/kg	58.9	12.4	1	05/19/22 12:21	05/24/22 21:27	7439-89-6	
Lead	14.9	mg/kg	0.59	0.035	1	05/19/22 12:21	05/24/22 00:58	7439-92-1	
Magnesium	3370	mg/kg	35.3	5.1	1	05/19/22 12:21	05/24/22 21:27	7439-95-4	
Manganese	113	mg/kg	0.59	0.29	1	05/19/22 12:21	05/24/22 21:27	7439-96-5	
Nickel	11.5	mg/kg	0.59	0.23	1	05/19/22 12:21	05/24/22 00:58	7440-02-0	
Potassium	1490	mg/kg	118	13.5	1	05/19/22 12:21	05/24/22 21:27	7440-09-7	
Selenium	0.93	mg/kg	0.59	0.10	1	05/19/22 12:21	05/24/22 00:58	7782-49-2	
Silver	<0.17	mg/kg	0.59	0.17	1	05/19/22 12:21	05/24/22 00:58	7440-22-4	
Sodium	82.8	mg/kg	58.9	13.1	1	05/19/22 12:21	05/24/22 21:27	7440-23-5	
Thallium	0.19	mg/kg	0.12	0.043	1	05/19/22 12:21	05/24/22 00:58	7440-28-0	
Vanadium	41.2	mg/kg	1.2	0.21	1	05/19/22 12:21	05/24/22 21:27	7440-62-2	
Zinc	58.1	mg/kg	5.9	1.1	1	05/19/22 12:21	05/24/22 00:58	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.028J	mg/kg	0.042	0.012	1	05/17/22 11:51	05/18/22 15:10	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.078	0.024	1	05/18/22 11:18	05/18/22 17:56	120-82-1	
1,2-Dichlorobenzene	<0.065	mg/kg	0.22	0.065	1	05/18/22 11:18	05/18/22 17:56	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.096	0.029	1	05/18/22 11:18	05/18/22 17:56	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.097	0.029	1	05/18/22 11:18	05/18/22 17:56	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.054	mg/kg	0.18	0.054	1	05/18/22 11:18	05/18/22 17:56	108-60-1	
2,4,5-Trichlorophenol	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/18/22 17:56	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 17:56	88-06-2	
2,4-Dichlorophenol	<0.056	mg/kg	0.19	0.056	1	05/18/22 11:18	05/18/22 17:56	120-83-2	
2,4-Dimethylphenol	<0.041	mg/kg	0.14	0.041	1	05/18/22 11:18	05/18/22 17:56	105-67-9	
2,4-Dinitrophenol	<0.063	mg/kg	0.21	0.063	1	05/18/22 11:18	05/18/22 17:56	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.099	0.030	1	05/18/22 11:18	05/18/22 17:56	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/18/22 11:18	05/18/22 17:56	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.089	0.027	1	05/18/22 11:18	05/18/22 17:56	91-58-7	
2-Chlorophenol	<0.052	mg/kg	0.17	0.052	1	05/18/22 11:18	05/18/22 17:56	95-57-8	
2-Methylnaphthalene	<0.054	mg/kg	0.18	0.054	1	05/18/22 11:18	05/18/22 17:56	91-57-6	
2-Methylphenol(o-Cresol)	<0.038	mg/kg	0.13	0.038	1	05/18/22 11:18	05/18/22 17:56	95-48-7	
2-Nitroaniline	<0.059	mg/kg	0.20	0.059	1	05/18/22 11:18	05/18/22 17:56	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: **SB-23 (4.8-5.8)** Lab ID: **40244803011** Collected: 05/11/22 12:45 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.066	mg/kg	0.22	0.066	1	05/18/22 11:18	05/18/22 17:56	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.038	mg/kg	0.13	0.038	1	05/18/22 11:18	05/18/22 17:56		
3,3'-Dichlorobenzidine	<0.056	mg/kg	0.19	0.056	1	05/18/22 11:18	05/18/22 17:56	91-94-1	
3-Nitroaniline	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/18/22 17:56	99-09-2	
4,6-Dinitro-2-methylphenol	<0.064	mg/kg	0.21	0.064	1	05/18/22 11:18	05/18/22 17:56	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/18/22 11:18	05/18/22 17:56	101-55-3	
4-Chloro-3-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/18/22 11:18	05/18/22 17:56	59-50-7	
4-Chloroaniline	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 17:56	106-47-8	1q
4-Chlorophenylphenyl ether	<0.039	mg/kg	0.13	0.039	1	05/18/22 11:18	05/18/22 17:56	7005-72-3	
4-Nitroaniline	<0.086	mg/kg	0.29	0.086	1	05/18/22 11:18	05/18/22 17:56	100-01-6	
4-Nitrophenol	<0.052	mg/kg	0.17	0.052	1	05/18/22 11:18	05/18/22 17:56	100-02-7	
Acenaphthene	<0.074	mg/kg	0.25	0.074	1	05/18/22 11:18	05/18/22 17:56	83-32-9	
Acenaphthylene	<0.074	mg/kg	0.25	0.074	1	05/18/22 11:18	05/18/22 17:56	208-96-8	
Anthracene	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 17:56	120-12-7	
Benzo(a)anthracene	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 17:56	56-55-3	
Benzo(a)pyrene	0.037J	mg/kg	0.10	0.031	1	05/18/22 11:18	05/18/22 17:56	50-32-8	
Benzo(b)fluoranthene	0.065J	mg/kg	0.12	0.036	1	05/18/22 11:18	05/18/22 17:56	205-99-2	
Benzo(g,h,i)perylene	<0.054	mg/kg	0.18	0.054	1	05/18/22 11:18	05/18/22 17:56	191-24-2	
Benzo(k)fluoranthene	<0.050	mg/kg	0.17	0.050	1	05/18/22 11:18	05/18/22 17:56	207-08-9	
Butylbenzylphthalate	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 17:56	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 17:56	86-74-8	
Chrysene	0.035J	mg/kg	0.10	0.031	1	05/18/22 11:18	05/18/22 17:56	218-01-9	
Di-n-butylphthalate	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/18/22 17:56	84-74-2	
Di-n-octylphthalate	<0.047	mg/kg	0.16	0.047	1	05/18/22 11:18	05/18/22 17:56	117-84-0	
Dibenz(a,h)anthracene	<0.057	mg/kg	0.19	0.057	1	05/18/22 11:18	05/18/22 17:56	53-70-3	
Dibenzofuran	<0.025	mg/kg	0.084	0.025	1	05/18/22 11:18	05/18/22 17:56	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/18/22 17:56	84-66-2	
Dimethylphthalate	<0.027	mg/kg	0.090	0.027	1	05/18/22 11:18	05/18/22 17:56	131-11-3	
Fluoranthene	<0.029	mg/kg	0.098	0.029	1	05/18/22 11:18	05/18/22 17:56	206-44-0	
Fluorene	<0.024	mg/kg	0.081	0.024	1	05/18/22 11:18	05/18/22 17:56	86-73-7	
Hexachloro-1,3-butadiene	<0.053	mg/kg	0.18	0.053	1	05/18/22 11:18	05/18/22 17:56	87-68-3	
Hexachlorobenzene	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/18/22 17:56	118-74-1	
Hexachlorocyclopentadiene	<0.049	mg/kg	0.16	0.049	1	05/18/22 11:18	05/18/22 17:56	77-47-4	
Hexachloroethane	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 17:56	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.045	mg/kg	0.15	0.045	1	05/18/22 11:18	05/18/22 17:56	193-39-5	
Isophorone	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 17:56	78-59-1	
N-Nitroso-di-n-propylamine	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 17:56	621-64-7	
N-Nitrosodiphenylamine	<0.28	mg/kg	0.94	0.28	1	05/18/22 11:18	05/18/22 17:56	86-30-6	
Naphthalene	<0.073	mg/kg	0.24	0.073	1	05/18/22 11:18	05/18/22 17:56	91-20-3	
Nitrobenzene	<0.042	mg/kg	0.14	0.042	1	05/18/22 11:18	05/18/22 17:56	98-95-3	
Pentachlorophenol	<0.046	mg/kg	0.15	0.046	1	05/18/22 11:18	05/18/22 17:56	87-86-5	
Phenanthrene	<0.027	mg/kg	0.089	0.027	1	05/18/22 11:18	05/18/22 17:56	85-01-8	
Phenol	<0.049	mg/kg	0.16	0.049	1	05/18/22 11:18	05/18/22 17:56	108-95-2	
Pyrene	<0.046	mg/kg	0.15	0.046	1	05/18/22 11:18	05/18/22 17:56	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-23 (4.8-5.8) Lab ID: 40244803011 Collected: 05/11/22 12:45 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.056	mg/kg	0.19	0.056	1	05/18/22 11:18	05/18/22 17:56	111-91-1	
bis(2-Chloroethyl) ether	<0.065	mg/kg	0.22	0.065	1	05/18/22 11:18	05/18/22 17:56	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/18/22 17:56	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	80	%	10-125		1	05/18/22 11:18	05/18/22 17:56	4165-60-0	
2-Fluorobiphenyl (S)	58	%	12-118		1	05/18/22 11:18	05/18/22 17:56	321-60-8	
Terphenyl-d14 (S)	64	%	10-124		1	05/18/22 11:18	05/18/22 17:56	1718-51-0	
Phenol-d6 (S)	63	%	10-125		1	05/18/22 11:18	05/18/22 17:56	13127-88-3	
2-Fluorophenol (S)	72	%	10-130		1	05/18/22 11:18	05/18/22 17:56	367-12-4	
2,4,6-Tribromophenol (S)	62	%	10-144		1	05/18/22 11:18	05/18/22 17:56	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/18/22 06:00	05/18/22 20:48	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0050	0.0026	1	05/18/22 06:00	05/18/22 20:48	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/18/22 06:00	05/18/22 20:48	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/18/22 06:00	05/18/22 20:48	75-34-3	
1,1-Dichloroethene	<0.0010	mg/kg	0.0050	0.0010	1	05/18/22 06:00	05/18/22 20:48	75-35-4	
1,2-Dichloroethane	<0.00082	mg/kg	0.0050	0.00082	1	05/18/22 06:00	05/18/22 20:48	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/18/22 06:00	05/18/22 20:48	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/18/22 06:00	05/18/22 20:48	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/18/22 06:00	05/18/22 20:48	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/18/22 06:00	05/18/22 20:48	108-10-1	
Acetone	<0.047	mg/kg	0.10	0.047	1	05/18/22 06:00	05/18/22 20:48	67-64-1	
Benzene	<0.00071	mg/kg	0.0050	0.00071	1	05/18/22 06:00	05/18/22 20:48	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/18/22 06:00	05/18/22 20:48	75-27-4	
Bromoform	<0.0081	mg/kg	0.020	0.0081	1	05/18/22 06:00	05/18/22 20:48	75-25-2	
Bromomethane	<0.0044	mg/kg	0.0050	0.0044	1	05/18/22 06:00	05/18/22 20:48	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/18/22 06:00	05/18/22 20:48	75-15-0	
Carbon tetrachloride	<0.0031	mg/kg	0.0050	0.0031	1	05/18/22 06:00	05/18/22 20:48	56-23-5	
Chlorobenzene	<0.00092	mg/kg	0.0050	0.00092	1	05/18/22 06:00	05/18/22 20:48	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0050	0.0036	1	05/18/22 06:00	05/18/22 20:48	75-00-3	
Chloroform	<0.00084	mg/kg	0.0050	0.00084	1	05/18/22 06:00	05/18/22 20:48	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/18/22 06:00	05/18/22 20:48	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/18/22 06:00	05/18/22 20:48	124-48-1	
Ethylbenzene	<0.00089	mg/kg	0.0050	0.00089	1	05/18/22 06:00	05/18/22 20:48	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0050	0.0020	1	05/18/22 06:00	05/18/22 20:48	1634-04-4	
Methylene Chloride	<0.0039	mg/kg	0.0050	0.0039	1	05/18/22 06:00	05/18/22 20:48	75-09-2	
Styrene	<0.00071	mg/kg	0.0050	0.00071	1	05/18/22 06:00	05/18/22 20:48	100-42-5	
Tetrachloroethene	<0.00088	mg/kg	0.0050	0.00088	1	05/18/22 06:00	05/18/22 20:48	127-18-4	
Toluene	<0.00088	mg/kg	0.0050	0.00088	1	05/18/22 06:00	05/18/22 20:48	108-88-3	
Trichloroethene	<0.00071	mg/kg	0.0050	0.00071	1	05/18/22 06:00	05/18/22 20:48	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/18/22 06:00	05/18/22 20:48	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.010	0.0034	1	05/18/22 06:00	05/18/22 20:48	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-23 (4.8-5.8) **Lab ID: 40244803011** Collected: 05/11/22 12:45 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00088	mg/kg	0.0050	0.00088	1	05/18/22 06:00	05/18/22 20:48	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/18/22 06:00	05/18/22 20:48	10061-01-5	
trans-1,2-Dichloroethene	<0.00071	mg/kg	0.0050	0.00071	1	05/18/22 06:00	05/18/22 20:48	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/18/22 06:00	05/18/22 20:48	10061-02-6	
Surrogates									
Toluene-d8 (S)	98	%	69-156		1	05/18/22 06:00	05/18/22 20:48	2037-26-5	
4-Bromofluorobenzene (S)	89	%	61-175		1	05/18/22 06:00	05/18/22 20:48	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1	05/18/22 06:00	05/18/22 20:48	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	19.8	%	0.10	0.10	1		05/13/22 11:14		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.17	Std. Units	0.100	0.0100	1		05/20/22 09:20		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.38	mg/kg	1.1	0.38	1	05/24/22 10:40	05/24/22 14:04	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-23 (8.1-9.1) **Lab ID: 40244803012** Collected: 05/11/22 12:50 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00051	mg/kg	0.0021	0.00051	1	05/16/22 10:43	05/20/22 03:54	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/20/22 03:54	319-84-6	
beta-BHC	<0.00065	mg/kg	0.0021	0.00065	1	05/16/22 10:43	05/20/22 03:54	319-85-7	
delta-BHC	<0.00038	mg/kg	0.0021	0.00038	1	05/16/22 10:43	05/20/22 03:54	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/20/22 03:54	58-89-9	
Chlordane (Technical)	<0.0070	mg/kg	0.021	0.0070	1	05/16/22 10:43	05/20/22 03:54	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/16/22 10:43	05/20/22 03:54	5103-71-9	
gamma-Chlordane	<0.00078	mg/kg	0.0021	0.00078	1	05/16/22 10:43	05/20/22 03:54	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0042	0.00043	1	05/16/22 10:43	05/20/22 03:54	72-54-8	
4,4'-DDE	<0.00049	mg/kg	0.0042	0.00049	1	05/16/22 10:43	05/20/22 03:54	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0042	0.0013	1	05/16/22 10:43	05/20/22 03:54	50-29-3	
Dieldrin	<0.00040	mg/kg	0.0042	0.00040	1	05/16/22 10:43	05/20/22 03:54	60-57-1	
Endosulfan I	<0.00023	mg/kg	0.0021	0.00023	1	05/16/22 10:43	05/20/22 03:54	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0042	0.0010	1	05/16/22 10:43	05/20/22 03:54	33213-65-9	
Endosulfan sulfate	<0.00099	mg/kg	0.0042	0.00099	1	05/16/22 10:43	05/20/22 03:54	1031-07-8	L2
Endrin	<0.00047	mg/kg	0.0042	0.00047	1	05/16/22 10:43	05/20/22 03:54	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0042	0.0014	1	05/16/22 10:43	05/20/22 03:54	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0042	0.0011	1	05/16/22 10:43	05/20/22 03:54	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0021	0.00057	1	05/16/22 10:43	05/20/22 03:54	76-44-8	
Heptachlor epoxide	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/20/22 03:54	1024-57-3	
Methoxychlor	<0.0065	mg/kg	0.021	0.0065	1	05/16/22 10:43	05/20/22 03:54	72-43-5	
Toxaphene	<0.020	mg/kg	0.063	0.020	1	05/16/22 10:43	05/20/22 03:54	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	72	%	53-138		1	05/16/22 10:43	05/20/22 03:54	877-09-8	
Decachlorobiphenyl (S)	52	%	30-150		1	05/16/22 10:43	05/20/22 03:54	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 18:13	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 18:13	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 18:13	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 18:13	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 18:13	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 18:13	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 18:13	11096-82-5	
PCB, Total	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 18:13	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	74	%	50-99		1	05/12/22 20:52	05/16/22 18:13	877-09-8	
Decachlorobiphenyl (S)	70	%	38-95		1	05/12/22 20:52	05/16/22 18:13	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	18100	mg/kg	36.3	7.3	1	05/19/22 12:21	05/24/22 21:31	7429-90-5	
Antimony	0.14J	mg/kg	0.60	0.12	1	05/19/22 12:21	05/24/22 01:09	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-23 (8.1-9.1) **Lab ID: 40244803012** Collected: 05/11/22 12:50 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	5.3	mg/kg	0.60	0.13	1	05/19/22 12:21	05/24/22 01:09	7440-38-2	
Barium	119	mg/kg	0.36	0.065	1	05/19/22 12:21	05/24/22 01:09	7440-39-3	
Beryllium	0.96	mg/kg	0.24	0.048	1	05/19/22 12:21	05/24/22 21:31	7440-41-7	
Cadmium	0.14	mg/kg	0.097	0.038	1	05/19/22 12:21	05/24/22 01:09	7440-43-9	
Calcium	4800	mg/kg	121	14.3	1	05/19/22 12:21	05/24/22 21:31	7440-70-2	
Chromium	24.0	mg/kg	2.4	0.17	1	05/19/22 12:21	05/24/22 21:31	7440-47-3	
Cobalt	4.4	mg/kg	0.60	0.12	1	05/19/22 12:21	05/24/22 01:09	7440-48-4	
Copper	19.8	mg/kg	1.2	0.29	1	05/19/22 12:21	05/24/22 01:09	7440-50-8	
Iron	18700	mg/kg	60.5	12.7	1	05/19/22 12:21	05/24/22 21:31	7439-89-6	
Lead	13.9	mg/kg	0.60	0.036	1	05/19/22 12:21	05/24/22 01:09	7439-92-1	
Magnesium	4840	mg/kg	36.3	5.2	1	05/19/22 12:21	05/24/22 21:31	7439-95-4	
Manganese	101	mg/kg	0.60	0.30	1	05/19/22 12:21	05/24/22 21:31	7439-96-5	
Nickel	17.3	mg/kg	0.60	0.24	1	05/19/22 12:21	05/24/22 01:09	7440-02-0	
Potassium	929	mg/kg	121	13.9	1	05/19/22 12:21	05/24/22 21:31	7440-09-7	
Selenium	0.25J	mg/kg	0.60	0.10	1	05/19/22 12:21	05/24/22 01:09	7782-49-2	
Silver	<0.18	mg/kg	0.60	0.18	1	05/19/22 12:21	05/24/22 01:09	7440-22-4	
Sodium	139	mg/kg	60.5	13.4	1	05/19/22 12:21	05/24/22 21:31	7440-23-5	
Thallium	0.20	mg/kg	0.12	0.044	1	05/19/22 12:21	05/24/22 01:09	7440-28-0	
Vanadium	35.5	mg/kg	1.2	0.21	1	05/19/22 12:21	05/24/22 21:31	7440-62-2	
Zinc	69.9	mg/kg	6.0	1.1	1	05/19/22 12:21	05/24/22 01:09	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.051	mg/kg	0.043	0.012	1	05/17/22 11:51	05/18/22 15:12	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/18/22 11:18	05/18/22 18:18	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/18/22 11:18	05/18/22 18:18	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/18/22 11:18	05/18/22 18:18	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.098	0.030	1	05/18/22 11:18	05/18/22 18:18	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/18/22 11:18	05/18/22 18:18	108-60-1	
2,4,5-Trichlorophenol	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/18/22 18:18	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 18:18	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/18/22 11:18	05/18/22 18:18	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/18/22 11:18	05/18/22 18:18	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/18/22 11:18	05/18/22 18:18	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/18/22 11:18	05/18/22 18:18	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/18/22 11:18	05/18/22 18:18	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/18/22 11:18	05/18/22 18:18	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/18/22 11:18	05/18/22 18:18	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/18/22 11:18	05/18/22 18:18	91-57-6	
2-Methylphenol(o-Cresol)	<0.038	mg/kg	0.13	0.038	1	05/18/22 11:18	05/18/22 18:18	95-48-7	
2-Nitroaniline	<0.060	mg/kg	0.20	0.060	1	05/18/22 11:18	05/18/22 18:18	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-23 (8.1-9.1) **Lab ID: 40244803012** Collected: 05/11/22 12:50 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/18/22 11:18	05/18/22 18:18	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/18/22 11:18	05/18/22 18:18		
3,3'-Dichlorobenzidine	<0.057	mg/kg	0.19	0.057	1	05/18/22 11:18	05/18/22 18:18	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/18/22 18:18	99-09-2	
4,6-Dinitro-2-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/18/22 11:18	05/18/22 18:18	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/18/22 11:18	05/18/22 18:18	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/18/22 11:18	05/18/22 18:18	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/18/22 18:18	106-47-8	1q
4-Chlorophenylphenyl ether	<0.039	mg/kg	0.13	0.039	1	05/18/22 11:18	05/18/22 18:18	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/18/22 11:18	05/18/22 18:18	100-01-6	
4-Nitrophenol	<0.053	mg/kg	0.18	0.053	1	05/18/22 11:18	05/18/22 18:18	100-02-7	
Acenaphthene	<0.075	mg/kg	0.25	0.075	1	05/18/22 11:18	05/18/22 18:18	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/18/22 11:18	05/18/22 18:18	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 18:18	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 18:18	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 18:18	50-32-8	
Benzo(b)fluoranthene	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/18/22 18:18	205-99-2	
Benzo(g,h,i)perylene	<0.055	mg/kg	0.18	0.055	1	05/18/22 11:18	05/18/22 18:18	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/18/22 11:18	05/18/22 18:18	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 18:18	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 18:18	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 18:18	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 18:18	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/18/22 11:18	05/18/22 18:18	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/18/22 11:18	05/18/22 18:18	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.085	0.026	1	05/18/22 11:18	05/18/22 18:18	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/18/22 18:18	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.092	0.028	1	05/18/22 11:18	05/18/22 18:18	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/18/22 11:18	05/18/22 18:18	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/18/22 11:18	05/18/22 18:18	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/18/22 11:18	05/18/22 18:18	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/18/22 18:18	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/18/22 11:18	05/18/22 18:18	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 18:18	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/18/22 11:18	05/18/22 18:18	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 18:18	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 18:18	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/18/22 11:18	05/18/22 18:18	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/18/22 11:18	05/18/22 18:18	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/18/22 11:18	05/18/22 18:18	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/18/22 11:18	05/18/22 18:18	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/18/22 11:18	05/18/22 18:18	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/18/22 11:18	05/18/22 18:18	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/18/22 11:18	05/18/22 18:18	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-23 (8.1-9.1) **Lab ID: 40244803012** Collected: 05/11/22 12:50 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/18/22 11:18	05/18/22 18:18	111-91-1	
bis(2-Chloroethyl) ether	<0.066	mg/kg	0.22	0.066	1	05/18/22 11:18	05/18/22 18:18	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/18/22 18:18	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	61	%	10-125		1	05/18/22 11:18	05/18/22 18:18	4165-60-0	
2-Fluorobiphenyl (S)	55	%	12-118		1	05/18/22 11:18	05/18/22 18:18	321-60-8	
Terphenyl-d14 (S)	59	%	10-124		1	05/18/22 11:18	05/18/22 18:18	1718-51-0	
Phenol-d6 (S)	54	%	10-125		1	05/18/22 11:18	05/18/22 18:18	13127-88-3	
2-Fluorophenol (S)	54	%	10-130		1	05/18/22 11:18	05/18/22 18:18	367-12-4	
2,4,6-Tribromophenol (S)	64	%	10-144		1	05/18/22 11:18	05/18/22 18:18	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/18/22 06:00	05/18/22 21:12	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0050	0.0026	1	05/18/22 06:00	05/18/22 21:12	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/18/22 06:00	05/18/22 21:12	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/18/22 06:00	05/18/22 21:12	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0050	0.0011	1	05/18/22 06:00	05/18/22 21:12	75-35-4	
1,2-Dichloroethane	<0.00083	mg/kg	0.0050	0.00083	1	05/18/22 06:00	05/18/22 21:12	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/18/22 06:00	05/18/22 21:12	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/18/22 06:00	05/18/22 21:12	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/18/22 06:00	05/18/22 21:12	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/18/22 06:00	05/18/22 21:12	108-10-1	
Acetone	<0.048	mg/kg	0.10	0.048	1	05/18/22 06:00	05/18/22 21:12	67-64-1	
Benzene	<0.00071	mg/kg	0.0050	0.00071	1	05/18/22 06:00	05/18/22 21:12	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/18/22 06:00	05/18/22 21:12	75-27-4	
Bromoform	<0.0082	mg/kg	0.020	0.0082	1	05/18/22 06:00	05/18/22 21:12	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0050	0.0045	1	05/18/22 06:00	05/18/22 21:12	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/18/22 06:00	05/18/22 21:12	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0050	0.0032	1	05/18/22 06:00	05/18/22 21:12	56-23-5	
Chlorobenzene	<0.00093	mg/kg	0.0050	0.00093	1	05/18/22 06:00	05/18/22 21:12	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0050	0.0037	1	05/18/22 06:00	05/18/22 21:12	75-00-3	
Chloroform	<0.00085	mg/kg	0.0050	0.00085	1	05/18/22 06:00	05/18/22 21:12	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/18/22 06:00	05/18/22 21:12	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/18/22 06:00	05/18/22 21:12	124-48-1	
Ethylbenzene	<0.00090	mg/kg	0.0050	0.00090	1	05/18/22 06:00	05/18/22 21:12	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0050	0.0021	1	05/18/22 06:00	05/18/22 21:12	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0050	0.0040	1	05/18/22 06:00	05/18/22 21:12	75-09-2	
Styrene	<0.00072	mg/kg	0.0050	0.00072	1	05/18/22 06:00	05/18/22 21:12	100-42-5	
Tetrachloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/18/22 06:00	05/18/22 21:12	127-18-4	
Toluene	<0.00089	mg/kg	0.0050	0.00089	1	05/18/22 06:00	05/18/22 21:12	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/18/22 06:00	05/18/22 21:12	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/18/22 06:00	05/18/22 21:12	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.010	0.0034	1	05/18/22 06:00	05/18/22 21:12	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-23 (8.1-9.1) **Lab ID: 40244803012** Collected: 05/11/22 12:50 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/18/22 06:00	05/18/22 21:12	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/18/22 06:00	05/18/22 21:12	10061-01-5	
trans-1,2-Dichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/18/22 06:00	05/18/22 21:12	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/18/22 06:00	05/18/22 21:12	10061-02-6	
Surrogates									
Toluene-d8 (S)	93	%	69-156		1	05/18/22 06:00	05/18/22 21:12	2037-26-5	
4-Bromofluorobenzene (S)	89	%	61-175		1	05/18/22 06:00	05/18/22 21:12	460-00-4	
1,2-Dichlorobenzene-d4 (S)	95	%	70-130		1	05/18/22 06:00	05/18/22 21:12	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.1	%	0.10	0.10	1		05/13/22 11:14		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/23/22 13:40		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	0.33J	mg/kg	0.95	0.32	1	05/24/22 10:40	05/24/22 14:04	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-24 (5.5-6.5) **Lab ID: 40244803013** Collected: 05/11/22 13:30 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00096	mg/kg	0.0039	0.00096	2	05/16/22 10:43	05/20/22 02:19	309-00-2	
alpha-BHC	<0.00040	mg/kg	0.0039	0.00040	2	05/16/22 10:43	05/20/22 02:19	319-84-6	
beta-BHC	0.0051	mg/kg	0.0039	0.0012	2	05/16/22 10:43	05/20/22 02:19	319-85-7	
delta-BHC	<0.00072	mg/kg	0.0039	0.00072	2	05/16/22 10:43	05/20/22 02:19	319-86-8	
gamma-BHC (Lindane)	<0.00038	mg/kg	0.0039	0.00038	2	05/16/22 10:43	05/20/22 02:19	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.039	0.013	2	05/16/22 10:43	05/20/22 02:19	57-74-9	
alpha-Chlordane	<0.00049	mg/kg	0.0039	0.00049	2	05/16/22 10:43	05/20/22 02:19	5103-71-9	
gamma-Chlordane	<0.0015	mg/kg	0.0039	0.0015	2	05/16/22 10:43	05/20/22 02:19	5103-74-2	
4,4'-DDD	0.0064J	mg/kg	0.0079	0.00080	2	05/16/22 10:43	05/20/22 02:19	72-54-8	
4,4'-DDE	0.14	mg/kg	0.0079	0.00091	2	05/16/22 10:43	05/20/22 02:19	72-55-9	
4,4'-DDT	0.13	mg/kg	0.0079	0.0024	2	05/16/22 10:43	05/20/22 02:19	50-29-3	
Dieldrin	<0.00075	mg/kg	0.0079	0.00075	2	05/16/22 10:43	05/20/22 02:19	60-57-1	
Endosulfan I	<0.00044	mg/kg	0.0039	0.00044	2	05/16/22 10:43	05/20/22 02:19	959-98-8	
Endosulfan II	<0.0019	mg/kg	0.0079	0.0019	2	05/16/22 10:43	05/20/22 02:19	33213-65-9	
Endosulfan sulfate	<0.0019	mg/kg	0.0079	0.0019	2	05/16/22 10:43	05/20/22 02:19	1031-07-8	L2
Endrin	<0.00088	mg/kg	0.0079	0.00088	2	05/16/22 10:43	05/20/22 02:19	72-20-8	
Endrin aldehyde	<0.0025	mg/kg	0.0079	0.0025	2	05/16/22 10:43	05/20/22 02:19	7421-93-4	
Endrin ketone	<0.0021	mg/kg	0.0079	0.0021	2	05/16/22 10:43	05/20/22 02:19	53494-70-5	
Heptachlor	<0.0011	mg/kg	0.0039	0.0011	2	05/16/22 10:43	05/20/22 02:19	76-44-8	
Heptachlor epoxide	<0.00040	mg/kg	0.0039	0.00040	2	05/16/22 10:43	05/20/22 02:19	1024-57-3	
Methoxychlor	<0.012	mg/kg	0.039	0.012	2	05/16/22 10:43	05/20/22 02:19	72-43-5	
Toxaphene	<0.037	mg/kg	0.12	0.037	2	05/16/22 10:43	05/20/22 02:19	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	82	%	53-138		2	05/16/22 10:43	05/20/22 02:19	877-09-8	D3
Decachlorobiphenyl (S)	73	%	30-150		2	05/16/22 10:43	05/20/22 02:19	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.059	0.018	1	05/12/22 20:52	05/16/22 18:37	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.059	0.018	1	05/12/22 20:52	05/16/22 18:37	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.059	0.018	1	05/12/22 20:52	05/16/22 18:37	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.059	0.018	1	05/12/22 20:52	05/16/22 18:37	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.059	0.018	1	05/12/22 20:52	05/16/22 18:37	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.018	mg/kg	0.059	0.018	1	05/12/22 20:52	05/16/22 18:37	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.059	0.018	1	05/12/22 20:52	05/16/22 18:37	11096-82-5	
PCB, Total	<0.018	mg/kg	0.059	0.018	1	05/12/22 20:52	05/16/22 18:37	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	77	%	50-99		1	05/12/22 20:52	05/16/22 18:37	877-09-8	
Decachlorobiphenyl (S)	69	%	38-95		1	05/12/22 20:52	05/16/22 18:37	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	8800	mg/kg	33.6	6.8	1	05/19/22 12:21	05/24/22 21:34	7429-90-5	
Antimony	0.34J	mg/kg	0.56	0.11	1	05/19/22 12:21	05/24/22 01:12	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: **SB-24 (5.5-6.5)** Lab ID: **40244803013** Collected: 05/11/22 13:30 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	10.3	mg/kg	0.56	0.12	1	05/19/22 12:21	05/24/22 01:12	7440-38-2	
Barium	79.6	mg/kg	0.34	0.060	1	05/19/22 12:21	05/24/22 01:12	7440-39-3	
Beryllium	0.59	mg/kg	0.22	0.044	1	05/19/22 12:21	05/24/22 21:34	7440-41-7	
Cadmium	0.26	mg/kg	0.089	0.035	1	05/19/22 12:21	05/24/22 01:12	7440-43-9	
Calcium	37000	mg/kg	112	13.2	1	05/19/22 12:21	05/24/22 21:34	7440-70-2	
Chromium	17.8	mg/kg	2.2	0.16	1	05/19/22 12:21	05/24/22 21:34	7440-47-3	
Cobalt	4.7	mg/kg	0.56	0.11	1	05/19/22 12:21	05/24/22 01:12	7440-48-4	
Copper	17.1	mg/kg	1.1	0.27	1	05/19/22 12:21	05/24/22 01:12	7440-50-8	
Iron	22700	mg/kg	55.9	11.7	1	05/19/22 12:21	05/24/22 21:34	7439-89-6	
Lead	24.5	mg/kg	0.56	0.033	1	05/19/22 12:21	05/24/22 01:12	7439-92-1	
Magnesium	19700	mg/kg	33.6	4.8	1	05/19/22 12:21	05/24/22 21:34	7439-95-4	
Manganese	311	mg/kg	0.56	0.27	1	05/19/22 12:21	05/24/22 21:34	7439-96-5	
Nickel	12.9	mg/kg	0.56	0.22	1	05/19/22 12:21	05/24/22 01:12	7440-02-0	
Potassium	1190	mg/kg	112	12.9	1	05/19/22 12:21	05/24/22 21:34	7440-09-7	
Selenium	0.34J	mg/kg	0.56	0.096	1	05/19/22 12:21	05/24/22 01:12	7782-49-2	
Silver	<0.16	mg/kg	0.56	0.16	1	05/19/22 12:21	05/24/22 01:12	7440-22-4	
Sodium	213	mg/kg	55.9	12.4	1	05/19/22 12:21	05/24/22 21:34	7440-23-5	
Thallium	0.24	mg/kg	0.11	0.041	1	05/19/22 12:21	05/24/22 01:12	7440-28-0	
Vanadium	30.6	mg/kg	1.1	0.20	1	05/19/22 12:21	05/24/22 21:34	7440-62-2	
Zinc	71.1	mg/kg	5.6	1.0	1	05/19/22 12:21	05/24/22 01:12	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.033J	mg/kg	0.041	0.012	1	05/17/22 11:51	05/18/22 15:14	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.022	mg/kg	0.074	0.022	1	05/18/22 11:18	05/18/22 18:39	120-82-1	
1,2-Dichlorobenzene	<0.062	mg/kg	0.21	0.062	1	05/18/22 11:18	05/18/22 18:39	95-50-1	
1,3-Dichlorobenzene	<0.027	mg/kg	0.091	0.027	1	05/18/22 11:18	05/18/22 18:39	541-73-1	
1,4-Dichlorobenzene	<0.028	mg/kg	0.092	0.028	1	05/18/22 11:18	05/18/22 18:39	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.051	mg/kg	0.17	0.051	1	05/18/22 11:18	05/18/22 18:39	108-60-1	
2,4,5-Trichlorophenol	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/18/22 18:39	95-95-4	
2,4,6-Trichlorophenol	<0.030	mg/kg	0.10	0.030	1	05/18/22 11:18	05/18/22 18:39	88-06-2	
2,4-Dichlorophenol	<0.053	mg/kg	0.18	0.053	1	05/18/22 11:18	05/18/22 18:39	120-83-2	
2,4-Dimethylphenol	<0.039	mg/kg	0.13	0.039	1	05/18/22 11:18	05/18/22 18:39	105-67-9	
2,4-Dinitrophenol	<0.060	mg/kg	0.20	0.060	1	05/18/22 11:18	05/18/22 18:39	51-28-5	
2,4-Dinitrotoluene	<0.028	mg/kg	0.094	0.028	1	05/18/22 11:18	05/18/22 18:39	121-14-2	
2,6-Dinitrotoluene	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/18/22 18:39	606-20-2	
2-Chloronaphthalene	<0.025	mg/kg	0.085	0.025	1	05/18/22 11:18	05/18/22 18:39	91-58-7	
2-Chlorophenol	<0.049	mg/kg	0.16	0.049	1	05/18/22 11:18	05/18/22 18:39	95-57-8	
2-Methylnaphthalene	<0.051	mg/kg	0.17	0.051	1	05/18/22 11:18	05/18/22 18:39	91-57-6	
2-Methylphenol(o-Cresol)	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/18/22 18:39	95-48-7	
2-Nitroaniline	<0.056	mg/kg	0.19	0.056	1	05/18/22 11:18	05/18/22 18:39	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: **SB-24 (5.5-6.5)** Lab ID: **40244803013** Collected: 05/11/22 13:30 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.062	mg/kg	0.21	0.062	1	05/18/22 11:18	05/18/22 18:39	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/18/22 18:39		
3,3'-Dichlorobenzidine	<0.054	mg/kg	0.18	0.054	1	05/18/22 11:18	05/18/22 18:39	91-94-1	
3-Nitroaniline	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 18:39	99-09-2	
4,6-Dinitro-2-methylphenol	<0.061	mg/kg	0.20	0.061	1	05/18/22 11:18	05/18/22 18:39	534-52-1	
4-Bromophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/18/22 11:18	05/18/22 18:39	101-55-3	
4-Chloro-3-methylphenol	<0.061	mg/kg	0.20	0.061	1	05/18/22 11:18	05/18/22 18:39	59-50-7	
4-Chloroaniline	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 18:39	106-47-8	1q
4-Chlorophenylphenyl ether	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/18/22 18:39	7005-72-3	
4-Nitroaniline	<0.082	mg/kg	0.27	0.082	1	05/18/22 11:18	05/18/22 18:39	100-01-6	
4-Nitrophenol	<0.050	mg/kg	0.17	0.050	1	05/18/22 11:18	05/18/22 18:39	100-02-7	
Acenaphthene	<0.070	mg/kg	0.23	0.070	1	05/18/22 11:18	05/18/22 18:39	83-32-9	
Acenaphthylene	<0.070	mg/kg	0.23	0.070	1	05/18/22 11:18	05/18/22 18:39	208-96-8	
Anthracene	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 18:39	120-12-7	
Benzo(a)anthracene	0.078J	mg/kg	0.10	0.031	1	05/18/22 11:18	05/18/22 18:39	56-55-3	
Benzo(a)pyrene	0.11	mg/kg	0.099	0.030	1	05/18/22 11:18	05/18/22 18:39	50-32-8	
Benzo(b)fluoranthene	0.16	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 18:39	205-99-2	
Benzo(g,h,i)perylene	0.069J	mg/kg	0.17	0.052	1	05/18/22 11:18	05/18/22 18:39	191-24-2	
Benzo(k)fluoranthene	0.070J	mg/kg	0.16	0.047	1	05/18/22 11:18	05/18/22 18:39	207-08-9	
Butylbenzylphthalate	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 18:39	85-68-7	
Carbazole	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/18/22 18:39	86-74-8	
Chrysene	0.090J	mg/kg	0.098	0.030	1	05/18/22 11:18	05/18/22 18:39	218-01-9	
Di-n-butylphthalate	<0.030	mg/kg	0.098	0.030	1	05/18/22 11:18	05/18/22 18:39	84-74-2	
Di-n-octylphthalate	<0.044	mg/kg	0.15	0.044	1	05/18/22 11:18	05/18/22 18:39	117-84-0	
Dibenz(a,h)anthracene	<0.054	mg/kg	0.18	0.054	1	05/18/22 11:18	05/18/22 18:39	53-70-3	
Dibenzofuran	<0.024	mg/kg	0.080	0.024	1	05/18/22 11:18	05/18/22 18:39	132-64-9	
Diethylphthalate	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 18:39	84-66-2	
Dimethylphthalate	<0.026	mg/kg	0.086	0.026	1	05/18/22 11:18	05/18/22 18:39	131-11-3	
Fluoranthene	0.091J	mg/kg	0.093	0.028	1	05/18/22 11:18	05/18/22 18:39	206-44-0	
Fluorene	<0.023	mg/kg	0.077	0.023	1	05/18/22 11:18	05/18/22 18:39	86-73-7	
Hexachloro-1,3-butadiene	<0.050	mg/kg	0.17	0.050	1	05/18/22 11:18	05/18/22 18:39	87-68-3	
Hexachlorobenzene	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 18:39	118-74-1	
Hexachlorocyclopentadiene	<0.047	mg/kg	0.16	0.047	1	05/18/22 11:18	05/18/22 18:39	77-47-4	
Hexachloroethane	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 18:39	67-72-1	
Indeno(1,2,3-cd)pyrene	0.083J	mg/kg	0.14	0.043	1	05/18/22 11:18	05/18/22 18:39	193-39-5	
Isophorone	<0.030	mg/kg	0.10	0.030	1	05/18/22 11:18	05/18/22 18:39	78-59-1	
N-Nitroso-di-n-propylamine	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/18/22 18:39	621-64-7	
N-Nitrosodiphenylamine	<0.27	mg/kg	0.89	0.27	1	05/18/22 11:18	05/18/22 18:39	86-30-6	
Naphthalene	<0.069	mg/kg	0.23	0.069	1	05/18/22 11:18	05/18/22 18:39	91-20-3	
Nitrobenzene	<0.040	mg/kg	0.13	0.040	1	05/18/22 11:18	05/18/22 18:39	98-95-3	
Pentachlorophenol	<0.044	mg/kg	0.14	0.044	1	05/18/22 11:18	05/18/22 18:39	87-86-5	
Phenanthrene	0.085	mg/kg	0.084	0.025	1	05/18/22 11:18	05/18/22 18:39	85-01-8	
Phenol	<0.047	mg/kg	0.16	0.047	1	05/18/22 11:18	05/18/22 18:39	108-95-2	
Pyrene	0.095J	mg/kg	0.15	0.044	1	05/18/22 11:18	05/18/22 18:39	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-24 (5.5-6.5) **Lab ID: 40244803013** Collected: 05/11/22 13:30 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.053	mg/kg	0.18	0.053	1	05/18/22 11:18	05/18/22 18:39	111-91-1	
bis(2-Chloroethyl) ether	<0.062	mg/kg	0.21	0.062	1	05/18/22 11:18	05/18/22 18:39	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 18:39	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	67	%	10-125		1	05/18/22 11:18	05/18/22 18:39	4165-60-0	
2-Fluorobiphenyl (S)	55	%	12-118		1	05/18/22 11:18	05/18/22 18:39	321-60-8	
Terphenyl-d14 (S)	79	%	10-124		1	05/18/22 11:18	05/18/22 18:39	1718-51-0	
Phenol-d6 (S)	53	%	10-125		1	05/18/22 11:18	05/18/22 18:39	13127-88-3	
2-Fluorophenol (S)	47	%	10-130		1	05/18/22 11:18	05/18/22 18:39	367-12-4	
2,4,6-Tribromophenol (S)	75	%	10-144		1	05/18/22 11:18	05/18/22 18:39	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0014	mg/kg	0.0046	0.0014	1	05/18/22 06:00	05/18/22 21:37	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0024	mg/kg	0.0046	0.0024	1	05/18/22 06:00	05/18/22 21:37	79-34-5	
1,1,2-Trichloroethane	<0.0014	mg/kg	0.0046	0.0014	1	05/18/22 06:00	05/18/22 21:37	79-00-5	
1,1-Dichloroethane	<0.00099	mg/kg	0.0046	0.00099	1	05/18/22 06:00	05/18/22 21:37	75-34-3	
1,1-Dichloroethene	<0.00098	mg/kg	0.0046	0.00098	1	05/18/22 06:00	05/18/22 21:37	75-35-4	
1,2-Dichloroethane	<0.00076	mg/kg	0.0046	0.00076	1	05/18/22 06:00	05/18/22 21:37	107-06-2	
1,2-Dichloropropane	<0.00094	mg/kg	0.0046	0.00094	1	05/18/22 06:00	05/18/22 21:37	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.023	0.015	1	05/18/22 06:00	05/18/22 21:37	78-93-3	
2-Hexanone	<0.010	mg/kg	0.023	0.010	1	05/18/22 06:00	05/18/22 21:37	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.018	mg/kg	0.023	0.018	1	05/18/22 06:00	05/18/22 21:37	108-10-1	
Acetone	<0.044	mg/kg	0.093	0.044	1	05/18/22 06:00	05/18/22 21:37	67-64-1	
Benzene	<0.00066	mg/kg	0.0046	0.00066	1	05/18/22 06:00	05/18/22 21:37	71-43-2	
Bromodichloromethane	<0.00063	mg/kg	0.0046	0.00063	1	05/18/22 06:00	05/18/22 21:37	75-27-4	
Bromoform	<0.0075	mg/kg	0.019	0.0075	1	05/18/22 06:00	05/18/22 21:37	75-25-2	
Bromomethane	<0.0041	mg/kg	0.0046	0.0041	1	05/18/22 06:00	05/18/22 21:37	74-83-9	
Carbon disulfide	<0.0010	mg/kg	0.0046	0.0010	1	05/18/22 06:00	05/18/22 21:37	75-15-0	
Carbon tetrachloride	<0.0029	mg/kg	0.0046	0.0029	1	05/18/22 06:00	05/18/22 21:37	56-23-5	
Chlorobenzene	<0.00086	mg/kg	0.0046	0.00086	1	05/18/22 06:00	05/18/22 21:37	108-90-7	
Chloroethane	<0.0034	mg/kg	0.0046	0.0034	1	05/18/22 06:00	05/18/22 21:37	75-00-3	
Chloroform	<0.00078	mg/kg	0.0046	0.00078	1	05/18/22 06:00	05/18/22 21:37	67-66-3	
Chloromethane	<0.0010	mg/kg	0.0046	0.0010	1	05/18/22 06:00	05/18/22 21:37	74-87-3	
Dibromochloromethane	<0.00093	mg/kg	0.0046	0.00093	1	05/18/22 06:00	05/18/22 21:37	124-48-1	
Ethylbenzene	<0.00083	mg/kg	0.0046	0.00083	1	05/18/22 06:00	05/18/22 21:37	100-41-4	
Methyl-tert-butyl ether	<0.0019	mg/kg	0.0046	0.0019	1	05/18/22 06:00	05/18/22 21:37	1634-04-4	
Methylene Chloride	<0.0037	mg/kg	0.0046	0.0037	1	05/18/22 06:00	05/18/22 21:37	75-09-2	
Styrene	<0.00066	mg/kg	0.0046	0.00066	1	05/18/22 06:00	05/18/22 21:37	100-42-5	
Tetrachloroethene	<0.00082	mg/kg	0.0046	0.00082	1	05/18/22 06:00	05/18/22 21:37	127-18-4	
Toluene	<0.00082	mg/kg	0.0046	0.00082	1	05/18/22 06:00	05/18/22 21:37	108-88-3	
Trichloroethene	<0.00066	mg/kg	0.0046	0.00066	1	05/18/22 06:00	05/18/22 21:37	79-01-6	
Vinyl chloride	<0.0012	mg/kg	0.0046	0.0012	1	05/18/22 06:00	05/18/22 21:37	75-01-4	
Xylene (Total)	<0.0032	mg/kg	0.0093	0.0032	1	05/18/22 06:00	05/18/22 21:37	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-24 (5.5-6.5) **Lab ID: 40244803013** Collected: 05/11/22 13:30 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00082	mg/kg	0.0046	0.00082	1	05/18/22 06:00	05/18/22 21:37	156-59-2	
cis-1,3-Dichloropropene	<0.00095	mg/kg	0.0046	0.00095	1	05/18/22 06:00	05/18/22 21:37	10061-01-5	
trans-1,2-Dichloroethene	<0.00067	mg/kg	0.0046	0.00067	1	05/18/22 06:00	05/18/22 21:37	156-60-5	
trans-1,3-Dichloropropene	<0.00093	mg/kg	0.0046	0.00093	1	05/18/22 06:00	05/18/22 21:37	10061-02-6	
Surrogates									
Toluene-d8 (S)	92	%	69-156		1	05/18/22 06:00	05/18/22 21:37	2037-26-5	
4-Bromofluorobenzene (S)	83	%	61-175		1	05/18/22 06:00	05/18/22 21:37	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1	05/18/22 06:00	05/18/22 21:37	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	15.4	%	0.10	0.10	1		05/13/22 11:46		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.20	Std. Units	0.100	0.0100	1		05/20/22 09:22		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.31	mg/kg	0.93	0.31	1	05/24/22 10:40	05/24/22 14:05	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-24 (8.0-9.0) **Lab ID: 40244803014** Collected: 05/11/22 13:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00049	mg/kg	0.0020	0.00049	1	05/16/22 10:43	05/20/22 02:38	309-00-2	
alpha-BHC	<0.00020	mg/kg	0.0020	0.00020	1	05/16/22 10:43	05/20/22 02:38	319-84-6	
beta-BHC	0.0012J	mg/kg	0.0020	0.00062	1	05/16/22 10:43	05/20/22 02:38	319-85-7	
delta-BHC	<0.00037	mg/kg	0.0020	0.00037	1	05/16/22 10:43	05/20/22 02:38	319-86-8	
gamma-BHC (Lindane)	<0.00020	mg/kg	0.0020	0.00020	1	05/16/22 10:43	05/20/22 02:38	58-89-9	
Chlordane (Technical)	<0.0066	mg/kg	0.020	0.0066	1	05/16/22 10:43	05/20/22 02:38	57-74-9	
alpha-Chlordane	<0.00025	mg/kg	0.0020	0.00025	1	05/16/22 10:43	05/20/22 02:38	5103-71-9	
gamma-Chlordane	<0.00075	mg/kg	0.0020	0.00075	1	05/16/22 10:43	05/20/22 02:38	5103-74-2	
4,4'-DDD	0.013	mg/kg	0.0040	0.00041	1	05/16/22 10:43	05/20/22 02:38	72-54-8	
4,4'-DDE	0.058	mg/kg	0.0040	0.00046	1	05/16/22 10:43	05/20/22 02:38	72-55-9	
4,4'-DDT	0.046	mg/kg	0.0040	0.0012	1	05/16/22 10:43	05/20/22 02:38	50-29-3	
Dieldrin	<0.00038	mg/kg	0.0040	0.00038	1	05/16/22 10:43	05/20/22 02:38	60-57-1	
Endosulfan I	<0.00022	mg/kg	0.0020	0.00022	1	05/16/22 10:43	05/20/22 02:38	959-98-8	
Endosulfan II	<0.00095	mg/kg	0.0040	0.00095	1	05/16/22 10:43	05/20/22 02:38	33213-65-9	
Endosulfan sulfate	<0.00094	mg/kg	0.0040	0.00094	1	05/16/22 10:43	05/20/22 02:38	1031-07-8	L2
Endrin	<0.00045	mg/kg	0.0040	0.00045	1	05/16/22 10:43	05/20/22 02:38	72-20-8	
Endrin aldehyde	<0.0013	mg/kg	0.0040	0.0013	1	05/16/22 10:43	05/20/22 02:38	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0040	0.0011	1	05/16/22 10:43	05/20/22 02:38	53494-70-5	
Heptachlor	<0.00054	mg/kg	0.0020	0.00054	1	05/16/22 10:43	05/20/22 02:38	76-44-8	
Heptachlor epoxide	<0.00020	mg/kg	0.0020	0.00020	1	05/16/22 10:43	05/20/22 02:38	1024-57-3	
Methoxychlor	<0.0062	mg/kg	0.020	0.0062	1	05/16/22 10:43	05/20/22 02:38	72-43-5	
Toxaphene	<0.019	mg/kg	0.060	0.019	1	05/16/22 10:43	05/20/22 02:38	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	83	%	53-138		1	05/16/22 10:43	05/20/22 02:38	877-09-8	
Decachlorobiphenyl (S)	69	%	30-150		1	05/16/22 10:43	05/20/22 02:38	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.060	0.018	1	05/12/22 20:52	05/16/22 19:01	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.060	0.018	1	05/12/22 20:52	05/16/22 19:01	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.060	0.018	1	05/12/22 20:52	05/16/22 19:01	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.060	0.018	1	05/12/22 20:52	05/16/22 19:01	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.060	0.018	1	05/12/22 20:52	05/16/22 19:01	12672-29-6	
PCB-1254 (Aroclor 1254)	0.039J	mg/kg	0.060	0.018	1	05/12/22 20:52	05/16/22 19:01	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.060	0.018	1	05/12/22 20:52	05/16/22 19:01	11096-82-5	
PCB, Total	0.039J	mg/kg	0.060	0.018	1	05/12/22 20:52	05/16/22 19:01	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	75	%	50-99		1	05/12/22 20:52	05/16/22 19:01	877-09-8	
Decachlorobiphenyl (S)	69	%	38-95		1	05/12/22 20:52	05/16/22 19:01	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	11300	mg/kg	33.8	6.8	1	05/19/22 12:21	05/24/22 21:48	7429-90-5	
Antimony	0.53J	mg/kg	0.56	0.11	1	05/19/22 12:21	05/24/22 01:16	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-24 (8.0-9.0) **Lab ID: 40244803014** Collected: 05/11/22 13:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	14.3	mg/kg	0.56	0.12	1	05/19/22 12:21	05/24/22 01:16	7440-38-2	
Barium	128	mg/kg	0.34	0.060	1	05/19/22 12:21	05/24/22 01:16	7440-39-3	
Beryllium	0.72	mg/kg	0.23	0.045	1	05/19/22 12:21	05/24/22 21:48	7440-41-7	
Cadmium	0.33	mg/kg	0.090	0.035	1	05/19/22 12:21	05/24/22 01:16	7440-43-9	
Calcium	18200	mg/kg	113	13.3	1	05/19/22 12:21	05/24/22 21:48	7440-70-2	
Chromium	15.8	mg/kg	2.3	0.16	1	05/19/22 12:21	05/24/22 21:48	7440-47-3	
Cobalt	5.4	mg/kg	0.56	0.11	1	05/19/22 12:21	05/24/22 01:16	7440-48-4	
Copper	26.4	mg/kg	1.1	0.27	1	05/19/22 12:21	05/24/22 01:16	7440-50-8	
Iron	24500	mg/kg	56.4	11.8	1	05/19/22 12:21	05/24/22 21:48	7439-89-6	
Lead	19.0	mg/kg	0.56	0.033	1	05/19/22 12:21	05/24/22 01:16	7439-92-1	
Magnesium	8890	mg/kg	33.8	4.9	1	05/19/22 12:21	05/24/22 21:48	7439-95-4	
Manganese	362	mg/kg	0.56	0.28	1	05/19/22 12:21	05/24/22 21:48	7439-96-5	
Nickel	16.2	mg/kg	0.56	0.22	1	05/19/22 12:21	05/24/22 01:16	7440-02-0	
Potassium	1240	mg/kg	113	13.0	1	05/19/22 12:21	05/24/22 21:48	7440-09-7	
Selenium	0.60	mg/kg	0.56	0.097	1	05/19/22 12:21	05/24/22 01:16	7782-49-2	
Silver	<0.16	mg/kg	0.56	0.16	1	05/19/22 12:21	05/24/22 01:16	7440-22-4	
Sodium	134	mg/kg	56.4	12.5	1	05/19/22 12:21	05/24/22 21:48	7440-23-5	
Thallium	0.21	mg/kg	0.11	0.041	1	05/19/22 12:21	05/24/22 01:16	7440-28-0	
Vanadium	29.3	mg/kg	1.1	0.20	1	05/19/22 12:21	05/24/22 21:48	7440-62-2	
Zinc	82.8	mg/kg	5.6	1.0	1	05/19/22 12:21	05/24/22 01:16	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.042	mg/kg	0.041	0.012	1	05/17/22 11:51	05/18/22 15:17	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.023	mg/kg	0.076	0.023	1	05/18/22 11:18	05/19/22 11:57	120-82-1	
1,2-Dichlorobenzene	<0.063	mg/kg	0.21	0.063	1	05/18/22 11:18	05/19/22 11:57	95-50-1	
1,3-Dichlorobenzene	<0.028	mg/kg	0.093	0.028	1	05/18/22 11:18	05/19/22 11:57	541-73-1	
1,4-Dichlorobenzene	<0.028	mg/kg	0.093	0.028	1	05/18/22 11:18	05/19/22 11:57	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.052	mg/kg	0.17	0.052	1	05/18/22 11:18	05/19/22 11:57	108-60-1	
2,4,5-Trichlorophenol	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/19/22 11:57	95-95-4	
2,4,6-Trichlorophenol	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/19/22 11:57	88-06-2	
2,4-Dichlorophenol	<0.054	mg/kg	0.18	0.054	1	05/18/22 11:18	05/19/22 11:57	120-83-2	
2,4-Dimethylphenol	<0.040	mg/kg	0.13	0.040	1	05/18/22 11:18	05/19/22 11:57	105-67-9	
2,4-Dinitrophenol	<0.061	mg/kg	0.20	0.061	1	05/18/22 11:18	05/19/22 11:57	51-28-5	
2,4-Dinitrotoluene	<0.029	mg/kg	0.096	0.029	1	05/18/22 11:18	05/19/22 11:57	121-14-2	
2,6-Dinitrotoluene	<0.038	mg/kg	0.13	0.038	1	05/18/22 11:18	05/19/22 11:57	606-20-2	
2-Chloronaphthalene	<0.026	mg/kg	0.086	0.026	1	05/18/22 11:18	05/19/22 11:57	91-58-7	
2-Chlorophenol	<0.050	mg/kg	0.17	0.050	1	05/18/22 11:18	05/19/22 11:57	95-57-8	
2-Methylnaphthalene	<0.052	mg/kg	0.17	0.052	1	05/18/22 11:18	05/19/22 11:57	91-57-6	
2-Methylphenol(o-Cresol)	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/19/22 11:57	95-48-7	
2-Nitroaniline	<0.057	mg/kg	0.19	0.057	1	05/18/22 11:18	05/19/22 11:57	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: **SB-24 (8.0-9.0)** Lab ID: **40244803014** Collected: 05/11/22 13:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.063	mg/kg	0.21	0.063	1	05/18/22 11:18	05/19/22 11:57	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/19/22 11:57		
3,3'-Dichlorobenzidine	<0.055	mg/kg	0.18	0.055	1	05/18/22 11:18	05/19/22 11:57	91-94-1	CU
3-Nitroaniline	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/19/22 11:57	99-09-2	
4,6-Dinitro-2-methylphenol	<0.062	mg/kg	0.21	0.062	1	05/18/22 11:18	05/19/22 11:57	534-52-1	
4-Bromophenylphenyl ether	<0.042	mg/kg	0.14	0.042	1	05/18/22 11:18	05/19/22 11:57	101-55-3	
4-Chloro-3-methylphenol	<0.063	mg/kg	0.21	0.063	1	05/18/22 11:18	05/19/22 11:57	59-50-7	
4-Chloroaniline	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/19/22 11:57	106-47-8	1q
4-Chlorophenylphenyl ether	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/19/22 11:57	7005-72-3	
4-Nitroaniline	<0.083	mg/kg	0.28	0.083	1	05/18/22 11:18	05/19/22 11:57	100-01-6	
4-Nitrophenol	<0.051	mg/kg	0.17	0.051	1	05/18/22 11:18	05/19/22 11:57	100-02-7	
Acenaphthene	<0.071	mg/kg	0.24	0.071	1	05/18/22 11:18	05/19/22 11:57	83-32-9	
Acenaphthylene	<0.072	mg/kg	0.24	0.072	1	05/18/22 11:18	05/19/22 11:57	208-96-8	
Anthracene	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/19/22 11:57	120-12-7	
Benzo(a)anthracene	0.088J	mg/kg	0.10	0.031	1	05/18/22 11:18	05/19/22 11:57	56-55-3	
Benzo(a)pyrene	0.15	mg/kg	0.10	0.030	1	05/18/22 11:18	05/19/22 11:57	50-32-8	
Benzo(b)fluoranthene	0.22	mg/kg	0.12	0.035	1	05/18/22 11:18	05/19/22 11:57	205-99-2	
Benzo(g,h,i)perylene	0.11J	mg/kg	0.18	0.053	1	05/18/22 11:18	05/19/22 11:57	191-24-2	
Benzo(k)fluoranthene	0.086J	mg/kg	0.16	0.048	1	05/18/22 11:18	05/19/22 11:57	207-08-9	
Butylbenzylphthalate	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/19/22 11:57	85-68-7	
Carbazole	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/19/22 11:57	86-74-8	
Chrysene	0.12	mg/kg	0.10	0.030	1	05/18/22 11:18	05/19/22 11:57	218-01-9	
Di-n-butylphthalate	<0.030	mg/kg	0.10	0.030	1	05/18/22 11:18	05/19/22 11:57	84-74-2	
Di-n-octylphthalate	<0.045	mg/kg	0.15	0.045	1	05/18/22 11:18	05/19/22 11:57	117-84-0	
Dibenz(a,h)anthracene	<0.055	mg/kg	0.18	0.055	1	05/18/22 11:18	05/19/22 11:57	53-70-3	
Dibenzofuran	<0.024	mg/kg	0.081	0.024	1	05/18/22 11:18	05/19/22 11:57	132-64-9	
Diethylphthalate	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/19/22 11:57	84-66-2	
Dimethylphthalate	<0.026	mg/kg	0.087	0.026	1	05/18/22 11:18	05/19/22 11:57	131-11-3	
Fluoranthene	0.096	mg/kg	0.095	0.028	1	05/18/22 11:18	05/19/22 11:57	206-44-0	
Fluorene	<0.023	mg/kg	0.078	0.023	1	05/18/22 11:18	05/19/22 11:57	86-73-7	
Hexachloro-1,3-butadiene	<0.051	mg/kg	0.17	0.051	1	05/18/22 11:18	05/19/22 11:57	87-68-3	
Hexachlorobenzene	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/19/22 11:57	118-74-1	
Hexachlorocyclopentadiene	<0.048	mg/kg	0.16	0.048	1	05/18/22 11:18	05/19/22 11:57	77-47-4	
Hexachloroethane	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/19/22 11:57	67-72-1	
Indeno(1,2,3-cd)pyrene	0.12J	mg/kg	0.14	0.043	1	05/18/22 11:18	05/19/22 11:57	193-39-5	
Isophorone	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/19/22 11:57	78-59-1	
N-Nitroso-di-n-propylamine	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/19/22 11:57	621-64-7	
N-Nitrosodiphenylamine	<0.27	mg/kg	0.91	0.27	1	05/18/22 11:18	05/19/22 11:57	86-30-6	
Naphthalene	<0.070	mg/kg	0.23	0.070	1	05/18/22 11:18	05/19/22 11:57	91-20-3	
Nitrobenzene	<0.041	mg/kg	0.14	0.041	1	05/18/22 11:18	05/19/22 11:57	98-95-3	
Pentachlorophenol	<0.044	mg/kg	0.15	0.044	1	05/18/22 11:18	05/19/22 11:57	87-86-5	
Phenanthrene	0.039J	mg/kg	0.086	0.026	1	05/18/22 11:18	05/19/22 11:57	85-01-8	
Phenol	<0.048	mg/kg	0.16	0.048	1	05/18/22 11:18	05/19/22 11:57	108-95-2	
Pyrene	0.11J	mg/kg	0.15	0.045	1	05/18/22 11:18	05/19/22 11:57	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-24 (8.0-9.0) **Lab ID: 40244803014** Collected: 05/11/22 13:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.054	mg/kg	0.18	0.054	1	05/18/22 11:18	05/19/22 11:57	111-91-1	
bis(2-Chloroethyl) ether	<0.063	mg/kg	0.21	0.063	1	05/18/22 11:18	05/19/22 11:57	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/19/22 11:57	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	66	%	10-125		1	05/18/22 11:18	05/19/22 11:57	4165-60-0	
2-Fluorobiphenyl (S)	58	%	12-118		1	05/18/22 11:18	05/19/22 11:57	321-60-8	
Terphenyl-d14 (S)	72	%	10-124		1	05/18/22 11:18	05/19/22 11:57	1718-51-0	
Phenol-d6 (S)	55	%	10-125		1	05/18/22 11:18	05/19/22 11:57	13127-88-3	
2-Fluorophenol (S)	57	%	10-130		1	05/18/22 11:18	05/19/22 11:57	367-12-4	
2,4,6-Tribromophenol (S)	81	%	10-144		1	05/18/22 11:18	05/19/22 11:57	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/18/22 06:00	05/18/22 22:01	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0052	0.0027	1	05/18/22 06:00	05/18/22 22:01	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0052	0.0016	1	05/18/22 06:00	05/18/22 22:01	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0052	0.0011	1	05/18/22 06:00	05/18/22 22:01	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0052	0.0011	1	05/18/22 06:00	05/18/22 22:01	75-35-4	
1,2-Dichloroethane	<0.00086	mg/kg	0.0052	0.00086	1	05/18/22 06:00	05/18/22 22:01	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0052	0.0011	1	05/18/22 06:00	05/18/22 22:01	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.026	0.016	1	05/18/22 06:00	05/18/22 22:01	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/18/22 06:00	05/18/22 22:01	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.026	0.021	1	05/18/22 06:00	05/18/22 22:01	108-10-1	
Acetone	<0.049	mg/kg	0.10	0.049	1	05/18/22 06:00	05/18/22 22:01	67-64-1	
Benzene	<0.00074	mg/kg	0.0052	0.00074	1	05/18/22 06:00	05/18/22 22:01	71-43-2	
Bromodichloromethane	<0.00071	mg/kg	0.0052	0.00071	1	05/18/22 06:00	05/18/22 22:01	75-27-4	
Bromoform	<0.0084	mg/kg	0.021	0.0084	1	05/18/22 06:00	05/18/22 22:01	75-25-2	
Bromomethane	<0.0046	mg/kg	0.0052	0.0046	1	05/18/22 06:00	05/18/22 22:01	74-83-9	
Carbon disulfide	0.0020J	mg/kg	0.0052	0.0012	1	05/18/22 06:00	05/18/22 22:01	75-15-0	
Carbon tetrachloride	<0.0033	mg/kg	0.0052	0.0033	1	05/18/22 06:00	05/18/22 22:01	56-23-5	
Chlorobenzene	<0.00096	mg/kg	0.0052	0.00096	1	05/18/22 06:00	05/18/22 22:01	108-90-7	
Chloroethane	<0.0038	mg/kg	0.0052	0.0038	1	05/18/22 06:00	05/18/22 22:01	75-00-3	
Chloroform	<0.00088	mg/kg	0.0052	0.00088	1	05/18/22 06:00	05/18/22 22:01	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0052	0.0011	1	05/18/22 06:00	05/18/22 22:01	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0052	0.0010	1	05/18/22 06:00	05/18/22 22:01	124-48-1	
Ethylbenzene	<0.00093	mg/kg	0.0052	0.00093	1	05/18/22 06:00	05/18/22 22:01	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0052	0.0021	1	05/18/22 06:00	05/18/22 22:01	1634-04-4	
Methylene Chloride	<0.0041	mg/kg	0.0052	0.0041	1	05/18/22 06:00	05/18/22 22:01	75-09-2	
Styrene	<0.00074	mg/kg	0.0052	0.00074	1	05/18/22 06:00	05/18/22 22:01	100-42-5	
Tetrachloroethene	<0.00092	mg/kg	0.0052	0.00092	1	05/18/22 06:00	05/18/22 22:01	127-18-4	
Toluene	<0.00092	mg/kg	0.0052	0.00092	1	05/18/22 06:00	05/18/22 22:01	108-88-3	
Trichloroethene	<0.00074	mg/kg	0.0052	0.00074	1	05/18/22 06:00	05/18/22 22:01	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0052	0.0013	1	05/18/22 06:00	05/18/22 22:01	75-01-4	
Xylene (Total)	<0.0036	mg/kg	0.010	0.0036	1	05/18/22 06:00	05/18/22 22:01	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-24 (8.0-9.0) **Lab ID: 40244803014** Collected: 05/11/22 13:35 Received: 05/12/22 10:10 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00092	mg/kg	0.0052	0.00092	1	05/18/22 06:00	05/18/22 22:01	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0052	0.0011	1	05/18/22 06:00	05/18/22 22:01	10061-01-5	
trans-1,2-Dichloroethene	<0.00075	mg/kg	0.0052	0.00075	1	05/18/22 06:00	05/18/22 22:01	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0052	0.0010	1	05/18/22 06:00	05/18/22 22:01	10061-02-6	
Surrogates									
Toluene-d8 (S)	94	%	69-156		1	05/18/22 06:00	05/18/22 22:01	2037-26-5	
4-Bromofluorobenzene (S)	83	%	61-175		1	05/18/22 06:00	05/18/22 22:01	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1	05/18/22 06:00	05/18/22 22:01	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	16.9	%	0.10	0.10	1		05/13/22 11:46		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.08	Std. Units	0.100	0.0100	1		05/20/22 09:24		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.25	mg/kg	0.74	0.25	1	05/24/22 10:40	05/24/22 14:06	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: TB-07 Lab ID: 40244803015 Collected: 05/11/22 17:30 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/18/22 06:00	05/19/22 07:55	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0050	0.0026	1	05/18/22 06:00	05/19/22 07:55	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/18/22 06:00	05/19/22 07:55	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/18/22 06:00	05/19/22 07:55	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0050	0.0011	1	05/18/22 06:00	05/19/22 07:55	75-35-4	
1,2-Dichloroethane	<0.00082	mg/kg	0.0050	0.00082	1	05/18/22 06:00	05/19/22 07:55	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/18/22 06:00	05/19/22 07:55	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/18/22 06:00	05/19/22 07:55	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/18/22 06:00	05/19/22 07:55	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/18/22 06:00	05/19/22 07:55	108-10-1	
Acetone	<0.047	mg/kg	0.10	0.047	1	05/18/22 06:00	05/19/22 07:55	67-64-1	
Benzene	<0.00071	mg/kg	0.0050	0.00071	1	05/18/22 06:00	05/19/22 07:55	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/18/22 06:00	05/19/22 07:55	75-27-4	
Bromoform	<0.0081	mg/kg	0.020	0.0081	1	05/18/22 06:00	05/19/22 07:55	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0050	0.0045	1	05/18/22 06:00	05/19/22 07:55	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/18/22 06:00	05/19/22 07:55	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0050	0.0032	1	05/18/22 06:00	05/19/22 07:55	56-23-5	
Chlorobenzene	<0.00092	mg/kg	0.0050	0.00092	1	05/18/22 06:00	05/19/22 07:55	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0050	0.0036	1	05/18/22 06:00	05/19/22 07:55	75-00-3	
Chloroform	<0.00084	mg/kg	0.0050	0.00084	1	05/18/22 06:00	05/19/22 07:55	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/18/22 06:00	05/19/22 07:55	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/18/22 06:00	05/19/22 07:55	124-48-1	
Ethylbenzene	<0.00089	mg/kg	0.0050	0.00089	1	05/18/22 06:00	05/19/22 07:55	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0050	0.0020	1	05/18/22 06:00	05/19/22 07:55	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0050	0.0040	1	05/18/22 06:00	05/19/22 07:55	75-09-2	
Styrene	<0.00071	mg/kg	0.0050	0.00071	1	05/18/22 06:00	05/19/22 07:55	100-42-5	
Tetrachloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/18/22 06:00	05/19/22 07:55	127-18-4	
Toluene	<0.00088	mg/kg	0.0050	0.00088	1	05/18/22 06:00	05/19/22 07:55	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/18/22 06:00	05/19/22 07:55	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/18/22 06:00	05/19/22 07:55	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.010	0.0034	1	05/18/22 06:00	05/19/22 07:55	1330-20-7	
cis-1,2-Dichloroethene	<0.00088	mg/kg	0.0050	0.00088	1	05/18/22 06:00	05/19/22 07:55	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/18/22 06:00	05/19/22 07:55	10061-01-5	
trans-1,2-Dichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/18/22 06:00	05/19/22 07:55	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/18/22 06:00	05/19/22 07:55	10061-02-6	
Surrogates									
Toluene-d8 (S)	94	%	69-156		1	05/18/22 06:00	05/19/22 07:55	2037-26-5	
4-Bromofluorobenzene (S)	85	%	61-175		1	05/18/22 06:00	05/19/22 07:55	460-00-4	
1,2-Dichlorobenzene-d4 (S)	94	%	70-130		1	05/18/22 06:00	05/19/22 07:55	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: **SB-25 (5.5-6.5)** Lab ID: **40244803016** Collected: 05/11/22 14:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00093	mg/kg	0.0038	0.00093	2	05/16/22 10:43	05/20/22 02:01	309-00-2	
alpha-BHC	<0.00039	mg/kg	0.0038	0.00039	2	05/16/22 10:43	05/20/22 02:01	319-84-6	
beta-BHC	0.0057	mg/kg	0.0038	0.0012	2	05/16/22 10:43	05/20/22 02:01	319-85-7	
delta-BHC	<0.00070	mg/kg	0.0038	0.00070	2	05/16/22 10:43	05/20/22 02:01	319-86-8	
gamma-BHC (Lindane)	<0.00037	mg/kg	0.0038	0.00037	2	05/16/22 10:43	05/20/22 02:01	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.038	0.013	2	05/16/22 10:43	05/20/22 02:01	57-74-9	
alpha-Chlordane	<0.00047	mg/kg	0.0038	0.00047	2	05/16/22 10:43	05/20/22 02:01	5103-71-9	
gamma-Chlordane	<0.0014	mg/kg	0.0038	0.0014	2	05/16/22 10:43	05/20/22 02:01	5103-74-2	
4,4'-DDD	0.0052J	mg/kg	0.0076	0.00077	2	05/16/22 10:43	05/20/22 02:01	72-54-8	
4,4'-DDE	0.28	mg/kg	0.0076	0.00088	2	05/16/22 10:43	05/20/22 02:01	72-55-9	
4,4'-DDT	0.24	mg/kg	0.0076	0.0023	2	05/16/22 10:43	05/20/22 02:01	50-29-3	
Dieldrin	<0.00073	mg/kg	0.0076	0.00073	2	05/16/22 10:43	05/20/22 02:01	60-57-1	
Endosulfan I	<0.00042	mg/kg	0.0038	0.00042	2	05/16/22 10:43	05/20/22 02:01	959-98-8	
Endosulfan II	<0.0018	mg/kg	0.0076	0.0018	2	05/16/22 10:43	05/20/22 02:01	33213-65-9	
Endosulfan sulfate	<0.0018	mg/kg	0.0076	0.0018	2	05/16/22 10:43	05/20/22 02:01	1031-07-8	L2
Endrin	<0.00086	mg/kg	0.0076	0.00086	2	05/16/22 10:43	05/20/22 02:01	72-20-8	
Endrin aldehyde	<0.0025	mg/kg	0.0076	0.0025	2	05/16/22 10:43	05/20/22 02:01	7421-93-4	
Endrin ketone	<0.0020	mg/kg	0.0076	0.0020	2	05/16/22 10:43	05/20/22 02:01	53494-70-5	
Heptachlor	<0.0010	mg/kg	0.0038	0.0010	2	05/16/22 10:43	05/20/22 02:01	76-44-8	
Heptachlor epoxide	<0.00039	mg/kg	0.0038	0.00039	2	05/16/22 10:43	05/20/22 02:01	1024-57-3	
Methoxychlor	<0.012	mg/kg	0.038	0.012	2	05/16/22 10:43	05/20/22 02:01	72-43-5	
Toxaphene	<0.036	mg/kg	0.11	0.036	2	05/16/22 10:43	05/20/22 02:01	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	73	%	53-138		2	05/16/22 10:43	05/20/22 02:01	877-09-8	D3
Decachlorobiphenyl (S)	62	%	30-150		2	05/16/22 10:43	05/20/22 02:01	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.017	mg/kg	0.057	0.017	1	05/12/22 20:52	05/16/22 19:25	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.017	mg/kg	0.057	0.017	1	05/12/22 20:52	05/16/22 19:25	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.017	mg/kg	0.057	0.017	1	05/12/22 20:52	05/16/22 19:25	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.017	mg/kg	0.057	0.017	1	05/12/22 20:52	05/16/22 19:25	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.017	mg/kg	0.057	0.017	1	05/12/22 20:52	05/16/22 19:25	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.017	mg/kg	0.057	0.017	1	05/12/22 20:52	05/16/22 19:25	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.017	mg/kg	0.057	0.017	1	05/12/22 20:52	05/16/22 19:25	11096-82-5	
PCB, Total	<0.017	mg/kg	0.057	0.017	1	05/12/22 20:52	05/16/22 19:25	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	77	%	50-99		1	05/12/22 20:52	05/16/22 19:25	877-09-8	
Decachlorobiphenyl (S)	73	%	38-95		1	05/12/22 20:52	05/16/22 19:25	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	7150	mg/kg	32.4	6.5	1	05/19/22 12:21	05/24/22 21:51	7429-90-5	
Antimony	0.53J	mg/kg	0.54	0.10	1	05/19/22 12:21	05/24/22 01:20	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-25 (5.5-6.5) **Lab ID: 40244803016** Collected: 05/11/22 14:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	10.5	mg/kg	0.54	0.12	1	05/19/22 12:21	05/24/22 01:20	7440-38-2	
Barium	55.3	mg/kg	0.32	0.058	1	05/19/22 12:21	05/24/22 01:20	7440-39-3	
Beryllium	0.73	mg/kg	0.22	0.043	1	05/19/22 12:21	05/24/22 21:51	7440-41-7	
Cadmium	0.41	mg/kg	0.086	0.034	1	05/19/22 12:21	05/24/22 01:20	7440-43-9	
Calcium	34900	mg/kg	108	12.7	1	05/19/22 12:21	05/24/22 21:51	7440-70-2	
Chromium	13.8	mg/kg	2.2	0.15	1	05/19/22 12:21	05/24/22 21:51	7440-47-3	
Cobalt	5.3	mg/kg	0.54	0.11	1	05/19/22 12:21	05/24/22 01:20	7440-48-4	
Copper	31.6	mg/kg	1.1	0.26	1	05/19/22 12:21	05/24/22 01:20	7440-50-8	
Iron	29100	mg/kg	270	56.7	5	05/19/22 12:21	05/24/22 21:55	7439-89-6	
Lead	28.8	mg/kg	0.54	0.032	1	05/19/22 12:21	05/24/22 01:20	7439-92-1	
Magnesium	11600	mg/kg	32.4	4.6	1	05/19/22 12:21	05/24/22 21:51	7439-95-4	
Manganese	373	mg/kg	0.54	0.26	1	05/19/22 12:21	05/24/22 21:51	7439-96-5	
Nickel	16.8	mg/kg	0.54	0.21	1	05/19/22 12:21	05/24/22 01:20	7440-02-0	
Potassium	948	mg/kg	108	12.4	1	05/19/22 12:21	05/24/22 21:51	7440-09-7	
Selenium	0.35J	mg/kg	0.54	0.093	1	05/19/22 12:21	05/24/22 01:20	7782-49-2	
Silver	<0.16	mg/kg	0.54	0.16	1	05/19/22 12:21	05/24/22 01:20	7440-22-4	
Sodium	277	mg/kg	54.0	12.0	1	05/19/22 12:21	05/24/22 21:51	7440-23-5	
Thallium	0.22	mg/kg	0.11	0.040	1	05/19/22 12:21	05/24/22 01:20	7440-28-0	
Vanadium	19.6	mg/kg	1.1	0.19	1	05/19/22 12:21	05/24/22 21:51	7440-62-2	
Zinc	112	mg/kg	5.4	0.97	1	05/19/22 12:21	05/24/22 01:20	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.039J	mg/kg	0.039	0.011	1	05/17/22 11:51	05/18/22 15:19	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.022	mg/kg	0.072	0.022	1	05/18/22 11:18	05/20/22 14:06	120-82-1	
1,2-Dichlorobenzene	<0.060	mg/kg	0.20	0.060	1	05/18/22 11:18	05/20/22 14:06	95-50-1	
1,3-Dichlorobenzene	<0.027	mg/kg	0.088	0.027	1	05/18/22 11:18	05/20/22 14:06	541-73-1	
1,4-Dichlorobenzene	<0.027	mg/kg	0.089	0.027	1	05/18/22 11:18	05/20/22 14:06	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.049	mg/kg	0.16	0.049	1	05/18/22 11:18	05/20/22 14:06	108-60-1	
2,4,5-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/20/22 14:06	95-95-4	
2,4,6-Trichlorophenol	<0.029	mg/kg	0.097	0.029	1	05/18/22 11:18	05/20/22 14:06	88-06-2	
2,4-Dichlorophenol	<0.051	mg/kg	0.17	0.051	1	05/18/22 11:18	05/20/22 14:06	120-83-2	
2,4-Dimethylphenol	<0.038	mg/kg	0.13	0.038	1	05/18/22 11:18	05/20/22 14:06	105-67-9	
2,4-Dinitrophenol	<0.058	mg/kg	0.19	0.058	1	05/18/22 11:18	05/20/22 14:06	51-28-5	
2,4-Dinitrotoluene	<0.027	mg/kg	0.091	0.027	1	05/18/22 11:18	05/20/22 14:06	121-14-2	
2,6-Dinitrotoluene	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/20/22 14:06	606-20-2	
2-Chloronaphthalene	<0.025	mg/kg	0.082	0.025	1	05/18/22 11:18	05/20/22 14:06	91-58-7	
2-Chlorophenol	<0.048	mg/kg	0.16	0.048	1	05/18/22 11:18	05/20/22 14:06	95-57-8	
2-Methylnaphthalene	<0.050	mg/kg	0.17	0.050	1	05/18/22 11:18	05/20/22 14:06	91-57-6	
2-Methylphenol(o-Cresol)	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/20/22 14:06	95-48-7	
2-Nitroaniline	<0.055	mg/kg	0.18	0.055	1	05/18/22 11:18	05/20/22 14:06	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: **SB-25 (5.5-6.5)** Lab ID: **40244803016** Collected: 05/11/22 14:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.060	mg/kg	0.20	0.060	1	05/18/22 11:18	05/20/22 14:06	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/20/22 14:06		
3,3'-Dichlorobenzidine	<0.052	mg/kg	0.17	0.052	1	05/18/22 11:18	05/20/22 14:06	91-94-1	
3-Nitroaniline	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/20/22 14:06	99-09-2	
4,6-Dinitro-2-methylphenol	<0.059	mg/kg	0.20	0.059	1	05/18/22 11:18	05/20/22 14:06	534-52-1	
4-Bromophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/18/22 11:18	05/20/22 14:06	101-55-3	
4-Chloro-3-methylphenol	<0.060	mg/kg	0.20	0.060	1	05/18/22 11:18	05/20/22 14:06	59-50-7	
4-Chloroaniline	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/20/22 14:06	106-47-8	4q
4-Chlorophenylphenyl ether	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/20/22 14:06	7005-72-3	
4-Nitroaniline	<0.079	mg/kg	0.26	0.079	1	05/18/22 11:18	05/20/22 14:06	100-01-6	
4-Nitrophenol	<0.048	mg/kg	0.16	0.048	1	05/18/22 11:18	05/20/22 14:06	100-02-7	
Acenaphthene	<0.068	mg/kg	0.23	0.068	1	05/18/22 11:18	05/20/22 14:06	83-32-9	
Acenaphthylene	<0.068	mg/kg	0.23	0.068	1	05/18/22 11:18	05/20/22 14:06	208-96-8	
Anthracene	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/20/22 14:06	120-12-7	
Benzo(a)anthracene	0.14	mg/kg	0.099	0.030	1	05/18/22 11:18	05/20/22 14:06	56-55-3	
Benzo(a)pyrene	0.092J	mg/kg	0.096	0.029	1	05/18/22 11:18	05/20/22 14:06	50-32-8	
Benzo(b)fluoranthene	0.17	mg/kg	0.11	0.033	1	05/18/22 11:18	05/20/22 14:06	205-99-2	
Benzo(g,h,i)perylene	0.077J	mg/kg	0.17	0.050	1	05/18/22 11:18	05/20/22 14:06	191-24-2	
Benzo(k)fluoranthene	0.062J	mg/kg	0.15	0.046	1	05/18/22 11:18	05/20/22 14:06	207-08-9	
Butylbenzylphthalate	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/20/22 14:06	85-68-7	
Carbazole	<0.030	mg/kg	0.10	0.030	1	05/18/22 11:18	05/20/22 14:06	86-74-8	
Chrysene	0.17	mg/kg	0.095	0.029	1	05/18/22 11:18	05/20/22 14:06	218-01-9	
Di-n-butylphthalate	<0.029	mg/kg	0.095	0.029	1	05/18/22 11:18	05/20/22 14:06	84-74-2	
Di-n-octylphthalate	<0.043	mg/kg	0.14	0.043	1	05/18/22 11:18	05/20/22 14:06	117-84-0	
Dibenz(a,h)anthracene	<0.052	mg/kg	0.17	0.052	1	05/18/22 11:18	05/20/22 14:06	53-70-3	
Dibenzofuran	<0.023	mg/kg	0.077	0.023	1	05/18/22 11:18	05/20/22 14:06	132-64-9	
Diethylphthalate	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/20/22 14:06	84-66-2	
Dimethylphthalate	<0.025	mg/kg	0.083	0.025	1	05/18/22 11:18	05/20/22 14:06	131-11-3	
Fluoranthene	0.36	mg/kg	0.090	0.027	1	05/18/22 11:18	05/20/22 14:06	206-44-0	
Fluorene	<0.022	mg/kg	0.075	0.022	1	05/18/22 11:18	05/20/22 14:06	86-73-7	
Hexachloro-1,3-butadiene	<0.049	mg/kg	0.16	0.049	1	05/18/22 11:18	05/20/22 14:06	87-68-3	
Hexachlorobenzene	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/20/22 14:06	118-74-1	
Hexachlorocyclopentadiene	<0.045	mg/kg	0.15	0.045	1	05/18/22 11:18	05/20/22 14:06	77-47-4	
Hexachloroethane	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/20/22 14:06	67-72-1	
Indeno(1,2,3-cd)pyrene	0.084J	mg/kg	0.14	0.041	1	05/18/22 11:18	05/20/22 14:06	193-39-5	
Isophorone	<0.029	mg/kg	0.098	0.029	1	05/18/22 11:18	05/20/22 14:06	78-59-1	
N-Nitroso-di-n-propylamine	<0.030	mg/kg	0.10	0.030	1	05/18/22 11:18	05/20/22 14:06	621-64-7	
N-Nitrosodiphenylamine	<0.26	mg/kg	0.87	0.26	1	05/18/22 11:18	05/20/22 14:06	86-30-6	
Naphthalene	<0.067	mg/kg	0.22	0.067	1	05/18/22 11:18	05/20/22 14:06	91-20-3	
Nitrobenzene	<0.039	mg/kg	0.13	0.039	1	05/18/22 11:18	05/20/22 14:06	98-95-3	
Pentachlorophenol	<0.042	mg/kg	0.14	0.042	1	05/18/22 11:18	05/20/22 14:06	87-86-5	
Phenanthrene	0.11	mg/kg	0.082	0.025	1	05/18/22 11:18	05/20/22 14:06	85-01-8	
Phenol	<0.045	mg/kg	0.15	0.045	1	05/18/22 11:18	05/20/22 14:06	108-95-2	
Pyrene	0.31	mg/kg	0.14	0.042	1	05/18/22 11:18	05/20/22 14:06	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-25 (5.5-6.5) **Lab ID: 40244803016** Collected: 05/11/22 14:35 Received: 05/12/22 10:10 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.052	mg/kg	0.17	0.052	1	05/18/22 11:18	05/20/22 14:06	111-91-1	
bis(2-Chloroethyl) ether	<0.060	mg/kg	0.20	0.060	1	05/18/22 11:18	05/20/22 14:06	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/20/22 14:06	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	78	%	10-125		1	05/18/22 11:18	05/20/22 14:06	4165-60-0	
2-Fluorobiphenyl (S)	65	%	12-118		1	05/18/22 11:18	05/20/22 14:06	321-60-8	
Terphenyl-d14 (S)	72	%	10-124		1	05/18/22 11:18	05/20/22 14:06	1718-51-0	
Phenol-d6 (S)	61	%	10-125		1	05/18/22 11:18	05/20/22 14:06	13127-88-3	
2-Fluorophenol (S)	65	%	10-130		1	05/18/22 11:18	05/20/22 14:06	367-12-4	
2,4,6-Tribromophenol (S)	74	%	10-144		1	05/18/22 11:18	05/20/22 14:06	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0013	mg/kg	0.0043	0.0013	1	05/18/22 06:00	05/18/22 22:50	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0022	mg/kg	0.0043	0.0022	1	05/18/22 06:00	05/18/22 22:50	79-34-5	
1,1,2-Trichloroethane	<0.0013	mg/kg	0.0043	0.0013	1	05/18/22 06:00	05/18/22 22:50	79-00-5	
1,1-Dichloroethane	<0.00093	mg/kg	0.0043	0.00093	1	05/18/22 06:00	05/18/22 22:50	75-34-3	
1,1-Dichloroethene	<0.00091	mg/kg	0.0043	0.00091	1	05/18/22 06:00	05/18/22 22:50	75-35-4	
1,2-Dichloroethane	<0.00072	mg/kg	0.0043	0.00072	1	05/18/22 06:00	05/18/22 22:50	107-06-2	
1,2-Dichloropropane	<0.00088	mg/kg	0.0043	0.00088	1	05/18/22 06:00	05/18/22 22:50	78-87-5	
2-Butanone (MEK)	<0.014	mg/kg	0.022	0.014	1	05/18/22 06:00	05/18/22 22:50	78-93-3	
2-Hexanone	<0.0098	mg/kg	0.022	0.0098	1	05/18/22 06:00	05/18/22 22:50	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.017	mg/kg	0.022	0.017	1	05/18/22 06:00	05/18/22 22:50	108-10-1	
Acetone	<0.041	mg/kg	0.087	0.041	1	05/18/22 06:00	05/18/22 22:50	67-64-1	
Benzene	<0.00062	mg/kg	0.0043	0.00062	1	05/18/22 06:00	05/18/22 22:50	71-43-2	
Bromodichloromethane	<0.00059	mg/kg	0.0043	0.00059	1	05/18/22 06:00	05/18/22 22:50	75-27-4	
Bromoform	<0.0070	mg/kg	0.017	0.0070	1	05/18/22 06:00	05/18/22 22:50	75-25-2	
Bromomethane	<0.0039	mg/kg	0.0043	0.0039	1	05/18/22 06:00	05/18/22 22:50	74-83-9	
Carbon disulfide	<0.00096	mg/kg	0.0043	0.00096	1	05/18/22 06:00	05/18/22 22:50	75-15-0	
Carbon tetrachloride	<0.0027	mg/kg	0.0043	0.0027	1	05/18/22 06:00	05/18/22 22:50	56-23-5	
Chlorobenzene	<0.00080	mg/kg	0.0043	0.00080	1	05/18/22 06:00	05/18/22 22:50	108-90-7	
Chloroethane	<0.0031	mg/kg	0.0043	0.0031	1	05/18/22 06:00	05/18/22 22:50	75-00-3	
Chloroform	<0.00073	mg/kg	0.0043	0.00073	1	05/18/22 06:00	05/18/22 22:50	67-66-3	
Chloromethane	<0.00093	mg/kg	0.0043	0.00093	1	05/18/22 06:00	05/18/22 22:50	74-87-3	
Dibromochloromethane	<0.00087	mg/kg	0.0043	0.00087	1	05/18/22 06:00	05/18/22 22:50	124-48-1	
Ethylbenzene	<0.00078	mg/kg	0.0043	0.00078	1	05/18/22 06:00	05/18/22 22:50	100-41-4	
Methyl-tert-butyl ether	<0.0018	mg/kg	0.0043	0.0018	1	05/18/22 06:00	05/18/22 22:50	1634-04-4	
Methylene Chloride	<0.0034	mg/kg	0.0043	0.0034	1	05/18/22 06:00	05/18/22 22:50	75-09-2	
Styrene	<0.00062	mg/kg	0.0043	0.00062	1	05/18/22 06:00	05/18/22 22:50	100-42-5	
Tetrachloroethene	<0.00077	mg/kg	0.0043	0.00077	1	05/18/22 06:00	05/18/22 22:50	127-18-4	
Toluene	<0.00077	mg/kg	0.0043	0.00077	1	05/18/22 06:00	05/18/22 22:50	108-88-3	
Trichloroethene	<0.00062	mg/kg	0.0043	0.00062	1	05/18/22 06:00	05/18/22 22:50	79-01-6	
Vinyl chloride	<0.0011	mg/kg	0.0043	0.0011	1	05/18/22 06:00	05/18/22 22:50	75-01-4	
Xylene (Total)	<0.0030	mg/kg	0.0087	0.0030	1	05/18/22 06:00	05/18/22 22:50	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-25 (5.5-6.5) **Lab ID: 40244803016** Collected: 05/11/22 14:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00077	mg/kg	0.0043	0.00077	1	05/18/22 06:00	05/18/22 22:50	156-59-2	
cis-1,3-Dichloropropene	<0.00089	mg/kg	0.0043	0.00089	1	05/18/22 06:00	05/18/22 22:50	10061-01-5	
trans-1,2-Dichloroethene	<0.00062	mg/kg	0.0043	0.00062	1	05/18/22 06:00	05/18/22 22:50	156-60-5	
trans-1,3-Dichloropropene	<0.00087	mg/kg	0.0043	0.00087	1	05/18/22 06:00	05/18/22 22:50	10061-02-6	
Surrogates									
Toluene-d8 (S)	94	%	69-156		1	05/18/22 06:00	05/18/22 22:50	2037-26-5	
4-Bromofluorobenzene (S)	85	%	61-175		1	05/18/22 06:00	05/18/22 22:50	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1	05/18/22 06:00	05/18/22 22:50	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	12.9	%	0.10	0.10	1		05/13/22 11:46		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.22	Std. Units	0.100	0.0100	1		05/20/22 09:26		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.21	mg/kg	0.62	0.21	1	05/24/22 10:40	05/24/22 14:06	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-25 (8.5-9.5) **Lab ID: 40244803017** Collected: 05/11/22 14:40 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00047	mg/kg	0.0019	0.00047	1	05/16/22 10:43	05/20/22 03:16	309-00-2	
alpha-BHC	<0.00020	mg/kg	0.0019	0.00020	1	05/16/22 10:43	05/20/22 03:16	319-84-6	
beta-BHC	<0.00060	mg/kg	0.0019	0.00060	1	05/16/22 10:43	05/20/22 03:16	319-85-7	
delta-BHC	<0.00035	mg/kg	0.0019	0.00035	1	05/16/22 10:43	05/20/22 03:16	319-86-8	
gamma-BHC (Lindane)	<0.00019	mg/kg	0.0019	0.00019	1	05/16/22 10:43	05/20/22 03:16	58-89-9	
Chlordane (Technical)	<0.0064	mg/kg	0.019	0.0064	1	05/16/22 10:43	05/20/22 03:16	57-74-9	
alpha-Chlordane	<0.00024	mg/kg	0.0019	0.00024	1	05/16/22 10:43	05/20/22 03:16	5103-71-9	
gamma-Chlordane	<0.00072	mg/kg	0.0019	0.00072	1	05/16/22 10:43	05/20/22 03:16	5103-74-2	
4,4'-DDD	<0.00039	mg/kg	0.0039	0.00039	1	05/16/22 10:43	05/20/22 03:16	72-54-8	
4,4'-DDE	<0.00045	mg/kg	0.0039	0.00045	1	05/16/22 10:43	05/20/22 03:16	72-55-9	
4,4'-DDT	<0.0012	mg/kg	0.0039	0.0012	1	05/16/22 10:43	05/20/22 03:16	50-29-3	
Dieldrin	<0.00037	mg/kg	0.0039	0.00037	1	05/16/22 10:43	05/20/22 03:16	60-57-1	
Endosulfan I	<0.00022	mg/kg	0.0019	0.00022	1	05/16/22 10:43	05/20/22 03:16	959-98-8	
Endosulfan II	<0.00092	mg/kg	0.0039	0.00092	1	05/16/22 10:43	05/20/22 03:16	33213-65-9	
Endosulfan sulfate	<0.00091	mg/kg	0.0039	0.00091	1	05/16/22 10:43	05/20/22 03:16	1031-07-8	L2
Endrin	<0.00044	mg/kg	0.0039	0.00044	1	05/16/22 10:43	05/20/22 03:16	72-20-8	
Endrin aldehyde	<0.0012	mg/kg	0.0039	0.0012	1	05/16/22 10:43	05/20/22 03:16	7421-93-4	
Endrin ketone	<0.0010	mg/kg	0.0039	0.0010	1	05/16/22 10:43	05/20/22 03:16	53494-70-5	
Heptachlor	<0.00053	mg/kg	0.0019	0.00053	1	05/16/22 10:43	05/20/22 03:16	76-44-8	
Heptachlor epoxide	<0.00020	mg/kg	0.0019	0.00020	1	05/16/22 10:43	05/20/22 03:16	1024-57-3	
Methoxychlor	<0.0060	mg/kg	0.019	0.0060	1	05/16/22 10:43	05/20/22 03:16	72-43-5	
Toxaphene	<0.018	mg/kg	0.058	0.018	1	05/16/22 10:43	05/20/22 03:16	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	71	%	53-138		1	05/16/22 10:43	05/20/22 03:16	877-09-8	
Decachlorobiphenyl (S)	56	%	30-150		1	05/16/22 10:43	05/20/22 03:16	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.058	0.018	1	05/12/22 20:52	05/16/22 19:49	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.058	0.018	1	05/12/22 20:52	05/16/22 19:49	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.058	0.018	1	05/12/22 20:52	05/16/22 19:49	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.058	0.018	1	05/12/22 20:52	05/16/22 19:49	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.058	0.018	1	05/12/22 20:52	05/16/22 19:49	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.018	mg/kg	0.058	0.018	1	05/12/22 20:52	05/16/22 19:49	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.058	0.018	1	05/12/22 20:52	05/16/22 19:49	11096-82-5	
PCB, Total	<0.018	mg/kg	0.058	0.018	1	05/12/22 20:52	05/16/22 19:49	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	78	%	50-99		1	05/12/22 20:52	05/16/22 19:49	877-09-8	
Decachlorobiphenyl (S)	75	%	38-95		1	05/12/22 20:52	05/16/22 19:49	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	8120	mg/kg	33.8	6.8	1	05/19/22 12:21	05/24/22 21:58	7429-90-5	
Antimony	0.18J	mg/kg	0.56	0.11	1	05/19/22 12:21	05/24/22 01:23	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-25 (8.5-9.5) **Lab ID: 40244803017** Collected: 05/11/22 14:40 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	7.9	mg/kg	0.56	0.12	1	05/19/22 12:21	05/24/22 01:23	7440-38-2	
Barium	88.3	mg/kg	0.34	0.060	1	05/19/22 12:21	05/24/22 01:23	7440-39-3	
Beryllium	0.51	mg/kg	0.23	0.045	1	05/19/22 12:21	05/24/22 21:58	7440-41-7	
Cadmium	0.25	mg/kg	0.090	0.035	1	05/19/22 12:21	05/24/22 01:23	7440-43-9	
Calcium	33700	mg/kg	113	13.3	1	05/19/22 12:21	05/24/22 21:58	7440-70-2	
Chromium	11.8	mg/kg	2.3	0.16	1	05/19/22 12:21	05/24/22 21:58	7440-47-3	
Cobalt	6.1	mg/kg	0.56	0.11	1	05/19/22 12:21	05/24/22 01:23	7440-48-4	
Copper	13.2	mg/kg	1.1	0.27	1	05/19/22 12:21	05/24/22 01:23	7440-50-8	
Iron	15100	mg/kg	56.4	11.8	1	05/19/22 12:21	05/24/22 21:58	7439-89-6	
Lead	20.3	mg/kg	0.56	0.033	1	05/19/22 12:21	05/24/22 01:23	7439-92-1	
Magnesium	8400	mg/kg	33.8	4.9	1	05/19/22 12:21	05/24/22 21:58	7439-95-4	
Manganese	621	mg/kg	2.8	1.4	5	05/19/22 12:21	05/24/22 22:02	7439-96-5	
Nickel	16.4	mg/kg	0.56	0.22	1	05/19/22 12:21	05/24/22 01:23	7440-02-0	
Potassium	816	mg/kg	113	13.0	1	05/19/22 12:21	05/24/22 21:58	7440-09-7	
Selenium	0.22J	mg/kg	0.56	0.097	1	05/19/22 12:21	05/24/22 01:23	7782-49-2	
Silver	<0.16	mg/kg	0.56	0.16	1	05/19/22 12:21	05/24/22 01:23	7440-22-4	
Sodium	52.7J	mg/kg	56.4	12.5	1	05/19/22 12:21	05/24/22 21:58	7440-23-5	
Thallium	0.16	mg/kg	0.11	0.041	1	05/19/22 12:21	05/24/22 01:23	7440-28-0	
Vanadium	22.3	mg/kg	1.1	0.20	1	05/19/22 12:21	05/24/22 21:58	7440-62-2	
Zinc	47.4	mg/kg	5.6	1.0	1	05/19/22 12:21	05/24/22 01:23	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.019J	mg/kg	0.040	0.011	1	05/17/22 11:51	05/18/22 15:21	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.022	mg/kg	0.073	0.022	1	05/18/22 11:18	05/20/22 14:28	120-82-1	
1,2-Dichlorobenzene	<0.061	mg/kg	0.20	0.061	1	05/18/22 11:18	05/20/22 14:28	95-50-1	
1,3-Dichlorobenzene	<0.027	mg/kg	0.090	0.027	1	05/18/22 11:18	05/20/22 14:28	541-73-1	
1,4-Dichlorobenzene	<0.027	mg/kg	0.090	0.027	1	05/18/22 11:18	05/20/22 14:28	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.050	mg/kg	0.17	0.050	1	05/18/22 11:18	05/20/22 14:28	108-60-1	
2,4,5-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/20/22 14:28	95-95-4	
2,4,6-Trichlorophenol	<0.030	mg/kg	0.099	0.030	1	05/18/22 11:18	05/20/22 14:28	88-06-2	
2,4-Dichlorophenol	<0.052	mg/kg	0.17	0.052	1	05/18/22 11:18	05/20/22 14:28	120-83-2	
2,4-Dimethylphenol	<0.038	mg/kg	0.13	0.038	1	05/18/22 11:18	05/20/22 14:28	105-67-9	
2,4-Dinitrophenol	<0.059	mg/kg	0.20	0.059	1	05/18/22 11:18	05/20/22 14:28	51-28-5	
2,4-Dinitrotoluene	<0.028	mg/kg	0.093	0.028	1	05/18/22 11:18	05/20/22 14:28	121-14-2	
2,6-Dinitrotoluene	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/20/22 14:28	606-20-2	
2-Chloronaphthalene	<0.025	mg/kg	0.083	0.025	1	05/18/22 11:18	05/20/22 14:28	91-58-7	
2-Chlorophenol	<0.049	mg/kg	0.16	0.049	1	05/18/22 11:18	05/20/22 14:28	95-57-8	
2-Methylnaphthalene	<0.051	mg/kg	0.17	0.051	1	05/18/22 11:18	05/20/22 14:28	91-57-6	
2-Methylphenol(o-Cresol)	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/20/22 14:28	95-48-7	
2-Nitroaniline	<0.055	mg/kg	0.18	0.055	1	05/18/22 11:18	05/20/22 14:28	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: **SB-25 (8.5-9.5)** Lab ID: **40244803017** Collected: 05/11/22 14:40 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.061	mg/kg	0.20	0.061	1	05/18/22 11:18	05/20/22 14:28	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/20/22 14:28		
3,3'-Dichlorobenzidine	<0.053	mg/kg	0.18	0.053	1	05/18/22 11:18	05/20/22 14:28	91-94-1	
3-Nitroaniline	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/20/22 14:28	99-09-2	
4,6-Dinitro-2-methylphenol	<0.060	mg/kg	0.20	0.060	1	05/18/22 11:18	05/20/22 14:28	534-52-1	
4-Bromophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/18/22 11:18	05/20/22 14:28	101-55-3	
4-Chloro-3-methylphenol	<0.061	mg/kg	0.20	0.061	1	05/18/22 11:18	05/20/22 14:28	59-50-7	
4-Chloroaniline	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/20/22 14:28	106-47-8	4q
4-Chlorophenylphenyl ether	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/20/22 14:28	7005-72-3	
4-Nitroaniline	<0.081	mg/kg	0.27	0.081	1	05/18/22 11:18	05/20/22 14:28	100-01-6	
4-Nitrophenol	<0.049	mg/kg	0.16	0.049	1	05/18/22 11:18	05/20/22 14:28	100-02-7	
Acenaphthene	<0.069	mg/kg	0.23	0.069	1	05/18/22 11:18	05/20/22 14:28	83-32-9	
Acenaphthylene	<0.069	mg/kg	0.23	0.069	1	05/18/22 11:18	05/20/22 14:28	208-96-8	
Anthracene	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/20/22 14:28	120-12-7	
Benzo(a)anthracene	0.033J	mg/kg	0.10	0.030	1	05/18/22 11:18	05/20/22 14:28	56-55-3	
Benzo(a)pyrene	<0.029	mg/kg	0.098	0.029	1	05/18/22 11:18	05/20/22 14:28	50-32-8	
Benzo(b)fluoranthene	0.036J	mg/kg	0.11	0.033	1	05/18/22 11:18	05/20/22 14:28	205-99-2	
Benzo(g,h,i)perylene	<0.051	mg/kg	0.17	0.051	1	05/18/22 11:18	05/20/22 14:28	191-24-2	
Benzo(k)fluoranthene	<0.047	mg/kg	0.16	0.047	1	05/18/22 11:18	05/20/22 14:28	207-08-9	
Butylbenzylphthalate	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/20/22 14:28	85-68-7	
Carbazole	<0.030	mg/kg	0.10	0.030	1	05/18/22 11:18	05/20/22 14:28	86-74-8	
Chrysene	<0.029	mg/kg	0.097	0.029	1	05/18/22 11:18	05/20/22 14:28	218-01-9	
Di-n-butylphthalate	<0.029	mg/kg	0.097	0.029	1	05/18/22 11:18	05/20/22 14:28	84-74-2	
Di-n-octylphthalate	<0.044	mg/kg	0.15	0.044	1	05/18/22 11:18	05/20/22 14:28	117-84-0	
Dibenz(a,h)anthracene	<0.053	mg/kg	0.18	0.053	1	05/18/22 11:18	05/20/22 14:28	53-70-3	
Dibenzofuran	<0.024	mg/kg	0.079	0.024	1	05/18/22 11:18	05/20/22 14:28	132-64-9	
Diethylphthalate	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/20/22 14:28	84-66-2	
Dimethylphthalate	<0.025	mg/kg	0.084	0.025	1	05/18/22 11:18	05/20/22 14:28	131-11-3	
Fluoranthene	0.044J	mg/kg	0.092	0.028	1	05/18/22 11:18	05/20/22 14:28	206-44-0	
Fluorene	<0.023	mg/kg	0.076	0.023	1	05/18/22 11:18	05/20/22 14:28	86-73-7	
Hexachloro-1,3-butadiene	<0.050	mg/kg	0.17	0.050	1	05/18/22 11:18	05/20/22 14:28	87-68-3	
Hexachlorobenzene	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/20/22 14:28	118-74-1	
Hexachlorocyclopentadiene	<0.046	mg/kg	0.15	0.046	1	05/18/22 11:18	05/20/22 14:28	77-47-4	
Hexachloroethane	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/20/22 14:28	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.042	mg/kg	0.14	0.042	1	05/18/22 11:18	05/20/22 14:28	193-39-5	
Isophorone	<0.030	mg/kg	0.10	0.030	1	05/18/22 11:18	05/20/22 14:28	78-59-1	
N-Nitroso-di-n-propylamine	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/20/22 14:28	621-64-7	
N-Nitrosodiphenylamine	<0.26	mg/kg	0.88	0.26	1	05/18/22 11:18	05/20/22 14:28	86-30-6	
Naphthalene	<0.068	mg/kg	0.23	0.068	1	05/18/22 11:18	05/20/22 14:28	91-20-3	
Nitrobenzene	<0.039	mg/kg	0.13	0.039	1	05/18/22 11:18	05/20/22 14:28	98-95-3	
Pentachlorophenol	<0.043	mg/kg	0.14	0.043	1	05/18/22 11:18	05/20/22 14:28	87-86-5	
Phenanthrene	0.027J	mg/kg	0.083	0.025	1	05/18/22 11:18	05/20/22 14:28	85-01-8	
Phenol	<0.046	mg/kg	0.15	0.046	1	05/18/22 11:18	05/20/22 14:28	108-95-2	3q
Pyrene	<0.043	mg/kg	0.14	0.043	1	05/18/22 11:18	05/20/22 14:28	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-25 (8.5-9.5) **Lab ID: 40244803017** Collected: 05/11/22 14:40 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.052	mg/kg	0.17	0.052	1	05/18/22 11:18	05/20/22 14:28	111-91-1	
bis(2-Chloroethyl) ether	<0.061	mg/kg	0.20	0.061	1	05/18/22 11:18	05/20/22 14:28	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/20/22 14:28	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	75	%	10-125		1	05/18/22 11:18	05/20/22 14:28	4165-60-0	
2-Fluorobiphenyl (S)	69	%	12-118		1	05/18/22 11:18	05/20/22 14:28	321-60-8	
Terphenyl-d14 (S)	70	%	10-124		1	05/18/22 11:18	05/20/22 14:28	1718-51-0	
Phenol-d6 (S)	63	%	10-125		1	05/18/22 11:18	05/20/22 14:28	13127-88-3	
2-Fluorophenol (S)	64	%	10-130		1	05/18/22 11:18	05/20/22 14:28	367-12-4	
2,4,6-Tribromophenol (S)	70	%	10-144		1	05/18/22 11:18	05/20/22 14:28	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0049	0.0015	1	05/18/22 06:00	05/20/22 11:57	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0025	mg/kg	0.0049	0.0025	1	05/18/22 06:00	05/20/22 11:57	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0049	0.0015	1	05/18/22 06:00	05/20/22 11:57	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0049	0.0011	1	05/18/22 06:00	05/20/22 11:57	75-34-3	
1,1-Dichloroethene	<0.0010	mg/kg	0.0049	0.0010	1	05/18/22 06:00	05/20/22 11:57	75-35-4	
1,2-Dichloroethane	<0.00081	mg/kg	0.0049	0.00081	1	05/18/22 06:00	05/20/22 11:57	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0049	0.0010	1	05/18/22 06:00	05/20/22 11:57	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.025	0.015	1	05/18/22 06:00	05/20/22 11:57	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/18/22 06:00	05/20/22 11:57	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/18/22 06:00	05/20/22 11:57	108-10-1	
Acetone	<0.047	mg/kg	0.099	0.047	1	05/18/22 06:00	05/20/22 11:57	67-64-1	
Benzene	<0.00070	mg/kg	0.0049	0.00070	1	05/18/22 06:00	05/20/22 11:57	71-43-2	
Bromodichloromethane	<0.00067	mg/kg	0.0049	0.00067	1	05/18/22 06:00	05/20/22 11:57	75-27-4	
Bromoform	<0.0080	mg/kg	0.020	0.0080	1	05/18/22 06:00	05/20/22 11:57	75-25-2	
Bromomethane	<0.0044	mg/kg	0.0049	0.0044	1	05/18/22 06:00	05/20/22 11:57	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0049	0.0011	1	05/18/22 06:00	05/20/22 11:57	75-15-0	
Carbon tetrachloride	<0.0031	mg/kg	0.0049	0.0031	1	05/18/22 06:00	05/20/22 11:57	56-23-5	
Chlorobenzene	<0.00091	mg/kg	0.0049	0.00091	1	05/18/22 06:00	05/20/22 11:57	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0049	0.0036	1	05/18/22 06:00	05/20/22 11:57	75-00-3	
Chloroform	<0.00084	mg/kg	0.0049	0.00084	1	05/18/22 06:00	05/20/22 11:57	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0049	0.0011	1	05/18/22 06:00	05/20/22 11:57	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0049	0.0010	1	05/18/22 06:00	05/20/22 11:57	124-48-1	
Ethylbenzene	<0.00088	mg/kg	0.0049	0.00088	1	05/18/22 06:00	05/20/22 11:57	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0049	0.0020	1	05/18/22 06:00	05/20/22 11:57	1634-04-4	
Methylene Chloride	<0.0039	mg/kg	0.0049	0.0039	1	05/18/22 06:00	05/20/22 11:57	75-09-2	
Styrene	<0.00070	mg/kg	0.0049	0.00070	1	05/18/22 06:00	05/20/22 11:57	100-42-5	
Tetrachloroethene	<0.00088	mg/kg	0.0049	0.00088	1	05/18/22 06:00	05/20/22 11:57	127-18-4	
Toluene	<0.00087	mg/kg	0.0049	0.00087	1	05/18/22 06:00	05/20/22 11:57	108-88-3	
Trichloroethene	<0.00071	mg/kg	0.0049	0.00071	1	05/18/22 06:00	05/20/22 11:57	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0049	0.0013	1	05/18/22 06:00	05/20/22 11:57	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.0099	0.0034	1	05/18/22 06:00	05/20/22 11:57	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-25 (8.5-9.5) **Lab ID: 40244803017** Collected: 05/11/22 14:40 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00087	mg/kg	0.0049	0.00087	1	05/18/22 06:00	05/20/22 11:57	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0049	0.0010	1	05/18/22 06:00	05/20/22 11:57	10061-01-5	
trans-1,2-Dichloroethene	<0.00071	mg/kg	0.0049	0.00071	1	05/18/22 06:00	05/20/22 11:57	156-60-5	
trans-1,3-Dichloropropene	<0.00099	mg/kg	0.0049	0.00099	1	05/18/22 06:00	05/20/22 11:57	10061-02-6	
Surrogates									
Toluene-d8 (S)	103	%	69-156		1	05/18/22 06:00	05/20/22 11:57	2037-26-5	
4-Bromofluorobenzene (S)	84	%	61-175		1	05/18/22 06:00	05/20/22 11:57	460-00-4	
1,2-Dichlorobenzene-d4 (S)	94	%	70-130		1	05/18/22 06:00	05/20/22 11:57	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	14.3	%	0.10	0.10	1		05/13/22 11:47		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	8.25	Std. Units	0.100	0.0100	1		05/20/22 09:28		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.24	mg/kg	0.73	0.24	1	05/24/22 10:40	05/24/22 14:07	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-29 (4.5-5.5) **Lab ID: 40244803018** Collected: 05/11/22 15:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0021	0.00052	1	05/16/22 10:43	05/20/22 04:13	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/20/22 04:13	319-84-6	
beta-BHC	<0.00066	mg/kg	0.0021	0.00066	1	05/16/22 10:43	05/20/22 04:13	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0021	0.00039	1	05/16/22 10:43	05/20/22 04:13	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/20/22 04:13	58-89-9	
Chlordane (Technical)	<0.0070	mg/kg	0.021	0.0070	1	05/16/22 10:43	05/20/22 04:13	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/16/22 10:43	05/20/22 04:13	5103-71-9	
gamma-Chlordane	<0.00079	mg/kg	0.0021	0.00079	1	05/16/22 10:43	05/20/22 04:13	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0043	0.00043	1	05/16/22 10:43	05/20/22 04:13	72-54-8	
4,4'-DDE	<0.00049	mg/kg	0.0043	0.00049	1	05/16/22 10:43	05/20/22 04:13	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/16/22 10:43	05/20/22 04:13	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/16/22 10:43	05/20/22 04:13	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0021	0.00024	1	05/16/22 10:43	05/20/22 04:13	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/16/22 10:43	05/20/22 04:13	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/16/22 10:43	05/20/22 04:13	1031-07-8	L2
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/16/22 10:43	05/20/22 04:13	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/16/22 10:43	05/20/22 04:13	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/16/22 10:43	05/20/22 04:13	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0021	0.00058	1	05/16/22 10:43	05/20/22 04:13	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0021	0.00022	1	05/16/22 10:43	05/20/22 04:13	1024-57-3	
Methoxychlor	<0.0066	mg/kg	0.021	0.0066	1	05/16/22 10:43	05/20/22 04:13	72-43-5	
Toxaphene	<0.020	mg/kg	0.064	0.020	1	05/16/22 10:43	05/20/22 04:13	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	67	%	53-138		1	05/16/22 10:43	05/20/22 04:13	877-09-8	
Decachlorobiphenyl (S)	51	%	30-150		1	05/16/22 10:43	05/20/22 04:13	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 20:13	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 20:13	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 20:13	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 20:13	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 20:13	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 20:13	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 20:13	11096-82-5	
PCB, Total	<0.019	mg/kg	0.064	0.019	1	05/12/22 20:52	05/16/22 20:13	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	75	%	50-99		1	05/12/22 20:52	05/16/22 20:13	877-09-8	
Decachlorobiphenyl (S)	74	%	38-95		1	05/12/22 20:52	05/16/22 20:13	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	17500	mg/kg	36.4	7.3	1	05/19/22 12:21	05/24/22 22:05	7429-90-5	
Antimony	0.15J	mg/kg	0.61	0.12	1	05/19/22 12:21	05/24/22 01:27	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-29 (4.5-5.5) **Lab ID: 40244803018** Collected: 05/11/22 15:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	6.6	mg/kg	0.61	0.13	1	05/19/22 12:21	05/24/22 01:27	7440-38-2	
Barium	172	mg/kg	0.36	0.065	1	05/19/22 12:21	05/24/22 01:27	7440-39-3	
Beryllium	0.85	mg/kg	0.24	0.048	1	05/19/22 12:21	05/24/22 22:05	7440-41-7	
Cadmium	0.063J	mg/kg	0.097	0.038	1	05/19/22 12:21	05/24/22 01:27	7440-43-9	
Calcium	3710	mg/kg	121	14.3	1	05/19/22 12:21	05/24/22 22:05	7440-70-2	
Chromium	19.5	mg/kg	2.4	0.17	1	05/19/22 12:21	05/24/22 22:05	7440-47-3	
Cobalt	6.2	mg/kg	0.61	0.12	1	05/19/22 12:21	05/24/22 01:27	7440-48-4	
Copper	16.5	mg/kg	1.2	0.29	1	05/19/22 12:21	05/24/22 01:27	7440-50-8	
Iron	19900	mg/kg	60.7	12.7	1	05/19/22 12:21	05/24/22 22:05	7439-89-6	
Lead	13.0	mg/kg	0.61	0.036	1	05/19/22 12:21	05/24/22 01:27	7439-92-1	
Magnesium	3110	mg/kg	36.4	5.2	1	05/19/22 12:21	05/24/22 22:05	7439-95-4	
Manganese	284	mg/kg	0.61	0.30	1	05/19/22 12:21	05/24/22 22:05	7439-96-5	
Nickel	14.5	mg/kg	0.61	0.24	1	05/19/22 12:21	05/24/22 01:27	7440-02-0	
Potassium	1310	mg/kg	121	14.0	1	05/19/22 12:21	05/24/22 22:05	7440-09-7	
Selenium	0.75	mg/kg	0.61	0.10	1	05/19/22 12:21	05/24/22 01:27	7782-49-2	
Silver	<0.18	mg/kg	0.61	0.18	1	05/19/22 12:21	05/24/22 01:27	7440-22-4	
Sodium	99.0	mg/kg	60.7	13.5	1	05/19/22 12:21	05/24/22 22:05	7440-23-5	
Thallium	0.21	mg/kg	0.12	0.044	1	05/19/22 12:21	05/24/22 01:27	7440-28-0	
Vanadium	39.5	mg/kg	1.2	0.21	1	05/19/22 12:21	05/24/22 22:05	7440-62-2	
Zinc	52.9	mg/kg	6.1	1.1	1	05/19/22 12:21	05/24/22 01:27	7440-66-6	

7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.029J	mg/kg	0.044	0.013	1	05/17/22 11:51	05/18/22 15:23	7439-97-6	

8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/18/22 11:18	05/19/22 13:01	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/18/22 11:18	05/19/22 13:01	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.098	0.030	1	05/18/22 11:18	05/19/22 13:01	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/18/22 11:18	05/19/22 13:01	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/18/22 11:18	05/19/22 13:01	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/18/22 11:18	05/19/22 13:01	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/19/22 13:01	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/18/22 11:18	05/19/22 13:01	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/18/22 11:18	05/19/22 13:01	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/18/22 11:18	05/19/22 13:01	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/19/22 13:01	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/18/22 11:18	05/19/22 13:01	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/18/22 11:18	05/19/22 13:01	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/18/22 11:18	05/19/22 13:01	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/18/22 11:18	05/19/22 13:01	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/18/22 11:18	05/19/22 13:01	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/18/22 11:18	05/19/22 13:01	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-29 (4.5-5.5) **Lab ID: 40244803018** Collected: 05/11/22 15:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/18/22 11:18	05/19/22 13:01	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/18/22 11:18	05/19/22 13:01		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/18/22 11:18	05/19/22 13:01	91-94-1	CU
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/19/22 13:01	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/18/22 11:18	05/19/22 13:01	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/18/22 11:18	05/19/22 13:01	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/18/22 11:18	05/19/22 13:01	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/19/22 13:01	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/18/22 11:18	05/19/22 13:01	7005-72-3	
4-Nitroaniline	<0.089	mg/kg	0.30	0.089	1	05/18/22 11:18	05/19/22 13:01	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/18/22 11:18	05/19/22 13:01	100-02-7	
Acenaphthene	<0.076	mg/kg	0.25	0.076	1	05/18/22 11:18	05/19/22 13:01	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/18/22 11:18	05/19/22 13:01	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/19/22 13:01	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/19/22 13:01	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/19/22 13:01	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/19/22 13:01	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/18/22 11:18	05/19/22 13:01	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/18/22 11:18	05/19/22 13:01	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/19/22 13:01	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/19/22 13:01	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/19/22 13:01	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/19/22 13:01	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/18/22 11:18	05/19/22 13:01	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/18/22 11:18	05/19/22 13:01	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/18/22 11:18	05/19/22 13:01	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/19/22 13:01	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.092	0.028	1	05/18/22 11:18	05/19/22 13:01	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/18/22 11:18	05/19/22 13:01	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/18/22 11:18	05/19/22 13:01	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/18/22 11:18	05/19/22 13:01	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/19/22 13:01	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/18/22 11:18	05/19/22 13:01	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/19/22 13:01	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/18/22 11:18	05/19/22 13:01	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/19/22 13:01	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/19/22 13:01	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/18/22 11:18	05/19/22 13:01	86-30-6	
Naphthalene	<0.075	mg/kg	0.25	0.075	1	05/18/22 11:18	05/19/22 13:01	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/18/22 11:18	05/19/22 13:01	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/18/22 11:18	05/19/22 13:01	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/18/22 11:18	05/19/22 13:01	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/18/22 11:18	05/19/22 13:01	108-95-2	
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/18/22 11:18	05/19/22 13:01	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-29 (4.5-5.5) **Lab ID: 40244803018** Collected: 05/11/22 15:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/18/22 11:18	05/19/22 13:01	111-91-1	
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/18/22 11:18	05/19/22 13:01	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/19/22 13:01	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	36	%	10-125		1	05/18/22 11:18	05/19/22 13:01	4165-60-0	
2-Fluorobiphenyl (S)	29	%	12-118		1	05/18/22 11:18	05/19/22 13:01	321-60-8	
Terphenyl-d14 (S)	56	%	10-124		1	05/18/22 11:18	05/19/22 13:01	1718-51-0	
Phenol-d6 (S)	35	%	10-125		1	05/18/22 11:18	05/19/22 13:01	13127-88-3	
2-Fluorophenol (S)	28	%	10-130		1	05/18/22 11:18	05/19/22 13:01	367-12-4	
2,4,6-Tribromophenol (S)	51	%	10-144		1	05/18/22 11:18	05/19/22 13:01	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/18/22 06:00	05/19/22 08:19	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0054	0.0028	1	05/18/22 06:00	05/19/22 08:19	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/18/22 06:00	05/19/22 08:19	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0054	0.0012	1	05/18/22 06:00	05/19/22 08:19	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/19/22 08:19	75-35-4	
1,2-Dichloroethane	<0.00089	mg/kg	0.0054	0.00089	1	05/18/22 06:00	05/19/22 08:19	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/19/22 08:19	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/18/22 06:00	05/19/22 08:19	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/18/22 06:00	05/19/22 08:19	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/18/22 06:00	05/19/22 08:19	108-10-1	
Acetone	<0.051	mg/kg	0.11	0.051	1	05/18/22 06:00	05/19/22 08:19	67-64-1	
Benzene	<0.00076	mg/kg	0.0054	0.00076	1	05/18/22 06:00	05/19/22 08:19	71-43-2	
Bromodichloromethane	<0.00073	mg/kg	0.0054	0.00073	1	05/18/22 06:00	05/19/22 08:19	75-27-4	
Bromoform	<0.0087	mg/kg	0.022	0.0087	1	05/18/22 06:00	05/19/22 08:19	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0054	0.0048	1	05/18/22 06:00	05/19/22 08:19	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0054	0.0012	1	05/18/22 06:00	05/19/22 08:19	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0054	0.0034	1	05/18/22 06:00	05/19/22 08:19	56-23-5	
Chlorobenzene	<0.00099	mg/kg	0.0054	0.00099	1	05/18/22 06:00	05/19/22 08:19	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0054	0.0039	1	05/18/22 06:00	05/19/22 08:19	75-00-3	
Chloroform	<0.00091	mg/kg	0.0054	0.00091	1	05/18/22 06:00	05/19/22 08:19	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0054	0.0012	1	05/18/22 06:00	05/19/22 08:19	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/19/22 08:19	124-48-1	
Ethylbenzene	<0.00096	mg/kg	0.0054	0.00096	1	05/18/22 06:00	05/19/22 08:19	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0054	0.0022	1	05/18/22 06:00	05/19/22 08:19	1634-04-4	
Methylene Chloride	<0.0043	mg/kg	0.0054	0.0043	1	05/18/22 06:00	05/19/22 08:19	75-09-2	
Styrene	<0.00076	mg/kg	0.0054	0.00076	1	05/18/22 06:00	05/19/22 08:19	100-42-5	
Tetrachloroethene	<0.00096	mg/kg	0.0054	0.00096	1	05/18/22 06:00	05/19/22 08:19	127-18-4	
Toluene	<0.00095	mg/kg	0.0054	0.00095	1	05/18/22 06:00	05/19/22 08:19	108-88-3	
Trichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/18/22 06:00	05/19/22 08:19	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0054	0.0014	1	05/18/22 06:00	05/19/22 08:19	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/18/22 06:00	05/19/22 08:19	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-29 (4.5-5.5) **Lab ID: 40244803018** Collected: 05/11/22 15:35 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00095	mg/kg	0.0054	0.00095	1	05/18/22 06:00	05/19/22 08:19	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/19/22 08:19	10061-01-5	
trans-1,2-Dichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/18/22 06:00	05/19/22 08:19	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/19/22 08:19	10061-02-6	
Surrogates									
Toluene-d8 (S)	101	%	69-156		1	05/18/22 06:00	05/19/22 08:19	2037-26-5	
4-Bromofluorobenzene (S)	88	%	61-175		1	05/18/22 06:00	05/19/22 08:19	460-00-4	
1,2-Dichlorobenzene-d4 (S)	111	%	70-130		1	05/18/22 06:00	05/19/22 08:19	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.7	%	0.10	0.10	1		05/13/22 11:47		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.2	Std. Units	0.10	0.010	1		05/23/22 13:42		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.29	mg/kg	0.88	0.29	1	05/24/22 10:40	05/24/22 14:07	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-29 (8.5-9.5) **Lab ID: 40244803019** Collected: 05/11/22 15:40 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00051	mg/kg	0.0021	0.00051	1	05/16/22 10:43	05/20/22 04:50	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/20/22 04:50	319-84-6	
beta-BHC	<0.00065	mg/kg	0.0021	0.00065	1	05/16/22 10:43	05/20/22 04:50	319-85-7	
delta-BHC	<0.00038	mg/kg	0.0021	0.00038	1	05/16/22 10:43	05/20/22 04:50	319-86-8	
gamma-BHC (Lindane)	<0.00020	mg/kg	0.0021	0.00020	1	05/16/22 10:43	05/20/22 04:50	58-89-9	
Chlordane (Technical)	<0.0069	mg/kg	0.021	0.0069	1	05/16/22 10:43	05/20/22 04:50	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/16/22 10:43	05/20/22 04:50	5103-71-9	
gamma-Chlordane	<0.00078	mg/kg	0.0021	0.00078	1	05/16/22 10:43	05/20/22 04:50	5103-74-2	
4,4'-DDD	<0.00042	mg/kg	0.0042	0.00042	1	05/16/22 10:43	05/20/22 04:50	72-54-8	
4,4'-DDE	<0.00048	mg/kg	0.0042	0.00048	1	05/16/22 10:43	05/20/22 04:50	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0042	0.0013	1	05/16/22 10:43	05/20/22 04:50	50-29-3	
Dieldrin	<0.00040	mg/kg	0.0042	0.00040	1	05/16/22 10:43	05/20/22 04:50	60-57-1	
Endosulfan I	<0.00023	mg/kg	0.0021	0.00023	1	05/16/22 10:43	05/20/22 04:50	959-98-8	
Endosulfan II	<0.00099	mg/kg	0.0042	0.00099	1	05/16/22 10:43	05/20/22 04:50	33213-65-9	
Endosulfan sulfate	<0.00098	mg/kg	0.0042	0.00098	1	05/16/22 10:43	05/20/22 04:50	1031-07-8	L2
Endrin	<0.00047	mg/kg	0.0042	0.00047	1	05/16/22 10:43	05/20/22 04:50	72-20-8	
Endrin aldehyde	<0.0013	mg/kg	0.0042	0.0013	1	05/16/22 10:43	05/20/22 04:50	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0042	0.0011	1	05/16/22 10:43	05/20/22 04:50	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0021	0.00057	1	05/16/22 10:43	05/20/22 04:50	76-44-8	
Heptachlor epoxide	<0.00021	mg/kg	0.0021	0.00021	1	05/16/22 10:43	05/20/22 04:50	1024-57-3	
Methoxychlor	<0.0064	mg/kg	0.021	0.0064	1	05/16/22 10:43	05/20/22 04:50	72-43-5	
Toxaphene	<0.020	mg/kg	0.063	0.020	1	05/16/22 10:43	05/20/22 04:50	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	77	%	53-138		1	05/16/22 10:43	05/20/22 04:50	877-09-8	
Decachlorobiphenyl (S)	63	%	30-150		1	05/16/22 10:43	05/20/22 04:50	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 20:37	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 20:37	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 20:37	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 20:37	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 20:37	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 20:37	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 20:37	11096-82-5	
PCB, Total	<0.019	mg/kg	0.063	0.019	1	05/12/22 20:52	05/16/22 20:37	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	78	%	50-99		1	05/12/22 20:52	05/16/22 20:37	877-09-8	
Decachlorobiphenyl (S)	77	%	38-95		1	05/12/22 20:52	05/16/22 20:37	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	11000	mg/kg	36.8	7.4	1	05/19/22 12:21	05/24/22 22:09	7429-90-5	
Antimony	0.32J	mg/kg	0.61	0.12	1	05/19/22 12:21	05/24/22 01:31	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-29 (8.5-9.5) **Lab ID: 40244803019** Collected: 05/11/22 15:40 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	10.2	mg/kg	0.61	0.13	1	05/19/22 12:21	05/24/22 01:31	7440-38-2	
Barium	244	mg/kg	0.37	0.065	1	05/19/22 12:21	05/24/22 01:31	7440-39-3	
Beryllium	0.71	mg/kg	0.25	0.049	1	05/19/22 12:21	05/24/22 22:09	7440-41-7	
Cadmium	0.86	mg/kg	0.098	0.038	1	05/19/22 12:21	05/24/22 01:31	7440-43-9	
Calcium	45900	mg/kg	123	14.5	1	05/19/22 12:21	05/24/22 22:09	7440-70-2	
Chromium	17.0	mg/kg	2.5	0.17	1	05/19/22 12:21	05/24/22 22:09	7440-47-3	
Cobalt	11.9	mg/kg	0.61	0.12	1	05/19/22 12:21	05/24/22 01:31	7440-48-4	
Copper	19.0	mg/kg	1.2	0.30	1	05/19/22 12:21	05/24/22 01:31	7440-50-8	
Iron	45300	mg/kg	306	64.4	5	05/19/22 12:21	05/24/22 22:12	7439-89-6	
Lead	14.4	mg/kg	0.61	0.036	1	05/19/22 12:21	05/24/22 01:31	7439-92-1	
Magnesium	29000	mg/kg	36.8	5.3	1	05/19/22 12:21	05/24/22 22:09	7439-95-4	
Manganese	2240	mg/kg	3.1	1.5	5	05/19/22 12:21	05/24/22 22:12	7439-96-5	
Nickel	32.3	mg/kg	0.61	0.24	1	05/19/22 12:21	05/24/22 01:31	7440-02-0	
Potassium	819	mg/kg	123	14.1	1	05/19/22 12:21	05/24/22 22:09	7440-09-7	
Selenium	0.33J	mg/kg	0.61	0.11	1	05/19/22 12:21	05/24/22 22:09	7782-49-2	
Silver	<0.18	mg/kg	0.61	0.18	1	05/19/22 12:21	05/24/22 01:31	7440-22-4	
Sodium	116	mg/kg	61.3	13.6	1	05/19/22 12:21	05/24/22 22:09	7440-23-5	
Thallium	0.32	mg/kg	0.12	0.045	1	05/19/22 12:21	05/24/22 01:31	7440-28-0	
Vanadium	43.3	mg/kg	1.2	0.22	1	05/19/22 12:21	05/24/22 22:09	7440-62-2	
Zinc	52.4	mg/kg	6.1	1.1	1	05/19/22 12:21	05/24/22 01:31	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.029J	mg/kg	0.044	0.013	1	05/17/22 11:51	05/18/22 15:26	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.079	0.024	1	05/18/22 11:18	05/19/22 13:23	120-82-1	
1,2-Dichlorobenzene	<0.066	mg/kg	0.22	0.066	1	05/18/22 11:18	05/19/22 13:23	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.097	0.029	1	05/18/22 11:18	05/19/22 13:23	541-73-1	
1,4-Dichlorobenzene	<0.029	mg/kg	0.097	0.029	1	05/18/22 11:18	05/19/22 13:23	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.054	mg/kg	0.18	0.054	1	05/18/22 11:18	05/19/22 13:23	108-60-1	
2,4,5-Trichlorophenol	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/19/22 13:23	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/19/22 13:23	88-06-2	
2,4-Dichlorophenol	<0.056	mg/kg	0.19	0.056	1	05/18/22 11:18	05/19/22 13:23	120-83-2	
2,4-Dimethylphenol	<0.041	mg/kg	0.14	0.041	1	05/18/22 11:18	05/19/22 13:23	105-67-9	
2,4-Dinitrophenol	<0.064	mg/kg	0.21	0.064	1	05/18/22 11:18	05/19/22 13:23	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/18/22 11:18	05/19/22 13:23	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/18/22 11:18	05/19/22 13:23	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.090	0.027	1	05/18/22 11:18	05/19/22 13:23	91-58-7	
2-Chlorophenol	<0.052	mg/kg	0.17	0.052	1	05/18/22 11:18	05/19/22 13:23	95-57-8	
2-Methylnaphthalene	<0.054	mg/kg	0.18	0.054	1	05/18/22 11:18	05/19/22 13:23	91-57-6	
2-Methylphenol(o-Cresol)	<0.038	mg/kg	0.13	0.038	1	05/18/22 11:18	05/19/22 13:23	95-48-7	
2-Nitroaniline	<0.060	mg/kg	0.20	0.060	1	05/18/22 11:18	05/19/22 13:23	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: **SB-29 (8.5-9.5)** Lab ID: **40244803019** Collected: 05/11/22 15:40 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.066	mg/kg	0.22	0.066	1	05/18/22 11:18	05/19/22 13:23	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.038	mg/kg	0.13	0.038	1	05/18/22 11:18	05/19/22 13:23		
3,3'-Dichlorobenzidine	<0.057	mg/kg	0.19	0.057	1	05/18/22 11:18	05/19/22 13:23	91-94-1	CU
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/19/22 13:23	99-09-2	
4,6-Dinitro-2-methylphenol	<0.064	mg/kg	0.21	0.064	1	05/18/22 11:18	05/19/22 13:23	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/18/22 11:18	05/19/22 13:23	101-55-3	
4-Chloro-3-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/18/22 11:18	05/19/22 13:23	59-50-7	
4-Chloroaniline	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/19/22 13:23	106-47-8	1q
4-Chlorophenylphenyl ether	<0.039	mg/kg	0.13	0.039	1	05/18/22 11:18	05/19/22 13:23	7005-72-3	
4-Nitroaniline	<0.087	mg/kg	0.29	0.087	1	05/18/22 11:18	05/19/22 13:23	100-01-6	
4-Nitrophenol	<0.053	mg/kg	0.18	0.053	1	05/18/22 11:18	05/19/22 13:23	100-02-7	
Acenaphthene	<0.074	mg/kg	0.25	0.074	1	05/18/22 11:18	05/19/22 13:23	83-32-9	
Acenaphthylene	<0.075	mg/kg	0.25	0.075	1	05/18/22 11:18	05/19/22 13:23	208-96-8	
Anthracene	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/19/22 13:23	120-12-7	
Benzo(a)anthracene	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/19/22 13:23	56-55-3	
Benzo(a)pyrene	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/19/22 13:23	50-32-8	
Benzo(b)fluoranthene	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/19/22 13:23	205-99-2	
Benzo(g,h,i)perylene	<0.055	mg/kg	0.18	0.055	1	05/18/22 11:18	05/19/22 13:23	191-24-2	
Benzo(k)fluoranthene	<0.050	mg/kg	0.17	0.050	1	05/18/22 11:18	05/19/22 13:23	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/19/22 13:23	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/19/22 13:23	86-74-8	
Chrysene	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/19/22 13:23	218-01-9	
Di-n-butylphthalate	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/19/22 13:23	84-74-2	
Di-n-octylphthalate	<0.047	mg/kg	0.16	0.047	1	05/18/22 11:18	05/19/22 13:23	117-84-0	
Dibenz(a,h)anthracene	<0.057	mg/kg	0.19	0.057	1	05/18/22 11:18	05/19/22 13:23	53-70-3	
Dibenzofuran	<0.025	mg/kg	0.084	0.025	1	05/18/22 11:18	05/19/22 13:23	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/19/22 13:23	84-66-2	
Dimethylphthalate	<0.027	mg/kg	0.091	0.027	1	05/18/22 11:18	05/19/22 13:23	131-11-3	
Fluoranthene	<0.030	mg/kg	0.099	0.030	1	05/18/22 11:18	05/19/22 13:23	206-44-0	
Fluorene	<0.024	mg/kg	0.082	0.024	1	05/18/22 11:18	05/19/22 13:23	86-73-7	
Hexachloro-1,3-butadiene	<0.053	mg/kg	0.18	0.053	1	05/18/22 11:18	05/19/22 13:23	87-68-3	
Hexachlorobenzene	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/19/22 13:23	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/18/22 11:18	05/19/22 13:23	77-47-4	
Hexachloroethane	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/19/22 13:23	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.045	mg/kg	0.15	0.045	1	05/18/22 11:18	05/19/22 13:23	193-39-5	
Isophorone	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/19/22 13:23	78-59-1	
N-Nitroso-di-n-propylamine	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/19/22 13:23	621-64-7	
N-Nitrosodiphenylamine	<0.28	mg/kg	0.95	0.28	1	05/18/22 11:18	05/19/22 13:23	86-30-6	
Naphthalene	<0.073	mg/kg	0.24	0.073	1	05/18/22 11:18	05/19/22 13:23	91-20-3	
Nitrobenzene	<0.042	mg/kg	0.14	0.042	1	05/18/22 11:18	05/19/22 13:23	98-95-3	
Pentachlorophenol	<0.046	mg/kg	0.15	0.046	1	05/18/22 11:18	05/19/22 13:23	87-86-5	
Phenanthrene	<0.027	mg/kg	0.089	0.027	1	05/18/22 11:18	05/19/22 13:23	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/18/22 11:18	05/19/22 13:23	108-95-2	
Pyrene	<0.046	mg/kg	0.15	0.046	1	05/18/22 11:18	05/19/22 13:23	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-29 (8.5-9.5) **Lab ID: 40244803019** Collected: 05/11/22 15:40 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.056	mg/kg	0.19	0.056	1	05/18/22 11:18	05/19/22 13:23	111-91-1	
bis(2-Chloroethyl) ether	<0.065	mg/kg	0.22	0.065	1	05/18/22 11:18	05/19/22 13:23	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/19/22 13:23	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	81	%	10-125		1	05/18/22 11:18	05/19/22 13:23	4165-60-0	
2-Fluorobiphenyl (S)	61	%	12-118		1	05/18/22 11:18	05/19/22 13:23	321-60-8	
Terphenyl-d14 (S)	78	%	10-124		1	05/18/22 11:18	05/19/22 13:23	1718-51-0	
Phenol-d6 (S)	63	%	10-125		1	05/18/22 11:18	05/19/22 13:23	13127-88-3	
2-Fluorophenol (S)	70	%	10-130		1	05/18/22 11:18	05/19/22 13:23	367-12-4	
2,4,6-Tribromophenol (S)	83	%	10-144		1	05/18/22 11:18	05/19/22 13:23	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/18/22 06:00	05/19/22 08:44	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0050	0.0026	1	05/18/22 06:00	05/19/22 08:44	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/18/22 06:00	05/19/22 08:44	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/18/22 06:00	05/19/22 08:44	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0050	0.0011	1	05/18/22 06:00	05/19/22 08:44	75-35-4	
1,2-Dichloroethane	<0.00083	mg/kg	0.0050	0.00083	1	05/18/22 06:00	05/19/22 08:44	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/18/22 06:00	05/19/22 08:44	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/18/22 06:00	05/19/22 08:44	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/18/22 06:00	05/19/22 08:44	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/18/22 06:00	05/19/22 08:44	108-10-1	
Acetone	<0.048	mg/kg	0.10	0.048	1	05/18/22 06:00	05/19/22 08:44	67-64-1	
Benzene	<0.00071	mg/kg	0.0050	0.00071	1	05/18/22 06:00	05/19/22 08:44	71-43-2	
Bromodichloromethane	<0.00069	mg/kg	0.0050	0.00069	1	05/18/22 06:00	05/19/22 08:44	75-27-4	
Bromoform	<0.0082	mg/kg	0.020	0.0082	1	05/18/22 06:00	05/19/22 08:44	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0050	0.0045	1	05/18/22 06:00	05/19/22 08:44	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/18/22 06:00	05/19/22 08:44	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0050	0.0032	1	05/18/22 06:00	05/19/22 08:44	56-23-5	
Chlorobenzene	<0.00093	mg/kg	0.0050	0.00093	1	05/18/22 06:00	05/19/22 08:44	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0050	0.0037	1	05/18/22 06:00	05/19/22 08:44	75-00-3	
Chloroform	<0.00085	mg/kg	0.0050	0.00085	1	05/18/22 06:00	05/19/22 08:44	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/18/22 06:00	05/19/22 08:44	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/18/22 06:00	05/19/22 08:44	124-48-1	
Ethylbenzene	<0.00090	mg/kg	0.0050	0.00090	1	05/18/22 06:00	05/19/22 08:44	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0050	0.0021	1	05/18/22 06:00	05/19/22 08:44	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0050	0.0040	1	05/18/22 06:00	05/19/22 08:44	75-09-2	
Styrene	<0.00072	mg/kg	0.0050	0.00072	1	05/18/22 06:00	05/19/22 08:44	100-42-5	
Tetrachloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/18/22 06:00	05/19/22 08:44	127-18-4	
Toluene	<0.00089	mg/kg	0.0050	0.00089	1	05/18/22 06:00	05/19/22 08:44	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/18/22 06:00	05/19/22 08:44	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/18/22 06:00	05/19/22 08:44	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.010	0.0034	1	05/18/22 06:00	05/19/22 08:44	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-29 (8.5-9.5) **Lab ID: 40244803019** Collected: 05/11/22 15:40 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/18/22 06:00	05/19/22 08:44	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/18/22 06:00	05/19/22 08:44	10061-01-5	
trans-1,2-Dichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/18/22 06:00	05/19/22 08:44	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/18/22 06:00	05/19/22 08:44	10061-02-6	
Surrogates									
Toluene-d8 (S)	101	%	69-156		1	05/18/22 06:00	05/19/22 08:44	2037-26-5	
4-Bromofluorobenzene (S)	82	%	61-175		1	05/18/22 06:00	05/19/22 08:44	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1	05/18/22 06:00	05/19/22 08:44	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	20.3	%	0.10	0.10	1		05/13/22 11:47		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.4	Std. Units	0.10	0.010	1		05/23/22 13:46		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.36	mg/kg	1.1	0.36	1	05/24/22 10:40	05/24/22 14:08	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: **SB-36 (4.8-5.8)** Lab ID: **40244803020** Collected: 05/11/22 16:25 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081B GCS Pesticides									
Analytical Method: EPA 8081B Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0022	0.00052	1	05/16/22 10:43	05/20/22 04:31	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/16/22 10:43	05/20/22 04:31	319-84-6	
beta-BHC	<0.00066	mg/kg	0.0022	0.00066	1	05/16/22 10:43	05/20/22 04:31	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0022	0.00039	1	05/16/22 10:43	05/20/22 04:31	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/16/22 10:43	05/20/22 04:31	58-89-9	
Chlordane (Technical)	<0.0071	mg/kg	0.022	0.0071	1	05/16/22 10:43	05/20/22 04:31	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/16/22 10:43	05/20/22 04:31	5103-71-9	
gamma-Chlordane	<0.00080	mg/kg	0.0022	0.00080	1	05/16/22 10:43	05/20/22 04:31	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0043	0.00043	1	05/16/22 10:43	05/20/22 04:31	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/16/22 10:43	05/20/22 04:31	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/16/22 10:43	05/20/22 04:31	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/16/22 10:43	05/20/22 04:31	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/16/22 10:43	05/20/22 04:31	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/16/22 10:43	05/20/22 04:31	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/16/22 10:43	05/20/22 04:31	1031-07-8	L2
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/16/22 10:43	05/20/22 04:31	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/16/22 10:43	05/20/22 04:31	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/16/22 10:43	05/20/22 04:31	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0022	0.00058	1	05/16/22 10:43	05/20/22 04:31	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/16/22 10:43	05/20/22 04:31	1024-57-3	
Methoxychlor	<0.0066	mg/kg	0.022	0.0066	1	05/16/22 10:43	05/20/22 04:31	72-43-5	
Toxaphene	<0.020	mg/kg	0.064	0.020	1	05/16/22 10:43	05/20/22 04:31	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	74	%	53-138		1	05/16/22 10:43	05/20/22 04:31	877-09-8	
Decachlorobiphenyl (S)	61	%	30-150		1	05/16/22 10:43	05/20/22 04:31	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/12/22 20:52	05/16/22 21:01	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/12/22 20:52	05/16/22 21:01	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/12/22 20:52	05/16/22 21:01	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/12/22 20:52	05/16/22 21:01	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/12/22 20:52	05/16/22 21:01	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/12/22 20:52	05/16/22 21:01	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/12/22 20:52	05/16/22 21:01	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/12/22 20:52	05/16/22 21:01	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	80	%	50-99		1	05/12/22 20:52	05/16/22 21:01	877-09-8	
Decachlorobiphenyl (S)	76	%	38-95		1	05/12/22 20:52	05/16/22 21:01	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	18200	mg/kg	37.0	7.5	1	05/19/22 12:21	05/24/22 22:16	7429-90-5	
Antimony	0.18J	mg/kg	0.62	0.12	1	05/19/22 12:21	05/24/22 01:34	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Sample: SB-36 (4.8-5.8) **Lab ID: 40244803020** Collected: 05/11/22 16:25 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	6.4	mg/kg	0.62	0.13	1	05/19/22 12:21	05/24/22 01:34	7440-38-2	
Barium	193	mg/kg	0.37	0.066	1	05/19/22 12:21	05/24/22 01:34	7440-39-3	
Beryllium	0.92	mg/kg	0.25	0.049	1	05/19/22 12:21	05/24/22 22:16	7440-41-7	
Cadmium	0.085J	mg/kg	0.099	0.039	1	05/19/22 12:21	05/24/22 01:34	7440-43-9	
Calcium	4630	mg/kg	123	14.6	1	05/19/22 12:21	05/24/22 22:16	7440-70-2	
Chromium	20.7	mg/kg	2.5	0.17	1	05/19/22 12:21	05/24/22 22:16	7440-47-3	
Cobalt	7.2	mg/kg	0.62	0.12	1	05/19/22 12:21	05/24/22 01:34	7440-48-4	
Copper	17.5	mg/kg	1.2	0.30	1	05/19/22 12:21	05/24/22 01:34	7440-50-8	
Iron	22000	mg/kg	61.7	13.0	1	05/19/22 12:21	05/24/22 22:16	7439-89-6	
Lead	12.3	mg/kg	0.62	0.036	1	05/19/22 12:21	05/24/22 01:34	7439-92-1	
Magnesium	3350	mg/kg	37.0	5.3	1	05/19/22 12:21	05/24/22 22:16	7439-95-4	
Manganese	391	mg/kg	0.62	0.30	1	05/19/22 12:21	05/24/22 22:16	7439-96-5	
Nickel	15.7	mg/kg	0.62	0.25	1	05/19/22 12:21	05/24/22 01:34	7440-02-0	
Potassium	1390	mg/kg	123	14.2	1	05/19/22 12:21	05/24/22 22:16	7440-09-7	
Selenium	0.76	mg/kg	0.62	0.11	1	05/19/22 12:21	05/24/22 01:34	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/19/22 12:21	05/24/22 01:34	7440-22-4	
Sodium	70.8	mg/kg	61.7	13.7	1	05/19/22 12:21	05/24/22 22:16	7440-23-5	
Thallium	0.21	mg/kg	0.12	0.045	1	05/19/22 12:21	05/24/22 01:34	7440-28-0	
Vanadium	41.5	mg/kg	1.2	0.22	1	05/19/22 12:21	05/24/22 22:16	7440-62-2	
Zinc	53.4	mg/kg	6.2	1.1	1	05/19/22 12:21	05/24/22 01:34	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.026J	mg/kg	0.040	0.012	1	05/17/22 11:51	05/18/22 15:33	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.081	0.024	1	05/18/22 11:18	05/18/22 17:35	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/18/22 11:18	05/18/22 17:35	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.099	0.030	1	05/18/22 11:18	05/18/22 17:35	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/18/22 11:18	05/18/22 17:35	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/18/22 11:18	05/18/22 17:35	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/18/22 11:18	05/18/22 17:35	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 17:35	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/18/22 11:18	05/18/22 17:35	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/18/22 11:18	05/18/22 17:35	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/18/22 11:18	05/18/22 17:35	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/18/22 11:18	05/18/22 17:35	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/18/22 11:18	05/18/22 17:35	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.092	0.028	1	05/18/22 11:18	05/18/22 17:35	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/18/22 11:18	05/18/22 17:35	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/18/22 11:18	05/18/22 17:35	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/18/22 11:18	05/18/22 17:35	95-48-7	
2-Nitroaniline	<0.061	mg/kg	0.20	0.061	1	05/18/22 11:18	05/18/22 17:35	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: **SB-36 (4.8-5.8)** Lab ID: **40244803020** Collected: 05/11/22 16:25 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/18/22 11:18	05/18/22 17:35	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/18/22 11:18	05/18/22 17:35		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/18/22 11:18	05/18/22 17:35	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/18/22 17:35	99-09-2	
4,6-Dinitro-2-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/18/22 11:18	05/18/22 17:35	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/18/22 11:18	05/18/22 17:35	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/18/22 11:18	05/18/22 17:35	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/18/22 17:35	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/18/22 11:18	05/18/22 17:35	7005-72-3	
4-Nitroaniline	<0.089	mg/kg	0.30	0.089	1	05/18/22 11:18	05/18/22 17:35	100-01-6	
4-Nitrophenol	<0.054	mg/kg	0.18	0.054	1	05/18/22 11:18	05/18/22 17:35	100-02-7	
Acenaphthene	<0.076	mg/kg	0.25	0.076	1	05/18/22 11:18	05/18/22 17:35	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/18/22 11:18	05/18/22 17:35	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 17:35	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 17:35	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 17:35	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/18/22 11:18	05/18/22 17:35	205-99-2	
Benzo(g,h,i)perylene	<0.056	mg/kg	0.19	0.056	1	05/18/22 11:18	05/18/22 17:35	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/18/22 11:18	05/18/22 17:35	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/18/22 11:18	05/18/22 17:35	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 17:35	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 17:35	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/18/22 11:18	05/18/22 17:35	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/18/22 11:18	05/18/22 17:35	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/18/22 11:18	05/18/22 17:35	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/18/22 11:18	05/18/22 17:35	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/18/22 17:35	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.093	0.028	1	05/18/22 11:18	05/18/22 17:35	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/18/22 11:18	05/18/22 17:35	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/18/22 11:18	05/18/22 17:35	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/18/22 11:18	05/18/22 17:35	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/18/22 17:35	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/18/22 11:18	05/18/22 17:35	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 17:35	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/18/22 11:18	05/18/22 17:35	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/18/22 11:18	05/18/22 17:35	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/18/22 11:18	05/18/22 17:35	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.97	0.29	1	05/18/22 11:18	05/18/22 17:35	86-30-6	
Naphthalene	<0.075	mg/kg	0.25	0.075	1	05/18/22 11:18	05/18/22 17:35	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/18/22 11:18	05/18/22 17:35	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/18/22 11:18	05/18/22 17:35	87-86-5	
Phenanthrene	<0.028	mg/kg	0.092	0.028	1	05/18/22 11:18	05/18/22 17:35	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/18/22 11:18	05/18/22 17:35	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/18/22 11:18	05/18/22 17:35	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-36 (4.8-5.8) **Lab ID: 40244803020** Collected: 05/11/22 16:25 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/18/22 11:18	05/18/22 17:35	111-91-1	
bis(2-Chloroethyl) ether	<0.067	mg/kg	0.22	0.067	1	05/18/22 11:18	05/18/22 17:35	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/18/22 11:18	05/18/22 17:35	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	68	%	10-125		1	05/18/22 11:18	05/18/22 17:35	4165-60-0	
2-Fluorobiphenyl (S)	65	%	12-118		1	05/18/22 11:18	05/18/22 17:35	321-60-8	
Terphenyl-d14 (S)	73	%	10-124		1	05/18/22 11:18	05/18/22 17:35	1718-51-0	
Phenol-d6 (S)	61	%	10-125		1	05/18/22 11:18	05/18/22 17:35	13127-88-3	
2-Fluorophenol (S)	64	%	10-130		1	05/18/22 11:18	05/18/22 17:35	367-12-4	
2,4,6-Tribromophenol (S)	77	%	10-144		1	05/18/22 11:18	05/18/22 17:35	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/18/22 06:00	05/19/22 09:08	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0028	mg/kg	0.0054	0.0028	1	05/18/22 06:00	05/19/22 09:08	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/18/22 06:00	05/19/22 09:08	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0054	0.0012	1	05/18/22 06:00	05/19/22 09:08	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/19/22 09:08	75-35-4	
1,2-Dichloroethane	<0.00089	mg/kg	0.0054	0.00089	1	05/18/22 06:00	05/19/22 09:08	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/19/22 09:08	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/18/22 06:00	05/19/22 09:08	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/18/22 06:00	05/19/22 09:08	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/18/22 06:00	05/19/22 09:08	108-10-1	
Acetone	<0.051	mg/kg	0.11	0.051	1	05/18/22 06:00	05/19/22 09:08	67-64-1	
Benzene	<0.00077	mg/kg	0.0054	0.00077	1	05/18/22 06:00	05/19/22 09:08	71-43-2	
Bromodichloromethane	<0.00074	mg/kg	0.0054	0.00074	1	05/18/22 06:00	05/19/22 09:08	75-27-4	
Bromoform	<0.0088	mg/kg	0.022	0.0088	1	05/18/22 06:00	05/19/22 09:08	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0054	0.0048	1	05/18/22 06:00	05/19/22 09:08	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0054	0.0012	1	05/18/22 06:00	05/19/22 09:08	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0054	0.0034	1	05/18/22 06:00	05/19/22 09:08	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0054	0.0010	1	05/18/22 06:00	05/19/22 09:08	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0054	0.0039	1	05/18/22 06:00	05/19/22 09:08	75-00-3	
Chloroform	<0.00091	mg/kg	0.0054	0.00091	1	05/18/22 06:00	05/19/22 09:08	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0054	0.0012	1	05/18/22 06:00	05/19/22 09:08	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/19/22 09:08	124-48-1	
Ethylbenzene	<0.00097	mg/kg	0.0054	0.00097	1	05/18/22 06:00	05/19/22 09:08	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0054	0.0022	1	05/18/22 06:00	05/19/22 09:08	1634-04-4	
Methylene Chloride	<0.0043	mg/kg	0.0054	0.0043	1	05/18/22 06:00	05/19/22 09:08	75-09-2	
Styrene	<0.00077	mg/kg	0.0054	0.00077	1	05/18/22 06:00	05/19/22 09:08	100-42-5	
Tetrachloroethene	<0.00096	mg/kg	0.0054	0.00096	1	05/18/22 06:00	05/19/22 09:08	127-18-4	
Toluene	<0.00095	mg/kg	0.0054	0.00095	1	05/18/22 06:00	05/19/22 09:08	108-88-3	
Trichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/18/22 06:00	05/19/22 09:08	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0054	0.0014	1	05/18/22 06:00	05/19/22 09:08	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/18/22 06:00	05/19/22 09:08	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Sample: SB-36 (4.8-5.8) **Lab ID: 40244803020** Collected: 05/11/22 16:25 Received: 05/12/22 10:10 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00095	mg/kg	0.0054	0.00095	1	05/18/22 06:00	05/19/22 09:08	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/19/22 09:08	10061-01-5	
trans-1,2-Dichloroethene	<0.00078	mg/kg	0.0054	0.00078	1	05/18/22 06:00	05/19/22 09:08	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/18/22 06:00	05/19/22 09:08	10061-02-6	
Surrogates									
Toluene-d8 (S)	96	%	69-156		1	05/18/22 06:00	05/19/22 09:08	2037-26-5	
4-Bromofluorobenzene (S)	89	%	61-175		1	05/18/22 06:00	05/19/22 09:08	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1	05/18/22 06:00	05/19/22 09:08	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.4	%	0.10	0.10	1		05/13/22 11:47		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/23/22 13:50		2q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.32	mg/kg	0.95	0.32	1	05/24/22 10:40	05/24/22 14:09	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

QC Batch:	415914	Analysis Method:	EPA 7471
QC Batch Method:	EPA 7471	Analysis Description:	7471 Mercury
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244803001, 40244803002, 40244803003, 40244803004, 40244803005, 40244803006, 40244803007, 40244803008, 40244803009, 40244803010, 40244803011, 40244803012, 40244803013, 40244803014, 40244803016, 40244803017, 40244803018, 40244803019, 40244803020

METHOD BLANK: 2394731 Matrix: Solid

Associated Lab Samples: 40244803001, 40244803002, 40244803003, 40244803004, 40244803005, 40244803006, 40244803007, 40244803008, 40244803009, 40244803010, 40244803011, 40244803012, 40244803013, 40244803014, 40244803016, 40244803017, 40244803018, 40244803019, 40244803020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	0.010	05/18/22 14:28	

LABORATORY CONTROL SAMPLE: 2394732

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.85	102	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2394733 2394734

Parameter	Units	40244803001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	0.038J	1.1	1	1.1	1.1	104	104	85-115	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

QC Batch:	816276	Analysis Method:	EPA 6020B
QC Batch Method:	EPA 3050B	Analysis Description:	6020B Solids UPD5
		Laboratory:	Pace Analytical Services - Minneapolis

Associated Lab Samples: 40244803001, 40244803002, 40244803003, 40244803004, 40244803005, 40244803006, 40244803007, 40244803008, 40244803009, 40244803010, 40244803011, 40244803012, 40244803013, 40244803014, 40244803016, 40244803017, 40244803018, 40244803019, 40244803020

METHOD BLANK: 4326366 Matrix: Solid
Associated Lab Samples: 40244803001, 40244803002, 40244803003, 40244803004, 40244803005, 40244803006, 40244803007, 40244803008, 40244803009, 40244803010, 40244803011, 40244803012, 40244803013, 40244803014, 40244803016, 40244803017, 40244803018, 40244803019, 40244803020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Aluminum	mg/kg	<5.8	28.8	5.8	05/23/22 23:53	
Antimony	mg/kg	<0.092	0.48	0.092	05/23/22 23:53	
Arsenic	mg/kg	<0.10	0.48	0.10	05/23/22 23:53	
Barium	mg/kg	<0.051	0.29	0.051	05/23/22 23:53	
Beryllium	mg/kg	<0.038	0.19	0.038	05/24/22 19:47	
Cadmium	mg/kg	<0.030	0.077	0.030	05/23/22 23:53	
Calcium	mg/kg	<11.3	95.9	11.3	05/23/22 23:53	
Chromium	mg/kg	<0.13	1.9	0.13	05/23/22 23:53	
Cobalt	mg/kg	<0.095	0.48	0.095	05/23/22 23:53	
Copper	mg/kg	<0.23	0.96	0.23	05/23/22 23:53	
Iron	mg/kg	<10.1	47.9	10.1	05/23/22 23:53	
Lead	mg/kg	<0.028	0.48	0.028	05/23/22 23:53	
Magnesium	mg/kg	<4.1	28.8	4.1	05/23/22 23:53	
Manganese	mg/kg	<0.23	0.48	0.23	05/23/22 23:53	
Nickel	mg/kg	<0.19	0.48	0.19	05/23/22 23:53	
Potassium	mg/kg	<11.0	95.9	11.0	05/23/22 23:53	
Selenium	mg/kg	<0.082	0.48	0.082	05/24/22 19:47	
Silver	mg/kg	<0.14	0.48	0.14	05/23/22 23:53	
Sodium	mg/kg	<10.6	47.9	10.6	05/23/22 23:53	
Thallium	mg/kg	<0.035	0.096	0.035	05/23/22 23:53	
Vanadium	mg/kg	<0.17	0.96	0.17	05/23/22 23:53	
Zinc	mg/kg	<0.86	4.8	0.86	05/23/22 23:53	

LABORATORY CONTROL SAMPLE: 4326367

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Aluminum	mg/kg	951	1070	113	80-120	
Antimony	mg/kg	47.6	53.2	112	80-120	
Arsenic	mg/kg	47.6	49.0	103	80-120	
Barium	mg/kg	47.6	50.9	107	80-120	
Beryllium	mg/kg	47.6	49.4	104	80-120	
Cadmium	mg/kg	47.6	49.9	105	80-120	
Calcium	mg/kg	951	1010	106	80-120	
Chromium	mg/kg	47.6	52.6	111	80-120	
Cobalt	mg/kg	47.6	49.0	103	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

LABORATORY CONTROL SAMPLE: 4326367

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Copper	mg/kg	47.6	49.8	105	80-120	
Iron	mg/kg	951	1110	116	80-120	
Lead	mg/kg	47.6	54.2	114	80-120	
Magnesium	mg/kg	951	1040	110	80-120	
Manganese	mg/kg	47.6	53.1	112	80-120	
Nickel	mg/kg	47.6	49.1	103	80-120	
Potassium	mg/kg	951	1040	109	80-120	
Selenium	mg/kg	47.6	53.0	111	80-120	
Silver	mg/kg	23.8	25.2	106	80-120	
Sodium	mg/kg	951	1000	105	80-120	
Thallium	mg/kg	47.6	55.1	116	80-120	
Vanadium	mg/kg	47.6	52.4	110	80-120	
Zinc	mg/kg	47.6	49.9	105	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4326368 4326369

Parameter	Units	40244803001		MS	MSD	MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec				
Aluminum	mg/kg	20900	1210	1170	25900	26600	408	488	75-125	3	20	P6	
Antimony	mg/kg	0.30J	60.7	58.6	31.8	36.4	52	62	75-125	13	20	M1	
Arsenic	mg/kg	13.4	60.7	58.6	72.4	73.1	97	102	75-125	1	20		
Barium	mg/kg	296	60.7	58.6	295	279	-1	-28	75-125	6	20	P6	
Beryllium	mg/kg	1.2	60.7	58.6	70.4	68.2	114	114	75-125	3	20		
Cadmium	mg/kg	0.36	60.7	58.6	61.8	64.9	101	110	75-125	5	20		
Calcium	mg/kg	5620	1210	1170	6630	7120	83	128	75-125	7	20	P6	
Chromium	mg/kg	24.0	60.7	58.6	91.4	94.0	111	119	75-125	3	20		
Cobalt	mg/kg	27.1	60.7	58.6	72.0	71.0	74	75	75-125	1	20	M1	
Copper	mg/kg	18.4	60.7	58.6	77.0	80.7	96	106	75-125	5	20		
Iron	mg/kg	32200	1210	1170	30500	29100	-138	-265	75-125	5	20	E,P6	
Lead	mg/kg	28.3	60.7	58.6	83.5	81.5	91	91	75-125	2	20		
Magnesium	mg/kg	4300	1210	1170	5620	5900	108	136	75-125	5	20	M1	
Manganese	mg/kg	2130	60.7	58.6	841	573	-2120	-2650	75-125	38	20	E,M1, P6,R1	
Nickel	mg/kg	27.1	60.7	58.6	81.3	81.2	89	92	75-125	0	20		
Potassium	mg/kg	1320	1210	1170	2870	2920	127	136	75-125	2	20	M1	
Selenium	mg/kg	1.4	60.7	58.6	66.2	65.0	107	109	75-125	2	20		
Silver	mg/kg	0.59J	30.3	29.3	31.1	33.4	100	112	75-125	7	20		
Sodium	mg/kg	73.9	1210	1170	1290	1330	100	108	75-125	4	20		
Thallium	mg/kg	0.25	60.7	58.6	67.3	70.3	111	119	75-125	4	20		
Vanadium	mg/kg	54.2	60.7	58.6	117	114	104	102	75-125	3	20		
Zinc	mg/kg	66.0	60.7	58.6	125	130	97	109	75-125	4	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

QC Batch: 416222 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030 Analysis Description: 8260 MSV Low
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244803001, 40244803002, 40244803003, 40244803004, 40244803005, 40244803006, 40244803007, 40244803008, 40244803009, 40244803010, 40244803011, 40244803012, 40244803013, 40244803014, 40244803015, 40244803016, 40244803017, 40244803018, 40244803019, 40244803020

METHOD BLANK: 2396373 Matrix: Solid
Associated Lab Samples: 40244803001, 40244803002, 40244803003, 40244803004, 40244803005, 40244803006, 40244803007, 40244803008, 40244803009, 40244803010, 40244803011, 40244803012, 40244803013, 40244803014, 40244803015, 40244803016, 40244803017, 40244803018, 40244803019, 40244803020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/18/22 14:18	
1,1,2,2-Tetrachloroethane	mg/kg	<0.0026	0.0050	0.0026	05/18/22 14:18	
1,1,2-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/18/22 14:18	
1,1-Dichloroethane	mg/kg	<0.0011	0.0050	0.0011	05/18/22 14:18	
1,1-Dichloroethene	mg/kg	<0.0011	0.0050	0.0011	05/18/22 14:18	
1,2-Dichloroethane	mg/kg	<0.00082	0.0050	0.00082	05/18/22 14:18	
1,2-Dichloropropane	mg/kg	<0.0010	0.0050	0.0010	05/18/22 14:18	
2-Butanone (MEK)	mg/kg	<0.016	0.025	0.016	05/18/22 14:18	
2-Hexanone	mg/kg	<0.011	0.025	0.011	05/18/22 14:18	
4-Methyl-2-pentanone (MIBK)	mg/kg	<0.020	0.025	0.020	05/18/22 14:18	
Acetone	mg/kg	<0.047	0.10	0.047	05/18/22 14:18	
Benzene	mg/kg	<0.00071	0.0050	0.00071	05/18/22 14:18	
Bromodichloromethane	mg/kg	<0.00068	0.0050	0.00068	05/18/22 14:18	
Bromoform	mg/kg	<0.0081	0.020	0.0081	05/18/22 14:18	
Bromomethane	mg/kg	<0.0045	0.0050	0.0045	05/18/22 14:18	
Carbon disulfide	mg/kg	<0.0011	0.0050	0.0011	05/18/22 14:18	
Carbon tetrachloride	mg/kg	<0.0032	0.0050	0.0032	05/18/22 14:18	
Chlorobenzene	mg/kg	<0.00092	0.0050	0.00092	05/18/22 14:18	
Chloroethane	mg/kg	<0.0036	0.0050	0.0036	05/18/22 14:18	
Chloroform	mg/kg	<0.00084	0.0050	0.00084	05/18/22 14:18	
Chloromethane	mg/kg	<0.0011	0.0050	0.0011	05/18/22 14:18	
cis-1,2-Dichloroethene	mg/kg	<0.00088	0.0050	0.00088	05/18/22 14:18	
cis-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/18/22 14:18	
Dibromochloromethane	mg/kg	<0.0010	0.0050	0.0010	05/18/22 14:18	
Ethylbenzene	mg/kg	<0.00089	0.0050	0.00089	05/18/22 14:18	
Methyl-tert-butyl ether	mg/kg	<0.0020	0.0050	0.0020	05/18/22 14:18	
Methylene Chloride	mg/kg	<0.0040	0.0050	0.0040	05/18/22 14:18	
Styrene	mg/kg	<0.00071	0.0050	0.00071	05/18/22 14:18	
Tetrachloroethene	mg/kg	<0.00089	0.0050	0.00089	05/18/22 14:18	
Toluene	mg/kg	<0.00088	0.0050	0.00088	05/18/22 14:18	
trans-1,2-Dichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/18/22 14:18	
trans-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/18/22 14:18	
Trichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/18/22 14:18	
Vinyl chloride	mg/kg	<0.0013	0.0050	0.0013	05/18/22 14:18	
Xylene (Total)	mg/kg	<0.0034	0.010	0.0034	05/18/22 14:18	
1,2-Dichlorobenzene-d4 (S)	%	108	70-130		05/18/22 14:18	
4-Bromofluorobenzene (S)	%	109	61-175		05/18/22 14:18	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

METHOD BLANK: 2396373

Matrix: Solid

Associated Lab Samples: 40244803001, 40244803002, 40244803003, 40244803004, 40244803005, 40244803006, 40244803007, 40244803008, 40244803009, 40244803010, 40244803011, 40244803012, 40244803013, 40244803014, 40244803015, 40244803016, 40244803017, 40244803018, 40244803019, 40244803020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Toluene-d8 (S)	%	98	69-156		05/18/22 14:18	

LABORATORY CONTROL SAMPLE & LCSD: 2396374

2396375

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	mg/kg	0.05	0.053	0.054	106	109	57-126	2	22	
1,1,2,2-Tetrachloroethane	mg/kg	0.05	0.045	0.048	91	96	70-170	6	20	
1,1,2-Trichloroethane	mg/kg	0.05	0.052	0.049	103	98	59-128	5	20	
1,1-Dichloroethane	mg/kg	0.05	0.054	0.054	109	108	70-130	1	20	
1,1-Dichloroethene	mg/kg	0.05	0.049	0.049	99	98	57-118	1	23	
1,2-Dichloroethane	mg/kg	0.05	0.057	0.055	113	111	75-137	2	23	
1,2-Dichloropropane	mg/kg	0.05	0.052	0.051	104	101	74-132	3	22	
Benzene	mg/kg	0.05	0.050	0.052	101	104	68-130	3	24	
Bromodichloromethane	mg/kg	0.05	0.049	0.050	99	99	57-139	1	23	
Bromoform	mg/kg	0.05	0.049	0.048	98	96	62-131	2	20	
Bromomethane	mg/kg	0.05	0.042	0.041	84	82	20-175	2	28	
Carbon disulfide	mg/kg	0.05	0.044	0.045	89	91	40-128	2	22	
Carbon tetrachloride	mg/kg	0.05	0.055	0.054	110	108	50-128	2	24	
Chlorobenzene	mg/kg	0.05	0.052	0.052	104	104	70-130	0	20	
Chloroethane	mg/kg	0.05	0.039	0.039	78	78	49-129	0	25	
Chloroform	mg/kg	0.05	0.052	0.052	105	105	65-128	0	23	
Chloromethane	mg/kg	0.05	0.032	0.032	63	63	39-134	0	25	
cis-1,2-Dichloroethene	mg/kg	0.05	0.051	0.053	102	107	69-130	4	24	
cis-1,3-Dichloropropene	mg/kg	0.05	0.051	0.050	102	101	67-132	1	23	
Dibromochloromethane	mg/kg	0.05	0.055	0.052	109	105	60-127	4	20	
Ethylbenzene	mg/kg	0.05	0.051	0.050	102	99	64-128	3	21	
Methyl-tert-butyl ether	mg/kg	0.05	0.054	0.053	107	107	64-126	0	25	
Methylene Chloride	mg/kg	0.05	0.054	0.054	109	108	54-133	0	22	
Styrene	mg/kg	0.05	0.050	0.049	100	98	64-130	2	21	
Tetrachloroethene	mg/kg	0.05	0.049	0.050	99	100	62-130	1	23	
Toluene	mg/kg	0.05	0.049	0.046	98	93	71-117	5	21	
trans-1,2-Dichloroethene	mg/kg	0.05	0.053	0.056	107	111	67-130	4	20	
trans-1,3-Dichloropropene	mg/kg	0.05	0.049	0.046	98	91	63-130	7	22	
Trichloroethene	mg/kg	0.05	0.050	0.050	100	101	67-130	1	22	
Vinyl chloride	mg/kg	0.05	0.035	0.034	70	68	47-138	3	24	
Xylene (Total)	mg/kg	0.15	0.15	0.14	97	94	60-125	3	21	
1,2-Dichlorobenzene-d4 (S)	%				90	100	70-130			
4-Bromofluorobenzene (S)	%				95	104	61-175			
Toluene-d8 (S)	%				99	98	69-156			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

QC Batch:	815388	Analysis Method:	EPA 8081B
QC Batch Method:	EPA 3550	Analysis Description:	8081B GCS Pesticides
		Laboratory:	Pace Analytical Services - Minneapolis

Associated Lab Samples: 40244803001, 40244803002, 40244803003, 40244803004, 40244803005, 40244803006, 40244803007, 40244803008, 40244803009, 40244803010, 40244803011, 40244803012, 40244803013, 40244803014, 40244803016, 40244803017, 40244803018, 40244803019, 40244803020

METHOD BLANK: 4322641 Matrix: Solid
Associated Lab Samples: 40244803001, 40244803002, 40244803003, 40244803004, 40244803005, 40244803006, 40244803007, 40244803008, 40244803009, 40244803010, 40244803011, 40244803012, 40244803013, 40244803014, 40244803016, 40244803017, 40244803018, 40244803019, 40244803020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	mg/kg	<0.00034	0.0033	0.00034	05/19/22 20:59	
4,4'-DDE	mg/kg	<0.00038	0.0033	0.00038	05/19/22 20:59	
4,4'-DDT	mg/kg	<0.0010	0.0033	0.0010	05/19/22 20:59	
Aldrin	mg/kg	<0.00040	0.0017	0.00040	05/19/22 20:59	
alpha-BHC	mg/kg	<0.00017	0.0017	0.00017	05/19/22 20:59	
alpha-Chlordane	mg/kg	<0.00021	0.0017	0.00021	05/19/22 20:59	
beta-BHC	mg/kg	<0.00052	0.0017	0.00052	05/19/22 20:59	
Chlordane (Technical)	mg/kg	<0.0055	0.017	0.0055	05/19/22 20:59	
delta-BHC	mg/kg	<0.00030	0.0017	0.00030	05/19/22 20:59	
Dieldrin	mg/kg	<0.00032	0.0033	0.00032	05/19/22 20:59	
Endosulfan I	mg/kg	<0.00018	0.0017	0.00018	05/19/22 20:59	
Endosulfan II	mg/kg	<0.00079	0.0033	0.00079	05/19/22 20:59	
Endosulfan sulfate	mg/kg	<0.00078	0.0033	0.00078	05/19/22 20:59	
Endrin	mg/kg	<0.00037	0.0033	0.00037	05/19/22 20:59	
Endrin aldehyde	mg/kg	<0.0011	0.0033	0.0011	05/19/22 20:59	
Endrin ketone	mg/kg	<0.00088	0.0033	0.00088	05/19/22 20:59	
gamma-BHC (Lindane)	mg/kg	<0.00016	0.0017	0.00016	05/19/22 20:59	
gamma-Chlordane	mg/kg	<0.00062	0.0017	0.00062	05/19/22 20:59	
Heptachlor	mg/kg	<0.00045	0.0017	0.00045	05/19/22 20:59	
Heptachlor epoxide	mg/kg	<0.00017	0.0017	0.00017	05/19/22 20:59	
Methoxychlor	mg/kg	<0.0051	0.017	0.0051	05/19/22 20:59	
Toxaphene	mg/kg	<0.016	0.050	0.016	05/19/22 20:59	
Decachlorobiphenyl (S)	%	75	30-150		05/19/22 20:59	
Tetrachloro-m-xylene (S)	%	88	53-138		05/19/22 20:59	

LABORATORY CONTROL SAMPLE: 4322642

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	mg/kg	0.033	0.026	77	73-128	
4,4'-DDE	mg/kg	0.033	0.027	81	75-128	
4,4'-DDT	mg/kg	0.033	0.026	79	74-128	
Aldrin	mg/kg	0.017	0.013	76	72-125	
alpha-BHC	mg/kg	0.017	0.012	73	73-125	
alpha-Chlordane	mg/kg	0.017	0.013	76	69-125	
beta-BHC	mg/kg	0.017	0.013	78	73-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

LABORATORY CONTROL SAMPLE: 4322642

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
delta-BHC	mg/kg	0.017	0.0066	40	37-125	
Dieldrin	mg/kg	0.033	0.026	79	75-125	
Endosulfan I	mg/kg	0.017	0.013	77	67-125	
Endosulfan II	mg/kg	0.033	0.028	84	75-125	
Endosulfan sulfate	mg/kg	0.033	0.023	69	75-125 L2	
Endrin	mg/kg	0.033	0.026	78	75-125	
Endrin aldehyde	mg/kg	0.033	0.026	77	71-125	
Endrin ketone	mg/kg	0.033	0.027	80	75-125	
gamma-BHC (Lindane)	mg/kg	0.017	0.013	76	74-125	
gamma-Chlordane	mg/kg	0.017	0.013	76	70-125	
Heptachlor	mg/kg	0.017	0.013	77	75-125	
Heptachlor epoxide	mg/kg	0.017	0.013	77	73-125	
Methoxychlor	mg/kg	0.17	0.14	82	75-128	
Decachlorobiphenyl (S)	%			77	30-150	
Tetrachloro-m-xylene (S)	%			89	53-138	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4322643 4322644

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244803001 Result	Spike Conc.	Spike Conc.	Result								
4,4'-DDD	mg/kg	<0.00043	0.0421	0.0421	0.032	0.029	77	68	36-150	12	20		
4,4'-DDE	mg/kg	<0.00049	0.0421	0.0421	0.033	0.029	78	69	39-147	13	20		
4,4'-DDT	mg/kg	<0.0013	0.0421	0.0421	0.031	0.027	73	63	43-143	13	20		
Aldrin	mg/kg	<0.00051	0.0217	0.0217	0.016	0.014	74	66	41-136	13	20		
alpha-BHC	mg/kg	<0.00021	0.0217	0.0217	0.015	0.013	72	62	48-132	15	20		
alpha-Chlordane	mg/kg	<0.00026	0.0217	0.0217	0.016	0.014	74	66	32-149	12	20		
beta-BHC	mg/kg	<0.00066	0.0217	0.0217	0.016	0.015	77	69	45-142	11	20		
delta-BHC	mg/kg	<0.00039	0.0217	0.0217	0.0083	0.0073	39	34	30-125	13	20		
Dieldrin	mg/kg	<0.00040	0.0421	0.0421	0.032	0.028	76	67	39-140	13	20		
Endosulfan I	mg/kg	<0.00023	0.0217	0.0217	0.016	0.014	74	66	39-134	12	20		
Endosulfan II	mg/kg	<0.0010	0.0421	0.0421	0.032	0.028	75	66	43-138	13	20		
Endosulfan sulfate	mg/kg	<0.0010	0.0421	0.0421	0.028	0.025	66	59	43-131	13	20		
Endrin	mg/kg	<0.00048	0.0421	0.0421	0.032	0.028	75	65	47-134	13	20		
Endrin aldehyde	mg/kg	<0.0014	0.0421	0.0421	0.032	0.028	74	66	40-144	13	20		
Endrin ketone	mg/kg	<0.0011	0.0421	0.0421	0.032	0.028	75	66	42-145	14	20		
gamma-BHC (Lindane)	mg/kg	<0.00021	0.0217	0.0217	0.016	0.014	75	65	52-129	14	20		
gamma-Chlordane	mg/kg	<0.00079	0.0217	0.0217	0.016	0.014	74	66	38-136	12	20		
Heptachlor	mg/kg	<0.00057	0.0217	0.0217	0.016	0.014	73	65	43-142	13	20		
Heptachlor epoxide	mg/kg	<0.00022	0.0217	0.0217	0.016	0.014	75	67	37-144	12	20		
Methoxychlor	mg/kg	<0.0065	0.217	0.217	0.15	0.14	73	64	35-150	13	20		
Decachlorobiphenyl (S)	%						72	69	30-150				
Tetrachloro-m-xylene (S)	%						83	77	53-138				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

QC Batch: 415633 Analysis Method: EPA 8082A
QC Batch Method: EPA 3541 Analysis Description: 8082 GCS PCB
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244803001, 40244803002

METHOD BLANK: 2392964 Matrix: Solid
Associated Lab Samples: 40244803001, 40244803002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	0.015	05/13/22 15:32	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	0.015	05/13/22 15:32	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	0.015	05/13/22 15:32	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	0.015	05/13/22 15:32	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	0.015	05/13/22 15:32	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	0.015	05/13/22 15:32	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	0.015	05/13/22 15:32	
Decachlorobiphenyl (S)	%	84	38-95		05/13/22 15:32	
Tetrachloro-m-xylene (S)	%	90	50-99		05/13/22 15:32	

LABORATORY CONTROL SAMPLE: 2392965

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.40	80	71-104	
Decachlorobiphenyl (S)	%			82	38-95	
Tetrachloro-m-xylene (S)	%			88	50-99	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2392966 2392967

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244807003	Spike Conc.	Spike Conc.	Result						
PCB-1016 (Aroclor 1016)	mg/kg	<15.8 ug/kg			<0.016	<0.016				20	
PCB-1221 (Aroclor 1221)	mg/kg	<15.8 ug/kg			<0.016	<0.016				20	
PCB-1232 (Aroclor 1232)	mg/kg	<15.8 ug/kg			<0.016	<0.016				20	
PCB-1242 (Aroclor 1242)	mg/kg	<15.8 ug/kg			<0.016	<0.016				20	
PCB-1248 (Aroclor 1248)	mg/kg	<15.8 ug/kg			<0.016	<0.016				20	
PCB-1254 (Aroclor 1254)	mg/kg	<15.8 ug/kg			<0.016	<0.016				20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Parameter	Units	40244807003		2392966		2392967		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec							
PCB-1260 (Aroclor 1260)	mg/kg	<15.8 ug/kg	0.52	0.52	0.40	0.42	77	80	42-109	4	20			
Decachlorobiphenyl (S)	%						79	81	38-95					
Tetrachloro-m-xylene (S)	%						84	86	50-99					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

QC Batch:	415638	Analysis Method:	EPA 8082A
QC Batch Method:	EPA 3541	Analysis Description:	8082 GCS PCB
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244803003, 40244803004, 40244803005, 40244803006, 40244803007, 40244803008, 40244803009, 40244803010, 40244803011, 40244803012, 40244803013, 40244803014, 40244803016, 40244803017, 40244803018, 40244803019, 40244803020

METHOD BLANK: 2392986 Matrix: Solid
Associated Lab Samples: 40244803003, 40244803004, 40244803005, 40244803006, 40244803007, 40244803008, 40244803009, 40244803010, 40244803011, 40244803012, 40244803013, 40244803014, 40244803016, 40244803017, 40244803018, 40244803019, 40244803020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	0.015	05/16/22 10:36	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	0.015	05/16/22 10:36	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	0.015	05/16/22 10:36	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	0.015	05/16/22 10:36	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	0.015	05/16/22 10:36	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	0.015	05/16/22 10:36	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	0.015	05/16/22 10:36	
Decachlorobiphenyl (S)	%	84	38-95		05/16/22 10:36	
Tetrachloro-m-xylene (S)	%	82	50-99		05/16/22 10:36	

LABORATORY CONTROL SAMPLE: 2392987

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.41	83	71-104	
Decachlorobiphenyl (S)	%			85	38-95	
Tetrachloro-m-xylene (S)	%			85	50-99	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2392988 2392989

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244803004	Result	Spike Conc.	Spike Conc.						
PCB-1016 (Aroclor 1016)	mg/kg	<0.020	<0.020	<0.020	<0.020					20	
PCB-1221 (Aroclor 1221)	mg/kg	<0.020	<0.020	<0.020	<0.020					20	
PCB-1232 (Aroclor 1232)	mg/kg	<0.020	<0.020	<0.020	<0.020					20	
PCB-1242 (Aroclor 1242)	mg/kg	<0.020	<0.020	<0.020	<0.020					20	
PCB-1248 (Aroclor 1248)	mg/kg	<0.020	<0.020	<0.020	<0.020					20	
PCB-1254 (Aroclor 1254)	mg/kg	<0.020	<0.020	<0.020	<0.020					20	
PCB-1260 (Aroclor 1260)	mg/kg	<0.020	0.65	0.65	0.54	0.51	84	79	42-109	6	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2392988												2392989	
Parameter	Units	40244803004 Result	MS	MSD	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
			Spike Conc.	Spike Conc.									
Decachlorobiphenyl (S)	%							84	79	38-95			
Tetrachloro-m-xylene (S)	%							84	80	50-99			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

QC Batch: 415911 Analysis Method: EPA 8270E
QC Batch Method: EPA 3546 Analysis Description: 8270E Solid MSSV Microwave
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244803001, 40244803002, 40244803003, 40244803004, 40244803005, 40244803006

METHOD BLANK: 2394719 Matrix: Solid
Associated Lab Samples: 40244803001, 40244803002, 40244803003, 40244803004, 40244803005, 40244803006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	<0.019	0.063	0.019	05/17/22 13:57	
1,2-Dichlorobenzene	mg/kg	<0.052	0.17	0.052	05/17/22 13:57	
1,3-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/17/22 13:57	
1,4-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/17/22 13:57	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.043	0.14	0.043	05/17/22 13:57	
2,4,5-Trichlorophenol	mg/kg	<0.029	0.098	0.029	05/17/22 13:57	
2,4,6-Trichlorophenol	mg/kg	<0.025	0.085	0.025	05/17/22 13:57	
2,4-Dichlorophenol	mg/kg	<0.045	0.15	0.045	05/17/22 13:57	
2,4-Dimethylphenol	mg/kg	<0.033	0.11	0.033	05/17/22 13:57	
2,4-Dinitrophenol	mg/kg	<0.051	0.17	0.051	05/17/22 13:57	
2,4-Dinitrotoluene	mg/kg	<0.024	0.079	0.024	05/17/22 13:57	
2,6-Dinitrotoluene	mg/kg	<0.032	0.11	0.032	05/17/22 13:57	
2-Chloronaphthalene	mg/kg	<0.021	0.071	0.021	05/17/22 13:57	
2-Chlorophenol	mg/kg	<0.042	0.14	0.042	05/17/22 13:57	
2-Methylnaphthalene	mg/kg	<0.043	0.14	0.043	05/17/22 13:57	
2-Methylphenol(o-Cresol)	mg/kg	<0.030	0.10	0.030	05/17/22 13:57	
2-Nitroaniline	mg/kg	<0.048	0.16	0.048	05/17/22 13:57	
2-Nitrophenol	mg/kg	<0.053	0.18	0.053	05/17/22 13:57	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.031	0.10	0.031	05/17/22 13:57	
3,3'-Dichlorobenzidine	mg/kg	<0.045	0.15	0.045	05/17/22 13:57	
3-Nitroaniline	mg/kg	<0.028	0.095	0.028	05/17/22 13:57	
4,6-Dinitro-2-methylphenol	mg/kg	<0.051	0.17	0.051	05/17/22 13:57	
4-Bromophenylphenyl ether	mg/kg	<0.035	0.12	0.035	05/17/22 13:57	
4-Chloro-3-methylphenol	mg/kg	<0.052	0.17	0.052	05/17/22 13:57	
4-Chloroaniline	mg/kg	<0.027	0.091	0.027	05/17/22 13:57	4q
4-Chlorophenylphenyl ether	mg/kg	<0.031	0.10	0.031	05/17/22 13:57	
4-Nitroaniline	mg/kg	<0.069	0.23	0.069	05/17/22 13:57	
4-Nitrophenol	mg/kg	<0.042	0.14	0.042	05/17/22 13:57	
Acenaphthene	mg/kg	<0.059	0.20	0.059	05/17/22 13:57	
Acenaphthylene	mg/kg	<0.059	0.20	0.059	05/17/22 13:57	
Anthracene	mg/kg	<0.027	0.089	0.027	05/17/22 13:57	
Benzo(a)anthracene	mg/kg	<0.026	0.086	0.026	05/17/22 13:57	
Benzo(a)pyrene	mg/kg	<0.025	0.084	0.025	05/17/22 13:57	
Benzo(b)fluoranthene	mg/kg	<0.029	0.096	0.029	05/17/22 13:57	
Benzo(g,h,i)perylene	mg/kg	<0.044	0.15	0.044	05/17/22 13:57	
Benzo(k)fluoranthene	mg/kg	<0.040	0.13	0.040	05/17/22 13:57	
bis(2-Chloroethoxy)methane	mg/kg	<0.045	0.15	0.045	05/17/22 13:57	
bis(2-Chloroethyl) ether	mg/kg	<0.052	0.17	0.052	05/17/22 13:57	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.028	0.092	0.028	05/17/22 13:57	
Butylbenzylphthalate	mg/kg	<0.027	0.089	0.027	05/17/22 13:57	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

METHOD BLANK: 2394719 Matrix: Solid
Associated Lab Samples: 40244803001, 40244803002, 40244803003, 40244803004, 40244803005, 40244803006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Carbazole	mg/kg	<0.026	0.087	0.026	05/17/22 13:57	
Chrysene	mg/kg	<0.025	0.083	0.025	05/17/22 13:57	
Di-n-butylphthalate	mg/kg	<0.025	0.083	0.025	05/17/22 13:57	
Di-n-octylphthalate	mg/kg	<0.037	0.12	0.037	05/17/22 13:57	
Dibenz(a,h)anthracene	mg/kg	<0.045	0.15	0.045	05/17/22 13:57	
Dibenzofuran	mg/kg	<0.020	0.067	0.020	05/17/22 13:57	
Diethylphthalate	mg/kg	<0.028	0.092	0.028	05/17/22 13:57	
Dimethylphthalate	mg/kg	<0.022	0.072	0.022	05/17/22 13:57	
Fluoranthene	mg/kg	<0.024	0.079	0.024	05/17/22 13:57	
Fluorene	mg/kg	<0.019	0.065	0.019	05/17/22 13:57	
Hexachloro-1,3-butadiene	mg/kg	<0.042	0.14	0.042	05/17/22 13:57	
Hexachlorobenzene	mg/kg	<0.028	0.093	0.028	05/17/22 13:57	
Hexachlorocyclopentadiene	mg/kg	<0.039	0.13	0.039	05/17/22 13:57	
Hexachloroethane	mg/kg	<0.027	0.089	0.027	05/17/22 13:57	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.036	0.12	0.036	05/17/22 13:57	
Isophorone	mg/kg	<0.026	0.085	0.026	05/17/22 13:57	
N-Nitroso-di-n-propylamine	mg/kg	<0.026	0.088	0.026	05/17/22 13:57	
N-Nitrosodiphenylamine	mg/kg	<0.23	0.75	0.23	05/17/22 13:57	
Naphthalene	mg/kg	<0.058	0.19	0.058	05/17/22 13:57	
Nitrobenzene	mg/kg	<0.034	0.11	0.034	05/17/22 13:57	
Pentachlorophenol	mg/kg	<0.037	0.12	0.037	05/17/22 13:57	
Phenanthrene	mg/kg	<0.021	0.071	0.021	05/17/22 13:57	
Phenol	mg/kg	<0.040	0.13	0.040	05/17/22 13:57	
Pyrene	mg/kg	<0.037	0.12	0.037	05/17/22 13:57	
2,4,6-Tribromophenol (S)	%	94	10-144		05/17/22 13:57	
2-Fluorobiphenyl (S)	%	85	12-118		05/17/22 13:57	
2-Fluorophenol (S)	%	85	10-130		05/17/22 13:57	
Nitrobenzene-d5 (S)	%	94	10-125		05/17/22 13:57	
Phenol-d6 (S)	%	82	10-125		05/17/22 13:57	
Terphenyl-d14 (S)	%	102	10-124		05/17/22 13:57	

LABORATORY CONTROL SAMPLE: 2394720

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	1.7	1.8	106	70-130	
1,2-Dichlorobenzene	mg/kg	1.7	1.6	96	66-130	
1,3-Dichlorobenzene	mg/kg	1.7	1.5	89	66-130	
1,4-Dichlorobenzene	mg/kg	1.7	1.5	88	64-130	
2,2'-Oxybis(1-chloropropane)	mg/kg	1.7	1.4	85	65-130	
2,4,5-Trichlorophenol	mg/kg	1.7	1.9	111	70-125	
2,4,6-Trichlorophenol	mg/kg	1.7	1.8	106	70-124	
2,4-Dichlorophenol	mg/kg	1.7	1.7	101	70-121	
2,4-Dimethylphenol	mg/kg	1.7	1.7	101	70-130	
2,4-Dinitrophenol	mg/kg	1.7	1.5	89	26-103	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

LABORATORY CONTROL SAMPLE: 2394720

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrotoluene	mg/kg	1.7	1.9	114	70-130	
2,6-Dinitrotoluene	mg/kg	1.7	1.7	100	70-130	
2-Chloronaphthalene	mg/kg	1.7	1.6	94	70-130	
2-Chlorophenol	mg/kg	1.7	1.7	99	67-130	
2-Methylnaphthalene	mg/kg	1.7	1.6	97	70-130	
2-Methylphenol(o-Cresol)	mg/kg	1.7	1.6	97	69-130	
2-Nitroaniline	mg/kg	1.7	1.8	108	70-124	
2-Nitrophenol	mg/kg	1.7	1.9	114	70-130	
3&4-Methylphenol(m&p Cresol)	mg/kg	1.7	1.6	96	70-130	
3,3'-Dichlorobenzidine	mg/kg	1.7	1.4	83	48-112	
3-Nitroaniline	mg/kg	1.7	1.3	80	57-121	
4,6-Dinitro-2-methylphenol	mg/kg	1.7	1.9	112	59-115	
4-Bromophenylphenyl ether	mg/kg	1.7	1.8	106	70-130	
4-Chloro-3-methylphenol	mg/kg	1.7	1.6	96	70-130	
4-Chloroaniline	mg/kg	1.7	1.1	66	45-130 4q	
4-Chlorophenylphenyl ether	mg/kg	1.7	1.8	110	70-130	
4-Nitroaniline	mg/kg	1.7	1.6	95	62-127	
4-Nitrophenol	mg/kg	1.7	1.7	103	50-126	
Acenaphthene	mg/kg	1.7	1.6	94	70-130	
Acenaphthylene	mg/kg	1.7	1.7	102	70-130	
Anthracene	mg/kg	1.7	1.7	104	70-130	
Benzo(a)anthracene	mg/kg	1.7	1.7	101	70-130	
Benzo(a)pyrene	mg/kg	1.7	1.6	98	70-130	
Benzo(b)fluoranthene	mg/kg	1.7	1.7	104	70-130	
Benzo(g,h,i)perylene	mg/kg	1.7	1.3	81	65-130	
Benzo(k)fluoranthene	mg/kg	1.7	1.6	97	70-130	
bis(2-Chloroethoxy)methane	mg/kg	1.7	1.5	93	70-130	
bis(2-Chloroethyl) ether	mg/kg	1.7	1.5	89	68-130	
bis(2-Ethylhexyl)phthalate	mg/kg	1.7	1.7	100	70-130	
Butylbenzylphthalate	mg/kg	1.7	1.9	113	70-130	
Carbazole	mg/kg	1.7	1.8	105	70-130	
Chrysene	mg/kg	1.7	1.7	103	70-130	
Di-n-butylphthalate	mg/kg	1.7	1.9	112	70-130	
Di-n-octylphthalate	mg/kg	1.7	1.8	108	67-134	
Dibenz(a,h)anthracene	mg/kg	1.7	1.5	88	68-130	
Dibenzofuran	mg/kg	1.7	1.7	103	70-130	
Diethylphthalate	mg/kg	1.7	1.7	99	70-130	
Dimethylphthalate	mg/kg	1.7	1.7	102	70-130	
Fluoranthene	mg/kg	1.7	1.8	111	70-130	
Fluorene	mg/kg	1.7	1.6	97	70-130	
Hexachloro-1,3-butadiene	mg/kg	1.7	1.8	106	67-130	
Hexachlorobenzene	mg/kg	1.7	1.9	114	70-130	
Hexachlorocyclopentadiene	mg/kg	1.7	1.8	111	54-114	
Hexachloroethane	mg/kg	1.7	1.6	93	64-130	
Indeno(1,2,3-cd)pyrene	mg/kg	1.7	1.4	87	63-130	
Isophorone	mg/kg	1.7	1.7	102	70-130	
N-Nitroso-di-n-propylamine	mg/kg	1.7	1.6	97	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

LABORATORY CONTROL SAMPLE: 2394720

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
N-Nitrosodiphenylamine	mg/kg	1.7	1.7	103	70-130	
Naphthalene	mg/kg	1.7	1.6	97	70-130	
Nitrobenzene	mg/kg	1.7	1.7	101	70-130	
Pentachlorophenol	mg/kg	1.7	1.8	107	47-108	
Phenanthrene	mg/kg	1.7	1.7	99	70-130	
Phenol	mg/kg	1.7	1.5	88	67-130	
Pyrene	mg/kg	1.7	1.7	103	70-130	
2,4,6-Tribromophenol (S)	%			114	10-144	
2-Fluorobiphenyl (S)	%			95	12-118	
2-Fluorophenol (S)	%			93	10-130	
Nitrobenzene-d5 (S)	%			100	10-125	
Phenol-d6 (S)	%			87	10-125	
Terphenyl-d14 (S)	%			102	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2394721 2394722

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244735012	Result	Spike Conc.	Spike Conc.								
1,2,4-Trichlorobenzene	mg/kg	<0.024	2.2	2.2	1.7	1.8	79	82	45-130	3	28		
1,2-Dichlorobenzene	mg/kg	<0.068	2.2	2.2	1.8	1.6	82	73	45-130	11	29		
1,3-Dichlorobenzene	mg/kg	<0.030	2.2	2.2	1.7	1.5	76	71	42-130	8	30		
1,4-Dichlorobenzene	mg/kg	<0.030	2.2	2.2	1.7	1.5	78	72	42-130	9	32		
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.056	2.2	2.2	1.6	1.5	74	68	44-130	8	26		
2,4,5-Trichlorophenol	mg/kg	<0.038	2.2	2.2	1.8	1.9	83	89	11-125	8	30		
2,4,6-Trichlorophenol	mg/kg	<0.033	2.2	2.2	1.7	1.8	78	83	16-124	6	31		
2,4-Dichlorophenol	mg/kg	<0.058	2.2	2.2	1.7	1.7	78	80	19-121	3	29		
2,4-Dimethylphenol	mg/kg	<0.043	2.2	2.2	1.4	1.4	67	64	29-130	4	32		
2,4-Dinitrophenol	mg/kg	<0.066	2.2	2.2	0.63	1.3	29	60	10-103	69	50		
2,4-Dinitrotoluene	mg/kg	<0.031	2.2	2.2	1.9	2.0	90	92	38-130	2	27		
2,6-Dinitrotoluene	mg/kg	<0.041	2.2	2.2	1.7	2.0	81	91	41-130	11	28		
2-Chloronaphthalene	mg/kg	<0.028	2.2	2.2	1.6	1.7	76	79	44-130	5	24		
2-Chlorophenol	mg/kg	<0.054	2.2	2.2	1.8	1.6	84	76	33-130	10	30		
2-Methylnaphthalene	mg/kg	<0.056	2.2	2.2	1.7	1.7	77	80	46-130	3	23		
2-Methylphenol(o-Cresol)	mg/kg	<0.039	2.2	2.2	1.7	1.6	78	75	30-130	4	30		
2-Nitroaniline	mg/kg	<0.062	2.2	2.2	1.8	1.9	85	88	27-124	4	25		
2-Nitrophenol	mg/kg	<0.068	2.2	2.2	1.8	2.0	85	91	10-130	6	27		
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.040	2.2	2.2	1.7	1.5	79	70	28-130	13	33		
3,3'-Dichlorobenzidine	mg/kg	<0.059	2.2	2.2	1.9	1.8	88	82	10-112	7	43	CH	
3-Nitroaniline	mg/kg	<0.037	2.2	2.2	1.6	1.7	76	79	10-121	3	33		
4,6-Dinitro-2-methylphenol	mg/kg	<0.067	2.2	2.2	1.3	1.8	58	83	10-115	34	50		
4-Bromophenylphenyl ether	mg/kg	<0.045	2.2	2.2	1.8	1.9	82	86	40-130	6	25		
4-Chloro-3-methylphenol	mg/kg	<0.067	2.2	2.2	1.6	1.6	75	76	30-130	1	29		
4-Chloroaniline	mg/kg	<0.036	2.2	2.2	1.5	1.4	69	67	16-130	4	33	1q,4q	
4-Chlorophenylphenyl ether	mg/kg	<0.040	2.2	2.2	1.9	1.9	88	88	46-130	1	24		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Parameter	Units	2394721		2394722		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40244735012 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
4-Nitroaniline	mg/kg	<0.090	2.2	2.2	1.7	1.8	78	82	10-127	4	40		
4-Nitrophenol	mg/kg	<0.054	2.2	2.2	1.5	1.7	69	80	10-128	15	50		
Acenaphthene	mg/kg	<0.077	2.2	2.2	1.6	1.7	76	78	47-130	2	21		
Acenaphthylene	mg/kg	<0.077	2.2	2.2	1.6	1.7	75	81	49-130	8	22		
Anthracene	mg/kg	<0.035	2.2	2.2	1.7	1.7	78	79	46-130	2	27		
Benzo(a)anthracene	mg/kg	<0.033	2.2	2.2	1.9	1.9	86	86	45-130	1	24		
Benzo(a)pyrene	mg/kg	<0.033	2.2	2.2	1.7	1.8	80	85	48-130	6	27		
Benzo(b)fluoranthene	mg/kg	<0.037	2.2	2.2	1.7	1.8	79	83	41-130	5	31		
Benzo(g,h,i)perylene	mg/kg	<0.057	2.2	2.2	1.8	1.8	82	84	37-130	3	31		
Benzo(k)fluoranthene	mg/kg	<0.052	2.2	2.2	1.7	1.8	78	82	46-130	5	27		
bis(2-Chloroethoxy)methane	mg/kg	<0.058	2.2	2.2	1.7	1.7	77	78	38-130	1	26		
bis(2-Chloroethyl) ether	mg/kg	<0.068	2.2	2.2	1.7	1.5	77	69	42-130	11	29		
bis(2-Ethylhexyl)phthalate	mg/kg	<0.036	2.2	2.2	1.9	1.9	86	86	39-130	0	27		
Butylbenzylphthalate	mg/kg	<0.035	2.2	2.2	2.0	2.0	93	92	39-130	0	27		
Carbazole	mg/kg	<0.034	2.2	2.2	1.7	1.8	79	82	44-130	4	24		
Chrysene	mg/kg	<0.032	2.2	2.2	1.9	1.9	88	86	44-130	2	25		
Di-n-butylphthalate	mg/kg	<0.032	2.2	2.2	1.8	1.9	82	87	45-130	7	26		
Di-n-octylphthalate	mg/kg	<0.049	2.2	2.2	2.0	1.9	91	89	40-134	2	27		
Dibenz(a,h)anthracene	mg/kg	<0.059	2.2	2.2	2.0	1.9	91	85	41-130	6	33		
Dibenzofuran	mg/kg	<0.026	2.2	2.2	1.8	1.8	84	83	47-130	1	23		
Diethylphthalate	mg/kg	<0.036	2.2	2.2	1.8	1.7	81	80	46-130	1	24		
Dimethylphthalate	mg/kg	<0.028	2.2	2.2	1.7	1.8	79	83	47-130	5	24		
Fluoranthene	mg/kg	<0.031	2.2	2.2	1.8	1.8	85	84	50-130	0	27		
Fluorene	mg/kg	<0.025	2.2	2.2	1.7	1.8	78	82	48-130	5	25		
Hexachloro-1,3-butadiene	mg/kg	<0.055	2.2	2.2	1.7	1.9	78	86	42-130	10	27		
Hexachlorobenzene	mg/kg	<0.036	2.2	2.2	1.5	1.9	72	86	51-130	19	24		
Hexachlorocyclopentadiene	mg/kg	<0.051	2.2	2.2	0.88	1.8	41	81	10-114	66	50		
Hexachloroethane	mg/kg	<0.035	2.2	2.2	1.8	1.5	82	72	33-130	14	35		
Indeno(1,2,3-cd)pyrene	mg/kg	<0.047	2.2	2.2	1.7	1.7	79	80	34-130	2	38		
Isophorone	mg/kg	<0.033	2.2	2.2	1.7	1.8	80	84	45-130	5	28		
N-Nitroso-di-n-propylamine	mg/kg	<0.034	2.2	2.2	1.7	1.7	80	78	47-130	2	27		
N-Nitrosodiphenylamine	mg/kg	<0.29	2.2	2.2	1.6	1.7	75	80	42-130	6	25		
Naphthalene	mg/kg	<0.076	2.2	2.2	1.7	1.7	77	78	48-130	1	24		
Nitrobenzene	mg/kg	<0.044	2.2	2.2	1.6	1.7	74	77	42-130	4	25		
Pentachlorophenol	mg/kg	<0.048	2.2	2.2	1.2	1.5	55	71	10-108	25	50		
Phenanthrene	mg/kg	<0.028	2.2	2.2	1.6	1.7	73	79	50-130	8	27		
Phenol	mg/kg	<0.051	2.2	2.2	1.7	1.5	78	70	37-130	11	30		
Pyrene	mg/kg	<0.048	2.2	2.2	1.7	1.9	81	87	43-130	7	29		
2,4,6-Tribromophenol (S)	%						76	86	10-144				
2-Fluorobiphenyl (S)	%						74	80	12-118				
2-Fluorophenol (S)	%						70	67	10-130				
Nitrobenzene-d5 (S)	%						74	78	10-125				
Phenol-d6 (S)	%						75	67	10-125				
Terphenyl-d14 (S)	%						82	83	10-124				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

QC Batch:	416044	Analysis Method:	EPA 8270E
QC Batch Method:	EPA 3546	Analysis Description:	8270E Solid MSSV Microwave
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244803007, 40244803008, 40244803009, 40244803010, 40244803011, 40244803012, 40244803013, 40244803014, 40244803016, 40244803017, 40244803018, 40244803019, 40244803020

METHOD BLANK: 2395454 Matrix: Solid
Associated Lab Samples: 40244803007, 40244803008, 40244803009, 40244803010, 40244803011, 40244803012, 40244803013, 40244803014, 40244803016, 40244803017, 40244803018, 40244803019, 40244803020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	<0.019	0.063	0.019	05/18/22 12:13	
1,2-Dichlorobenzene	mg/kg	<0.053	0.18	0.053	05/18/22 12:13	
1,3-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/18/22 12:13	
1,4-Dichlorobenzene	mg/kg	<0.023	0.078	0.023	05/18/22 12:13	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.043	0.14	0.043	05/18/22 12:13	
2,4,5-Trichlorophenol	mg/kg	<0.030	0.098	0.030	05/18/22 12:13	
2,4,6-Trichlorophenol	mg/kg	<0.025	0.085	0.025	05/18/22 12:13	
2,4-Dichlorophenol	mg/kg	<0.045	0.15	0.045	05/18/22 12:13	
2,4-Dimethylphenol	mg/kg	<0.033	0.11	0.033	05/18/22 12:13	
2,4-Dinitrophenol	mg/kg	<0.051	0.17	0.051	05/18/22 12:13	
2,4-Dinitrotoluene	mg/kg	<0.024	0.080	0.024	05/18/22 12:13	
2,6-Dinitrotoluene	mg/kg	<0.032	0.11	0.032	05/18/22 12:13	
2-Chloronaphthalene	mg/kg	<0.021	0.072	0.021	05/18/22 12:13	
2-Chlorophenol	mg/kg	<0.042	0.14	0.042	05/18/22 12:13	
2-Methylnaphthalene	mg/kg	<0.043	0.14	0.043	05/18/22 12:13	
2-Methylphenol(o-Cresol)	mg/kg	<0.030	0.10	0.030	05/18/22 12:13	
2-Nitroaniline	mg/kg	<0.048	0.16	0.048	05/18/22 12:13	
2-Nitrophenol	mg/kg	<0.053	0.18	0.053	05/18/22 12:13	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.031	0.10	0.031	05/18/22 12:13	
3,3'-Dichlorobenzidine	mg/kg	<0.045	0.15	0.045	05/18/22 12:13	
3-Nitroaniline	mg/kg	<0.028	0.095	0.028	05/18/22 12:13	
4,6-Dinitro-2-methylphenol	mg/kg	<0.052	0.17	0.052	05/18/22 12:13	
4-Bromophenylphenyl ether	mg/kg	<0.035	0.12	0.035	05/18/22 12:13	
4-Chloro-3-methylphenol	mg/kg	<0.052	0.17	0.052	05/18/22 12:13	
4-Chloroaniline	mg/kg	<0.027	0.092	0.027	05/18/22 12:13	1q
4-Chlorophenylphenyl ether	mg/kg	<0.031	0.10	0.031	05/18/22 12:13	
4-Nitroaniline	mg/kg	<0.069	0.23	0.069	05/18/22 12:13	
4-Nitrophenol	mg/kg	<0.042	0.14	0.042	05/18/22 12:13	
Acenaphthene	mg/kg	<0.059	0.20	0.059	05/18/22 12:13	
Acenaphthylene	mg/kg	<0.060	0.20	0.060	05/18/22 12:13	
Anthracene	mg/kg	<0.027	0.089	0.027	05/18/22 12:13	
Benzo(a)anthracene	mg/kg	<0.026	0.086	0.026	05/18/22 12:13	
Benzo(a)pyrene	mg/kg	<0.025	0.084	0.025	05/18/22 12:13	
Benzo(b)fluoranthene	mg/kg	<0.029	0.096	0.029	05/18/22 12:13	
Benzo(g,h,i)perylene	mg/kg	<0.044	0.15	0.044	05/18/22 12:13	
Benzo(k)fluoranthene	mg/kg	<0.040	0.13	0.040	05/18/22 12:13	
bis(2-Chloroethoxy)methane	mg/kg	<0.045	0.15	0.045	05/18/22 12:13	
bis(2-Chloroethyl) ether	mg/kg	<0.052	0.17	0.052	05/18/22 12:13	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.028	0.093	0.028	05/18/22 12:13	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

METHOD BLANK: 2395454

Matrix: Solid

Associated Lab Samples: 40244803007, 40244803008, 40244803009, 40244803010, 40244803011, 40244803012, 40244803013, 40244803014, 40244803016, 40244803017, 40244803018, 40244803019, 40244803020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Butylbenzylphthalate	mg/kg	<0.027	0.089	0.027	05/18/22 12:13	
Carbazole	mg/kg	<0.026	0.087	0.026	05/18/22 12:13	
Chrysene	mg/kg	<0.025	0.083	0.025	05/18/22 12:13	
Di-n-butylphthalate	mg/kg	<0.025	0.083	0.025	05/18/22 12:13	
Di-n-octylphthalate	mg/kg	<0.038	0.13	0.038	05/18/22 12:13	
Dibenz(a,h)anthracene	mg/kg	<0.045	0.15	0.045	05/18/22 12:13	
Dibenzofuran	mg/kg	<0.020	0.067	0.020	05/18/22 12:13	
Diethylphthalate	mg/kg	<0.028	0.092	0.028	05/18/22 12:13	
Dimethylphthalate	mg/kg	<0.022	0.072	0.022	05/18/22 12:13	
Fluoranthene	mg/kg	<0.024	0.079	0.024	05/18/22 12:13	
Fluorene	mg/kg	<0.020	0.065	0.020	05/18/22 12:13	
Hexachloro-1,3-butadiene	mg/kg	<0.043	0.14	0.043	05/18/22 12:13	
Hexachlorobenzene	mg/kg	<0.028	0.094	0.028	05/18/22 12:13	
Hexachlorocyclopentadiene	mg/kg	<0.040	0.13	0.040	05/18/22 12:13	
Hexachloroethane	mg/kg	<0.027	0.089	0.027	05/18/22 12:13	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.036	0.12	0.036	05/18/22 12:13	
Isophorone	mg/kg	<0.026	0.086	0.026	05/18/22 12:13	
N-Nitroso-di-n-propylamine	mg/kg	<0.027	0.088	0.027	05/18/22 12:13	
N-Nitrosodiphenylamine	mg/kg	<0.23	0.76	0.23	05/18/22 12:13	
Naphthalene	mg/kg	<0.058	0.19	0.058	05/18/22 12:13	
Nitrobenzene	mg/kg	<0.034	0.11	0.034	05/18/22 12:13	
Pentachlorophenol	mg/kg	<0.037	0.12	0.037	05/18/22 12:13	
Phenanthrene	mg/kg	<0.021	0.071	0.021	05/18/22 12:13	
Phenol	mg/kg	<0.040	0.13	0.040	05/18/22 12:13	
Pyrene	mg/kg	<0.037	0.12	0.037	05/18/22 12:13	
2,4,6-Tribromophenol (S)	%	83	10-144		05/18/22 12:13	
2-Fluorobiphenyl (S)	%	80	12-118		05/18/22 12:13	
2-Fluorophenol (S)	%	72	10-130		05/18/22 12:13	
Nitrobenzene-d5 (S)	%	79	10-125		05/18/22 12:13	
Phenol-d6 (S)	%	72	10-125		05/18/22 12:13	
Terphenyl-d14 (S)	%	86	10-124		05/18/22 12:13	

LABORATORY CONTROL SAMPLE: 2395455

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	1.7	1.4	86	70-130	
1,2-Dichlorobenzene	mg/kg	1.7	1.4	85	66-130	
1,3-Dichlorobenzene	mg/kg	1.7	1.3	80	66-130	
1,4-Dichlorobenzene	mg/kg	1.7	1.3	80	64-130	
2,2'-Oxybis(1-chloropropane)	mg/kg	1.7	1.2	75	65-130	
2,4,5-Trichlorophenol	mg/kg	1.7	1.7	100	70-125	
2,4,6-Trichlorophenol	mg/kg	1.7	1.5	92	70-124	
2,4-Dichlorophenol	mg/kg	1.7	1.5	92	70-121	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

LABORATORY CONTROL SAMPLE: 2395455

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dimethylphenol	mg/kg	1.7	1.5	89	70-130	
2,4-Dinitrophenol	mg/kg	1.7	1.2	74	26-103	
2,4-Dinitrotoluene	mg/kg	1.7	1.7	102	70-130	
2,6-Dinitrotoluene	mg/kg	1.7	1.7	100	70-130	
2-Chloronaphthalene	mg/kg	1.7	1.6	93	70-130	
2-Chlorophenol	mg/kg	1.7	1.5	89	67-130	
2-Methylnaphthalene	mg/kg	1.7	1.5	90	70-130	
2-Methylphenol(o-Cresol)	mg/kg	1.7	1.5	90	69-130	
2-Nitroaniline	mg/kg	1.7	1.7	100	70-124	
2-Nitrophenol	mg/kg	1.7	1.6	94	70-130	
3&4-Methylphenol(m&p Cresol)	mg/kg	1.7	1.5	90	70-130	
3,3'-Dichlorobenzidine	mg/kg	1.7	1.3	76	48-112	
3-Nitroaniline	mg/kg	1.7	1.3	79	57-121	
4,6-Dinitro-2-methylphenol	mg/kg	1.7	1.5	89	59-115	
4-Bromophenylphenyl ether	mg/kg	1.7	1.6	95	70-130	
4-Chloro-3-methylphenol	mg/kg	1.7	1.5	92	70-130	
4-Chloroaniline	mg/kg	1.7	0.91	54	45-130	1q
4-Chlorophenylphenyl ether	mg/kg	1.7	1.7	99	70-130	
4-Nitroaniline	mg/kg	1.7	1.6	94	62-127	
4-Nitrophenol	mg/kg	1.7	1.6	95	50-126	
Acenaphthene	mg/kg	1.7	1.5	89	70-130	
Acenaphthylene	mg/kg	1.7	1.5	88	70-130	
Anthracene	mg/kg	1.7	1.4	85	70-130	
Benzo(a)anthracene	mg/kg	1.7	1.6	95	70-130	
Benzo(a)pyrene	mg/kg	1.7	1.5	93	70-130	
Benzo(b)fluoranthene	mg/kg	1.7	1.5	90	70-130	
Benzo(g,h,i)perylene	mg/kg	1.7	1.5	91	65-130	
Benzo(k)fluoranthene	mg/kg	1.7	1.5	90	70-130	
bis(2-Chloroethoxy)methane	mg/kg	1.7	1.4	84	70-130	
bis(2-Chloroethyl) ether	mg/kg	1.7	1.3	80	68-130	
bis(2-Ethylhexyl)phthalate	mg/kg	1.7	1.6	94	70-130	
Butylbenzylphthalate	mg/kg	1.7	1.6	98	70-130	
Carbazole	mg/kg	1.7	1.5	88	70-130	
Chrysene	mg/kg	1.7	1.6	95	70-130	
Di-n-butylphthalate	mg/kg	1.7	1.5	93	70-130	
Di-n-octylphthalate	mg/kg	1.7	1.6	96	67-134	
Dibenz(a,h)anthracene	mg/kg	1.7	1.6	93	68-130	
Dibenzofuran	mg/kg	1.7	1.6	97	70-130	
Diethylphthalate	mg/kg	1.7	1.6	97	70-130	
Dimethylphthalate	mg/kg	1.7	1.6	95	70-130	
Fluoranthene	mg/kg	1.7	1.5	90	70-130	
Fluorene	mg/kg	1.7	1.6	94	70-130	
Hexachloro-1,3-butadiene	mg/kg	1.7	1.5	88	67-130	
Hexachlorobenzene	mg/kg	1.7	1.5	89	70-130	
Hexachlorocyclopentadiene	mg/kg	1.7	1.5	90	54-114	
Hexachloroethane	mg/kg	1.7	1.4	85	64-130	
Indeno(1,2,3-cd)pyrene	mg/kg	1.7	1.4	87	63-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

LABORATORY CONTROL SAMPLE: 2395455

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Isophorone	mg/kg	1.7	1.5	90	70-130	
N-Nitroso-di-n-propylamine	mg/kg	1.7	1.5	87	70-130	
N-Nitrosodiphenylamine	mg/kg	1.7	1.5	89	70-130	
Naphthalene	mg/kg	1.7	1.4	84	70-130	
Nitrobenzene	mg/kg	1.7	1.5	87	70-130	
Pentachlorophenol	mg/kg	1.7	1.4	87	47-108	
Phenanthrene	mg/kg	1.7	1.4	84	70-130	
Phenol	mg/kg	1.7	1.4	84	67-130	
Pyrene	mg/kg	1.7	1.4	86	70-130	
2,4,6-Tribromophenol (S)	%			111	10-144	
2-Fluorobiphenyl (S)	%			88	12-118	
2-Fluorophenol (S)	%			82	10-130	
Nitrobenzene-d5 (S)	%			85	10-125	
Phenol-d6 (S)	%			80	10-125	
Terphenyl-d14 (S)	%			87	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2395456 2395457

Parameter	Units	40244803008		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
1,2,4-Trichlorobenzene	mg/kg	<0.024	2.2	2.2	1.7	1.5	83	73	45-130	12	28		
1,2-Dichlorobenzene	mg/kg	<0.066	2.2	2.2	1.8	1.6	83	76	45-130	9	29		
1,3-Dichlorobenzene	mg/kg	<0.029	2.2	2.2	1.7	1.6	79	74	42-130	7	30		
1,4-Dichlorobenzene	mg/kg	<0.029	2.2	2.2	1.8	1.5	83	71	42-130	16	32		
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.054	2.2	2.2	1.5	1.4	73	66	44-130	9	26		
2,4,5-Trichlorophenol	mg/kg	<0.037	2.2	2.2	1.9	1.6	92	76	11-125	19	30		
2,4,6-Trichlorophenol	mg/kg	<0.032	2.2	2.2	1.8	1.4	84	69	16-124	20	31		
2,4-Dichlorophenol	mg/kg	<0.056	2.2	2.2	1.9	1.5	88	71	19-121	21	29		
2,4-Dimethylphenol	mg/kg	<0.042	2.2	2.2	1.5	1.3	71	64	29-130	10	32		
2,4-Dinitrophenol	mg/kg	<0.064	2.2	2.2	0.41	0.43	19	20	10-103	4	50		
2,4-Dinitrotoluene	mg/kg	<0.030	2.2	2.2	1.9	1.8	91	85	38-130	6	27		
2,6-Dinitrotoluene	mg/kg	<0.040	2.2	2.2	2.0	1.7	94	82	41-130	14	28		
2-Chloronaphthalene	mg/kg	<0.027	2.2	2.2	1.7	1.6	82	77	44-130	6	24		
2-Chlorophenol	mg/kg	<0.053	2.2	2.2	1.8	1.6	84	77	33-130	8	30		
2-Methylnaphthalene	mg/kg	<0.055	2.2	2.2	1.7	1.5	82	73	46-130	11	23		
2-Methylphenol(o-Cresol)	mg/kg	<0.038	2.2	2.2	1.8	1.6	84	74	30-130	14	30		
2-Nitroaniline	mg/kg	<0.060	2.2	2.2	2.0	1.7	93	80	27-124	14	25		
2-Nitrophenol	mg/kg	<0.067	2.2	2.2	2.1	1.7	97	79	10-130	21	27		
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.039	2.2	2.2	1.6	1.4	75	67	28-130	11	33		
3,3'-Dichlorobenzidine	mg/kg	<0.057	2.2	2.2	1.8	1.6	83	76	10-112	9	43 CH		
3-Nitroaniline	mg/kg	<0.036	2.2	2.2	1.7	1.7	83	78	10-121	6	33		
4,6-Dinitro-2-methylphenol	mg/kg	<0.065	2.2	2.2	1.2	1.1	55	50	10-115	8	50		
4-Bromophenylphenyl ether	mg/kg	<0.044	2.2	2.2	1.8	1.4	87	67	40-130	25	25		
4-Chloro-3-methylphenol	mg/kg	<0.066	2.2	2.2	1.7	1.5	81	72	30-130	11	29		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		2395456		2395457								
Parameter	Units	40244803008	MS	MSD	MS	MSD	MS	MSD	% Rec	Max	RPD	Qual
		Result	Spike	Spike	Result	Result	% Rec	% Rec	Limits	RPD		
4-Chloroaniline	mg/kg	<0.035	2.2	2.2	1.5	1.3	69	61	16-130	12	33	1q
4-Chlorophenylphenyl ether	mg/kg	<0.039	2.2	2.2	1.9	1.7	90	80	46-130	12	24	
4-Nitroaniline	mg/kg	<0.088	2.2	2.2	1.7	1.7	83	79	10-127	5	40	
4-Nitrophenol	mg/kg	<0.053	2.2	2.2	1.7	1.5	79	69	10-128	14	50	
Acenaphthene	mg/kg	<0.075	2.2	2.2	1.7	1.5	82	70	47-130	15	21	
Acenaphthylene	mg/kg	<0.075	2.2	2.2	1.8	1.6	85	77	49-130	10	22	
Anthracene	mg/kg	<0.034	2.2	2.2	1.6	1.6	76	73	46-130	3	27	
Benzo(a)anthracene	mg/kg	<0.033	2.2	2.2	1.7	1.6	83	76	45-130	8	24	
Benzo(a)pyrene	mg/kg	<0.032	2.2	2.2	1.8	1.5	85	73	48-130	16	27	
Benzo(b)fluoranthene	mg/kg	<0.036	2.2	2.2	1.8	1.4	84	67	41-130	22	31	
Benzo(g,h,i)perylene	mg/kg	<0.055	2.2	2.2	1.8	1.5	84	72	37-130	16	31	
Benzo(k)fluoranthene	mg/kg	<0.051	2.2	2.2	1.8	1.4	86	67	46-130	24	27	
bis(2-Chloroethoxy)methane	mg/kg	<0.057	2.2	2.2	1.7	1.4	80	68	38-130	17	26	
bis(2-Chloroethyl) ether	mg/kg	<0.066	2.2	2.2	1.5	1.4	72	68	42-130	5	29	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.035	2.2	2.2	1.7	1.5	78	72	39-130	8	27	
Butylbenzylphthalate	mg/kg	<0.034	2.2	2.2	1.8	1.6	85	76	39-130	11	27	
Carbazole	mg/kg	<0.033	2.2	2.2	1.6	1.5	77	72	44-130	7	24	
Chrysene	mg/kg	<0.032	2.2	2.2	1.7	1.7	82	78	44-130	4	25	
Di-n-butylphthalate	mg/kg	<0.032	2.2	2.2	1.7	1.6	81	73	45-130	10	26	
Di-n-octylphthalate	mg/kg	<0.047	2.2	2.2	1.8	1.7	86	79	40-134	9	27	
Dibenz(a,h)anthracene	mg/kg	<0.057	2.2	2.2	1.8	1.6	83	75	41-130	10	33	
Dibenzofuran	mg/kg	<0.026	2.2	2.2	1.8	1.7	84	79	47-130	6	23	
Diethylphthalate	mg/kg	<0.035	2.2	2.2	1.8	1.6	85	76	46-130	11	24	
Dimethylphthalate	mg/kg	<0.027	2.2	2.2	1.7	1.7	79	80	47-130	1	24	
Fluoranthene	mg/kg	<0.030	2.2	2.2	1.7	1.7	81	80	50-130	1	27	
Fluorene	mg/kg	<0.025	2.2	2.2	1.7	1.6	82	75	48-130	9	25	
Hexachloro-1,3-butadiene	mg/kg	<0.054	2.2	2.2	2.0	1.4	95	68	42-130	33	27	R1
Hexachlorobenzene	mg/kg	<0.036	2.2	2.2	1.7	1.5	82	70	51-130	16	24	
Hexachlorocyclopentadiene	mg/kg	<0.050	2.2	2.2	1.2	0.92	57	44	10-114	26	50	
Hexachloroethane	mg/kg	<0.034	2.2	2.2	1.6	1.5	77	69	33-130	10	35	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.046	2.2	2.2	1.9	1.5	90	69	34-130	26	38	
Isophorone	mg/kg	<0.032	2.2	2.2	1.8	1.6	85	74	45-130	14	28	
N-Nitroso-di-n-propylamine	mg/kg	<0.033	2.2	2.2	1.7	1.6	81	76	47-130	6	27	
N-Nitrosodiphenylamine	mg/kg	<0.29	2.2	2.2	1.6	1.4	75	69	42-130	9	25	
Naphthalene	mg/kg	<0.074	2.2	2.2	1.7	1.5	83	71	48-130	14	24	
Nitrobenzene	mg/kg	<0.043	2.2	2.2	1.8	1.5	83	69	42-130	18	25	
Pentachlorophenol	mg/kg	<0.047	2.2	2.2	1.4	1.0	67	49	10-108	30	50	
Phenanthrene	mg/kg	<0.027	2.2	2.2	1.6	1.5	74	70	50-130	7	27	
Phenol	mg/kg	<0.050	2.2	2.2	1.6	1.4	77	68	37-130	12	30	
Pyrene	mg/kg	<0.047	2.2	2.2	1.7	1.5	79	72	43-130	9	29	
2,4,6-Tribromophenol (S)	%						89	82	10-144			
2-Fluorobiphenyl (S)	%						82	69	12-118			
2-Fluorophenol (S)	%						76	67	10-130			
Nitrobenzene-d5 (S)	%						84	69	10-125			
Phenol-d6 (S)	%						73	65	10-125			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2395456 2395457												
Parameter	Units	40244803008 Result	MS	MSD	MS	MSD	MS	MSD	% Rec	Limits	Max	Qual
			Spike	Spike		Result		Result				
Terphenyl-d14 (S)	%							79	69	10-124		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

QC Batch: 415703

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244803001, 40244803002, 40244803003, 40244803004, 40244803005, 40244803006, 40244803007, 40244803008, 40244803009, 40244803010, 40244803011, 40244803012

SAMPLE DUPLICATE: 2393311

Parameter	Units	40244640015 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	21.2	21.9	3	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

QC Batch:	415709	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244803013, 40244803014, 40244803016, 40244803017, 40244803018, 40244803019, 40244803020

SAMPLE DUPLICATE: 2393373

Parameter	Units	40244804004 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	4.9	4.5	8	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

QC Batch: 416398

Analysis Method: EPA 9040

QC Batch Method: EPA 9040

Analysis Description: 9040 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244803001, 40244803002, 40244803003, 40244803004, 40244803005, 40244803006, 40244803008, 40244803009, 40244803010, 40244803012, 40244803018, 40244803019, 40244803020

SAMPLE DUPLICATE: 2397797

Parameter	Units	40244803001 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.7	7.8	0	20	2q,H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

QC Batch: 416285

Analysis Method: EPA 9045

QC Batch Method: EPA 9045

Analysis Description: 9045 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244803007, 40244803011, 40244803013, 40244803014, 40244803016, 40244803017

SAMPLE DUPLICATE: 2396952

Parameter	Units	40244735013 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	8.15	8.14	0	5	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

QC Batch:	416477	Analysis Method:	EPA 9012B
QC Batch Method:	EPA 9012B	Analysis Description:	9012 Cyanide
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40244803001, 40244803002, 40244803003, 40244803004, 40244803005, 40244803006, 40244803007, 40244803008, 40244803009, 40244803010, 40244803011, 40244803012, 40244803013, 40244803014, 40244803016, 40244803017, 40244803018, 40244803019, 40244803020		

METHOD BLANK:	2398025	Matrix:	Solid
Associated Lab Samples:	40244803001, 40244803002, 40244803003, 40244803004, 40244803005, 40244803006, 40244803007, 40244803008, 40244803009, 40244803010, 40244803011, 40244803012, 40244803013, 40244803014, 40244803016, 40244803017, 40244803018, 40244803019, 40244803020		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Cyanide	mg/kg	<0.31	0.92	0.31	05/24/22 13:53	

LABORATORY CONTROL SAMPLE:	2398026					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/kg	3	3.2	106	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:	2398027			2398028								
Parameter	Units	40244803010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Cyanide	mg/kg	<0.37	3.8	3.8	3.7	3.7	90	90	80-120	1	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:	2398029			2398030								
Parameter	Units	40244764001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Cyanide	mg/kg	<0.38	3.9	3.9	3.8	3.8	88	89	80-120	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: 416224

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

1q This analyte's recovery was below secondary source verification limits. The results may be biased low.

2q Due to the sample matrix, DI water was added to this sample on a one to one basis and the sample was stirred before analysis.

3q One internal standard was low on this sample, confirmed from a previous analysis

4q This analyte's recovery was below secondary source verification limits. The results may be biased low.

CH The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

CU The continuing calibration for this analyte is above laboratory acceptance limits. Analyte was not detected above the reporting limit in any of the associated samples.

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

E Analyte concentration exceeded the calibration range. The reported result is estimated.

H6 Analysis initiated outside of the 15 minute EPA required holding time.

L2 Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

ANALYTE QUALIFIERS

- | | |
|----|---|
| M1 | Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery. |
| P6 | Matrix spike recovery was outside laboratory control limits due to a parent sample concentration notably higher than the spike level. |
| R1 | RPD value was outside control limits. |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244803001	SB-38 (5.5-6.5)	EPA 3550	815388	EPA 8081B	816139
40244803002	SB-38 (8.5-9.5)	EPA 3550	815388	EPA 8081B	816139
40244803003	SB-43 (5.2-6.2)	EPA 3550	815388	EPA 8081B	816139
40244803004	SB-43 (8.0-9.0)	EPA 3550	815388	EPA 8081B	816139
40244803005	SB-42 (5.0-6.0)	EPA 3550	815388	EPA 8081B	816139
40244803006	SB-42 (8.5-9.5)	EPA 3550	815388	EPA 8081B	816139
40244803007	SB-41 (4.7-5.7)	EPA 3550	815388	EPA 8081B	816139
40244803008	SB-41 (8.3-9.3)	EPA 3550	815388	EPA 8081B	816139
40244803009	SB-22 (4.5-5.5)	EPA 3550	815388	EPA 8081B	816139
40244803010	SB-22 (8.0-9.0)	EPA 3550	815388	EPA 8081B	816139
40244803011	SB-23 (4.8-5.8)	EPA 3550	815388	EPA 8081B	816139
40244803012	SB-23 (8.1-9.1)	EPA 3550	815388	EPA 8081B	816139
40244803013	SB-24 (5.5-6.5)	EPA 3550	815388	EPA 8081B	816139
40244803014	SB-24 (8.0-9.0)	EPA 3550	815388	EPA 8081B	816139
40244803016	SB-25 (5.5-6.5)	EPA 3550	815388	EPA 8081B	816139
40244803017	SB-25 (8.5-9.5)	EPA 3550	815388	EPA 8081B	816139
40244803018	SB-29 (4.5-5.5)	EPA 3550	815388	EPA 8081B	816139
40244803019	SB-29 (8.5-9.5)	EPA 3550	815388	EPA 8081B	816139
40244803020	SB-36 (4.8-5.8)	EPA 3550	815388	EPA 8081B	816139
40244803001	SB-38 (5.5-6.5)	EPA 3541	415633	EPA 8082A	415650
40244803002	SB-38 (8.5-9.5)	EPA 3541	415633	EPA 8082A	415650
40244803003	SB-43 (5.2-6.2)	EPA 3541	415638	EPA 8082A	415725
40244803004	SB-43 (8.0-9.0)	EPA 3541	415638	EPA 8082A	415725
40244803005	SB-42 (5.0-6.0)	EPA 3541	415638	EPA 8082A	415725
40244803006	SB-42 (8.5-9.5)	EPA 3541	415638	EPA 8082A	415725
40244803007	SB-41 (4.7-5.7)	EPA 3541	415638	EPA 8082A	415725
40244803008	SB-41 (8.3-9.3)	EPA 3541	415638	EPA 8082A	415725
40244803009	SB-22 (4.5-5.5)	EPA 3541	415638	EPA 8082A	415725
40244803010	SB-22 (8.0-9.0)	EPA 3541	415638	EPA 8082A	415725
40244803011	SB-23 (4.8-5.8)	EPA 3541	415638	EPA 8082A	415725
40244803012	SB-23 (8.1-9.1)	EPA 3541	415638	EPA 8082A	415725
40244803013	SB-24 (5.5-6.5)	EPA 3541	415638	EPA 8082A	415725
40244803014	SB-24 (8.0-9.0)	EPA 3541	415638	EPA 8082A	415725
40244803016	SB-25 (5.5-6.5)	EPA 3541	415638	EPA 8082A	415725
40244803017	SB-25 (8.5-9.5)	EPA 3541	415638	EPA 8082A	415725
40244803018	SB-29 (4.5-5.5)	EPA 3541	415638	EPA 8082A	415725
40244803019	SB-29 (8.5-9.5)	EPA 3541	415638	EPA 8082A	415725
40244803020	SB-36 (4.8-5.8)	EPA 3541	415638	EPA 8082A	415725
40244803001	SB-38 (5.5-6.5)	EPA 3050B	816276	EPA 6020B	816545
40244803002	SB-38 (8.5-9.5)	EPA 3050B	816276	EPA 6020B	816545
40244803003	SB-43 (5.2-6.2)	EPA 3050B	816276	EPA 6020B	816545
40244803004	SB-43 (8.0-9.0)	EPA 3050B	816276	EPA 6020B	816545
40244803005	SB-42 (5.0-6.0)	EPA 3050B	816276	EPA 6020B	816545
40244803006	SB-42 (8.5-9.5)	EPA 3050B	816276	EPA 6020B	816545
40244803007	SB-41 (4.7-5.7)	EPA 3050B	816276	EPA 6020B	816545
40244803008	SB-41 (8.3-9.3)	EPA 3050B	816276	EPA 6020B	816545
40244803009	SB-22 (4.5-5.5)	EPA 3050B	816276	EPA 6020B	816545

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244803

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244803010	SB-22 (8.0-9.0)	EPA 3050B	816276	EPA 6020B	816545
40244803011	SB-23 (4.8-5.8)	EPA 3050B	816276	EPA 6020B	816545
40244803012	SB-23 (8.1-9.1)	EPA 3050B	816276	EPA 6020B	816545
40244803013	SB-24 (5.5-6.5)	EPA 3050B	816276	EPA 6020B	816545
40244803014	SB-24 (8.0-9.0)	EPA 3050B	816276	EPA 6020B	816545
40244803016	SB-25 (5.5-6.5)	EPA 3050B	816276	EPA 6020B	816545
40244803017	SB-25 (8.5-9.5)	EPA 3050B	816276	EPA 6020B	816545
40244803018	SB-29 (4.5-5.5)	EPA 3050B	816276	EPA 6020B	816545
40244803019	SB-29 (8.5-9.5)	EPA 3050B	816276	EPA 6020B	816545
40244803020	SB-36 (4.8-5.8)	EPA 3050B	816276	EPA 6020B	816545
40244803001	SB-38 (5.5-6.5)	EPA 7471	415914	EPA 7471	415981
40244803002	SB-38 (8.5-9.5)	EPA 7471	415914	EPA 7471	415981
40244803003	SB-43 (5.2-6.2)	EPA 7471	415914	EPA 7471	415981
40244803004	SB-43 (8.0-9.0)	EPA 7471	415914	EPA 7471	415981
40244803005	SB-42 (5.0-6.0)	EPA 7471	415914	EPA 7471	415981
40244803006	SB-42 (8.5-9.5)	EPA 7471	415914	EPA 7471	415981
40244803007	SB-41 (4.7-5.7)	EPA 7471	415914	EPA 7471	415981
40244803008	SB-41 (8.3-9.3)	EPA 7471	415914	EPA 7471	415981
40244803009	SB-22 (4.5-5.5)	EPA 7471	415914	EPA 7471	415981
40244803010	SB-22 (8.0-9.0)	EPA 7471	415914	EPA 7471	415981
40244803011	SB-23 (4.8-5.8)	EPA 7471	415914	EPA 7471	415981
40244803012	SB-23 (8.1-9.1)	EPA 7471	415914	EPA 7471	415981
40244803013	SB-24 (5.5-6.5)	EPA 7471	415914	EPA 7471	415981
40244803014	SB-24 (8.0-9.0)	EPA 7471	415914	EPA 7471	415981
40244803016	SB-25 (5.5-6.5)	EPA 7471	415914	EPA 7471	415981
40244803017	SB-25 (8.5-9.5)	EPA 7471	415914	EPA 7471	415981
40244803018	SB-29 (4.5-5.5)	EPA 7471	415914	EPA 7471	415981
40244803019	SB-29 (8.5-9.5)	EPA 7471	415914	EPA 7471	415981
40244803020	SB-36 (4.8-5.8)	EPA 7471	415914	EPA 7471	415981
40244803001	SB-38 (5.5-6.5)	EPA 3546	415911	EPA 8270E	415977
40244803002	SB-38 (8.5-9.5)	EPA 3546	415911	EPA 8270E	415977
40244803003	SB-43 (5.2-6.2)	EPA 3546	415911	EPA 8270E	415977
40244803004	SB-43 (8.0-9.0)	EPA 3546	415911	EPA 8270E	415977
40244803005	SB-42 (5.0-6.0)	EPA 3546	415911	EPA 8270E	415977
40244803006	SB-42 (8.5-9.5)	EPA 3546	415911	EPA 8270E	415977
40244803007	SB-41 (4.7-5.7)	EPA 3546	416044	EPA 8270E	416088
40244803008	SB-41 (8.3-9.3)	EPA 3546	416044	EPA 8270E	416088
40244803009	SB-22 (4.5-5.5)	EPA 3546	416044	EPA 8270E	416088
40244803010	SB-22 (8.0-9.0)	EPA 3546	416044	EPA 8270E	416088
40244803011	SB-23 (4.8-5.8)	EPA 3546	416044	EPA 8270E	416088
40244803012	SB-23 (8.1-9.1)	EPA 3546	416044	EPA 8270E	416088
40244803013	SB-24 (5.5-6.5)	EPA 3546	416044	EPA 8270E	416088
40244803014	SB-24 (8.0-9.0)	EPA 3546	416044	EPA 8270E	416088
40244803016	SB-25 (5.5-6.5)	EPA 3546	416044	EPA 8270E	416088
40244803017	SB-25 (8.5-9.5)	EPA 3546	416044	EPA 8270E	416088
40244803018	SB-29 (4.5-5.5)	EPA 3546	416044	EPA 8270E	416088
40244803019	SB-29 (8.5-9.5)	EPA 3546	416044	EPA 8270E	416088

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244803020	SB-36 (4.8-5.8)	EPA 3546	416044	EPA 8270E	416088
40244803001	SB-38 (5.5-6.5)	EPA 5035/5030	416222	EPA 8260	416224
40244803002	SB-38 (8.5-9.5)	EPA 5035/5030	416222	EPA 8260	416224
40244803003	SB-43 (5.2-6.2)	EPA 5035/5030	416222	EPA 8260	416224
40244803004	SB-43 (8.0-9.0)	EPA 5035/5030	416222	EPA 8260	416224
40244803005	SB-42 (5.0-6.0)	EPA 5035/5030	416222	EPA 8260	416224
40244803006	SB-42 (8.5-9.5)	EPA 5035/5030	416222	EPA 8260	416224
40244803007	SB-41 (4.7-5.7)	EPA 5035/5030	416222	EPA 8260	416224
40244803008	SB-41 (8.3-9.3)	EPA 5035/5030	416222	EPA 8260	416224
40244803009	SB-22 (4.5-5.5)	EPA 5035/5030	416222	EPA 8260	416224
40244803010	SB-22 (8.0-9.0)	EPA 5035/5030	416222	EPA 8260	416224
40244803011	SB-23 (4.8-5.8)	EPA 5035/5030	416222	EPA 8260	416224
40244803012	SB-23 (8.1-9.1)	EPA 5035/5030	416222	EPA 8260	416224
40244803013	SB-24 (5.5-6.5)	EPA 5035/5030	416222	EPA 8260	416224
40244803014	SB-24 (8.0-9.0)	EPA 5035/5030	416222	EPA 8260	416224
40244803015	TB-07	EPA 5035/5030	416222	EPA 8260	416224
40244803016	SB-25 (5.5-6.5)	EPA 5035/5030	416222	EPA 8260	416224
40244803017	SB-25 (8.5-9.5)	EPA 5035/5030	416222	EPA 8260	416224
40244803018	SB-29 (4.5-5.5)	EPA 5035/5030	416222	EPA 8260	416224
40244803019	SB-29 (8.5-9.5)	EPA 5035/5030	416222	EPA 8260	416224
40244803020	SB-36 (4.8-5.8)	EPA 5035/5030	416222	EPA 8260	416224
40244803001	SB-38 (5.5-6.5)	ASTM D2974-87	415703		
40244803002	SB-38 (8.5-9.5)	ASTM D2974-87	415703		
40244803003	SB-43 (5.2-6.2)	ASTM D2974-87	415703		
40244803004	SB-43 (8.0-9.0)	ASTM D2974-87	415703		
40244803005	SB-42 (5.0-6.0)	ASTM D2974-87	415703		
40244803006	SB-42 (8.5-9.5)	ASTM D2974-87	415703		
40244803007	SB-41 (4.7-5.7)	ASTM D2974-87	415703		
40244803008	SB-41 (8.3-9.3)	ASTM D2974-87	415703		
40244803009	SB-22 (4.5-5.5)	ASTM D2974-87	415703		
40244803010	SB-22 (8.0-9.0)	ASTM D2974-87	415703		
40244803011	SB-23 (4.8-5.8)	ASTM D2974-87	415703		
40244803012	SB-23 (8.1-9.1)	ASTM D2974-87	415703		
40244803013	SB-24 (5.5-6.5)	ASTM D2974-87	415709		
40244803014	SB-24 (8.0-9.0)	ASTM D2974-87	415709		
40244803016	SB-25 (5.5-6.5)	ASTM D2974-87	415709		
40244803017	SB-25 (8.5-9.5)	ASTM D2974-87	415709		
40244803018	SB-29 (4.5-5.5)	ASTM D2974-87	415709		
40244803019	SB-29 (8.5-9.5)	ASTM D2974-87	415709		
40244803020	SB-36 (4.8-5.8)	ASTM D2974-87	415709		
40244803001	SB-38 (5.5-6.5)	EPA 9040	416398		
40244803002	SB-38 (8.5-9.5)	EPA 9040	416398		
40244803003	SB-43 (5.2-6.2)	EPA 9040	416398		
40244803004	SB-43 (8.0-9.0)	EPA 9040	416398		
40244803005	SB-42 (5.0-6.0)	EPA 9040	416398		
40244803006	SB-42 (8.5-9.5)	EPA 9040	416398		
40244803008	SB-41 (8.3-9.3)	EPA 9040	416398		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244803

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244803009	SB-22 (4.5-5.5)	EPA 9040	416398		
40244803010	SB-22 (8.0-9.0)	EPA 9040	416398		
40244803012	SB-23 (8.1-9.1)	EPA 9040	416398		
40244803018	SB-29 (4.5-5.5)	EPA 9040	416398		
40244803019	SB-29 (8.5-9.5)	EPA 9040	416398		
40244803020	SB-36 (4.8-5.8)	EPA 9040	416398		
40244803007	SB-41 (4.7-5.7)	EPA 9045	416285		
40244803011	SB-23 (4.8-5.8)	EPA 9045	416285		
40244803013	SB-24 (5.5-6.5)	EPA 9045	416285		
40244803014	SB-24 (8.0-9.0)	EPA 9045	416285		
40244803016	SB-25 (5.5-6.5)	EPA 9045	416285		
40244803017	SB-25 (8.5-9.5)	EPA 9045	416285		
40244803001	SB-38 (5.5-6.5)	EPA 9012B	416477	EPA 9012B	416551
40244803002	SB-38 (8.5-9.5)	EPA 9012B	416477	EPA 9012B	416551
40244803003	SB-43 (5.2-6.2)	EPA 9012B	416477	EPA 9012B	416551
40244803004	SB-43 (8.0-9.0)	EPA 9012B	416477	EPA 9012B	416551
40244803005	SB-42 (5.0-6.0)	EPA 9012B	416477	EPA 9012B	416551
40244803006	SB-42 (8.5-9.5)	EPA 9012B	416477	EPA 9012B	416551
40244803007	SB-41 (4.7-5.7)	EPA 9012B	416477	EPA 9012B	416551
40244803008	SB-41 (8.3-9.3)	EPA 9012B	416477	EPA 9012B	416551
40244803009	SB-22 (4.5-5.5)	EPA 9012B	416477	EPA 9012B	416551
40244803010	SB-22 (8.0-9.0)	EPA 9012B	416477	EPA 9012B	416551
40244803011	SB-23 (4.8-5.8)	EPA 9012B	416477	EPA 9012B	416551
40244803012	SB-23 (8.1-9.1)	EPA 9012B	416477	EPA 9012B	416551
40244803013	SB-24 (5.5-6.5)	EPA 9012B	416477	EPA 9012B	416551
40244803014	SB-24 (8.0-9.0)	EPA 9012B	416477	EPA 9012B	416551
40244803016	SB-25 (5.5-6.5)	EPA 9012B	416477	EPA 9012B	416551
40244803017	SB-25 (8.5-9.5)	EPA 9012B	416477	EPA 9012B	416551
40244803018	SB-29 (4.5-5.5)	EPA 9012B	416477	EPA 9012B	416551
40244803019	SB-29 (8.5-9.5)	EPA 9012B	416477	EPA 9012B	416551
40244803020	SB-36 (4.8-5.8)	EPA 9012B	416477	EPA 9012B	416551

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: Fehr Graham
 Branch/Location: Rockford IL
 Project Contact: Tony Guajardo
 Phone: 815-394-4700
 Project Number: 22-521 PH01
 Project Name: Pillsbury
 Project State: Illinois
 Sampled By (Print): Hannah Msko
 Sampled By (Sign): Hannah Msko
 PO #: 22-521 PH01 Regulatory Program:



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

40244802 KR 5/12/22 Page 1 of 2

40244803 (3 Coolers)

CHAIN OF CUSTODY

*Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N									
	E	F	A	A								
Analyses Requested	VOCS			Pesticides SVOCs, PCBs, CN, TRC METALS, PH								
	X	X	X									
	X	X	X									
	X	X	X									
	X	X	X									
	X	X	X									
	X	X	X									
	X	X	X									
	X	X	X									
	X	X	X									
	X	X	X									
	X	X	X									
	X	X	X									

Quote #: _____
 Mail To Contact: Tony Guajardo
 Mail To Company: Fehr Graham
 Mail To Address: 200 prairie st
Suite 208
Rockford IL 61107
 Invoice To Contact: Tony Guajardo
 Invoice To Company: Fehr Graham
 Invoice To Address: 200 prairie street
Suite 208
Rockford IL 61107
 Invoice To Phone: 815-394-4700
 CLIENT COMMENTS: _____
 LAB COMMENTS (Lab Use Only): _____
 Profile #: _____

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y/N	N	N	N								
		DATE	TIME													
001	SB-38 (5.5-6.5)	5.11.22	0810	S	X	X	X									
002	SB-38 (8.5-9.5)	5.11	0815	S	X	X	X									
003	SB-43 (5.2-6.2)	5.11	0855	S	X	X	X									
004	SB-43 (8.0-9.0)	5.11	0900	S	X	X	X									
005	SB-42 (5.0-6.0)	5.11	0945	S	X	X	X									
006	SB-42 (8.5-9.5)	5.11	0950	S	X	X	X									
007	SB-41 (4.7-5.7)	5.11	1035	S	X	X	X									
008	SB-41 (8.3-9.3)	5.11	1040	S	X	X	X									
009	SB-22 (4.5-5.5)	5.11	1130	S	X	X	X									
010	SB-22 (8.0-9.0)	5.11	1135	S	X	X	X									
011	SB-23 (4.8-5.8)	5.11	1245	S	X	X	X									
012	SB-23 (8.1-9.1)	5.11	1250	S	X	X	X									
013	SB-24 (5.5-6.5)	5.11	1330	S	X	X	X									

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed:	Relinquished By: <u>Hannah Msko</u> Date/Time: <u>05/11/2022 1730</u>	Received By: _____ Date/Time: _____	PACE Project No. <u>40244803</u> Receipt Temp = <u>3/3.5/1</u> °C Sample Receipt pH <input checked="" type="checkbox"/> OK / Adjusted Cooler Custody Seal <input checked="" type="checkbox"/> Present / Not Present <input checked="" type="checkbox"/> Intact / Not Intact
Transmit Prelim Rush Results by (complete what you want):	Relinquished By: <u>UPS</u> Date/Time: <u>5/12/22 1010</u>	Received By: <u>Tony Guajardo</u> Date/Time: <u>5/12/22 1010</u>	
Email #1:	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	
Email #2:	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	
Telephone:	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	
Fax:	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	
Samples on HOLD are subject to special pricing and release of liability	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	

(Please Print Clearly)

Company Name: **Fehr Graham**
 Branch/Location: **Rockford, IL**
 Project Contact: **Tony Guajardo**
 Phone: **815-394-4700**
 Project Number: **22-521 PH01**
 Project Name: **Pittsbury**
 Project State: **Illinois**
 Sampled By (Print): **Hannah Insko**
 Sampled By (Sign): *Hannah Insko*
 PO #: **22-521 PH01** Regulatory Program:



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

40244803 Page 2 of 2

(3 Coolers)

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N																
				Pick Letter	E	F	A	R											
Analyses Requested																			
	VOCs																		
pesticides																			
SVOCs, PCBs, CWI																			
TAL metals, etc																			
	X	X	X																
	X																		
	X	X	X																
	X	X	X																
	X	X	X																
	X	X	X																

Quote #:
 Mail To Contact: **Tony Guajardo**
 Mail To Company: **Fehr Company**
 Mail To Address: **200 prairie street suite 208 Rockford IL 61107**
 Invoice To Contact: **Tony Guajardo**
 Invoice To Company: **Fehr Graham**
 Invoice To Address: **200 prairie street suite 208 Rockford IL 61107**
 Invoice To Phone: **815-394-4700**
 CLIENT COMMENTS
 LAB COMMENTS (Lab Use Only)
 Profile #

Data Package Options (billable)
 EPA Level III
 EPA Level IV
MS/MSD
 On your sample (billable)
 NOT needed on your sample
Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y/N	N	N	N												
		DATE	TIME																	
014	SB-24 (8.0-9.0)	5.11	1325	S		X	X	X												
015	TB-07	5.11	1730	S		X														
016	SB-25 (5.5-6.5)	5.11	1435	S		X	X	X												
017	SB-25 (8.5-9.5)	5.11	1440	S		X	X	X												
018	SB-29 (4.5-5.5)	5.11	1535	S		X	X	X												
019	SB-29 (8.5-9.5)	5.11	1540	S		X	X	X												
020	SB-36 (4.8-5.8)	5.11	1625	S		X	X	X												

Rush Turnaround Time Requested - Prelims
 (Rush TAT subject to approval/surcharge)
 Date Needed:
 Transmit Prelim Rush Results by (complete what you want):
 Email #1:
 Email #2:
 Telephone:
 Fax:
 Samples on HOLD are subject to special pricing and release of liability

Relinquished By: <i>Hannah Insko</i>	Date/Time: 05/11/22 1730	Received By:	Date/Time:
Relinquished By: <i>UPS</i>	Date/Time: 5/12/22 1010	Received By: <i>Tracy MA pace</i>	Date/Time: 5/12/22 1610
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:

PACE Project No. **40244803**
 Receipt Temp = **3/35/1** °C
 Sample Receipt pH **OK / Adjusted**
 Cooler Custody Seal Present / Not Present
 Intact / Not Intact

Sample Preservation Receipt Form

Client Name: Fehr Graham

Project # 40244803

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed:

Date/Time:

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):


Pace Lab #	Glass							Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)				
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC								GN			
001																2																		2.5 / 5 / 10	
002																2																		2.5 / 5 / 10	
003																2																		2.5 / 5 / 10	
004																2																		2.5 / 5 / 10	
005																2																		2.5 / 5 / 10	
006																2																		2.5 / 5 / 10	
007																2																		2.5 / 5 / 10	
008																2																		2.5 / 5 / 10	
009																2																		2.5 / 5 / 10	
010																2																		2.5 / 5 / 10	
011																2																		2.5 / 5 / 10	
012																2																			2.5 / 5 / 10
013																2																			2.5 / 5 / 10
014																2																			2.5 / 5 / 10
015																2																			2.5 / 5 / 10
016																2																			2.5 / 5 / 10
017																2																			2.5 / 5 / 10
018																2																			2.5 / 5 / 10
019																2																			2.5 / 5 / 10
020																2																			2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm): Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	VG9A 40 mL clear ascorbic	JGFU 4 oz amber jar unpres
BG1U 1 liter clear glass	BP3U 250 mL plastic unpres	DG9T 40 mL amber Na Thio	JG9U 9 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP3B 250 mL plastic NaOH	VG9U 40 mL clear vial unpres	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9H 40 mL clear vial HCL	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3S 250 mL plastic H2SO4	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG5U 100 mL amber glass unpres		VG9D 40 mL clear vial DI	ZPLC ziploc bag
AG2S 500 mL amber glass H2SO4			GN
BG3U 250 mL clear glass unpres			

Sample Condition Upon Receipt Form (SCUR)

Client Name: Fehr Graham
 Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

Project #: _____
WO#: 40244803

 40244803

Tracking #: 1Z90E WF3 13 9089 9027
 Custody Seal on Cooler/Box Present: yes no Seals intact: yes no
 Custody Seal on Samples Present: yes no Seals intact: yes no
 Packing Material: Bubble Wrap Bubble Bags None Other
 Thermometer Used SR - 117 Type of Ice: Wet Blue Dry None
 Cooler Temperature Uncorr: 25/31.5/Corr: 31.3/5/1
 Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 5/12/22 Initials: JP
 Labeled By Initials: JKW

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Date/Time: _____
Short Hold Time Analysis (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>S</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>479</u>		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample login

May 27, 2022

Annie Ray
Fehr Graham
200 Prairie St
Suite 208
Rockford, IL 61107

RE: Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Dear Annie Ray:

Enclosed are the analytical results for sample(s) received by the laboratory on May 13, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay
- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab

A2LA Certification #: 2926.01*
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009*
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014*
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605*
Georgia Certification #: 959
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086*
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064*
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137*
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240*
Mississippi Certification #: MN00064

Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081*
New Jersey Certification #: MN002
New York Certification #: 11647*
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification (A2LA) #: R-036
North Dakota Certification (MN) #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Ohio VAP Certification (1800) #: CL110*
Oklahoma Certification #: 9507*
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001*
Pennsylvania Certification #: 68-00563*
Puerto Rico Certification #: MN00064
South Carolina Certification #:74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192*
Utah Certification #: MN00064*
Vermont Certification #: VT-027053137
Virginia Certification #: 460163*
Washington Certification #: C486*
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification #: via A2LA 2926.01
USDA Permit #: P330-19-00208
Please Note: Applicable air certifications are denoted with an asterisk ().

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40244893001	05122022 DUP-07	Solid	05/12/22 00:00	05/13/22 13:45
40244893002	TB-08	Solid	05/12/22 10:00	05/13/22 13:45
40244893003	SB-37 (5.4-6.4)	Solid	05/12/22 07:10	05/13/22 13:45
40244893004	SB-37 (8.0-9.0)	Solid	05/12/22 07:15	05/13/22 13:45
40244893005	SB-45 (1.3-2.3)	Solid	05/12/22 07:55	05/13/22 13:45
40244893006	SB-45 (4.5-5.5)	Solid	05/12/22 08:00	05/13/22 13:45
40244893007	SB-48 (0.8-1.8)	Solid	05/12/22 09:25	05/13/22 13:45
40244893008	SB-48 (4.2-5.2)	Solid	05/12/22 09:30	05/13/22 13:45

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244893001	05122022 DUP-07	EPA 8081	RAG	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	K1S	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244893002	TB-08	EPA 8260	LAP	38	PASI-G
40244893003	SB-37 (5.4-6.4)	EPA 8081	RAG	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	K1S	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244893004	SB-37 (8.0-9.0)	EPA 8081	RAG	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	K1S	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
40244893005	SB-45 (1.3-2.3)	EPA 8081	RAG	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40244893006	SB-45 (4.5-5.5)	EPA 8081	RAG	24	PASI-M
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	BMT	1	PASI-G
		EPA 9045	HNT	1	PASI-G
		EPA 9012B	DAW	1	PASI-G
		40244893007	SB-48 (0.8-1.8)	EPA 8081	RAG
EPA 8082A	BLM			10	PASI-G
EPA 6020B	RJS			22	PASI-M
EPA 7471	AJT			1	PASI-G
EPA 8270E	TPO			70	PASI-G
EPA 8260	LAP			38	PASI-G
ASTM D2974-87	PDV			1	PASI-G
EPA 9040	YER			1	PASI-G
EPA 9012B	DAW			1	PASI-G
40244893008	SB-48 (4.2-5.2)			EPA 8081	RAG
		EPA 8082A	BLM	10	PASI-G
		EPA 6020B	RJS	22	PASI-M
		EPA 7471	AJT	1	PASI-G
		EPA 8270E	TPO	70	PASI-G
		EPA 8260	LAP	38	PASI-G
		ASTM D2974-87	PDV	1	PASI-G
		EPA 9040	YER	1	PASI-G
		EPA 9012B	DAW	1	PASI-G

PASI-G = Pace Analytical Services - Green Bay
PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244893001	05122022 DUP-07					
EPA 8081	4,4'-DDE	0.0025J	mg/kg	0.0045	05/20/22 16:05	
EPA 6020B	Aluminum	10700	mg/kg	38.3	05/25/22 23:54	
EPA 6020B	Antimony	0.19J	mg/kg	0.64	05/25/22 23:54	
EPA 6020B	Arsenic	6.7	mg/kg	0.64	05/25/22 23:54	
EPA 6020B	Barium	147	mg/kg	0.38	05/25/22 23:54	
EPA 6020B	Beryllium	0.65	mg/kg	0.26	05/25/22 23:54	
EPA 6020B	Cadmium	0.29	mg/kg	0.10	05/25/22 23:54	
EPA 6020B	Calcium	13500	mg/kg	128	05/25/22 23:54	
EPA 6020B	Chromium	14.8	mg/kg	2.6	05/25/22 23:54	
EPA 6020B	Cobalt	8.2	mg/kg	0.64	05/25/22 23:54	
EPA 6020B	Copper	16.7	mg/kg	1.3	05/25/22 23:54	
EPA 6020B	Iron	19300	mg/kg	63.9	05/25/22 23:54	
EPA 6020B	Lead	19.3	mg/kg	0.64	05/25/22 23:54	
EPA 6020B	Magnesium	6390	mg/kg	38.3	05/26/22 14:18	
EPA 6020B	Manganese	489	mg/kg	0.64	05/25/22 23:54	
EPA 6020B	Nickel	15.8	mg/kg	0.64	05/26/22 14:18	
EPA 6020B	Potassium	942	mg/kg	128	05/25/22 23:54	
EPA 6020B	Selenium	0.59J	mg/kg	0.64	05/25/22 23:54	
EPA 6020B	Silver	0.27J	mg/kg	0.64	05/25/22 23:54	
EPA 6020B	Sodium	118	mg/kg	63.9	05/25/22 23:54	
EPA 6020B	Thallium	0.24	mg/kg	0.13	05/25/22 23:54	
EPA 6020B	Vanadium	28.7	mg/kg	1.3	05/25/22 23:54	
EPA 6020B	Zinc	57.4	mg/kg	6.4	05/25/22 23:54	
EPA 7471	Mercury	0.015J	mg/kg	0.046	05/24/22 09:09	
EPA 8270E	3&4-Methylphenol(m&p Cresol)	0.074J	mg/kg	0.14	05/19/22 18:22	
EPA 8270E	Fluoranthene	0.037J	mg/kg	0.11	05/19/22 18:22	
ASTM D2974-87	Percent Moisture	26.2	%	0.10	05/16/22 16:22	
EPA 9040	pH at 25 Degrees C	6.7	Std. Units	0.10	05/24/22 09:58	3q,H6
EPA 9012B	Cyanide	0.47J	mg/kg	1.1	05/24/22 14:38	
40244893003	SB-37 (5.4-6.4)					
EPA 6020B	Aluminum	15700	mg/kg	36.6	05/25/22 23:58	
EPA 6020B	Arsenic	5.9	mg/kg	0.61	05/25/22 23:58	
EPA 6020B	Barium	154	mg/kg	0.37	05/25/22 23:58	
EPA 6020B	Beryllium	0.75	mg/kg	0.24	05/25/22 23:58	
EPA 6020B	Cadmium	0.090J	mg/kg	0.097	05/25/22 23:58	
EPA 6020B	Calcium	4450	mg/kg	122	05/25/22 23:58	
EPA 6020B	Chromium	19.0	mg/kg	2.4	05/25/22 23:58	
EPA 6020B	Cobalt	5.0	mg/kg	0.61	05/25/22 23:58	
EPA 6020B	Copper	16.3	mg/kg	1.2	05/25/22 23:58	
EPA 6020B	Iron	19900	mg/kg	60.9	05/25/22 23:58	
EPA 6020B	Lead	12.5	mg/kg	0.61	05/25/22 23:58	
EPA 6020B	Magnesium	3400	mg/kg	36.6	05/26/22 14:22	
EPA 6020B	Manganese	151	mg/kg	0.61	05/25/22 23:58	
EPA 6020B	Nickel	12.3	mg/kg	0.61	05/26/22 14:22	
EPA 6020B	Potassium	1100	mg/kg	122	05/25/22 23:58	
EPA 6020B	Selenium	0.93	mg/kg	0.61	05/25/22 23:58	
EPA 6020B	Sodium	68.2	mg/kg	60.9	05/25/22 23:58	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244893003	SB-37 (5.4-6.4)					
EPA 6020B	Thallium	0.17	mg/kg	0.12	05/25/22 23:58	
EPA 6020B	Vanadium	35.4	mg/kg	1.2	05/25/22 23:58	
EPA 6020B	Zinc	52.5	mg/kg	6.1	05/25/22 23:58	
ASTM D2974-87	Percent Moisture	22.9	%	0.10	05/16/22 16:22	
EPA 9040	pH at 25 Degrees C	7.2	Std. Units	0.10	05/24/22 10:02	3q,H6
40244893004	SB-37 (8.0-9.0)					
EPA 6020B	Aluminum	14600	mg/kg	37.0	05/26/22 00:02	
EPA 6020B	Antimony	0.19J	mg/kg	0.62	05/26/22 00:02	
EPA 6020B	Arsenic	15.3	mg/kg	0.62	05/26/22 00:02	
EPA 6020B	Barium	161	mg/kg	0.37	05/26/22 00:02	
EPA 6020B	Beryllium	0.79	mg/kg	0.25	05/26/22 00:02	
EPA 6020B	Cadmium	0.46	mg/kg	0.099	05/26/22 00:02	
EPA 6020B	Calcium	12500	mg/kg	123	05/26/22 00:02	
EPA 6020B	Chromium	20.4	mg/kg	2.5	05/26/22 00:02	
EPA 6020B	Cobalt	13.6	mg/kg	0.62	05/26/22 00:02	
EPA 6020B	Copper	21.1	mg/kg	1.2	05/26/22 00:02	
EPA 6020B	Iron	27000	mg/kg	61.7	05/26/22 00:02	
EPA 6020B	Lead	16.7	mg/kg	0.62	05/26/22 00:02	
EPA 6020B	Magnesium	6160	mg/kg	37.0	05/26/22 14:26	
EPA 6020B	Manganese	866	mg/kg	6.2	05/26/22 00:06	
EPA 6020B	Nickel	25.7	mg/kg	0.62	05/26/22 14:26	
EPA 6020B	Potassium	789	mg/kg	123	05/26/22 00:02	
EPA 6020B	Selenium	0.30J	mg/kg	0.62	05/26/22 00:02	
EPA 6020B	Sodium	67.0	mg/kg	61.7	05/26/22 00:02	
EPA 6020B	Thallium	0.21	mg/kg	0.12	05/26/22 00:02	
EPA 6020B	Vanadium	38.9	mg/kg	1.2	05/26/22 00:02	
EPA 6020B	Zinc	64.6	mg/kg	6.2	05/26/22 00:02	
EPA 7471	Mercury	0.025J	mg/kg	0.041	05/24/22 09:20	
ASTM D2974-87	Percent Moisture	21.4	%	0.10	05/16/22 16:22	
EPA 9040	pH at 25 Degrees C	7.5	Std. Units	0.10	05/24/22 10:06	3q,H6
40244893005	SB-45 (1.3-2.3)					
EPA 6020B	Aluminum	11400	mg/kg	39.5	05/26/22 00:09	
EPA 6020B	Antimony	0.16J	mg/kg	0.66	05/26/22 00:09	
EPA 6020B	Arsenic	5.8	mg/kg	0.66	05/26/22 00:09	
EPA 6020B	Barium	157	mg/kg	0.39	05/26/22 00:09	
EPA 6020B	Beryllium	0.60	mg/kg	0.26	05/26/22 00:09	
EPA 6020B	Cadmium	0.23	mg/kg	0.11	05/26/22 00:09	
EPA 6020B	Calcium	19500	mg/kg	132	05/26/22 00:09	
EPA 6020B	Chromium	16.3	mg/kg	2.6	05/26/22 00:09	
EPA 6020B	Cobalt	6.2	mg/kg	0.66	05/26/22 00:09	
EPA 6020B	Copper	14.4	mg/kg	1.3	05/26/22 00:09	
EPA 6020B	Iron	18700	mg/kg	65.8	05/26/22 00:09	
EPA 6020B	Lead	22.2	mg/kg	0.66	05/26/22 00:09	
EPA 6020B	Magnesium	7660	mg/kg	39.5	05/26/22 14:30	
EPA 6020B	Manganese	485	mg/kg	0.66	05/26/22 00:09	
EPA 6020B	Nickel	15.7	mg/kg	0.66	05/26/22 14:30	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244893005	SB-45 (1.3-2.3)					
EPA 6020B	Potassium	1000	mg/kg	132	05/26/22 00:09	
EPA 6020B	Selenium	0.46J	mg/kg	0.66	05/26/22 00:09	
EPA 6020B	Sodium	92.0	mg/kg	65.8	05/26/22 00:09	
EPA 6020B	Thallium	0.16	mg/kg	0.13	05/26/22 00:09	
EPA 6020B	Vanadium	28.3	mg/kg	1.3	05/26/22 00:09	
EPA 6020B	Zinc	52.4	mg/kg	6.6	05/26/22 00:09	
EPA 7471	Mercury	0.022J	mg/kg	0.042	05/24/22 09:23	
EPA 8270E	3&4-Methylphenol(m&p Cresol)	0.056J	mg/kg	0.14	05/19/22 19:04	
ASTM D2974-87	Percent Moisture	25.8	%	0.10	05/17/22 12:58	
EPA 9040	pH at 25 Degrees C	6.8	Std. Units	0.10	05/24/22 10:13	3q,H6
40244893006	SB-45 (4.5-5.5)					
EPA 6020B	Aluminum	16000	mg/kg	33.6	05/26/22 00:13	
EPA 6020B	Antimony	0.15J	mg/kg	0.56	05/26/22 00:13	
EPA 6020B	Arsenic	8.4	mg/kg	0.56	05/26/22 00:13	
EPA 6020B	Barium	190	mg/kg	0.34	05/26/22 00:13	
EPA 6020B	Beryllium	0.77	mg/kg	0.22	05/26/22 00:13	
EPA 6020B	Cadmium	0.29	mg/kg	0.089	05/26/22 00:13	
EPA 6020B	Calcium	4270	mg/kg	112	05/26/22 00:13	
EPA 6020B	Chromium	20.6	mg/kg	2.2	05/26/22 00:13	
EPA 6020B	Cobalt	11.2	mg/kg	0.56	05/26/22 00:13	
EPA 6020B	Copper	19.0	mg/kg	1.1	05/26/22 00:13	
EPA 6020B	Iron	23300	mg/kg	55.9	05/26/22 00:13	
EPA 6020B	Lead	12.9	mg/kg	0.56	05/26/22 00:13	
EPA 6020B	Magnesium	3830	mg/kg	33.6	05/26/22 14:33	
EPA 6020B	Manganese	881	mg/kg	5.6	05/26/22 14:37	
EPA 6020B	Nickel	22.2	mg/kg	0.56	05/26/22 14:33	
EPA 6020B	Potassium	801	mg/kg	112	05/26/22 00:13	
EPA 6020B	Selenium	0.36J	mg/kg	0.56	05/26/22 00:13	
EPA 6020B	Sodium	111	mg/kg	55.9	05/26/22 00:13	
EPA 6020B	Thallium	0.15	mg/kg	0.11	05/26/22 00:13	
EPA 6020B	Vanadium	37.2	mg/kg	1.1	05/26/22 00:13	
EPA 6020B	Zinc	55.8	mg/kg	5.6	05/26/22 00:13	
EPA 7471	Mercury	0.033J	mg/kg	0.041	05/24/22 09:25	
ASTM D2974-87	Percent Moisture	15.3	%	0.10	05/19/22 08:48	
EPA 9045	pH at 25 Degrees C	7.71	Std. Units	0.100	05/23/22 15:51	H6
40244893007	SB-48 (0.8-1.8)					
EPA 8082A	PCB-1260 (Aroclor 1260)	0.024J	mg/kg	0.064	05/17/22 18:35	
EPA 8082A	PCB, Total	0.024J	mg/kg	0.064	05/17/22 18:35	
EPA 6020B	Aluminum	11600	mg/kg	35.9	05/26/22 00:17	
EPA 6020B	Antimony	0.17J	mg/kg	0.60	05/26/22 00:17	
EPA 6020B	Arsenic	5.8	mg/kg	0.60	05/26/22 00:17	
EPA 6020B	Barium	131	mg/kg	0.36	05/26/22 00:17	
EPA 6020B	Beryllium	0.71	mg/kg	0.24	05/26/22 00:17	
EPA 6020B	Cadmium	0.32	mg/kg	0.096	05/26/22 00:17	
EPA 6020B	Calcium	10300	mg/kg	120	05/26/22 00:17	
EPA 6020B	Chromium	17.6	mg/kg	2.4	05/26/22 00:17	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40244893007	SB-48 (0.8-1.8)					
EPA 6020B	Cobalt	6.8	mg/kg	0.60	05/26/22 00:17	
EPA 6020B	Copper	24.0	mg/kg	1.2	05/26/22 00:17	
EPA 6020B	Iron	22300	mg/kg	59.9	05/26/22 00:17	
EPA 6020B	Lead	16.3	mg/kg	0.60	05/26/22 00:17	
EPA 6020B	Magnesium	6040	mg/kg	35.9	05/26/22 14:41	
EPA 6020B	Manganese	334	mg/kg	0.60	05/26/22 00:17	
EPA 6020B	Nickel	17.4	mg/kg	0.60	05/26/22 14:41	
EPA 6020B	Potassium	1090	mg/kg	120	05/26/22 00:17	
EPA 6020B	Selenium	0.55J	mg/kg	0.60	05/26/22 00:17	
EPA 6020B	Sodium	148	mg/kg	59.9	05/26/22 00:17	
EPA 6020B	Thallium	0.18	mg/kg	0.12	05/26/22 00:17	
EPA 6020B	Vanadium	34.0	mg/kg	1.2	05/26/22 00:17	
EPA 6020B	Zinc	62.4	mg/kg	6.0	05/26/22 00:17	
EPA 7471	Mercury	0.028J	mg/kg	0.043	05/24/22 09:27	
EPA 8270E	2-Methylnaphthalene	0.55J	mg/kg	1.8	05/20/22 16:36	
EPA 8270E	Benzo(g,h,i)perylene	0.65J	mg/kg	1.9	05/20/22 16:36	
EPA 8270E	Chrysene	0.56J	mg/kg	1.1	05/20/22 16:36	
EPA 8270E	Phenanthrene	0.48J	mg/kg	0.91	05/20/22 16:36	
EPA 8270E	Pyrene	2.4	mg/kg	1.6	05/20/22 16:36	
EPA 8260	Carbon disulfide	0.0017J	mg/kg	0.0049	05/19/22 14:46	
ASTM D2974-87	Percent Moisture	21.4	%	0.10	05/17/22 15:10	
EPA 9040	pH at 25 Degrees C	7.6	Std. Units	0.10	05/24/22 10:18	3q,H6
40244893008	SB-48 (4.2-5.2)					
EPA 6020B	Aluminum	17600	mg/kg	37.4	05/26/22 00:51	
EPA 6020B	Antimony	0.20J	mg/kg	0.62	05/26/22 00:51	
EPA 6020B	Arsenic	11.7	mg/kg	0.62	05/26/22 00:51	
EPA 6020B	Barium	215	mg/kg	0.37	05/26/22 00:51	
EPA 6020B	Beryllium	0.98	mg/kg	0.25	05/26/22 00:51	
EPA 6020B	Cadmium	0.46	mg/kg	0.10	05/26/22 00:51	
EPA 6020B	Calcium	4350	mg/kg	125	05/26/22 00:51	
EPA 6020B	Chromium	23.2	mg/kg	2.5	05/26/22 00:51	
EPA 6020B	Cobalt	12.5	mg/kg	0.62	05/26/22 00:51	
EPA 6020B	Copper	25.1	mg/kg	1.2	05/26/22 00:51	
EPA 6020B	Iron	30500	mg/kg	62.3	05/26/22 00:51	
EPA 6020B	Lead	17.9	mg/kg	0.62	05/26/22 00:51	
EPA 6020B	Magnesium	4060	mg/kg	37.4	05/26/22 14:45	
EPA 6020B	Manganese	470	mg/kg	0.62	05/26/22 00:51	
EPA 6020B	Nickel	27.6	mg/kg	0.62	05/26/22 14:45	
EPA 6020B	Potassium	823	mg/kg	125	05/26/22 00:51	
EPA 6020B	Selenium	0.45J	mg/kg	0.62	05/26/22 00:51	
EPA 6020B	Silver	0.32J	mg/kg	0.62	05/26/22 00:51	
EPA 6020B	Sodium	169	mg/kg	62.3	05/26/22 00:51	
EPA 6020B	Thallium	0.26	mg/kg	0.12	05/26/22 00:51	
EPA 6020B	Vanadium	43.5	mg/kg	1.2	05/26/22 00:51	
EPA 6020B	Zinc	68.6	mg/kg	6.2	05/26/22 00:51	
EPA 7471	Mercury	0.039J	mg/kg	0.045	05/24/22 09:29	
ASTM D2974-87	Percent Moisture	22.9	%	0.10	05/17/22 15:10	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40244893008	SB-48 (4.2-5.2)					
EPA 9040	pH at 25 Degrees C	7.9	Std. Units	0.10	05/24/22 10:21	3q,H6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: 05122022 DUP-07 Lab ID: 40244893001 Collected: 05/12/22 00:00 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081A GCS Pesticides									
Analytical Method: EPA 8081 Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00055	mg/kg	0.0023	0.00055	1	05/17/22 09:14	05/20/22 16:05	309-00-2	
alpha-BHC	<0.00023	mg/kg	0.0023	0.00023	1	05/17/22 09:14	05/20/22 16:05	319-84-6	
beta-BHC	<0.00070	mg/kg	0.0023	0.00070	1	05/17/22 09:14	05/20/22 16:05	319-85-7	M1,R1
delta-BHC	<0.00041	mg/kg	0.0023	0.00041	1	05/17/22 09:14	05/20/22 16:05	319-86-8	R1
gamma-BHC (Lindane)	<0.00022	mg/kg	0.0023	0.00022	1	05/17/22 09:14	05/20/22 16:05	58-89-9	
Chlordane (Technical)	<0.0075	mg/kg	0.023	0.0075	1	05/17/22 09:14	05/20/22 16:05	57-74-9	
alpha-Chlordane	<0.00028	mg/kg	0.0023	0.00028	1	05/17/22 09:14	05/20/22 16:05	5103-71-9	
gamma-Chlordane	<0.00084	mg/kg	0.0023	0.00084	1	05/17/22 09:14	05/20/22 16:05	5103-74-2	
4,4'-DDD	<0.00046	mg/kg	0.0045	0.00046	1	05/17/22 09:14	05/20/22 16:05	72-54-8	
4,4'-DDE	0.0025J	mg/kg	0.0045	0.00052	1	05/17/22 09:14	05/20/22 16:05	72-55-9	
4,4'-DDT	<0.0014	mg/kg	0.0045	0.0014	1	05/17/22 09:14	05/20/22 16:05	50-29-3	
Dieldrin	<0.00043	mg/kg	0.0045	0.00043	1	05/17/22 09:14	05/20/22 16:05	60-57-1	
Endosulfan I	<0.00025	mg/kg	0.0023	0.00025	1	05/17/22 09:14	05/20/22 16:05	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0045	0.0011	1	05/17/22 09:14	05/20/22 16:05	33213-65-9	
Endosulfan sulfate	<0.0011	mg/kg	0.0045	0.0011	1	05/17/22 09:14	05/20/22 16:05	1031-07-8	
Endrin	<0.00051	mg/kg	0.0045	0.00051	1	05/17/22 09:14	05/20/22 16:05	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0045	0.0014	1	05/17/22 09:14	05/20/22 16:05	7421-93-4	
Endrin ketone	<0.0012	mg/kg	0.0045	0.0012	1	05/17/22 09:14	05/20/22 16:05	53494-70-5	
Heptachlor	<0.00061	mg/kg	0.0023	0.00061	1	05/17/22 09:14	05/20/22 16:05	76-44-8	M1,R1
Heptachlor epoxide	<0.00023	mg/kg	0.0023	0.00023	1	05/17/22 09:14	05/20/22 16:05	1024-57-3	
Methoxychlor	<0.0070	mg/kg	0.023	0.0070	1	05/17/22 09:14	05/20/22 16:05	72-43-5	
Toxaphene	<0.021	mg/kg	0.068	0.021	1	05/17/22 09:14	05/20/22 16:05	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	80	%	53-138		1	05/17/22 09:14	05/20/22 16:05	877-09-8	
Decachlorobiphenyl (S)	67	%	30-150		1	05/17/22 09:14	05/20/22 16:05	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.021	mg/kg	0.068	0.021	1	05/16/22 09:46	05/18/22 20:45	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.021	mg/kg	0.068	0.021	1	05/16/22 09:46	05/18/22 20:45	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.021	mg/kg	0.068	0.021	1	05/16/22 09:46	05/18/22 20:45	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.021	mg/kg	0.068	0.021	1	05/16/22 09:46	05/18/22 20:45	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.021	mg/kg	0.068	0.021	1	05/16/22 09:46	05/18/22 20:45	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.021	mg/kg	0.068	0.021	1	05/16/22 09:46	05/18/22 20:45	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.021	mg/kg	0.068	0.021	1	05/16/22 09:46	05/18/22 20:45	11096-82-5	
PCB, Total	<0.021	mg/kg	0.068	0.021	1	05/16/22 09:46	05/18/22 20:45	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	85	%	50-99		1	05/16/22 09:46	05/18/22 20:45	877-09-8	
Decachlorobiphenyl (S)	87	%	38-95		1	05/16/22 09:46	05/18/22 20:45	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	10700	mg/kg	38.3	7.7	1	05/19/22 12:21	05/25/22 23:54	7429-90-5	
Antimony	0.19J	mg/kg	0.64	0.12	1	05/19/22 12:21	05/25/22 23:54	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Sample: 05122022 DUP-07 **Lab ID:** 40244893001 Collected: 05/12/22 00:00 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	6.7	mg/kg	0.64	0.14	1	05/19/22 12:21	05/25/22 23:54	7440-38-2	
Barium	147	mg/kg	0.38	0.068	1	05/19/22 12:21	05/25/22 23:54	7440-39-3	
Beryllium	0.65	mg/kg	0.26	0.051	1	05/19/22 12:21	05/25/22 23:54	7440-41-7	
Cadmium	0.29	mg/kg	0.10	0.040	1	05/19/22 12:21	05/25/22 23:54	7440-43-9	
Calcium	13500	mg/kg	128	15.1	1	05/19/22 12:21	05/25/22 23:54	7440-70-2	
Chromium	14.8	mg/kg	2.6	0.18	1	05/19/22 12:21	05/25/22 23:54	7440-47-3	
Cobalt	8.2	mg/kg	0.64	0.13	1	05/19/22 12:21	05/25/22 23:54	7440-48-4	
Copper	16.7	mg/kg	1.3	0.31	1	05/19/22 12:21	05/25/22 23:54	7440-50-8	
Iron	19300	mg/kg	63.9	13.4	1	05/19/22 12:21	05/25/22 23:54	7439-89-6	
Lead	19.3	mg/kg	0.64	0.038	1	05/19/22 12:21	05/25/22 23:54	7439-92-1	
Magnesium	6390	mg/kg	38.3	5.5	1	05/19/22 12:21	05/26/22 14:18	7439-95-4	
Manganese	489	mg/kg	0.64	0.31	1	05/19/22 12:21	05/25/22 23:54	7439-96-5	
Nickel	15.8	mg/kg	0.64	0.25	1	05/19/22 12:21	05/26/22 14:18	7440-02-0	
Potassium	942	mg/kg	128	14.7	1	05/19/22 12:21	05/25/22 23:54	7440-09-7	
Selenium	0.59J	mg/kg	0.64	0.11	1	05/19/22 12:21	05/25/22 23:54	7782-49-2	
Silver	0.27J	mg/kg	0.64	0.19	1	05/19/22 12:21	05/25/22 23:54	7440-22-4	
Sodium	118	mg/kg	63.9	14.2	1	05/19/22 12:21	05/25/22 23:54	7440-23-5	
Thallium	0.24	mg/kg	0.13	0.047	1	05/19/22 12:21	05/25/22 23:54	7440-28-0	
Vanadium	28.7	mg/kg	1.3	0.22	1	05/19/22 12:21	05/25/22 23:54	7440-62-2	
Zinc	57.4	mg/kg	6.4	1.1	1	05/19/22 12:21	05/25/22 23:54	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.015J	mg/kg	0.046	0.013	1	05/23/22 09:43	05/24/22 09:09	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.026	mg/kg	0.085	0.026	1	05/19/22 09:28	05/19/22 18:22	120-82-1	
1,2-Dichlorobenzene	<0.071	mg/kg	0.24	0.071	1	05/19/22 09:28	05/19/22 18:22	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/19/22 09:28	05/19/22 18:22	541-73-1	
1,4-Dichlorobenzene	<0.032	mg/kg	0.11	0.032	1	05/19/22 09:28	05/19/22 18:22	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.058	mg/kg	0.19	0.058	1	05/19/22 09:28	05/19/22 18:22	108-60-1	
2,4,5-Trichlorophenol	<0.040	mg/kg	0.13	0.040	1	05/19/22 09:28	05/19/22 18:22	95-95-4	
2,4,6-Trichlorophenol	<0.035	mg/kg	0.12	0.035	1	05/19/22 09:28	05/19/22 18:22	88-06-2	
2,4-Dichlorophenol	<0.060	mg/kg	0.20	0.060	1	05/19/22 09:28	05/19/22 18:22	120-83-2	
2,4-Dimethylphenol	<0.045	mg/kg	0.15	0.045	1	05/19/22 09:28	05/19/22 18:22	105-67-9	
2,4-Dinitrophenol	<0.069	mg/kg	0.23	0.069	1	05/19/22 09:28	05/19/22 18:22	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/19/22 09:28	05/19/22 18:22	121-14-2	
2,6-Dinitrotoluene	<0.043	mg/kg	0.14	0.043	1	05/19/22 09:28	05/19/22 18:22	606-20-2	
2-Chloronaphthalene	<0.029	mg/kg	0.097	0.029	1	05/19/22 09:28	05/19/22 18:22	91-58-7	
2-Chlorophenol	<0.056	mg/kg	0.19	0.056	1	05/19/22 09:28	05/19/22 18:22	95-57-8	
2-Methylnaphthalene	<0.059	mg/kg	0.20	0.059	1	05/19/22 09:28	05/19/22 18:22	91-57-6	
2-Methylphenol(o-Cresol)	<0.041	mg/kg	0.14	0.041	1	05/19/22 09:28	05/19/22 18:22	95-48-7	
2-Nitroaniline	<0.064	mg/kg	0.21	0.064	1	05/19/22 09:28	05/19/22 18:22	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Sample: 05122022 DUP-07 **Lab ID: 40244893001** Collected: 05/12/22 00:00 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.071	mg/kg	0.24	0.071	1	05/19/22 09:28	05/19/22 18:22	88-75-5	
3&4-Methylphenol(m&p Cresol)	0.074J	mg/kg	0.14	0.041	1	05/19/22 09:28	05/19/22 18:22		
3,3'-Dichlorobenzidine	<0.061	mg/kg	0.20	0.061	1	05/19/22 09:28	05/19/22 18:22	91-94-1	CU
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/19/22 09:28	05/19/22 18:22	99-09-2	
4,6-Dinitro-2-methylphenol	<0.070	mg/kg	0.23	0.070	1	05/19/22 09:28	05/19/22 18:22	534-52-1	
4-Bromophenylphenyl ether	<0.047	mg/kg	0.16	0.047	1	05/19/22 09:28	05/19/22 18:22	101-55-3	
4-Chloro-3-methylphenol	<0.070	mg/kg	0.23	0.070	1	05/19/22 09:28	05/19/22 18:22	59-50-7	
4-Chloroaniline	<0.037	mg/kg	0.12	0.037	1	05/19/22 09:28	05/19/22 18:22	106-47-8	1q
4-Chlorophenylphenyl ether	<0.042	mg/kg	0.14	0.042	1	05/19/22 09:28	05/19/22 18:22	7005-72-3	
4-Nitroaniline	<0.094	mg/kg	0.31	0.094	1	05/19/22 09:28	05/19/22 18:22	100-01-6	
4-Nitrophenol	<0.057	mg/kg	0.19	0.057	1	05/19/22 09:28	05/19/22 18:22	100-02-7	
Acenaphthene	<0.080	mg/kg	0.27	0.080	1	05/19/22 09:28	05/19/22 18:22	83-32-9	
Acenaphthylene	<0.081	mg/kg	0.27	0.081	1	05/19/22 09:28	05/19/22 18:22	208-96-8	
Anthracene	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/19/22 18:22	120-12-7	
Benzo(a)anthracene	<0.035	mg/kg	0.12	0.035	1	05/19/22 09:28	05/19/22 18:22	56-55-3	
Benzo(a)pyrene	<0.034	mg/kg	0.11	0.034	1	05/19/22 09:28	05/19/22 18:22	50-32-8	
Benzo(b)fluoranthene	<0.039	mg/kg	0.13	0.039	1	05/19/22 09:28	05/19/22 18:22	205-99-2	
Benzo(g,h,i)perylene	<0.059	mg/kg	0.20	0.059	1	05/19/22 09:28	05/19/22 18:22	191-24-2	
Benzo(k)fluoranthene	<0.054	mg/kg	0.18	0.054	1	05/19/22 09:28	05/19/22 18:22	207-08-9	
Butylbenzylphthalate	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/19/22 18:22	85-68-7	
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/19/22 09:28	05/19/22 18:22	86-74-8	
Chrysene	<0.034	mg/kg	0.11	0.034	1	05/19/22 09:28	05/19/22 18:22	218-01-9	
Di-n-butylphthalate	<0.034	mg/kg	0.11	0.034	1	05/19/22 09:28	05/19/22 18:22	84-74-2	
Di-n-octylphthalate	<0.051	mg/kg	0.17	0.051	1	05/19/22 09:28	05/19/22 18:22	117-84-0	
Dibenz(a,h)anthracene	<0.061	mg/kg	0.20	0.061	1	05/19/22 09:28	05/19/22 18:22	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.091	0.027	1	05/19/22 09:28	05/19/22 18:22	132-64-9	
Diethylphthalate	<0.038	mg/kg	0.13	0.038	1	05/19/22 09:28	05/19/22 18:22	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.098	0.029	1	05/19/22 09:28	05/19/22 18:22	131-11-3	
Fluoranthene	0.037J	mg/kg	0.11	0.032	1	05/19/22 09:28	05/19/22 18:22	206-44-0	
Fluorene	<0.026	mg/kg	0.088	0.026	1	05/19/22 09:28	05/19/22 18:22	86-73-7	
Hexachloro-1,3-butadiene	<0.058	mg/kg	0.19	0.058	1	05/19/22 09:28	05/19/22 18:22	87-68-3	
Hexachlorobenzene	<0.038	mg/kg	0.13	0.038	1	05/19/22 09:28	05/19/22 18:22	118-74-1	
Hexachlorocyclopentadiene	<0.054	mg/kg	0.18	0.054	1	05/19/22 09:28	05/19/22 18:22	77-47-4	
Hexachloroethane	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/19/22 18:22	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.049	mg/kg	0.16	0.049	1	05/19/22 09:28	05/19/22 18:22	193-39-5	
Isophorone	<0.035	mg/kg	0.12	0.035	1	05/19/22 09:28	05/19/22 18:22	78-59-1	
N-Nitroso-di-n-propylamine	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/19/22 18:22	621-64-7	
N-Nitrosodiphenylamine	<0.31	mg/kg	1.0	0.31	1	05/19/22 09:28	05/19/22 18:22	86-30-6	
Naphthalene	<0.079	mg/kg	0.26	0.079	1	05/19/22 09:28	05/19/22 18:22	91-20-3	
Nitrobenzene	<0.046	mg/kg	0.15	0.046	1	05/19/22 09:28	05/19/22 18:22	98-95-3	
Pentachlorophenol	<0.050	mg/kg	0.17	0.050	1	05/19/22 09:28	05/19/22 18:22	87-86-5	
Phenanthrene	<0.029	mg/kg	0.097	0.029	1	05/19/22 09:28	05/19/22 18:22	85-01-8	
Phenol	<0.054	mg/kg	0.18	0.054	1	05/19/22 09:28	05/19/22 18:22	108-95-2	
Pyrene	<0.050	mg/kg	0.17	0.050	1	05/19/22 09:28	05/19/22 18:22	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Sample: 05122022 DUP-07 **Lab ID: 40244893001** Collected: 05/12/22 00:00 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.061	mg/kg	0.20	0.061	1	05/19/22 09:28	05/19/22 18:22	111-91-1	
bis(2-Chloroethyl) ether	<0.071	mg/kg	0.24	0.071	1	05/19/22 09:28	05/19/22 18:22	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.038	mg/kg	0.13	0.038	1	05/19/22 09:28	05/19/22 18:22	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	86	%	10-125		1	05/19/22 09:28	05/19/22 18:22	4165-60-0	
2-Fluorobiphenyl (S)	60	%	12-118		1	05/19/22 09:28	05/19/22 18:22	321-60-8	
Terphenyl-d14 (S)	80	%	10-124		1	05/19/22 09:28	05/19/22 18:22	1718-51-0	
Phenol-d6 (S)	74	%	10-125		1	05/19/22 09:28	05/19/22 18:22	13127-88-3	
2-Fluorophenol (S)	79	%	10-130		1	05/19/22 09:28	05/19/22 18:22	367-12-4	
2,4,6-Tribromophenol (S)	92	%	10-144		1	05/19/22 09:28	05/19/22 18:22	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/19/22 06:00	05/19/22 12:21	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0027	mg/kg	0.0054	0.0027	1	05/19/22 06:00	05/19/22 12:21	79-34-5	
1,1,2-Trichloroethane	<0.0016	mg/kg	0.0054	0.0016	1	05/19/22 06:00	05/19/22 12:21	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0054	0.0011	1	05/19/22 06:00	05/19/22 12:21	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0054	0.0011	1	05/19/22 06:00	05/19/22 12:21	75-35-4	
1,2-Dichloroethane	<0.00088	mg/kg	0.0054	0.00088	1	05/19/22 06:00	05/19/22 12:21	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0054	0.0011	1	05/19/22 06:00	05/19/22 12:21	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.027	0.017	1	05/19/22 06:00	05/19/22 12:21	78-93-3	
2-Hexanone	<0.012	mg/kg	0.027	0.012	1	05/19/22 06:00	05/19/22 12:21	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.021	mg/kg	0.027	0.021	1	05/19/22 06:00	05/19/22 12:21	108-10-1	
Acetone	<0.051	mg/kg	0.11	0.051	1	05/19/22 06:00	05/19/22 12:21	67-64-1	
Benzene	<0.00076	mg/kg	0.0054	0.00076	1	05/19/22 06:00	05/19/22 12:21	71-43-2	
Bromodichloromethane	<0.00073	mg/kg	0.0054	0.00073	1	05/19/22 06:00	05/19/22 12:21	75-27-4	
Bromoform	<0.0087	mg/kg	0.021	0.0087	1	05/19/22 06:00	05/19/22 12:21	75-25-2	
Bromomethane	<0.0048	mg/kg	0.0054	0.0048	1	05/19/22 06:00	05/19/22 12:21	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0054	0.0012	1	05/19/22 06:00	05/19/22 12:21	75-15-0	
Carbon tetrachloride	<0.0034	mg/kg	0.0054	0.0034	1	05/19/22 06:00	05/19/22 12:21	56-23-5	
Chlorobenzene	<0.00099	mg/kg	0.0054	0.00099	1	05/19/22 06:00	05/19/22 12:21	108-90-7	
Chloroethane	<0.0039	mg/kg	0.0054	0.0039	1	05/19/22 06:00	05/19/22 12:21	75-00-3	
Chloroform	<0.00091	mg/kg	0.0054	0.00091	1	05/19/22 06:00	05/19/22 12:21	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0054	0.0012	1	05/19/22 06:00	05/19/22 12:21	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0054	0.0011	1	05/19/22 06:00	05/19/22 12:21	124-48-1	
Ethylbenzene	<0.00096	mg/kg	0.0054	0.00096	1	05/19/22 06:00	05/19/22 12:21	100-41-4	
Methyl-tert-butyl ether	<0.0022	mg/kg	0.0054	0.0022	1	05/19/22 06:00	05/19/22 12:21	1634-04-4	
Methylene Chloride	<0.0042	mg/kg	0.0054	0.0042	1	05/19/22 06:00	05/19/22 12:21	75-09-2	
Styrene	<0.00076	mg/kg	0.0054	0.00076	1	05/19/22 06:00	05/19/22 12:21	100-42-5	
Tetrachloroethene	<0.00095	mg/kg	0.0054	0.00095	1	05/19/22 06:00	05/19/22 12:21	127-18-4	
Toluene	<0.00095	mg/kg	0.0054	0.00095	1	05/19/22 06:00	05/19/22 12:21	108-88-3	
Trichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/19/22 06:00	05/19/22 12:21	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0054	0.0014	1	05/19/22 06:00	05/19/22 12:21	75-01-4	
Xylene (Total)	<0.0037	mg/kg	0.011	0.0037	1	05/19/22 06:00	05/19/22 12:21	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: 05122022 DUP-07 **Lab ID: 40244893001** Collected: 05/12/22 00:00 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00095	mg/kg	0.0054	0.00095	1	05/19/22 06:00	05/19/22 12:21	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/19/22 06:00	05/19/22 12:21	10061-01-5	
trans-1,2-Dichloroethene	<0.00077	mg/kg	0.0054	0.00077	1	05/19/22 06:00	05/19/22 12:21	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0054	0.0011	1	05/19/22 06:00	05/19/22 12:21	10061-02-6	
Surrogates									
Toluene-d8 (S)	97	%	69-156		1	05/19/22 06:00	05/19/22 12:21	2037-26-5	
4-Bromofluorobenzene (S)	96	%	61-175		1	05/19/22 06:00	05/19/22 12:21	460-00-4	
1,2-Dichlorobenzene-d4 (S)	111	%	70-130		1	05/19/22 06:00	05/19/22 12:21	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	26.2	%	0.10	0.10	1		05/16/22 16:22		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	6.7	Std. Units	0.10	0.010	1		05/24/22 09:58		3q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	0.47J	mg/kg	1.1	0.35	1	05/24/22 10:40	05/24/22 14:38	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Sample: TB-08 Lab ID: 40244893002 Collected: 05/12/22 10:00 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/19/22 06:00	05/19/22 12:45	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0050	0.0026	1	05/19/22 06:00	05/19/22 12:45	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0050	0.0015	1	05/19/22 06:00	05/19/22 12:45	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0050	0.0011	1	05/19/22 06:00	05/19/22 12:45	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0050	0.0011	1	05/19/22 06:00	05/19/22 12:45	75-35-4	
1,2-Dichloroethane	<0.00082	mg/kg	0.0050	0.00082	1	05/19/22 06:00	05/19/22 12:45	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0050	0.0010	1	05/19/22 06:00	05/19/22 12:45	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.025	0.016	1	05/19/22 06:00	05/19/22 12:45	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/19/22 06:00	05/19/22 12:45	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/19/22 06:00	05/19/22 12:45	108-10-1	
Acetone	<0.047	mg/kg	0.10	0.047	1	05/19/22 06:00	05/19/22 12:45	67-64-1	
Benzene	<0.00071	mg/kg	0.0050	0.00071	1	05/19/22 06:00	05/19/22 12:45	71-43-2	
Bromodichloromethane	<0.00068	mg/kg	0.0050	0.00068	1	05/19/22 06:00	05/19/22 12:45	75-27-4	
Bromoform	<0.0081	mg/kg	0.020	0.0081	1	05/19/22 06:00	05/19/22 12:45	75-25-2	
Bromomethane	<0.0045	mg/kg	0.0050	0.0045	1	05/19/22 06:00	05/19/22 12:45	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0050	0.0011	1	05/19/22 06:00	05/19/22 12:45	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0050	0.0032	1	05/19/22 06:00	05/19/22 12:45	56-23-5	
Chlorobenzene	<0.00092	mg/kg	0.0050	0.00092	1	05/19/22 06:00	05/19/22 12:45	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0050	0.0036	1	05/19/22 06:00	05/19/22 12:45	75-00-3	
Chloroform	<0.00084	mg/kg	0.0050	0.00084	1	05/19/22 06:00	05/19/22 12:45	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0050	0.0011	1	05/19/22 06:00	05/19/22 12:45	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0050	0.0010	1	05/19/22 06:00	05/19/22 12:45	124-48-1	
Ethylbenzene	<0.00089	mg/kg	0.0050	0.00089	1	05/19/22 06:00	05/19/22 12:45	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0050	0.0020	1	05/19/22 06:00	05/19/22 12:45	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0050	0.0040	1	05/19/22 06:00	05/19/22 12:45	75-09-2	
Styrene	<0.00071	mg/kg	0.0050	0.00071	1	05/19/22 06:00	05/19/22 12:45	100-42-5	
Tetrachloroethene	<0.00089	mg/kg	0.0050	0.00089	1	05/19/22 06:00	05/19/22 12:45	127-18-4	
Toluene	<0.00088	mg/kg	0.0050	0.00088	1	05/19/22 06:00	05/19/22 12:45	108-88-3	
Trichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/19/22 06:00	05/19/22 12:45	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0050	0.0013	1	05/19/22 06:00	05/19/22 12:45	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.010	0.0034	1	05/19/22 06:00	05/19/22 12:45	1330-20-7	
cis-1,2-Dichloroethene	<0.00088	mg/kg	0.0050	0.00088	1	05/19/22 06:00	05/19/22 12:45	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/19/22 06:00	05/19/22 12:45	10061-01-5	
trans-1,2-Dichloroethene	<0.00072	mg/kg	0.0050	0.00072	1	05/19/22 06:00	05/19/22 12:45	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0050	0.0010	1	05/19/22 06:00	05/19/22 12:45	10061-02-6	
Surrogates									
Toluene-d8 (S)	96	%	69-156		1	05/19/22 06:00	05/19/22 12:45	2037-26-5	
4-Bromofluorobenzene (S)	84	%	61-175		1	05/19/22 06:00	05/19/22 12:45	460-00-4	
1,2-Dichlorobenzene-d4 (S)	112	%	70-130		1	05/19/22 06:00	05/19/22 12:45	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Sample: SB-37 (5.4-6.4) **Lab ID: 40244893003** Collected: 05/12/22 07:10 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081A GCS Pesticides									
Analytical Method: EPA 8081 Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00052	mg/kg	0.0022	0.00052	1	05/17/22 09:14	05/20/22 17:39	309-00-2	
alpha-BHC	<0.00022	mg/kg	0.0022	0.00022	1	05/17/22 09:14	05/20/22 17:39	319-84-6	
beta-BHC	<0.00067	mg/kg	0.0022	0.00067	1	05/17/22 09:14	05/20/22 17:39	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0022	0.00039	1	05/17/22 09:14	05/20/22 17:39	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0022	0.00021	1	05/17/22 09:14	05/20/22 17:39	58-89-9	
Chlordane (Technical)	<0.0071	mg/kg	0.022	0.0071	1	05/17/22 09:14	05/20/22 17:39	57-74-9	
alpha-Chlordane	<0.00027	mg/kg	0.0022	0.00027	1	05/17/22 09:14	05/20/22 17:39	5103-71-9	
gamma-Chlordane	<0.00080	mg/kg	0.0022	0.00080	1	05/17/22 09:14	05/20/22 17:39	5103-74-2	
4,4'-DDD	<0.00044	mg/kg	0.0043	0.00044	1	05/17/22 09:14	05/20/22 17:39	72-54-8	
4,4'-DDE	<0.00050	mg/kg	0.0043	0.00050	1	05/17/22 09:14	05/20/22 17:39	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0043	0.0013	1	05/17/22 09:14	05/20/22 17:39	50-29-3	
Dieldrin	<0.00041	mg/kg	0.0043	0.00041	1	05/17/22 09:14	05/20/22 17:39	60-57-1	
Endosulfan I	<0.00024	mg/kg	0.0022	0.00024	1	05/17/22 09:14	05/20/22 17:39	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0043	0.0010	1	05/17/22 09:14	05/20/22 17:39	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0043	0.0010	1	05/17/22 09:14	05/20/22 17:39	1031-07-8	
Endrin	<0.00048	mg/kg	0.0043	0.00048	1	05/17/22 09:14	05/20/22 17:39	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0043	0.0014	1	05/17/22 09:14	05/20/22 17:39	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0043	0.0011	1	05/17/22 09:14	05/20/22 17:39	53494-70-5	
Heptachlor	<0.00058	mg/kg	0.0022	0.00058	1	05/17/22 09:14	05/20/22 17:39	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0022	0.00022	1	05/17/22 09:14	05/20/22 17:39	1024-57-3	
Methoxychlor	<0.0067	mg/kg	0.022	0.0067	1	05/17/22 09:14	05/20/22 17:39	72-43-5	
Toxaphene	<0.020	mg/kg	0.065	0.020	1	05/17/22 09:14	05/20/22 17:39	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	82	%	53-138		1	05/17/22 09:14	05/20/22 17:39	877-09-8	
Decachlorobiphenyl (S)	64	%	30-150		1	05/17/22 09:14	05/20/22 17:39	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/16/22 09:46	05/18/22 21:29	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/16/22 09:46	05/18/22 21:29	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/16/22 09:46	05/18/22 21:29	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/16/22 09:46	05/18/22 21:29	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/16/22 09:46	05/18/22 21:29	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/16/22 09:46	05/18/22 21:29	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/16/22 09:46	05/18/22 21:29	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/16/22 09:46	05/18/22 21:29	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	88	%	50-99		1	05/16/22 09:46	05/18/22 21:29	877-09-8	
Decachlorobiphenyl (S)	91	%	38-95		1	05/16/22 09:46	05/18/22 21:29	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	15700	mg/kg	36.6	7.4	1	05/19/22 12:21	05/25/22 23:58	7429-90-5	
Antimony	<0.12	mg/kg	0.61	0.12	1	05/19/22 12:21	05/25/22 23:58	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: SB-37 (5.4-6.4) **Lab ID: 40244893003** Collected: 05/12/22 07:10 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	5.9	mg/kg	0.61	0.13	1	05/19/22 12:21	05/25/22 23:58	7440-38-2	
Barium	154	mg/kg	0.37	0.065	1	05/19/22 12:21	05/25/22 23:58	7440-39-3	
Beryllium	0.75	mg/kg	0.24	0.048	1	05/19/22 12:21	05/25/22 23:58	7440-41-7	
Cadmium	0.090J	mg/kg	0.097	0.038	1	05/19/22 12:21	05/25/22 23:58	7440-43-9	
Calcium	4450	mg/kg	122	14.4	1	05/19/22 12:21	05/25/22 23:58	7440-70-2	
Chromium	19.0	mg/kg	2.4	0.17	1	05/19/22 12:21	05/25/22 23:58	7440-47-3	
Cobalt	5.0	mg/kg	0.61	0.12	1	05/19/22 12:21	05/25/22 23:58	7440-48-4	
Copper	16.3	mg/kg	1.2	0.29	1	05/19/22 12:21	05/25/22 23:58	7440-50-8	
Iron	19900	mg/kg	60.9	12.8	1	05/19/22 12:21	05/25/22 23:58	7439-89-6	
Lead	12.5	mg/kg	0.61	0.036	1	05/19/22 12:21	05/25/22 23:58	7439-92-1	
Magnesium	3400	mg/kg	36.6	5.2	1	05/19/22 12:21	05/26/22 14:22	7439-95-4	
Manganese	151	mg/kg	0.61	0.30	1	05/19/22 12:21	05/25/22 23:58	7439-96-5	
Nickel	12.3	mg/kg	0.61	0.24	1	05/19/22 12:21	05/26/22 14:22	7440-02-0	
Potassium	1100	mg/kg	122	14.0	1	05/19/22 12:21	05/25/22 23:58	7440-09-7	
Selenium	0.93	mg/kg	0.61	0.10	1	05/19/22 12:21	05/25/22 23:58	7782-49-2	
Silver	<0.18	mg/kg	0.61	0.18	1	05/19/22 12:21	05/25/22 23:58	7440-22-4	
Sodium	68.2	mg/kg	60.9	13.5	1	05/19/22 12:21	05/25/22 23:58	7440-23-5	
Thallium	0.17	mg/kg	0.12	0.045	1	05/19/22 12:21	05/25/22 23:58	7440-28-0	
Vanadium	35.4	mg/kg	1.2	0.21	1	05/19/22 12:21	05/25/22 23:58	7440-62-2	
Zinc	52.5	mg/kg	6.1	1.1	1	05/19/22 12:21	05/25/22 23:58	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	<0.012	mg/kg	0.044	0.012	1	05/23/22 09:43	05/24/22 09:11	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.082	0.025	1	05/19/22 09:28	05/19/22 18:43	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/19/22 09:28	05/19/22 18:43	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/19/22 09:28	05/19/22 18:43	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/19/22 09:28	05/19/22 18:43	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/19/22 09:28	05/19/22 18:43	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/19/22 09:28	05/19/22 18:43	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/19/22 09:28	05/19/22 18:43	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/19/22 09:28	05/19/22 18:43	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/19/22 09:28	05/19/22 18:43	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/19/22 09:28	05/19/22 18:43	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/19/22 09:28	05/19/22 18:43	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/19/22 09:28	05/19/22 18:43	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/19/22 09:28	05/19/22 18:43	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/19/22 09:28	05/19/22 18:43	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/19/22 09:28	05/19/22 18:43	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/19/22 09:28	05/19/22 18:43	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/19/22 09:28	05/19/22 18:43	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: SB-37 (5.4-6.4) **Lab ID: 40244893003** Collected: 05/12/22 07:10 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/19/22 09:28	05/19/22 18:43	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/19/22 09:28	05/19/22 18:43		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/19/22 09:28	05/19/22 18:43	91-94-1	CU
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/19/22 09:28	05/19/22 18:43	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/19/22 09:28	05/19/22 18:43	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/19/22 09:28	05/19/22 18:43	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/19/22 09:28	05/19/22 18:43	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/19/22 18:43	106-47-8	1q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/19/22 09:28	05/19/22 18:43	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/19/22 09:28	05/19/22 18:43	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/19/22 09:28	05/19/22 18:43	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/19/22 09:28	05/19/22 18:43	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/19/22 09:28	05/19/22 18:43	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/19/22 09:28	05/19/22 18:43	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/19/22 09:28	05/19/22 18:43	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/19/22 09:28	05/19/22 18:43	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/19/22 09:28	05/19/22 18:43	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/19/22 09:28	05/19/22 18:43	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/19/22 09:28	05/19/22 18:43	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/19/22 09:28	05/19/22 18:43	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/19/22 09:28	05/19/22 18:43	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/19/22 09:28	05/19/22 18:43	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/19/22 09:28	05/19/22 18:43	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/19/22 09:28	05/19/22 18:43	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/19/22 09:28	05/19/22 18:43	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/19/22 09:28	05/19/22 18:43	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/19/22 18:43	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/19/22 09:28	05/19/22 18:43	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/19/22 09:28	05/19/22 18:43	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/19/22 09:28	05/19/22 18:43	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/19/22 09:28	05/19/22 18:43	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/19/22 18:43	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/19/22 09:28	05/19/22 18:43	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/19/22 09:28	05/19/22 18:43	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/19/22 09:28	05/19/22 18:43	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/19/22 09:28	05/19/22 18:43	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/19/22 09:28	05/19/22 18:43	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/19/22 09:28	05/19/22 18:43	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/19/22 09:28	05/19/22 18:43	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/19/22 09:28	05/19/22 18:43	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/19/22 09:28	05/19/22 18:43	87-86-5	
Phenanthrene	<0.028	mg/kg	0.093	0.028	1	05/19/22 09:28	05/19/22 18:43	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/19/22 09:28	05/19/22 18:43	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/19/22 09:28	05/19/22 18:43	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Sample: **SB-37 (5.4-6.4)** Lab ID: **40244893003** Collected: 05/12/22 07:10 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/19/22 09:28	05/19/22 18:43	111-91-1	
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/19/22 09:28	05/19/22 18:43	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/19/22 18:43	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	83	%	10-125		1	05/19/22 09:28	05/19/22 18:43	4165-60-0	
2-Fluorobiphenyl (S)	53	%	12-118		1	05/19/22 09:28	05/19/22 18:43	321-60-8	
Terphenyl-d14 (S)	80	%	10-124		1	05/19/22 09:28	05/19/22 18:43	1718-51-0	
Phenol-d6 (S)	65	%	10-125		1	05/19/22 09:28	05/19/22 18:43	13127-88-3	
2-Fluorophenol (S)	67	%	10-130		1	05/19/22 09:28	05/19/22 18:43	367-12-4	
2,4,6-Tribromophenol (S)	79	%	10-144		1	05/19/22 09:28	05/19/22 18:43	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/19/22 06:00	05/19/22 13:09	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0029	mg/kg	0.0056	0.0029	1	05/19/22 06:00	05/19/22 13:09	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/19/22 06:00	05/19/22 13:09	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0056	0.0012	1	05/19/22 06:00	05/19/22 13:09	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0056	0.0012	1	05/19/22 06:00	05/19/22 13:09	75-35-4	
1,2-Dichloroethane	<0.00092	mg/kg	0.0056	0.00092	1	05/19/22 06:00	05/19/22 13:09	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0056	0.0011	1	05/19/22 06:00	05/19/22 13:09	78-87-5	
2-Butanone (MEK)	<0.018	mg/kg	0.028	0.018	1	05/19/22 06:00	05/19/22 13:09	78-93-3	
2-Hexanone	<0.013	mg/kg	0.028	0.013	1	05/19/22 06:00	05/19/22 13:09	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.028	0.022	1	05/19/22 06:00	05/19/22 13:09	108-10-1	
Acetone	<0.053	mg/kg	0.11	0.053	1	05/19/22 06:00	05/19/22 13:09	67-64-1	
Benzene	<0.00079	mg/kg	0.0056	0.00079	1	05/19/22 06:00	05/19/22 13:09	71-43-2	
Bromodichloromethane	<0.00076	mg/kg	0.0056	0.00076	1	05/19/22 06:00	05/19/22 13:09	75-27-4	
Bromoform	<0.0091	mg/kg	0.022	0.0091	1	05/19/22 06:00	05/19/22 13:09	75-25-2	
Bromomethane	<0.0050	mg/kg	0.0056	0.0050	1	05/19/22 06:00	05/19/22 13:09	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0056	0.0012	1	05/19/22 06:00	05/19/22 13:09	75-15-0	
Carbon tetrachloride	<0.0035	mg/kg	0.0056	0.0035	1	05/19/22 06:00	05/19/22 13:09	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/19/22 06:00	05/19/22 13:09	108-90-7	
Chloroethane	<0.0041	mg/kg	0.0056	0.0041	1	05/19/22 06:00	05/19/22 13:09	75-00-3	
Chloroform	<0.00095	mg/kg	0.0056	0.00095	1	05/19/22 06:00	05/19/22 13:09	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0056	0.0012	1	05/19/22 06:00	05/19/22 13:09	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0056	0.0011	1	05/19/22 06:00	05/19/22 13:09	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/19/22 06:00	05/19/22 13:09	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0056	0.0023	1	05/19/22 06:00	05/19/22 13:09	1634-04-4	
Methylene Chloride	<0.0044	mg/kg	0.0056	0.0044	1	05/19/22 06:00	05/19/22 13:09	75-09-2	
Styrene	<0.00079	mg/kg	0.0056	0.00079	1	05/19/22 06:00	05/19/22 13:09	100-42-5	
Tetrachloroethene	<0.00099	mg/kg	0.0056	0.00099	1	05/19/22 06:00	05/19/22 13:09	127-18-4	
Toluene	<0.00099	mg/kg	0.0056	0.00099	1	05/19/22 06:00	05/19/22 13:09	108-88-3	
Trichloroethene	<0.00080	mg/kg	0.0056	0.00080	1	05/19/22 06:00	05/19/22 13:09	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0056	0.0014	1	05/19/22 06:00	05/19/22 13:09	75-01-4	
Xylene (Total)	<0.0038	mg/kg	0.011	0.0038	1	05/19/22 06:00	05/19/22 13:09	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: SB-37 (5.4-6.4) **Lab ID: 40244893003** Collected: 05/12/22 07:10 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00099	mg/kg	0.0056	0.00099	1	05/19/22 06:00	05/19/22 13:09	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/19/22 06:00	05/19/22 13:09	10061-01-5	
trans-1,2-Dichloroethene	<0.00080	mg/kg	0.0056	0.00080	1	05/19/22 06:00	05/19/22 13:09	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/19/22 06:00	05/19/22 13:09	10061-02-6	
Surrogates									
Toluene-d8 (S)	103	%	69-156		1	05/19/22 06:00	05/19/22 13:09	2037-26-5	
4-Bromofluorobenzene (S)	74	%	61-175		1	05/19/22 06:00	05/19/22 13:09	460-00-4	
1,2-Dichlorobenzene-d4 (S)	95	%	70-130		1	05/19/22 06:00	05/19/22 13:09	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.9	%	0.10	0.10	1		05/16/22 16:22		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.2	Std. Units	0.10	0.010	1		05/24/22 10:02		3q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.29	mg/kg	0.87	0.29	1	05/24/22 10:40	05/24/22 14:40	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: SB-37 (8.0-9.0) **Lab ID: 40244893004** Collected: 05/12/22 07:15 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081A GCS Pesticides									
Analytical Method: EPA 8081 Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00051	mg/kg	0.0021	0.00051	1	05/17/22 09:14	05/20/22 17:58	309-00-2	
alpha-BHC	<0.00021	mg/kg	0.0021	0.00021	1	05/17/22 09:14	05/20/22 17:58	319-84-6	
beta-BHC	<0.00066	mg/kg	0.0021	0.00066	1	05/17/22 09:14	05/20/22 17:58	319-85-7	
delta-BHC	<0.00039	mg/kg	0.0021	0.00039	1	05/17/22 09:14	05/20/22 17:58	319-86-8	
gamma-BHC (Lindane)	<0.00021	mg/kg	0.0021	0.00021	1	05/17/22 09:14	05/20/22 17:58	58-89-9	
Chlordane (Technical)	<0.0070	mg/kg	0.021	0.0070	1	05/17/22 09:14	05/20/22 17:58	57-74-9	
alpha-Chlordane	<0.00026	mg/kg	0.0021	0.00026	1	05/17/22 09:14	05/20/22 17:58	5103-71-9	
gamma-Chlordane	<0.00079	mg/kg	0.0021	0.00079	1	05/17/22 09:14	05/20/22 17:58	5103-74-2	
4,4'-DDD	<0.00043	mg/kg	0.0042	0.00043	1	05/17/22 09:14	05/20/22 17:58	72-54-8	
4,4'-DDE	<0.00049	mg/kg	0.0042	0.00049	1	05/17/22 09:14	05/20/22 17:58	72-55-9	
4,4'-DDT	<0.0013	mg/kg	0.0042	0.0013	1	05/17/22 09:14	05/20/22 17:58	50-29-3	
Dieldrin	<0.00040	mg/kg	0.0042	0.00040	1	05/17/22 09:14	05/20/22 17:58	60-57-1	
Endosulfan I	<0.00023	mg/kg	0.0021	0.00023	1	05/17/22 09:14	05/20/22 17:58	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0042	0.0010	1	05/17/22 09:14	05/20/22 17:58	33213-65-9	
Endosulfan sulfate	<0.0010	mg/kg	0.0042	0.0010	1	05/17/22 09:14	05/20/22 17:58	1031-07-8	
Endrin	<0.00048	mg/kg	0.0042	0.00048	1	05/17/22 09:14	05/20/22 17:58	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0042	0.0014	1	05/17/22 09:14	05/20/22 17:58	7421-93-4	
Endrin ketone	<0.0011	mg/kg	0.0042	0.0011	1	05/17/22 09:14	05/20/22 17:58	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0021	0.00057	1	05/17/22 09:14	05/20/22 17:58	76-44-8	
Heptachlor epoxide	<0.00022	mg/kg	0.0021	0.00022	1	05/17/22 09:14	05/20/22 17:58	1024-57-3	
Methoxychlor	<0.0065	mg/kg	0.021	0.0065	1	05/17/22 09:14	05/20/22 17:58	72-43-5	
Toxaphene	<0.020	mg/kg	0.064	0.020	1	05/17/22 09:14	05/20/22 17:58	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	82	%	53-138		1	05/17/22 09:14	05/20/22 17:58	877-09-8	
Decachlorobiphenyl (S)	65	%	30-150		1	05/17/22 09:14	05/20/22 17:58	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.064	0.019	1	05/16/22 09:46	05/18/22 22:12	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.064	0.019	1	05/16/22 09:46	05/18/22 22:12	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.064	0.019	1	05/16/22 09:46	05/18/22 22:12	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.064	0.019	1	05/16/22 09:46	05/18/22 22:12	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.064	0.019	1	05/16/22 09:46	05/18/22 22:12	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.064	0.019	1	05/16/22 09:46	05/18/22 22:12	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.019	mg/kg	0.064	0.019	1	05/16/22 09:46	05/18/22 22:12	11096-82-5	
PCB, Total	<0.019	mg/kg	0.064	0.019	1	05/16/22 09:46	05/18/22 22:12	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	87	%	50-99		1	05/16/22 09:46	05/18/22 22:12	877-09-8	
Decachlorobiphenyl (S)	91	%	38-95		1	05/16/22 09:46	05/18/22 22:12	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	14600	mg/kg	37.0	7.5	1	05/19/22 12:21	05/26/22 00:02	7429-90-5	
Antimony	0.19J	mg/kg	0.62	0.12	1	05/19/22 12:21	05/26/22 00:02	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: SB-37 (8.0-9.0) **Lab ID: 40244893004** Collected: 05/12/22 07:15 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	15.3	mg/kg	0.62	0.13	1	05/19/22 12:21	05/26/22 00:02	7440-38-2	
Barium	161	mg/kg	0.37	0.066	1	05/19/22 12:21	05/26/22 00:02	7440-39-3	
Beryllium	0.79	mg/kg	0.25	0.049	1	05/19/22 12:21	05/26/22 00:02	7440-41-7	
Cadmium	0.46	mg/kg	0.099	0.039	1	05/19/22 12:21	05/26/22 00:02	7440-43-9	
Calcium	12500	mg/kg	123	14.6	1	05/19/22 12:21	05/26/22 00:02	7440-70-2	
Chromium	20.4	mg/kg	2.5	0.17	1	05/19/22 12:21	05/26/22 00:02	7440-47-3	
Cobalt	13.6	mg/kg	0.62	0.12	1	05/19/22 12:21	05/26/22 00:02	7440-48-4	
Copper	21.1	mg/kg	1.2	0.30	1	05/19/22 12:21	05/26/22 00:02	7440-50-8	
Iron	27000	mg/kg	61.7	13.0	1	05/19/22 12:21	05/26/22 00:02	7439-89-6	
Lead	16.7	mg/kg	0.62	0.036	1	05/19/22 12:21	05/26/22 00:02	7439-92-1	
Magnesium	6160	mg/kg	37.0	5.3	1	05/19/22 12:21	05/26/22 14:26	7439-95-4	
Manganese	866	mg/kg	6.2	3.0	10	05/19/22 12:21	05/26/22 00:06	7439-96-5	
Nickel	25.7	mg/kg	0.62	0.25	1	05/19/22 12:21	05/26/22 14:26	7440-02-0	
Potassium	789	mg/kg	123	14.2	1	05/19/22 12:21	05/26/22 00:02	7440-09-7	
Selenium	0.30J	mg/kg	0.62	0.11	1	05/19/22 12:21	05/26/22 00:02	7782-49-2	
Silver	<0.18	mg/kg	0.62	0.18	1	05/19/22 12:21	05/26/22 00:02	7440-22-4	
Sodium	67.0	mg/kg	61.7	13.7	1	05/19/22 12:21	05/26/22 00:02	7440-23-5	
Thallium	0.21	mg/kg	0.12	0.045	1	05/19/22 12:21	05/26/22 00:02	7440-28-0	
Vanadium	38.9	mg/kg	1.2	0.22	1	05/19/22 12:21	05/26/22 00:02	7440-62-2	
Zinc	64.6	mg/kg	6.2	1.1	1	05/19/22 12:21	05/26/22 00:02	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.025J	mg/kg	0.041	0.012	1	05/23/22 09:43	05/24/22 09:20	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.080	0.024	1	05/19/22 09:28	05/20/22 13:45	120-82-1	
1,2-Dichlorobenzene	<0.067	mg/kg	0.22	0.067	1	05/19/22 09:28	05/20/22 13:45	95-50-1	
1,3-Dichlorobenzene	<0.029	mg/kg	0.098	0.029	1	05/19/22 09:28	05/20/22 13:45	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.098	0.030	1	05/19/22 09:28	05/20/22 13:45	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.055	mg/kg	0.18	0.055	1	05/19/22 09:28	05/20/22 13:45	108-60-1	
2,4,5-Trichlorophenol	<0.037	mg/kg	0.12	0.037	1	05/19/22 09:28	05/20/22 13:45	95-95-4	
2,4,6-Trichlorophenol	<0.032	mg/kg	0.11	0.032	1	05/19/22 09:28	05/20/22 13:45	88-06-2	
2,4-Dichlorophenol	<0.057	mg/kg	0.19	0.057	1	05/19/22 09:28	05/20/22 13:45	120-83-2	
2,4-Dimethylphenol	<0.042	mg/kg	0.14	0.042	1	05/19/22 09:28	05/20/22 13:45	105-67-9	
2,4-Dinitrophenol	<0.065	mg/kg	0.22	0.065	1	05/19/22 09:28	05/20/22 13:45	51-28-5	
2,4-Dinitrotoluene	<0.030	mg/kg	0.10	0.030	1	05/19/22 09:28	05/20/22 13:45	121-14-2	
2,6-Dinitrotoluene	<0.040	mg/kg	0.13	0.040	1	05/19/22 09:28	05/20/22 13:45	606-20-2	
2-Chloronaphthalene	<0.027	mg/kg	0.091	0.027	1	05/19/22 09:28	05/20/22 13:45	91-58-7	
2-Chlorophenol	<0.053	mg/kg	0.18	0.053	1	05/19/22 09:28	05/20/22 13:45	95-57-8	
2-Methylnaphthalene	<0.055	mg/kg	0.18	0.055	1	05/19/22 09:28	05/20/22 13:45	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/19/22 09:28	05/20/22 13:45	95-48-7	
2-Nitroaniline	<0.060	mg/kg	0.20	0.060	1	05/19/22 09:28	05/20/22 13:45	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: SB-37 (8.0-9.0) **Lab ID: 40244893004** Collected: 05/12/22 07:15 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.067	mg/kg	0.22	0.067	1	05/19/22 09:28	05/20/22 13:45	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.039	mg/kg	0.13	0.039	1	05/19/22 09:28	05/20/22 13:45		
3,3'-Dichlorobenzidine	<0.058	mg/kg	0.19	0.058	1	05/19/22 09:28	05/20/22 13:45	91-94-1	
3-Nitroaniline	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/20/22 13:45	99-09-2	
4,6-Dinitro-2-methylphenol	<0.065	mg/kg	0.22	0.065	1	05/19/22 09:28	05/20/22 13:45	534-52-1	
4-Bromophenylphenyl ether	<0.044	mg/kg	0.15	0.044	1	05/19/22 09:28	05/20/22 13:45	101-55-3	
4-Chloro-3-methylphenol	<0.066	mg/kg	0.22	0.066	1	05/19/22 09:28	05/20/22 13:45	59-50-7	
4-Chloroaniline	<0.035	mg/kg	0.12	0.035	1	05/19/22 09:28	05/20/22 13:45	106-47-8	4q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/19/22 09:28	05/20/22 13:45	7005-72-3	
4-Nitroaniline	<0.088	mg/kg	0.29	0.088	1	05/19/22 09:28	05/20/22 13:45	100-01-6	
4-Nitrophenol	<0.053	mg/kg	0.18	0.053	1	05/19/22 09:28	05/20/22 13:45	100-02-7	
Acenaphthene	<0.075	mg/kg	0.25	0.075	1	05/19/22 09:28	05/20/22 13:45	83-32-9	
Acenaphthylene	<0.076	mg/kg	0.25	0.076	1	05/19/22 09:28	05/20/22 13:45	208-96-8	
Anthracene	<0.034	mg/kg	0.11	0.034	1	05/19/22 09:28	05/20/22 13:45	120-12-7	
Benzo(a)anthracene	<0.033	mg/kg	0.11	0.033	1	05/19/22 09:28	05/20/22 13:45	56-55-3	
Benzo(a)pyrene	<0.032	mg/kg	0.11	0.032	1	05/19/22 09:28	05/20/22 13:45	50-32-8	
Benzo(b)fluoranthene	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/20/22 13:45	205-99-2	
Benzo(g,h,i)perylene	<0.055	mg/kg	0.18	0.055	1	05/19/22 09:28	05/20/22 13:45	191-24-2	
Benzo(k)fluoranthene	<0.051	mg/kg	0.17	0.051	1	05/19/22 09:28	05/20/22 13:45	207-08-9	
Butylbenzylphthalate	<0.034	mg/kg	0.11	0.034	1	05/19/22 09:28	05/20/22 13:45	85-68-7	
Carbazole	<0.033	mg/kg	0.11	0.033	1	05/19/22 09:28	05/20/22 13:45	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/19/22 09:28	05/20/22 13:45	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/19/22 09:28	05/20/22 13:45	84-74-2	
Di-n-octylphthalate	<0.048	mg/kg	0.16	0.048	1	05/19/22 09:28	05/20/22 13:45	117-84-0	
Dibenz(a,h)anthracene	<0.058	mg/kg	0.19	0.058	1	05/19/22 09:28	05/20/22 13:45	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.086	0.026	1	05/19/22 09:28	05/20/22 13:45	132-64-9	
Diethylphthalate	<0.035	mg/kg	0.12	0.035	1	05/19/22 09:28	05/20/22 13:45	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.092	0.028	1	05/19/22 09:28	05/20/22 13:45	131-11-3	
Fluoranthene	<0.030	mg/kg	0.10	0.030	1	05/19/22 09:28	05/20/22 13:45	206-44-0	
Fluorene	<0.025	mg/kg	0.083	0.025	1	05/19/22 09:28	05/20/22 13:45	86-73-7	
Hexachloro-1,3-butadiene	<0.054	mg/kg	0.18	0.054	1	05/19/22 09:28	05/20/22 13:45	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/20/22 13:45	118-74-1	
Hexachlorocyclopentadiene	<0.050	mg/kg	0.17	0.050	1	05/19/22 09:28	05/20/22 13:45	77-47-4	
Hexachloroethane	<0.034	mg/kg	0.11	0.034	1	05/19/22 09:28	05/20/22 13:45	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.046	mg/kg	0.15	0.046	1	05/19/22 09:28	05/20/22 13:45	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/19/22 09:28	05/20/22 13:45	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/19/22 09:28	05/20/22 13:45	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.96	0.29	1	05/19/22 09:28	05/20/22 13:45	86-30-6	
Naphthalene	<0.074	mg/kg	0.25	0.074	1	05/19/22 09:28	05/20/22 13:45	91-20-3	
Nitrobenzene	<0.043	mg/kg	0.14	0.043	1	05/19/22 09:28	05/20/22 13:45	98-95-3	
Pentachlorophenol	<0.047	mg/kg	0.16	0.047	1	05/19/22 09:28	05/20/22 13:45	87-86-5	
Phenanthrene	<0.027	mg/kg	0.091	0.027	1	05/19/22 09:28	05/20/22 13:45	85-01-8	
Phenol	<0.050	mg/kg	0.17	0.050	1	05/19/22 09:28	05/20/22 13:45	108-95-2	2q
Pyrene	<0.047	mg/kg	0.16	0.047	1	05/19/22 09:28	05/20/22 13:45	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Sample: SB-37 (8.0-9.0) **Lab ID: 40244893004** Collected: 05/12/22 07:15 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.057	mg/kg	0.19	0.057	1	05/19/22 09:28	05/20/22 13:45	111-91-1	
bis(2-Chloroethyl) ether	<0.066	mg/kg	0.22	0.066	1	05/19/22 09:28	05/20/22 13:45	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.035	mg/kg	0.12	0.035	1	05/19/22 09:28	05/20/22 13:45	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	74	%	10-125		1	05/19/22 09:28	05/20/22 13:45	4165-60-0	
2-Fluorobiphenyl (S)	60	%	12-118		1	05/19/22 09:28	05/20/22 13:45	321-60-8	
Terphenyl-d14 (S)	63	%	10-124		1	05/19/22 09:28	05/20/22 13:45	1718-51-0	
Phenol-d6 (S)	58	%	10-125		1	05/19/22 09:28	05/20/22 13:45	13127-88-3	
2-Fluorophenol (S)	63	%	10-130		1	05/19/22 09:28	05/20/22 13:45	367-12-4	
2,4,6-Tribromophenol (S)	59	%	10-144		1	05/19/22 09:28	05/20/22 13:45	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/19/22 06:00	05/19/22 13:33	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0026	mg/kg	0.0051	0.0026	1	05/19/22 06:00	05/19/22 13:33	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0051	0.0015	1	05/19/22 06:00	05/19/22 13:33	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0051	0.0011	1	05/19/22 06:00	05/19/22 13:33	75-34-3	
1,1-Dichloroethene	<0.0011	mg/kg	0.0051	0.0011	1	05/19/22 06:00	05/19/22 13:33	75-35-4	
1,2-Dichloroethane	<0.00084	mg/kg	0.0051	0.00084	1	05/19/22 06:00	05/19/22 13:33	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0051	0.0010	1	05/19/22 06:00	05/19/22 13:33	78-87-5	
2-Butanone (MEK)	<0.016	mg/kg	0.026	0.016	1	05/19/22 06:00	05/19/22 13:33	78-93-3	
2-Hexanone	<0.012	mg/kg	0.026	0.012	1	05/19/22 06:00	05/19/22 13:33	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.026	0.020	1	05/19/22 06:00	05/19/22 13:33	108-10-1	
Acetone	<0.048	mg/kg	0.10	0.048	1	05/19/22 06:00	05/19/22 13:33	67-64-1	
Benzene	<0.00072	mg/kg	0.0051	0.00072	1	05/19/22 06:00	05/19/22 13:33	71-43-2	
Bromodichloromethane	<0.00069	mg/kg	0.0051	0.00069	1	05/19/22 06:00	05/19/22 13:33	75-27-4	
Bromoform	<0.0083	mg/kg	0.020	0.0083	1	05/19/22 06:00	05/19/22 13:33	75-25-2	
Bromomethane	<0.0046	mg/kg	0.0051	0.0046	1	05/19/22 06:00	05/19/22 13:33	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0051	0.0011	1	05/19/22 06:00	05/19/22 13:33	75-15-0	
Carbon tetrachloride	<0.0032	mg/kg	0.0051	0.0032	1	05/19/22 06:00	05/19/22 13:33	56-23-5	
Chlorobenzene	<0.00094	mg/kg	0.0051	0.00094	1	05/19/22 06:00	05/19/22 13:33	108-90-7	
Chloroethane	<0.0037	mg/kg	0.0051	0.0037	1	05/19/22 06:00	05/19/22 13:33	75-00-3	
Chloroform	<0.00086	mg/kg	0.0051	0.00086	1	05/19/22 06:00	05/19/22 13:33	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0051	0.0011	1	05/19/22 06:00	05/19/22 13:33	74-87-3	
Dibromochloromethane	<0.0010	mg/kg	0.0051	0.0010	1	05/19/22 06:00	05/19/22 13:33	124-48-1	
Ethylbenzene	<0.00091	mg/kg	0.0051	0.00091	1	05/19/22 06:00	05/19/22 13:33	100-41-4	
Methyl-tert-butyl ether	<0.0021	mg/kg	0.0051	0.0021	1	05/19/22 06:00	05/19/22 13:33	1634-04-4	
Methylene Chloride	<0.0040	mg/kg	0.0051	0.0040	1	05/19/22 06:00	05/19/22 13:33	75-09-2	
Styrene	<0.00073	mg/kg	0.0051	0.00073	1	05/19/22 06:00	05/19/22 13:33	100-42-5	
Tetrachloroethene	<0.00091	mg/kg	0.0051	0.00091	1	05/19/22 06:00	05/19/22 13:33	127-18-4	
Toluene	<0.00090	mg/kg	0.0051	0.00090	1	05/19/22 06:00	05/19/22 13:33	108-88-3	
Trichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/19/22 06:00	05/19/22 13:33	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0051	0.0013	1	05/19/22 06:00	05/19/22 13:33	75-01-4	
Xylene (Total)	<0.0035	mg/kg	0.010	0.0035	1	05/19/22 06:00	05/19/22 13:33	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: SB-37 (8.0-9.0) **Lab ID: 40244893004** Collected: 05/12/22 07:15 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00090	mg/kg	0.0051	0.00090	1	05/19/22 06:00	05/19/22 13:33	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/19/22 06:00	05/19/22 13:33	10061-01-5	
trans-1,2-Dichloroethene	<0.00073	mg/kg	0.0051	0.00073	1	05/19/22 06:00	05/19/22 13:33	156-60-5	
trans-1,3-Dichloropropene	<0.0010	mg/kg	0.0051	0.0010	1	05/19/22 06:00	05/19/22 13:33	10061-02-6	
Surrogates									
Toluene-d8 (S)	97	%	69-156		1	05/19/22 06:00	05/19/22 13:33	2037-26-5	
4-Bromofluorobenzene (S)	74	%	61-175		1	05/19/22 06:00	05/19/22 13:33	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1	05/19/22 06:00	05/19/22 13:33	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.4	%	0.10	0.10	1		05/16/22 16:22		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.5	Std. Units	0.10	0.010	1		05/24/22 10:06		3q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.26	mg/kg	0.78	0.26	1	05/24/22 10:40	05/24/22 14:40	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Sample: **SB-45 (1.3-2.3)** Lab ID: **40244893005** Collected: 05/12/22 07:55 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081A GCS Pesticides									
Analytical Method: EPA 8081 Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00055	mg/kg	0.0022	0.00055	1	05/17/22 09:14	05/20/22 18:17	309-00-2	
alpha-BHC	<0.00023	mg/kg	0.0022	0.00023	1	05/17/22 09:14	05/20/22 18:17	319-84-6	
beta-BHC	<0.00069	mg/kg	0.0022	0.00069	1	05/17/22 09:14	05/20/22 18:17	319-85-7	
delta-BHC	<0.00041	mg/kg	0.0022	0.00041	1	05/17/22 09:14	05/20/22 18:17	319-86-8	
gamma-BHC (Lindane)	<0.00022	mg/kg	0.0022	0.00022	1	05/17/22 09:14	05/20/22 18:17	58-89-9	
Chlordane (Technical)	<0.0074	mg/kg	0.022	0.0074	1	05/17/22 09:14	05/20/22 18:17	57-74-9	
alpha-Chlordane	<0.00028	mg/kg	0.0022	0.00028	1	05/17/22 09:14	05/20/22 18:17	5103-71-9	
gamma-Chlordane	<0.00084	mg/kg	0.0022	0.00084	1	05/17/22 09:14	05/20/22 18:17	5103-74-2	
4,4'-DDD	<0.00045	mg/kg	0.0045	0.00045	1	05/17/22 09:14	05/20/22 18:17	72-54-8	
4,4'-DDE	<0.00052	mg/kg	0.0045	0.00052	1	05/17/22 09:14	05/20/22 18:17	72-55-9	
4,4'-DDT	<0.0014	mg/kg	0.0045	0.0014	1	05/17/22 09:14	05/20/22 18:17	50-29-3	
Dieldrin	<0.00043	mg/kg	0.0045	0.00043	1	05/17/22 09:14	05/20/22 18:17	60-57-1	
Endosulfan I	<0.00025	mg/kg	0.0022	0.00025	1	05/17/22 09:14	05/20/22 18:17	959-98-8	
Endosulfan II	<0.0011	mg/kg	0.0045	0.0011	1	05/17/22 09:14	05/20/22 18:17	33213-65-9	
Endosulfan sulfate	<0.0011	mg/kg	0.0045	0.0011	1	05/17/22 09:14	05/20/22 18:17	1031-07-8	
Endrin	<0.00050	mg/kg	0.0045	0.00050	1	05/17/22 09:14	05/20/22 18:17	72-20-8	
Endrin aldehyde	<0.0014	mg/kg	0.0045	0.0014	1	05/17/22 09:14	05/20/22 18:17	7421-93-4	
Endrin ketone	<0.0012	mg/kg	0.0045	0.0012	1	05/17/22 09:14	05/20/22 18:17	53494-70-5	
Heptachlor	<0.00061	mg/kg	0.0022	0.00061	1	05/17/22 09:14	05/20/22 18:17	76-44-8	
Heptachlor epoxide	<0.00023	mg/kg	0.0022	0.00023	1	05/17/22 09:14	05/20/22 18:17	1024-57-3	
Methoxychlor	<0.0069	mg/kg	0.022	0.0069	1	05/17/22 09:14	05/20/22 18:17	72-43-5	
Toxaphene	<0.021	mg/kg	0.067	0.021	1	05/17/22 09:14	05/20/22 18:17	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	85	%	53-138		1	05/17/22 09:14	05/20/22 18:17	877-09-8	
Decachlorobiphenyl (S)	71	%	30-150		1	05/17/22 09:14	05/20/22 18:17	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.021	mg/kg	0.067	0.021	1	05/16/22 09:46	05/18/22 22:56	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.021	mg/kg	0.067	0.021	1	05/16/22 09:46	05/18/22 22:56	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.021	mg/kg	0.067	0.021	1	05/16/22 09:46	05/18/22 22:56	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.021	mg/kg	0.067	0.021	1	05/16/22 09:46	05/18/22 22:56	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.021	mg/kg	0.067	0.021	1	05/16/22 09:46	05/18/22 22:56	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.021	mg/kg	0.067	0.021	1	05/16/22 09:46	05/18/22 22:56	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.021	mg/kg	0.067	0.021	1	05/16/22 09:46	05/18/22 22:56	11096-82-5	
PCB, Total	<0.021	mg/kg	0.067	0.021	1	05/16/22 09:46	05/18/22 22:56	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	83	%	50-99		1	05/16/22 09:46	05/18/22 22:56	877-09-8	
Decachlorobiphenyl (S)	87	%	38-95		1	05/16/22 09:46	05/18/22 22:56	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	11400	mg/kg	39.5	7.9	1	05/19/22 12:21	05/26/22 00:09	7429-90-5	
Antimony	0.16J	mg/kg	0.66	0.13	1	05/19/22 12:21	05/26/22 00:09	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: SB-45 (1.3-2.3) **Lab ID: 40244893005** Collected: 05/12/22 07:55 Received: 05/13/22 13:45 Matrix: Solid
Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis									
Arsenic	5.8	mg/kg	0.66	0.14	1	05/19/22 12:21	05/26/22 00:09	7440-38-2	
Barium	157	mg/kg	0.39	0.070	1	05/19/22 12:21	05/26/22 00:09	7440-39-3	
Beryllium	0.60	mg/kg	0.26	0.052	1	05/19/22 12:21	05/26/22 00:09	7440-41-7	
Cadmium	0.23	mg/kg	0.11	0.041	1	05/19/22 12:21	05/26/22 00:09	7440-43-9	
Calcium	19500	mg/kg	132	15.5	1	05/19/22 12:21	05/26/22 00:09	7440-70-2	
Chromium	16.3	mg/kg	2.6	0.18	1	05/19/22 12:21	05/26/22 00:09	7440-47-3	
Cobalt	6.2	mg/kg	0.66	0.13	1	05/19/22 12:21	05/26/22 00:09	7440-48-4	
Copper	14.4	mg/kg	1.3	0.32	1	05/19/22 12:21	05/26/22 00:09	7440-50-8	
Iron	18700	mg/kg	65.8	13.8	1	05/19/22 12:21	05/26/22 00:09	7439-89-6	
Lead	22.2	mg/kg	0.66	0.039	1	05/19/22 12:21	05/26/22 00:09	7439-92-1	
Magnesium	7660	mg/kg	39.5	5.7	1	05/19/22 12:21	05/26/22 14:30	7439-95-4	
Manganese	485	mg/kg	0.66	0.32	1	05/19/22 12:21	05/26/22 00:09	7439-96-5	
Nickel	15.7	mg/kg	0.66	0.26	1	05/19/22 12:21	05/26/22 14:30	7440-02-0	
Potassium	1000	mg/kg	132	15.1	1	05/19/22 12:21	05/26/22 00:09	7440-09-7	
Selenium	0.46J	mg/kg	0.66	0.11	1	05/19/22 12:21	05/26/22 00:09	7782-49-2	
Silver	<0.19	mg/kg	0.66	0.19	1	05/19/22 12:21	05/26/22 00:09	7440-22-4	
Sodium	92.0	mg/kg	65.8	14.6	1	05/19/22 12:21	05/26/22 00:09	7440-23-5	
Thallium	0.16	mg/kg	0.13	0.048	1	05/19/22 12:21	05/26/22 00:09	7440-28-0	
Vanadium	28.3	mg/kg	1.3	0.23	1	05/19/22 12:21	05/26/22 00:09	7440-62-2	
Zinc	52.4	mg/kg	6.6	1.2	1	05/19/22 12:21	05/26/22 00:09	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471 Pace Analytical Services - Green Bay									
Mercury	0.022J	mg/kg	0.042	0.012	1	05/23/22 09:43	05/24/22 09:23	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546 Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.025	mg/kg	0.085	0.025	1	05/19/22 09:28	05/19/22 19:04	120-82-1	
1,2-Dichlorobenzene	<0.071	mg/kg	0.24	0.071	1	05/19/22 09:28	05/19/22 19:04	95-50-1	
1,3-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/19/22 09:28	05/19/22 19:04	541-73-1	
1,4-Dichlorobenzene	<0.031	mg/kg	0.10	0.031	1	05/19/22 09:28	05/19/22 19:04	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.058	mg/kg	0.19	0.058	1	05/19/22 09:28	05/19/22 19:04	108-60-1	
2,4,5-Trichlorophenol	<0.040	mg/kg	0.13	0.040	1	05/19/22 09:28	05/19/22 19:04	95-95-4	
2,4,6-Trichlorophenol	<0.034	mg/kg	0.11	0.034	1	05/19/22 09:28	05/19/22 19:04	88-06-2	
2,4-Dichlorophenol	<0.060	mg/kg	0.20	0.060	1	05/19/22 09:28	05/19/22 19:04	120-83-2	
2,4-Dimethylphenol	<0.044	mg/kg	0.15	0.044	1	05/19/22 09:28	05/19/22 19:04	105-67-9	
2,4-Dinitrophenol	<0.068	mg/kg	0.23	0.068	1	05/19/22 09:28	05/19/22 19:04	51-28-5	
2,4-Dinitrotoluene	<0.032	mg/kg	0.11	0.032	1	05/19/22 09:28	05/19/22 19:04	121-14-2	
2,6-Dinitrotoluene	<0.043	mg/kg	0.14	0.043	1	05/19/22 09:28	05/19/22 19:04	606-20-2	
2-Chloronaphthalene	<0.029	mg/kg	0.096	0.029	1	05/19/22 09:28	05/19/22 19:04	91-58-7	
2-Chlorophenol	<0.056	mg/kg	0.19	0.056	1	05/19/22 09:28	05/19/22 19:04	95-57-8	
2-Methylnaphthalene	<0.058	mg/kg	0.19	0.058	1	05/19/22 09:28	05/19/22 19:04	91-57-6	
2-Methylphenol(o-Cresol)	<0.041	mg/kg	0.14	0.041	1	05/19/22 09:28	05/19/22 19:04	95-48-7	
2-Nitroaniline	<0.064	mg/kg	0.21	0.064	1	05/19/22 09:28	05/19/22 19:04	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: SB-45 (1.3-2.3) Lab ID: 40244893005 Collected: 05/12/22 07:55 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.071	mg/kg	0.24	0.071	1	05/19/22 09:28	05/19/22 19:04	88-75-5	
3&4-Methylphenol(m&p Cresol)	0.056J	mg/kg	0.14	0.041	1	05/19/22 09:28	05/19/22 19:04		
3,3'-Dichlorobenzidine	<0.061	mg/kg	0.20	0.061	1	05/19/22 09:28	05/19/22 19:04	91-94-1	CU
3-Nitroaniline	<0.038	mg/kg	0.13	0.038	1	05/19/22 09:28	05/19/22 19:04	99-09-2	
4,6-Dinitro-2-methylphenol	<0.069	mg/kg	0.23	0.069	1	05/19/22 09:28	05/19/22 19:04	534-52-1	
4-Bromophenylphenyl ether	<0.047	mg/kg	0.16	0.047	1	05/19/22 09:28	05/19/22 19:04	101-55-3	
4-Chloro-3-methylphenol	<0.070	mg/kg	0.23	0.070	1	05/19/22 09:28	05/19/22 19:04	59-50-7	
4-Chloroaniline	<0.037	mg/kg	0.12	0.037	1	05/19/22 09:28	05/19/22 19:04	106-47-8	1q
4-Chlorophenylphenyl ether	<0.042	mg/kg	0.14	0.042	1	05/19/22 09:28	05/19/22 19:04	7005-72-3	
4-Nitroaniline	<0.093	mg/kg	0.31	0.093	1	05/19/22 09:28	05/19/22 19:04	100-01-6	
4-Nitrophenol	<0.057	mg/kg	0.19	0.057	1	05/19/22 09:28	05/19/22 19:04	100-02-7	
Acenaphthene	<0.080	mg/kg	0.27	0.080	1	05/19/22 09:28	05/19/22 19:04	83-32-9	
Acenaphthylene	<0.080	mg/kg	0.27	0.080	1	05/19/22 09:28	05/19/22 19:04	208-96-8	
Anthracene	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/19/22 19:04	120-12-7	
Benzo(a)anthracene	<0.035	mg/kg	0.12	0.035	1	05/19/22 09:28	05/19/22 19:04	56-55-3	
Benzo(a)pyrene	<0.034	mg/kg	0.11	0.034	1	05/19/22 09:28	05/19/22 19:04	50-32-8	
Benzo(b)fluoranthene	<0.039	mg/kg	0.13	0.039	1	05/19/22 09:28	05/19/22 19:04	205-99-2	
Benzo(g,h,i)perylene	<0.059	mg/kg	0.20	0.059	1	05/19/22 09:28	05/19/22 19:04	191-24-2	
Benzo(k)fluoranthene	<0.054	mg/kg	0.18	0.054	1	05/19/22 09:28	05/19/22 19:04	207-08-9	
Butylbenzylphthalate	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/19/22 19:04	85-68-7	
Carbazole	<0.035	mg/kg	0.12	0.035	1	05/19/22 09:28	05/19/22 19:04	86-74-8	
Chrysene	<0.034	mg/kg	0.11	0.034	1	05/19/22 09:28	05/19/22 19:04	218-01-9	
Di-n-butylphthalate	<0.034	mg/kg	0.11	0.034	1	05/19/22 09:28	05/19/22 19:04	84-74-2	
Di-n-octylphthalate	<0.051	mg/kg	0.17	0.051	1	05/19/22 09:28	05/19/22 19:04	117-84-0	
Dibenz(a,h)anthracene	<0.061	mg/kg	0.20	0.061	1	05/19/22 09:28	05/19/22 19:04	53-70-3	
Dibenzofuran	<0.027	mg/kg	0.091	0.027	1	05/19/22 09:28	05/19/22 19:04	132-64-9	
Diethylphthalate	<0.037	mg/kg	0.12	0.037	1	05/19/22 09:28	05/19/22 19:04	84-66-2	
Dimethylphthalate	<0.029	mg/kg	0.097	0.029	1	05/19/22 09:28	05/19/22 19:04	131-11-3	
Fluoranthene	<0.032	mg/kg	0.11	0.032	1	05/19/22 09:28	05/19/22 19:04	206-44-0	
Fluorene	<0.026	mg/kg	0.088	0.026	1	05/19/22 09:28	05/19/22 19:04	86-73-7	
Hexachloro-1,3-butadiene	<0.057	mg/kg	0.19	0.057	1	05/19/22 09:28	05/19/22 19:04	87-68-3	
Hexachlorobenzene	<0.038	mg/kg	0.13	0.038	1	05/19/22 09:28	05/19/22 19:04	118-74-1	
Hexachlorocyclopentadiene	<0.053	mg/kg	0.18	0.053	1	05/19/22 09:28	05/19/22 19:04	77-47-4	
Hexachloroethane	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/19/22 19:04	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.049	mg/kg	0.16	0.049	1	05/19/22 09:28	05/19/22 19:04	193-39-5	
Isophorone	<0.035	mg/kg	0.12	0.035	1	05/19/22 09:28	05/19/22 19:04	78-59-1	
N-Nitroso-di-n-propylamine	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/19/22 19:04	621-64-7	
N-Nitrosodiphenylamine	<0.31	mg/kg	1.0	0.31	1	05/19/22 09:28	05/19/22 19:04	86-30-6	
Naphthalene	<0.079	mg/kg	0.26	0.079	1	05/19/22 09:28	05/19/22 19:04	91-20-3	
Nitrobenzene	<0.046	mg/kg	0.15	0.046	1	05/19/22 09:28	05/19/22 19:04	98-95-3	
Pentachlorophenol	<0.050	mg/kg	0.17	0.050	1	05/19/22 09:28	05/19/22 19:04	87-86-5	
Phenanthrene	<0.029	mg/kg	0.096	0.029	1	05/19/22 09:28	05/19/22 19:04	85-01-8	
Phenol	<0.053	mg/kg	0.18	0.053	1	05/19/22 09:28	05/19/22 19:04	108-95-2	
Pyrene	<0.050	mg/kg	0.17	0.050	1	05/19/22 09:28	05/19/22 19:04	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Sample: SB-45 (1.3-2.3) Lab ID: 40244893005 Collected: 05/12/22 07:55 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.061	mg/kg	0.20	0.061	1	05/19/22 09:28	05/19/22 19:04	111-91-1	
bis(2-Chloroethyl) ether	<0.070	mg/kg	0.23	0.070	1	05/19/22 09:28	05/19/22 19:04	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.037	mg/kg	0.12	0.037	1	05/19/22 09:28	05/19/22 19:04	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	80	%	10-125		1	05/19/22 09:28	05/19/22 19:04	4165-60-0	
2-Fluorobiphenyl (S)	54	%	12-118		1	05/19/22 09:28	05/19/22 19:04	321-60-8	
Terphenyl-d14 (S)	73	%	10-124		1	05/19/22 09:28	05/19/22 19:04	1718-51-0	
Phenol-d6 (S)	60	%	10-125		1	05/19/22 09:28	05/19/22 19:04	13127-88-3	
2-Fluorophenol (S)	64	%	10-130		1	05/19/22 09:28	05/19/22 19:04	367-12-4	
2,4,6-Tribromophenol (S)	81	%	10-144		1	05/19/22 09:28	05/19/22 19:04	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/19/22 06:00	05/19/22 13:57	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0029	mg/kg	0.0056	0.0029	1	05/19/22 06:00	05/19/22 13:57	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/19/22 06:00	05/19/22 13:57	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0056	0.0012	1	05/19/22 06:00	05/19/22 13:57	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0056	0.0012	1	05/19/22 06:00	05/19/22 13:57	75-35-4	
1,2-Dichloroethane	<0.00093	mg/kg	0.0056	0.00093	1	05/19/22 06:00	05/19/22 13:57	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0056	0.0011	1	05/19/22 06:00	05/19/22 13:57	78-87-5	
2-Butanone (MEK)	<0.018	mg/kg	0.028	0.018	1	05/19/22 06:00	05/19/22 13:57	78-93-3	
2-Hexanone	<0.013	mg/kg	0.028	0.013	1	05/19/22 06:00	05/19/22 13:57	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.028	0.022	1	05/19/22 06:00	05/19/22 13:57	108-10-1	
Acetone	<0.053	mg/kg	0.11	0.053	1	05/19/22 06:00	05/19/22 13:57	67-64-1	
Benzene	<0.00080	mg/kg	0.0056	0.00080	1	05/19/22 06:00	05/19/22 13:57	71-43-2	
Bromodichloromethane	<0.00076	mg/kg	0.0056	0.00076	1	05/19/22 06:00	05/19/22 13:57	75-27-4	
Bromoform	<0.0091	mg/kg	0.022	0.0091	1	05/19/22 06:00	05/19/22 13:57	75-25-2	
Bromomethane	<0.0050	mg/kg	0.0056	0.0050	1	05/19/22 06:00	05/19/22 13:57	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0056	0.0012	1	05/19/22 06:00	05/19/22 13:57	75-15-0	
Carbon tetrachloride	<0.0036	mg/kg	0.0056	0.0036	1	05/19/22 06:00	05/19/22 13:57	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/19/22 06:00	05/19/22 13:57	108-90-7	
Chloroethane	<0.0041	mg/kg	0.0056	0.0041	1	05/19/22 06:00	05/19/22 13:57	75-00-3	
Chloroform	<0.00095	mg/kg	0.0056	0.00095	1	05/19/22 06:00	05/19/22 13:57	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0056	0.0012	1	05/19/22 06:00	05/19/22 13:57	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0056	0.0011	1	05/19/22 06:00	05/19/22 13:57	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/19/22 06:00	05/19/22 13:57	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0056	0.0023	1	05/19/22 06:00	05/19/22 13:57	1634-04-4	
Methylene Chloride	<0.0044	mg/kg	0.0056	0.0044	1	05/19/22 06:00	05/19/22 13:57	75-09-2	
Styrene	<0.00080	mg/kg	0.0056	0.00080	1	05/19/22 06:00	05/19/22 13:57	100-42-5	
Tetrachloroethene	<0.0010	mg/kg	0.0056	0.0010	1	05/19/22 06:00	05/19/22 13:57	127-18-4	
Toluene	<0.00099	mg/kg	0.0056	0.00099	1	05/19/22 06:00	05/19/22 13:57	108-88-3	
Trichloroethene	<0.00080	mg/kg	0.0056	0.00080	1	05/19/22 06:00	05/19/22 13:57	79-01-6	
Vinyl chloride	<0.0015	mg/kg	0.0056	0.0015	1	05/19/22 06:00	05/19/22 13:57	75-01-4	
Xylene (Total)	<0.0038	mg/kg	0.011	0.0038	1	05/19/22 06:00	05/19/22 13:57	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: SB-45 (1.3-2.3) **Lab ID: 40244893005** Collected: 05/12/22 07:55 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay								
cis-1,2-Dichloroethene	<0.00099	mg/kg	0.0056	0.00099	1	05/19/22 06:00	05/19/22 13:57	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/19/22 06:00	05/19/22 13:57	10061-01-5	
trans-1,2-Dichloroethene	<0.00081	mg/kg	0.0056	0.00081	1	05/19/22 06:00	05/19/22 13:57	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/19/22 06:00	05/19/22 13:57	10061-02-6	
Surrogates									
Toluene-d8 (S)	94	%	69-156		1	05/19/22 06:00	05/19/22 13:57	2037-26-5	
4-Bromofluorobenzene (S)	88	%	61-175		1	05/19/22 06:00	05/19/22 13:57	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1	05/19/22 06:00	05/19/22 13:57	2199-69-1	
Percent Moisture	Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay								
Percent Moisture	25.8	%	0.10	0.10	1		05/17/22 12:58		
9040 pH	Analytical Method: EPA 9040 Pace Analytical Services - Green Bay								
pH at 25 Degrees C	6.8	Std. Units	0.10	0.010	1		05/24/22 10:13		3q,H6
9012 Cyanide, Total	Analytical Method: EPA 9012B Preparation Method: EPA 9012B Pace Analytical Services - Green Bay								
Cyanide	<0.40	mg/kg	1.2	0.40	1	05/24/22 10:40	05/24/22 14:41	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: SB-45 (4.5-5.5) **Lab ID: 40244893006** Collected: 05/12/22 08:00 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081A GCS Pesticides									
Analytical Method: EPA 8081 Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.00048	mg/kg	0.0020	0.00048	1	05/17/22 09:14	05/20/22 18:35	309-00-2	
alpha-BHC	<0.00020	mg/kg	0.0020	0.00020	1	05/17/22 09:14	05/20/22 18:35	319-84-6	
beta-BHC	<0.00061	mg/kg	0.0020	0.00061	1	05/17/22 09:14	05/20/22 18:35	319-85-7	
delta-BHC	<0.00036	mg/kg	0.0020	0.00036	1	05/17/22 09:14	05/20/22 18:35	319-86-8	
gamma-BHC (Lindane)	<0.00019	mg/kg	0.0020	0.00019	1	05/17/22 09:14	05/20/22 18:35	58-89-9	
Chlordane (Technical)	<0.0065	mg/kg	0.020	0.0065	1	05/17/22 09:14	05/20/22 18:35	57-74-9	
alpha-Chlordane	<0.00024	mg/kg	0.0020	0.00024	1	05/17/22 09:14	05/20/22 18:35	5103-71-9	
gamma-Chlordane	<0.00073	mg/kg	0.0020	0.00073	1	05/17/22 09:14	05/20/22 18:35	5103-74-2	
4,4'-DDD	<0.00040	mg/kg	0.0039	0.00040	1	05/17/22 09:14	05/20/22 18:35	72-54-8	
4,4'-DDE	<0.00045	mg/kg	0.0039	0.00045	1	05/17/22 09:14	05/20/22 18:35	72-55-9	
4,4'-DDT	<0.0012	mg/kg	0.0039	0.0012	1	05/17/22 09:14	05/20/22 18:35	50-29-3	
Dieldrin	<0.00038	mg/kg	0.0039	0.00038	1	05/17/22 09:14	05/20/22 18:35	60-57-1	
Endosulfan I	<0.00022	mg/kg	0.0020	0.00022	1	05/17/22 09:14	05/20/22 18:35	959-98-8	
Endosulfan II	<0.00093	mg/kg	0.0039	0.00093	1	05/17/22 09:14	05/20/22 18:35	33213-65-9	
Endosulfan sulfate	<0.00093	mg/kg	0.0039	0.00093	1	05/17/22 09:14	05/20/22 18:35	1031-07-8	
Endrin	<0.00044	mg/kg	0.0039	0.00044	1	05/17/22 09:14	05/20/22 18:35	72-20-8	
Endrin aldehyde	<0.0013	mg/kg	0.0039	0.0013	1	05/17/22 09:14	05/20/22 18:35	7421-93-4	
Endrin ketone	<0.0010	mg/kg	0.0039	0.0010	1	05/17/22 09:14	05/20/22 18:35	53494-70-5	
Heptachlor	<0.00053	mg/kg	0.0020	0.00053	1	05/17/22 09:14	05/20/22 18:35	76-44-8	
Heptachlor epoxide	<0.00020	mg/kg	0.0020	0.00020	1	05/17/22 09:14	05/20/22 18:35	1024-57-3	
Methoxychlor	<0.0061	mg/kg	0.020	0.0061	1	05/17/22 09:14	05/20/22 18:35	72-43-5	
Toxaphene	<0.019	mg/kg	0.059	0.019	1	05/17/22 09:14	05/20/22 18:35	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	86	%	53-138		1	05/17/22 09:14	05/20/22 18:35	877-09-8	
Decachlorobiphenyl (S)	69	%	30-150		1	05/17/22 09:14	05/20/22 18:35	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.018	mg/kg	0.059	0.018	1	05/16/22 20:59	05/17/22 18:11	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.018	mg/kg	0.059	0.018	1	05/16/22 20:59	05/17/22 18:11	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.018	mg/kg	0.059	0.018	1	05/16/22 20:59	05/17/22 18:11	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.018	mg/kg	0.059	0.018	1	05/16/22 20:59	05/17/22 18:11	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.018	mg/kg	0.059	0.018	1	05/16/22 20:59	05/17/22 18:11	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.018	mg/kg	0.059	0.018	1	05/16/22 20:59	05/17/22 18:11	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.018	mg/kg	0.059	0.018	1	05/16/22 20:59	05/17/22 18:11	11096-82-5	
PCB, Total	<0.018	mg/kg	0.059	0.018	1	05/16/22 20:59	05/17/22 18:11	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	82	%	50-99		1	05/16/22 20:59	05/17/22 18:11	877-09-8	
Decachlorobiphenyl (S)	74	%	38-95		1	05/16/22 20:59	05/17/22 18:11	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	16000	mg/kg	33.6	6.8	1	05/19/22 12:21	05/26/22 00:13	7429-90-5	
Antimony	0.15J	mg/kg	0.56	0.11	1	05/19/22 12:21	05/26/22 00:13	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Sample: SB-45 (4.5-5.5) **Lab ID: 40244893006** Collected: 05/12/22 08:00 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	8.4	mg/kg	0.56	0.12	1	05/19/22 12:21	05/26/22 00:13	7440-38-2	
Barium	190	mg/kg	0.34	0.060	1	05/19/22 12:21	05/26/22 00:13	7440-39-3	
Beryllium	0.77	mg/kg	0.22	0.044	1	05/19/22 12:21	05/26/22 00:13	7440-41-7	
Cadmium	0.29	mg/kg	0.089	0.035	1	05/19/22 12:21	05/26/22 00:13	7440-43-9	
Calcium	4270	mg/kg	112	13.2	1	05/19/22 12:21	05/26/22 00:13	7440-70-2	
Chromium	20.6	mg/kg	2.2	0.16	1	05/19/22 12:21	05/26/22 00:13	7440-47-3	
Cobalt	11.2	mg/kg	0.56	0.11	1	05/19/22 12:21	05/26/22 00:13	7440-48-4	
Copper	19.0	mg/kg	1.1	0.27	1	05/19/22 12:21	05/26/22 00:13	7440-50-8	
Iron	23300	mg/kg	55.9	11.7	1	05/19/22 12:21	05/26/22 00:13	7439-89-6	
Lead	12.9	mg/kg	0.56	0.033	1	05/19/22 12:21	05/26/22 00:13	7439-92-1	
Magnesium	3830	mg/kg	33.6	4.8	1	05/19/22 12:21	05/26/22 14:33	7439-95-4	
Manganese	881	mg/kg	5.6	2.7	10	05/19/22 12:21	05/26/22 14:37	7439-96-5	
Nickel	22.2	mg/kg	0.56	0.22	1	05/19/22 12:21	05/26/22 14:33	7440-02-0	
Potassium	801	mg/kg	112	12.9	1	05/19/22 12:21	05/26/22 00:13	7440-09-7	
Selenium	0.36J	mg/kg	0.56	0.096	1	05/19/22 12:21	05/26/22 00:13	7782-49-2	
Silver	<0.16	mg/kg	0.56	0.16	1	05/19/22 12:21	05/26/22 00:13	7440-22-4	
Sodium	111	mg/kg	55.9	12.4	1	05/19/22 12:21	05/26/22 00:13	7440-23-5	
Thallium	0.15	mg/kg	0.11	0.041	1	05/19/22 12:21	05/26/22 00:13	7440-28-0	
Vanadium	37.2	mg/kg	1.1	0.20	1	05/19/22 12:21	05/26/22 00:13	7440-62-2	
Zinc	55.8	mg/kg	5.6	1.0	1	05/19/22 12:21	05/26/22 00:13	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.033J	mg/kg	0.041	0.012	1	05/23/22 09:43	05/24/22 09:25	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.022	mg/kg	0.074	0.022	1	05/19/22 09:28	05/19/22 19:25	120-82-1	
1,2-Dichlorobenzene	<0.062	mg/kg	0.21	0.062	1	05/19/22 09:28	05/19/22 19:25	95-50-1	
1,3-Dichlorobenzene	<0.027	mg/kg	0.091	0.027	1	05/19/22 09:28	05/19/22 19:25	541-73-1	
1,4-Dichlorobenzene	<0.027	mg/kg	0.092	0.027	1	05/19/22 09:28	05/19/22 19:25	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.051	mg/kg	0.17	0.051	1	05/19/22 09:28	05/19/22 19:25	108-60-1	
2,4,5-Trichlorophenol	<0.035	mg/kg	0.12	0.035	1	05/19/22 09:28	05/19/22 19:25	95-95-4	
2,4,6-Trichlorophenol	<0.030	mg/kg	0.10	0.030	1	05/19/22 09:28	05/19/22 19:25	88-06-2	
2,4-Dichlorophenol	<0.053	mg/kg	0.18	0.053	1	05/19/22 09:28	05/19/22 19:25	120-83-2	
2,4-Dimethylphenol	<0.039	mg/kg	0.13	0.039	1	05/19/22 09:28	05/19/22 19:25	105-67-9	
2,4-Dinitrophenol	<0.060	mg/kg	0.20	0.060	1	05/19/22 09:28	05/19/22 19:25	51-28-5	
2,4-Dinitrotoluene	<0.028	mg/kg	0.094	0.028	1	05/19/22 09:28	05/19/22 19:25	121-14-2	
2,6-Dinitrotoluene	<0.037	mg/kg	0.12	0.037	1	05/19/22 09:28	05/19/22 19:25	606-20-2	
2-Chloronaphthalene	<0.025	mg/kg	0.084	0.025	1	05/19/22 09:28	05/19/22 19:25	91-58-7	
2-Chlorophenol	<0.049	mg/kg	0.16	0.049	1	05/19/22 09:28	05/19/22 19:25	95-57-8	
2-Methylnaphthalene	<0.051	mg/kg	0.17	0.051	1	05/19/22 09:28	05/19/22 19:25	91-57-6	
2-Methylphenol(o-Cresol)	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/19/22 19:25	95-48-7	
2-Nitroaniline	<0.056	mg/kg	0.19	0.056	1	05/19/22 09:28	05/19/22 19:25	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Sample: **SB-45 (4.5-5.5)** Lab ID: **40244893006** Collected: 05/12/22 08:00 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.062	mg/kg	0.21	0.062	1	05/19/22 09:28	05/19/22 19:25	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/19/22 19:25		
3,3'-Dichlorobenzidine	<0.054	mg/kg	0.18	0.054	1	05/19/22 09:28	05/19/22 19:25	91-94-1	CU
3-Nitroaniline	<0.034	mg/kg	0.11	0.034	1	05/19/22 09:28	05/19/22 19:25	99-09-2	
4,6-Dinitro-2-methylphenol	<0.061	mg/kg	0.20	0.061	1	05/19/22 09:28	05/19/22 19:25	534-52-1	
4-Bromophenylphenyl ether	<0.041	mg/kg	0.14	0.041	1	05/19/22 09:28	05/19/22 19:25	101-55-3	
4-Chloro-3-methylphenol	<0.061	mg/kg	0.20	0.061	1	05/19/22 09:28	05/19/22 19:25	59-50-7	
4-Chloroaniline	<0.032	mg/kg	0.11	0.032	1	05/19/22 09:28	05/19/22 19:25	106-47-8	1q
4-Chlorophenylphenyl ether	<0.037	mg/kg	0.12	0.037	1	05/19/22 09:28	05/19/22 19:25	7005-72-3	
4-Nitroaniline	<0.082	mg/kg	0.27	0.082	1	05/19/22 09:28	05/19/22 19:25	100-01-6	
4-Nitrophenol	<0.050	mg/kg	0.17	0.050	1	05/19/22 09:28	05/19/22 19:25	100-02-7	
Acenaphthene	<0.070	mg/kg	0.23	0.070	1	05/19/22 09:28	05/19/22 19:25	83-32-9	
Acenaphthylene	<0.070	mg/kg	0.23	0.070	1	05/19/22 09:28	05/19/22 19:25	208-96-8	
Anthracene	<0.032	mg/kg	0.11	0.032	1	05/19/22 09:28	05/19/22 19:25	120-12-7	
Benzo(a)anthracene	<0.031	mg/kg	0.10	0.031	1	05/19/22 09:28	05/19/22 19:25	56-55-3	
Benzo(a)pyrene	<0.030	mg/kg	0.099	0.030	1	05/19/22 09:28	05/19/22 19:25	50-32-8	
Benzo(b)fluoranthene	<0.034	mg/kg	0.11	0.034	1	05/19/22 09:28	05/19/22 19:25	205-99-2	
Benzo(g,h,i)perylene	<0.052	mg/kg	0.17	0.052	1	05/19/22 09:28	05/19/22 19:25	191-24-2	
Benzo(k)fluoranthene	<0.047	mg/kg	0.16	0.047	1	05/19/22 09:28	05/19/22 19:25	207-08-9	
Butylbenzylphthalate	<0.032	mg/kg	0.11	0.032	1	05/19/22 09:28	05/19/22 19:25	85-68-7	
Carbazole	<0.031	mg/kg	0.10	0.031	1	05/19/22 09:28	05/19/22 19:25	86-74-8	
Chrysene	<0.029	mg/kg	0.098	0.029	1	05/19/22 09:28	05/19/22 19:25	218-01-9	
Di-n-butylphthalate	<0.029	mg/kg	0.098	0.029	1	05/19/22 09:28	05/19/22 19:25	84-74-2	
Di-n-octylphthalate	<0.044	mg/kg	0.15	0.044	1	05/19/22 09:28	05/19/22 19:25	117-84-0	
Dibenz(a,h)anthracene	<0.054	mg/kg	0.18	0.054	1	05/19/22 09:28	05/19/22 19:25	53-70-3	
Dibenzofuran	<0.024	mg/kg	0.080	0.024	1	05/19/22 09:28	05/19/22 19:25	132-64-9	
Diethylphthalate	<0.033	mg/kg	0.11	0.033	1	05/19/22 09:28	05/19/22 19:25	84-66-2	
Dimethylphthalate	<0.026	mg/kg	0.086	0.026	1	05/19/22 09:28	05/19/22 19:25	131-11-3	
Fluoranthene	<0.028	mg/kg	0.093	0.028	1	05/19/22 09:28	05/19/22 19:25	206-44-0	
Fluorene	<0.023	mg/kg	0.077	0.023	1	05/19/22 09:28	05/19/22 19:25	86-73-7	
Hexachloro-1,3-butadiene	<0.050	mg/kg	0.17	0.050	1	05/19/22 09:28	05/19/22 19:25	87-68-3	
Hexachlorobenzene	<0.033	mg/kg	0.11	0.033	1	05/19/22 09:28	05/19/22 19:25	118-74-1	
Hexachlorocyclopentadiene	<0.047	mg/kg	0.16	0.047	1	05/19/22 09:28	05/19/22 19:25	77-47-4	
Hexachloroethane	<0.032	mg/kg	0.11	0.032	1	05/19/22 09:28	05/19/22 19:25	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.043	mg/kg	0.14	0.043	1	05/19/22 09:28	05/19/22 19:25	193-39-5	
Isophorone	<0.030	mg/kg	0.10	0.030	1	05/19/22 09:28	05/19/22 19:25	78-59-1	
N-Nitroso-di-n-propylamine	<0.031	mg/kg	0.10	0.031	1	05/19/22 09:28	05/19/22 19:25	621-64-7	
N-Nitrosodiphenylamine	<0.27	mg/kg	0.89	0.27	1	05/19/22 09:28	05/19/22 19:25	86-30-6	
Naphthalene	<0.069	mg/kg	0.23	0.069	1	05/19/22 09:28	05/19/22 19:25	91-20-3	
Nitrobenzene	<0.040	mg/kg	0.13	0.040	1	05/19/22 09:28	05/19/22 19:25	98-95-3	
Pentachlorophenol	<0.043	mg/kg	0.14	0.043	1	05/19/22 09:28	05/19/22 19:25	87-86-5	
Phenanthrene	<0.025	mg/kg	0.084	0.025	1	05/19/22 09:28	05/19/22 19:25	85-01-8	
Phenol	<0.047	mg/kg	0.16	0.047	1	05/19/22 09:28	05/19/22 19:25	108-95-2	
Pyrene	<0.044	mg/kg	0.15	0.044	1	05/19/22 09:28	05/19/22 19:25	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Sample: SB-45 (4.5-5.5) **Lab ID: 40244893006** Collected: 05/12/22 08:00 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.053	mg/kg	0.18	0.053	1	05/19/22 09:28	05/19/22 19:25	111-91-1	
bis(2-Chloroethyl) ether	<0.062	mg/kg	0.21	0.062	1	05/19/22 09:28	05/19/22 19:25	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.033	mg/kg	0.11	0.033	1	05/19/22 09:28	05/19/22 19:25	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	76	%	10-125		1	05/19/22 09:28	05/19/22 19:25	4165-60-0	
2-Fluorobiphenyl (S)	45	%	12-118		1	05/19/22 09:28	05/19/22 19:25	321-60-8	
Terphenyl-d14 (S)	71	%	10-124		1	05/19/22 09:28	05/19/22 19:25	1718-51-0	
Phenol-d6 (S)	60	%	10-125		1	05/19/22 09:28	05/19/22 19:25	13127-88-3	
2-Fluorophenol (S)	62	%	10-130		1	05/19/22 09:28	05/19/22 19:25	367-12-4	
2,4,6-Tribromophenol (S)	68	%	10-144		1	05/19/22 09:28	05/19/22 19:25	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0048	0.0015	1	05/19/22 06:00	05/19/22 14:21	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0025	mg/kg	0.0048	0.0025	1	05/19/22 06:00	05/19/22 14:21	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0048	0.0015	1	05/19/22 06:00	05/19/22 14:21	79-00-5	
1,1-Dichloroethane	<0.0010	mg/kg	0.0048	0.0010	1	05/19/22 06:00	05/19/22 14:21	75-34-3	
1,1-Dichloroethene	<0.0010	mg/kg	0.0048	0.0010	1	05/19/22 06:00	05/19/22 14:21	75-35-4	
1,2-Dichloroethane	<0.00079	mg/kg	0.0048	0.00079	1	05/19/22 06:00	05/19/22 14:21	107-06-2	
1,2-Dichloropropane	<0.00097	mg/kg	0.0048	0.00097	1	05/19/22 06:00	05/19/22 14:21	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.024	0.015	1	05/19/22 06:00	05/19/22 14:21	78-93-3	
2-Hexanone	<0.011	mg/kg	0.024	0.011	1	05/19/22 06:00	05/19/22 14:21	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.019	mg/kg	0.024	0.019	1	05/19/22 06:00	05/19/22 14:21	108-10-1	
Acetone	<0.045	mg/kg	0.096	0.045	1	05/19/22 06:00	05/19/22 14:21	67-64-1	
Benzene	<0.00068	mg/kg	0.0048	0.00068	1	05/19/22 06:00	05/19/22 14:21	71-43-2	
Bromodichloromethane	<0.00065	mg/kg	0.0048	0.00065	1	05/19/22 06:00	05/19/22 14:21	75-27-4	
Bromoform	<0.0078	mg/kg	0.019	0.0078	1	05/19/22 06:00	05/19/22 14:21	75-25-2	
Bromomethane	<0.0043	mg/kg	0.0048	0.0043	1	05/19/22 06:00	05/19/22 14:21	74-83-9	
Carbon disulfide	<0.0011	mg/kg	0.0048	0.0011	1	05/19/22 06:00	05/19/22 14:21	75-15-0	
Carbon tetrachloride	<0.0030	mg/kg	0.0048	0.0030	1	05/19/22 06:00	05/19/22 14:21	56-23-5	
Chlorobenzene	<0.00089	mg/kg	0.0048	0.00089	1	05/19/22 06:00	05/19/22 14:21	108-90-7	
Chloroethane	<0.0035	mg/kg	0.0048	0.0035	1	05/19/22 06:00	05/19/22 14:21	75-00-3	
Chloroform	<0.00081	mg/kg	0.0048	0.00081	1	05/19/22 06:00	05/19/22 14:21	67-66-3	
Chloromethane	<0.0010	mg/kg	0.0048	0.0010	1	05/19/22 06:00	05/19/22 14:21	74-87-3	
Dibromochloromethane	<0.00097	mg/kg	0.0048	0.00097	1	05/19/22 06:00	05/19/22 14:21	124-48-1	
Ethylbenzene	<0.00086	mg/kg	0.0048	0.00086	1	05/19/22 06:00	05/19/22 14:21	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0048	0.0020	1	05/19/22 06:00	05/19/22 14:21	1634-04-4	
Methylene Chloride	<0.0038	mg/kg	0.0048	0.0038	1	05/19/22 06:00	05/19/22 14:21	75-09-2	
Styrene	<0.00068	mg/kg	0.0048	0.00068	1	05/19/22 06:00	05/19/22 14:21	100-42-5	
Tetrachloroethene	<0.00085	mg/kg	0.0048	0.00085	1	05/19/22 06:00	05/19/22 14:21	127-18-4	
Toluene	<0.00085	mg/kg	0.0048	0.00085	1	05/19/22 06:00	05/19/22 14:21	108-88-3	
Trichloroethene	<0.00069	mg/kg	0.0048	0.00069	1	05/19/22 06:00	05/19/22 14:21	79-01-6	
Vinyl chloride	<0.0012	mg/kg	0.0048	0.0012	1	05/19/22 06:00	05/19/22 14:21	75-01-4	
Xylene (Total)	<0.0033	mg/kg	0.0096	0.0033	1	05/19/22 06:00	05/19/22 14:21	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: SB-45 (4.5-5.5) **Lab ID: 40244893006** Collected: 05/12/22 08:00 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00085	mg/kg	0.0048	0.00085	1	05/19/22 06:00	05/19/22 14:21	156-59-2	
cis-1,3-Dichloropropene	<0.00098	mg/kg	0.0048	0.00098	1	05/19/22 06:00	05/19/22 14:21	10061-01-5	
trans-1,2-Dichloroethene	<0.00069	mg/kg	0.0048	0.00069	1	05/19/22 06:00	05/19/22 14:21	156-60-5	
trans-1,3-Dichloropropene	<0.00096	mg/kg	0.0048	0.00096	1	05/19/22 06:00	05/19/22 14:21	10061-02-6	
Surrogates									
Toluene-d8 (S)	95	%	69-156		1	05/19/22 06:00	05/19/22 14:21	2037-26-5	
4-Bromofluorobenzene (S)	78	%	61-175		1	05/19/22 06:00	05/19/22 14:21	460-00-4	
1,2-Dichlorobenzene-d4 (S)	93	%	70-130		1	05/19/22 06:00	05/19/22 14:21	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	15.3	%	0.10	0.10	1		05/19/22 08:48		
9045 pH Soil									
Analytical Method: EPA 9045									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.71	Std. Units	0.100	0.0100	1		05/23/22 15:51		H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.30	mg/kg	0.90	0.30	1	05/24/22 10:40	05/24/22 14:42	57-12-5	M0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: SB-48 (0.8-1.8) **Lab ID: 40244893007** Collected: 05/12/22 09:25 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081A GCS Pesticides									
Analytical Method: EPA 8081 Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.0051	mg/kg	0.021	0.0051	10	05/17/22 09:14	05/20/22 17:01	309-00-2	
alpha-BHC	<0.0021	mg/kg	0.021	0.0021	10	05/17/22 09:14	05/20/22 17:01	319-84-6	
beta-BHC	<0.0066	mg/kg	0.021	0.0066	10	05/17/22 09:14	05/20/22 17:01	319-85-7	
delta-BHC	<0.0039	mg/kg	0.021	0.0039	10	05/17/22 09:14	05/20/22 17:01	319-86-8	
gamma-BHC (Lindane)	<0.0021	mg/kg	0.021	0.0021	10	05/17/22 09:14	05/20/22 17:01	58-89-9	
Chlordane (Technical)	<0.070	mg/kg	0.21	0.070	10	05/17/22 09:14	05/20/22 17:01	57-74-9	
alpha-Chlordane	<0.0026	mg/kg	0.021	0.0026	10	05/17/22 09:14	05/20/22 17:01	5103-71-9	
gamma-Chlordane	<0.0079	mg/kg	0.021	0.0079	10	05/17/22 09:14	05/20/22 17:01	5103-74-2	
4,4'-DDD	<0.0043	mg/kg	0.042	0.0043	10	05/17/22 09:14	05/20/22 17:01	72-54-8	
4,4'-DDE	<0.0049	mg/kg	0.042	0.0049	10	05/17/22 09:14	05/20/22 17:01	72-55-9	
4,4'-DDT	<0.013	mg/kg	0.042	0.013	10	05/17/22 09:14	05/20/22 17:01	50-29-3	
Dieldrin	<0.0040	mg/kg	0.042	0.0040	10	05/17/22 09:14	05/20/22 17:01	60-57-1	
Endosulfan I	<0.0023	mg/kg	0.021	0.0023	10	05/17/22 09:14	05/20/22 17:01	959-98-8	
Endosulfan II	<0.010	mg/kg	0.042	0.010	10	05/17/22 09:14	05/20/22 17:01	33213-65-9	
Endosulfan sulfate	<0.010	mg/kg	0.042	0.010	10	05/17/22 09:14	05/20/22 17:01	1031-07-8	
Endrin	<0.0047	mg/kg	0.042	0.0047	10	05/17/22 09:14	05/20/22 17:01	72-20-8	
Endrin aldehyde	<0.014	mg/kg	0.042	0.014	10	05/17/22 09:14	05/20/22 17:01	7421-93-4	
Endrin ketone	<0.011	mg/kg	0.042	0.011	10	05/17/22 09:14	05/20/22 17:01	53494-70-5	
Heptachlor	<0.0057	mg/kg	0.021	0.0057	10	05/17/22 09:14	05/20/22 17:01	76-44-8	
Heptachlor epoxide	<0.0022	mg/kg	0.021	0.0022	10	05/17/22 09:14	05/20/22 17:01	1024-57-3	
Methoxychlor	<0.065	mg/kg	0.21	0.065	10	05/17/22 09:14	05/20/22 17:01	72-43-5	
Toxaphene	<0.20	mg/kg	0.63	0.20	10	05/17/22 09:14	05/20/22 17:01	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	94	%	53-138		10	05/17/22 09:14	05/20/22 17:01	877-09-8	D3
Decachlorobiphenyl (S)	95	%	30-150		10	05/17/22 09:14	05/20/22 17:01	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.019	mg/kg	0.064	0.019	1	05/16/22 20:59	05/17/22 18:35	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.019	mg/kg	0.064	0.019	1	05/16/22 20:59	05/17/22 18:35	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.019	mg/kg	0.064	0.019	1	05/16/22 20:59	05/17/22 18:35	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.019	mg/kg	0.064	0.019	1	05/16/22 20:59	05/17/22 18:35	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.019	mg/kg	0.064	0.019	1	05/16/22 20:59	05/17/22 18:35	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.019	mg/kg	0.064	0.019	1	05/16/22 20:59	05/17/22 18:35	11097-69-1	
PCB-1260 (Aroclor 1260)	0.024J	mg/kg	0.064	0.019	1	05/16/22 20:59	05/17/22 18:35	11096-82-5	
PCB, Total	0.024J	mg/kg	0.064	0.019	1	05/16/22 20:59	05/17/22 18:35	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	57	%	50-99		1	05/16/22 20:59	05/17/22 18:35	877-09-8	
Decachlorobiphenyl (S)	45	%	38-95		1	05/16/22 20:59	05/17/22 18:35	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	11600	mg/kg	35.9	7.2	1	05/19/22 12:21	05/26/22 00:17	7429-90-5	
Antimony	0.17J	mg/kg	0.60	0.11	1	05/19/22 12:21	05/26/22 00:17	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: SB-48 (0.8-1.8) **Lab ID: 40244893007** Collected: 05/12/22 09:25 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	5.8	mg/kg	0.60	0.13	1	05/19/22 12:21	05/26/22 00:17	7440-38-2	
Barium	131	mg/kg	0.36	0.064	1	05/19/22 12:21	05/26/22 00:17	7440-39-3	
Beryllium	0.71	mg/kg	0.24	0.048	1	05/19/22 12:21	05/26/22 00:17	7440-41-7	
Cadmium	0.32	mg/kg	0.096	0.038	1	05/19/22 12:21	05/26/22 00:17	7440-43-9	
Calcium	10300	mg/kg	120	14.1	1	05/19/22 12:21	05/26/22 00:17	7440-70-2	
Chromium	17.6	mg/kg	2.4	0.17	1	05/19/22 12:21	05/26/22 00:17	7440-47-3	
Cobalt	6.8	mg/kg	0.60	0.12	1	05/19/22 12:21	05/26/22 00:17	7440-48-4	
Copper	24.0	mg/kg	1.2	0.29	1	05/19/22 12:21	05/26/22 00:17	7440-50-8	
Iron	22300	mg/kg	59.9	12.6	1	05/19/22 12:21	05/26/22 00:17	7439-89-6	
Lead	16.3	mg/kg	0.60	0.035	1	05/19/22 12:21	05/26/22 00:17	7439-92-1	
Magnesium	6040	mg/kg	35.9	5.2	1	05/19/22 12:21	05/26/22 14:41	7439-95-4	
Manganese	334	mg/kg	0.60	0.29	1	05/19/22 12:21	05/26/22 00:17	7439-96-5	
Nickel	17.4	mg/kg	0.60	0.24	1	05/19/22 12:21	05/26/22 14:41	7440-02-0	
Potassium	1090	mg/kg	120	13.8	1	05/19/22 12:21	05/26/22 00:17	7440-09-7	
Selenium	0.55J	mg/kg	0.60	0.10	1	05/19/22 12:21	05/26/22 00:17	7782-49-2	
Silver	<0.17	mg/kg	0.60	0.17	1	05/19/22 12:21	05/26/22 00:17	7440-22-4	
Sodium	148	mg/kg	59.9	13.3	1	05/19/22 12:21	05/26/22 00:17	7440-23-5	
Thallium	0.18	mg/kg	0.12	0.044	1	05/19/22 12:21	05/26/22 00:17	7440-28-0	
Vanadium	34.0	mg/kg	1.2	0.21	1	05/19/22 12:21	05/26/22 00:17	7440-62-2	
Zinc	62.4	mg/kg	6.0	1.1	1	05/19/22 12:21	05/26/22 00:17	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.028J	mg/kg	0.043	0.012	1	05/23/22 09:43	05/24/22 09:27	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.24	mg/kg	0.80	0.24	10	05/19/22 09:28	05/20/22 16:36	120-82-1	
1,2-Dichlorobenzene	<0.67	mg/kg	2.2	0.67	10	05/19/22 09:28	05/20/22 16:36	95-50-1	
1,3-Dichlorobenzene	<0.29	mg/kg	0.98	0.29	10	05/19/22 09:28	05/20/22 16:36	541-73-1	
1,4-Dichlorobenzene	<0.30	mg/kg	0.99	0.30	10	05/19/22 09:28	05/20/22 16:36	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.55	mg/kg	1.8	0.55	10	05/19/22 09:28	05/20/22 16:36	108-60-1	
2,4,5-Trichlorophenol	<0.38	mg/kg	1.3	0.38	10	05/19/22 09:28	05/20/22 16:36	95-95-4	
2,4,6-Trichlorophenol	<0.32	mg/kg	1.1	0.32	10	05/19/22 09:28	05/20/22 16:36	88-06-2	
2,4-Dichlorophenol	<0.57	mg/kg	1.9	0.57	10	05/19/22 09:28	05/20/22 16:36	120-83-2	
2,4-Dimethylphenol	<0.42	mg/kg	1.4	0.42	10	05/19/22 09:28	05/20/22 16:36	105-67-9	
2,4-Dinitrophenol	<0.65	mg/kg	2.2	0.65	10	05/19/22 09:28	05/20/22 16:36	51-28-5	
2,4-Dinitrotoluene	<0.30	mg/kg	1.0	0.30	10	05/19/22 09:28	05/20/22 16:36	121-14-2	
2,6-Dinitrotoluene	<0.40	mg/kg	1.3	0.40	10	05/19/22 09:28	05/20/22 16:36	606-20-2	
2-Chloronaphthalene	<0.27	mg/kg	0.91	0.27	10	05/19/22 09:28	05/20/22 16:36	91-58-7	
2-Chlorophenol	<0.53	mg/kg	1.8	0.53	10	05/19/22 09:28	05/20/22 16:36	95-57-8	
2-Methylnaphthalene	0.55J	mg/kg	1.8	0.55	10	05/19/22 09:28	05/20/22 16:36	91-57-6	
2-Methylphenol(o-Cresol)	<0.39	mg/kg	1.3	0.39	10	05/19/22 09:28	05/20/22 16:36	95-48-7	
2-Nitroaniline	<0.61	mg/kg	2.0	0.61	10	05/19/22 09:28	05/20/22 16:36	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: SB-48 (0.8-1.8) **Lab ID: 40244893007** Collected: 05/12/22 09:25 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.67	mg/kg	2.2	0.67	10	05/19/22 09:28	05/20/22 16:36	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.39	mg/kg	1.3	0.39	10	05/19/22 09:28	05/20/22 16:36		
3,3'-Dichlorobenzidine	<0.58	mg/kg	1.9	0.58	10	05/19/22 09:28	05/20/22 16:36	91-94-1	
3-Nitroaniline	<0.36	mg/kg	1.2	0.36	10	05/19/22 09:28	05/20/22 16:36	99-09-2	
4,6-Dinitro-2-methylphenol	<0.66	mg/kg	2.2	0.66	10	05/19/22 09:28	05/20/22 16:36	534-52-1	
4-Bromophenylphenyl ether	<0.45	mg/kg	1.5	0.45	10	05/19/22 09:28	05/20/22 16:36	101-55-3	
4-Chloro-3-methylphenol	<0.66	mg/kg	2.2	0.66	10	05/19/22 09:28	05/20/22 16:36	59-50-7	
4-Chloroaniline	<0.35	mg/kg	1.2	0.35	10	05/19/22 09:28	05/20/22 16:36	106-47-8	4q
4-Chlorophenylphenyl ether	<0.40	mg/kg	1.3	0.40	10	05/19/22 09:28	05/20/22 16:36	7005-72-3	
4-Nitroaniline	<0.88	mg/kg	2.9	0.88	10	05/19/22 09:28	05/20/22 16:36	100-01-6	
4-Nitrophenol	<0.54	mg/kg	1.8	0.54	10	05/19/22 09:28	05/20/22 16:36	100-02-7	
Acenaphthene	<0.75	mg/kg	2.5	0.75	10	05/19/22 09:28	05/20/22 16:36	83-32-9	
Acenaphthylene	<0.76	mg/kg	2.5	0.76	10	05/19/22 09:28	05/20/22 16:36	208-96-8	
Anthracene	<0.34	mg/kg	1.1	0.34	10	05/19/22 09:28	05/20/22 16:36	120-12-7	
Benzo(a)anthracene	<0.33	mg/kg	1.1	0.33	10	05/19/22 09:28	05/20/22 16:36	56-55-3	
Benzo(a)pyrene	<0.32	mg/kg	1.1	0.32	10	05/19/22 09:28	05/20/22 16:36	50-32-8	
Benzo(b)fluoranthene	<0.37	mg/kg	1.2	0.37	10	05/19/22 09:28	05/20/22 16:36	205-99-2	
Benzo(g,h,i)perylene	0.65J	mg/kg	1.9	0.56	10	05/19/22 09:28	05/20/22 16:36	191-24-2	
Benzo(k)fluoranthene	<0.51	mg/kg	1.7	0.51	10	05/19/22 09:28	05/20/22 16:36	207-08-9	
Butylbenzylphthalate	<0.34	mg/kg	1.1	0.34	10	05/19/22 09:28	05/20/22 16:36	85-68-7	
Carbazole	<0.33	mg/kg	1.1	0.33	10	05/19/22 09:28	05/20/22 16:36	86-74-8	
Chrysene	0.56J	mg/kg	1.1	0.32	10	05/19/22 09:28	05/20/22 16:36	218-01-9	
Di-n-butylphthalate	<0.32	mg/kg	1.1	0.32	10	05/19/22 09:28	05/20/22 16:36	84-74-2	
Di-n-octylphthalate	<0.48	mg/kg	1.6	0.48	10	05/19/22 09:28	05/20/22 16:36	117-84-0	
Dibenz(a,h)anthracene	<0.58	mg/kg	1.9	0.58	10	05/19/22 09:28	05/20/22 16:36	53-70-3	
Dibenzofuran	<0.26	mg/kg	0.86	0.26	10	05/19/22 09:28	05/20/22 16:36	132-64-9	
Diethylphthalate	<0.35	mg/kg	1.2	0.35	10	05/19/22 09:28	05/20/22 16:36	84-66-2	
Dimethylphthalate	<0.28	mg/kg	0.92	0.28	10	05/19/22 09:28	05/20/22 16:36	131-11-3	
Fluoranthene	<0.30	mg/kg	1.0	0.30	10	05/19/22 09:28	05/20/22 16:36	206-44-0	
Fluorene	<0.25	mg/kg	0.83	0.25	10	05/19/22 09:28	05/20/22 16:36	86-73-7	
Hexachloro-1,3-butadiene	<0.54	mg/kg	1.8	0.54	10	05/19/22 09:28	05/20/22 16:36	87-68-3	
Hexachlorobenzene	<0.36	mg/kg	1.2	0.36	10	05/19/22 09:28	05/20/22 16:36	118-74-1	
Hexachlorocyclopentadiene	<0.50	mg/kg	1.7	0.50	10	05/19/22 09:28	05/20/22 16:36	77-47-4	
Hexachloroethane	<0.34	mg/kg	1.1	0.34	10	05/19/22 09:28	05/20/22 16:36	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.46	mg/kg	1.5	0.46	10	05/19/22 09:28	05/20/22 16:36	193-39-5	
Isophorone	<0.33	mg/kg	1.1	0.33	10	05/19/22 09:28	05/20/22 16:36	78-59-1	
N-Nitroso-di-n-propylamine	<0.34	mg/kg	1.1	0.34	10	05/19/22 09:28	05/20/22 16:36	621-64-7	
N-Nitrosodiphenylamine	<2.9	mg/kg	9.6	2.9	10	05/19/22 09:28	05/20/22 16:36	86-30-6	
Naphthalene	<0.74	mg/kg	2.5	0.74	10	05/19/22 09:28	05/20/22 16:36	91-20-3	
Nitrobenzene	<0.43	mg/kg	1.4	0.43	10	05/19/22 09:28	05/20/22 16:36	98-95-3	
Pentachlorophenol	<0.47	mg/kg	1.6	0.47	10	05/19/22 09:28	05/20/22 16:36	87-86-5	
Phenanthrene	0.48J	mg/kg	0.91	0.27	10	05/19/22 09:28	05/20/22 16:36	85-01-8	
Phenol	<0.50	mg/kg	1.7	0.50	10	05/19/22 09:28	05/20/22 16:36	108-95-2	D3
Pyrene	2.4	mg/kg	1.6	0.47	10	05/19/22 09:28	05/20/22 16:36	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Sample: SB-48 (0.8-1.8) **Lab ID: 40244893007** Collected: 05/12/22 09:25 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.57	mg/kg	1.9	0.57	10	05/19/22 09:28	05/20/22 16:36	111-91-1	
bis(2-Chloroethyl) ether	<0.66	mg/kg	2.2	0.66	10	05/19/22 09:28	05/20/22 16:36	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.35	mg/kg	1.2	0.35	10	05/19/22 09:28	05/20/22 16:36	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	49	%	10-125		10	05/19/22 09:28	05/20/22 16:36	4165-60-0	
2-Fluorobiphenyl (S)	56	%	12-118		10	05/19/22 09:28	05/20/22 16:36	321-60-8	
Terphenyl-d14 (S)	57	%	10-124		10	05/19/22 09:28	05/20/22 16:36	1718-51-0	
Phenol-d6 (S)	48	%	10-125		10	05/19/22 09:28	05/20/22 16:36	13127-88-3	
2-Fluorophenol (S)	55	%	10-130		10	05/19/22 09:28	05/20/22 16:36	367-12-4	
2,4,6-Tribromophenol (S)	77	%	10-144		10	05/19/22 09:28	05/20/22 16:36	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0015	mg/kg	0.0049	0.0015	1	05/19/22 06:00	05/19/22 14:46	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0025	mg/kg	0.0049	0.0025	1	05/19/22 06:00	05/19/22 14:46	79-34-5	
1,1,2-Trichloroethane	<0.0015	mg/kg	0.0049	0.0015	1	05/19/22 06:00	05/19/22 14:46	79-00-5	
1,1-Dichloroethane	<0.0011	mg/kg	0.0049	0.0011	1	05/19/22 06:00	05/19/22 14:46	75-34-3	
1,1-Dichloroethene	<0.0010	mg/kg	0.0049	0.0010	1	05/19/22 06:00	05/19/22 14:46	75-35-4	
1,2-Dichloroethane	<0.00081	mg/kg	0.0049	0.00081	1	05/19/22 06:00	05/19/22 14:46	107-06-2	
1,2-Dichloropropane	<0.0010	mg/kg	0.0049	0.0010	1	05/19/22 06:00	05/19/22 14:46	78-87-5	
2-Butanone (MEK)	<0.015	mg/kg	0.025	0.015	1	05/19/22 06:00	05/19/22 14:46	78-93-3	
2-Hexanone	<0.011	mg/kg	0.025	0.011	1	05/19/22 06:00	05/19/22 14:46	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.020	mg/kg	0.025	0.020	1	05/19/22 06:00	05/19/22 14:46	108-10-1	
Acetone	<0.047	mg/kg	0.099	0.047	1	05/19/22 06:00	05/19/22 14:46	67-64-1	
Benzene	<0.00070	mg/kg	0.0049	0.00070	1	05/19/22 06:00	05/19/22 14:46	71-43-2	
Bromodichloromethane	<0.00067	mg/kg	0.0049	0.00067	1	05/19/22 06:00	05/19/22 14:46	75-27-4	
Bromoform	<0.0080	mg/kg	0.020	0.0080	1	05/19/22 06:00	05/19/22 14:46	75-25-2	
Bromomethane	<0.0044	mg/kg	0.0049	0.0044	1	05/19/22 06:00	05/19/22 14:46	74-83-9	
Carbon disulfide	0.0017J	mg/kg	0.0049	0.0011	1	05/19/22 06:00	05/19/22 14:46	75-15-0	
Carbon tetrachloride	<0.0031	mg/kg	0.0049	0.0031	1	05/19/22 06:00	05/19/22 14:46	56-23-5	
Chlorobenzene	<0.00091	mg/kg	0.0049	0.00091	1	05/19/22 06:00	05/19/22 14:46	108-90-7	
Chloroethane	<0.0036	mg/kg	0.0049	0.0036	1	05/19/22 06:00	05/19/22 14:46	75-00-3	
Chloroform	<0.00083	mg/kg	0.0049	0.00083	1	05/19/22 06:00	05/19/22 14:46	67-66-3	
Chloromethane	<0.0011	mg/kg	0.0049	0.0011	1	05/19/22 06:00	05/19/22 14:46	74-87-3	
Dibromochloromethane	<0.00099	mg/kg	0.0049	0.00099	1	05/19/22 06:00	05/19/22 14:46	124-48-1	
Ethylbenzene	<0.00088	mg/kg	0.0049	0.00088	1	05/19/22 06:00	05/19/22 14:46	100-41-4	
Methyl-tert-butyl ether	<0.0020	mg/kg	0.0049	0.0020	1	05/19/22 06:00	05/19/22 14:46	1634-04-4	
Methylene Chloride	<0.0039	mg/kg	0.0049	0.0039	1	05/19/22 06:00	05/19/22 14:46	75-09-2	
Styrene	<0.00070	mg/kg	0.0049	0.00070	1	05/19/22 06:00	05/19/22 14:46	100-42-5	
Tetrachloroethene	<0.00087	mg/kg	0.0049	0.00087	1	05/19/22 06:00	05/19/22 14:46	127-18-4	
Toluene	<0.00087	mg/kg	0.0049	0.00087	1	05/19/22 06:00	05/19/22 14:46	108-88-3	
Trichloroethene	<0.00071	mg/kg	0.0049	0.00071	1	05/19/22 06:00	05/19/22 14:46	79-01-6	
Vinyl chloride	<0.0013	mg/kg	0.0049	0.0013	1	05/19/22 06:00	05/19/22 14:46	75-01-4	
Xylene (Total)	<0.0034	mg/kg	0.0099	0.0034	1	05/19/22 06:00	05/19/22 14:46	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: SB-48 (0.8-1.8) **Lab ID: 40244893007** Collected: 05/12/22 09:25 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030 Pace Analytical Services - Green Bay								
cis-1,2-Dichloroethene	<0.00087	mg/kg	0.0049	0.00087	1	05/19/22 06:00	05/19/22 14:46	156-59-2	
cis-1,3-Dichloropropene	<0.0010	mg/kg	0.0049	0.0010	1	05/19/22 06:00	05/19/22 14:46	10061-01-5	
trans-1,2-Dichloroethene	<0.00071	mg/kg	0.0049	0.00071	1	05/19/22 06:00	05/19/22 14:46	156-60-5	
trans-1,3-Dichloropropene	<0.00099	mg/kg	0.0049	0.00099	1	05/19/22 06:00	05/19/22 14:46	10061-02-6	
Surrogates									
Toluene-d8 (S)	92	%	69-156		1	05/19/22 06:00	05/19/22 14:46	2037-26-5	
4-Bromofluorobenzene (S)	91	%	61-175		1	05/19/22 06:00	05/19/22 14:46	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1	05/19/22 06:00	05/19/22 14:46	2199-69-1	
Percent Moisture	Analytical Method: ASTM D2974-87 Pace Analytical Services - Green Bay								
Percent Moisture	21.4	%	0.10	0.10	1		05/17/22 15:10		
9040 pH	Analytical Method: EPA 9040 Pace Analytical Services - Green Bay								
pH at 25 Degrees C	7.6	Std. Units	0.10	0.010	1		05/24/22 10:18		3q,H6
9012 Cyanide, Total	Analytical Method: EPA 9012B Preparation Method: EPA 9012B Pace Analytical Services - Green Bay								
Cyanide	<0.30	mg/kg	0.91	0.30	1	05/24/22 10:40	05/24/22 14:43	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Sample: SB-48 (4.2-5.2) **Lab ID: 40244893008** Collected: 05/12/22 09:30 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081A GCS Pesticides									
Analytical Method: EPA 8081 Preparation Method: EPA 3550									
Pace Analytical Services - Minneapolis									
Aldrin	<0.0026	mg/kg	0.011	0.0026	5	05/17/22 09:14	05/20/22 17:20	309-00-2	
alpha-BHC	<0.0011	mg/kg	0.011	0.0011	5	05/17/22 09:14	05/20/22 17:20	319-84-6	
beta-BHC	<0.0033	mg/kg	0.011	0.0033	5	05/17/22 09:14	05/20/22 17:20	319-85-7	
delta-BHC	<0.0020	mg/kg	0.011	0.0020	5	05/17/22 09:14	05/20/22 17:20	319-86-8	
gamma-BHC (Lindane)	<0.0011	mg/kg	0.011	0.0011	5	05/17/22 09:14	05/20/22 17:20	58-89-9	
Chlordane (Technical)	<0.036	mg/kg	0.11	0.036	5	05/17/22 09:14	05/20/22 17:20	57-74-9	
alpha-Chlordane	<0.0013	mg/kg	0.011	0.0013	5	05/17/22 09:14	05/20/22 17:20	5103-71-9	
gamma-Chlordane	<0.0040	mg/kg	0.011	0.0040	5	05/17/22 09:14	05/20/22 17:20	5103-74-2	
4,4'-DDD	<0.0022	mg/kg	0.022	0.0022	5	05/17/22 09:14	05/20/22 17:20	72-54-8	
4,4'-DDE	<0.0025	mg/kg	0.022	0.0025	5	05/17/22 09:14	05/20/22 17:20	72-55-9	
4,4'-DDT	<0.0066	mg/kg	0.022	0.0066	5	05/17/22 09:14	05/20/22 17:20	50-29-3	
Dieldrin	<0.0021	mg/kg	0.022	0.0021	5	05/17/22 09:14	05/20/22 17:20	60-57-1	
Endosulfan I	<0.0012	mg/kg	0.011	0.0012	5	05/17/22 09:14	05/20/22 17:20	959-98-8	
Endosulfan II	<0.0051	mg/kg	0.022	0.0051	5	05/17/22 09:14	05/20/22 17:20	33213-65-9	
Endosulfan sulfate	<0.0051	mg/kg	0.022	0.0051	5	05/17/22 09:14	05/20/22 17:20	1031-07-8	
Endrin	<0.0024	mg/kg	0.022	0.0024	5	05/17/22 09:14	05/20/22 17:20	72-20-8	
Endrin aldehyde	<0.0069	mg/kg	0.022	0.0069	5	05/17/22 09:14	05/20/22 17:20	7421-93-4	
Endrin ketone	<0.0057	mg/kg	0.022	0.0057	5	05/17/22 09:14	05/20/22 17:20	53494-70-5	
Heptachlor	<0.0029	mg/kg	0.011	0.0029	5	05/17/22 09:14	05/20/22 17:20	76-44-8	
Heptachlor epoxide	<0.0011	mg/kg	0.011	0.0011	5	05/17/22 09:14	05/20/22 17:20	1024-57-3	
Methoxychlor	<0.033	mg/kg	0.11	0.033	5	05/17/22 09:14	05/20/22 17:20	72-43-5	
Toxaphene	<0.10	mg/kg	0.32	0.10	5	05/17/22 09:14	05/20/22 17:20	8001-35-2	
Surrogates									
Tetrachloro-m-xylene (S)	85	%	53-138		5	05/17/22 09:14	05/20/22 17:20	877-09-8	D3
Decachlorobiphenyl (S)	80	%	30-150		5	05/17/22 09:14	05/20/22 17:20	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3541									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.020	mg/kg	0.065	0.020	1	05/16/22 20:59	05/17/22 18:59	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.020	mg/kg	0.065	0.020	1	05/16/22 20:59	05/17/22 18:59	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.020	mg/kg	0.065	0.020	1	05/16/22 20:59	05/17/22 18:59	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.020	mg/kg	0.065	0.020	1	05/16/22 20:59	05/17/22 18:59	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.020	mg/kg	0.065	0.020	1	05/16/22 20:59	05/17/22 18:59	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.020	mg/kg	0.065	0.020	1	05/16/22 20:59	05/17/22 18:59	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.020	mg/kg	0.065	0.020	1	05/16/22 20:59	05/17/22 18:59	11096-82-5	
PCB, Total	<0.020	mg/kg	0.065	0.020	1	05/16/22 20:59	05/17/22 18:59	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	78	%	50-99		1	05/16/22 20:59	05/17/22 18:59	877-09-8	
Decachlorobiphenyl (S)	64	%	38-95		1	05/16/22 20:59	05/17/22 18:59	2051-24-3	
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Aluminum	17600	mg/kg	37.4	7.5	1	05/19/22 12:21	05/26/22 00:51	7429-90-5	
Antimony	0.20J	mg/kg	0.62	0.12	1	05/19/22 12:21	05/26/22 00:51	7440-36-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: SB-48 (4.2-5.2) **Lab ID: 40244893008** Collected: 05/12/22 09:30 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020B MET ICPMS									
Analytical Method: EPA 6020B Preparation Method: EPA 3050B									
Pace Analytical Services - Minneapolis									
Arsenic	11.7	mg/kg	0.62	0.14	1	05/19/22 12:21	05/26/22 00:51	7440-38-2	
Barium	215	mg/kg	0.37	0.067	1	05/19/22 12:21	05/26/22 00:51	7440-39-3	
Beryllium	0.98	mg/kg	0.25	0.049	1	05/19/22 12:21	05/26/22 00:51	7440-41-7	
Cadmium	0.46	mg/kg	0.10	0.039	1	05/19/22 12:21	05/26/22 00:51	7440-43-9	
Calcium	4350	mg/kg	125	14.7	1	05/19/22 12:21	05/26/22 00:51	7440-70-2	
Chromium	23.2	mg/kg	2.5	0.17	1	05/19/22 12:21	05/26/22 00:51	7440-47-3	
Cobalt	12.5	mg/kg	0.62	0.12	1	05/19/22 12:21	05/26/22 00:51	7440-48-4	
Copper	25.1	mg/kg	1.2	0.30	1	05/19/22 12:21	05/26/22 00:51	7440-50-8	
Iron	30500	mg/kg	62.3	13.1	1	05/19/22 12:21	05/26/22 00:51	7439-89-6	
Lead	17.9	mg/kg	0.62	0.037	1	05/19/22 12:21	05/26/22 00:51	7439-92-1	
Magnesium	4060	mg/kg	37.4	5.4	1	05/19/22 12:21	05/26/22 14:45	7439-95-4	
Manganese	470	mg/kg	0.62	0.31	1	05/19/22 12:21	05/26/22 00:51	7439-96-5	
Nickel	27.6	mg/kg	0.62	0.25	1	05/19/22 12:21	05/26/22 14:45	7440-02-0	
Potassium	823	mg/kg	125	14.3	1	05/19/22 12:21	05/26/22 00:51	7440-09-7	
Selenium	0.45J	mg/kg	0.62	0.11	1	05/19/22 12:21	05/26/22 00:51	7782-49-2	
Silver	0.32J	mg/kg	0.62	0.18	1	05/19/22 12:21	05/26/22 00:51	7440-22-4	
Sodium	169	mg/kg	62.3	13.8	1	05/19/22 12:21	05/26/22 00:51	7440-23-5	
Thallium	0.26	mg/kg	0.12	0.046	1	05/19/22 12:21	05/26/22 00:51	7440-28-0	
Vanadium	43.5	mg/kg	1.2	0.22	1	05/19/22 12:21	05/26/22 00:51	7440-62-2	
Zinc	68.6	mg/kg	6.2	1.1	1	05/19/22 12:21	05/26/22 00:51	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Green Bay									
Mercury	0.039J	mg/kg	0.045	0.013	1	05/23/22 09:43	05/24/22 09:29	7439-97-6	
8270E MSSV FULL LIST MICROWAVE									
Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
1,2,4-Trichlorobenzene	<0.024	mg/kg	0.082	0.024	1	05/19/22 09:28	05/20/22 19:26	120-82-1	
1,2-Dichlorobenzene	<0.068	mg/kg	0.23	0.068	1	05/19/22 09:28	05/20/22 19:26	95-50-1	
1,3-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/19/22 09:28	05/20/22 19:26	541-73-1	
1,4-Dichlorobenzene	<0.030	mg/kg	0.10	0.030	1	05/19/22 09:28	05/20/22 19:26	106-46-7	
2,2'-Oxybis(1-chloropropane)	<0.056	mg/kg	0.19	0.056	1	05/19/22 09:28	05/20/22 19:26	108-60-1	
2,4,5-Trichlorophenol	<0.038	mg/kg	0.13	0.038	1	05/19/22 09:28	05/20/22 19:26	95-95-4	
2,4,6-Trichlorophenol	<0.033	mg/kg	0.11	0.033	1	05/19/22 09:28	05/20/22 19:26	88-06-2	
2,4-Dichlorophenol	<0.058	mg/kg	0.19	0.058	1	05/19/22 09:28	05/20/22 19:26	120-83-2	
2,4-Dimethylphenol	<0.043	mg/kg	0.14	0.043	1	05/19/22 09:28	05/20/22 19:26	105-67-9	
2,4-Dinitrophenol	<0.066	mg/kg	0.22	0.066	1	05/19/22 09:28	05/20/22 19:26	51-28-5	
2,4-Dinitrotoluene	<0.031	mg/kg	0.10	0.031	1	05/19/22 09:28	05/20/22 19:26	121-14-2	
2,6-Dinitrotoluene	<0.041	mg/kg	0.14	0.041	1	05/19/22 09:28	05/20/22 19:26	606-20-2	
2-Chloronaphthalene	<0.028	mg/kg	0.093	0.028	1	05/19/22 09:28	05/20/22 19:26	91-58-7	
2-Chlorophenol	<0.054	mg/kg	0.18	0.054	1	05/19/22 09:28	05/20/22 19:26	95-57-8	
2-Methylnaphthalene	<0.056	mg/kg	0.19	0.056	1	05/19/22 09:28	05/20/22 19:26	91-57-6	
2-Methylphenol(o-Cresol)	<0.039	mg/kg	0.13	0.039	1	05/19/22 09:28	05/20/22 19:26	95-48-7	
2-Nitroaniline	<0.062	mg/kg	0.21	0.062	1	05/19/22 09:28	05/20/22 19:26	88-74-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Sample: **SB-48 (4.2-5.2)** Lab ID: **40244893008** Collected: 05/12/22 09:30 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
2-Nitrophenol	<0.068	mg/kg	0.23	0.068	1	05/19/22 09:28	05/20/22 19:26	88-75-5	
3&4-Methylphenol(m&p Cresol)	<0.040	mg/kg	0.13	0.040	1	05/19/22 09:28	05/20/22 19:26		
3,3'-Dichlorobenzidine	<0.059	mg/kg	0.20	0.059	1	05/19/22 09:28	05/20/22 19:26	91-94-1	
3-Nitroaniline	<0.037	mg/kg	0.12	0.037	1	05/19/22 09:28	05/20/22 19:26	99-09-2	
4,6-Dinitro-2-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/19/22 09:28	05/20/22 19:26	534-52-1	
4-Bromophenylphenyl ether	<0.045	mg/kg	0.15	0.045	1	05/19/22 09:28	05/20/22 19:26	101-55-3	
4-Chloro-3-methylphenol	<0.067	mg/kg	0.22	0.067	1	05/19/22 09:28	05/20/22 19:26	59-50-7	
4-Chloroaniline	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/20/22 19:26	106-47-8	4q
4-Chlorophenylphenyl ether	<0.040	mg/kg	0.13	0.040	1	05/19/22 09:28	05/20/22 19:26	7005-72-3	
4-Nitroaniline	<0.090	mg/kg	0.30	0.090	1	05/19/22 09:28	05/20/22 19:26	100-01-6	
4-Nitrophenol	<0.055	mg/kg	0.18	0.055	1	05/19/22 09:28	05/20/22 19:26	100-02-7	
Acenaphthene	<0.077	mg/kg	0.26	0.077	1	05/19/22 09:28	05/20/22 19:26	83-32-9	
Acenaphthylene	<0.077	mg/kg	0.26	0.077	1	05/19/22 09:28	05/20/22 19:26	208-96-8	
Anthracene	<0.035	mg/kg	0.12	0.035	1	05/19/22 09:28	05/20/22 19:26	120-12-7	
Benzo(a)anthracene	<0.034	mg/kg	0.11	0.034	1	05/19/22 09:28	05/20/22 19:26	56-55-3	
Benzo(a)pyrene	<0.033	mg/kg	0.11	0.033	1	05/19/22 09:28	05/20/22 19:26	50-32-8	
Benzo(b)fluoranthene	<0.037	mg/kg	0.12	0.037	1	05/19/22 09:28	05/20/22 19:26	205-99-2	
Benzo(g,h,i)perylene	<0.057	mg/kg	0.19	0.057	1	05/19/22 09:28	05/20/22 19:26	191-24-2	
Benzo(k)fluoranthene	<0.052	mg/kg	0.17	0.052	1	05/19/22 09:28	05/20/22 19:26	207-08-9	
Butylbenzylphthalate	<0.035	mg/kg	0.12	0.035	1	05/19/22 09:28	05/20/22 19:26	85-68-7	
Carbazole	<0.034	mg/kg	0.11	0.034	1	05/19/22 09:28	05/20/22 19:26	86-74-8	
Chrysene	<0.032	mg/kg	0.11	0.032	1	05/19/22 09:28	05/20/22 19:26	218-01-9	
Di-n-butylphthalate	<0.032	mg/kg	0.11	0.032	1	05/19/22 09:28	05/20/22 19:26	84-74-2	
Di-n-octylphthalate	<0.049	mg/kg	0.16	0.049	1	05/19/22 09:28	05/20/22 19:26	117-84-0	
Dibenz(a,h)anthracene	<0.059	mg/kg	0.20	0.059	1	05/19/22 09:28	05/20/22 19:26	53-70-3	
Dibenzofuran	<0.026	mg/kg	0.087	0.026	1	05/19/22 09:28	05/20/22 19:26	132-64-9	
Diethylphthalate	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/20/22 19:26	84-66-2	
Dimethylphthalate	<0.028	mg/kg	0.094	0.028	1	05/19/22 09:28	05/20/22 19:26	131-11-3	
Fluoranthene	<0.031	mg/kg	0.10	0.031	1	05/19/22 09:28	05/20/22 19:26	206-44-0	
Fluorene	<0.025	mg/kg	0.084	0.025	1	05/19/22 09:28	05/20/22 19:26	86-73-7	
Hexachloro-1,3-butadiene	<0.055	mg/kg	0.18	0.055	1	05/19/22 09:28	05/20/22 19:26	87-68-3	
Hexachlorobenzene	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/20/22 19:26	118-74-1	
Hexachlorocyclopentadiene	<0.051	mg/kg	0.17	0.051	1	05/19/22 09:28	05/20/22 19:26	77-47-4	
Hexachloroethane	<0.035	mg/kg	0.12	0.035	1	05/19/22 09:28	05/20/22 19:26	67-72-1	
Indeno(1,2,3-cd)pyrene	<0.047	mg/kg	0.16	0.047	1	05/19/22 09:28	05/20/22 19:26	193-39-5	
Isophorone	<0.033	mg/kg	0.11	0.033	1	05/19/22 09:28	05/20/22 19:26	78-59-1	
N-Nitroso-di-n-propylamine	<0.034	mg/kg	0.11	0.034	1	05/19/22 09:28	05/20/22 19:26	621-64-7	
N-Nitrosodiphenylamine	<0.29	mg/kg	0.98	0.29	1	05/19/22 09:28	05/20/22 19:26	86-30-6	
Naphthalene	<0.076	mg/kg	0.25	0.076	1	05/19/22 09:28	05/20/22 19:26	91-20-3	
Nitrobenzene	<0.044	mg/kg	0.15	0.044	1	05/19/22 09:28	05/20/22 19:26	98-95-3	
Pentachlorophenol	<0.048	mg/kg	0.16	0.048	1	05/19/22 09:28	05/20/22 19:26	87-86-5	
Phenanthrene	<0.028	mg/kg	0.093	0.028	1	05/19/22 09:28	05/20/22 19:26	85-01-8	
Phenol	<0.051	mg/kg	0.17	0.051	1	05/19/22 09:28	05/20/22 19:26	108-95-2	
Pyrene	<0.048	mg/kg	0.16	0.048	1	05/19/22 09:28	05/20/22 19:26	129-00-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Sample: SB-48 (4.2-5.2) **Lab ID: 40244893008** Collected: 05/12/22 09:30 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV FULL LIST MICROWAVE Analytical Method: EPA 8270E Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
bis(2-Chloroethoxy)methane	<0.058	mg/kg	0.19	0.058	1	05/19/22 09:28	05/20/22 19:26	111-91-1	
bis(2-Chloroethyl) ether	<0.068	mg/kg	0.23	0.068	1	05/19/22 09:28	05/20/22 19:26	111-44-4	
bis(2-Ethylhexyl)phthalate	<0.036	mg/kg	0.12	0.036	1	05/19/22 09:28	05/20/22 19:26	117-81-7	
Surrogates									
Nitrobenzene-d5 (S)	73	%	10-125		1	05/19/22 09:28	05/20/22 19:26	4165-60-0	
2-Fluorobiphenyl (S)	57	%	12-118		1	05/19/22 09:28	05/20/22 19:26	321-60-8	
Terphenyl-d14 (S)	68	%	10-124		1	05/19/22 09:28	05/20/22 19:26	1718-51-0	
Phenol-d6 (S)	71	%	10-125		1	05/19/22 09:28	05/20/22 19:26	13127-88-3	
2-Fluorophenol (S)	73	%	10-130		1	05/19/22 09:28	05/20/22 19:26	367-12-4	
2,4,6-Tribromophenol (S)	84	%	10-144		1	05/19/22 09:28	05/20/22 19:26	118-79-6	
8260 MSV 5030/5035 Low Level Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/19/22 06:00	05/19/22 17:39	71-55-6	
1,1,2,2-Tetrachloroethane	<0.0029	mg/kg	0.0056	0.0029	1	05/19/22 06:00	05/19/22 17:39	79-34-5	
1,1,2-Trichloroethane	<0.0017	mg/kg	0.0056	0.0017	1	05/19/22 06:00	05/19/22 17:39	79-00-5	
1,1-Dichloroethane	<0.0012	mg/kg	0.0056	0.0012	1	05/19/22 06:00	05/19/22 17:39	75-34-3	
1,1-Dichloroethene	<0.0012	mg/kg	0.0056	0.0012	1	05/19/22 06:00	05/19/22 17:39	75-35-4	
1,2-Dichloroethane	<0.00092	mg/kg	0.0056	0.00092	1	05/19/22 06:00	05/19/22 17:39	107-06-2	
1,2-Dichloropropane	<0.0011	mg/kg	0.0056	0.0011	1	05/19/22 06:00	05/19/22 17:39	78-87-5	
2-Butanone (MEK)	<0.017	mg/kg	0.028	0.017	1	05/19/22 06:00	05/19/22 17:39	78-93-3	
2-Hexanone	<0.013	mg/kg	0.028	0.013	1	05/19/22 06:00	05/19/22 17:39	591-78-6	
4-Methyl-2-pentanone (MIBK)	<0.022	mg/kg	0.028	0.022	1	05/19/22 06:00	05/19/22 17:39	108-10-1	
Acetone	<0.053	mg/kg	0.11	0.053	1	05/19/22 06:00	05/19/22 17:39	67-64-1	
Benzene	<0.00079	mg/kg	0.0056	0.00079	1	05/19/22 06:00	05/19/22 17:39	71-43-2	
Bromodichloromethane	<0.00076	mg/kg	0.0056	0.00076	1	05/19/22 06:00	05/19/22 17:39	75-27-4	
Bromoform	<0.0091	mg/kg	0.022	0.0091	1	05/19/22 06:00	05/19/22 17:39	75-25-2	
Bromomethane	<0.0050	mg/kg	0.0056	0.0050	1	05/19/22 06:00	05/19/22 17:39	74-83-9	
Carbon disulfide	<0.0012	mg/kg	0.0056	0.0012	1	05/19/22 06:00	05/19/22 17:39	75-15-0	
Carbon tetrachloride	<0.0035	mg/kg	0.0056	0.0035	1	05/19/22 06:00	05/19/22 17:39	56-23-5	
Chlorobenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/19/22 06:00	05/19/22 17:39	108-90-7	
Chloroethane	<0.0040	mg/kg	0.0056	0.0040	1	05/19/22 06:00	05/19/22 17:39	75-00-3	
Chloroform	<0.00094	mg/kg	0.0056	0.00094	1	05/19/22 06:00	05/19/22 17:39	67-66-3	
Chloromethane	<0.0012	mg/kg	0.0056	0.0012	1	05/19/22 06:00	05/19/22 17:39	74-87-3	
Dibromochloromethane	<0.0011	mg/kg	0.0056	0.0011	1	05/19/22 06:00	05/19/22 17:39	124-48-1	
Ethylbenzene	<0.0010	mg/kg	0.0056	0.0010	1	05/19/22 06:00	05/19/22 17:39	100-41-4	
Methyl-tert-butyl ether	<0.0023	mg/kg	0.0056	0.0023	1	05/19/22 06:00	05/19/22 17:39	1634-04-4	
Methylene Chloride	<0.0044	mg/kg	0.0056	0.0044	1	05/19/22 06:00	05/19/22 17:39	75-09-2	
Styrene	<0.00079	mg/kg	0.0056	0.00079	1	05/19/22 06:00	05/19/22 17:39	100-42-5	
Tetrachloroethene	<0.00099	mg/kg	0.0056	0.00099	1	05/19/22 06:00	05/19/22 17:39	127-18-4	
Toluene	<0.00098	mg/kg	0.0056	0.00098	1	05/19/22 06:00	05/19/22 17:39	108-88-3	
Trichloroethene	<0.00080	mg/kg	0.0056	0.00080	1	05/19/22 06:00	05/19/22 17:39	79-01-6	
Vinyl chloride	<0.0014	mg/kg	0.0056	0.0014	1	05/19/22 06:00	05/19/22 17:39	75-01-4	
Xylene (Total)	<0.0038	mg/kg	0.011	0.0038	1	05/19/22 06:00	05/19/22 17:39	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Sample: SB-48 (4.2-5.2) **Lab ID: 40244893008** Collected: 05/12/22 09:30 Received: 05/13/22 13:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV 5030/5035 Low Level									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.00098	mg/kg	0.0056	0.00098	1	05/19/22 06:00	05/19/22 17:39	156-59-2	
cis-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/19/22 06:00	05/19/22 17:39	10061-01-5	
trans-1,2-Dichloroethene	<0.00080	mg/kg	0.0056	0.00080	1	05/19/22 06:00	05/19/22 17:39	156-60-5	
trans-1,3-Dichloropropene	<0.0011	mg/kg	0.0056	0.0011	1	05/19/22 06:00	05/19/22 17:39	10061-02-6	
Surrogates									
Toluene-d8 (S)	94	%	69-156		1	05/19/22 06:00	05/19/22 17:39	2037-26-5	
4-Bromofluorobenzene (S)	90	%	61-175		1	05/19/22 06:00	05/19/22 17:39	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1	05/19/22 06:00	05/19/22 17:39	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.9	%	0.10	0.10	1		05/17/22 15:10		
9040 pH									
Analytical Method: EPA 9040									
Pace Analytical Services - Green Bay									
pH at 25 Degrees C	7.9	Std. Units	0.10	0.010	1		05/24/22 10:21		3q,H6
9012 Cyanide, Total									
Analytical Method: EPA 9012B Preparation Method: EPA 9012B									
Pace Analytical Services - Green Bay									
Cyanide	<0.35	mg/kg	1.1	0.35	1	05/24/22 10:40	05/24/22 14:44	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

QC Batch: 416412 Analysis Method: EPA 7471
QC Batch Method: EPA 7471 Analysis Description: 7471 Mercury
 Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244893001, 40244893003, 40244893004, 40244893005, 40244893006, 40244893007, 40244893008

METHOD BLANK: 2397862 Matrix: Solid
Associated Lab Samples: 40244893001, 40244893003, 40244893004, 40244893005, 40244893006, 40244893007, 40244893008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.010	0.035	0.010	05/24/22 08:32	

LABORATORY CONTROL SAMPLE: 2397863

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.83	0.88	106	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2397864 2397865

Parameter	Units	2397864		2397865		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Mercury	mg/kg	<0.010	0.85	0.84	0.90	0.91	105	108	85-115	1	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

QC Batch: 816288 Analysis Method: EPA 6020B
QC Batch Method: EPA 3050B Analysis Description: 6020B Solids UPD5
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 40244893001, 40244893003, 40244893004, 40244893005, 40244893006, 40244893007, 40244893008

METHOD BLANK: 4326414 Matrix: Solid
Associated Lab Samples: 40244893001, 40244893003, 40244893004, 40244893005, 40244893006, 40244893007, 40244893008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Aluminum	mg/kg	<5.8	28.7	5.8	05/25/22 23:47	
Antimony	mg/kg	<0.092	0.48	0.092	05/25/22 23:47	
Arsenic	mg/kg	<0.10	0.48	0.10	05/25/22 23:47	
Barium	mg/kg	<0.051	0.29	0.051	05/25/22 23:47	
Beryllium	mg/kg	<0.038	0.19	0.038	05/25/22 23:47	
Cadmium	mg/kg	<0.030	0.076	0.030	05/25/22 23:47	
Calcium	mg/kg	<11.3	95.6	11.3	05/25/22 23:47	
Chromium	mg/kg	<0.13	1.9	0.13	05/25/22 23:47	
Cobalt	mg/kg	<0.095	0.48	0.095	05/25/22 23:47	
Copper	mg/kg	0.31J	0.96	0.23	05/25/22 23:47	
Iron	mg/kg	<10.0	47.8	10.0	05/25/22 23:47	
Lead	mg/kg	<0.028	0.48	0.028	05/25/22 23:47	
Magnesium	mg/kg	<4.1	28.7	4.1	05/26/22 14:11	
Manganese	mg/kg	0.79	0.48	0.23	05/25/22 23:47	P8
Nickel	mg/kg	<0.19	0.48	0.19	05/26/22 14:11	
Potassium	mg/kg	<11.0	95.6	11.0	05/25/22 23:47	
Selenium	mg/kg	<0.082	0.48	0.082	05/25/22 23:47	
Silver	mg/kg	<0.14	0.48	0.14	05/25/22 23:47	
Sodium	mg/kg	<10.6	47.8	10.6	05/25/22 23:47	
Thallium	mg/kg	<0.035	0.096	0.035	05/25/22 23:47	
Vanadium	mg/kg	<0.17	0.96	0.17	05/25/22 23:47	
Zinc	mg/kg	1.3J	4.8	0.86	05/25/22 23:47	

LABORATORY CONTROL SAMPLE: 4326415

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Aluminum	mg/kg	955	859	90	80-120	
Antimony	mg/kg	47.8	42.6	89	80-120	
Arsenic	mg/kg	47.8	42.5	89	80-120	
Barium	mg/kg	47.8	43.0	90	80-120	
Beryllium	mg/kg	47.8	44.0	92	80-120	
Cadmium	mg/kg	47.8	42.7	89	80-120	
Calcium	mg/kg	955	920	96	80-120	
Chromium	mg/kg	47.8	45.4	95	80-120	
Cobalt	mg/kg	47.8	44.2	93	80-120	
Copper	mg/kg	47.8	44.7	94	80-120	
Iron	mg/kg	955	901	94	80-120	
Lead	mg/kg	47.8	44.6	93	80-120	
Magnesium	mg/kg	955	946	99	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

LABORATORY CONTROL SAMPLE: 4326415

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Manganese	mg/kg	47.8	45.4	95	80-120	
Nickel	mg/kg	47.8	48.0	100	80-120	
Potassium	mg/kg	955	864	90	80-120	
Selenium	mg/kg	47.8	44.9	94	80-120	
Silver	mg/kg	23.9	22.2	93	80-120	
Sodium	mg/kg	955	863	90	80-120	
Thallium	mg/kg	47.8	44.3	93	80-120	
Vanadium	mg/kg	47.8	43.5	91	80-120	
Zinc	mg/kg	47.8	44.6	93	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4326416 4326417

Parameter	Units	40245006001		MS		MSD		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Conc.	Result	Result						
Aluminum	mg/kg	16700	4250	4430	22800	21300	145	104	75-125	7	20	P6	
Antimony	mg/kg	<0.40	212	222	131	135	62	61	75-125	3	20	M1	
Arsenic	mg/kg	<0.46	212	222	183	186	86	84	75-125	2	20		
Barium	mg/kg	148	212	222	338	333	89	84	75-125	1	20		
Beryllium	mg/kg	3.3	212	222	199	205	92	91	75-125	3	20		
Cadmium	mg/kg	<0.13	212	222	194	195	91	88	75-125	1	20		
Calcium	mg/kg	124000	4250	4430	123000	119000	-13	-99	75-125	3	20	P6	
Chromium	mg/kg	16.3	212	222	219	220	95	92	75-125	1	20		
Cobalt	mg/kg	<0.42	212	222	195	196	91	88	75-125	1	20		
Copper	mg/kg	8.0	212	222	205	204	93	89	75-125	0	20		
Iron	mg/kg	1690	4250	4430	5690	5720	94	91	75-125	1	20		
Lead	mg/kg	1.1J	212	222	201	202	94	90	75-125	0	20		
Magnesium	mg/kg	14500	4250	4430	17300	18100	67	83	75-125	5	20	M1	
Manganese	mg/kg	1150	212	222	1290	1240	70	44	75-125	4	20	P6	
Nickel	mg/kg	1.4J	212	222	177	194	83	87	75-125	9	20		
Potassium	mg/kg	2520	4250	4430	6490	6190	94	83	75-125	5	20		
Selenium	mg/kg	0.39J	212	222	199	203	93	91	75-125	2	20		
Silver	mg/kg	<0.61	106	111	99.7	102	94	92	75-125	2	20		
Sodium	mg/kg	2850	4250	4430	7130	6400	101	80	75-125	11	20		
Thallium	mg/kg	<0.15	212	222	195	197	92	89	75-125	1	20		
Vanadium	mg/kg	15.3	212	222	211	213	92	89	75-125	1	20		
Zinc	mg/kg	9.5J	212	222	426	204	196	88	75-125	71	20	M1,R1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

QC Batch: 416332 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030 Analysis Description: 8260 MSV Low
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244893001, 40244893002, 40244893003, 40244893004, 40244893005, 40244893006, 40244893007, 40244893008

METHOD BLANK: 2397164 Matrix: Solid
Associated Lab Samples: 40244893001, 40244893002, 40244893003, 40244893004, 40244893005, 40244893006, 40244893007, 40244893008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/19/22 07:31	
1,1,2,2-Tetrachloroethane	mg/kg	<0.0026	0.0050	0.0026	05/19/22 07:31	
1,1,2-Trichloroethane	mg/kg	<0.0015	0.0050	0.0015	05/19/22 07:31	
1,1-Dichloroethane	mg/kg	<0.0011	0.0050	0.0011	05/19/22 07:31	
1,1-Dichloroethene	mg/kg	<0.0011	0.0050	0.0011	05/19/22 07:31	
1,2-Dichloroethane	mg/kg	<0.00082	0.0050	0.00082	05/19/22 07:31	
1,2-Dichloropropane	mg/kg	<0.0010	0.0050	0.0010	05/19/22 07:31	
2-Butanone (MEK)	mg/kg	<0.016	0.025	0.016	05/19/22 07:31	
2-Hexanone	mg/kg	<0.011	0.025	0.011	05/19/22 07:31	
4-Methyl-2-pentanone (MIBK)	mg/kg	<0.020	0.025	0.020	05/19/22 07:31	
Acetone	mg/kg	<0.047	0.10	0.047	05/19/22 07:31	
Benzene	mg/kg	<0.00071	0.0050	0.00071	05/19/22 07:31	
Bromodichloromethane	mg/kg	<0.00068	0.0050	0.00068	05/19/22 07:31	
Bromoform	mg/kg	<0.0081	0.020	0.0081	05/19/22 07:31	
Bromomethane	mg/kg	<0.0045	0.0050	0.0045	05/19/22 07:31	
Carbon disulfide	mg/kg	<0.0011	0.0050	0.0011	05/19/22 07:31	
Carbon tetrachloride	mg/kg	<0.0032	0.0050	0.0032	05/19/22 07:31	
Chlorobenzene	mg/kg	<0.00092	0.0050	0.00092	05/19/22 07:31	
Chloroethane	mg/kg	<0.0036	0.0050	0.0036	05/19/22 07:31	
Chloroform	mg/kg	<0.00084	0.0050	0.00084	05/19/22 07:31	
Chloromethane	mg/kg	<0.0011	0.0050	0.0011	05/19/22 07:31	
cis-1,2-Dichloroethene	mg/kg	<0.00088	0.0050	0.00088	05/19/22 07:31	
cis-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/19/22 07:31	
Dibromochloromethane	mg/kg	<0.0010	0.0050	0.0010	05/19/22 07:31	
Ethylbenzene	mg/kg	<0.00089	0.0050	0.00089	05/19/22 07:31	
Methyl-tert-butyl ether	mg/kg	<0.0020	0.0050	0.0020	05/19/22 07:31	
Methylene Chloride	mg/kg	<0.0040	0.0050	0.0040	05/19/22 07:31	
Styrene	mg/kg	<0.00071	0.0050	0.00071	05/19/22 07:31	
Tetrachloroethene	mg/kg	<0.00089	0.0050	0.00089	05/19/22 07:31	
Toluene	mg/kg	<0.00088	0.0050	0.00088	05/19/22 07:31	
trans-1,2-Dichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/19/22 07:31	
trans-1,3-Dichloropropene	mg/kg	<0.0010	0.0050	0.0010	05/19/22 07:31	
Trichloroethene	mg/kg	<0.00072	0.0050	0.00072	05/19/22 07:31	
Vinyl chloride	mg/kg	<0.0013	0.0050	0.0013	05/19/22 07:31	
Xylene (Total)	mg/kg	<0.0034	0.010	0.0034	05/19/22 07:31	
1,2-Dichlorobenzene-d4 (S)	%	100	70-130		05/19/22 07:31	
4-Bromofluorobenzene (S)	%	87	61-175		05/19/22 07:31	
Toluene-d8 (S)	%	93	69-156		05/19/22 07:31	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

LABORATORY CONTROL SAMPLE & LCSD: 2397165		2397166								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	mg/kg	0.05	0.049	0.051	98	102	57-126	5	22	
1,1,2,2-Tetrachloroethane	mg/kg	0.05	0.045	0.046	90	91	70-170	2	20	
1,1,2-Trichloroethane	mg/kg	0.05	0.048	0.050	96	100	59-128	4	20	
1,1-Dichloroethane	mg/kg	0.05	0.056	0.051	113	103	70-130	9	20	
1,1-Dichloroethene	mg/kg	0.05	0.046	0.046	92	92	57-118	1	23	
1,2-Dichloroethane	mg/kg	0.05	0.051	0.048	101	96	75-137	5	23	
1,2-Dichloropropane	mg/kg	0.05	0.051	0.050	102	99	74-132	2	22	
Benzene	mg/kg	0.05	0.049	0.049	99	98	68-130	1	24	
Bromodichloromethane	mg/kg	0.05	0.052	0.049	104	97	57-139	7	23	
Bromoform	mg/kg	0.05	0.052	0.050	104	99	62-131	5	20	
Bromomethane	mg/kg	0.05	0.053	0.055	106	109	20-175	3	28	
Carbon disulfide	mg/kg	0.05	0.042	0.043	83	86	40-128	4	22	
Carbon tetrachloride	mg/kg	0.05	0.053	0.049	106	99	50-128	8	24	
Chlorobenzene	mg/kg	0.05	0.050	0.049	101	97	70-130	3	20	
Chloroethane	mg/kg	0.05	0.041	0.043	82	85	49-129	4	25	
Chloroform	mg/kg	0.05	0.049	0.049	98	98	65-128	0	23	
Chloromethane	mg/kg	0.05	0.045	0.044	89	89	39-134	0	25	
cis-1,2-Dichloroethene	mg/kg	0.05	0.055	0.053	110	106	69-130	4	24	
cis-1,3-Dichloropropene	mg/kg	0.05	0.047	0.045	94	89	67-132	5	23	
Dibromochloromethane	mg/kg	0.05	0.050	0.051	100	101	60-127	1	20	
Ethylbenzene	mg/kg	0.05	0.046	0.045	92	91	64-128	2	21	
Methyl-tert-butyl ether	mg/kg	0.05	0.043	0.044	87	89	64-126	2	25	
Methylene Chloride	mg/kg	0.05	0.052	0.052	105	104	54-133	1	22	
Styrene	mg/kg	0.05	0.049	0.050	99	100	64-130	2	21	
Tetrachloroethene	mg/kg	0.05	0.048	0.052	97	103	62-130	7	23	
Toluene	mg/kg	0.05	0.043	0.043	85	87	71-117	2	21	
trans-1,2-Dichloroethene	mg/kg	0.05	0.050	0.048	100	96	67-130	4	20	
trans-1,3-Dichloropropene	mg/kg	0.05	0.041	0.044	82	87	63-130	6	22	
Trichloroethene	mg/kg	0.05	0.050	0.049	100	98	67-130	1	22	
Vinyl chloride	mg/kg	0.05	0.045	0.046	89	91	47-138	2	24	
Xylene (Total)	mg/kg	0.15	0.14	0.14	91	95	60-125	4	21	
1,2-Dichlorobenzene-d4 (S)	%				92	99	70-130			
4-Bromofluorobenzene (S)	%				88	92	61-175			
Toluene-d8 (S)	%				91	96	69-156			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

QC Batch: 815618 Analysis Method: EPA 8081
QC Batch Method: EPA 3550 Analysis Description: 8081A GCS Pesticides
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 40244893001, 40244893003, 40244893004, 40244893005, 40244893006, 40244893007, 40244893008

METHOD BLANK: 4323609 Matrix: Solid
Associated Lab Samples: 40244893001, 40244893003, 40244893004, 40244893005, 40244893006, 40244893007, 40244893008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	mg/kg	<0.00034	0.0033	0.00034	05/20/22 15:27	
4,4'-DDE	mg/kg	<0.00038	0.0033	0.00038	05/20/22 15:27	
4,4'-DDT	mg/kg	<0.0010	0.0033	0.0010	05/20/22 15:27	
Aldrin	mg/kg	<0.00040	0.0017	0.00040	05/20/22 15:27	
alpha-BHC	mg/kg	<0.00017	0.0017	0.00017	05/20/22 15:27	
alpha-Chlordane	mg/kg	<0.00021	0.0017	0.00021	05/20/22 15:27	
beta-BHC	mg/kg	<0.00052	0.0017	0.00052	05/20/22 15:27	
Chlordane (Technical)	mg/kg	<0.0055	0.017	0.0055	05/20/22 15:27	
delta-BHC	mg/kg	<0.00030	0.0017	0.00030	05/20/22 15:27	
Dieldrin	mg/kg	<0.00032	0.0033	0.00032	05/20/22 15:27	
Endosulfan I	mg/kg	<0.00018	0.0017	0.00018	05/20/22 15:27	
Endosulfan II	mg/kg	<0.00079	0.0033	0.00079	05/20/22 15:27	
Endosulfan sulfate	mg/kg	<0.00078	0.0033	0.00078	05/20/22 15:27	
Endrin	mg/kg	<0.00037	0.0033	0.00037	05/20/22 15:27	
Endrin aldehyde	mg/kg	<0.0011	0.0033	0.0011	05/20/22 15:27	
Endrin ketone	mg/kg	<0.00088	0.0033	0.00088	05/20/22 15:27	
gamma-BHC (Lindane)	mg/kg	<0.00016	0.0017	0.00016	05/20/22 15:27	
gamma-Chlordane	mg/kg	<0.00062	0.0017	0.00062	05/20/22 15:27	
Heptachlor	mg/kg	<0.00045	0.0017	0.00045	05/20/22 15:27	
Heptachlor epoxide	mg/kg	<0.00017	0.0017	0.00017	05/20/22 15:27	
Methoxychlor	mg/kg	<0.0051	0.017	0.0051	05/20/22 15:27	
Toxaphene	mg/kg	<0.016	0.050	0.016	05/20/22 15:27	
Decachlorobiphenyl (S)	%	74	30-150		05/20/22 15:27	
Tetrachloro-m-xylene (S)	%	87	53-138		05/20/22 15:27	

LABORATORY CONTROL SAMPLE: 4323610

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	mg/kg	0.017	0.015	87	73-128	
4,4'-DDE	mg/kg	0.017	0.016	94	75-128	
4,4'-DDT	mg/kg	0.017	0.016	94	74-128	
Aldrin	mg/kg	0.0083	0.0076	91	72-125	
alpha-BHC	mg/kg	0.0083	0.0070	84	73-125	
alpha-Chlordane	mg/kg	0.0083	0.0076	92	69-125	
beta-BHC	mg/kg	0.0083	0.0080	96	73-125	
delta-BHC	mg/kg	0.0083	0.0038	46	37-125	
Dieldrin	mg/kg	0.017	0.015	92	75-125	
Endosulfan I	mg/kg	0.0083	0.0077	92	67-125	
Endosulfan II	mg/kg	0.017	0.015	92	75-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

LABORATORY CONTROL SAMPLE: 4323610

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endosulfan sulfate	mg/kg	0.017	0.014	83	75-125	
Endrin	mg/kg	0.017	0.016	95	75-125	
Endrin aldehyde	mg/kg	0.017	0.015	93	71-125	
Endrin ketone	mg/kg	0.017	0.016	95	75-125	
gamma-BHC (Lindane)	mg/kg	0.0083	0.0074	89	74-125	
gamma-Chlordane	mg/kg	0.0083	0.0076	91	70-125	
Heptachlor	mg/kg	0.0083	0.0077	93	75-125	
Heptachlor epoxide	mg/kg	0.0083	0.0077	92	73-125	
Methoxychlor	mg/kg	0.083	0.084	101	75-128	
Decachlorobiphenyl (S)	%			75	30-150	
Tetrachloro-m-xylene (S)	%			89	53-138	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4323611 4323612

Parameter	Units	40244893001		MS	MSD	MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
4,4'-DDD	mg/kg	<0.00046	0.023	0.023	0.019	0.018	83	81	36-150	3	20		
4,4'-DDE	mg/kg	0.0025J	0.023	0.023	0.019	0.019	74	74	39-147	0	20		
4,4'-DDT	mg/kg	<0.0014	0.023	0.023	0.021	0.019	94	84	43-143	10	20		
Aldrin	mg/kg	<0.00055	0.0112	0.0112	0.0095	0.0092	85	81	41-136	4	20		
alpha-BHC	mg/kg	<0.00023	0.0112	0.0112	0.0098	0.0091	87	81	48-132	7	20		
alpha-Chlordane	mg/kg	<0.00028	0.0112	0.0112	0.0096	0.0094	86	84	32-149	2	20		
beta-BHC	mg/kg	<0.00070	0.0112	0.0112	4.1	0.012	36700	107	45-142	199	20	E, M1, R1	
delta-BHC	mg/kg	<0.00041	0.0112	0.0112	0.0072	0.0051	64	45	30-125	34	20	R1	
Dieldrin	mg/kg	<0.00043	0.023	0.023	0.019	0.019	86	84	39-140	3	20		
Endosulfan I	mg/kg	<0.00025	0.0112	0.0112	0.0094	0.0096	83	85	39-134	2	20		
Endosulfan II	mg/kg	<0.0011	0.023	0.023	0.020	0.019	88	86	43-138	3	20		
Endosulfan sulfate	mg/kg	<0.0011	0.023	0.023	0.016	0.017	73	73	43-131	1	20		
Endrin	mg/kg	<0.00051	0.023	0.023	0.021	0.020	92	89	47-134	3	20		
Endrin aldehyde	mg/kg	<0.0014	0.023	0.023	0.019	0.018	86	81	40-144	6	20		
Endrin ketone	mg/kg	<0.0012	0.023	0.023	0.020	0.020	89	88	42-145	1	20		
gamma-BHC (Lindane)	mg/kg	<0.00022	0.0112	0.0112	0.011	0.0096	97	85	52-129	13	20		
gamma-Chlordane	mg/kg	<0.00084	0.0112	0.0112	0.012	0.0099	104	87	38-136	17	20		
Heptachlor	mg/kg	<0.00061	0.0112	0.0112	0.016	0.0094	144	83	43-142	53	20	M1, R1	
Heptachlor epoxide	mg/kg	<0.00023	0.0112	0.0112	0.010	0.0097	92	86	37-144	6	20		
Methoxychlor	mg/kg	<0.0070	0.112	0.112	0.11	0.10	95	91	35-150	4	20		
Decachlorobiphenyl (S)	%						67	70	30-150				
Tetrachloro-m-xylene (S)	%						87	87	53-138				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

QC Batch: 415804 Analysis Method: EPA 8082A
QC Batch Method: EPA 3541 Analysis Description: 8082 GCS PCB
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244893001, 40244893003, 40244893004, 40244893005

METHOD BLANK: 2394108 Matrix: Solid
Associated Lab Samples: 40244893001, 40244893003, 40244893004, 40244893005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	0.015	05/18/22 15:27	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	0.015	05/18/22 15:27	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	0.015	05/18/22 15:27	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	0.015	05/18/22 15:27	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	0.015	05/18/22 15:27	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	0.015	05/18/22 15:27	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	0.015	05/18/22 15:27	
Decachlorobiphenyl (S)	%	90	38-95		05/18/22 15:27	
Tetrachloro-m-xylene (S)	%	84	50-99		05/18/22 15:27	

LABORATORY CONTROL SAMPLE: 2394109

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.44	87	71-104	
Decachlorobiphenyl (S)	%			92	38-95	
Tetrachloro-m-xylene (S)	%			87	50-99	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2394110 2394111

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244764006	Spike Conc.	Spike Conc.	Result						
PCB-1016 (Aroclor 1016)	mg/kg	<0.019			<0.019	<0.019					20
PCB-1221 (Aroclor 1221)	mg/kg	<0.019			<0.019	<0.019					20
PCB-1232 (Aroclor 1232)	mg/kg	<0.019			<0.019	<0.019					20
PCB-1242 (Aroclor 1242)	mg/kg	<0.019			<0.019	<0.019					20
PCB-1248 (Aroclor 1248)	mg/kg	<0.019			<0.019	<0.019					20
PCB-1254 (Aroclor 1254)	mg/kg	<0.019			<0.019	<0.019					20
PCB-1260 (Aroclor 1260)	mg/kg	<0.019	0.62	0.62	0.54	0.55	87	89	42-109	2	20
Decachlorobiphenyl (S)	%						92	92	38-95		
Tetrachloro-m-xylene (S)	%						86	86	50-99		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

QC Batch: 415875 Analysis Method: EPA 8082A
QC Batch Method: EPA 3541 Analysis Description: 8082 GCS PCB
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40244893006, 40244893007, 40244893008

METHOD BLANK: 2394633 Matrix: Solid
Associated Lab Samples: 40244893006, 40244893007, 40244893008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg	<0.015	0.050	0.015	05/17/22 10:09	
PCB-1221 (Aroclor 1221)	mg/kg	<0.015	0.050	0.015	05/17/22 10:09	
PCB-1232 (Aroclor 1232)	mg/kg	<0.015	0.050	0.015	05/17/22 10:09	
PCB-1242 (Aroclor 1242)	mg/kg	<0.015	0.050	0.015	05/17/22 10:09	
PCB-1248 (Aroclor 1248)	mg/kg	<0.015	0.050	0.015	05/17/22 10:09	
PCB-1254 (Aroclor 1254)	mg/kg	<0.015	0.050	0.015	05/17/22 10:09	
PCB-1260 (Aroclor 1260)	mg/kg	<0.015	0.050	0.015	05/17/22 10:09	
Decachlorobiphenyl (S)	%	89	38-95		05/17/22 10:09	
Tetrachloro-m-xylene (S)	%	90	50-99		05/17/22 10:09	

LABORATORY CONTROL SAMPLE: 2394634

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/kg		<0.015			
PCB-1221 (Aroclor 1221)	mg/kg		<0.015			
PCB-1232 (Aroclor 1232)	mg/kg		<0.015			
PCB-1242 (Aroclor 1242)	mg/kg		<0.015			
PCB-1248 (Aroclor 1248)	mg/kg		<0.015			
PCB-1254 (Aroclor 1254)	mg/kg		<0.015			
PCB-1260 (Aroclor 1260)	mg/kg	0.5	0.42	84	71-104	
Decachlorobiphenyl (S)	%			88	38-95	
Tetrachloro-m-xylene (S)	%			86	50-99	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2394635 2394636

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244963049	Spike Conc.	Spike Conc.	Result						
PCB-1016 (Aroclor 1016)	mg/kg	<0.017			<0.017	<0.017					20
PCB-1221 (Aroclor 1221)	mg/kg	<0.017			<0.017	<0.017					20
PCB-1232 (Aroclor 1232)	mg/kg	<0.017			<0.017	<0.017					20
PCB-1242 (Aroclor 1242)	mg/kg	<0.017			<0.017	<0.017					20
PCB-1248 (Aroclor 1248)	mg/kg	<0.017			<0.017	<0.017					20
PCB-1254 (Aroclor 1254)	mg/kg	0.60			0.92	0.85				8	20
PCB-1260 (Aroclor 1260)	mg/kg	<0.017	0.55	0.55	0.51	0.49	92	89	42-109	3	20
Decachlorobiphenyl (S)	%						63	62	38-95		
Tetrachloro-m-xylene (S)	%						77	80	50-99		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

QC Batch: 416108	Analysis Method: EPA 8270E
QC Batch Method: EPA 3546	Analysis Description: 8270E Solid MSSV Microwave
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244893001, 40244893003, 40244893004, 40244893005, 40244893006, 40244893007, 40244893008

METHOD BLANK: 2395728 Matrix: Solid
Associated Lab Samples: 40244893001, 40244893003, 40244893004, 40244893005, 40244893006, 40244893007, 40244893008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	<0.019	0.063	0.019	05/20/22 13:02	
1,2-Dichlorobenzene	mg/kg	<0.053	0.18	0.053	05/20/22 13:02	
1,3-Dichlorobenzene	mg/kg	<0.023	0.077	0.023	05/20/22 13:02	
1,4-Dichlorobenzene	mg/kg	<0.023	0.078	0.023	05/20/22 13:02	
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.043	0.14	0.043	05/20/22 13:02	
2,4,5-Trichlorophenol	mg/kg	<0.030	0.098	0.030	05/20/22 13:02	
2,4,6-Trichlorophenol	mg/kg	<0.025	0.085	0.025	05/20/22 13:02	
2,4-Dichlorophenol	mg/kg	<0.045	0.15	0.045	05/20/22 13:02	
2,4-Dimethylphenol	mg/kg	<0.033	0.11	0.033	05/20/22 13:02	
2,4-Dinitrophenol	mg/kg	<0.051	0.17	0.051	05/20/22 13:02	
2,4-Dinitrotoluene	mg/kg	<0.024	0.080	0.024	05/20/22 13:02	
2,6-Dinitrotoluene	mg/kg	<0.032	0.11	0.032	05/20/22 13:02	
2-Chloronaphthalene	mg/kg	<0.021	0.071	0.021	05/20/22 13:02	
2-Chlorophenol	mg/kg	<0.042	0.14	0.042	05/20/22 13:02	
2-Methylnaphthalene	mg/kg	<0.043	0.14	0.043	05/20/22 13:02	
2-Methylphenol(o-Cresol)	mg/kg	<0.030	0.10	0.030	05/20/22 13:02	
2-Nitroaniline	mg/kg	<0.048	0.16	0.048	05/20/22 13:02	
2-Nitrophenol	mg/kg	<0.053	0.18	0.053	05/20/22 13:02	
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.031	0.10	0.031	05/20/22 13:02	
3,3'-Dichlorobenzidine	mg/kg	<0.045	0.15	0.045	05/20/22 13:02	
3-Nitroaniline	mg/kg	<0.028	0.095	0.028	05/20/22 13:02	
4,6-Dinitro-2-methylphenol	mg/kg	<0.051	0.17	0.051	05/20/22 13:02	
4-Bromophenylphenyl ether	mg/kg	<0.035	0.12	0.035	05/20/22 13:02	
4-Chloro-3-methylphenol	mg/kg	<0.052	0.17	0.052	05/20/22 13:02	
4-Chloroaniline	mg/kg	<0.027	0.091	0.027	05/20/22 13:02	4q
4-Chlorophenylphenyl ether	mg/kg	<0.031	0.10	0.031	05/20/22 13:02	
4-Nitroaniline	mg/kg	<0.069	0.23	0.069	05/20/22 13:02	
4-Nitrophenol	mg/kg	<0.042	0.14	0.042	05/20/22 13:02	
Acenaphthene	mg/kg	<0.059	0.20	0.059	05/20/22 13:02	
Acenaphthylene	mg/kg	<0.060	0.20	0.060	05/20/22 13:02	
Anthracene	mg/kg	<0.027	0.089	0.027	05/20/22 13:02	
Benzo(a)anthracene	mg/kg	<0.026	0.086	0.026	05/20/22 13:02	
Benzo(a)pyrene	mg/kg	<0.025	0.084	0.025	05/20/22 13:02	
Benzo(b)fluoranthene	mg/kg	<0.029	0.096	0.029	05/20/22 13:02	
Benzo(g,h,i)perylene	mg/kg	<0.044	0.15	0.044	05/20/22 13:02	
Benzo(k)fluoranthene	mg/kg	<0.040	0.13	0.040	05/20/22 13:02	
bis(2-Chloroethoxy)methane	mg/kg	<0.045	0.15	0.045	05/20/22 13:02	
bis(2-Chloroethyl) ether	mg/kg	<0.052	0.17	0.052	05/20/22 13:02	
bis(2-Ethylhexyl)phthalate	mg/kg	<0.028	0.093	0.028	05/20/22 13:02	
Butylbenzylphthalate	mg/kg	<0.027	0.089	0.027	05/20/22 13:02	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

METHOD BLANK: 2395728

Matrix: Solid

Associated Lab Samples: 40244893001, 40244893003, 40244893004, 40244893005, 40244893006, 40244893007, 40244893008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Carbazole	mg/kg	<0.026	0.087	0.026	05/20/22 13:02	
Chrysene	mg/kg	<0.025	0.083	0.025	05/20/22 13:02	
Di-n-butylphthalate	mg/kg	<0.025	0.083	0.025	05/20/22 13:02	
Di-n-octylphthalate	mg/kg	<0.038	0.13	0.038	05/20/22 13:02	
Dibenz(a,h)anthracene	mg/kg	<0.045	0.15	0.045	05/20/22 13:02	
Dibenzofuran	mg/kg	<0.020	0.067	0.020	05/20/22 13:02	
Diethylphthalate	mg/kg	<0.028	0.092	0.028	05/20/22 13:02	
Dimethylphthalate	mg/kg	<0.022	0.072	0.022	05/20/22 13:02	
Fluoranthene	mg/kg	<0.024	0.079	0.024	05/20/22 13:02	
Fluorene	mg/kg	<0.020	0.065	0.020	05/20/22 13:02	
Hexachloro-1,3-butadiene	mg/kg	<0.043	0.14	0.043	05/20/22 13:02	
Hexachlorobenzene	mg/kg	<0.028	0.094	0.028	05/20/22 13:02	
Hexachlorocyclopentadiene	mg/kg	<0.040	0.13	0.040	05/20/22 13:02	
Hexachloroethane	mg/kg	<0.027	0.089	0.027	05/20/22 13:02	
Indeno(1,2,3-cd)pyrene	mg/kg	<0.036	0.12	0.036	05/20/22 13:02	
Isophorone	mg/kg	<0.026	0.086	0.026	05/20/22 13:02	
N-Nitroso-di-n-propylamine	mg/kg	<0.026	0.088	0.026	05/20/22 13:02	
N-Nitrosodiphenylamine	mg/kg	<0.23	0.76	0.23	05/20/22 13:02	
Naphthalene	mg/kg	<0.058	0.19	0.058	05/20/22 13:02	
Nitrobenzene	mg/kg	<0.034	0.11	0.034	05/20/22 13:02	
Pentachlorophenol	mg/kg	<0.037	0.12	0.037	05/20/22 13:02	
Phenanthrene	mg/kg	<0.021	0.071	0.021	05/20/22 13:02	
Phenol	mg/kg	<0.040	0.13	0.040	05/20/22 13:02	
Pyrene	mg/kg	<0.037	0.12	0.037	05/20/22 13:02	
2,4,6-Tribromophenol (S)	%	113	10-144		05/20/22 13:02	
2-Fluorobiphenyl (S)	%	98	12-118		05/20/22 13:02	
2-Fluorophenol (S)	%	88	10-130		05/20/22 13:02	
Nitrobenzene-d5 (S)	%	95	10-125		05/20/22 13:02	
Phenol-d6 (S)	%	84	10-125		05/20/22 13:02	
Terphenyl-d14 (S)	%	110	10-124		05/20/22 13:02	

LABORATORY CONTROL SAMPLE: 2395729

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/kg	1.7	1.6	95	70-130	
1,2-Dichlorobenzene	mg/kg	1.7	1.5	91	66-130	
1,3-Dichlorobenzene	mg/kg	1.7	1.5	88	66-130	
1,4-Dichlorobenzene	mg/kg	1.7	1.4	87	64-130	
2,2'-Oxybis(1-chloropropane)	mg/kg	1.7	1.4	81	65-130	
2,4,5-Trichlorophenol	mg/kg	1.7	1.7	102	70-125	
2,4,6-Trichlorophenol	mg/kg	1.7	1.7	104	70-124	
2,4-Dichlorophenol	mg/kg	1.7	1.7	103	70-121	
2,4-Dimethylphenol	mg/kg	1.7	1.7	100	70-130	
2,4-Dinitrophenol	mg/kg	1.7	0.81	49	26-103	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

LABORATORY CONTROL SAMPLE: 2395729

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrotoluene	mg/kg	1.7	1.8	109	70-130	
2,6-Dinitrotoluene	mg/kg	1.7	1.8	111	70-130	
2-Chloronaphthalene	mg/kg	1.7	1.6	94	70-130	
2-Chlorophenol	mg/kg	1.7	1.5	92	67-130	
2-Methylnaphthalene	mg/kg	1.7	1.7	100	70-130	
2-Methylphenol(o-Cresol)	mg/kg	1.7	1.7	100	69-130	
2-Nitroaniline	mg/kg	1.7	1.8	105	70-124	
2-Nitrophenol	mg/kg	1.7	1.7	104	70-130	
3&4-Methylphenol(m&p Cresol)	mg/kg	1.7	1.6	96	70-130	
3,3'-Dichlorobenzidine	mg/kg	1.7	1.6	97	48-112	CH
3-Nitroaniline	mg/kg	1.7	1.5	92	57-121	
4,6-Dinitro-2-methylphenol	mg/kg	1.7	1.3	81	59-115	
4-Bromophenylphenyl ether	mg/kg	1.7	1.7	101	70-130	
4-Chloro-3-methylphenol	mg/kg	1.7	1.7	104	70-130	
4-Chloroaniline	mg/kg	1.7	1.1	67	45-130	1q
4-Chlorophenylphenyl ether	mg/kg	1.7	1.8	109	70-130	
4-Nitroaniline	mg/kg	1.7	1.8	107	62-127	
4-Nitrophenol	mg/kg	1.7	1.7	102	50-126	
Acenaphthene	mg/kg	1.7	1.6	93	70-130	
Acenaphthylene	mg/kg	1.7	1.6	97	70-130	
Anthracene	mg/kg	1.7	1.7	101	70-130	
Benzo(a)anthracene	mg/kg	1.7	1.8	109	70-130	
Benzo(a)pyrene	mg/kg	1.7	1.7	102	70-130	
Benzo(b)fluoranthene	mg/kg	1.7	1.7	103	70-130	
Benzo(g,h,i)perylene	mg/kg	1.7	1.7	104	65-130	
Benzo(k)fluoranthene	mg/kg	1.7	1.7	101	70-130	
bis(2-Chloroethoxy)methane	mg/kg	1.7	1.5	93	70-130	
bis(2-Chloroethyl) ether	mg/kg	1.7	1.4	84	68-130	
bis(2-Ethylhexyl)phthalate	mg/kg	1.7	1.7	105	70-130	
Butylbenzylphthalate	mg/kg	1.7	1.9	114	70-130	
Carbazole	mg/kg	1.7	1.7	104	70-130	
Chrysene	mg/kg	1.7	1.8	109	70-130	
Di-n-butylphthalate	mg/kg	1.7	1.7	101	70-130	
Di-n-octylphthalate	mg/kg	1.7	1.9	111	67-134	
Dibenz(a,h)anthracene	mg/kg	1.7	1.8	108	68-130	
Dibenzofuran	mg/kg	1.7	1.7	104	70-130	
Diethylphthalate	mg/kg	1.7	1.7	100	70-130	
Dimethylphthalate	mg/kg	1.7	1.7	102	70-130	
Fluoranthene	mg/kg	1.7	1.8	107	70-130	
Fluorene	mg/kg	1.7	1.7	101	70-130	
Hexachloro-1,3-butadiene	mg/kg	1.7	1.5	92	67-130	
Hexachlorobenzene	mg/kg	1.7	1.7	104	70-130	
Hexachlorocyclopentadiene	mg/kg	1.7	1.3	77	54-114	
Hexachloroethane	mg/kg	1.7	1.5	88	64-130	
Indeno(1,2,3-cd)pyrene	mg/kg	1.7	1.7	105	63-130	
Isophorone	mg/kg	1.7	1.7	101	70-130	
N-Nitroso-di-n-propylamine	mg/kg	1.7	1.6	96	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

LABORATORY CONTROL SAMPLE: 2395729

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
N-Nitrosodiphenylamine	mg/kg	1.7	1.6	98	70-130	
Naphthalene	mg/kg	1.7	1.5	92	70-130	
Nitrobenzene	mg/kg	1.7	1.6	97	70-130	
Pentachlorophenol	mg/kg	1.7	1.4	84	47-108	
Phenanthrene	mg/kg	1.7	1.6	96	70-130	
Phenol	mg/kg	1.7	1.5	93	67-130	
Pyrene	mg/kg	1.7	1.7	101	70-130	
2,4,6-Tribromophenol (S)	%			104	10-144	
2-Fluorobiphenyl (S)	%			99	12-118	
2-Fluorophenol (S)	%			84	10-130	
Nitrobenzene-d5 (S)	%			92	10-125	
Phenol-d6 (S)	%			87	10-125	
Terphenyl-d14 (S)	%			102	10-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2395730 2395731

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40244893004 Result	Spike Conc.	Spike Conc.	Conc.								
1,2,4-Trichlorobenzene	mg/kg	<0.024	2.2	2.2	2.0	1.9	92	88	45-130	5	28		
1,2-Dichlorobenzene	mg/kg	<0.067	2.2	2.2	1.7	1.8	81	83	45-130	3	29		
1,3-Dichlorobenzene	mg/kg	<0.029	2.2	2.2	1.7	1.7	79	79	42-130	1	30		
1,4-Dichlorobenzene	mg/kg	<0.030	2.2	2.2	1.8	1.7	84	80	42-130	4	32		
2,2'-Oxybis(1-chloropropane)	mg/kg	<0.055	2.2	2.2	1.6	1.5	75	73	44-130	3	26		
2,4,5-Trichlorophenol	mg/kg	<0.037	2.2	2.2	2.3	1.9	107	91	11-125	16	30		
2,4,6-Trichlorophenol	mg/kg	<0.032	2.2	2.2	1.9	1.9	88	89	16-124	1	31		
2,4-Dichlorophenol	mg/kg	<0.057	2.2	2.2	1.9	1.8	90	85	19-121	5	29		
2,4-Dimethylphenol	mg/kg	<0.042	2.2	2.2	1.4	1.3	68	62	29-130	10	32		
2,4-Dinitrophenol	mg/kg	<0.065	2.2	2.2	0.77	0.71	36	33	10-103	8	50		
2,4-Dinitrotoluene	mg/kg	<0.030	2.2	2.2	2.2	2.3	106	107	38-130	1	27		
2,6-Dinitrotoluene	mg/kg	<0.040	2.2	2.2	2.4	2.2	112	103	41-130	8	28		
2-Chloronaphthalene	mg/kg	<0.027	2.2	2.2	2.0	1.8	95	84	44-130	13	24		
2-Chlorophenol	mg/kg	<0.053	2.2	2.2	1.9	1.8	89	84	33-130	5	30		
2-Methylnaphthalene	mg/kg	<0.055	2.2	2.2	1.9	1.8	91	87	46-130	5	23		
2-Methylphenol(o-Cresol)	mg/kg	<0.039	2.2	2.2	1.7	1.6	80	75	30-130	7	30		
2-Nitroaniline	mg/kg	<0.060	2.2	2.2	2.4	2.1	111	101	27-124	10	25		
2-Nitrophenol	mg/kg	<0.067	2.2	2.2	2.2	2.0	102	92	10-130	10	27		
3&4-Methylphenol(m&p Cresol)	mg/kg	<0.039	2.2	2.2	1.4	1.5	68	69	28-130	1	33		
3,3'-Dichlorobenzidine	mg/kg	<0.058	2.2	2.2	1.9	1.7	91	82	10-112	10	43 CH		
3-Nitroaniline	mg/kg	<0.036	2.2	2.2	2.0	1.9	97	92	10-121	5	33		
4,6-Dinitro-2-methylphenol	mg/kg	<0.065	2.2	2.2	1.6	1.6	77	73	10-115	5	50		
4-Bromophenylphenyl ether	mg/kg	<0.044	2.2	2.2	2.0	1.9	96	90	40-130	7	25		
4-Chloro-3-methylphenol	mg/kg	<0.066	2.2	2.2	1.8	1.8	85	85	30-130	0	29		
4-Chloroaniline	mg/kg	<0.035	2.2	2.2	1.6	1.4	75	67	16-130	10	33 1q		
4-Chlorophenylphenyl ether	mg/kg	<0.040	2.2	2.2	2.2	2.0	105	96	46-130	8	24		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Parameter	Units	2395730		2395731		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40244893004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
4-Nitroaniline	mg/kg	<0.088	2.2	2.2	2.2	2.0	102	95	10-127	7	40		
4-Nitrophenol	mg/kg	<0.053	2.2	2.2	1.9	1.9	91	89	10-128	2	50		
Acenaphthene	mg/kg	<0.075	2.2	2.2	1.9	1.8	91	84	47-130	8	21		
Acenaphthylene	mg/kg	<0.076	2.2	2.2	1.9	1.9	92	90	49-130	2	22		
Anthracene	mg/kg	<0.034	2.2	2.2	1.9	1.9	89	89	46-130	1	27		
Benzo(a)anthracene	mg/kg	<0.033	2.2	2.2	2.0	1.9	92	89	45-130	4	24		
Benzo(a)pyrene	mg/kg	<0.032	2.2	2.2	1.9	1.9	88	89	48-130	2	27		
Benzo(b)fluoranthene	mg/kg	<0.036	2.2	2.2	1.8	1.9	86	89	41-130	3	31		
Benzo(g,h,i)perylene	mg/kg	<0.055	2.2	2.2	2.0	1.9	91	87	37-130	5	31		
Benzo(k)fluoranthene	mg/kg	<0.051	2.2	2.2	1.9	1.8	88	86	46-130	2	27		
bis(2-Chloroethoxy)methane	mg/kg	<0.057	2.2	2.2	1.8	1.8	86	84	38-130	3	26		
bis(2-Chloroethyl) ether	mg/kg	<0.066	2.2	2.2	1.6	1.6	76	77	42-130	1	29		
bis(2-Ethylhexyl)phthalate	mg/kg	<0.035	2.2	2.2	2.1	2.0	99	92	39-130	7	27		
Butylbenzylphthalate	mg/kg	<0.034	2.2	2.2	2.2	2.1	102	99	39-130	3	27		
Carbazole	mg/kg	<0.033	2.2	2.2	2.0	1.9	93	90	44-130	3	24		
Chrysene	mg/kg	<0.032	2.2	2.2	2.0	1.9	96	92	44-130	4	25		
Di-n-butylphthalate	mg/kg	<0.032	2.2	2.2	2.1	1.9	99	92	45-130	8	26		
Di-n-octylphthalate	mg/kg	<0.048	2.2	2.2	2.2	2.0	102	95	40-134	8	27		
Dibenz(a,h)anthracene	mg/kg	<0.058	2.2	2.2	2.2	2.1	101	97	41-130	5	33		
Dibenzofuran	mg/kg	<0.026	2.2	2.2	2.0	2.0	96	94	47-130	2	23		
Diethylphthalate	mg/kg	<0.035	2.2	2.2	2.1	1.9	99	88	46-130	12	24		
Dimethylphthalate	mg/kg	<0.028	2.2	2.2	2.1	2.0	99	93	47-130	6	24		
Fluoranthene	mg/kg	<0.030	2.2	2.2	2.1	2.1	100	99	50-130	1	27		
Fluorene	mg/kg	<0.025	2.2	2.2	2.0	2.0	94	93	48-130	1	25		
Hexachloro-1,3-butadiene	mg/kg	<0.054	2.2	2.2	2.1	1.9	100	91	42-130	9	27		
Hexachlorobenzene	mg/kg	<0.036	2.2	2.2	1.8	1.9	85	92	51-130	8	24		
Hexachlorocyclopentadiene	mg/kg	<0.050	2.2	2.2	1.3	1.3	62	60	10-114	3	50		
Hexachloroethane	mg/kg	<0.034	2.2	2.2	1.7	1.6	82	77	33-130	7	35		
Indeno(1,2,3-cd)pyrene	mg/kg	<0.046	2.2	2.2	2.0	1.9	95	90	34-130	5	38		
Isophorone	mg/kg	<0.033	2.2	2.2	1.9	1.8	92	85	45-130	7	28		
N-Nitroso-di-n-propylamine	mg/kg	<0.034	2.2	2.2	1.9	1.8	89	85	47-130	5	27		
N-Nitrosodiphenylamine	mg/kg	<0.29	2.2	2.2	1.8	1.8	85	83	42-130	2	25		
Naphthalene	mg/kg	<0.074	2.2	2.2	1.8	1.7	86	80	48-130	8	24		
Nitrobenzene	mg/kg	<0.043	2.2	2.2	1.9	1.7	91	80	42-130	12	25		
Pentachlorophenol	mg/kg	<0.047	2.2	2.2	1.5	1.3	71	63	10-108	11	50		
Phenanthrene	mg/kg	<0.027	2.2	2.2	1.7	1.7	83	80	50-130	3	27		
Phenol	mg/kg	<0.050	2.2	2.2	1.7	1.6	79	76	37-130	4	30		
Pyrene	mg/kg	<0.047	2.2	2.2	2.0	1.8	93	87	43-130	7	29		
2,4,6-Tribromophenol (S)	%						93	97	10-144				
2-Fluorobiphenyl (S)	%						90	79	12-118				
2-Fluorophenol (S)	%						71	68	10-130				
Nitrobenzene-d5 (S)	%						90	81	10-125				
Phenol-d6 (S)	%						74	73	10-125				
Terphenyl-d14 (S)	%						91	83	10-124				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

QC Batch:	415864	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40244893001, 40244893003, 40244893004

SAMPLE DUPLICATE: 2394504

Parameter	Units	40244898011 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	21.1	22.6	7	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

QC Batch: 415982	Analysis Method: ASTM D2974-87
QC Batch Method: ASTM D2974-87	Analysis Description: Dry Weight/Percent Moisture
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244893005

SAMPLE DUPLICATE: 2394995

Parameter	Units	40244893005 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	25.8	25.4	1	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

QC Batch: 416004

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244893007, 40244893008

SAMPLE DUPLICATE: 2395124

Parameter	Units	40244893007 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	21.4	21.4	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

QC Batch: 416195

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244893006

SAMPLE DUPLICATE: 2396254

Parameter	Units	40244978001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	5.5	5.3	2	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

QC Batch: 416511

Analysis Method: EPA 9040

QC Batch Method: EPA 9040

Analysis Description: 9040 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244893001, 40244893003, 40244893004, 40244893005, 40244893007, 40244893008

SAMPLE DUPLICATE: 2398124

Parameter	Units	40244680002 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.6	7.7	1	20	3q,H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

QC Batch: 416471

Analysis Method: EPA 9045

QC Batch Method: EPA 9045

Analysis Description: 9045 pH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244893006

SAMPLE DUPLICATE: 2398009

Parameter	Units	40245017013 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.90	7.93	0	5	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

QC Batch: 416480	Analysis Method: EPA 9012B
QC Batch Method: EPA 9012B	Analysis Description: 9012 Cyanide
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40244893001, 40244893003, 40244893004, 40244893005, 40244893006, 40244893007, 40244893008

METHOD BLANK: 2398037 Matrix: Solid
Associated Lab Samples: 40244893001, 40244893003, 40244893004, 40244893005, 40244893006, 40244893007, 40244893008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Cyanide	mg/kg	<0.31	0.92	0.31	05/24/22 14:34	

LABORATORY CONTROL SAMPLE: 2398038

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/kg	3	3.1	103	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2398039 2398040

Parameter	Units	40244893006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Cyanide	mg/kg	<0.30	3	2.8	2.7	2.4	85	76	80-120	13	20	M0

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2398041 2398042

Parameter	Units	40244846011 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Cyanide	mg/kg	<0.30	3	3.1	2.5	2.4	78	71	80-120	5	20	M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.
ND - Not Detected at or above adjusted reporting limit.
TNTC - Too Numerous To Count
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.
MDL - Adjusted Method Detection Limit.
PQL - Practical Quantitation Limit.
RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.
S - Surrogate
1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.
Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.
LCS(D) - Laboratory Control Sample (Duplicate)
MS(D) - Matrix Spike (Duplicate)
DUP - Sample Duplicate
RPD - Relative Percent Difference
NC - Not Calculable.
SG - Silica Gel - Clean-Up
U - Indicates the compound was analyzed for, but not detected.
N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.
Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.
Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.
TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: 416335

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

1q This analyte's recovery was below secondary source verification limits. The results may be biased low.
2q An Internal standard was low on this sample confirmed from a previous analysis
3q Due to the sample matrix, DI water was added to this sample on a one to one basis and the sample was stirred before analysis.
4q This analyte's recovery was below secondary source verification limits. The results may be biased low.
CH The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
CU The continuing calibration for this analyte is above laboratory acceptance limits. Analyte was not detected above the reporting limit in any of the associated samples.

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
E Analyte concentration exceeded the calibration range. The reported result is estimated.
H6 Analysis initiated outside of the 15 minute EPA required holding time.
M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

ANALYTE QUALIFIERS

- P6 Matrix spike recovery was outside laboratory control limits due to a parent sample concentration notably higher than the spike level.
- P8 Analyte was detected in the method blank. All associated samples had concentrations of at least ten times greater than the blank or were below the reporting limit.
- R1 RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40244893

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244893001	05122022 DUP-07	EPA 3550	815618	EPA 8081	816740
40244893003	SB-37 (5.4-6.4)	EPA 3550	815618	EPA 8081	816740
40244893004	SB-37 (8.0-9.0)	EPA 3550	815618	EPA 8081	816740
40244893005	SB-45 (1.3-2.3)	EPA 3550	815618	EPA 8081	816740
40244893006	SB-45 (4.5-5.5)	EPA 3550	815618	EPA 8081	816740
40244893007	SB-48 (0.8-1.8)	EPA 3550	815618	EPA 8081	816740
40244893008	SB-48 (4.2-5.2)	EPA 3550	815618	EPA 8081	816740
40244893001	05122022 DUP-07	EPA 3541	415804	EPA 8082A	415860
40244893003	SB-37 (5.4-6.4)	EPA 3541	415804	EPA 8082A	415860
40244893004	SB-37 (8.0-9.0)	EPA 3541	415804	EPA 8082A	415860
40244893005	SB-45 (1.3-2.3)	EPA 3541	415804	EPA 8082A	415860
40244893006	SB-45 (4.5-5.5)	EPA 3541	415875	EPA 8082A	415883
40244893007	SB-48 (0.8-1.8)	EPA 3541	415875	EPA 8082A	415883
40244893008	SB-48 (4.2-5.2)	EPA 3541	415875	EPA 8082A	415883
40244893001	05122022 DUP-07	EPA 3050B	816288	EPA 6020B	816543
40244893003	SB-37 (5.4-6.4)	EPA 3050B	816288	EPA 6020B	816543
40244893004	SB-37 (8.0-9.0)	EPA 3050B	816288	EPA 6020B	816543
40244893005	SB-45 (1.3-2.3)	EPA 3050B	816288	EPA 6020B	816543
40244893006	SB-45 (4.5-5.5)	EPA 3050B	816288	EPA 6020B	816543
40244893007	SB-48 (0.8-1.8)	EPA 3050B	816288	EPA 6020B	816543
40244893008	SB-48 (4.2-5.2)	EPA 3050B	816288	EPA 6020B	816543
40244893001	05122022 DUP-07	EPA 7471	416412	EPA 7471	416466
40244893003	SB-37 (5.4-6.4)	EPA 7471	416412	EPA 7471	416466
40244893004	SB-37 (8.0-9.0)	EPA 7471	416412	EPA 7471	416466
40244893005	SB-45 (1.3-2.3)	EPA 7471	416412	EPA 7471	416466
40244893006	SB-45 (4.5-5.5)	EPA 7471	416412	EPA 7471	416466
40244893007	SB-48 (0.8-1.8)	EPA 7471	416412	EPA 7471	416466
40244893008	SB-48 (4.2-5.2)	EPA 7471	416412	EPA 7471	416466
40244893001	05122022 DUP-07	EPA 3546	416108	EPA 8270E	416209
40244893003	SB-37 (5.4-6.4)	EPA 3546	416108	EPA 8270E	416209
40244893004	SB-37 (8.0-9.0)	EPA 3546	416108	EPA 8270E	416209
40244893005	SB-45 (1.3-2.3)	EPA 3546	416108	EPA 8270E	416209
40244893006	SB-45 (4.5-5.5)	EPA 3546	416108	EPA 8270E	416209
40244893007	SB-48 (0.8-1.8)	EPA 3546	416108	EPA 8270E	416209
40244893008	SB-48 (4.2-5.2)	EPA 3546	416108	EPA 8270E	416209
40244893001	05122022 DUP-07	EPA 5035/5030	416332	EPA 8260	416335
40244893002	TB-08	EPA 5035/5030	416332	EPA 8260	416335
40244893003	SB-37 (5.4-6.4)	EPA 5035/5030	416332	EPA 8260	416335
40244893004	SB-37 (8.0-9.0)	EPA 5035/5030	416332	EPA 8260	416335
40244893005	SB-45 (1.3-2.3)	EPA 5035/5030	416332	EPA 8260	416335
40244893006	SB-45 (4.5-5.5)	EPA 5035/5030	416332	EPA 8260	416335
40244893007	SB-48 (0.8-1.8)	EPA 5035/5030	416332	EPA 8260	416335
40244893008	SB-48 (4.2-5.2)	EPA 5035/5030	416332	EPA 8260	416335
40244893001	05122022 DUP-07	ASTM D2974-87	415864		
40244893003	SB-37 (5.4-6.4)	ASTM D2974-87	415864		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40244893

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40244893004	SB-37 (8.0-9.0)	ASTM D2974-87	415864		
40244893005	SB-45 (1.3-2.3)	ASTM D2974-87	415982		
40244893006	SB-45 (4.5-5.5)	ASTM D2974-87	416195		
40244893007	SB-48 (0.8-1.8)	ASTM D2974-87	416004		
40244893008	SB-48 (4.2-5.2)	ASTM D2974-87	416004		
40244893001	05122022 DUP-07	EPA 9040	416511		
40244893003	SB-37 (5.4-6.4)	EPA 9040	416511		
40244893004	SB-37 (8.0-9.0)	EPA 9040	416511		
40244893005	SB-45 (1.3-2.3)	EPA 9040	416511		
40244893007	SB-48 (0.8-1.8)	EPA 9040	416511		
40244893008	SB-48 (4.2-5.2)	EPA 9040	416511		
40244893006	SB-45 (4.5-5.5)	EPA 9045	416471		
40244893001	05122022 DUP-07	EPA 9012B	416480	EPA 9012B	416553
40244893003	SB-37 (5.4-6.4)	EPA 9012B	416480	EPA 9012B	416553
40244893004	SB-37 (8.0-9.0)	EPA 9012B	416480	EPA 9012B	416553
40244893005	SB-45 (1.3-2.3)	EPA 9012B	416480	EPA 9012B	416553
40244893006	SB-45 (4.5-5.5)	EPA 9012B	416480	EPA 9012B	416553
40244893007	SB-48 (0.8-1.8)	EPA 9012B	416480	EPA 9012B	416553
40244893008	SB-48 (4.2-5.2)	EPA 9012B	416480	EPA 9012B	416553

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: Fehr Graham
 Branch/Location: Rockford IL
 Project Contact: Tony Guajardo
 Phone: 815-394-4700
 Project Number: 22-521 PH01
 Project Name: Pillsbury
 Project State: Illinois
 Sampled By (Print): Hannah Insko
 Sampled By (Sign): Hannah Insko
 PO #: 22-521 PH01 Regulatory Program:



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

40244893 (1 cooler)

CHAIN OF CUSTODY

*Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N														
Pick Letter	E	F	A	A													
Analyses Requested	VOLS			pesticides	SVOCs, PCB, CN, THL, MTBS, P, H												

Quote #: _____
 Mail To Contact: Tony Guajardo
 Mail To Company: Fehr Graham
 Mail To Address: 200 prairie st
Rockford IL 61107
Suite 208
 Invoice To Contact: Tony Guajardo
 Invoice To Company: Fehr Graham
 Invoice To Address: 200 Prairie St
Suite 208
Rockford IL 61107
 Invoice To Phone: 815-394-4700
 CLIENT COMMENTS: _____
 LAB COMMENTS (Lab Use Only): _____
 Profile #: _____

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX														
		DATE	TIME															
001	08122022 DUP-07	5-12-22	-	S		X	X	X										
002	TB-08	5-12	1000	S		X												
003	SB-37(5.4-6.4)	8-12	0710	J		X	X	X										
004	SB-37(8.0-9.0)	5-12	0715	S		X	X	X										
005	SB-45(1.3-2.3)	5-12	0755	S		X	X	X										
006	SB-45(4.5-5.5)	5-12	0800	S		X	X	X										
007	SB-48(0.8-1.8)	5-12	0925	S		X	X	X										HI
008	SB-48(4.2-5.2)	5-12	0930	S		X	X	X										HI

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed:	Relinquished By: <u>Hannah Insko</u> Date/Time: <u>5/12/22 1000</u>	Received By: _____ Date/Time: _____	PACE Project No. <u>40244893</u>
	Transmit Prelim Rush Results by (complete what you want): <u>UPS</u>	Relinquished By: _____ Date/Time: _____	
Email #1:	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	Receipt Temp = _____ °C
Email #2:	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	Sample Receipt pH OK / Adjusted
Telephone:	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	Cooler Custody Seal Present / Not Present
Fax:	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	Intact / Not Intact
Samples on HOLD are subject to special pricing and release of liability	Relinquished By: _____ Date/Time: _____	Received By: _____ Date/Time: _____	

Sample Preservation Receipt Form

Client Name: Fehr Graham

Project # 40244893

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed:

Date/Time:

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass							Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act. pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)				
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T								ZPLC	GN		
001																	2																		2.5 / 5 / 10
002																	2																		2.5 / 5 / 10
003																	2																		2.5 / 5 / 10
004																	2																		2.5 / 5 / 10
005																	2																		2.5 / 5 / 10
006																	2																		2.5 / 5 / 10
007																	2																		2.5 / 5 / 10
008																	2																		2.5 / 5 / 10
009																	2																		2.5 / 5 / 10
010																	2																		2.5 / 5 / 10
011																	2																		2.5 / 5 / 10
012																	2																		2.5 / 5 / 10
013																	2																		2.5 / 5 / 10
014																	2																		2.5 / 5 / 10
015																	2																		2.5 / 5 / 10
016																	2																		2.5 / 5 / 10
017																	2																		2.5 / 5 / 10
018																	2																		2.5 / 5 / 10
019																	2																		2.5 / 5 / 10
020																	2																		2.5 / 5 / 10

5.13.22 JFD

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9A	40 mL clear ascorbic	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG5U	100 mL amber glass unpres			VG9D	40 mL clear vial DI	ZPLC	ziploc bag
AG2S	500 mL amber glass H2SO4					GN	
BG3U	250 mL clear glass unpres						

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Fehr Graham

WO#: **40244893**

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____



Tracking #: 1Z90E6F397473750

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR-116 Type of Ice: ~~WSP~~ Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 3 /ICorr: 3.1

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:
 Date: 5-13-22 /Initials: AP
 Labeled By Initials: MP

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>S</u>		
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample login
 Page 2 of 2

**Laboratory Groundwater
Analytical Reports**

July 05, 2022

Annie Ray
Fehr Graham
200 Prairie St
Suite 208
Rockford, IL 61107

RE: Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Dear Annie Ray:

Enclosed are the analytical results for sample(s) received by the laboratory on June 22, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay
- Pace Analytical Services - Indianapolis
- Pace Analytical Services - New Orleans

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

Pace Analytical Services New Orleans

Florida Department of Health (NELAC): E87595

Illinois Environmental Protection Agency: 0025721

Kansas Department of Health and Environment (NELAC):
E-10266

Louisiana Dept. of Environmental Quality (NELAC/LELAP):
02006

Texas Commission on Env. Quality (NELAC):
T104704405-09-TX

U.S. Dept. of Agriculture Foreign Soil Import: P330-10-
00119

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268

Illinois Accreditation #: 200074

Indiana Drinking Water Laboratory #: C-49-06

Kansas/TNI Certification #: E-10177

Kentucky UST Agency Interest #: 80226

Kentucky WW Laboratory ID #: 98019

Michigan Drinking Water Laboratory #9050

Ohio VAP Certified Laboratory #: CL0065

Oklahoma Laboratory #: 9204

Texas Certification #: T104704355

Wisconsin Laboratory #: 999788130

USDA Soil Permit #: P330-19-00257

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40246997001	MW-01	Water	06/21/22 12:00	06/22/22 10:20
40246997002	MW-04	Water	06/21/22 13:00	06/22/22 10:20
40246997003	MW-11	Water	06/21/22 14:00	06/22/22 10:20
40246997004	MW-05	Water	06/21/22 14:40	06/22/22 10:20
40246997005	MW-06	Water	06/21/22 15:30	06/22/22 10:20
40246997006	TB-01	Water	06/21/22 16:00	06/22/22 10:20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40246997001	MW-01	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020A	FC1	22	PASI-N
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	53	PASI-G
		EPA 8270E by SIM	RJN	19	PASI-G
		EPA 8260	JAV	38	PASI-G
		EPA 335.4	DAW	1	PASI-G
40246997002	MW-04	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020A	FC1	22	PASI-N
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	53	PASI-G
		EPA 8270E by SIM	RJN	19	PASI-G
		EPA 8260	JAV	38	PASI-G
		EPA 335.4	DAW	1	PASI-G
40246997003	MW-11	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020A	FC1	22	PASI-N
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	53	PASI-G
		EPA 8270E by SIM	RJN	19	PASI-G
		EPA 8260	JAV	38	PASI-G
		EPA 335.4	DAW	1	PASI-G
40246997004	MW-05	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020A	FC1	22	PASI-N
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	53	PASI-G
		EPA 8270E by SIM	RJN	19	PASI-G
		EPA 8260	JAV	38	PASI-G
		EPA 335.4	DAW	1	PASI-G
40246997005	MW-06	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020A	FC1	22	PASI-N
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	53	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 8270E by SIM	RJN	19	PASI-G
		EPA 8260	JAV	38	PASI-G
		EPA 335.4	DAW	1	PASI-G
40246997006	TB-01	EPA 8260	JAV	38	PASI-G

PASI-G = Pace Analytical Services - Green Bay

PASI-I = Pace Analytical Services - Indianapolis

PASI-N = Pace Analytical Services - New Orleans

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40246997001	MW-01					
EPA 6020A	Arsenic	0.00029J	mg/L	0.0010	06/30/22 23:59	
EPA 6020A	Barium	0.073	mg/L	0.0010	06/30/22 23:59	
EPA 6020A	Calcium	95.6	mg/L	0.10	06/30/22 23:59	
EPA 6020A	Chromium	0.00065J	mg/L	0.0010	06/30/22 23:59	
EPA 6020A	Cobalt	0.00010J	mg/L	0.0010	06/30/22 23:59	
EPA 6020A	Copper	0.00096J	mg/L	0.0030	06/30/22 23:59	
EPA 6020A	Lead	0.00011J	mg/L	0.0010	06/30/22 23:59	
EPA 6020A	Magnesium	33.8	mg/L	0.10	06/30/22 23:59	
EPA 6020A	Manganese	0.043	mg/L	0.0050	06/30/22 23:59	
EPA 6020A	Nickel	0.00063J	mg/L	0.0010	06/30/22 23:59	
EPA 6020A	Potassium	0.37	mg/L	0.10	06/30/22 23:59	
EPA 6020A	Selenium	0.0039	mg/L	0.0010	06/30/22 23:59	
EPA 6020A	Sodium	6.0	mg/L	0.10	06/30/22 23:59	
EPA 6020A	Zinc	0.0053J	mg/L	0.010	06/30/22 23:59	
40246997002	MW-04					
EPA 6020A	Arsenic	0.0018	mg/L	0.0010	07/01/22 00:23	
EPA 6020A	Barium	0.10	mg/L	0.0010	07/01/22 00:23	
EPA 6020A	Calcium	106	mg/L	0.10	07/01/22 00:23	
EPA 6020A	Cobalt	0.00093J	mg/L	0.0010	07/01/22 00:23	
EPA 6020A	Copper	0.00094J	mg/L	0.0030	07/01/22 00:23	
EPA 6020A	Magnesium	35.5	mg/L	0.10	07/01/22 00:23	
EPA 6020A	Manganese	0.53	mg/L	0.050	07/01/22 16:14	
EPA 6020A	Nickel	0.0025	mg/L	0.0010	07/01/22 00:23	
EPA 6020A	Potassium	4.5	mg/L	0.10	07/01/22 00:23	
EPA 6020A	Sodium	8.9	mg/L	0.10	07/01/22 00:23	
EPA 6020A	Zinc	0.0087J	mg/L	0.010	07/01/22 00:23	
EPA 8270E	Di-n-butylphthalate	0.00098J	mg/L	0.0046	06/24/22 17:40	
EPA 8270E by SIM	Acenaphthene	0.00025	mg/L	0.000048	06/28/22 09:15	
EPA 8270E by SIM	Benzo(b)fluoranthene	0.000015J	mg/L	0.000048	06/28/22 09:15	
EPA 8270E by SIM	Chrysene	0.000016J	mg/L	0.000048	06/28/22 09:15	
EPA 8270E by SIM	Fluoranthene	0.000027J	mg/L	0.000048	06/28/22 09:15	
EPA 8270E by SIM	Pyrene	0.000040J	mg/L	0.000048	06/28/22 09:15	
40246997003	MW-11					
EPA 6020A	Barium	0.063	mg/L	0.0010	07/01/22 00:28	
EPA 6020A	Calcium	110	mg/L	0.10	07/01/22 00:28	
EPA 6020A	Cobalt	0.00041J	mg/L	0.0010	07/01/22 00:28	
EPA 6020A	Magnesium	50.7	mg/L	0.10	07/01/22 00:28	
EPA 6020A	Manganese	0.023	mg/L	0.0050	07/01/22 00:28	
EPA 6020A	Potassium	0.43	mg/L	0.10	07/01/22 00:28	
EPA 6020A	Selenium	0.0064	mg/L	0.0010	07/01/22 00:28	
EPA 6020A	Sodium	22.1	mg/L	0.10	07/01/22 00:28	
40246997004	MW-05					
EPA 6020A	Arsenic	0.00032J	mg/L	0.0010	07/01/22 00:34	
EPA 6020A	Barium	0.067	mg/L	0.0010	07/01/22 00:34	
EPA 6020A	Calcium	76.9	mg/L	0.10	07/01/22 00:34	
EPA 6020A	Cobalt	0.00069J	mg/L	0.0010	07/01/22 00:34	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40246997004	MW-05					
EPA 6020A	Lead	0.000081J	mg/L	0.0010	07/01/22 00:34	
EPA 6020A	Magnesium	25.7	mg/L	0.10	07/01/22 00:34	
EPA 6020A	Manganese	0.39	mg/L	0.050	07/01/22 16:20	
EPA 6020A	Nickel	0.0013	mg/L	0.0010	07/01/22 00:34	
EPA 6020A	Potassium	2.8	mg/L	0.10	07/01/22 00:34	
EPA 6020A	Selenium	0.00040J	mg/L	0.0010	07/01/22 00:34	
EPA 6020A	Sodium	16.7	mg/L	0.10	07/01/22 00:34	
EPA 6020A	Zinc	0.0098J	mg/L	0.010	07/01/22 00:34	
EPA 8270E by SIM	Anthracene	0.000019J	mg/L	0.000049	06/28/22 09:52	
EPA 8270E by SIM	Fluoranthene	0.000038J	mg/L	0.000049	06/28/22 09:52	
EPA 8270E by SIM	Phenanthrene	0.000054	mg/L	0.000049	06/28/22 09:52	
EPA 8270E by SIM	Pyrene	0.000031J	mg/L	0.000049	06/28/22 09:52	
40246997005	MW-06					
EPA 6020A	Aluminum	0.052J	mg/L	0.10	07/01/22 00:40	
EPA 6020A	Arsenic	0.00023J	mg/L	0.0010	07/01/22 00:40	
EPA 6020A	Barium	0.046	mg/L	0.0010	07/01/22 00:40	
EPA 6020A	Calcium	115	mg/L	0.10	07/01/22 00:40	
EPA 6020A	Chromium	0.0014	mg/L	0.0010	07/01/22 00:40	
EPA 6020A	Cobalt	0.00030J	mg/L	0.0010	07/01/22 00:40	
EPA 6020A	Lead	0.000076J	mg/L	0.0010	07/01/22 00:40	
EPA 6020A	Magnesium	44.6	mg/L	0.10	07/01/22 00:40	
EPA 6020A	Manganese	0.011	mg/L	0.0050	07/01/22 00:40	
EPA 6020A	Potassium	1.5	mg/L	0.10	07/01/22 00:40	
EPA 6020A	Selenium	0.0057	mg/L	0.0010	07/01/22 00:40	
EPA 6020A	Sodium	16.6	mg/L	0.10	07/01/22 00:40	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Sample: MW-01 **Lab ID: 40246997001** Collected: 06/21/22 12:00 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pest RV Waters									
Analytical Method: EPA 8081 Preparation Method: EPA 3510 Pace Analytical Services - Indianapolis									
Aldrin	<0.000038	mg/L	0.000042	0.000038	1	06/23/22 16:39	06/28/22 16:04	309-00-2	
alpha-BHC	<0.000029	mg/L	0.000042	0.000029	1	06/23/22 16:39	06/28/22 16:04	319-84-6	
beta-BHC	<0.000039	mg/L	0.000042	0.000039	1	06/23/22 16:39	06/28/22 16:04	319-85-7	
delta-BHC	<0.000038	mg/L	0.000042	0.000038	1	06/23/22 16:39	06/28/22 16:04	319-86-8	
gamma-BHC (Lindane)	<0.000032	mg/L	0.000042	0.000032	1	06/23/22 16:39	06/28/22 16:04	58-89-9	
Chlordane (Technical)	<0.0017	mg/L	0.0042	0.0017	1	06/23/22 16:39	06/28/22 16:04	57-74-9	
alpha-Chlordane	<0.000032	mg/L	0.00042	0.000032	1	06/23/22 16:39	06/28/22 16:04	5103-71-9	
gamma-Chlordane	<0.000041	mg/L	0.00042	0.000041	1	06/23/22 16:39	06/28/22 16:04	5103-74-2	
4,4'-DDD	<0.000080	mg/L	0.000083	0.000080	1	06/23/22 16:39	06/28/22 16:04	72-54-8	
4,4'-DDE	<0.000062	mg/L	0.000083	0.000062	1	06/23/22 16:39	06/28/22 16:04	72-55-9	
4,4'-DDT	<0.000071	mg/L	0.000083	0.000071	1	06/23/22 16:39	06/28/22 16:04	50-29-3	
Dieldrin	<0.000069	mg/L	0.000083	0.000069	1	06/23/22 16:39	06/28/22 16:04	60-57-1	
Endosulfan I	<0.000029	mg/L	0.000042	0.000029	1	06/23/22 16:39	06/28/22 16:04	959-98-8	
Endosulfan II	<0.000067	mg/L	0.000083	0.000067	1	06/23/22 16:39	06/28/22 16:04	33213-65-9	
Endosulfan sulfate	<0.000059	mg/L	0.000083	0.000059	1	06/23/22 16:39	06/28/22 16:04	1031-07-8	
Endrin	<0.000074	mg/L	0.000083	0.000074	1	06/23/22 16:39	06/28/22 16:04	72-20-8	
Endrin aldehyde	<0.000082	mg/L	0.000083	0.000082	1	06/23/22 16:39	06/28/22 16:04	7421-93-4	
Endrin ketone	<0.000067	mg/L	0.000083	0.000067	1	06/23/22 16:39	06/28/22 16:04	53494-70-5	
Heptachlor	<0.000035	mg/L	0.000042	0.000035	1	06/23/22 16:39	06/28/22 16:04	76-44-8	
Heptachlor epoxide	<0.000035	mg/L	0.000042	0.000035	1	06/23/22 16:39	06/28/22 16:04	1024-57-3	
Methoxychlor	<0.00035	mg/L	0.00042	0.00035	1	06/23/22 16:39	06/28/22 16:04	72-43-5	
Toxaphene	<0.0019	mg/L	0.0042	0.0019	1	06/23/22 16:39	06/28/22 16:04	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	89	%	10-135		1	06/23/22 16:39	06/28/22 16:04	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 13:05	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 13:05	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 13:05	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 13:05	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 13:05	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 13:05	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 13:05	11096-82-5	
PCB, Total	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 13:05	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	94	%	17-141		1	06/24/22 08:02	06/27/22 13:05	877-09-8	
Decachlorobiphenyl (S)	70	%	10-113		1	06/24/22 08:02	06/27/22 13:05	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010 Pace Analytical Services - New Orleans									
Aluminum	<0.036	mg/L	0.10	0.036	1	06/29/22 08:15	06/30/22 23:59	7429-90-5	
Antimony	<0.00063	mg/L	0.0010	0.00063	1	06/29/22 08:15	06/30/22 23:59	7440-36-0	
Arsenic	0.00029J	mg/L	0.0010	0.00020	1	06/29/22 08:15	06/30/22 23:59	7440-38-2	
Barium	0.073	mg/L	0.0010	0.00036	1	06/29/22 08:15	06/30/22 23:59	7440-39-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

Sample: MW-01 **Lab ID: 40246997001** Collected: 06/21/22 12:00 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Beryllium	<0.00012	mg/L	0.0010	0.00012	1	06/29/22 08:15	06/30/22 23:59	7440-41-7	
Cadmium	<0.000080	mg/L	0.0010	0.000080	1	06/29/22 08:15	06/30/22 23:59	7440-43-9	
Calcium	95.6	mg/L	0.10	0.084	1	06/29/22 08:15	06/30/22 23:59	7440-70-2	
Chromium	0.00065J	mg/L	0.0010	0.00062	1	06/29/22 08:15	06/30/22 23:59	7440-47-3	
Cobalt	0.00010J	mg/L	0.0010	0.000060	1	06/29/22 08:15	06/30/22 23:59	7440-48-4	
Copper	0.00096J	mg/L	0.0030	0.00083	1	06/29/22 08:15	06/30/22 23:59	7440-50-8	
Iron	<0.049	mg/L	0.10	0.049	1	06/29/22 08:15	06/30/22 23:59	7439-89-6	
Lead	0.00011J	mg/L	0.0010	0.000070	1	06/29/22 08:15	06/30/22 23:59	7439-92-1	
Magnesium	33.8	mg/L	0.10	0.00060	1	06/29/22 08:15	06/30/22 23:59	7439-95-4	
Manganese	0.043	mg/L	0.0050	0.0045	1	06/29/22 08:15	06/30/22 23:59	7439-96-5	
Nickel	0.00063J	mg/L	0.0010	0.00056	1	06/29/22 08:15	06/30/22 23:59	7440-02-0	
Potassium	0.37	mg/L	0.10	0.085	1	06/29/22 08:15	06/30/22 23:59	7440-09-7	
Selenium	0.0039	mg/L	0.0010	0.00037	1	06/29/22 08:15	06/30/22 23:59	7782-49-2	
Silver	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	06/30/22 23:59	7440-22-4	
Sodium	6.0	mg/L	0.10	0.078	1	06/29/22 08:15	06/30/22 23:59	7440-23-5	
Thallium	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	06/30/22 23:59	7440-28-0	
Vanadium	<0.0023	mg/L	0.0050	0.0023	1	06/29/22 08:15	06/30/22 23:59	7440-62-2	
Zinc	0.0053J	mg/L	0.010	0.0044	1	06/29/22 08:15	06/30/22 23:59	7440-66-6	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.000066	mg/L	0.00020	0.000066	1	06/29/22 10:00	06/30/22 08:23	7439-97-6	
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4-Bromophenylphenyl ether	<0.00086	mg/L	0.0049	0.00086	1	06/23/22 09:40	06/24/22 17:18	101-55-3	
Butylbenzylphthalate	<0.00068	mg/L	0.0049	0.00068	1	06/23/22 09:40	06/24/22 17:18	85-68-7	
Carbazole	<0.00023	mg/L	0.0049	0.00023	1	06/23/22 09:40	06/24/22 17:18	86-74-8	
4-Chloro-3-methylphenol	<0.00091	mg/L	0.0049	0.00091	1	06/23/22 09:40	06/24/22 17:18	59-50-7	
4-Chloroaniline	<0.00087	mg/L	0.0049	0.00087	1	06/23/22 09:40	06/24/22 17:18	106-47-8	2q
bis(2-Chloroethoxy)methane	<0.00042	mg/L	0.0049	0.00042	1	06/23/22 09:40	06/24/22 17:18	111-91-1	
bis(2-Chloroethyl) ether	<0.00067	mg/L	0.0049	0.00067	1	06/23/22 09:40	06/24/22 17:18	111-44-4	
2-Chloronaphthalene	<0.0012	mg/L	0.0049	0.0012	1	06/23/22 09:40	06/24/22 17:18	91-58-7	
2-Chlorophenol	<0.0025	mg/L	0.0049	0.0025	1	06/23/22 09:40	06/24/22 17:18	95-57-8	
4-Chlorophenylphenyl ether	<0.00060	mg/L	0.0049	0.00060	1	06/23/22 09:40	06/24/22 17:18	7005-72-3	
Dibenzofuran	<0.00090	mg/L	0.0049	0.00090	1	06/23/22 09:40	06/24/22 17:18	132-64-9	
1,2-Dichlorobenzene	<0.0020	mg/L	0.0049	0.0020	1	06/23/22 09:40	06/24/22 17:18	95-50-1	
1,3-Dichlorobenzene	<0.0021	mg/L	0.0049	0.0021	1	06/23/22 09:40	06/24/22 17:18	541-73-1	
1,4-Dichlorobenzene	<0.0017	mg/L	0.0049	0.0017	1	06/23/22 09:40	06/24/22 17:18	106-46-7	
3,3'-Dichlorobenzidine	<0.00053	mg/L	0.0049	0.00053	1	06/23/22 09:40	06/24/22 17:18	91-94-1	2q
2,4-Dichlorophenol	<0.0015	mg/L	0.0049	0.0015	1	06/23/22 09:40	06/24/22 17:18	120-83-2	
Diethylphthalate	<0.00059	mg/L	0.0049	0.00059	1	06/23/22 09:40	06/24/22 17:18	84-66-2	
2,4-Dimethylphenol	<0.00042	mg/L	0.0049	0.00042	1	06/23/22 09:40	06/24/22 17:18	105-67-9	
Dimethylphthalate	<0.00041	mg/L	0.0049	0.00041	1	06/23/22 09:40	06/24/22 17:18	131-11-3	
Di-n-butylphthalate	<0.00032	mg/L	0.0049	0.00032	1	06/23/22 09:40	06/24/22 17:18	84-74-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

Sample: MW-01 **Lab ID: 40246997001** Collected: 06/21/22 12:00 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<0.0012	mg/L	0.0049	0.0012	1	06/23/22 09:40	06/24/22 17:18	534-52-1	
2,4-Dinitrophenol	<0.0025	mg/L	0.0097	0.0025	1	06/23/22 09:40	06/24/22 17:18	51-28-5	
2,4-Dinitrotoluene	<0.00037	mg/L	0.0049	0.00037	1	06/23/22 09:40	06/24/22 17:18	121-14-2	
2,6-Dinitrotoluene	<0.00083	mg/L	0.0049	0.00083	1	06/23/22 09:40	06/24/22 17:18	606-20-2	
Di-n-octylphthalate	<0.00045	mg/L	0.0097	0.00045	1	06/23/22 09:40	06/24/22 17:18	117-84-0	
bis(2-Ethylhexyl)phthalate	<0.00067	mg/L	0.0049	0.00067	1	06/23/22 09:40	06/24/22 17:18	117-81-7	
Hexachloro-1,3-butadiene	<0.0025	mg/L	0.0097	0.0025	1	06/23/22 09:40	06/24/22 17:18	87-68-3	
Hexachlorobenzene	<0.0016	mg/L	0.0049	0.0016	1	06/23/22 09:40	06/24/22 17:18	118-74-1	
Hexachlorocyclopentadiene	<0.0019	mg/L	0.0049	0.0019	1	06/23/22 09:40	06/24/22 17:18	77-47-4	
Hexachloroethane	<0.0015	mg/L	0.0049	0.0015	1	06/23/22 09:40	06/24/22 17:18	67-72-1	
Isophorone	<0.00039	mg/L	0.0049	0.00039	1	06/23/22 09:40	06/24/22 17:18	78-59-1	
2-Methylphenol(o-Cresol)	<0.00075	mg/L	0.0049	0.00075	1	06/23/22 09:40	06/24/22 17:18	95-48-7	
3&4-Methylphenol(m&p Cresol)	<0.00058	mg/L	0.0049	0.00058	1	06/23/22 09:40	06/24/22 17:18		
2-Nitroaniline	<0.00089	mg/L	0.0049	0.00089	1	06/23/22 09:40	06/24/22 17:18	88-74-4	CH
3-Nitroaniline	<0.00069	mg/L	0.0049	0.00069	1	06/23/22 09:40	06/24/22 17:18	99-09-2	
4-Nitroaniline	<0.00044	mg/L	0.0097	0.00044	1	06/23/22 09:40	06/24/22 17:18	100-01-6	
Nitrobenzene	<0.00049	mg/L	0.0049	0.00049	1	06/23/22 09:40	06/24/22 17:18	98-95-3	
2-Nitrophenol	<0.0015	mg/L	0.0049	0.0015	1	06/23/22 09:40	06/24/22 17:18	88-75-5	
4-Nitrophenol	<0.0020	mg/L	0.0049	0.0020	1	06/23/22 09:40	06/24/22 17:18	100-02-7	
N-Nitroso-di-n-propylamine	<0.00080	mg/L	0.0049	0.00080	1	06/23/22 09:40	06/24/22 17:18	621-64-7	
N-Nitrosodiphenylamine	<0.00040	mg/L	0.0049	0.00040	1	06/23/22 09:40	06/24/22 17:18	86-30-6	
2,2'-Oxybis(1-chloropropane)	<0.00076	mg/L	0.0049	0.00076	1	06/23/22 09:40	06/24/22 17:18	108-60-1	CH
Pentachlorophenol	<0.0016	mg/L	0.0049	0.0016	1	06/23/22 09:40	06/24/22 17:18	87-86-5	
Phenol	<0.00095	mg/L	0.0049	0.00095	1	06/23/22 09:40	06/24/22 17:18	108-95-2	
1,2,4-Trichlorobenzene	<0.0023	mg/L	0.0049	0.0023	1	06/23/22 09:40	06/24/22 17:18	120-82-1	
2,4,5-Trichlorophenol	<0.0018	mg/L	0.0049	0.0018	1	06/23/22 09:40	06/24/22 17:18	95-95-4	
2,4,6-Trichlorophenol	<0.0019	mg/L	0.0049	0.0019	1	06/23/22 09:40	06/24/22 17:18	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	87	%	10-120		1	06/23/22 09:40	06/24/22 17:18	4165-60-0	
2-Fluorobiphenyl (S)	63	%	10-101		1	06/23/22 09:40	06/24/22 17:18	321-60-8	
Terphenyl-d14 (S)	99	%	36-138		1	06/23/22 09:40	06/24/22 17:18	1718-51-0	
Phenol-d6 (S)	32	%	10-130		1	06/23/22 09:40	06/24/22 17:18	13127-88-3	
2-Fluorophenol (S)	48	%	10-89		1	06/23/22 09:40	06/24/22 17:18	367-12-4	
2,4,6-Tribromophenol (S)	82	%	10-142		1	06/23/22 09:40	06/24/22 17:18	118-79-6	

8270E MSSV PAH

Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510
Pace Analytical Services - Green Bay

Acenaphthene	<0.000014	mg/L	0.000049	0.000014	1	06/27/22 08:10	06/28/22 08:57	83-32-9	
Acenaphthylene	<0.000012	mg/L	0.000049	0.000012	1	06/27/22 08:10	06/28/22 08:57	208-96-8	
Anthracene	<0.000018	mg/L	0.000049	0.000018	1	06/27/22 08:10	06/28/22 08:57	120-12-7	
Benzo(a)anthracene	<0.000013	mg/L	0.000049	0.000013	1	06/27/22 08:10	06/28/22 08:57	56-55-3	
Benzo(a)pyrene	<0.000012	mg/L	0.000049	0.000012	1	06/27/22 08:10	06/28/22 08:57	50-32-8	
Benzo(b)fluoranthene	<0.000008	mg/L	0.000049	0.000008	1	06/27/22 08:10	06/28/22 08:57	205-99-2	
Benzo(g,h,i)perylene	<0.000023	mg/L	0.000049	0.000023	1	06/27/22 08:10	06/28/22 08:57	191-24-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

Sample: MW-01 **Lab ID: 40246997001** Collected: 06/21/22 12:00 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Benzo(k)fluoranthene	<0.000022	mg/L	0.000049	0.000022	1	06/27/22 08:10	06/28/22 08:57	207-08-9	
Chrysene	<0.000012	mg/L	0.000049	0.000012	1	06/27/22 08:10	06/28/22 08:57	218-01-9	
Dibenz(a,h)anthracene	<0.000017	mg/L	0.000049	0.000017	1	06/27/22 08:10	06/28/22 08:57	53-70-3	
Fluoranthene	<0.000026	mg/L	0.000049	0.000026	1	06/27/22 08:10	06/28/22 08:57	206-44-0	
Fluorene	<0.000023	mg/L	0.000049	0.000023	1	06/27/22 08:10	06/28/22 08:57	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.000015	mg/L	0.000049	0.000015	1	06/27/22 08:10	06/28/22 08:57	193-39-5	
2-Methylnaphthalene	<0.000014	mg/L	0.000049	0.000014	1	06/27/22 08:10	06/28/22 08:57	91-57-6	
Naphthalene	<0.000020	mg/L	0.000049	0.000020	1	06/27/22 08:10	06/28/22 08:57	91-20-3	
Phenanthrene	<0.000025	mg/L	0.000049	0.000025	1	06/27/22 08:10	06/28/22 08:57	85-01-8	
Pyrene	<0.000022	mg/L	0.000049	0.000022	1	06/27/22 08:10	06/28/22 08:57	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	71	%	44-120		1	06/27/22 08:10	06/28/22 08:57	321-60-8	
Terphenyl-d14 (S)	69	%	49-120		1	06/27/22 08:10	06/28/22 08:57	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Acetone	<0.0086	mg/L	0.025	0.0086	1		06/23/22 15:31	67-64-1	
Benzene	<0.00030	mg/L	0.0010	0.00030	1		06/23/22 15:31	71-43-2	
Bromodichloromethane	<0.00042	mg/L	0.0010	0.00042	1		06/23/22 15:31	75-27-4	
Bromoform	<0.0038	mg/L	0.0050	0.0038	1		06/23/22 15:31	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		06/23/22 15:31	74-83-9	
2-Butanone (MEK)	<0.0065	mg/L	0.025	0.0065	1		06/23/22 15:31	78-93-3	
Carbon disulfide	<0.0011	mg/L	0.0050	0.0011	1		06/23/22 15:31	75-15-0	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		06/23/22 15:31	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		06/23/22 15:31	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		06/23/22 15:31	75-00-3	
Chloroform	<0.0012	mg/L	0.0050	0.0012	1		06/23/22 15:31	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		06/23/22 15:31	74-87-3	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		06/23/22 15:31	124-48-1	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/23/22 15:31	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		06/23/22 15:31	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		06/23/22 15:31	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		06/23/22 15:31	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		06/23/22 15:31	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		06/23/22 15:31	78-87-5	
cis-1,3-Dichloropropene	<0.00036	mg/L	0.0010	0.00036	1		06/23/22 15:31	10061-01-5	
trans-1,3-Dichloropropene	<0.0035	mg/L	0.0050	0.0035	1		06/23/22 15:31	10061-02-6	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		06/23/22 15:31	100-41-4	
2-Hexanone	<0.0063	mg/L	0.025	0.0063	1		06/23/22 15:31	591-78-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		06/23/22 15:31	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.0060	mg/L	0.025	0.0060	1		06/23/22 15:31	108-10-1	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		06/23/22 15:31	1634-04-4	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		06/23/22 15:31	100-42-5	
1,1,2,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		06/23/22 15:31	79-34-5	
Tetrachloroethene	<0.00041	mg/L	0.0010	0.00041	1		06/23/22 15:31	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Sample: MW-01 **Lab ID: 40246997001** Collected: 06/21/22 12:00 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Toluene	<0.00029	mg/L	0.0010	0.00029	1		06/23/22 15:31	108-88-3	
1,1,1-Trichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/23/22 15:31	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0050	0.00034	1		06/23/22 15:31	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		06/23/22 15:31	79-01-6	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		06/23/22 15:31	75-01-4	
Xylene (Total)	<0.0010	mg/L	0.0030	0.0010	1		06/23/22 15:31	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		06/23/22 15:31	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		06/23/22 15:31	2199-69-1	
Toluene-d8 (S)	96	%	70-130		1		06/23/22 15:31	2037-26-5	
335.4 Cyanide, Total									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	<0.0069	mg/L	0.023	0.0069	1	06/23/22 09:00	06/23/22 10:46	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Sample: MW-04 **Lab ID: 40246997002** Collected: 06/21/22 13:00 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pest RV Waters									
Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Pace Analytical Services - Indianapolis									
Aldrin	<0.000038	mg/L	0.000042	0.000038	1	06/23/22 16:39	06/28/22 16:17	309-00-2	
alpha-BHC	<0.000029	mg/L	0.000042	0.000029	1	06/23/22 16:39	06/28/22 16:17	319-84-6	
beta-BHC	<0.000039	mg/L	0.000042	0.000039	1	06/23/22 16:39	06/28/22 16:17	319-85-7	
delta-BHC	<0.000038	mg/L	0.000042	0.000038	1	06/23/22 16:39	06/28/22 16:17	319-86-8	
gamma-BHC (Lindane)	<0.000032	mg/L	0.000042	0.000032	1	06/23/22 16:39	06/28/22 16:17	58-89-9	
Chlordane (Technical)	<0.0017	mg/L	0.0042	0.0017	1	06/23/22 16:39	06/28/22 16:17	57-74-9	
alpha-Chlordane	<0.000032	mg/L	0.00042	0.000032	1	06/23/22 16:39	06/28/22 16:17	5103-71-9	
gamma-Chlordane	<0.000041	mg/L	0.00042	0.000041	1	06/23/22 16:39	06/28/22 16:17	5103-74-2	
4,4'-DDD	<0.000080	mg/L	0.000083	0.000080	1	06/23/22 16:39	06/28/22 16:17	72-54-8	
4,4'-DDE	<0.000062	mg/L	0.000083	0.000062	1	06/23/22 16:39	06/28/22 16:17	72-55-9	
4,4'-DDT	<0.000071	mg/L	0.000083	0.000071	1	06/23/22 16:39	06/28/22 16:17	50-29-3	
Dieldrin	<0.000069	mg/L	0.000083	0.000069	1	06/23/22 16:39	06/28/22 16:17	60-57-1	
Endosulfan I	<0.000029	mg/L	0.000042	0.000029	1	06/23/22 16:39	06/28/22 16:17	959-98-8	
Endosulfan II	<0.000067	mg/L	0.000083	0.000067	1	06/23/22 16:39	06/28/22 16:17	33213-65-9	
Endosulfan sulfate	<0.000059	mg/L	0.000083	0.000059	1	06/23/22 16:39	06/28/22 16:17	1031-07-8	
Endrin	<0.000074	mg/L	0.000083	0.000074	1	06/23/22 16:39	06/28/22 16:17	72-20-8	
Endrin aldehyde	<0.000082	mg/L	0.000083	0.000082	1	06/23/22 16:39	06/28/22 16:17	7421-93-4	
Endrin ketone	<0.000067	mg/L	0.000083	0.000067	1	06/23/22 16:39	06/28/22 16:17	53494-70-5	
Heptachlor	<0.000035	mg/L	0.000042	0.000035	1	06/23/22 16:39	06/28/22 16:17	76-44-8	
Heptachlor epoxide	<0.000035	mg/L	0.000042	0.000035	1	06/23/22 16:39	06/28/22 16:17	1024-57-3	
Methoxychlor	<0.00035	mg/L	0.00042	0.00035	1	06/23/22 16:39	06/28/22 16:17	72-43-5	
Toxaphene	<0.0019	mg/L	0.0042	0.0019	1	06/23/22 16:39	06/28/22 16:17	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	68	%	10-135		1	06/23/22 16:39	06/28/22 16:17	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 13:25	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 13:25	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 13:25	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 13:25	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 13:25	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 13:25	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 13:25	11096-82-5	
PCB, Total	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 13:25	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	28	%	17-141		1	06/24/22 08:02	06/27/22 13:25	877-09-8	
Decachlorobiphenyl (S)	21	%	10-113		1	06/24/22 08:02	06/27/22 13:25	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Aluminum	<0.036	mg/L	0.10	0.036	1	06/29/22 08:15	07/01/22 00:23	7429-90-5	
Antimony	<0.00063	mg/L	0.0010	0.00063	1	06/29/22 08:15	07/01/22 00:23	7440-36-0	
Arsenic	0.0018	mg/L	0.0010	0.00020	1	06/29/22 08:15	07/01/22 00:23	7440-38-2	
Barium	0.10	mg/L	0.0010	0.00036	1	06/29/22 08:15	07/01/22 00:23	7440-39-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Sample: MW-04 Lab ID: 40246997002 Collected: 06/21/22 13:00 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Beryllium	<0.00012	mg/L	0.0010	0.00012	1	06/29/22 08:15	07/01/22 00:23	7440-41-7	
Cadmium	<0.000080	mg/L	0.0010	0.000080	1	06/29/22 08:15	07/01/22 00:23	7440-43-9	
Calcium	106	mg/L	0.10	0.084	1	06/29/22 08:15	07/01/22 00:23	7440-70-2	
Chromium	<0.00062	mg/L	0.0010	0.00062	1	06/29/22 08:15	07/01/22 00:23	7440-47-3	
Cobalt	0.00093J	mg/L	0.0010	0.000060	1	06/29/22 08:15	07/01/22 00:23	7440-48-4	
Copper	0.00094J	mg/L	0.0030	0.00083	1	06/29/22 08:15	07/01/22 00:23	7440-50-8	
Iron	<0.049	mg/L	0.10	0.049	1	06/29/22 08:15	07/01/22 00:23	7439-89-6	
Lead	<0.000070	mg/L	0.0010	0.000070	1	06/29/22 08:15	07/01/22 00:23	7439-92-1	
Magnesium	35.5	mg/L	0.10	0.00060	1	06/29/22 08:15	07/01/22 00:23	7439-95-4	
Manganese	0.53	mg/L	0.050	0.045	10	06/29/22 08:15	07/01/22 16:14	7439-96-5	
Nickel	0.0025	mg/L	0.0010	0.00056	1	06/29/22 08:15	07/01/22 00:23	7440-02-0	
Potassium	4.5	mg/L	0.10	0.085	1	06/29/22 08:15	07/01/22 00:23	7440-09-7	
Selenium	<0.00037	mg/L	0.0010	0.00037	1	06/29/22 08:15	07/01/22 00:23	7782-49-2	
Silver	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 00:23	7440-22-4	
Sodium	8.9	mg/L	0.10	0.078	1	06/29/22 08:15	07/01/22 00:23	7440-23-5	
Thallium	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 00:23	7440-28-0	
Vanadium	<0.0023	mg/L	0.0050	0.0023	1	06/29/22 08:15	07/01/22 00:23	7440-62-2	
Zinc	0.0087J	mg/L	0.010	0.0044	1	06/29/22 08:15	07/01/22 00:23	7440-66-6	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.000066	mg/L	0.00020	0.000066	1	06/29/22 10:00	06/30/22 08:30	7439-97-6	
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4-Bromophenylphenyl ether	<0.00082	mg/L	0.0046	0.00082	1	06/23/22 09:40	06/24/22 17:40	101-55-3	
Butylbenzylphthalate	<0.00064	mg/L	0.0046	0.00064	1	06/23/22 09:40	06/24/22 17:40	85-68-7	
Carbazole	<0.00021	mg/L	0.0046	0.00021	1	06/23/22 09:40	06/24/22 17:40	86-74-8	
4-Chloro-3-methylphenol	<0.00086	mg/L	0.0046	0.00086	1	06/23/22 09:40	06/24/22 17:40	59-50-7	
4-Chloroaniline	<0.00082	mg/L	0.0046	0.00082	1	06/23/22 09:40	06/24/22 17:40	106-47-8	2q
bis(2-Chloroethoxy)methane	<0.00040	mg/L	0.0046	0.00040	1	06/23/22 09:40	06/24/22 17:40	111-91-1	
bis(2-Chloroethyl) ether	<0.00063	mg/L	0.0046	0.00063	1	06/23/22 09:40	06/24/22 17:40	111-44-4	
2-Chloronaphthalene	<0.0011	mg/L	0.0046	0.0011	1	06/23/22 09:40	06/24/22 17:40	91-58-7	
2-Chlorophenol	<0.0024	mg/L	0.0046	0.0024	1	06/23/22 09:40	06/24/22 17:40	95-57-8	
4-Chlorophenylphenyl ether	<0.00057	mg/L	0.0046	0.00057	1	06/23/22 09:40	06/24/22 17:40	7005-72-3	
Dibenzofuran	<0.00086	mg/L	0.0046	0.00086	1	06/23/22 09:40	06/24/22 17:40	132-64-9	
1,2-Dichlorobenzene	<0.0019	mg/L	0.0046	0.0019	1	06/23/22 09:40	06/24/22 17:40	95-50-1	
1,3-Dichlorobenzene	<0.0020	mg/L	0.0046	0.0020	1	06/23/22 09:40	06/24/22 17:40	541-73-1	
1,4-Dichlorobenzene	<0.0016	mg/L	0.0046	0.0016	1	06/23/22 09:40	06/24/22 17:40	106-46-7	
3,3'-Dichlorobenzidine	<0.00050	mg/L	0.0046	0.00050	1	06/23/22 09:40	06/24/22 17:40	91-94-1	2q
2,4-Dichlorophenol	<0.0014	mg/L	0.0046	0.0014	1	06/23/22 09:40	06/24/22 17:40	120-83-2	
Diethylphthalate	<0.00056	mg/L	0.0046	0.00056	1	06/23/22 09:40	06/24/22 17:40	84-66-2	
2,4-Dimethylphenol	<0.00040	mg/L	0.0046	0.00040	1	06/23/22 09:40	06/24/22 17:40	105-67-9	
Dimethylphthalate	<0.00039	mg/L	0.0046	0.00039	1	06/23/22 09:40	06/24/22 17:40	131-11-3	
Di-n-butylphthalate	0.00098J	mg/L	0.0046	0.00030	1	06/23/22 09:40	06/24/22 17:40	84-74-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Sample: MW-04 **Lab ID: 40246997002** Collected: 06/21/22 13:00 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<0.0011	mg/L	0.0046	0.0011	1	06/23/22 09:40	06/24/22 17:40	534-52-1	
2,4-Dinitrophenol	<0.0024	mg/L	0.0092	0.0024	1	06/23/22 09:40	06/24/22 17:40	51-28-5	
2,4-Dinitrotoluene	<0.00035	mg/L	0.0046	0.00035	1	06/23/22 09:40	06/24/22 17:40	121-14-2	
2,6-Dinitrotoluene	<0.00078	mg/L	0.0046	0.00078	1	06/23/22 09:40	06/24/22 17:40	606-20-2	
Di-n-octylphthalate	<0.00043	mg/L	0.0092	0.00043	1	06/23/22 09:40	06/24/22 17:40	117-84-0	
bis(2-Ethylhexyl)phthalate	<0.00063	mg/L	0.0046	0.00063	1	06/23/22 09:40	06/24/22 17:40	117-81-7	
Hexachloro-1,3-butadiene	<0.0023	mg/L	0.0092	0.0023	1	06/23/22 09:40	06/24/22 17:40	87-68-3	
Hexachlorobenzene	<0.0015	mg/L	0.0046	0.0015	1	06/23/22 09:40	06/24/22 17:40	118-74-1	
Hexachlorocyclopentadiene	<0.0018	mg/L	0.0046	0.0018	1	06/23/22 09:40	06/24/22 17:40	77-47-4	
Hexachloroethane	<0.0014	mg/L	0.0046	0.0014	1	06/23/22 09:40	06/24/22 17:40	67-72-1	
Isophorone	<0.00037	mg/L	0.0046	0.00037	1	06/23/22 09:40	06/24/22 17:40	78-59-1	
2-Methylphenol(o-Cresol)	<0.00071	mg/L	0.0046	0.00071	1	06/23/22 09:40	06/24/22 17:40	95-48-7	
3&4-Methylphenol(m&p Cresol)	<0.00055	mg/L	0.0046	0.00055	1	06/23/22 09:40	06/24/22 17:40		
2-Nitroaniline	<0.00085	mg/L	0.0046	0.00085	1	06/23/22 09:40	06/24/22 17:40	88-74-4	CH
3-Nitroaniline	<0.00066	mg/L	0.0046	0.00066	1	06/23/22 09:40	06/24/22 17:40	99-09-2	
4-Nitroaniline	<0.00041	mg/L	0.0092	0.00041	1	06/23/22 09:40	06/24/22 17:40	100-01-6	
Nitrobenzene	<0.00047	mg/L	0.0046	0.00047	1	06/23/22 09:40	06/24/22 17:40	98-95-3	
2-Nitrophenol	<0.0014	mg/L	0.0046	0.0014	1	06/23/22 09:40	06/24/22 17:40	88-75-5	
4-Nitrophenol	<0.0019	mg/L	0.0046	0.0019	1	06/23/22 09:40	06/24/22 17:40	100-02-7	
N-Nitroso-di-n-propylamine	<0.00076	mg/L	0.0046	0.00076	1	06/23/22 09:40	06/24/22 17:40	621-64-7	
N-Nitrosodiphenylamine	<0.00037	mg/L	0.0046	0.00037	1	06/23/22 09:40	06/24/22 17:40	86-30-6	
2,2'-Oxybis(1-chloropropane)	<0.00073	mg/L	0.0046	0.00073	1	06/23/22 09:40	06/24/22 17:40	108-60-1	CH
Pentachlorophenol	<0.0015	mg/L	0.0046	0.0015	1	06/23/22 09:40	06/24/22 17:40	87-86-5	
Phenol	<0.00090	mg/L	0.0046	0.00090	1	06/23/22 09:40	06/24/22 17:40	108-95-2	
1,2,4-Trichlorobenzene	<0.0022	mg/L	0.0046	0.0022	1	06/23/22 09:40	06/24/22 17:40	120-82-1	
2,4,5-Trichlorophenol	<0.0017	mg/L	0.0046	0.0017	1	06/23/22 09:40	06/24/22 17:40	95-95-4	
2,4,6-Trichlorophenol	<0.0018	mg/L	0.0046	0.0018	1	06/23/22 09:40	06/24/22 17:40	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	83	%	10-120		1	06/23/22 09:40	06/24/22 17:40	4165-60-0	
2-Fluorobiphenyl (S)	60	%	10-101		1	06/23/22 09:40	06/24/22 17:40	321-60-8	
Terphenyl-d14 (S)	95	%	36-138		1	06/23/22 09:40	06/24/22 17:40	1718-51-0	
Phenol-d6 (S)	27	%	10-130		1	06/23/22 09:40	06/24/22 17:40	13127-88-3	
2-Fluorophenol (S)	37	%	10-89		1	06/23/22 09:40	06/24/22 17:40	367-12-4	
2,4,6-Tribromophenol (S)	66	%	10-142		1	06/23/22 09:40	06/24/22 17:40	118-79-6	

8270E MSSV PAH

Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510
Pace Analytical Services - Green Bay

Acenaphthene	0.00025	mg/L	0.000048	0.000013	1	06/27/22 08:10	06/28/22 09:15	83-32-9	
Acenaphthylene	<0.000012	mg/L	0.000048	0.000012	1	06/27/22 08:10	06/28/22 09:15	208-96-8	
Anthracene	<0.000018	mg/L	0.000048	0.000018	1	06/27/22 08:10	06/28/22 09:15	120-12-7	
Benzo(a)anthracene	<0.000013	mg/L	0.000048	0.000013	1	06/27/22 08:10	06/28/22 09:15	56-55-3	
Benzo(a)pyrene	<0.000012	mg/L	0.000048	0.000012	1	06/27/22 08:10	06/28/22 09:15	50-32-8	
Benzo(b)fluoranthene	0.000015J	mg/L	0.000048	0.000008	1	06/27/22 08:10	06/28/22 09:15	205-99-2	
Benzo(g,h,i)perylene	<0.000022	mg/L	0.000048	0.000022	1	06/27/22 08:10	06/28/22 09:15	191-24-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

Sample: MW-04 **Lab ID: 40246997002** Collected: 06/21/22 13:00 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Benzo(k)fluoranthene	<0.000021	mg/L	0.000048	0.000021	1	06/27/22 08:10	06/28/22 09:15	207-08-9	
Chrysene	0.000016J	mg/L	0.000048	0.000012	1	06/27/22 08:10	06/28/22 09:15	218-01-9	
Dibenz(a,h)anthracene	<0.000017	mg/L	0.000048	0.000017	1	06/27/22 08:10	06/28/22 09:15	53-70-3	
Fluoranthene	0.000027J	mg/L	0.000048	0.000025	1	06/27/22 08:10	06/28/22 09:15	206-44-0	
Fluorene	<0.000022	mg/L	0.000048	0.000022	1	06/27/22 08:10	06/28/22 09:15	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.000015	mg/L	0.000048	0.000015	1	06/27/22 08:10	06/28/22 09:15	193-39-5	
2-Methylnaphthalene	<0.000013	mg/L	0.000048	0.000013	1	06/27/22 08:10	06/28/22 09:15	91-57-6	
Naphthalene	<0.000019	mg/L	0.000048	0.000019	1	06/27/22 08:10	06/28/22 09:15	91-20-3	
Phenanthrene	<0.000024	mg/L	0.000048	0.000024	1	06/27/22 08:10	06/28/22 09:15	85-01-8	
Pyrene	0.000040J	mg/L	0.000048	0.000022	1	06/27/22 08:10	06/28/22 09:15	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	77	%	44-120		1	06/27/22 08:10	06/28/22 09:15	321-60-8	
Terphenyl-d14 (S)	77	%	49-120		1	06/27/22 08:10	06/28/22 09:15	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Acetone	<0.0086	mg/L	0.025	0.0086	1		06/23/22 15:48	67-64-1	
Benzene	<0.00030	mg/L	0.0010	0.00030	1		06/23/22 15:48	71-43-2	
Bromodichloromethane	<0.00042	mg/L	0.0010	0.00042	1		06/23/22 15:48	75-27-4	
Bromoform	<0.0038	mg/L	0.0050	0.0038	1		06/23/22 15:48	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		06/23/22 15:48	74-83-9	
2-Butanone (MEK)	<0.0065	mg/L	0.025	0.0065	1		06/23/22 15:48	78-93-3	
Carbon disulfide	<0.0011	mg/L	0.0050	0.0011	1		06/23/22 15:48	75-15-0	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		06/23/22 15:48	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		06/23/22 15:48	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		06/23/22 15:48	75-00-3	
Chloroform	<0.0012	mg/L	0.0050	0.0012	1		06/23/22 15:48	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		06/23/22 15:48	74-87-3	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		06/23/22 15:48	124-48-1	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/23/22 15:48	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		06/23/22 15:48	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		06/23/22 15:48	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		06/23/22 15:48	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		06/23/22 15:48	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		06/23/22 15:48	78-87-5	
cis-1,3-Dichloropropene	<0.00036	mg/L	0.0010	0.00036	1		06/23/22 15:48	10061-01-5	
trans-1,3-Dichloropropene	<0.0035	mg/L	0.0050	0.0035	1		06/23/22 15:48	10061-02-6	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		06/23/22 15:48	100-41-4	
2-Hexanone	<0.0063	mg/L	0.025	0.0063	1		06/23/22 15:48	591-78-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		06/23/22 15:48	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.0060	mg/L	0.025	0.0060	1		06/23/22 15:48	108-10-1	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		06/23/22 15:48	1634-04-4	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		06/23/22 15:48	100-42-5	
1,1,1,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		06/23/22 15:48	79-34-5	
Tetrachloroethene	<0.00041	mg/L	0.0010	0.00041	1		06/23/22 15:48	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Sample: MW-04 **Lab ID: 40246997002** Collected: 06/21/22 13:00 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Toluene	<0.00029	mg/L	0.0010	0.00029	1		06/23/22 15:48	108-88-3	
1,1,1-Trichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/23/22 15:48	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0050	0.00034	1		06/23/22 15:48	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		06/23/22 15:48	79-01-6	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		06/23/22 15:48	75-01-4	
Xylene (Total)	<0.0010	mg/L	0.0030	0.0010	1		06/23/22 15:48	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		06/23/22 15:48	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		06/23/22 15:48	2199-69-1	
Toluene-d8 (S)	96	%	70-130		1		06/23/22 15:48	2037-26-5	
335.4 Cyanide, Total									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	<0.0069	mg/L	0.023	0.0069	1	06/23/22 09:00	06/23/22 10:46	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Sample: MW-11 **Lab ID: 40246997003** Collected: 06/21/22 14:00 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pest RV Waters									
Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Pace Analytical Services - Indianapolis									
Aldrin	<0.000038	mg/L	0.000042	0.000038	1	06/23/22 16:39	06/28/22 16:29	309-00-2	
alpha-BHC	<0.000029	mg/L	0.000042	0.000029	1	06/23/22 16:39	06/28/22 16:29	319-84-6	
beta-BHC	<0.000039	mg/L	0.000042	0.000039	1	06/23/22 16:39	06/28/22 16:29	319-85-7	
delta-BHC	<0.000038	mg/L	0.000042	0.000038	1	06/23/22 16:39	06/28/22 16:29	319-86-8	
gamma-BHC (Lindane)	<0.000032	mg/L	0.000042	0.000032	1	06/23/22 16:39	06/28/22 16:29	58-89-9	
Chlordane (Technical)	<0.0017	mg/L	0.0042	0.0017	1	06/23/22 16:39	06/28/22 16:29	57-74-9	
alpha-Chlordane	<0.000032	mg/L	0.00042	0.000032	1	06/23/22 16:39	06/28/22 16:29	5103-71-9	
gamma-Chlordane	<0.000041	mg/L	0.00042	0.000041	1	06/23/22 16:39	06/28/22 16:29	5103-74-2	
4,4'-DDD	<0.000080	mg/L	0.000083	0.000080	1	06/23/22 16:39	06/28/22 16:29	72-54-8	
4,4'-DDE	<0.000062	mg/L	0.000083	0.000062	1	06/23/22 16:39	06/28/22 16:29	72-55-9	
4,4'-DDT	<0.000071	mg/L	0.000083	0.000071	1	06/23/22 16:39	06/28/22 16:29	50-29-3	
Dieldrin	<0.000069	mg/L	0.000083	0.000069	1	06/23/22 16:39	06/28/22 16:29	60-57-1	
Endosulfan I	<0.000029	mg/L	0.000042	0.000029	1	06/23/22 16:39	06/28/22 16:29	959-98-8	
Endosulfan II	<0.000067	mg/L	0.000083	0.000067	1	06/23/22 16:39	06/28/22 16:29	33213-65-9	
Endosulfan sulfate	<0.000059	mg/L	0.000083	0.000059	1	06/23/22 16:39	06/28/22 16:29	1031-07-8	
Endrin	<0.000074	mg/L	0.000083	0.000074	1	06/23/22 16:39	06/28/22 16:29	72-20-8	
Endrin aldehyde	<0.000082	mg/L	0.000083	0.000082	1	06/23/22 16:39	06/28/22 16:29	7421-93-4	
Endrin ketone	<0.000067	mg/L	0.000083	0.000067	1	06/23/22 16:39	06/28/22 16:29	53494-70-5	
Heptachlor	<0.000035	mg/L	0.000042	0.000035	1	06/23/22 16:39	06/28/22 16:29	76-44-8	
Heptachlor epoxide	<0.000035	mg/L	0.000042	0.000035	1	06/23/22 16:39	06/28/22 16:29	1024-57-3	
Methoxychlor	<0.00035	mg/L	0.00042	0.00035	1	06/23/22 16:39	06/28/22 16:29	72-43-5	
Toxaphene	<0.0019	mg/L	0.0042	0.0019	1	06/23/22 16:39	06/28/22 16:29	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	73	%	10-135		1	06/23/22 16:39	06/28/22 16:29	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 13:45	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 13:45	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 13:45	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 13:45	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 13:45	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 13:45	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 13:45	11096-82-5	
PCB, Total	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 13:45	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	87	%	17-141		1	06/24/22 08:02	06/27/22 13:45	877-09-8	
Decachlorobiphenyl (S)	62	%	10-113		1	06/24/22 08:02	06/27/22 13:45	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Aluminum	<0.036	mg/L	0.10	0.036	1	06/29/22 08:15	07/01/22 00:28	7429-90-5	
Antimony	<0.00063	mg/L	0.0010	0.00063	1	06/29/22 08:15	07/01/22 00:28	7440-36-0	
Arsenic	<0.00020	mg/L	0.0010	0.00020	1	06/29/22 08:15	07/01/22 00:28	7440-38-2	
Barium	0.063	mg/L	0.0010	0.00036	1	06/29/22 08:15	07/01/22 00:28	7440-39-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

Sample: MW-11 **Lab ID: 40246997003** Collected: 06/21/22 14:00 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Beryllium	<0.00012	mg/L	0.0010	0.00012	1	06/29/22 08:15	07/01/22 00:28	7440-41-7	
Cadmium	<0.000080	mg/L	0.0010	0.000080	1	06/29/22 08:15	07/01/22 00:28	7440-43-9	
Calcium	110	mg/L	0.10	0.084	1	06/29/22 08:15	07/01/22 00:28	7440-70-2	
Chromium	<0.00062	mg/L	0.0010	0.00062	1	06/29/22 08:15	07/01/22 00:28	7440-47-3	
Cobalt	0.00041J	mg/L	0.0010	0.000060	1	06/29/22 08:15	07/01/22 00:28	7440-48-4	
Copper	<0.00083	mg/L	0.0030	0.00083	1	06/29/22 08:15	07/01/22 00:28	7440-50-8	
Iron	<0.049	mg/L	0.10	0.049	1	06/29/22 08:15	07/01/22 00:28	7439-89-6	
Lead	<0.000070	mg/L	0.0010	0.000070	1	06/29/22 08:15	07/01/22 00:28	7439-92-1	
Magnesium	50.7	mg/L	0.10	0.00060	1	06/29/22 08:15	07/01/22 00:28	7439-95-4	
Manganese	0.023	mg/L	0.0050	0.0045	1	06/29/22 08:15	07/01/22 00:28	7439-96-5	
Nickel	<0.00056	mg/L	0.0010	0.00056	1	06/29/22 08:15	07/01/22 00:28	7440-02-0	
Potassium	0.43	mg/L	0.10	0.085	1	06/29/22 08:15	07/01/22 00:28	7440-09-7	
Selenium	0.0064	mg/L	0.0010	0.00037	1	06/29/22 08:15	07/01/22 00:28	7782-49-2	
Silver	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 00:28	7440-22-4	
Sodium	22.1	mg/L	0.10	0.078	1	06/29/22 08:15	07/01/22 00:28	7440-23-5	
Thallium	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 00:28	7440-28-0	
Vanadium	<0.0023	mg/L	0.0050	0.0023	1	06/29/22 08:15	07/01/22 00:28	7440-62-2	
Zinc	<0.0044	mg/L	0.010	0.0044	1	06/29/22 08:15	07/01/22 00:28	7440-66-6	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.000066	mg/L	0.00020	0.000066	1	06/29/22 10:00	06/30/22 08:32	7439-97-6	
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4-Bromophenylphenyl ether	<0.00087	mg/L	0.0049	0.00087	1	06/23/22 09:40	06/24/22 18:02	101-55-3	
Butylbenzylphthalate	<0.00068	mg/L	0.0049	0.00068	1	06/23/22 09:40	06/24/22 18:02	85-68-7	
Carbazole	<0.00023	mg/L	0.0049	0.00023	1	06/23/22 09:40	06/24/22 18:02	86-74-8	
4-Chloro-3-methylphenol	<0.00092	mg/L	0.0049	0.00092	1	06/23/22 09:40	06/24/22 18:02	59-50-7	
4-Chloroaniline	<0.00087	mg/L	0.0049	0.00087	1	06/23/22 09:40	06/24/22 18:02	106-47-8	2q
bis(2-Chloroethoxy)methane	<0.00042	mg/L	0.0049	0.00042	1	06/23/22 09:40	06/24/22 18:02	111-91-1	
bis(2-Chloroethyl) ether	<0.00067	mg/L	0.0049	0.00067	1	06/23/22 09:40	06/24/22 18:02	111-44-4	
2-Chloronaphthalene	<0.0012	mg/L	0.0049	0.0012	1	06/23/22 09:40	06/24/22 18:02	91-58-7	
2-Chlorophenol	<0.0025	mg/L	0.0049	0.0025	1	06/23/22 09:40	06/24/22 18:02	95-57-8	
4-Chlorophenylphenyl ether	<0.00060	mg/L	0.0049	0.00060	1	06/23/22 09:40	06/24/22 18:02	7005-72-3	
Dibenzofuran	<0.00091	mg/L	0.0049	0.00091	1	06/23/22 09:40	06/24/22 18:02	132-64-9	
1,2-Dichlorobenzene	<0.0020	mg/L	0.0049	0.0020	1	06/23/22 09:40	06/24/22 18:02	95-50-1	
1,3-Dichlorobenzene	<0.0021	mg/L	0.0049	0.0021	1	06/23/22 09:40	06/24/22 18:02	541-73-1	
1,4-Dichlorobenzene	<0.0017	mg/L	0.0049	0.0017	1	06/23/22 09:40	06/24/22 18:02	106-46-7	
3,3'-Dichlorobenzidine	<0.00053	mg/L	0.0049	0.00053	1	06/23/22 09:40	06/24/22 18:02	91-94-1	2q
2,4-Dichlorophenol	<0.0015	mg/L	0.0049	0.0015	1	06/23/22 09:40	06/24/22 18:02	120-83-2	
Diethylphthalate	<0.00059	mg/L	0.0049	0.00059	1	06/23/22 09:40	06/24/22 18:02	84-66-2	
2,4-Dimethylphenol	<0.00042	mg/L	0.0049	0.00042	1	06/23/22 09:40	06/24/22 18:02	105-67-9	
Dimethylphthalate	<0.00041	mg/L	0.0049	0.00041	1	06/23/22 09:40	06/24/22 18:02	131-11-3	
Di-n-butylphthalate	<0.00032	mg/L	0.0049	0.00032	1	06/23/22 09:40	06/24/22 18:02	84-74-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Sample: MW-11 **Lab ID: 40246997003** Collected: 06/21/22 14:00 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<0.0012	mg/L	0.0049	0.0012	1	06/23/22 09:40	06/24/22 18:02	534-52-1	
2,4-Dinitrophenol	<0.0025	mg/L	0.0098	0.0025	1	06/23/22 09:40	06/24/22 18:02	51-28-5	
2,4-Dinitrotoluene	<0.00037	mg/L	0.0049	0.00037	1	06/23/22 09:40	06/24/22 18:02	121-14-2	
2,6-Dinitrotoluene	<0.00083	mg/L	0.0049	0.00083	1	06/23/22 09:40	06/24/22 18:02	606-20-2	
Di-n-octylphthalate	<0.00046	mg/L	0.0098	0.00046	1	06/23/22 09:40	06/24/22 18:02	117-84-0	
bis(2-Ethylhexyl)phthalate	<0.00067	mg/L	0.0049	0.00067	1	06/23/22 09:40	06/24/22 18:02	117-81-7	
Hexachloro-1,3-butadiene	<0.0025	mg/L	0.0098	0.0025	1	06/23/22 09:40	06/24/22 18:02	87-68-3	
Hexachlorobenzene	<0.0016	mg/L	0.0049	0.0016	1	06/23/22 09:40	06/24/22 18:02	118-74-1	
Hexachlorocyclopentadiene	<0.0019	mg/L	0.0049	0.0019	1	06/23/22 09:40	06/24/22 18:02	77-47-4	
Hexachloroethane	<0.0015	mg/L	0.0049	0.0015	1	06/23/22 09:40	06/24/22 18:02	67-72-1	
Isophorone	<0.00039	mg/L	0.0049	0.00039	1	06/23/22 09:40	06/24/22 18:02	78-59-1	
2-Methylphenol(o-Cresol)	<0.00076	mg/L	0.0049	0.00076	1	06/23/22 09:40	06/24/22 18:02	95-48-7	
3&4-Methylphenol(m&p Cresol)	<0.00058	mg/L	0.0049	0.00058	1	06/23/22 09:40	06/24/22 18:02		
2-Nitroaniline	<0.00090	mg/L	0.0049	0.00090	1	06/23/22 09:40	06/24/22 18:02	88-74-4	CH
3-Nitroaniline	<0.00070	mg/L	0.0049	0.00070	1	06/23/22 09:40	06/24/22 18:02	99-09-2	
4-Nitroaniline	<0.00044	mg/L	0.0098	0.00044	1	06/23/22 09:40	06/24/22 18:02	100-01-6	
Nitrobenzene	<0.00050	mg/L	0.0049	0.00050	1	06/23/22 09:40	06/24/22 18:02	98-95-3	
2-Nitrophenol	<0.0015	mg/L	0.0049	0.0015	1	06/23/22 09:40	06/24/22 18:02	88-75-5	
4-Nitrophenol	<0.0020	mg/L	0.0049	0.0020	1	06/23/22 09:40	06/24/22 18:02	100-02-7	
N-Nitroso-di-n-propylamine	<0.00081	mg/L	0.0049	0.00081	1	06/23/22 09:40	06/24/22 18:02	621-64-7	
N-Nitrosodiphenylamine	<0.00040	mg/L	0.0049	0.00040	1	06/23/22 09:40	06/24/22 18:02	86-30-6	
2,2'-Oxybis(1-chloropropane)	<0.00077	mg/L	0.0049	0.00077	1	06/23/22 09:40	06/24/22 18:02	108-60-1	CH
Pentachlorophenol	<0.0016	mg/L	0.0049	0.0016	1	06/23/22 09:40	06/24/22 18:02	87-86-5	
Phenol	<0.00096	mg/L	0.0049	0.00096	1	06/23/22 09:40	06/24/22 18:02	108-95-2	
1,2,4-Trichlorobenzene	<0.0023	mg/L	0.0049	0.0023	1	06/23/22 09:40	06/24/22 18:02	120-82-1	
2,4,5-Trichlorophenol	<0.0018	mg/L	0.0049	0.0018	1	06/23/22 09:40	06/24/22 18:02	95-95-4	
2,4,6-Trichlorophenol	<0.0020	mg/L	0.0049	0.0020	1	06/23/22 09:40	06/24/22 18:02	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	78	%	10-120		1	06/23/22 09:40	06/24/22 18:02	4165-60-0	
2-Fluorobiphenyl (S)	58	%	10-101		1	06/23/22 09:40	06/24/22 18:02	321-60-8	
Terphenyl-d14 (S)	87	%	36-138		1	06/23/22 09:40	06/24/22 18:02	1718-51-0	
Phenol-d6 (S)	28	%	10-130		1	06/23/22 09:40	06/24/22 18:02	13127-88-3	
2-Fluorophenol (S)	34	%	10-89		1	06/23/22 09:40	06/24/22 18:02	367-12-4	
2,4,6-Tribromophenol (S)	51	%	10-142		1	06/23/22 09:40	06/24/22 18:02	118-79-6	

8270E MSSV PAH

Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510
Pace Analytical Services - Green Bay

Acenaphthene	<0.000013	mg/L	0.000047	0.000013	1	06/27/22 08:10	06/28/22 09:34	83-32-9	
Acenaphthylene	<0.000012	mg/L	0.000047	0.000012	1	06/27/22 08:10	06/28/22 09:34	208-96-8	
Anthracene	<0.000017	mg/L	0.000047	0.000017	1	06/27/22 08:10	06/28/22 09:34	120-12-7	
Benzo(a)anthracene	<0.000013	mg/L	0.000047	0.000013	1	06/27/22 08:10	06/28/22 09:34	56-55-3	
Benzo(a)pyrene	<0.000012	mg/L	0.000047	0.000012	1	06/27/22 08:10	06/28/22 09:34	50-32-8	
Benzo(b)fluoranthene	<0.000008	mg/L	0.000047	0.000008	1	06/27/22 08:10	06/28/22 09:34	205-99-2	
	5			5					
Benzo(g,h,i)perylene	<0.000022	mg/L	0.000047	0.000022	1	06/27/22 08:10	06/28/22 09:34	191-24-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

Sample: MW-11 **Lab ID: 40246997003** Collected: 06/21/22 14:00 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Benzo(k)fluoranthene	<0.000021	mg/L	0.000047	0.000021	1	06/27/22 08:10	06/28/22 09:34	207-08-9	
Chrysene	<0.000012	mg/L	0.000047	0.000012	1	06/27/22 08:10	06/28/22 09:34	218-01-9	
Dibenz(a,h)anthracene	<0.000017	mg/L	0.000047	0.000017	1	06/27/22 08:10	06/28/22 09:34	53-70-3	
Fluoranthene	<0.000024	mg/L	0.000047	0.000024	1	06/27/22 08:10	06/28/22 09:34	206-44-0	
Fluorene	<0.000022	mg/L	0.000047	0.000022	1	06/27/22 08:10	06/28/22 09:34	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.000015	mg/L	0.000047	0.000015	1	06/27/22 08:10	06/28/22 09:34	193-39-5	
2-Methylnaphthalene	<0.000013	mg/L	0.000047	0.000013	1	06/27/22 08:10	06/28/22 09:34	91-57-6	
Naphthalene	<0.000019	mg/L	0.000047	0.000019	1	06/27/22 08:10	06/28/22 09:34	91-20-3	
Phenanthrene	<0.000024	mg/L	0.000047	0.000024	1	06/27/22 08:10	06/28/22 09:34	85-01-8	
Pyrene	<0.000021	mg/L	0.000047	0.000021	1	06/27/22 08:10	06/28/22 09:34	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	82	%	44-120		1	06/27/22 08:10	06/28/22 09:34	321-60-8	
Terphenyl-d14 (S)	77	%	49-120		1	06/27/22 08:10	06/28/22 09:34	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Acetone	<0.0086	mg/L	0.025	0.0086	1		06/23/22 16:06	67-64-1	
Benzene	<0.00030	mg/L	0.0010	0.00030	1		06/23/22 16:06	71-43-2	
Bromodichloromethane	<0.00042	mg/L	0.0010	0.00042	1		06/23/22 16:06	75-27-4	
Bromoform	<0.0038	mg/L	0.0050	0.0038	1		06/23/22 16:06	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		06/23/22 16:06	74-83-9	
2-Butanone (MEK)	<0.0065	mg/L	0.025	0.0065	1		06/23/22 16:06	78-93-3	
Carbon disulfide	<0.0011	mg/L	0.0050	0.0011	1		06/23/22 16:06	75-15-0	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		06/23/22 16:06	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		06/23/22 16:06	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		06/23/22 16:06	75-00-3	
Chloroform	<0.0012	mg/L	0.0050	0.0012	1		06/23/22 16:06	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		06/23/22 16:06	74-87-3	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		06/23/22 16:06	124-48-1	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/23/22 16:06	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		06/23/22 16:06	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		06/23/22 16:06	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		06/23/22 16:06	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		06/23/22 16:06	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		06/23/22 16:06	78-87-5	
cis-1,3-Dichloropropene	<0.00036	mg/L	0.0010	0.00036	1		06/23/22 16:06	10061-01-5	
trans-1,3-Dichloropropene	<0.0035	mg/L	0.0050	0.0035	1		06/23/22 16:06	10061-02-6	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		06/23/22 16:06	100-41-4	
2-Hexanone	<0.0063	mg/L	0.025	0.0063	1		06/23/22 16:06	591-78-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		06/23/22 16:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.0060	mg/L	0.025	0.0060	1		06/23/22 16:06	108-10-1	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		06/23/22 16:06	1634-04-4	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		06/23/22 16:06	100-42-5	
1,1,2,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		06/23/22 16:06	79-34-5	
Tetrachloroethene	<0.00041	mg/L	0.0010	0.00041	1		06/23/22 16:06	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Sample: MW-11 **Lab ID: 40246997003** Collected: 06/21/22 14:00 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Toluene	<0.00029	mg/L	0.0010	0.00029	1		06/23/22 16:06	108-88-3	
1,1,1-Trichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/23/22 16:06	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0050	0.00034	1		06/23/22 16:06	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		06/23/22 16:06	79-01-6	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		06/23/22 16:06	75-01-4	
Xylene (Total)	<0.0010	mg/L	0.0030	0.0010	1		06/23/22 16:06	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		06/23/22 16:06	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		06/23/22 16:06	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		06/23/22 16:06	2037-26-5	
335.4 Cyanide, Total									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	<0.0069	mg/L	0.023	0.0069	1	06/23/22 09:00	06/23/22 10:48	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Sample: MW-05 **Lab ID: 40246997004** Collected: 06/21/22 14:40 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pest RV Waters									
Analytical Method: EPA 8081 Preparation Method: EPA 3510 Pace Analytical Services - Indianapolis									
Aldrin	<0.000042	mg/L	0.000045	0.000042	1	06/23/22 16:39	06/28/22 16:42	309-00-2	
alpha-BHC	<0.000032	mg/L	0.000045	0.000032	1	06/23/22 16:39	06/28/22 16:42	319-84-6	
beta-BHC	<0.000043	mg/L	0.000045	0.000043	1	06/23/22 16:39	06/28/22 16:42	319-85-7	
delta-BHC	<0.000041	mg/L	0.000045	0.000041	1	06/23/22 16:39	06/28/22 16:42	319-86-8	
gamma-BHC (Lindane)	<0.000035	mg/L	0.000045	0.000035	1	06/23/22 16:39	06/28/22 16:42	58-89-9	
Chlordane (Technical)	<0.0019	mg/L	0.0045	0.0019	1	06/23/22 16:39	06/28/22 16:42	57-74-9	
alpha-Chlordane	<0.000035	mg/L	0.00045	0.000035	1	06/23/22 16:39	06/28/22 16:42	5103-71-9	
gamma-Chlordane	<0.000045	mg/L	0.00045	0.000045	1	06/23/22 16:39	06/28/22 16:42	5103-74-2	
4,4'-DDD	<0.000087	mg/L	0.000091	0.000087	1	06/23/22 16:39	06/28/22 16:42	72-54-8	
4,4'-DDE	<0.000067	mg/L	0.000091	0.000067	1	06/23/22 16:39	06/28/22 16:42	72-55-9	
4,4'-DDT	<0.000077	mg/L	0.000091	0.000077	1	06/23/22 16:39	06/28/22 16:42	50-29-3	
Dieldrin	<0.000075	mg/L	0.000091	0.000075	1	06/23/22 16:39	06/28/22 16:42	60-57-1	
Endosulfan I	<0.000032	mg/L	0.000045	0.000032	1	06/23/22 16:39	06/28/22 16:42	959-98-8	
Endosulfan II	<0.000073	mg/L	0.000091	0.000073	1	06/23/22 16:39	06/28/22 16:42	33213-65-9	
Endosulfan sulfate	<0.000065	mg/L	0.000091	0.000065	1	06/23/22 16:39	06/28/22 16:42	1031-07-8	
Endrin	<0.000081	mg/L	0.000091	0.000081	1	06/23/22 16:39	06/28/22 16:42	72-20-8	
Endrin aldehyde	<0.000089	mg/L	0.000091	0.000089	1	06/23/22 16:39	06/28/22 16:42	7421-93-4	
Endrin ketone	<0.000073	mg/L	0.000091	0.000073	1	06/23/22 16:39	06/28/22 16:42	53494-70-5	
Heptachlor	<0.000038	mg/L	0.000045	0.000038	1	06/23/22 16:39	06/28/22 16:42	76-44-8	
Heptachlor epoxide	<0.000038	mg/L	0.000045	0.000038	1	06/23/22 16:39	06/28/22 16:42	1024-57-3	
Methoxychlor	<0.00038	mg/L	0.00045	0.00038	1	06/23/22 16:39	06/28/22 16:42	72-43-5	
Toxaphene	<0.0021	mg/L	0.0045	0.0021	1	06/23/22 16:39	06/28/22 16:42	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	82	%	10-135		1	06/23/22 16:39	06/28/22 16:42	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 14:26	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 14:26	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 14:26	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 14:26	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 14:26	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 14:26	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 14:26	11096-82-5	
PCB, Total	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 14:26	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	90	%	17-141		1	06/24/22 08:02	06/27/22 14:26	877-09-8	
Decachlorobiphenyl (S)	66	%	10-113		1	06/24/22 08:02	06/27/22 14:26	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010 Pace Analytical Services - New Orleans									
Aluminum	<0.036	mg/L	0.10	0.036	1	06/29/22 08:15	07/01/22 00:34	7429-90-5	
Antimony	<0.00063	mg/L	0.0010	0.00063	1	06/29/22 08:15	07/01/22 00:34	7440-36-0	
Arsenic	0.00032J	mg/L	0.0010	0.00020	1	06/29/22 08:15	07/01/22 00:34	7440-38-2	
Barium	0.067	mg/L	0.0010	0.00036	1	06/29/22 08:15	07/01/22 00:34	7440-39-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Sample: MW-05 **Lab ID: 40246997004** Collected: 06/21/22 14:40 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Beryllium	<0.00012	mg/L	0.0010	0.00012	1	06/29/22 08:15	07/01/22 00:34	7440-41-7	
Cadmium	<0.000080	mg/L	0.0010	0.000080	1	06/29/22 08:15	07/01/22 00:34	7440-43-9	
Calcium	76.9	mg/L	0.10	0.084	1	06/29/22 08:15	07/01/22 00:34	7440-70-2	
Chromium	<0.00062	mg/L	0.0010	0.00062	1	06/29/22 08:15	07/01/22 00:34	7440-47-3	
Cobalt	0.00069J	mg/L	0.0010	0.000060	1	06/29/22 08:15	07/01/22 00:34	7440-48-4	
Copper	<0.00083	mg/L	0.0030	0.00083	1	06/29/22 08:15	07/01/22 00:34	7440-50-8	
Iron	<0.049	mg/L	0.10	0.049	1	06/29/22 08:15	07/01/22 00:34	7439-89-6	
Lead	0.000081J	mg/L	0.0010	0.000070	1	06/29/22 08:15	07/01/22 00:34	7439-92-1	
Magnesium	25.7	mg/L	0.10	0.00060	1	06/29/22 08:15	07/01/22 00:34	7439-95-4	
Manganese	0.39	mg/L	0.050	0.045	10	06/29/22 08:15	07/01/22 16:20	7439-96-5	
Nickel	0.0013	mg/L	0.0010	0.00056	1	06/29/22 08:15	07/01/22 00:34	7440-02-0	
Potassium	2.8	mg/L	0.10	0.085	1	06/29/22 08:15	07/01/22 00:34	7440-09-7	
Selenium	0.00040J	mg/L	0.0010	0.00037	1	06/29/22 08:15	07/01/22 00:34	7782-49-2	
Silver	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 00:34	7440-22-4	
Sodium	16.7	mg/L	0.10	0.078	1	06/29/22 08:15	07/01/22 00:34	7440-23-5	
Thallium	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 00:34	7440-28-0	
Vanadium	<0.0023	mg/L	0.0050	0.0023	1	06/29/22 08:15	07/01/22 00:34	7440-62-2	
Zinc	0.0098J	mg/L	0.010	0.0044	1	06/29/22 08:15	07/01/22 00:34	7440-66-6	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.000066	mg/L	0.00020	0.000066	1	06/29/22 10:00	06/30/22 08:34	7439-97-6	
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4-Bromophenylphenyl ether	<0.00092	mg/L	0.0052	0.00092	1	06/23/22 09:40	06/24/22 18:24	101-55-3	
Butylbenzylphthalate	<0.00072	mg/L	0.0052	0.00072	1	06/23/22 09:40	06/24/22 18:24	85-68-7	
Carbazole	<0.00024	mg/L	0.0052	0.00024	1	06/23/22 09:40	06/24/22 18:24	86-74-8	
4-Chloro-3-methylphenol	<0.00097	mg/L	0.0052	0.00097	1	06/23/22 09:40	06/24/22 18:24	59-50-7	
4-Chloroaniline	<0.00093	mg/L	0.0052	0.00093	1	06/23/22 09:40	06/24/22 18:24	106-47-8	2q
bis(2-Chloroethoxy)methane	<0.00045	mg/L	0.0052	0.00045	1	06/23/22 09:40	06/24/22 18:24	111-91-1	
bis(2-Chloroethyl) ether	<0.00071	mg/L	0.0052	0.00071	1	06/23/22 09:40	06/24/22 18:24	111-44-4	
2-Chloronaphthalene	<0.0013	mg/L	0.0052	0.0013	1	06/23/22 09:40	06/24/22 18:24	91-58-7	
2-Chlorophenol	<0.0027	mg/L	0.0052	0.0027	1	06/23/22 09:40	06/24/22 18:24	95-57-8	
4-Chlorophenylphenyl ether	<0.00064	mg/L	0.0052	0.00064	1	06/23/22 09:40	06/24/22 18:24	7005-72-3	
Dibenzofuran	<0.00097	mg/L	0.0052	0.00097	1	06/23/22 09:40	06/24/22 18:24	132-64-9	
1,2-Dichlorobenzene	<0.0021	mg/L	0.0052	0.0021	1	06/23/22 09:40	06/24/22 18:24	95-50-1	
1,3-Dichlorobenzene	<0.0023	mg/L	0.0052	0.0023	1	06/23/22 09:40	06/24/22 18:24	541-73-1	
1,4-Dichlorobenzene	<0.0018	mg/L	0.0052	0.0018	1	06/23/22 09:40	06/24/22 18:24	106-46-7	
3,3'-Dichlorobenzidine	<0.00057	mg/L	0.0052	0.00057	1	06/23/22 09:40	06/24/22 18:24	91-94-1	2q
2,4-Dichlorophenol	<0.0016	mg/L	0.0052	0.0016	1	06/23/22 09:40	06/24/22 18:24	120-83-2	
Diethylphthalate	<0.00063	mg/L	0.0052	0.00063	1	06/23/22 09:40	06/24/22 18:24	84-66-2	
2,4-Dimethylphenol	<0.00045	mg/L	0.0052	0.00045	1	06/23/22 09:40	06/24/22 18:24	105-67-9	
Dimethylphthalate	<0.00043	mg/L	0.0052	0.00043	1	06/23/22 09:40	06/24/22 18:24	131-11-3	
Di-n-butylphthalate	<0.00034	mg/L	0.0052	0.00034	1	06/23/22 09:40	06/24/22 18:24	84-74-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

Sample: MW-05 Lab ID: 40246997004 Collected: 06/21/22 14:40 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<0.0013	mg/L	0.0052	0.0013	1	06/23/22 09:40	06/24/22 18:24	534-52-1	
2,4-Dinitrophenol	<0.0027	mg/L	0.010	0.0027	1	06/23/22 09:40	06/24/22 18:24	51-28-5	
2,4-Dinitrotoluene	<0.00039	mg/L	0.0052	0.00039	1	06/23/22 09:40	06/24/22 18:24	121-14-2	
2,6-Dinitrotoluene	<0.00088	mg/L	0.0052	0.00088	1	06/23/22 09:40	06/24/22 18:24	606-20-2	
Di-n-octylphthalate	<0.00048	mg/L	0.010	0.00048	1	06/23/22 09:40	06/24/22 18:24	117-84-0	
bis(2-Ethylhexyl)phthalate	<0.00072	mg/L	0.0052	0.00072	1	06/23/22 09:40	06/24/22 18:24	117-81-7	
Hexachloro-1,3-butadiene	<0.0026	mg/L	0.010	0.0026	1	06/23/22 09:40	06/24/22 18:24	87-68-3	
Hexachlorobenzene	<0.0017	mg/L	0.0052	0.0017	1	06/23/22 09:40	06/24/22 18:24	118-74-1	
Hexachlorocyclopentadiene	<0.0020	mg/L	0.0052	0.0020	1	06/23/22 09:40	06/24/22 18:24	77-47-4	
Hexachloroethane	<0.0016	mg/L	0.0052	0.0016	1	06/23/22 09:40	06/24/22 18:24	67-72-1	
Isophorone	<0.00041	mg/L	0.0052	0.00041	1	06/23/22 09:40	06/24/22 18:24	78-59-1	
2-Methylphenol(o-Cresol)	<0.00080	mg/L	0.0052	0.00080	1	06/23/22 09:40	06/24/22 18:24	95-48-7	
3&4-Methylphenol(m&p Cresol)	<0.00062	mg/L	0.0052	0.00062	1	06/23/22 09:40	06/24/22 18:24		
2-Nitroaniline	<0.00095	mg/L	0.0052	0.00095	1	06/23/22 09:40	06/24/22 18:24	88-74-4	CH
3-Nitroaniline	<0.00074	mg/L	0.0052	0.00074	1	06/23/22 09:40	06/24/22 18:24	99-09-2	
4-Nitroaniline	<0.00047	mg/L	0.010	0.00047	1	06/23/22 09:40	06/24/22 18:24	100-01-6	
Nitrobenzene	<0.00053	mg/L	0.0052	0.00053	1	06/23/22 09:40	06/24/22 18:24	98-95-3	
2-Nitrophenol	<0.0016	mg/L	0.0052	0.0016	1	06/23/22 09:40	06/24/22 18:24	88-75-5	
4-Nitrophenol	<0.0021	mg/L	0.0052	0.0021	1	06/23/22 09:40	06/24/22 18:24	100-02-7	
N-Nitroso-di-n-propylamine	<0.00086	mg/L	0.0052	0.00086	1	06/23/22 09:40	06/24/22 18:24	621-64-7	
N-Nitrosodiphenylamine	<0.00042	mg/L	0.0052	0.00042	1	06/23/22 09:40	06/24/22 18:24	86-30-6	
2,2'-Oxybis(1-chloropropane)	<0.00082	mg/L	0.0052	0.00082	1	06/23/22 09:40	06/24/22 18:24	108-60-1	CH
Pentachlorophenol	<0.0017	mg/L	0.0052	0.0017	1	06/23/22 09:40	06/24/22 18:24	87-86-5	
Phenol	<0.0010	mg/L	0.0052	0.0010	1	06/23/22 09:40	06/24/22 18:24	108-95-2	
1,2,4-Trichlorobenzene	<0.0025	mg/L	0.0052	0.0025	1	06/23/22 09:40	06/24/22 18:24	120-82-1	
2,4,5-Trichlorophenol	<0.0019	mg/L	0.0052	0.0019	1	06/23/22 09:40	06/24/22 18:24	95-95-4	
2,4,6-Trichlorophenol	<0.0021	mg/L	0.0052	0.0021	1	06/23/22 09:40	06/24/22 18:24	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	83	%	10-120		1	06/23/22 09:40	06/24/22 18:24	4165-60-0	
2-Fluorobiphenyl (S)	59	%	10-101		1	06/23/22 09:40	06/24/22 18:24	321-60-8	
Terphenyl-d14 (S)	94	%	36-138		1	06/23/22 09:40	06/24/22 18:24	1718-51-0	
Phenol-d6 (S)	31	%	10-130		1	06/23/22 09:40	06/24/22 18:24	13127-88-3	
2-Fluorophenol (S)	40	%	10-89		1	06/23/22 09:40	06/24/22 18:24	367-12-4	
2,4,6-Tribromophenol (S)	68	%	10-142		1	06/23/22 09:40	06/24/22 18:24	118-79-6	

8270E MSSV PAH

Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510
Pace Analytical Services - Green Bay

Acenaphthene	<0.000014	mg/L	0.000049	0.000014	1	06/27/22 08:10	06/28/22 09:52	83-32-9	
Acenaphthylene	<0.000012	mg/L	0.000049	0.000012	1	06/27/22 08:10	06/28/22 09:52	208-96-8	
Anthracene	0.000019J	mg/L	0.000049	0.000018	1	06/27/22 08:10	06/28/22 09:52	120-12-7	
Benzo(a)anthracene	<0.000013	mg/L	0.000049	0.000013	1	06/27/22 08:10	06/28/22 09:52	56-55-3	
Benzo(a)pyrene	<0.000012	mg/L	0.000049	0.000012	1	06/27/22 08:10	06/28/22 09:52	50-32-8	
Benzo(b)fluoranthene	<0.000008	mg/L	0.000049	0.000008	1	06/27/22 08:10	06/28/22 09:52	205-99-2	
Benzo(g,h,i)perylene	<0.000023	mg/L	0.000049	0.000023	1	06/27/22 08:10	06/28/22 09:52	191-24-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Sample: MW-05 **Lab ID: 40246997004** Collected: 06/21/22 14:40 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Benzo(k)fluoranthene	<0.000022	mg/L	0.000049	0.000022	1	06/27/22 08:10	06/28/22 09:52	207-08-9	
Chrysene	<0.000012	mg/L	0.000049	0.000012	1	06/27/22 08:10	06/28/22 09:52	218-01-9	
Dibenz(a,h)anthracene	<0.000017	mg/L	0.000049	0.000017	1	06/27/22 08:10	06/28/22 09:52	53-70-3	
Fluoranthene	0.000038J	mg/L	0.000049	0.000026	1	06/27/22 08:10	06/28/22 09:52	206-44-0	
Fluorene	<0.000023	mg/L	0.000049	0.000023	1	06/27/22 08:10	06/28/22 09:52	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.000015	mg/L	0.000049	0.000015	1	06/27/22 08:10	06/28/22 09:52	193-39-5	
2-Methylnaphthalene	<0.000014	mg/L	0.000049	0.000014	1	06/27/22 08:10	06/28/22 09:52	91-57-6	
Naphthalene	<0.000020	mg/L	0.000049	0.000020	1	06/27/22 08:10	06/28/22 09:52	91-20-3	
Phenanthrene	0.000054	mg/L	0.000049	0.000025	1	06/27/22 08:10	06/28/22 09:52	85-01-8	
Pyrene	0.000031J	mg/L	0.000049	0.000022	1	06/27/22 08:10	06/28/22 09:52	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	74	%	44-120		1	06/27/22 08:10	06/28/22 09:52	321-60-8	
Terphenyl-d14 (S)	75	%	49-120		1	06/27/22 08:10	06/28/22 09:52	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Acetone	<0.0086	mg/L	0.025	0.0086	1		06/23/22 16:23	67-64-1	
Benzene	<0.00030	mg/L	0.0010	0.00030	1		06/23/22 16:23	71-43-2	
Bromodichloromethane	<0.00042	mg/L	0.0010	0.00042	1		06/23/22 16:23	75-27-4	
Bromoform	<0.0038	mg/L	0.0050	0.0038	1		06/23/22 16:23	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		06/23/22 16:23	74-83-9	
2-Butanone (MEK)	<0.0065	mg/L	0.025	0.0065	1		06/23/22 16:23	78-93-3	
Carbon disulfide	<0.0011	mg/L	0.0050	0.0011	1		06/23/22 16:23	75-15-0	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		06/23/22 16:23	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		06/23/22 16:23	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		06/23/22 16:23	75-00-3	
Chloroform	<0.0012	mg/L	0.0050	0.0012	1		06/23/22 16:23	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		06/23/22 16:23	74-87-3	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		06/23/22 16:23	124-48-1	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/23/22 16:23	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		06/23/22 16:23	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		06/23/22 16:23	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		06/23/22 16:23	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		06/23/22 16:23	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		06/23/22 16:23	78-87-5	
cis-1,3-Dichloropropene	<0.00036	mg/L	0.0010	0.00036	1		06/23/22 16:23	10061-01-5	
trans-1,3-Dichloropropene	<0.0035	mg/L	0.0050	0.0035	1		06/23/22 16:23	10061-02-6	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		06/23/22 16:23	100-41-4	
2-Hexanone	<0.0063	mg/L	0.025	0.0063	1		06/23/22 16:23	591-78-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		06/23/22 16:23	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.0060	mg/L	0.025	0.0060	1		06/23/22 16:23	108-10-1	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		06/23/22 16:23	1634-04-4	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		06/23/22 16:23	100-42-5	
1,1,2,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		06/23/22 16:23	79-34-5	
Tetrachloroethene	<0.00041	mg/L	0.0010	0.00041	1		06/23/22 16:23	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Sample: MW-05 **Lab ID: 40246997004** Collected: 06/21/22 14:40 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Toluene	<0.00029	mg/L	0.0010	0.00029	1		06/23/22 16:23	108-88-3	
1,1,1-Trichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/23/22 16:23	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0050	0.00034	1		06/23/22 16:23	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		06/23/22 16:23	79-01-6	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		06/23/22 16:23	75-01-4	
Xylene (Total)	<0.0010	mg/L	0.0030	0.0010	1		06/23/22 16:23	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		06/23/22 16:23	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		06/23/22 16:23	2199-69-1	
Toluene-d8 (S)	96	%	70-130		1		06/23/22 16:23	2037-26-5	
335.4 Cyanide, Total									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	<0.0069	mg/L	0.023	0.0069	1	06/23/22 09:00	06/23/22 10:49	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

Sample: MW-06 **Lab ID: 40246997005** Collected: 06/21/22 15:30 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pest RV Waters									
Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Pace Analytical Services - Indianapolis									
Aldrin	<0.000040	mg/L	0.000043	0.000040	1	06/23/22 16:39	06/28/22 16:54	309-00-2	
alpha-BHC	<0.000030	mg/L	0.000043	0.000030	1	06/23/22 16:39	06/28/22 16:54	319-84-6	
beta-BHC	<0.000041	mg/L	0.000043	0.000041	1	06/23/22 16:39	06/28/22 16:54	319-85-7	
delta-BHC	<0.000039	mg/L	0.000043	0.000039	1	06/23/22 16:39	06/28/22 16:54	319-86-8	
gamma-BHC (Lindane)	<0.000033	mg/L	0.000043	0.000033	1	06/23/22 16:39	06/28/22 16:54	58-89-9	
Chlordane (Technical)	<0.0018	mg/L	0.0043	0.0018	1	06/23/22 16:39	06/28/22 16:54	57-74-9	
alpha-Chlordane	<0.000034	mg/L	0.00043	0.000034	1	06/23/22 16:39	06/28/22 16:54	5103-71-9	
gamma-Chlordane	<0.000043	mg/L	0.00043	0.000043	1	06/23/22 16:39	06/28/22 16:54	5103-74-2	
4,4'-DDD	<0.000083	mg/L	0.000087	0.000083	1	06/23/22 16:39	06/28/22 16:54	72-54-8	
4,4'-DDE	<0.000064	mg/L	0.000087	0.000064	1	06/23/22 16:39	06/28/22 16:54	72-55-9	
4,4'-DDT	<0.000074	mg/L	0.000087	0.000074	1	06/23/22 16:39	06/28/22 16:54	50-29-3	
Dieldrin	<0.000072	mg/L	0.000087	0.000072	1	06/23/22 16:39	06/28/22 16:54	60-57-1	
Endosulfan I	<0.000030	mg/L	0.000043	0.000030	1	06/23/22 16:39	06/28/22 16:54	959-98-8	
Endosulfan II	<0.000070	mg/L	0.000087	0.000070	1	06/23/22 16:39	06/28/22 16:54	33213-65-9	
Endosulfan sulfate	<0.000062	mg/L	0.000087	0.000062	1	06/23/22 16:39	06/28/22 16:54	1031-07-8	
Endrin	<0.000077	mg/L	0.000087	0.000077	1	06/23/22 16:39	06/28/22 16:54	72-20-8	
Endrin aldehyde	<0.000085	mg/L	0.000087	0.000085	1	06/23/22 16:39	06/28/22 16:54	7421-93-4	
Endrin ketone	<0.000070	mg/L	0.000087	0.000070	1	06/23/22 16:39	06/28/22 16:54	53494-70-5	
Heptachlor	<0.000037	mg/L	0.000043	0.000037	1	06/23/22 16:39	06/28/22 16:54	76-44-8	
Heptachlor epoxide	<0.000037	mg/L	0.000043	0.000037	1	06/23/22 16:39	06/28/22 16:54	1024-57-3	
Methoxychlor	<0.00037	mg/L	0.00043	0.00037	1	06/23/22 16:39	06/28/22 16:54	72-43-5	
Toxaphene	<0.0020	mg/L	0.0043	0.0020	1	06/23/22 16:39	06/28/22 16:54	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	92	%	10-135		1	06/23/22 16:39	06/28/22 16:54	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 14:47	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 14:47	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 14:47	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 14:47	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 14:47	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 14:47	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 14:47	11096-82-5	
PCB, Total	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 14:47	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	97	%	17-141		1	06/24/22 08:02	06/27/22 14:47	877-09-8	
Decachlorobiphenyl (S)	66	%	10-113		1	06/24/22 08:02	06/27/22 14:47	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Aluminum	0.052J	mg/L	0.10	0.036	1	06/29/22 08:15	07/01/22 00:40	7429-90-5	
Antimony	<0.00063	mg/L	0.0010	0.00063	1	06/29/22 08:15	07/01/22 00:40	7440-36-0	
Arsenic	0.00023J	mg/L	0.0010	0.00020	1	06/29/22 08:15	07/01/22 00:40	7440-38-2	
Barium	0.046	mg/L	0.0010	0.00036	1	06/29/22 08:15	07/01/22 00:40	7440-39-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Sample: MW-06 Lab ID: 40246997005 Collected: 06/21/22 15:30 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Beryllium	<0.00012	mg/L	0.0010	0.00012	1	06/29/22 08:15	07/01/22 00:40	7440-41-7	
Cadmium	<0.000080	mg/L	0.0010	0.000080	1	06/29/22 08:15	07/01/22 00:40	7440-43-9	
Calcium	115	mg/L	0.10	0.084	1	06/29/22 08:15	07/01/22 00:40	7440-70-2	
Chromium	0.0014	mg/L	0.0010	0.00062	1	06/29/22 08:15	07/01/22 00:40	7440-47-3	
Cobalt	0.00030J	mg/L	0.0010	0.000060	1	06/29/22 08:15	07/01/22 00:40	7440-48-4	
Copper	<0.00083	mg/L	0.0030	0.00083	1	06/29/22 08:15	07/01/22 00:40	7440-50-8	
Iron	<0.049	mg/L	0.10	0.049	1	06/29/22 08:15	07/01/22 00:40	7439-89-6	
Lead	0.000076J	mg/L	0.0010	0.000070	1	06/29/22 08:15	07/01/22 00:40	7439-92-1	
Magnesium	44.6	mg/L	0.10	0.00060	1	06/29/22 08:15	07/01/22 00:40	7439-95-4	
Manganese	0.011	mg/L	0.0050	0.0045	1	06/29/22 08:15	07/01/22 00:40	7439-96-5	
Nickel	<0.00056	mg/L	0.0010	0.00056	1	06/29/22 08:15	07/01/22 00:40	7440-02-0	
Potassium	1.5	mg/L	0.10	0.085	1	06/29/22 08:15	07/01/22 00:40	7440-09-7	
Selenium	0.0057	mg/L	0.0010	0.00037	1	06/29/22 08:15	07/01/22 00:40	7782-49-2	
Silver	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 00:40	7440-22-4	
Sodium	16.6	mg/L	0.10	0.078	1	06/29/22 08:15	07/01/22 00:40	7440-23-5	
Thallium	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 00:40	7440-28-0	
Vanadium	<0.0023	mg/L	0.0050	0.0023	1	06/29/22 08:15	07/01/22 00:40	7440-62-2	
Zinc	<0.0044	mg/L	0.010	0.0044	1	06/29/22 08:15	07/01/22 00:40	7440-66-6	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.000066	mg/L	0.00020	0.000066	1	06/29/22 10:00	06/30/22 08:37	7439-97-6	
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4-Bromophenylphenyl ether	<0.00083	mg/L	0.0047	0.00083	1	06/23/22 09:40	06/24/22 18:46	101-55-3	
Butylbenzylphthalate	<0.00065	mg/L	0.0047	0.00065	1	06/23/22 09:40	06/24/22 18:46	85-68-7	
Carbazole	<0.00022	mg/L	0.0047	0.00022	1	06/23/22 09:40	06/24/22 18:46	86-74-8	
4-Chloro-3-methylphenol	<0.00088	mg/L	0.0047	0.00088	1	06/23/22 09:40	06/24/22 18:46	59-50-7	
4-Chloroaniline	<0.00084	mg/L	0.0047	0.00084	1	06/23/22 09:40	06/24/22 18:46	106-47-8	2q
bis(2-Chloroethoxy)methane	<0.00040	mg/L	0.0047	0.00040	1	06/23/22 09:40	06/24/22 18:46	111-91-1	
bis(2-Chloroethyl) ether	<0.00064	mg/L	0.0047	0.00064	1	06/23/22 09:40	06/24/22 18:46	111-44-4	
2-Chloronaphthalene	<0.0012	mg/L	0.0047	0.0012	1	06/23/22 09:40	06/24/22 18:46	91-58-7	
2-Chlorophenol	<0.0024	mg/L	0.0047	0.0024	1	06/23/22 09:40	06/24/22 18:46	95-57-8	
4-Chlorophenylphenyl ether	<0.00058	mg/L	0.0047	0.00058	1	06/23/22 09:40	06/24/22 18:46	7005-72-3	
Dibenzofuran	<0.00087	mg/L	0.0047	0.00087	1	06/23/22 09:40	06/24/22 18:46	132-64-9	
1,2-Dichlorobenzene	<0.0019	mg/L	0.0047	0.0019	1	06/23/22 09:40	06/24/22 18:46	95-50-1	
1,3-Dichlorobenzene	<0.0020	mg/L	0.0047	0.0020	1	06/23/22 09:40	06/24/22 18:46	541-73-1	
1,4-Dichlorobenzene	<0.0017	mg/L	0.0047	0.0017	1	06/23/22 09:40	06/24/22 18:46	106-46-7	
3,3'-Dichlorobenzidine	<0.00051	mg/L	0.0047	0.00051	1	06/23/22 09:40	06/24/22 18:46	91-94-1	2q
2,4-Dichlorophenol	<0.0014	mg/L	0.0047	0.0014	1	06/23/22 09:40	06/24/22 18:46	120-83-2	
Diethylphthalate	<0.00057	mg/L	0.0047	0.00057	1	06/23/22 09:40	06/24/22 18:46	84-66-2	
2,4-Dimethylphenol	<0.00040	mg/L	0.0047	0.00040	1	06/23/22 09:40	06/24/22 18:46	105-67-9	
Dimethylphthalate	<0.00039	mg/L	0.0047	0.00039	1	06/23/22 09:40	06/24/22 18:46	131-11-3	
Di-n-butylphthalate	<0.00031	mg/L	0.0047	0.00031	1	06/23/22 09:40	06/24/22 18:46	84-74-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

Sample: MW-06 **Lab ID: 40246997005** Collected: 06/21/22 15:30 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<0.0011	mg/L	0.0047	0.0011	1	06/23/22 09:40	06/24/22 18:46	534-52-1	
2,4-Dinitrophenol	<0.0024	mg/L	0.0094	0.0024	1	06/23/22 09:40	06/24/22 18:46	51-28-5	
2,4-Dinitrotoluene	<0.00036	mg/L	0.0047	0.00036	1	06/23/22 09:40	06/24/22 18:46	121-14-2	
2,6-Dinitrotoluene	<0.00080	mg/L	0.0047	0.00080	1	06/23/22 09:40	06/24/22 18:46	606-20-2	
Di-n-octylphthalate	<0.00044	mg/L	0.0094	0.00044	1	06/23/22 09:40	06/24/22 18:46	117-84-0	
bis(2-Ethylhexyl)phthalate	<0.00065	mg/L	0.0047	0.00065	1	06/23/22 09:40	06/24/22 18:46	117-81-7	
Hexachloro-1,3-butadiene	<0.0024	mg/L	0.0094	0.0024	1	06/23/22 09:40	06/24/22 18:46	87-68-3	
Hexachlorobenzene	<0.0015	mg/L	0.0047	0.0015	1	06/23/22 09:40	06/24/22 18:46	118-74-1	
Hexachlorocyclopentadiene	<0.0018	mg/L	0.0047	0.0018	1	06/23/22 09:40	06/24/22 18:46	77-47-4	
Hexachloroethane	<0.0014	mg/L	0.0047	0.0014	1	06/23/22 09:40	06/24/22 18:46	67-72-1	
Isophorone	<0.00037	mg/L	0.0047	0.00037	1	06/23/22 09:40	06/24/22 18:46	78-59-1	
2-Methylphenol(o-Cresol)	<0.00073	mg/L	0.0047	0.00073	1	06/23/22 09:40	06/24/22 18:46	95-48-7	
3&4-Methylphenol(m&p Cresol)	<0.00056	mg/L	0.0047	0.00056	1	06/23/22 09:40	06/24/22 18:46		
2-Nitroaniline	<0.00086	mg/L	0.0047	0.00086	1	06/23/22 09:40	06/24/22 18:46	88-74-4	CH
3-Nitroaniline	<0.00067	mg/L	0.0047	0.00067	1	06/23/22 09:40	06/24/22 18:46	99-09-2	
4-Nitroaniline	<0.00042	mg/L	0.0094	0.00042	1	06/23/22 09:40	06/24/22 18:46	100-01-6	
Nitrobenzene	<0.00048	mg/L	0.0047	0.00048	1	06/23/22 09:40	06/24/22 18:46	98-95-3	
2-Nitrophenol	<0.0014	mg/L	0.0047	0.0014	1	06/23/22 09:40	06/24/22 18:46	88-75-5	
4-Nitrophenol	<0.0019	mg/L	0.0047	0.0019	1	06/23/22 09:40	06/24/22 18:46	100-02-7	
N-Nitroso-di-n-propylamine	<0.00077	mg/L	0.0047	0.00077	1	06/23/22 09:40	06/24/22 18:46	621-64-7	
N-Nitrosodiphenylamine	<0.00038	mg/L	0.0047	0.00038	1	06/23/22 09:40	06/24/22 18:46	86-30-6	
2,2'-Oxybis(1-chloropropane)	<0.00074	mg/L	0.0047	0.00074	1	06/23/22 09:40	06/24/22 18:46	108-60-1	CH
Pentachlorophenol	<0.0015	mg/L	0.0047	0.0015	1	06/23/22 09:40	06/24/22 18:46	87-86-5	
Phenol	<0.00092	mg/L	0.0047	0.00092	1	06/23/22 09:40	06/24/22 18:46	108-95-2	
1,2,4-Trichlorobenzene	<0.0022	mg/L	0.0047	0.0022	1	06/23/22 09:40	06/24/22 18:46	120-82-1	
2,4,5-Trichlorophenol	<0.0017	mg/L	0.0047	0.0017	1	06/23/22 09:40	06/24/22 18:46	95-95-4	
2,4,6-Trichlorophenol	<0.0019	mg/L	0.0047	0.0019	1	06/23/22 09:40	06/24/22 18:46	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	85	%	10-120		1	06/23/22 09:40	06/24/22 18:46	4165-60-0	
2-Fluorobiphenyl (S)	66	%	10-101		1	06/23/22 09:40	06/24/22 18:46	321-60-8	
Terphenyl-d14 (S)	94	%	36-138		1	06/23/22 09:40	06/24/22 18:46	1718-51-0	
Phenol-d6 (S)	31	%	10-130		1	06/23/22 09:40	06/24/22 18:46	13127-88-3	
2-Fluorophenol (S)	50	%	10-89		1	06/23/22 09:40	06/24/22 18:46	367-12-4	
2,4,6-Tribromophenol (S)	84	%	10-142		1	06/23/22 09:40	06/24/22 18:46	118-79-6	

8270E MSSV PAH

Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510
Pace Analytical Services - Green Bay

Acenaphthene	<0.000014	mg/L	0.000050	0.000014	1	06/27/22 08:10	06/28/22 10:11	83-32-9	
Acenaphthylene	<0.000013	mg/L	0.000050	0.000013	1	06/27/22 08:10	06/28/22 10:11	208-96-8	
Anthracene	<0.000019	mg/L	0.000050	0.000019	1	06/27/22 08:10	06/28/22 10:11	120-12-7	
Benzo(a)anthracene	<0.000014	mg/L	0.000050	0.000014	1	06/27/22 08:10	06/28/22 10:11	56-55-3	
Benzo(a)pyrene	<0.000013	mg/L	0.000050	0.000013	1	06/27/22 08:10	06/28/22 10:11	50-32-8	
Benzo(b)fluoranthene	<0.000009	mg/L	0.000050	0.000009	1	06/27/22 08:10	06/28/22 10:11	205-99-2	
Benzo(g,h,i)perylene	<0.000023	mg/L	0.000050	0.000023	1	06/27/22 08:10	06/28/22 10:11	191-24-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Sample: MW-06 **Lab ID: 40246997005** Collected: 06/21/22 15:30 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Benzo(k)fluoranthene	<0.000022	mg/L	0.000050	0.000022	1	06/27/22 08:10	06/28/22 10:11	207-08-9	
Chrysene	<0.000013	mg/L	0.000050	0.000013	1	06/27/22 08:10	06/28/22 10:11	218-01-9	
Dibenz(a,h)anthracene	<0.000018	mg/L	0.000050	0.000018	1	06/27/22 08:10	06/28/22 10:11	53-70-3	
Fluoranthene	<0.000026	mg/L	0.000050	0.000026	1	06/27/22 08:10	06/28/22 10:11	206-44-0	
Fluorene	<0.000024	mg/L	0.000050	0.000024	1	06/27/22 08:10	06/28/22 10:11	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.000016	mg/L	0.000050	0.000016	1	06/27/22 08:10	06/28/22 10:11	193-39-5	
2-Methylnaphthalene	<0.000014	mg/L	0.000050	0.000014	1	06/27/22 08:10	06/28/22 10:11	91-57-6	
Naphthalene	<0.000020	mg/L	0.000050	0.000020	1	06/27/22 08:10	06/28/22 10:11	91-20-3	
Phenanthrene	<0.000026	mg/L	0.000050	0.000026	1	06/27/22 08:10	06/28/22 10:11	85-01-8	
Pyrene	<0.000023	mg/L	0.000050	0.000023	1	06/27/22 08:10	06/28/22 10:11	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	79	%	44-120		1	06/27/22 08:10	06/28/22 10:11	321-60-8	
Terphenyl-d14 (S)	75	%	49-120		1	06/27/22 08:10	06/28/22 10:11	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Acetone	<0.0086	mg/L	0.025	0.0086	1		06/23/22 16:40	67-64-1	
Benzene	<0.00030	mg/L	0.0010	0.00030	1		06/23/22 16:40	71-43-2	
Bromodichloromethane	<0.00042	mg/L	0.0010	0.00042	1		06/23/22 16:40	75-27-4	
Bromoform	<0.0038	mg/L	0.0050	0.0038	1		06/23/22 16:40	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		06/23/22 16:40	74-83-9	
2-Butanone (MEK)	<0.0065	mg/L	0.025	0.0065	1		06/23/22 16:40	78-93-3	
Carbon disulfide	<0.0011	mg/L	0.0050	0.0011	1		06/23/22 16:40	75-15-0	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		06/23/22 16:40	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		06/23/22 16:40	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		06/23/22 16:40	75-00-3	
Chloroform	<0.0012	mg/L	0.0050	0.0012	1		06/23/22 16:40	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		06/23/22 16:40	74-87-3	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		06/23/22 16:40	124-48-1	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/23/22 16:40	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		06/23/22 16:40	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		06/23/22 16:40	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		06/23/22 16:40	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		06/23/22 16:40	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		06/23/22 16:40	78-87-5	
cis-1,3-Dichloropropene	<0.00036	mg/L	0.0010	0.00036	1		06/23/22 16:40	10061-01-5	
trans-1,3-Dichloropropene	<0.0035	mg/L	0.0050	0.0035	1		06/23/22 16:40	10061-02-6	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		06/23/22 16:40	100-41-4	
2-Hexanone	<0.0063	mg/L	0.025	0.0063	1		06/23/22 16:40	591-78-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		06/23/22 16:40	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.0060	mg/L	0.025	0.0060	1		06/23/22 16:40	108-10-1	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		06/23/22 16:40	1634-04-4	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		06/23/22 16:40	100-42-5	
1,1,2,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		06/23/22 16:40	79-34-5	
Tetrachloroethene	<0.00041	mg/L	0.0010	0.00041	1		06/23/22 16:40	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

Sample: MW-06 **Lab ID: 40246997005** Collected: 06/21/22 15:30 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Toluene	<0.00029	mg/L	0.0010	0.00029	1		06/23/22 16:40	108-88-3	
1,1,1-Trichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/23/22 16:40	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0050	0.00034	1		06/23/22 16:40	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		06/23/22 16:40	79-01-6	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		06/23/22 16:40	75-01-4	
Xylene (Total)	<0.0010	mg/L	0.0030	0.0010	1		06/23/22 16:40	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		06/23/22 16:40	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		06/23/22 16:40	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		06/23/22 16:40	2037-26-5	
335.4 Cyanide, Total									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	<0.0069	mg/L	0.023	0.0069	1	06/23/22 09:00	06/23/22 10:50	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Sample: TB-01 **Lab ID: 40246997006** Collected: 06/21/22 16:00 Received: 06/22/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Acetone	<0.0086	mg/L	0.025	0.0086	1		06/23/22 11:31	67-64-1	
Benzene	<0.00030	mg/L	0.0010	0.00030	1		06/23/22 11:31	71-43-2	
Bromodichloromethane	<0.00042	mg/L	0.0010	0.00042	1		06/23/22 11:31	75-27-4	
Bromoform	<0.0038	mg/L	0.0050	0.0038	1		06/23/22 11:31	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		06/23/22 11:31	74-83-9	
2-Butanone (MEK)	<0.0065	mg/L	0.025	0.0065	1		06/23/22 11:31	78-93-3	
Carbon disulfide	<0.0011	mg/L	0.0050	0.0011	1		06/23/22 11:31	75-15-0	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		06/23/22 11:31	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		06/23/22 11:31	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		06/23/22 11:31	75-00-3	
Chloroform	<0.0012	mg/L	0.0050	0.0012	1		06/23/22 11:31	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		06/23/22 11:31	74-87-3	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		06/23/22 11:31	124-48-1	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/23/22 11:31	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		06/23/22 11:31	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		06/23/22 11:31	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		06/23/22 11:31	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		06/23/22 11:31	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		06/23/22 11:31	78-87-5	
cis-1,3-Dichloropropene	<0.00036	mg/L	0.0010	0.00036	1		06/23/22 11:31	10061-01-5	
trans-1,3-Dichloropropene	<0.0035	mg/L	0.0050	0.0035	1		06/23/22 11:31	10061-02-6	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		06/23/22 11:31	100-41-4	
2-Hexanone	<0.0063	mg/L	0.025	0.0063	1		06/23/22 11:31	591-78-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		06/23/22 11:31	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.0060	mg/L	0.025	0.0060	1		06/23/22 11:31	108-10-1	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		06/23/22 11:31	1634-04-4	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		06/23/22 11:31	100-42-5	
1,1,2,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		06/23/22 11:31	79-34-5	
Tetrachloroethene	<0.00041	mg/L	0.0010	0.00041	1		06/23/22 11:31	127-18-4	
Toluene	<0.00029	mg/L	0.0010	0.00029	1		06/23/22 11:31	108-88-3	
1,1,1-Trichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/23/22 11:31	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0050	0.00034	1		06/23/22 11:31	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		06/23/22 11:31	79-01-6	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		06/23/22 11:31	75-01-4	
Xylene (Total)	<0.0010	mg/L	0.0030	0.0010	1		06/23/22 11:31	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		06/23/22 11:31	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		06/23/22 11:31	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		06/23/22 11:31	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

QC Batch: 419673 Analysis Method: EPA 7470
QC Batch Method: EPA 7470 Analysis Description: 7470 Mercury
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005

METHOD BLANK: 2416822 Matrix: Water
Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/L	<0.000066	0.00020	0.000066	06/30/22 07:53	

LABORATORY CONTROL SAMPLE: 2416823

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/L	0.005	0.0048	96	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2416824 2416825

Parameter	Units	10611155001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/L	<0.066 ug/L	0.005	0.005	0.0048	0.0047	96	94	85-115	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

QC Batch: 259340 Analysis Method: EPA 6020A
QC Batch Method: EPA 3010 Analysis Description: 6020 MET
Laboratory: Pace Analytical Services - New Orleans
Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005

METHOD BLANK: 1236863 Matrix: Water
Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Aluminum	mg/L	<0.036	0.10	0.036	06/30/22 15:59	
Antimony	mg/L	<0.00063	0.0010	0.00063	06/30/22 15:59	
Arsenic	mg/L	<0.00020	0.0010	0.00020	06/30/22 15:59	
Barium	mg/L	<0.00036	0.0010	0.00036	06/30/22 15:59	
Beryllium	mg/L	<0.00012	0.0010	0.00012	06/30/22 15:59	
Cadmium	mg/L	<0.00080	0.0010	0.00080	06/30/22 15:59	
Calcium	mg/L	<0.084	0.10	0.084	06/30/22 15:59	
Chromium	mg/L	<0.00062	0.0010	0.00062	06/30/22 15:59	
Cobalt	mg/L	<0.000060	0.0010	0.000060	06/30/22 15:59	
Copper	mg/L	<0.00083	0.0030	0.00083	06/30/22 15:59	
Iron	mg/L	<0.049	0.10	0.049	06/30/22 15:59	
Lead	mg/L	<0.000070	0.0010	0.000070	06/30/22 15:59	
Magnesium	mg/L	0.00096J	0.10	0.00060	06/30/22 15:59	
Manganese	mg/L	<0.0045	0.0050	0.0045	06/30/22 15:59	
Nickel	mg/L	<0.00056	0.0010	0.00056	06/30/22 15:59	
Potassium	mg/L	<0.085	0.10	0.085	06/30/22 15:59	
Selenium	mg/L	<0.00037	0.0010	0.00037	06/30/22 15:59	
Silver	mg/L	<0.000080	0.00050	0.000080	06/30/22 15:59	
Sodium	mg/L	<0.078	0.10	0.078	06/30/22 15:59	
Thallium	mg/L	<0.000080	0.00050	0.000080	06/30/22 15:59	
Vanadium	mg/L	<0.0023	0.0050	0.0023	06/30/22 15:59	
Zinc	mg/L	<0.0044	0.010	0.0044	06/30/22 15:59	

LABORATORY CONTROL SAMPLE: 1236864

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Aluminum	mg/L	6	6.0	100	85-115	
Antimony	mg/L	0.06	0.060	101	85-115	
Arsenic	mg/L	0.06	0.060	100	85-115	
Barium	mg/L	0.06	0.057	96	85-115	
Beryllium	mg/L	0.06	0.060	100	84-115	
Cadmium	mg/L	0.06	0.061	102	85-115	
Calcium	mg/L	6	6.0	101	85-115	
Chromium	mg/L	0.06	0.061	101	85-115	
Cobalt	mg/L	0.06	0.060	100	85-115	
Copper	mg/L	0.06	0.061	102	85-116	
Iron	mg/L	3	3.1	103	85-115	
Lead	mg/L	0.06	0.060	100	85-115	
Magnesium	mg/L	6	6.3	105	85-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

LABORATORY CONTROL SAMPLE: 1236864

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Manganese	mg/L	0.06	0.061	102	85-115	
Nickel	mg/L	0.06	0.062	103	85-115	
Potassium	mg/L	6	5.7	96	76-124	
Selenium	mg/L	0.06	0.057	95	85-115	
Silver	mg/L	0.03	0.031	103	85-115	
Sodium	mg/L	6	6.3	105	84-117	
Thallium	mg/L	0.03	0.031	103	85-115	
Vanadium	mg/L	0.06	0.060	99	85-115	
Zinc	mg/L	0.06	0.058	97	85-121	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1236865 1236866

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40246997001 Result	Spike Conc.	Spike Conc.	MS Result						
Aluminum	mg/L	<0.036	6	6	5.9	5.7	98	94	80-120	4	20
Antimony	mg/L	<0.00063	0.06	0.06	0.062	0.060	103	100	80-120	3	20
Arsenic	mg/L	0.00029J	0.06	0.06	0.058	0.056	95	93	80-120	3	20
Barium	mg/L	0.073	0.06	0.06	0.13	0.13	95	89	80-120	3	20
Beryllium	mg/L	<0.00012	0.06	0.06	0.059	0.057	99	95	80-120	3	20
Cadmium	mg/L	<0.000080	0.06	0.06	0.061	0.059	101	99	80-120	2	20
Calcium	mg/L	95.6	6	6	102	102	114	109	80-120	0	20
Chromium	mg/L	0.00065J	0.06	0.06	0.062	0.059	102	97	80-120	5	20
Cobalt	mg/L	0.00010J	0.06	0.06	0.060	0.058	99	96	80-120	3	20
Copper	mg/L	0.00096J	0.06	0.06	0.061	0.059	100	96	80-120	4	20
Iron	mg/L	<0.049	3	3	3.1	3.0	103	100	80-120	3	20
Lead	mg/L	0.00011J	0.06	0.06	0.061	0.060	102	99	80-120	3	20
Magnesium	mg/L	33.8	6	6	39.6	39.6	96	97	80-120	0	20
Manganese	mg/L	0.043	0.06	0.06	0.11	0.10	103	100	80-120	2	20
Nickel	mg/L	0.00063J	0.06	0.06	0.061	0.059	101	98	80-120	4	20
Potassium	mg/L	0.37	6	6	6.0	5.8	94	91	75-125	3	20
Selenium	mg/L	0.0039	0.06	0.06	0.057	0.057	88	88	80-120	0	20
Silver	mg/L	<0.000080	0.03	0.03	0.031	0.030	102	100	80-120	3	20
Sodium	mg/L	6.0	6	6	12.0	11.7	100	96	75-125	2	20
Thallium	mg/L	<0.000080	0.03	0.03	0.032	0.031	105	102	80-120	3	20
Vanadium	mg/L	<0.0023	0.06	0.06	0.061	0.059	100	98	80-120	2	20
Zinc	mg/L	0.0053J	0.06	0.06	0.062	0.059	94	90	80-120	5	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

QC Batch: 419176 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005, 40246997006

METHOD BLANK: 2413860 Matrix: Water
Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005, 40246997006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	mg/L	<0.00030	0.0010	0.00030	06/23/22 09:31	
1,1,2,2-Tetrachloroethane	mg/L	<0.00038	0.0010	0.00038	06/23/22 09:31	
1,1,2-Trichloroethane	mg/L	<0.00034	0.0050	0.00034	06/23/22 09:31	
1,1-Dichloroethane	mg/L	<0.00030	0.0010	0.00030	06/23/22 09:31	
1,1-Dichloroethene	mg/L	<0.00058	0.0010	0.00058	06/23/22 09:31	
1,2-Dichloroethane	mg/L	<0.00029	0.0010	0.00029	06/23/22 09:31	
1,2-Dichloropropane	mg/L	<0.00045	0.0010	0.00045	06/23/22 09:31	
2-Butanone (MEK)	mg/L	<0.0065	0.025	0.0065	06/23/22 09:31	
2-Hexanone	mg/L	<0.0063	0.025	0.0063	06/23/22 09:31	
4-Methyl-2-pentanone (MIBK)	mg/L	<0.0060	0.025	0.0060	06/23/22 09:31	
Acetone	mg/L	<0.0086	0.025	0.0086	06/23/22 09:31	
Benzene	mg/L	<0.00030	0.0010	0.00030	06/23/22 09:31	
Bromodichloromethane	mg/L	<0.00042	0.0010	0.00042	06/23/22 09:31	
Bromoform	mg/L	<0.0038	0.0050	0.0038	06/23/22 09:31	
Bromomethane	mg/L	<0.0012	0.0050	0.0012	06/23/22 09:31	
Carbon disulfide	mg/L	<0.0011	0.0050	0.0011	06/23/22 09:31	
Carbon tetrachloride	mg/L	<0.00037	0.0010	0.00037	06/23/22 09:31	
Chlorobenzene	mg/L	<0.00086	0.0010	0.00086	06/23/22 09:31	
Chloroethane	mg/L	<0.0014	0.0050	0.0014	06/23/22 09:31	
Chloroform	mg/L	<0.0012	0.0050	0.0012	06/23/22 09:31	
Chloromethane	mg/L	<0.0016	0.0050	0.0016	06/23/22 09:31	
cis-1,2-Dichloroethene	mg/L	<0.00047	0.0010	0.00047	06/23/22 09:31	
cis-1,3-Dichloropropene	mg/L	<0.00036	0.0010	0.00036	06/23/22 09:31	
Dibromochloromethane	mg/L	<0.0026	0.0050	0.0026	06/23/22 09:31	
Ethylbenzene	mg/L	<0.00033	0.0010	0.00033	06/23/22 09:31	
Methyl-tert-butyl ether	mg/L	<0.0011	0.0050	0.0011	06/23/22 09:31	
Methylene Chloride	mg/L	<0.00032	0.0050	0.00032	06/23/22 09:31	
Styrene	mg/L	<0.00036	0.0010	0.00036	06/23/22 09:31	
Tetrachloroethene	mg/L	<0.00041	0.0010	0.00041	06/23/22 09:31	
Toluene	mg/L	<0.00029	0.0010	0.00029	06/23/22 09:31	
trans-1,2-Dichloroethene	mg/L	<0.00053	0.0010	0.00053	06/23/22 09:31	
trans-1,3-Dichloropropene	mg/L	<0.0035	0.0050	0.0035	06/23/22 09:31	
Trichloroethene	mg/L	<0.00032	0.0010	0.00032	06/23/22 09:31	
Vinyl chloride	mg/L	<0.00017	0.0010	0.00017	06/23/22 09:31	
Xylene (Total)	mg/L	<0.0010	0.0030	0.0010	06/23/22 09:31	
1,2-Dichlorobenzene-d4 (S)	%	103	70-130		06/23/22 09:31	
4-Bromofluorobenzene (S)	%	97	70-130		06/23/22 09:31	
Toluene-d8 (S)	%	98	70-130		06/23/22 09:31	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

LABORATORY CONTROL SAMPLE: 2413861

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	mg/L	0.05	0.061	123	70-134	
1,1,2,2-Tetrachloroethane	mg/L	0.05	0.047	93	69-130	
1,1,2-Trichloroethane	mg/L	0.05	0.050	99	70-130	
1,1-Dichloroethane	mg/L	0.05	0.051	102	70-130	
1,1-Dichloroethene	mg/L	0.05	0.057	114	74-131	
1,2-Dichloroethane	mg/L	0.05	0.058	116	70-137	
1,2-Dichloropropane	mg/L	0.05	0.049	97	80-121	
Benzene	mg/L	0.05	0.053	107	70-130	
Bromodichloromethane	mg/L	0.05	0.054	107	70-130	
Bromoform	mg/L	0.05	0.056	112	70-130	
Bromomethane	mg/L	0.05	0.045	90	21-147	
Carbon disulfide	mg/L	0.05	0.056	113	70-130	
Carbon tetrachloride	mg/L	0.05	0.064	128	80-146	
Chlorobenzene	mg/L	0.05	0.054	107	70-130	
Chloroethane	mg/L	0.05	0.053	107	52-165	
Chloroform	mg/L	0.05	0.057	114	80-123	
Chloromethane	mg/L	0.05	0.042	83	51-122	
cis-1,2-Dichloroethene	mg/L	0.05	0.051	102	70-130	
cis-1,3-Dichloropropene	mg/L	0.05	0.053	107	70-130	
Dibromochloromethane	mg/L	0.05	0.055	109	70-130	
Ethylbenzene	mg/L	0.05	0.055	111	80-120	
Methyl-tert-butyl ether	mg/L	0.05	0.055	110	70-130	
Methylene Chloride	mg/L	0.05	0.060	121	70-130	
Styrene	mg/L	0.05	0.057	115	70-130	
Tetrachloroethene	mg/L	0.05	0.055	110	70-130	
Toluene	mg/L	0.05	0.053	105	80-120	
trans-1,2-Dichloroethene	mg/L	0.05	0.056	113	70-130	
trans-1,3-Dichloropropene	mg/L	0.05	0.054	107	70-130	
Trichloroethene	mg/L	0.05	0.056	112	70-130	
Vinyl chloride	mg/L	0.05	0.046	91	63-134	
Xylene (Total)	mg/L	0.15	0.17	113	70-130	
1,2-Dichlorobenzene-d4 (S)	%			101	70-130	
4-Bromofluorobenzene (S)	%			99	70-130	
Toluene-d8 (S)	%			99	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

QC Batch: 683246 Analysis Method: EPA 8081
QC Batch Method: EPA 3510 Analysis Description: 8081 GCS Pesticides
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005

METHOD BLANK: 3144445 Matrix: Water
Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	mg/L	<0.000096	0.00010	0.000096	06/28/22 15:39	
4,4'-DDE	mg/L	<0.000074	0.00010	0.000074	06/28/22 15:39	
4,4'-DDT	mg/L	<0.000085	0.00010	0.000085	06/28/22 15:39	
Aldrin	mg/L	<0.000046	0.000050	0.000046	06/28/22 15:39	
alpha-BHC	mg/L	<0.000035	0.000050	0.000035	06/28/22 15:39	
alpha-Chlordane	mg/L	<0.000039	0.00050	0.000039	06/28/22 15:39	
beta-BHC	mg/L	<0.000047	0.000050	0.000047	06/28/22 15:39	
Chlordane (Technical)	mg/L	<0.0020	0.0050	0.0020	06/28/22 15:39	
delta-BHC	mg/L	<0.000045	0.000050	0.000045	06/28/22 15:39	
Dieldrin	mg/L	<0.000083	0.00010	0.000083	06/28/22 15:39	
Endosulfan I	mg/L	<0.000035	0.000050	0.000035	06/28/22 15:39	
Endosulfan II	mg/L	<0.000080	0.00010	0.000080	06/28/22 15:39	
Endosulfan sulfate	mg/L	<0.000071	0.00010	0.000071	06/28/22 15:39	
Endrin	mg/L	<0.000089	0.00010	0.000089	06/28/22 15:39	
Endrin aldehyde	mg/L	<0.000098	0.00010	0.000098	06/28/22 15:39	
Endrin ketone	mg/L	<0.000080	0.00010	0.000080	06/28/22 15:39	
gamma-BHC (Lindane)	mg/L	<0.000038	0.000050	0.000038	06/28/22 15:39	
gamma-Chlordane	mg/L	<0.000049	0.00050	0.000049	06/28/22 15:39	
Heptachlor	mg/L	<0.000042	0.000050	0.000042	06/28/22 15:39	
Heptachlor epoxide	mg/L	<0.000042	0.000050	0.000042	06/28/22 15:39	
Methoxychlor	mg/L	<0.00042	0.00050	0.00042	06/28/22 15:39	
Toxaphene	mg/L	<0.0023	0.0050	0.0023	06/28/22 15:39	
Decachlorobiphenyl (S)	%	99	10-135		06/28/22 15:39	1q

LABORATORY CONTROL SAMPLE: 3144446

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	mg/L	0.002	0.0020	102	43-163	
4,4'-DDE	mg/L	0.002	0.0020	101	40-160	
4,4'-DDT	mg/L	0.002	0.0019	97	41-168	
Aldrin	mg/L	0.001	0.00094	94	21-146	
alpha-BHC	mg/L	0.001	0.00088	88	42-152	
alpha-Chlordane	mg/L	0.001	0.00096	96	42-147	
beta-BHC	mg/L	0.001	0.00097	97	41-149	
delta-BHC	mg/L	0.001	0.00092	92	32-144	
Dieldrin	mg/L	0.002	0.0020	102	41-159	
Endosulfan I	mg/L	0.001	0.00099	99	42-148	
Endosulfan II	mg/L	0.002	0.0020	101	45-166	
Endosulfan sulfate	mg/L	0.002	0.0021	107	41-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

LABORATORY CONTROL SAMPLE: 3144446

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endrin	mg/L	0.002	0.0020	101	44-159	
Endrin aldehyde	mg/L	0.002	0.0021	107	40-151	
Endrin ketone	mg/L	0.002	0.0019	95	40-161	
gamma-BHC (Lindane)	mg/L	0.001	0.00093	93	40-153	
gamma-Chlordane	mg/L	0.001	0.0011	108	43-163	
Heptachlor	mg/L	0.001	0.00090	90	29-152	
Heptachlor epoxide	mg/L	0.001	0.00097	97	43-146	
Methoxychlor	mg/L	0.01	0.0096	96	40-170	
Decachlorobiphenyl (S)	%			87	10-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

QC Batch: 419303 Analysis Method: EPA 8082A
QC Batch Method: EPA 3510 Analysis Description: 8082A GCS PCB
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005

METHOD BLANK: 2414552 Matrix: Water
Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/L	<0.00011	0.00050	0.00011	06/27/22 10:51	
PCB-1221 (Aroclor 1221)	mg/L	<0.00011	0.00050	0.00011	06/27/22 10:51	
PCB-1232 (Aroclor 1232)	mg/L	<0.00011	0.00050	0.00011	06/27/22 10:51	
PCB-1242 (Aroclor 1242)	mg/L	<0.00011	0.00050	0.00011	06/27/22 10:51	
PCB-1248 (Aroclor 1248)	mg/L	<0.00011	0.00050	0.00011	06/27/22 10:51	
PCB-1254 (Aroclor 1254)	mg/L	<0.00011	0.00050	0.00011	06/27/22 10:51	
PCB-1260 (Aroclor 1260)	mg/L	<0.00011	0.00050	0.00011	06/27/22 10:51	
Decachlorobiphenyl (S)	%	69	10-113		06/27/22 10:51	
Tetrachloro-m-xylene (S)	%	88	17-141		06/27/22 10:51	

METHOD BLANK: 2414555 Matrix: Water
Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/L	<0.00056	0.0025	0.00056	06/27/22 12:04	
PCB-1221 (Aroclor 1221)	mg/L	<0.00056	0.0025	0.00056	06/27/22 12:04	
PCB-1232 (Aroclor 1232)	mg/L	<0.00056	0.0025	0.00056	06/27/22 12:04	
PCB-1242 (Aroclor 1242)	mg/L	<0.00056	0.0025	0.00056	06/27/22 12:04	
PCB-1248 (Aroclor 1248)	mg/L	<0.00056	0.0025	0.00056	06/27/22 12:04	
PCB-1254 (Aroclor 1254)	mg/L	<0.00056	0.0025	0.00056	06/27/22 12:04	
PCB-1260 (Aroclor 1260)	mg/L	<0.00056	0.0025	0.00056	06/27/22 12:04	
Decachlorobiphenyl (S)	%	79	10-113		06/27/22 12:04	
Tetrachloro-m-xylene (S)	%	91	17-141		06/27/22 12:04	

LABORATORY CONTROL SAMPLE & LCSD: 2414553

Parameter	Units	2414554		LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result						
PCB-1016 (Aroclor 1016)	mg/L		<0.00011	<0.00011				20	
PCB-1221 (Aroclor 1221)	mg/L		<0.00011	<0.00011				20	
PCB-1232 (Aroclor 1232)	mg/L		<0.00011	<0.00011				20	
PCB-1242 (Aroclor 1242)	mg/L		<0.00011	<0.00011				20	
PCB-1248 (Aroclor 1248)	mg/L		<0.00011	<0.00011				20	
PCB-1254 (Aroclor 1254)	mg/L		<0.00011	<0.00011				20	
PCB-1260 (Aroclor 1260)	mg/L	0.005	0.0049	0.0049	99	98	67-110	1	20
Decachlorobiphenyl (S)	%				56	57	10-113		
Tetrachloro-m-xylene (S)	%				88	88	17-141		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

MATRIX SPIKE SAMPLE: 2414556		40246907002	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
PCB-1016 (Aroclor 1016)	mg/L	<0.56 ug/L		<0.00056			
PCB-1221 (Aroclor 1221)	mg/L	<0.56 ug/L		<0.00056			
PCB-1232 (Aroclor 1232)	mg/L	<0.56 ug/L		<0.00056			
PCB-1242 (Aroclor 1242)	mg/L	<0.56 ug/L		<0.00056			
PCB-1248 (Aroclor 1248)	mg/L	<0.56 ug/L		<0.00056			
PCB-1254 (Aroclor 1254)	mg/L	<0.56 ug/L		<0.00056			
PCB-1260 (Aroclor 1260)	mg/L	<0.56 ug/L	0.025	0.023	92	29-131	
Decachlorobiphenyl (S)	%				75	10-113	
Tetrachloro-m-xylene (S)	%				91	17-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

QC Batch: 419211 Analysis Method: EPA 8270E
QC Batch Method: EPA 3510 Analysis Description: 8270E Water MSSV Low Volume
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005

METHOD BLANK: 2413968 Matrix: Water
Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/L	<0.0024	0.0050	0.0024	06/24/22 09:36	
1,2-Dichlorobenzene	mg/L	<0.0020	0.0050	0.0020	06/24/22 09:36	
1,3-Dichlorobenzene	mg/L	<0.0022	0.0050	0.0022	06/24/22 09:36	
1,4-Dichlorobenzene	mg/L	<0.0018	0.0050	0.0018	06/24/22 09:36	
2,2'-Oxybis(1-chloropropane)	mg/L	<0.00079	0.0050	0.00079	06/24/22 09:36	CH
2,4,5-Trichlorophenol	mg/L	<0.0018	0.0050	0.0018	06/24/22 09:36	
2,4,6-Trichlorophenol	mg/L	<0.0020	0.0050	0.0020	06/24/22 09:36	
2,4-Dichlorophenol	mg/L	<0.0015	0.0050	0.0015	06/24/22 09:36	
2,4-Dimethylphenol	mg/L	<0.00043	0.0050	0.00043	06/24/22 09:36	
2,4-Dinitrophenol	mg/L	<0.0026	0.010	0.0026	06/24/22 09:36	
2,4-Dinitrotoluene	mg/L	<0.00038	0.0050	0.00038	06/24/22 09:36	
2,6-Dinitrotoluene	mg/L	<0.00085	0.0050	0.00085	06/24/22 09:36	
2-Chloronaphthalene	mg/L	<0.0012	0.0050	0.0012	06/24/22 09:36	
2-Chlorophenol	mg/L	<0.0026	0.0050	0.0026	06/24/22 09:36	
2-Methylphenol(o-Cresol)	mg/L	<0.00077	0.0050	0.00077	06/24/22 09:36	
2-Nitroaniline	mg/L	<0.00092	0.0050	0.00092	06/24/22 09:36	CH
2-Nitrophenol	mg/L	<0.0015	0.0050	0.0015	06/24/22 09:36	
3&4-Methylphenol(m&p Cresol)	mg/L	<0.00060	0.0050	0.00060	06/24/22 09:36	
3,3'-Dichlorobenzidine	mg/L	<0.00054	0.0050	0.00054	06/24/22 09:36	2q
3-Nitroaniline	mg/L	<0.00071	0.0050	0.00071	06/24/22 09:36	
4,6-Dinitro-2-methylphenol	mg/L	<0.0012	0.0050	0.0012	06/24/22 09:36	
4-Bromophenylphenyl ether	mg/L	<0.00088	0.0050	0.00088	06/24/22 09:36	
4-Chloro-3-methylphenol	mg/L	<0.00094	0.0050	0.00094	06/24/22 09:36	
4-Chloroaniline	mg/L	<0.00089	0.0050	0.00089	06/24/22 09:36	2q
4-Chlorophenylphenyl ether	mg/L	<0.00061	0.0050	0.00061	06/24/22 09:36	
4-Nitroaniline	mg/L	<0.00045	0.010	0.00045	06/24/22 09:36	
4-Nitrophenol	mg/L	<0.0020	0.0050	0.0020	06/24/22 09:36	
bis(2-Chloroethoxy)methane	mg/L	<0.00043	0.0050	0.00043	06/24/22 09:36	
bis(2-Chloroethyl) ether	mg/L	<0.00068	0.0050	0.00068	06/24/22 09:36	
bis(2-Ethylhexyl)phthalate	mg/L	<0.00069	0.0050	0.00069	06/24/22 09:36	
Butylbenzylphthalate	mg/L	<0.00069	0.0050	0.00069	06/24/22 09:36	
Carbazole	mg/L	<0.00023	0.0050	0.00023	06/24/22 09:36	
Di-n-butylphthalate	mg/L	<0.00033	0.0050	0.00033	06/24/22 09:36	
Di-n-octylphthalate	mg/L	<0.00046	0.010	0.00046	06/24/22 09:36	
Dibenzofuran	mg/L	<0.00093	0.0050	0.00093	06/24/22 09:36	
Diethylphthalate	mg/L	<0.00060	0.0050	0.00060	06/24/22 09:36	
Dimethylphthalate	mg/L	<0.00042	0.0050	0.00042	06/24/22 09:36	
Hexachloro-1,3-butadiene	mg/L	<0.0025	0.010	0.0025	06/24/22 09:36	
Hexachlorobenzene	mg/L	<0.0016	0.0050	0.0016	06/24/22 09:36	
Hexachlorocyclopentadiene	mg/L	<0.0019	0.0050	0.0019	06/24/22 09:36	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

METHOD BLANK: 2413968 Matrix: Water
Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Hexachloroethane	mg/L	<0.0015	0.0050	0.0015	06/24/22 09:36	
Isophorone	mg/L	<0.00040	0.0050	0.00040	06/24/22 09:36	
N-Nitroso-di-n-propylamine	mg/L	<0.00082	0.0050	0.00082	06/24/22 09:36	
N-Nitrosodiphenylamine	mg/L	<0.00041	0.0050	0.00041	06/24/22 09:36	
Nitrobenzene	mg/L	<0.00051	0.0050	0.00051	06/24/22 09:36	
Pentachlorophenol	mg/L	<0.0016	0.0050	0.0016	06/24/22 09:36	
Phenol	mg/L	<0.00098	0.0050	0.00098	06/24/22 09:36	
2,4,6-Tribromophenol (S)	%	87	10-142		06/24/22 09:36	
2-Fluorobiphenyl (S)	%	62	10-101		06/24/22 09:36	
2-Fluorophenol (S)	%	58	10-89		06/24/22 09:36	
Nitrobenzene-d5 (S)	%	90	10-120		06/24/22 09:36	
Phenol-d6 (S)	%	39	10-130		06/24/22 09:36	
Terphenyl-d14 (S)	%	100	36-138		06/24/22 09:36	

METHOD BLANK: 2413144 Matrix: Water
Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/L	<0.012	0.025	0.012	06/24/22 15:07	
1,2-Dichlorobenzene	mg/L	<0.010	0.025	0.010	06/24/22 15:07	
1,3-Dichlorobenzene	mg/L	<0.011	0.025	0.011	06/24/22 15:07	
1,4-Dichlorobenzene	mg/L	<0.0089	0.025	0.0089	06/24/22 15:07	
2,2'-Oxybis(1-chloropropane)	mg/L	<0.0039	0.025	0.0039	06/24/22 15:07	CH
2,4,5-Trichlorophenol	mg/L	<0.0091	0.025	0.0091	06/24/22 15:07	
2,4,6-Trichlorophenol	mg/L	<0.010	0.025	0.010	06/24/22 15:07	
2,4-Dichlorophenol	mg/L	<0.0076	0.025	0.0076	06/24/22 15:07	
2,4-Dimethylphenol	mg/L	<0.0021	0.025	0.0021	06/24/22 15:07	
2,4-Dinitrophenol	mg/L	<0.013	0.050	0.013	06/24/22 15:07	
2,4-Dinitrotoluene	mg/L	<0.0019	0.025	0.0019	06/24/22 15:07	
2,6-Dinitrotoluene	mg/L	<0.0042	0.025	0.0042	06/24/22 15:07	
2-Chloronaphthalene	mg/L	<0.0062	0.025	0.0062	06/24/22 15:07	
2-Chlorophenol	mg/L	<0.013	0.025	0.013	06/24/22 15:07	
2-Methylphenol(o-Cresol)	mg/L	<0.0039	0.025	0.0039	06/24/22 15:07	
2-Nitroaniline	mg/L	<0.0046	0.025	0.0046	06/24/22 15:07	CH
2-Nitrophenol	mg/L	<0.0075	0.025	0.0075	06/24/22 15:07	
3&4-Methylphenol(m&p Cresol)	mg/L	<0.0030	0.025	0.0030	06/24/22 15:07	
3,3'-Dichlorobenzidine	mg/L	<0.0027	0.025	0.0027	06/24/22 15:07	2q
3-Nitroaniline	mg/L	<0.0036	0.025	0.0036	06/24/22 15:07	
4,6-Dinitro-2-methylphenol	mg/L	<0.0061	0.025	0.0061	06/24/22 15:07	
4-Bromophenylphenyl ether	mg/L	<0.0044	0.025	0.0044	06/24/22 15:07	
4-Chloro-3-methylphenol	mg/L	<0.0047	0.025	0.0047	06/24/22 15:07	
4-Chloroaniline	mg/L	<0.0045	0.025	0.0045	06/24/22 15:07	2q
4-Chlorophenylphenyl ether	mg/L	<0.0031	0.025	0.0031	06/24/22 15:07	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

METHOD BLANK: 2413144 Matrix: Water
Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4-Nitroaniline	mg/L	<0.0022	0.050	0.0022	06/24/22 15:07	
4-Nitrophenol	mg/L	<0.010	0.025	0.010	06/24/22 15:07	
bis(2-Chloroethoxy)methane	mg/L	<0.0022	0.025	0.0022	06/24/22 15:07	
bis(2-Chloroethyl) ether	mg/L	<0.0034	0.025	0.0034	06/24/22 15:07	
bis(2-Ethylhexyl)phthalate	mg/L	<0.0034	0.025	0.0034	06/24/22 15:07	
Butylbenzylphthalate	mg/L	<0.0035	0.025	0.0035	06/24/22 15:07	
Carbazole	mg/L	<0.0012	0.025	0.0012	06/24/22 15:07	
Di-n-butylphthalate	mg/L	<0.0016	0.025	0.0016	06/24/22 15:07	
Di-n-octylphthalate	mg/L	<0.0023	0.050	0.0023	06/24/22 15:07	
Dibenzofuran	mg/L	<0.0046	0.025	0.0046	06/24/22 15:07	
Diethylphthalate	mg/L	<0.0030	0.025	0.0030	06/24/22 15:07	
Dimethylphthalate	mg/L	<0.0021	0.025	0.0021	06/24/22 15:07	
Hexachloro-1,3-butadiene	mg/L	<0.013	0.050	0.013	06/24/22 15:07	
Hexachlorobenzene	mg/L	<0.0082	0.025	0.0082	06/24/22 15:07	
Hexachlorocyclopentadiene	mg/L	<0.0096	0.025	0.0096	06/24/22 15:07	
Hexachloroethane	mg/L	<0.0076	0.025	0.0076	06/24/22 15:07	
Isophorone	mg/L	<0.0020	0.025	0.0020	06/24/22 15:07	
N-Nitroso-di-n-propylamine	mg/L	<0.0041	0.025	0.0041	06/24/22 15:07	
N-Nitrosodiphenylamine	mg/L	<0.0020	0.025	0.0020	06/24/22 15:07	
Nitrobenzene	mg/L	<0.0025	0.025	0.0025	06/24/22 15:07	
Pentachlorophenol	mg/L	<0.0081	0.025	0.0081	06/24/22 15:07	
Phenol	mg/L	<0.0049	0.025	0.0049	06/24/22 15:07	

LABORATORY CONTROL SAMPLE: 2413969

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/L	0.05	0.026	51	27-130	
1,2-Dichlorobenzene	mg/L	0.05	0.027	53	36-130	
1,3-Dichlorobenzene	mg/L	0.05	0.025	50	30-130	
1,4-Dichlorobenzene	mg/L	0.05	0.026	52	32-130	
2,2'-Oxybis(1-chloropropane)	mg/L	0.05	0.051	102	64-130	CH
2,4,5-Trichlorophenol	mg/L	0.05	0.044	88	40-115	
2,4,6-Trichlorophenol	mg/L	0.05	0.040	81	33-115	
2,4-Dichlorophenol	mg/L	0.05	0.042	84	47-109	
2,4-Dimethylphenol	mg/L	0.05	0.043	87	70-130	
2,4-Dinitrophenol	mg/L	0.05	0.020	41	17-79	
2,4-Dinitrotoluene	mg/L	0.05	0.041	82	61-130	
2,6-Dinitrotoluene	mg/L	0.05	0.046	92	64-130	
2-Chloronaphthalene	mg/L	0.05	0.032	64	37-130	
2-Chlorophenol	mg/L	0.05	0.041	82	51-130	
2-Methylphenol(o-Cresol)	mg/L	0.05	0.041	82	68-130	
2-Nitroaniline	mg/L	0.05	0.046	92	63-130	CH
2-Nitrophenol	mg/L	0.05	0.040	81	43-108	
3&4-Methylphenol(m&p Cresol)	mg/L	0.05	0.038	75	62-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

LABORATORY CONTROL SAMPLE: 2413969

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
3,3'-Dichlorobenzidine	mg/L	0.05	0.036	71	47-130	2q
3-Nitroaniline	mg/L	0.05	0.043	86	59-130	
4,6-Dinitro-2-methylphenol	mg/L	0.05	0.030	60	29-90	
4-Bromophenylphenyl ether	mg/L	0.05	0.036	72	64-130	
4-Chloro-3-methylphenol	mg/L	0.05	0.044	87	66-130	
4-Chloroaniline	mg/L	0.05	0.043	86	64-130	2q
4-Chlorophenylphenyl ether	mg/L	0.05	0.035	70	53-130	
4-Nitroaniline	mg/L	0.05	0.034	68	61-130	
4-Nitrophenol	mg/L	0.05	0.011	23	15-130	
bis(2-Chloroethoxy)methane	mg/L	0.05	0.043	87	70-130	
bis(2-Chloroethyl) ether	mg/L	0.05	0.047	93	65-130	
bis(2-Ethylhexyl)phthalate	mg/L	0.05	0.041	82	59-130	
Butylbenzylphthalate	mg/L	0.05	0.043	86	63-130	
Carbazole	mg/L	0.05	0.046	92	70-130	
Di-n-butylphthalate	mg/L	0.05	0.043	85	65-130	
Di-n-octylphthalate	mg/L	0.05	0.040	81	50-130	
Dibenzofuran	mg/L	0.05	0.038	76	56-130	
Diethylphthalate	mg/L	0.05	0.044	88	70-130	
Dimethylphthalate	mg/L	0.05	0.044	87	70-130	
Hexachloro-1,3-butadiene	mg/L	0.05	0.019	39	10-70	
Hexachlorobenzene	mg/L	0.05	0.037	75	68-130	
Hexachlorocyclopentadiene	mg/L	0.05	0.013	27	10-130	
Hexachloroethane	mg/L	0.05	0.023	45	16-130	
Isophorone	mg/L	0.05	0.046	91	70-130	
N-Nitroso-di-n-propylamine	mg/L	0.05	0.043	86	70-130	
N-Nitrosodiphenylamine	mg/L	0.05	0.040	81	70-130	
Nitrobenzene	mg/L	0.05	0.047	94	70-130	
Pentachlorophenol	mg/L	0.05	0.030	59	32-93	
Phenol	mg/L	0.05	0.022	45	31-130	
2,4,6-Tribromophenol (S)	%			89	10-142	
2-Fluorobiphenyl (S)	%			68	10-101	
2-Fluorophenol (S)	%			62	10-89	
Nitrobenzene-d5 (S)	%			90	10-120	
Phenol-d6 (S)	%			42	10-130	
Terphenyl-d14 (S)	%			98	36-138	

MATRIX SPIKE SAMPLE: 2413971

Parameter	Units	40246910002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/L	ND	0.25	0.14	54	27-130	
1,2-Dichlorobenzene	mg/L	ND	0.25	0.13	53	36-130	
1,3-Dichlorobenzene	mg/L	ND	0.25	0.10	41	30-130	
1,4-Dichlorobenzene	mg/L	ND	0.25	0.13	50	32-130	
2,2'-Oxybis(1-chloropropane)	mg/L	ND	0.25	0.27	107	64-130	CH
2,4,5-Trichlorophenol	mg/L	ND	0.25	0.12	49	40-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

MATRIX SPIKE SAMPLE:	2413971	40246910002	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
2,4,6-Trichlorophenol	mg/L	ND	0.25	0.10	41	33-115	
2,4-Dichlorophenol	mg/L	ND	0.25	0.13	53	47-109	
2,4-Dimethylphenol	mg/L	267 ug/L	0.25	0.50	95	70-130	
2,4-Dinitrophenol	mg/L	ND	0.25	0.081	32	17-79	
2,4-Dinitrotoluene	mg/L	ND	0.25	0.22	89	61-130	
2,6-Dinitrotoluene	mg/L	ND	0.25	0.26	105	64-130	
2-Chloronaphthalene	mg/L	ND	0.25	0.19	75	37-130	
2-Chlorophenol	mg/L	ND	0.25	0.020J	8	51-130	M1
2-Methylphenol(o-Cresol)	mg/L	0.26	0.25	0.46	78	68-130	
2-Nitroaniline	mg/L	ND	0.25	0.29	115	63-130	CH
2-Nitrophenol	mg/L	ND	0.25	0.12	48	43-108	
3&4-Methylphenol(m&p Cresol)	mg/L	0.40	0.25	0.59	76	62-130	
3,3'-Dichlorobenzidine	mg/L	ND	0.25	0.019J	8	47-130	2q,M1
3-Nitroaniline	mg/L	ND	0.25	0.038	15	59-130	M1
4,6-Dinitro-2-methylphenol	mg/L	ND	0.25	0.087	35	29-90	
4-Bromophenylphenyl ether	mg/L	ND	0.25	0.20	80	64-130	
4-Chloro-3-methylphenol	mg/L	368 ug/L	0.25	0.59	88	66-130	
4-Chloroaniline	mg/L	ND	0.25	0.12	48	64-130	2q,M1
4-Chlorophenylphenyl ether	mg/L	ND	0.25	0.21	82	53-130	
4-Nitroaniline	mg/L	ND	0.25	0.074	30	61-130	M1
4-Nitrophenol	mg/L	ND	0.25	0.10	40	15-130	
bis(2-Chloroethoxy)methane	mg/L	ND	0.25	0.22	89	70-130	
bis(2-Chloroethyl) ether	mg/L	ND	0.25	0.24	95	65-130	
bis(2-Ethylhexyl)phthalate	mg/L	ND	0.25	0.25	101	59-130	
Butylbenzylphthalate	mg/L	ND	0.25	0.26	105	63-130	
Carbazole	mg/L	ND	0.25	0.26	97	70-130	
Di-n-butylphthalate	mg/L	ND	0.25	0.26	103	65-130	
Di-n-octylphthalate	mg/L	ND	0.25	0.25	100	50-130	
Dibenzofuran	mg/L	ND	0.25	0.22	87	56-130	
Diethylphthalate	mg/L	ND	0.25	0.25	101	70-130	
Dimethylphthalate	mg/L	ND	0.25	0.24	97	70-130	
Hexachloro-1,3-butadiene	mg/L	ND	0.25	0.12	47	10-70	
Hexachlorobenzene	mg/L	ND	0.25	0.21	83	68-130	
Hexachlorocyclopentadiene	mg/L	ND	0.25	<0.0096	1	10-130	M1
Hexachloroethane	mg/L	ND	0.25	0.14	57	16-130	
Isophorone	mg/L	ND	0.25	0.23	93	70-130	
N-Nitroso-di-n-propylamine	mg/L	ND	0.25	1.2	472	70-130	M1
N-Nitrosodiphenylamine	mg/L	ND	0.25	0.22	88	70-130	
Nitrobenzene	mg/L	ND	0.25	0.25	102	70-130	
Pentachlorophenol	mg/L	ND	0.25	0.13	51	32-93	
Phenol	mg/L	ND	0.25	<0.0049	-1	31-130	M1
2,4,6-Tribromophenol (S)	%				52	10-142	
2-Fluorobiphenyl (S)	%				79	10-101	
2-Fluorophenol (S)	%				5	10-89	S0
Nitrobenzene-d5 (S)	%				93	10-120	
Phenol-d6 (S)	%				0	10-130	S0
Terphenyl-d14 (S)	%				98	36-138	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

QC Batch: 419424 Analysis Method: EPA 8270E by SIM
QC Batch Method: EPA 3510 Analysis Description: 8270E Water PAH
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005

METHOD BLANK: 2415758 Matrix: Water
Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
2-Methylnaphthalene	mg/L	<0.000014	0.000050	0.000014	06/28/22 07:42	
Acenaphthene	mg/L	<0.000014	0.000050	0.000014	06/28/22 07:42	
Acenaphthylene	mg/L	<0.000013	0.000050	0.000013	06/28/22 07:42	
Anthracene	mg/L	<0.000018	0.000050	0.000018	06/28/22 07:42	
Benzo(a)anthracene	mg/L	<0.000014	0.000050	0.000014	06/28/22 07:42	
Benzo(a)pyrene	mg/L	<0.000013	0.000050	0.000013	06/28/22 07:42	
Benzo(b)fluoranthene	mg/L	<0.000091	0.000050	0.000091	06/28/22 07:42	
Benzo(g,h,i)perylene	mg/L	<0.000023	0.000050	0.000023	06/28/22 07:42	
Benzo(k)fluoranthene	mg/L	<0.000022	0.000050	0.000022	06/28/22 07:42	
Chrysene	mg/L	<0.000013	0.000050	0.000013	06/28/22 07:42	
Dibenz(a,h)anthracene	mg/L	<0.000018	0.000050	0.000018	06/28/22 07:42	
Fluoranthene	mg/L	<0.000026	0.000050	0.000026	06/28/22 07:42	
Fluorene	mg/L	<0.000024	0.000050	0.000024	06/28/22 07:42	
Indeno(1,2,3-cd)pyrene	mg/L	<0.000016	0.000050	0.000016	06/28/22 07:42	
Naphthalene	mg/L	<0.000020	0.000050	0.000020	06/28/22 07:42	
Phenanthrene	mg/L	<0.000026	0.000050	0.000026	06/28/22 07:42	
Pyrene	mg/L	<0.000023	0.000050	0.000023	06/28/22 07:42	
2-Fluorobiphenyl (S)	%	79	44-120		06/28/22 07:42	
Terphenyl-d14 (S)	%	83	49-120		06/28/22 07:42	

LABORATORY CONTROL SAMPLE & LCSD: 2415759 2415760

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
2-Methylnaphthalene	mg/L	0.002	0.0015	0.0013	77	63	50-120	19	20	
Acenaphthene	mg/L	0.002	0.0018	0.0015	88	74	65-120	17	20	
Acenaphthylene	mg/L	0.002	0.0017	0.0014	83	69	61-120	19	20	
Anthracene	mg/L	0.002	0.0018	0.0015	90	73	61-104	20	20	
Benzo(a)anthracene	mg/L	0.002	0.0013	0.0010	67	51	51-96	27	20 R1	
Benzo(a)pyrene	mg/L	0.002	0.0019	0.0016	97	82	68-120	17	20	
Benzo(b)fluoranthene	mg/L	0.002	0.0015	0.0013	75	63	55-97	16	20	
Benzo(g,h,i)perylene	mg/L	0.002	0.0019	0.0016	97	82	69-120	16	20	
Benzo(k)fluoranthene	mg/L	0.002	0.0021	0.0019	107	94	73-120	13	20	
Chrysene	mg/L	0.002	0.0025	0.0022	124	110	72-126	11	20	
Dibenz(a,h)anthracene	mg/L	0.002	0.0021	0.0018	107	92	57-115	15	20	
Fluoranthene	mg/L	0.002	0.0017	0.0014	83	71	58-111	17	20	
Fluorene	mg/L	0.002	0.0017	0.0015	86	75	62-120	15	20	
Indeno(1,2,3-cd)pyrene	mg/L	0.002	0.0019	0.0017	97	85	66-120	13	20	
Naphthalene	mg/L	0.002	0.0016	0.0013	78	66	53-120	18	20	
Phenanthrene	mg/L	0.002	0.0015	0.0013	76	64	59-120	18	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

Parameter	Units	2415759		2415760		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCS Result	LCSD Result						
Pyrene	mg/L	0.002	0.0018	0.0015		89	76	59-120	15	20	
2-Fluorobiphenyl (S)	%					84	71	44-120			
Terphenyl-d14 (S)	%					80	69	49-120			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

QC Batch: 419181

Analysis Method: EPA 335.4

QC Batch Method: EPA 335.4

Analysis Description: 335.4 Cyanide, Total

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005

METHOD BLANK: 2413878

Matrix: Water

Associated Lab Samples: 40246997001, 40246997002, 40246997003, 40246997004, 40246997005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Cyanide	mg/L	<0.0069	0.023	0.0069	06/23/22 10:44	

LABORATORY CONTROL SAMPLE: 2413879

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/L	0.1	0.10	100	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2413880 2413881

Parameter	Units	2413880		2413881		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40246997005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
Cyanide	mg/L	<0.0069	0.1	0.1	0.10	0.093	102	93	90-110	10	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40246997

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: 419456

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

1q A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

2q The initial calibration verification for this compound was outside of method control limits.

CH The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

R1 RPD value was outside control limits.

S0 Surrogate recovery outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40246997

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40246997001	MW-01	EPA 3510	683246	EPA 8081	683480
40246997002	MW-04	EPA 3510	683246	EPA 8081	683480
40246997003	MW-11	EPA 3510	683246	EPA 8081	683480
40246997004	MW-05	EPA 3510	683246	EPA 8081	683480
40246997005	MW-06	EPA 3510	683246	EPA 8081	683480
40246997001	MW-01	EPA 3510	419303	EPA 8082A	419358
40246997002	MW-04	EPA 3510	419303	EPA 8082A	419358
40246997003	MW-11	EPA 3510	419303	EPA 8082A	419358
40246997004	MW-05	EPA 3510	419303	EPA 8082A	419358
40246997005	MW-06	EPA 3510	419303	EPA 8082A	419358
40246997001	MW-01	EPA 3010	259340	EPA 6020A	259359
40246997002	MW-04	EPA 3010	259340	EPA 6020A	259359
40246997003	MW-11	EPA 3010	259340	EPA 6020A	259359
40246997004	MW-05	EPA 3010	259340	EPA 6020A	259359
40246997005	MW-06	EPA 3010	259340	EPA 6020A	259359
40246997001	MW-01	EPA 7470	419673	EPA 7470	419720
40246997002	MW-04	EPA 7470	419673	EPA 7470	419720
40246997003	MW-11	EPA 7470	419673	EPA 7470	419720
40246997004	MW-05	EPA 7470	419673	EPA 7470	419720
40246997005	MW-06	EPA 7470	419673	EPA 7470	419720
40246997001	MW-01	EPA 3510	419211	EPA 8270E	419264
40246997002	MW-04	EPA 3510	419211	EPA 8270E	419264
40246997003	MW-11	EPA 3510	419211	EPA 8270E	419264
40246997004	MW-05	EPA 3510	419211	EPA 8270E	419264
40246997005	MW-06	EPA 3510	419211	EPA 8270E	419264
40246997001	MW-01	EPA 3510	419424	EPA 8270E by SIM	419456
40246997002	MW-04	EPA 3510	419424	EPA 8270E by SIM	419456
40246997003	MW-11	EPA 3510	419424	EPA 8270E by SIM	419456
40246997004	MW-05	EPA 3510	419424	EPA 8270E by SIM	419456
40246997005	MW-06	EPA 3510	419424	EPA 8270E by SIM	419456
40246997001	MW-01	EPA 8260	419176		
40246997002	MW-04	EPA 8260	419176		
40246997003	MW-11	EPA 8260	419176		
40246997004	MW-05	EPA 8260	419176		
40246997005	MW-06	EPA 8260	419176		
40246997006	TB-01	EPA 8260	419176		
40246997001	MW-01	EPA 335.4	419181	EPA 335.4	419202
40246997002	MW-04	EPA 335.4	419181	EPA 335.4	419202
40246997003	MW-11	EPA 335.4	419181	EPA 335.4	419202
40246997004	MW-05	EPA 335.4	419181	EPA 335.4	419202
40246997005	MW-06	EPA 335.4	419181	EPA 335.4	419202

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: Fehr Graham
 Branch/Location: Rockford, IL
 Project Contact: Tony Guajardo and Annie Ray
 Phone: (815) 394-4700
 Project Number: 22-521 PH01
 Project Name: Pillsbury
 Project State: IL
 Sampled By (Print): Tony Guajardo
 Sampled By (Sign): *Tony Guajardo*
 PO #: 22-521 PH01 Regulatory Program:



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

COC No. *40246997*

CHAIN OF CUSTODY

*Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N	N	N	N
Pick Letter	B	A	D	A	A	G
Analyses Requested						
	VOCS	SVOCS	TAL Metals + Hg	PCBS	Pesticides	Cyanide
	X	X	X	X	X	X
	X	X	X	X	X	X
	X	X	X	X	X	X
	X	X	X	X	X	X
	X					

Quote #:
 Mail To Contact: Tony Guajardo
 Mail To Company: Fehr Graham
 Mail To Address: 200 Prairie Street, Suite 208 Rockford, IL 61107
 Invoice To Contact: Annie Ray
 Invoice To Company: Fehr Graham
 Invoice To Address: 200 Prairie Street, Suite 208 Rockford, IL 61107
 Invoice To Phone: (815) 394-4700
 CLIENT COMMENTS
 LAB COMMENTS (Lab Use Only)
 Profile #

Data Package Options (billable)
 EPA Level III
 EPA Level IV
 MS/MSD
 On your sample (billable)
 NOT needed on your sample
 Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 Sl = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	MW-01	6/21	1200	GW
002	MW-04	6/21	1300	GW
003	MW-11	6/21	1400	GW
004	MW-05	6/21	1440	GW
005	MW-06	6/21	1530	GW
006	TB-01	6/21	1600	GW

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed:
 Relinquished By: *WJL* Date/Time: *6/21/22 1800*
 Received By: *pace* Date/Time: *6/22/22 1020*
 PACE Project No. *40246997*
 Receipt Temp = *2/3* °C
 Sample Receipt pH (OK/Adjusted)
 Coder/Custody Seal Present / Not Present Intact / Not Intact
 Transmit Prelim Rush Results by (complete what you want): *UPS*
 Relinquished By: *UPS* Date/Time: *6/22/22 1020*
 Relinquished By: Date/Time: Received By: Date/Time:
 Relinquished By: Date/Time: Received By: Date/Time:
 Relinquished By: Date/Time: Received By: Date/Time:
 Relinquished By: Date/Time: Received By: Date/Time:

Sample Preservation Receipt Form

Client Name: Fehr Graham

Project # 40246997

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed: NK Date/Time:

Lab Lot# of pH paper: 10D311Z Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass					Plastic				Vials				Jars				General		VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)									
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D								JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC	GN		
001																																			2.5 / 5 / 10
002																																			2.5 / 5 / 10
003																																			2.5 / 5 / 10
004																																			2.5 / 5 / 10
005																																			2.5 / 5 / 10
006																																			2.5 / 5 / 10
007																																			2.5 / 5 / 10
008																																			2.5 / 5 / 10
009																																			2.5 / 5 / 10
010																																			2.5 / 5 / 10
011																																			2.5 / 5 / 10
012																																			2.5 / 5 / 10
013																																			2.5 / 5 / 10
014																																			2.5 / 5 / 10
015																																			2.5 / 5 / 10
016																																			2.5 / 5 / 10
017																																			2.5 / 5 / 10
018																																			2.5 / 5 / 10
019																																			2.5 / 5 / 10
020																																			2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm): Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	VG9A 40 mL clear ascorbic	JGFU 4 oz amber jar unpres
BG1U 1 liter clear glass	BP3U 250 mL plastic unpres	DG9T 40 mL amber Na Thio	JG9U 9 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP3B 250 mL plastic NaOH	VG9U 40 mL clear vial unpres	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9H 40 mL clear vial HCL	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3S 250 mL plastic H2SO4	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG5U 100 mL amber glass unpres		VG9D 40 mL clear vial DI	ZPLC ziploc bag
AG2S 500 mL amber glass H2SO4			GN
BG3U 250 mL clear glass unpres			

Sample Condition Upon Receipt Form (SCUR)

Client Name: Fehr Graham Project # 410246997


Additional Comments/Resolution: _____

1290E6F31399067310 SR-98 2/2

1290E6F31397347173 SR-98 3/3

Sample Condition Upon Receipt Form (SCUR)

Client Name: Fehr Graham
Courier: CS Logistics Fed Ex Speedee UPS Walco
 Client Pace Other: _____

Project #: _____
WO#: 40246997

 40246997

Tracking #: see attached sheet
Custody Seal on Cooler/Box Present: yes no **Seals intact:** yes no
Custody Seal on Samples Present: yes no **Seals intact:** yes no
Packing Material: Bubble Wrap Bubble Bags None Other
Thermometer Used: SR - 98 **Type of Ice:** Wet Blue Dry None
Cooler Temperature: Uncorr: 2/3 ICorr: 2/3
Temp Blank Present: yes no **Biological Tissue is Frozen:** yes no

Person examining contents:
Date: 6/22/22 **Initials:** NK
Labeled By Initials: mt

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		<u>6/22/22 NK</u> <u>"003" + "009" times differ</u> <u>"18:00"</u> <u>6/22/22 NK</u>
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>480</u>		

Client Notification/ Resolution: _____
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

If checked, see attached form for additional comments

July 06, 2022

Annie Ray
Fehr Graham
200 Prairie St
Suite 208
Rockford, IL 61107

RE: Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Dear Annie Ray:

Enclosed are the analytical results for sample(s) received by the laboratory on June 23, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay
- Pace Analytical Services - Indianapolis
- Pace Analytical Services - New Orleans

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Pace Analytical Services New Orleans

Florida Department of Health (NELAC): E87595
Illinois Environmental Protection Agency: 0025721
Kansas Department of Health and Environment (NELAC):
E-10266
Louisiana Dept. of Environmental Quality (NELAC/LELAP):
02006

Texas Commission on Env. Quality (NELAC):
T104704405-09-TX
U.S. Dept. of Agriculture Foreign Soil Import: P330-10-
00119

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019

Michigan Drinking Water Laboratory #9050
Ohio VAP Certified Laboratory #: CL0065
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Wisconsin Laboratory #: 999788130
USDA Soil Permit #: P330-19-00257

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40247068001	TB-02	Water	06/22/22 15:30	06/23/22 10:00
40247068002	BASEMENT-01	Solid	06/22/22 16:00	06/23/22 10:00
40247068003	20220622 DUP-01	Water	06/22/22 00:00	06/23/22 10:00
40247068004	MW-14	Water	06/22/22 06:50	06/23/22 10:00
40247068005	MW-15	Water	06/22/22 07:40	06/23/22 10:00
40247068006	MW-07	Water	06/22/22 08:30	06/23/22 10:00
40247068007	MW-12	Water	06/22/22 09:20	06/23/22 10:00
40247068008	MW-13	Water	06/22/22 10:00	06/23/22 10:00
40247068009	MW-10	Water	06/22/22 11:10	06/23/22 10:00
40247068010	MW-09	Water	06/22/22 12:10	06/23/22 10:00
40247068011	MW-08	Water	06/22/22 13:40	06/23/22 10:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40247068001	TB-02	EPA 8260	JAV	38	PASI-G
40247068002	BASEMENT-01	EPA 8081	KAV	23	PASI-I
		ASTM D2974-87	MYH	1	PASI-G
40247068003	20220622 DUP-01	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020A	FC1	22	PASI-N
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	53	PASI-G
		EPA 8270E by SIM	RJN	19	PASI-G
		EPA 8260	JAV	38	PASI-G
		EPA 335.4	DAW	1	PASI-G
40247068004	MW-14	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020A	FC1	22	PASI-N
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	53	PASI-G
		EPA 8270E by SIM	RJN	19	PASI-G
		EPA 8260	JAV	38	PASI-G
		EPA 335.4	DAW	1	PASI-G
40247068005	MW-15	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020A	FC1	22	PASI-N
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	53	PASI-G
		EPA 8270E by SIM	RJN	19	PASI-G
		EPA 8260	JAV	38	PASI-G
		EPA 335.4	DAW	1	PASI-G
40247068006	MW-07	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020A	FC1	22	PASI-N
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	53	PASI-G
		EPA 8270E by SIM	RJN	19	PASI-G
		EPA 8260	JAV	38	PASI-G
		EPA 335.4	DAW	1	PASI-G
40247068007	MW-12	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40247068008	MW-13	EPA 6020A	FC1	22	PASI-N
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	53	PASI-G
		EPA 8270E by SIM	RJN	19	PASI-G
		EPA 8260	JAV	38	PASI-G
		EPA 335.4	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020A	FC1	22	PASI-N
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	53	PASI-G
		EPA 8270E by SIM	RJN	19	PASI-G
		40247068009	MW-10	EPA 8260	JAV
EPA 335.4	DAW			1	PASI-G
EPA 8081	KAV			23	PASI-I
EPA 8082A	BLM			10	PASI-G
EPA 6020A	FC1			22	PASI-N
EPA 7470	AJT			1	PASI-G
EPA 8270E	RJN			53	PASI-G
EPA 8270E by SIM	RJN			19	PASI-G
EPA 8260	JAV			38	PASI-G
EPA 335.4	DAW			1	PASI-G
EPA 8081	KAV			23	PASI-I
EPA 8082A	BLM			10	PASI-G
40247068010	MW-09			EPA 6020A	FC1
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	53	PASI-G
		EPA 8270E by SIM	RJN	19	PASI-G
		EPA 8260	JAV	38	PASI-G
		EPA 335.4	DAW	1	PASI-G
		EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020A	FC1	22	PASI-N
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	53	PASI-G
		EPA 8270E by SIM	RJN	19	PASI-G
		40247068011	MW-08	EPA 8260	JAV
EPA 335.4	DAW			1	PASI-G
EPA 8081	KAV			23	PASI-I
EPA 8082A	BLM			10	PASI-G
EPA 6020A	FC1			22	PASI-N
EPA 7470	AJT			1	PASI-G
EPA 8270E	RJN			53	PASI-G
EPA 8270E by SIM	RJN			19	PASI-G
EPA 8260	JAV			38	PASI-G
EPA 335.4	DAW			1	PASI-G
EPA 8081	KAV			23	PASI-I
EPA 8082A	BLM			10	PASI-G
EPA 6020A	FC1			22	PASI-N

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 335.4	DAW	1	PASI-G

PASI-G = Pace Analytical Services - Green Bay

PASI-I = Pace Analytical Services - Indianapolis

PASI-N = Pace Analytical Services - New Orleans

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40247068002	BASEMENT-01					
EPA 8081	alpha-Chlordane	0.00086J	mg/kg	0.0032	06/29/22 17:53	
EPA 8081	gamma-Chlordane	0.0049	mg/kg	0.0032	06/29/22 17:41	
EPA 8081	Dieldrin	0.0033J	mg/kg	0.0064	06/29/22 17:41	
EPA 8081	Methoxychlor	0.013J	mg/kg	0.032	06/29/22 17:41	
ASTM D2974-87	Percent Moisture	23.0	%	0.10	06/24/22 14:22	
40247068003	20220622 DUP-01					
EPA 6020A	Arsenic	0.00022J	mg/L	0.0010	07/01/22 01:09	
EPA 6020A	Barium	0.063	mg/L	0.0010	07/01/22 01:09	
EPA 6020A	Calcium	88.8	mg/L	0.10	07/01/22 01:09	
EPA 6020A	Cobalt	0.00030J	mg/L	0.0010	07/01/22 01:09	
EPA 6020A	Lead	0.00012J	mg/L	0.0010	07/01/22 01:09	
EPA 6020A	Magnesium	38.3	mg/L	0.10	07/01/22 01:09	
EPA 6020A	Manganese	0.11	mg/L	0.0050	07/01/22 01:09	
EPA 6020A	Nickel	0.0011	mg/L	0.0010	07/01/22 01:09	
EPA 6020A	Potassium	0.28	mg/L	0.10	07/01/22 01:09	
EPA 6020A	Sodium	12.6	mg/L	0.10	07/01/22 01:09	
EPA 6020A	Zinc	0.010	mg/L	0.010	07/01/22 01:09	
EPA 8270E by SIM	Anthracene	0.000066	mg/L	0.000052	06/28/22 10:30	
EPA 8270E by SIM	Benzo(a)pyrene	0.000091	mg/L	0.000052	06/28/22 10:30	
EPA 8270E by SIM	Benzo(b)fluoranthene	0.00020	mg/L	0.000052	06/28/22 10:30	
EPA 8270E by SIM	Benzo(g,h,i)perylene	0.000099	mg/L	0.000052	06/28/22 10:30	
EPA 8270E by SIM	Benzo(k)fluoranthene	0.00014	mg/L	0.000052	06/28/22 10:30	
EPA 8270E by SIM	Chrysene	0.00027	mg/L	0.000052	06/28/22 10:30	
EPA 8270E by SIM	Dibenz(a,h)anthracene	0.000029J	mg/L	0.000052	06/28/22 10:30	
EPA 8270E by SIM	Fluoranthene	0.00028	mg/L	0.000052	06/28/22 10:30	
EPA 8270E by SIM	Indeno(1,2,3-cd)pyrene	0.000078	mg/L	0.000052	06/28/22 10:30	
EPA 8270E by SIM	Phenanthrene	0.000090	mg/L	0.000052	06/28/22 10:30	
EPA 8270E by SIM	Pyrene	0.00026	mg/L	0.000052	06/28/22 10:30	
40247068004	MW-14					
EPA 6020A	Arsenic	0.00026J	mg/L	0.0010	07/01/22 01:15	
EPA 6020A	Barium	0.045	mg/L	0.0010	07/01/22 01:15	
EPA 6020A	Calcium	125	mg/L	0.10	07/01/22 01:15	
EPA 6020A	Cobalt	0.00043J	mg/L	0.0010	07/01/22 01:15	
EPA 6020A	Copper	0.00084J	mg/L	0.0030	07/01/22 01:15	
EPA 6020A	Magnesium	54.7	mg/L	0.10	07/01/22 01:15	
EPA 6020A	Manganese	0.069	mg/L	0.0050	07/01/22 01:15	
EPA 6020A	Nickel	0.0012	mg/L	0.0010	07/01/22 01:15	
EPA 6020A	Potassium	0.70	mg/L	0.10	07/01/22 01:15	
EPA 6020A	Selenium	0.0057	mg/L	0.0010	07/01/22 01:15	
EPA 6020A	Sodium	23.0	mg/L	0.10	07/01/22 01:15	
EPA 6020A	Zinc	0.020	mg/L	0.010	07/01/22 01:15	
EPA 8270E by SIM	Naphthalene	0.000022J	mg/L	0.000050	06/28/22 10:48	
40247068005	MW-15					
EPA 6020A	Antimony	0.00071J	mg/L	0.0010	07/01/22 01:20	
EPA 6020A	Arsenic	0.00059J	mg/L	0.0010	07/01/22 01:20	
EPA 6020A	Barium	0.085	mg/L	0.0010	07/01/22 01:20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40247068005	MW-15					
EPA 6020A	Cadmium	0.00011J	mg/L	0.0010	07/01/22 01:20	
EPA 6020A	Calcium	162	mg/L	0.10	07/01/22 01:20	
EPA 6020A	Cobalt	0.00027J	mg/L	0.0010	07/01/22 01:20	
EPA 6020A	Copper	0.0010J	mg/L	0.0030	07/01/22 01:20	
EPA 6020A	Lead	0.00018J	mg/L	0.0010	07/01/22 01:20	
EPA 6020A	Magnesium	44.7	mg/L	0.10	07/01/22 01:20	
EPA 6020A	Manganese	0.10	mg/L	0.0050	07/01/22 01:20	
EPA 6020A	Nickel	0.0015	mg/L	0.0010	07/01/22 01:20	
EPA 6020A	Potassium	1.3	mg/L	0.10	07/01/22 01:20	
EPA 6020A	Selenium	0.0070	mg/L	0.0010	07/01/22 01:20	
EPA 6020A	Sodium	12.4	mg/L	0.10	07/01/22 01:20	
EPA 6020A	Zinc	0.016	mg/L	0.010	07/01/22 01:20	
EPA 8270E by SIM	2-Methylnaphthalene	0.000017J	mg/L	0.000048	06/28/22 11:07	
EPA 8270E by SIM	Naphthalene	0.000030J	mg/L	0.000048	06/28/22 11:07	
40247068006	MW-07					
EPA 6020A	Arsenic	0.00064J	mg/L	0.0010	07/01/22 01:26	
EPA 6020A	Barium	0.13	mg/L	0.0010	07/01/22 01:26	
EPA 6020A	Calcium	81.1	mg/L	0.10	07/01/22 01:26	
EPA 6020A	Cobalt	0.00030J	mg/L	0.0010	07/01/22 01:26	
EPA 6020A	Copper	0.00089J	mg/L	0.0030	07/01/22 01:26	
EPA 6020A	Magnesium	8.9	mg/L	0.10	07/01/22 01:26	
EPA 6020A	Manganese	0.21	mg/L	0.0050	07/01/22 01:26	
EPA 6020A	Nickel	0.00089J	mg/L	0.0010	07/01/22 01:26	
EPA 6020A	Potassium	2.7	mg/L	0.10	07/01/22 01:26	
EPA 6020A	Selenium	0.00068J	mg/L	0.0010	07/01/22 01:26	
EPA 6020A	Sodium	4.8	mg/L	0.10	07/01/22 01:26	
EPA 6020A	Zinc	0.012	mg/L	0.010	07/01/22 01:26	
40247068007	MW-12					
EPA 6020A	Arsenic	0.00027J	mg/L	0.0010	07/01/22 01:32	
EPA 6020A	Barium	0.057	mg/L	0.0010	07/01/22 01:32	
EPA 6020A	Calcium	72.9	mg/L	0.10	07/01/22 01:32	
EPA 6020A	Cobalt	0.00014J	mg/L	0.0010	07/01/22 01:32	
EPA 6020A	Magnesium	27.3	mg/L	0.10	07/01/22 01:32	
EPA 6020A	Manganese	0.0056	mg/L	0.0050	07/01/22 01:32	
EPA 6020A	Potassium	2.1	mg/L	0.10	07/01/22 01:32	
EPA 6020A	Selenium	0.00056J	mg/L	0.0010	07/01/22 01:32	
EPA 6020A	Sodium	12.1	mg/L	0.10	07/01/22 01:32	
EPA 8270E by SIM	Acenaphthene	0.000019J	mg/L	0.000057	06/28/22 11:44	
EPA 8270E by SIM	Anthracene	0.000036J	mg/L	0.000057	06/28/22 11:44	
EPA 8270E by SIM	Benzo(b)fluoranthene	0.000020J	mg/L	0.000057	06/28/22 11:44	
EPA 8270E by SIM	Chrysene	0.000049J	mg/L	0.000057	06/28/22 11:44	
EPA 8270E by SIM	Fluoranthene	0.000085	mg/L	0.000057	06/28/22 11:44	
EPA 8270E by SIM	Phenanthrene	0.000053J	mg/L	0.000057	06/28/22 11:44	
EPA 8270E by SIM	Pyrene	0.000080	mg/L	0.000057	06/28/22 11:44	
40247068008	MW-13					
EPA 6020A	Aluminum	0.65	mg/L	0.10	07/01/22 01:38	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40247068008	MW-13					
EPA 6020A	Arsenic	0.0029	mg/L	0.0010	07/01/22 01:38	
EPA 6020A	Barium	0.13	mg/L	0.0010	07/01/22 01:38	
EPA 6020A	Calcium	85.9	mg/L	0.10	07/01/22 01:38	
EPA 6020A	Chromium	0.0021	mg/L	0.0010	07/01/22 01:38	
EPA 6020A	Cobalt	0.00084J	mg/L	0.0010	07/01/22 01:38	
EPA 6020A	Copper	0.0014J	mg/L	0.0030	07/01/22 01:38	
EPA 6020A	Iron	2.9	mg/L	0.10	07/01/22 01:38	
EPA 6020A	Lead	0.0011	mg/L	0.0010	07/01/22 01:38	
EPA 6020A	Magnesium	27.1	mg/L	0.10	07/01/22 01:38	
EPA 6020A	Manganese	0.71	mg/L	0.050	07/01/22 16:25	
EPA 6020A	Nickel	0.0015	mg/L	0.0010	07/01/22 01:38	
EPA 6020A	Potassium	1.4	mg/L	0.10	07/01/22 01:38	
EPA 6020A	Sodium	26.3	mg/L	0.10	07/01/22 01:38	
EPA 6020A	Zinc	0.013	mg/L	0.010	07/01/22 01:38	
EPA 8270E by SIM	Acenaphthene	0.0011	mg/L	0.00020	06/28/22 12:02	
EPA 8270E by SIM	Acenaphthylene	0.000078J	mg/L	0.00020	06/28/22 12:02	
EPA 8270E by SIM	Benzo(a)pyrene	0.00011J	mg/L	0.00020	06/28/22 12:02	
EPA 8270E by SIM	Benzo(b)fluoranthene	0.000057J	mg/L	0.00020	06/28/22 12:02	
EPA 8270E by SIM	Benzo(g,h,i)perylene	0.00019J	mg/L	0.00020	06/28/22 12:02	
EPA 8270E by SIM	Chrysene	0.00080	mg/L	0.00020	06/28/22 12:02	
EPA 8270E by SIM	Fluoranthene	0.00030	mg/L	0.00020	06/28/22 12:02	
EPA 8270E by SIM	Fluorene	0.00093	mg/L	0.00020	06/28/22 12:02	
EPA 8270E by SIM	Naphthalene	0.00026	mg/L	0.00020	06/28/22 12:02	D3
EPA 8270E by SIM	Pyrene	0.0022	mg/L	0.00020	06/28/22 12:02	
40247068009	MW-10					
EPA 6020A	Arsenic	0.00023J	mg/L	0.0010	07/01/22 01:43	
EPA 6020A	Barium	0.076	mg/L	0.0010	07/01/22 01:43	
EPA 6020A	Calcium	100	mg/L	0.10	07/01/22 01:43	
EPA 6020A	Chromium	0.00068J	mg/L	0.0010	07/01/22 01:43	
EPA 6020A	Cobalt	0.00026J	mg/L	0.0010	07/01/22 01:43	
EPA 6020A	Magnesium	41.3	mg/L	0.10	07/01/22 01:43	
EPA 6020A	Manganese	0.034	mg/L	0.0050	07/01/22 01:43	
EPA 6020A	Nickel	0.00073J	mg/L	0.0010	07/01/22 01:43	
EPA 6020A	Potassium	0.33	mg/L	0.10	07/01/22 01:43	
EPA 6020A	Selenium	0.0013	mg/L	0.0010	07/01/22 01:43	
EPA 6020A	Sodium	16.4	mg/L	0.10	07/01/22 01:43	
EPA 6020A	Zinc	0.0046J	mg/L	0.010	07/01/22 01:43	
40247068010	MW-09					
EPA 6020A	Arsenic	0.0031	mg/L	0.0010	07/01/22 01:49	
EPA 6020A	Barium	0.12	mg/L	0.0010	07/01/22 01:49	
EPA 6020A	Calcium	70.7	mg/L	0.10	07/01/22 01:49	
EPA 6020A	Cobalt	0.00071J	mg/L	0.0010	07/01/22 01:49	
EPA 6020A	Copper	0.00083J	mg/L	0.0030	07/01/22 01:49	
EPA 6020A	Iron	0.11	mg/L	0.10	07/01/22 01:49	
EPA 6020A	Magnesium	26.7	mg/L	0.10	07/01/22 01:49	
EPA 6020A	Manganese	0.63	mg/L	0.050	07/01/22 16:31	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40247068010	MW-09					
EPA 6020A	Nickel	0.0012	mg/L	0.0010	07/01/22 01:49	
EPA 6020A	Potassium	4.3	mg/L	0.10	07/01/22 01:49	
EPA 6020A	Selenium	0.00049J	mg/L	0.0010	07/01/22 01:49	
EPA 6020A	Sodium	11.7	mg/L	0.10	07/01/22 01:49	
EPA 6020A	Zinc	0.012	mg/L	0.010	07/01/22 01:49	
40247068011	MW-08					
EPA 6020A	Arsenic	0.00021J	mg/L	0.0010	07/01/22 01:55	
EPA 6020A	Barium	0.064	mg/L	0.0010	07/01/22 01:55	
EPA 6020A	Calcium	90.9	mg/L	0.10	07/01/22 01:55	
EPA 6020A	Cobalt	0.00028J	mg/L	0.0010	07/01/22 01:55	
EPA 6020A	Magnesium	38.4	mg/L	0.10	07/01/22 01:55	
EPA 6020A	Manganese	0.11	mg/L	0.0050	07/01/22 01:55	
EPA 6020A	Nickel	0.0011	mg/L	0.0010	07/01/22 01:55	
EPA 6020A	Potassium	0.25	mg/L	0.10	07/01/22 01:55	
EPA 6020A	Sodium	12.6	mg/L	0.10	07/01/22 01:55	
EPA 6020A	Zinc	0.0088J	mg/L	0.010	07/01/22 01:55	
EPA 8270E by SIM	Benzo(b)fluoranthene	0.000012J	mg/L	0.000049	06/28/22 12:58	
EPA 8270E by SIM	Chrysene	0.000020J	mg/L	0.000049	06/28/22 12:58	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Sample: TB-02 **Lab ID: 40247068001** Collected: 06/22/22 15:30 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Acetone	<0.0086	mg/L	0.025	0.0086	1		06/24/22 11:22	67-64-1	
Benzene	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 11:22	71-43-2	
Bromodichloromethane	<0.00042	mg/L	0.0010	0.00042	1		06/24/22 11:22	75-27-4	
Bromoform	<0.0038	mg/L	0.0050	0.0038	1		06/24/22 11:22	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 11:22	74-83-9	
2-Butanone (MEK)	<0.0065	mg/L	0.025	0.0065	1		06/24/22 11:22	78-93-3	
Carbon disulfide	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 11:22	75-15-0	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		06/24/22 11:22	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		06/24/22 11:22	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		06/24/22 11:22	75-00-3	
Chloroform	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 11:22	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		06/24/22 11:22	74-87-3	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		06/24/22 11:22	124-48-1	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 11:22	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 11:22	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		06/24/22 11:22	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		06/24/22 11:22	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		06/24/22 11:22	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		06/24/22 11:22	78-87-5	
cis-1,3-Dichloropropene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 11:22	10061-01-5	
trans-1,3-Dichloropropene	<0.0035	mg/L	0.0050	0.0035	1		06/24/22 11:22	10061-02-6	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		06/24/22 11:22	100-41-4	
2-Hexanone	<0.0063	mg/L	0.025	0.0063	1		06/24/22 11:22	591-78-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		06/24/22 11:22	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.0060	mg/L	0.025	0.0060	1		06/24/22 11:22	108-10-1	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 11:22	1634-04-4	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 11:22	100-42-5	
1,1,2,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		06/24/22 11:22	79-34-5	
Tetrachloroethene	<0.00041	mg/L	0.0010	0.00041	1		06/24/22 11:22	127-18-4	
Toluene	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 11:22	108-88-3	
1,1,1-Trichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 11:22	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0050	0.00034	1		06/24/22 11:22	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		06/24/22 11:22	79-01-6	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		06/24/22 11:22	75-01-4	
Xylene (Total)	<0.0010	mg/L	0.0030	0.0010	1		06/24/22 11:22	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		06/24/22 11:22	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		06/24/22 11:22	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		06/24/22 11:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: BASEMENT-01 **Lab ID: 40247068002** Collected: 06/22/22 16:00 Received: 06/23/22 10:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticide Solids									
Analytical Method: EPA 8081 Preparation Method: EPA 3546									
Pace Analytical Services - Indianapolis									
Aldrin	<0.00061	mg/kg	0.0032	0.00061	1	06/27/22 10:45	06/29/22 17:53	309-00-2	
alpha-BHC	<0.00066	mg/kg	0.0032	0.00066	1	06/27/22 10:45	06/29/22 17:53	319-84-6	
beta-BHC	<0.00060	mg/kg	0.0032	0.00060	1	06/27/22 10:45	06/29/22 17:53	319-85-7	
delta-BHC	<0.00083	mg/kg	0.0032	0.00083	1	06/27/22 10:45	06/29/22 17:53	319-86-8	
gamma-BHC (Lindane)	<0.00058	mg/kg	0.0032	0.00058	1	06/27/22 10:45	06/29/22 17:53	58-89-9	
Chlordane (Technical)	<0.013	mg/kg	0.064	0.013	1	06/27/22 10:45	06/29/22 17:53	57-74-9	
alpha-Chlordane	0.00086J	mg/kg	0.0032	0.00056	1	06/27/22 10:45	06/29/22 17:53	5103-71-9	
gamma-Chlordane	0.0049	mg/kg	0.0032	0.00067	1	06/27/22 10:45	06/29/22 17:41	5103-74-2	
4,4'-DDD	<0.0012	mg/kg	0.0064	0.0012	1	06/27/22 10:45	06/29/22 17:53	72-54-8	
4,4'-DDE	<0.0010	mg/kg	0.0064	0.0010	1	06/27/22 10:45	06/29/22 17:53	72-55-9	
4,4'-DDT	<0.0020	mg/kg	0.0064	0.0020	1	06/27/22 10:45	06/29/22 17:53	50-29-3	
Dieldrin	0.0033J	mg/kg	0.0064	0.0011	1	06/27/22 10:45	06/29/22 17:41	60-57-1	
Endosulfan I	<0.00053	mg/kg	0.0032	0.00053	1	06/27/22 10:45	06/29/22 17:53	959-98-8	
Endosulfan II	<0.0010	mg/kg	0.0064	0.0010	1	06/27/22 10:45	06/29/22 17:53	33213-65-9	
Endosulfan sulfate	<0.0012	mg/kg	0.0064	0.0012	1	06/27/22 10:45	06/29/22 17:53	1031-07-8	
Endrin	<0.0011	mg/kg	0.0064	0.0011	1	06/27/22 10:45	06/29/22 17:53	72-20-8	
Endrin aldehyde	<0.0015	mg/kg	0.0064	0.0015	1	06/27/22 10:45	06/29/22 17:53	7421-93-4	
Endrin ketone	<0.0016	mg/kg	0.0064	0.0016	1	06/27/22 10:45	06/29/22 17:53	53494-70-5	
Heptachlor	<0.00057	mg/kg	0.0032	0.00057	1	06/27/22 10:45	06/29/22 17:53	76-44-8	
Heptachlor epoxide	<0.00054	mg/kg	0.0032	0.00054	1	06/27/22 10:45	06/29/22 17:53	1024-57-3	
Methoxychlor	0.013J	mg/kg	0.032	0.0073	1	06/27/22 10:45	06/29/22 17:41	72-43-5	
Toxaphene	<0.023	mg/kg	0.064	0.023	1	06/27/22 10:45	06/29/22 17:53	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	27	%	10-147		1	06/27/22 10:45	06/29/22 17:53	2051-24-3	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	23.0	%	0.10	0.10	1		06/24/22 14:22		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Sample: 20220622 DUP-01 **Lab ID: 40247068003** Collected: 06/22/22 00:00 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pest RV Waters									
Analytical Method: EPA 8081 Preparation Method: EPA 3510 Pace Analytical Services - Indianapolis									
Aldrin	<0.000046	mg/L	0.000050	0.000046	1	06/27/22 11:14	06/29/22 01:44	309-00-2	
alpha-BHC	<0.000035	mg/L	0.000050	0.000035	1	06/27/22 11:14	06/29/22 01:44	319-84-6	
beta-BHC	<0.000047	mg/L	0.000050	0.000047	1	06/27/22 11:14	06/29/22 01:44	319-85-7	
delta-BHC	<0.000045	mg/L	0.000050	0.000045	1	06/27/22 11:14	06/29/22 01:44	319-86-8	
gamma-BHC (Lindane)	<0.000038	mg/L	0.000050	0.000038	1	06/27/22 11:14	06/29/22 01:44	58-89-9	
Chlordane (Technical)	<0.0020	mg/L	0.0050	0.0020	1	06/27/22 11:14	06/29/22 01:44	57-74-9	
alpha-Chlordane	<0.000039	mg/L	0.00050	0.000039	1	06/27/22 11:14	06/29/22 01:44	5103-71-9	
gamma-Chlordane	<0.000049	mg/L	0.00050	0.000049	1	06/27/22 11:14	06/29/22 01:44	5103-74-2	
4,4'-DDD	<0.000096	mg/L	0.00010	0.000096	1	06/27/22 11:14	06/29/22 01:44	72-54-8	
4,4'-DDE	<0.000074	mg/L	0.00010	0.000074	1	06/27/22 11:14	06/29/22 01:44	72-55-9	
4,4'-DDT	<0.000085	mg/L	0.00010	0.000085	1	06/27/22 11:14	06/29/22 01:44	50-29-3	
Dieldrin	<0.000083	mg/L	0.00010	0.000083	1	06/27/22 11:14	06/29/22 01:44	60-57-1	
Endosulfan I	<0.000035	mg/L	0.000050	0.000035	1	06/27/22 11:14	06/29/22 01:44	959-98-8	
Endosulfan II	<0.000080	mg/L	0.00010	0.000080	1	06/27/22 11:14	06/29/22 01:44	33213-65-9	
Endosulfan sulfate	<0.000071	mg/L	0.00010	0.000071	1	06/27/22 11:14	06/29/22 01:44	1031-07-8	
Endrin	<0.000089	mg/L	0.00010	0.000089	1	06/27/22 11:14	06/29/22 01:44	72-20-8	
Endrin aldehyde	<0.000098	mg/L	0.00010	0.000098	1	06/27/22 11:14	06/29/22 01:44	7421-93-4	
Endrin ketone	<0.000080	mg/L	0.00010	0.000080	1	06/27/22 11:14	06/29/22 01:44	53494-70-5	
Heptachlor	<0.000042	mg/L	0.000050	0.000042	1	06/27/22 11:14	06/29/22 01:44	76-44-8	
Heptachlor epoxide	<0.000042	mg/L	0.000050	0.000042	1	06/27/22 11:14	06/29/22 01:44	1024-57-3	
Methoxychlor	<0.00042	mg/L	0.00050	0.00042	1	06/27/22 11:14	06/29/22 01:44	72-43-5	
Toxaphene	<0.0023	mg/L	0.0050	0.0023	1	06/27/22 11:14	06/29/22 01:44	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	87	%	10-135		1	06/27/22 11:14	06/29/22 01:44	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 15:47	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 15:47	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 15:47	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 15:47	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 15:47	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 15:47	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 15:47	11096-82-5	
PCB, Total	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 15:47	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	92	%	17-141		1	06/24/22 08:02	06/27/22 15:47	877-09-8	
Decachlorobiphenyl (S)	87	%	10-113		1	06/24/22 08:02	06/27/22 15:47	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010 Pace Analytical Services - New Orleans									
Aluminum	<0.036	mg/L	0.10	0.036	1	06/29/22 08:15	07/01/22 01:09	7429-90-5	
Antimony	<0.00063	mg/L	0.0010	0.00063	1	06/29/22 08:15	07/01/22 01:09	7440-36-0	
Arsenic	0.00022J	mg/L	0.0010	0.00020	1	06/29/22 08:15	07/01/22 01:09	7440-38-2	
Barium	0.063	mg/L	0.0010	0.00036	1	06/29/22 08:15	07/01/22 01:09	7440-39-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Sample: 20220622 DUP-01 **Lab ID:** 40247068003 Collected: 06/22/22 00:00 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Beryllium	<0.00012	mg/L	0.0010	0.00012	1	06/29/22 08:15	07/01/22 01:09	7440-41-7	
Cadmium	<0.000080	mg/L	0.0010	0.000080	1	06/29/22 08:15	07/01/22 01:09	7440-43-9	
Calcium	88.8	mg/L	0.10	0.084	1	06/29/22 08:15	07/01/22 01:09	7440-70-2	
Chromium	<0.00062	mg/L	0.0010	0.00062	1	06/29/22 08:15	07/01/22 01:09	7440-47-3	
Cobalt	0.00030J	mg/L	0.0010	0.000060	1	06/29/22 08:15	07/01/22 01:09	7440-48-4	
Copper	<0.00083	mg/L	0.0030	0.00083	1	06/29/22 08:15	07/01/22 01:09	7440-50-8	
Iron	<0.049	mg/L	0.10	0.049	1	06/29/22 08:15	07/01/22 01:09	7439-89-6	
Lead	0.00012J	mg/L	0.0010	0.000070	1	06/29/22 08:15	07/01/22 01:09	7439-92-1	
Magnesium	38.3	mg/L	0.10	0.00060	1	06/29/22 08:15	07/01/22 01:09	7439-95-4	
Manganese	0.11	mg/L	0.0050	0.0045	1	06/29/22 08:15	07/01/22 01:09	7439-96-5	
Nickel	0.0011	mg/L	0.0010	0.00056	1	06/29/22 08:15	07/01/22 01:09	7440-02-0	
Potassium	0.28	mg/L	0.10	0.085	1	06/29/22 08:15	07/01/22 01:09	7440-09-7	
Selenium	<0.00037	mg/L	0.0010	0.00037	1	06/29/22 08:15	07/01/22 01:09	7782-49-2	
Silver	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 01:09	7440-22-4	
Sodium	12.6	mg/L	0.10	0.078	1	06/29/22 08:15	07/01/22 01:09	7440-23-5	
Thallium	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 01:09	7440-28-0	
Vanadium	<0.0023	mg/L	0.0050	0.0023	1	06/29/22 08:15	07/01/22 01:09	7440-62-2	
Zinc	0.010	mg/L	0.010	0.0044	1	06/29/22 08:15	07/01/22 01:09	7440-66-6	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.000066	mg/L	0.00020	0.000066	1	07/05/22 09:55	07/06/22 07:34	7439-97-6	
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4-Bromophenylphenyl ether	<0.00089	mg/L	0.0050	0.00089	1	06/27/22 08:05	06/28/22 13:47	101-55-3	
Butylbenzylphthalate	<0.00070	mg/L	0.0050	0.00070	1	06/27/22 08:05	06/28/22 13:47	85-68-7	
Carbazole	<0.00023	mg/L	0.0050	0.00023	1	06/27/22 08:05	06/28/22 13:47	86-74-8	
4-Chloro-3-methylphenol	<0.00094	mg/L	0.0050	0.00094	1	06/27/22 08:05	06/28/22 13:47	59-50-7	
4-Chloroaniline	<0.00089	mg/L	0.0050	0.00089	1	06/27/22 08:05	06/28/22 13:47	106-47-8	2q
bis(2-Chloroethoxy)methane	<0.00043	mg/L	0.0050	0.00043	1	06/27/22 08:05	06/28/22 13:47	111-91-1	
bis(2-Chloroethyl) ether	<0.00068	mg/L	0.0050	0.00068	1	06/27/22 08:05	06/28/22 13:47	111-44-4	
2-Chloronaphthalene	<0.0012	mg/L	0.0050	0.0012	1	06/27/22 08:05	06/28/22 13:47	91-58-7	
2-Chlorophenol	<0.0026	mg/L	0.0050	0.0026	1	06/27/22 08:05	06/28/22 13:47	95-57-8	
4-Chlorophenylphenyl ether	<0.00061	mg/L	0.0050	0.00061	1	06/27/22 08:05	06/28/22 13:47	7005-72-3	
Dibenzofuran	<0.00093	mg/L	0.0050	0.00093	1	06/27/22 08:05	06/28/22 13:47	132-64-9	
1,2-Dichlorobenzene	<0.0020	mg/L	0.0050	0.0020	1	06/27/22 08:05	06/28/22 13:47	95-50-1	
1,3-Dichlorobenzene	<0.0022	mg/L	0.0050	0.0022	1	06/27/22 08:05	06/28/22 13:47	541-73-1	
1,4-Dichlorobenzene	<0.0018	mg/L	0.0050	0.0018	1	06/27/22 08:05	06/28/22 13:47	106-46-7	
3,3'-Dichlorobenzidine	<0.00055	mg/L	0.0050	0.00055	1	06/27/22 08:05	06/28/22 13:47	91-94-1	2q
2,4-Dichlorophenol	<0.0015	mg/L	0.0050	0.0015	1	06/27/22 08:05	06/28/22 13:47	120-83-2	
Diethylphthalate	<0.00060	mg/L	0.0050	0.00060	1	06/27/22 08:05	06/28/22 13:47	84-66-2	
2,4-Dimethylphenol	<0.00043	mg/L	0.0050	0.00043	1	06/27/22 08:05	06/28/22 13:47	105-67-9	
Dimethylphthalate	<0.00042	mg/L	0.0050	0.00042	1	06/27/22 08:05	06/28/22 13:47	131-11-3	
Di-n-butylphthalate	<0.00033	mg/L	0.0050	0.00033	1	06/27/22 08:05	06/28/22 13:47	84-74-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Sample: 20220622 DUP-01 Lab ID: 40247068003 Collected: 06/22/22 00:00 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<0.0012	mg/L	0.0050	0.0012	1	06/27/22 08:05	06/28/22 13:47	534-52-1	
2,4-Dinitrophenol	<0.0026	mg/L	0.010	0.0026	1	06/27/22 08:05	06/28/22 13:47	51-28-5	
2,4-Dinitrotoluene	<0.00038	mg/L	0.0050	0.00038	1	06/27/22 08:05	06/28/22 13:47	121-14-2	
2,6-Dinitrotoluene	<0.00085	mg/L	0.0050	0.00085	1	06/27/22 08:05	06/28/22 13:47	606-20-2	
Di-n-octylphthalate	<0.00047	mg/L	0.010	0.00047	1	06/27/22 08:05	06/28/22 13:47	117-84-0	
bis(2-Ethylhexyl)phthalate	<0.00069	mg/L	0.0050	0.00069	1	06/27/22 08:05	06/28/22 13:47	117-81-7	
Hexachloro-1,3-butadiene	<0.0025	mg/L	0.010	0.0025	1	06/27/22 08:05	06/28/22 13:47	87-68-3	
Hexachlorobenzene	<0.0016	mg/L	0.0050	0.0016	1	06/27/22 08:05	06/28/22 13:47	118-74-1	
Hexachlorocyclopentadiene	<0.0019	mg/L	0.0050	0.0019	1	06/27/22 08:05	06/28/22 13:47	77-47-4	
Hexachloroethane	<0.0015	mg/L	0.0050	0.0015	1	06/27/22 08:05	06/28/22 13:47	67-72-1	
Isophorone	<0.00040	mg/L	0.0050	0.00040	1	06/27/22 08:05	06/28/22 13:47	78-59-1	
2-Methylphenol(o-Cresol)	<0.00077	mg/L	0.0050	0.00077	1	06/27/22 08:05	06/28/22 13:47	95-48-7	
3&4-Methylphenol(m&p Cresol)	<0.00060	mg/L	0.0050	0.00060	1	06/27/22 08:05	06/28/22 13:47		
2-Nitroaniline	<0.00092	mg/L	0.0050	0.00092	1	06/27/22 08:05	06/28/22 13:47	88-74-4	CH
3-Nitroaniline	<0.00071	mg/L	0.0050	0.00071	1	06/27/22 08:05	06/28/22 13:47	99-09-2	
4-Nitroaniline	<0.00045	mg/L	0.010	0.00045	1	06/27/22 08:05	06/28/22 13:47	100-01-6	
Nitrobenzene	<0.00051	mg/L	0.0050	0.00051	1	06/27/22 08:05	06/28/22 13:47	98-95-3	
2-Nitrophenol	<0.0015	mg/L	0.0050	0.0015	1	06/27/22 08:05	06/28/22 13:47	88-75-5	
4-Nitrophenol	<0.0020	mg/L	0.0050	0.0020	1	06/27/22 08:05	06/28/22 13:47	100-02-7	
N-Nitroso-di-n-propylamine	<0.00082	mg/L	0.0050	0.00082	1	06/27/22 08:05	06/28/22 13:47	621-64-7	
N-Nitrosodiphenylamine	<0.00041	mg/L	0.0050	0.00041	1	06/27/22 08:05	06/28/22 13:47	86-30-6	
2,2'-Oxybis(1-chloropropane)	<0.00079	mg/L	0.0050	0.00079	1	06/27/22 08:05	06/28/22 13:47	108-60-1	CH
Pentachlorophenol	<0.0016	mg/L	0.0050	0.0016	1	06/27/22 08:05	06/28/22 13:47	87-86-5	
Phenol	<0.00098	mg/L	0.0050	0.00098	1	06/27/22 08:05	06/28/22 13:47	108-95-2	
1,2,4-Trichlorobenzene	<0.0024	mg/L	0.0050	0.0024	1	06/27/22 08:05	06/28/22 13:47	120-82-1	
2,4,5-Trichlorophenol	<0.0018	mg/L	0.0050	0.0018	1	06/27/22 08:05	06/28/22 13:47	95-95-4	
2,4,6-Trichlorophenol	<0.0020	mg/L	0.0050	0.0020	1	06/27/22 08:05	06/28/22 13:47	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	101	%	10-120		1	06/27/22 08:05	06/28/22 13:47	4165-60-0	
2-Fluorobiphenyl (S)	74	%	10-101		1	06/27/22 08:05	06/28/22 13:47	321-60-8	
Terphenyl-d14 (S)	104	%	36-138		1	06/27/22 08:05	06/28/22 13:47	1718-51-0	
Phenol-d6 (S)	39	%	10-130		1	06/27/22 08:05	06/28/22 13:47	13127-88-3	
2-Fluorophenol (S)	56	%	10-89		1	06/27/22 08:05	06/28/22 13:47	367-12-4	
2,4,6-Tribromophenol (S)	94	%	10-142		1	06/27/22 08:05	06/28/22 13:47	118-79-6	

8270E MSSV PAH

Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510

Pace Analytical Services - Green Bay

Acenaphthene	<0.000014	mg/L	0.000052	0.000014	1	06/27/22 08:10	06/28/22 10:30	83-32-9	
Acenaphthylene	<0.000013	mg/L	0.000052	0.000013	1	06/27/22 08:10	06/28/22 10:30	208-96-8	
Anthracene	0.000066	mg/L	0.000052	0.000019	1	06/27/22 08:10	06/28/22 10:30	120-12-7	
Benzo(a)anthracene	<0.000014	mg/L	0.000052	0.000014	1	06/27/22 08:10	06/28/22 10:30	56-55-3	
Benzo(a)pyrene	0.000091	mg/L	0.000052	0.000013	1	06/27/22 08:10	06/28/22 10:30	50-32-8	
Benzo(b)fluoranthene	0.00020	mg/L	0.000052	0.000009	1	06/27/22 08:10	06/28/22 10:30	205-99-2	
Benzo(g,h,i)perylene	0.000099	mg/L	0.000052	0.000024	1	06/27/22 08:10	06/28/22 10:30	191-24-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Sample: 20220622 DUP-01 Lab ID: 40247068003 Collected: 06/22/22 00:00 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Benzo(k)fluoranthene	0.00014	mg/L	0.000052	0.000023	1	06/27/22 08:10	06/28/22 10:30	207-08-9	
Chrysene	0.00027	mg/L	0.000052	0.000013	1	06/27/22 08:10	06/28/22 10:30	218-01-9	
Dibenz(a,h)anthracene	0.000029J	mg/L	0.000052	0.000018	1	06/27/22 08:10	06/28/22 10:30	53-70-3	
Fluoranthene	0.00028	mg/L	0.000052	0.000027	1	06/27/22 08:10	06/28/22 10:30	206-44-0	
Fluorene	<0.000024	mg/L	0.000052	0.000024	1	06/27/22 08:10	06/28/22 10:30	86-73-7	
Indeno(1,2,3-cd)pyrene	0.000078	mg/L	0.000052	0.000016	1	06/27/22 08:10	06/28/22 10:30	193-39-5	
2-Methylnaphthalene	<0.000014	mg/L	0.000052	0.000014	1	06/27/22 08:10	06/28/22 10:30	91-57-6	
Naphthalene	<0.000021	mg/L	0.000052	0.000021	1	06/27/22 08:10	06/28/22 10:30	91-20-3	
Phenanthrene	0.000090	mg/L	0.000052	0.000026	1	06/27/22 08:10	06/28/22 10:30	85-01-8	
Pyrene	0.00026	mg/L	0.000052	0.000023	1	06/27/22 08:10	06/28/22 10:30	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	83	%	44-120		1	06/27/22 08:10	06/28/22 10:30	321-60-8	
Terphenyl-d14 (S)	76	%	49-120		1	06/27/22 08:10	06/28/22 10:30	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Acetone	<0.0086	mg/L	0.025	0.0086	1		06/24/22 12:41	67-64-1	
Benzene	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 12:41	71-43-2	
Bromodichloromethane	<0.00042	mg/L	0.0010	0.00042	1		06/24/22 12:41	75-27-4	
Bromoform	<0.0038	mg/L	0.0050	0.0038	1		06/24/22 12:41	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 12:41	74-83-9	
2-Butanone (MEK)	<0.0065	mg/L	0.025	0.0065	1		06/24/22 12:41	78-93-3	
Carbon disulfide	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 12:41	75-15-0	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		06/24/22 12:41	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		06/24/22 12:41	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		06/24/22 12:41	75-00-3	
Chloroform	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 12:41	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		06/24/22 12:41	74-87-3	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		06/24/22 12:41	124-48-1	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 12:41	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 12:41	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		06/24/22 12:41	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		06/24/22 12:41	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		06/24/22 12:41	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		06/24/22 12:41	78-87-5	
cis-1,3-Dichloropropene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 12:41	10061-01-5	
trans-1,3-Dichloropropene	<0.0035	mg/L	0.0050	0.0035	1		06/24/22 12:41	10061-02-6	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		06/24/22 12:41	100-41-4	
2-Hexanone	<0.0063	mg/L	0.025	0.0063	1		06/24/22 12:41	591-78-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		06/24/22 12:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.0060	mg/L	0.025	0.0060	1		06/24/22 12:41	108-10-1	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 12:41	1634-04-4	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 12:41	100-42-5	
1,1,2,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		06/24/22 12:41	79-34-5	
Tetrachloroethene	<0.00041	mg/L	0.0010	0.00041	1		06/24/22 12:41	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: 20220622 DUP-01 **Lab ID: 40247068003** Collected: 06/22/22 00:00 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Toluene	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 12:41	108-88-3	
1,1,1-Trichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 12:41	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0050	0.00034	1		06/24/22 12:41	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		06/24/22 12:41	79-01-6	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		06/24/22 12:41	75-01-4	
Xylene (Total)	<0.0010	mg/L	0.0030	0.0010	1		06/24/22 12:41	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		06/24/22 12:41	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		06/24/22 12:41	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		06/24/22 12:41	2037-26-5	
335.4 Cyanide, Total									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	<0.0069	mg/L	0.023	0.0069	1	06/29/22 09:45	06/29/22 12:45	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-14 **Lab ID: 40247068004** Collected: 06/22/22 06:50 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pest RV Waters									
Analytical Method: EPA 8081 Preparation Method: EPA 3510 Pace Analytical Services - Indianapolis									
Aldrin	<0.000051	mg/L	0.000056	0.000051	1	06/27/22 11:14	06/29/22 01:57	309-00-2	
alpha-BHC	<0.000039	mg/L	0.000056	0.000039	1	06/27/22 11:14	06/29/22 01:57	319-84-6	
beta-BHC	<0.000052	mg/L	0.000056	0.000052	1	06/27/22 11:14	06/29/22 01:57	319-85-7	
delta-BHC	<0.000050	mg/L	0.000056	0.000050	1	06/27/22 11:14	06/29/22 01:57	319-86-8	
gamma-BHC (Lindane)	<0.000042	mg/L	0.000056	0.000042	1	06/27/22 11:14	06/29/22 01:57	58-89-9	
Chlordane (Technical)	<0.0023	mg/L	0.0056	0.0023	1	06/27/22 11:14	06/29/22 01:57	57-74-9	
alpha-Chlordane	<0.000043	mg/L	0.00056	0.000043	1	06/27/22 11:14	06/29/22 01:57	5103-71-9	
gamma-Chlordane	<0.000054	mg/L	0.00056	0.000054	1	06/27/22 11:14	06/29/22 01:57	5103-74-2	
4,4'-DDD	<0.00011	mg/L	0.00011	0.00011	1	06/27/22 11:14	06/29/22 01:57	72-54-8	
4,4'-DDE	<0.000082	mg/L	0.00011	0.000082	1	06/27/22 11:14	06/29/22 01:57	72-55-9	
4,4'-DDT	<0.000094	mg/L	0.00011	0.000094	1	06/27/22 11:14	06/29/22 01:57	50-29-3	
Dieldrin	<0.000092	mg/L	0.00011	0.000092	1	06/27/22 11:14	06/29/22 01:57	60-57-1	
Endosulfan I	<0.000039	mg/L	0.000056	0.000039	1	06/27/22 11:14	06/29/22 01:57	959-98-8	
Endosulfan II	<0.000089	mg/L	0.00011	0.000089	1	06/27/22 11:14	06/29/22 01:57	33213-65-9	
Endosulfan sulfate	<0.000079	mg/L	0.00011	0.000079	1	06/27/22 11:14	06/29/22 01:57	1031-07-8	
Endrin	<0.000099	mg/L	0.00011	0.000099	1	06/27/22 11:14	06/29/22 01:57	72-20-8	
Endrin aldehyde	<0.00011	mg/L	0.00011	0.00011	1	06/27/22 11:14	06/29/22 01:57	7421-93-4	
Endrin ketone	<0.000089	mg/L	0.00011	0.000089	1	06/27/22 11:14	06/29/22 01:57	53494-70-5	
Heptachlor	<0.000047	mg/L	0.000056	0.000047	1	06/27/22 11:14	06/29/22 01:57	76-44-8	
Heptachlor epoxide	<0.000047	mg/L	0.000056	0.000047	1	06/27/22 11:14	06/29/22 01:57	1024-57-3	
Methoxychlor	<0.00047	mg/L	0.00056	0.00047	1	06/27/22 11:14	06/29/22 01:57	72-43-5	
Toxaphene	<0.0025	mg/L	0.0056	0.0025	1	06/27/22 11:14	06/29/22 01:57	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	105	%	10-135		1	06/27/22 11:14	06/29/22 01:57	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 16:07	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 16:07	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 16:07	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 16:07	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 16:07	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 16:07	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 16:07	11096-82-5	
PCB, Total	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 16:07	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	94	%	17-141		1	06/24/22 08:02	06/27/22 16:07	877-09-8	
Decachlorobiphenyl (S)	83	%	10-113		1	06/24/22 08:02	06/27/22 16:07	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010 Pace Analytical Services - New Orleans									
Aluminum	<0.036	mg/L	0.10	0.036	1	06/29/22 08:15	07/01/22 01:15	7429-90-5	
Antimony	<0.00063	mg/L	0.0010	0.00063	1	06/29/22 08:15	07/01/22 01:15	7440-36-0	
Arsenic	0.00026J	mg/L	0.0010	0.00020	1	06/29/22 08:15	07/01/22 01:15	7440-38-2	
Barium	0.045	mg/L	0.0010	0.00036	1	06/29/22 08:15	07/01/22 01:15	7440-39-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Sample: MW-14 **Lab ID: 40247068004** Collected: 06/22/22 06:50 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Beryllium	<0.00012	mg/L	0.0010	0.00012	1	06/29/22 08:15	07/01/22 01:15	7440-41-7	
Cadmium	<0.000080	mg/L	0.0010	0.000080	1	06/29/22 08:15	07/01/22 01:15	7440-43-9	
Calcium	125	mg/L	0.10	0.084	1	06/29/22 08:15	07/01/22 01:15	7440-70-2	
Chromium	<0.00062	mg/L	0.0010	0.00062	1	06/29/22 08:15	07/01/22 01:15	7440-47-3	
Cobalt	0.00043J	mg/L	0.0010	0.000060	1	06/29/22 08:15	07/01/22 01:15	7440-48-4	
Copper	0.00084J	mg/L	0.0030	0.00083	1	06/29/22 08:15	07/01/22 01:15	7440-50-8	
Iron	<0.049	mg/L	0.10	0.049	1	06/29/22 08:15	07/01/22 01:15	7439-89-6	
Lead	<0.000070	mg/L	0.0010	0.000070	1	06/29/22 08:15	07/01/22 01:15	7439-92-1	
Magnesium	54.7	mg/L	0.10	0.00060	1	06/29/22 08:15	07/01/22 01:15	7439-95-4	
Manganese	0.069	mg/L	0.0050	0.0045	1	06/29/22 08:15	07/01/22 01:15	7439-96-5	
Nickel	0.0012	mg/L	0.0010	0.00056	1	06/29/22 08:15	07/01/22 01:15	7440-02-0	
Potassium	0.70	mg/L	0.10	0.085	1	06/29/22 08:15	07/01/22 01:15	7440-09-7	
Selenium	0.0057	mg/L	0.0010	0.00037	1	06/29/22 08:15	07/01/22 01:15	7782-49-2	
Silver	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 01:15	7440-22-4	
Sodium	23.0	mg/L	0.10	0.078	1	06/29/22 08:15	07/01/22 01:15	7440-23-5	
Thallium	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 01:15	7440-28-0	
Vanadium	<0.0023	mg/L	0.0050	0.0023	1	06/29/22 08:15	07/01/22 01:15	7440-62-2	
Zinc	0.020	mg/L	0.010	0.0044	1	06/29/22 08:15	07/01/22 01:15	7440-66-6	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.000066	mg/L	0.00020	0.000066	1	07/05/22 09:55	07/06/22 07:36	7439-97-6	
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4-Bromophenylphenyl ether	<0.00088	mg/L	0.0050	0.00088	1	06/27/22 08:05	06/28/22 14:08	101-55-3	
Butylbenzylphthalate	<0.00069	mg/L	0.0050	0.00069	1	06/27/22 08:05	06/28/22 14:08	85-68-7	
Carbazole	<0.00023	mg/L	0.0050	0.00023	1	06/27/22 08:05	06/28/22 14:08	86-74-8	
4-Chloro-3-methylphenol	<0.00093	mg/L	0.0050	0.00093	1	06/27/22 08:05	06/28/22 14:08	59-50-7	
4-Chloroaniline	<0.00089	mg/L	0.0050	0.00089	1	06/27/22 08:05	06/28/22 14:08	106-47-8	2q
bis(2-Chloroethoxy)methane	<0.00043	mg/L	0.0050	0.00043	1	06/27/22 08:05	06/28/22 14:08	111-91-1	
bis(2-Chloroethyl) ether	<0.00068	mg/L	0.0050	0.00068	1	06/27/22 08:05	06/28/22 14:08	111-44-4	
2-Chloronaphthalene	<0.0012	mg/L	0.0050	0.0012	1	06/27/22 08:05	06/28/22 14:08	91-58-7	
2-Chlorophenol	<0.0026	mg/L	0.0050	0.0026	1	06/27/22 08:05	06/28/22 14:08	95-57-8	
4-Chlorophenylphenyl ether	<0.00061	mg/L	0.0050	0.00061	1	06/27/22 08:05	06/28/22 14:08	7005-72-3	
Dibenzofuran	<0.00092	mg/L	0.0050	0.00092	1	06/27/22 08:05	06/28/22 14:08	132-64-9	
1,2-Dichlorobenzene	<0.0020	mg/L	0.0050	0.0020	1	06/27/22 08:05	06/28/22 14:08	95-50-1	
1,3-Dichlorobenzene	<0.0022	mg/L	0.0050	0.0022	1	06/27/22 08:05	06/28/22 14:08	541-73-1	
1,4-Dichlorobenzene	<0.0018	mg/L	0.0050	0.0018	1	06/27/22 08:05	06/28/22 14:08	106-46-7	
3,3'-Dichlorobenzidine	<0.00054	mg/L	0.0050	0.00054	1	06/27/22 08:05	06/28/22 14:08	91-94-1	2q
2,4-Dichlorophenol	<0.0015	mg/L	0.0050	0.0015	1	06/27/22 08:05	06/28/22 14:08	120-83-2	
Diethylphthalate	<0.00060	mg/L	0.0050	0.00060	1	06/27/22 08:05	06/28/22 14:08	84-66-2	
2,4-Dimethylphenol	<0.00043	mg/L	0.0050	0.00043	1	06/27/22 08:05	06/28/22 14:08	105-67-9	
Dimethylphthalate	<0.00041	mg/L	0.0050	0.00041	1	06/27/22 08:05	06/28/22 14:08	131-11-3	
Di-n-butylphthalate	<0.00033	mg/L	0.0050	0.00033	1	06/27/22 08:05	06/28/22 14:08	84-74-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-14 **Lab ID: 40247068004** Collected: 06/22/22 06:50 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<0.0012	mg/L	0.0050	0.0012	1	06/27/22 08:05	06/28/22 14:08	534-52-1	
2,4-Dinitrophenol	<0.0026	mg/L	0.0099	0.0026	1	06/27/22 08:05	06/28/22 14:08	51-28-5	
2,4-Dinitrotoluene	<0.00038	mg/L	0.0050	0.00038	1	06/27/22 08:05	06/28/22 14:08	121-14-2	
2,6-Dinitrotoluene	<0.00084	mg/L	0.0050	0.00084	1	06/27/22 08:05	06/28/22 14:08	606-20-2	
Di-n-octylphthalate	<0.00046	mg/L	0.0099	0.00046	1	06/27/22 08:05	06/28/22 14:08	117-84-0	
bis(2-Ethylhexyl)phthalate	<0.00068	mg/L	0.0050	0.00068	1	06/27/22 08:05	06/28/22 14:08	117-81-7	
Hexachloro-1,3-butadiene	<0.0025	mg/L	0.0099	0.0025	1	06/27/22 08:05	06/28/22 14:08	87-68-3	
Hexachlorobenzene	<0.0016	mg/L	0.0050	0.0016	1	06/27/22 08:05	06/28/22 14:08	118-74-1	
Hexachlorocyclopentadiene	<0.0019	mg/L	0.0050	0.0019	1	06/27/22 08:05	06/28/22 14:08	77-47-4	
Hexachloroethane	<0.0015	mg/L	0.0050	0.0015	1	06/27/22 08:05	06/28/22 14:08	67-72-1	
Isophorone	<0.00039	mg/L	0.0050	0.00039	1	06/27/22 08:05	06/28/22 14:08	78-59-1	
2-Methylphenol(o-Cresol)	<0.00077	mg/L	0.0050	0.00077	1	06/27/22 08:05	06/28/22 14:08	95-48-7	
3&4-Methylphenol(m&p Cresol)	<0.00059	mg/L	0.0050	0.00059	1	06/27/22 08:05	06/28/22 14:08		
2-Nitroaniline	<0.00091	mg/L	0.0050	0.00091	1	06/27/22 08:05	06/28/22 14:08	88-74-4	CH
3-Nitroaniline	<0.00071	mg/L	0.0050	0.00071	1	06/27/22 08:05	06/28/22 14:08	99-09-2	
4-Nitroaniline	<0.00044	mg/L	0.0099	0.00044	1	06/27/22 08:05	06/28/22 14:08	100-01-6	
Nitrobenzene	<0.00050	mg/L	0.0050	0.00050	1	06/27/22 08:05	06/28/22 14:08	98-95-3	
2-Nitrophenol	<0.0015	mg/L	0.0050	0.0015	1	06/27/22 08:05	06/28/22 14:08	88-75-5	
4-Nitrophenol	<0.0020	mg/L	0.0050	0.0020	1	06/27/22 08:05	06/28/22 14:08	100-02-7	
N-Nitroso-di-n-propylamine	<0.00082	mg/L	0.0050	0.00082	1	06/27/22 08:05	06/28/22 14:08	621-64-7	
N-Nitrosodiphenylamine	<0.00040	mg/L	0.0050	0.00040	1	06/27/22 08:05	06/28/22 14:08	86-30-6	
2,2'-Oxybis(1-chloropropane)	<0.00078	mg/L	0.0050	0.00078	1	06/27/22 08:05	06/28/22 14:08	108-60-1	CH
Pentachlorophenol	<0.0016	mg/L	0.0050	0.0016	1	06/27/22 08:05	06/28/22 14:08	87-86-5	
Phenol	<0.00097	mg/L	0.0050	0.00097	1	06/27/22 08:05	06/28/22 14:08	108-95-2	
1,2,4-Trichlorobenzene	<0.0024	mg/L	0.0050	0.0024	1	06/27/22 08:05	06/28/22 14:08	120-82-1	
2,4,5-Trichlorophenol	<0.0018	mg/L	0.0050	0.0018	1	06/27/22 08:05	06/28/22 14:08	95-95-4	
2,4,6-Trichlorophenol	<0.0020	mg/L	0.0050	0.0020	1	06/27/22 08:05	06/28/22 14:08	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	95	%	10-120		1	06/27/22 08:05	06/28/22 14:08	4165-60-0	
2-Fluorobiphenyl (S)	69	%	10-101		1	06/27/22 08:05	06/28/22 14:08	321-60-8	
Terphenyl-d14 (S)	101	%	36-138		1	06/27/22 08:05	06/28/22 14:08	1718-51-0	
Phenol-d6 (S)	37	%	10-130		1	06/27/22 08:05	06/28/22 14:08	13127-88-3	
2-Fluorophenol (S)	57	%	10-89		1	06/27/22 08:05	06/28/22 14:08	367-12-4	
2,4,6-Tribromophenol (S)	94	%	10-142		1	06/27/22 08:05	06/28/22 14:08	118-79-6	

8270E MSSV PAH

Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510
Pace Analytical Services - Green Bay

Acenaphthene	<0.000014	mg/L	0.000050	0.000014	1	06/27/22 08:10	06/28/22 10:48	83-32-9	
Acenaphthylene	<0.000013	mg/L	0.000050	0.000013	1	06/27/22 08:10	06/28/22 10:48	208-96-8	
Anthracene	<0.000019	mg/L	0.000050	0.000019	1	06/27/22 08:10	06/28/22 10:48	120-12-7	
Benzo(a)anthracene	<0.000014	mg/L	0.000050	0.000014	1	06/27/22 08:10	06/28/22 10:48	56-55-3	
Benzo(a)pyrene	<0.000013	mg/L	0.000050	0.000013	1	06/27/22 08:10	06/28/22 10:48	50-32-8	
Benzo(b)fluoranthene	<0.000009	mg/L	0.000050	0.000009	1	06/27/22 08:10	06/28/22 10:48	205-99-2	
	1			1					
Benzo(g,h,i)perylene	<0.000023	mg/L	0.000050	0.000023	1	06/27/22 08:10	06/28/22 10:48	191-24-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-14 **Lab ID: 40247068004** Collected: 06/22/22 06:50 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Benzo(k)fluoranthene	<0.000022	mg/L	0.000050	0.000022	1	06/27/22 08:10	06/28/22 10:48	207-08-9	
Chrysene	<0.000013	mg/L	0.000050	0.000013	1	06/27/22 08:10	06/28/22 10:48	218-01-9	
Dibenz(a,h)anthracene	<0.000018	mg/L	0.000050	0.000018	1	06/27/22 08:10	06/28/22 10:48	53-70-3	
Fluoranthene	<0.000026	mg/L	0.000050	0.000026	1	06/27/22 08:10	06/28/22 10:48	206-44-0	
Fluorene	<0.000024	mg/L	0.000050	0.000024	1	06/27/22 08:10	06/28/22 10:48	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.000016	mg/L	0.000050	0.000016	1	06/27/22 08:10	06/28/22 10:48	193-39-5	
2-Methylnaphthalene	<0.000014	mg/L	0.000050	0.000014	1	06/27/22 08:10	06/28/22 10:48	91-57-6	
Naphthalene	0.000022J	mg/L	0.000050	0.000020	1	06/27/22 08:10	06/28/22 10:48	91-20-3	
Phenanthrene	<0.000026	mg/L	0.000050	0.000026	1	06/27/22 08:10	06/28/22 10:48	85-01-8	
Pyrene	<0.000023	mg/L	0.000050	0.000023	1	06/27/22 08:10	06/28/22 10:48	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	74	%	44-120		1	06/27/22 08:10	06/28/22 10:48	321-60-8	
Terphenyl-d14 (S)	66	%	49-120		1	06/27/22 08:10	06/28/22 10:48	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Acetone	<0.0086	mg/L	0.025	0.0086	1		06/24/22 13:00	67-64-1	
Benzene	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 13:00	71-43-2	
Bromodichloromethane	<0.00042	mg/L	0.0010	0.00042	1		06/24/22 13:00	75-27-4	
Bromoform	<0.0038	mg/L	0.0050	0.0038	1		06/24/22 13:00	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 13:00	74-83-9	
2-Butanone (MEK)	<0.0065	mg/L	0.025	0.0065	1		06/24/22 13:00	78-93-3	
Carbon disulfide	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 13:00	75-15-0	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		06/24/22 13:00	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		06/24/22 13:00	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		06/24/22 13:00	75-00-3	
Chloroform	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 13:00	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		06/24/22 13:00	74-87-3	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		06/24/22 13:00	124-48-1	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 13:00	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 13:00	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		06/24/22 13:00	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		06/24/22 13:00	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		06/24/22 13:00	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		06/24/22 13:00	78-87-5	
cis-1,3-Dichloropropene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 13:00	10061-01-5	
trans-1,3-Dichloropropene	<0.0035	mg/L	0.0050	0.0035	1		06/24/22 13:00	10061-02-6	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		06/24/22 13:00	100-41-4	
2-Hexanone	<0.0063	mg/L	0.025	0.0063	1		06/24/22 13:00	591-78-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		06/24/22 13:00	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.0060	mg/L	0.025	0.0060	1		06/24/22 13:00	108-10-1	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 13:00	1634-04-4	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 13:00	100-42-5	
1,1,2,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		06/24/22 13:00	79-34-5	
Tetrachloroethene	<0.00041	mg/L	0.0010	0.00041	1		06/24/22 13:00	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-14 **Lab ID: 40247068004** Collected: 06/22/22 06:50 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Toluene	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 13:00	108-88-3	
1,1,1-Trichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 13:00	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0050	0.00034	1		06/24/22 13:00	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		06/24/22 13:00	79-01-6	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		06/24/22 13:00	75-01-4	
Xylene (Total)	<0.0010	mg/L	0.0030	0.0010	1		06/24/22 13:00	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		06/24/22 13:00	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1		06/24/22 13:00	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		06/24/22 13:00	2037-26-5	
335.4 Cyanide, Total									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	<0.0069	mg/L	0.023	0.0069	1	06/29/22 09:45	06/29/22 12:45	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-15 **Lab ID: 40247068005** Collected: 06/22/22 07:40 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pest RV Waters									
Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Pace Analytical Services - Indianapolis									
Aldrin	<0.000044	mg/L	0.000048	0.000044	1	06/27/22 11:14	06/29/22 02:10	309-00-2	
alpha-BHC	<0.000033	mg/L	0.000048	0.000033	1	06/27/22 11:14	06/29/22 02:10	319-84-6	
beta-BHC	<0.000045	mg/L	0.000048	0.000045	1	06/27/22 11:14	06/29/22 02:10	319-85-7	
delta-BHC	<0.000043	mg/L	0.000048	0.000043	1	06/27/22 11:14	06/29/22 02:10	319-86-8	
gamma-BHC (Lindane)	<0.000036	mg/L	0.000048	0.000036	1	06/27/22 11:14	06/29/22 02:10	58-89-9	
Chlordane (Technical)	<0.0020	mg/L	0.0048	0.0020	1	06/27/22 11:14	06/29/22 02:10	57-74-9	
alpha-Chlordane	<0.000037	mg/L	0.00048	0.000037	1	06/27/22 11:14	06/29/22 02:10	5103-71-9	
gamma-Chlordane	<0.000047	mg/L	0.00048	0.000047	1	06/27/22 11:14	06/29/22 02:10	5103-74-2	
4,4'-DDD	<0.000091	mg/L	0.000095	0.000091	1	06/27/22 11:14	06/29/22 02:10	72-54-8	
4,4'-DDE	<0.000070	mg/L	0.000095	0.000070	1	06/27/22 11:14	06/29/22 02:10	72-55-9	
4,4'-DDT	<0.000081	mg/L	0.000095	0.000081	1	06/27/22 11:14	06/29/22 02:10	50-29-3	
Dieldrin	<0.000079	mg/L	0.000095	0.000079	1	06/27/22 11:14	06/29/22 02:10	60-57-1	
Endosulfan I	<0.000033	mg/L	0.000048	0.000033	1	06/27/22 11:14	06/29/22 02:10	959-98-8	
Endosulfan II	<0.000076	mg/L	0.000095	0.000076	1	06/27/22 11:14	06/29/22 02:10	33213-65-9	
Endosulfan sulfate	<0.000068	mg/L	0.000095	0.000068	1	06/27/22 11:14	06/29/22 02:10	1031-07-8	
Endrin	<0.000085	mg/L	0.000095	0.000085	1	06/27/22 11:14	06/29/22 02:10	72-20-8	
Endrin aldehyde	<0.000093	mg/L	0.000095	0.000093	1	06/27/22 11:14	06/29/22 02:10	7421-93-4	
Endrin ketone	<0.000076	mg/L	0.000095	0.000076	1	06/27/22 11:14	06/29/22 02:10	53494-70-5	
Heptachlor	<0.000040	mg/L	0.000048	0.000040	1	06/27/22 11:14	06/29/22 02:10	76-44-8	
Heptachlor epoxide	<0.000040	mg/L	0.000048	0.000040	1	06/27/22 11:14	06/29/22 02:10	1024-57-3	
Methoxychlor	<0.00040	mg/L	0.00048	0.00040	1	06/27/22 11:14	06/29/22 02:10	72-43-5	
Toxaphene	<0.0022	mg/L	0.0048	0.0022	1	06/27/22 11:14	06/29/22 02:10	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	96	%	10-135		1	06/27/22 11:14	06/29/22 02:10	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 16:27	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 16:27	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 16:27	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 16:27	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 16:27	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 16:27	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 16:27	11096-82-5	
PCB, Total	<0.00011	mg/L	0.00049	0.00011	1	06/24/22 08:02	06/27/22 16:27	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	95	%	17-141		1	06/24/22 08:02	06/27/22 16:27	877-09-8	
Decachlorobiphenyl (S)	88	%	10-113		1	06/24/22 08:02	06/27/22 16:27	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Aluminum	<0.036	mg/L	0.10	0.036	1	06/29/22 08:15	07/01/22 01:20	7429-90-5	
Antimony	0.00071J	mg/L	0.0010	0.00063	1	06/29/22 08:15	07/01/22 01:20	7440-36-0	
Arsenic	0.00059J	mg/L	0.0010	0.00020	1	06/29/22 08:15	07/01/22 01:20	7440-38-2	
Barium	0.085	mg/L	0.0010	0.00036	1	06/29/22 08:15	07/01/22 01:20	7440-39-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-15 Lab ID: 40247068005 Collected: 06/22/22 07:40 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Beryllium	<0.00012	mg/L	0.0010	0.00012	1	06/29/22 08:15	07/01/22 01:20	7440-41-7	
Cadmium	0.00011J	mg/L	0.0010	0.000080	1	06/29/22 08:15	07/01/22 01:20	7440-43-9	
Calcium	162	mg/L	0.10	0.084	1	06/29/22 08:15	07/01/22 01:20	7440-70-2	
Chromium	<0.00062	mg/L	0.0010	0.00062	1	06/29/22 08:15	07/01/22 01:20	7440-47-3	
Cobalt	0.00027J	mg/L	0.0010	0.000060	1	06/29/22 08:15	07/01/22 01:20	7440-48-4	
Copper	0.0010J	mg/L	0.0030	0.00083	1	06/29/22 08:15	07/01/22 01:20	7440-50-8	
Iron	<0.049	mg/L	0.10	0.049	1	06/29/22 08:15	07/01/22 01:20	7439-89-6	
Lead	0.00018J	mg/L	0.0010	0.000070	1	06/29/22 08:15	07/01/22 01:20	7439-92-1	
Magnesium	44.7	mg/L	0.10	0.00060	1	06/29/22 08:15	07/01/22 01:20	7439-95-4	
Manganese	0.10	mg/L	0.0050	0.0045	1	06/29/22 08:15	07/01/22 01:20	7439-96-5	
Nickel	0.0015	mg/L	0.0010	0.00056	1	06/29/22 08:15	07/01/22 01:20	7440-02-0	
Potassium	1.3	mg/L	0.10	0.085	1	06/29/22 08:15	07/01/22 01:20	7440-09-7	
Selenium	0.0070	mg/L	0.0010	0.00037	1	06/29/22 08:15	07/01/22 01:20	7782-49-2	
Silver	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 01:20	7440-22-4	
Sodium	12.4	mg/L	0.10	0.078	1	06/29/22 08:15	07/01/22 01:20	7440-23-5	
Thallium	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 01:20	7440-28-0	
Vanadium	<0.0023	mg/L	0.0050	0.0023	1	06/29/22 08:15	07/01/22 01:20	7440-62-2	
Zinc	0.016	mg/L	0.010	0.0044	1	06/29/22 08:15	07/01/22 01:20	7440-66-6	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.000066	mg/L	0.00020	0.000066	1	07/05/22 09:55	07/06/22 07:43	7439-97-6	
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4-Bromophenylphenyl ether	<0.00097	mg/L	0.0055	0.00097	1	06/27/22 08:05	06/28/22 14:30	101-55-3	
Butylbenzylphthalate	<0.00076	mg/L	0.0055	0.00076	1	06/27/22 08:05	06/28/22 14:30	85-68-7	
Carbazole	<0.00026	mg/L	0.0055	0.00026	1	06/27/22 08:05	06/28/22 14:30	86-74-8	
4-Chloro-3-methylphenol	<0.0010	mg/L	0.0055	0.0010	1	06/27/22 08:05	06/28/22 14:30	59-50-7	
4-Chloroaniline	<0.00098	mg/L	0.0055	0.00098	1	06/27/22 08:05	06/28/22 14:30	106-47-8	2q
bis(2-Chloroethoxy)methane	<0.00047	mg/L	0.0055	0.00047	1	06/27/22 08:05	06/28/22 14:30	111-91-1	
bis(2-Chloroethyl) ether	<0.00075	mg/L	0.0055	0.00075	1	06/27/22 08:05	06/28/22 14:30	111-44-4	
2-Chloronaphthalene	<0.0014	mg/L	0.0055	0.0014	1	06/27/22 08:05	06/28/22 14:30	91-58-7	
2-Chlorophenol	<0.0028	mg/L	0.0055	0.0028	1	06/27/22 08:05	06/28/22 14:30	95-57-8	
4-Chlorophenylphenyl ether	<0.00067	mg/L	0.0055	0.00067	1	06/27/22 08:05	06/28/22 14:30	7005-72-3	
Dibenzofuran	<0.0010	mg/L	0.0055	0.0010	1	06/27/22 08:05	06/28/22 14:30	132-64-9	
1,2-Dichlorobenzene	<0.0022	mg/L	0.0055	0.0022	1	06/27/22 08:05	06/28/22 14:30	95-50-1	
1,3-Dichlorobenzene	<0.0024	mg/L	0.0055	0.0024	1	06/27/22 08:05	06/28/22 14:30	541-73-1	
1,4-Dichlorobenzene	<0.0020	mg/L	0.0055	0.0020	1	06/27/22 08:05	06/28/22 14:30	106-46-7	
3,3'-Dichlorobenzidine	<0.00060	mg/L	0.0055	0.00060	1	06/27/22 08:05	06/28/22 14:30	91-94-1	2q
2,4-Dichlorophenol	<0.0017	mg/L	0.0055	0.0017	1	06/27/22 08:05	06/28/22 14:30	120-83-2	
Diethylphthalate	<0.00066	mg/L	0.0055	0.00066	1	06/27/22 08:05	06/28/22 14:30	84-66-2	
2,4-Dimethylphenol	<0.00047	mg/L	0.0055	0.00047	1	06/27/22 08:05	06/28/22 14:30	105-67-9	
Dimethylphthalate	<0.00046	mg/L	0.0055	0.00046	1	06/27/22 08:05	06/28/22 14:30	131-11-3	
Di-n-butylphthalate	<0.00036	mg/L	0.0055	0.00036	1	06/27/22 08:05	06/28/22 14:30	84-74-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Sample: MW-15 Lab ID: 40247068005 Collected: 06/22/22 07:40 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	-----	-----	----	----------	----------	---------	------

8270E MSSV Low Volume

Analytical Method: EPA 8270E Preparation Method: EPA 3510
Pace Analytical Services - Green Bay

4,6-Dinitro-2-methylphenol	<0.0013	mg/L	0.0055	0.0013	1	06/27/22 08:05	06/28/22 14:30	534-52-1	
2,4-Dinitrophenol	<0.0029	mg/L	0.011	0.0029	1	06/27/22 08:05	06/28/22 14:30	51-28-5	
2,4-Dinitrotoluene	<0.00042	mg/L	0.0055	0.00042	1	06/27/22 08:05	06/28/22 14:30	121-14-2	
2,6-Dinitrotoluene	<0.00093	mg/L	0.0055	0.00093	1	06/27/22 08:05	06/28/22 14:30	606-20-2	
Di-n-octylphthalate	<0.00051	mg/L	0.011	0.00051	1	06/27/22 08:05	06/28/22 14:30	117-84-0	
bis(2-Ethylhexyl)phthalate	<0.00075	mg/L	0.0055	0.00075	1	06/27/22 08:05	06/28/22 14:30	117-81-7	
Hexachloro-1,3-butadiene	<0.0028	mg/L	0.011	0.0028	1	06/27/22 08:05	06/28/22 14:30	87-68-3	
Hexachlorobenzene	<0.0018	mg/L	0.0055	0.0018	1	06/27/22 08:05	06/28/22 14:30	118-74-1	
Hexachlorocyclopentadiene	<0.0021	mg/L	0.0055	0.0021	1	06/27/22 08:05	06/28/22 14:30	77-47-4	
Hexachloroethane	<0.0017	mg/L	0.0055	0.0017	1	06/27/22 08:05	06/28/22 14:30	67-72-1	
Isophorone	<0.00044	mg/L	0.0055	0.00044	1	06/27/22 08:05	06/28/22 14:30	78-59-1	
2-Methylphenol(o-Cresol)	<0.00085	mg/L	0.0055	0.00085	1	06/27/22 08:05	06/28/22 14:30	95-48-7	
3&4-Methylphenol(m&p Cresol)	<0.00065	mg/L	0.0055	0.00065	1	06/27/22 08:05	06/28/22 14:30		
2-Nitroaniline	<0.0010	mg/L	0.0055	0.0010	1	06/27/22 08:05	06/28/22 14:30	88-74-4	CH
3-Nitroaniline	<0.00078	mg/L	0.0055	0.00078	1	06/27/22 08:05	06/28/22 14:30	99-09-2	
4-Nitroaniline	<0.00049	mg/L	0.011	0.00049	1	06/27/22 08:05	06/28/22 14:30	100-01-6	
Nitrobenzene	<0.00056	mg/L	0.0055	0.00056	1	06/27/22 08:05	06/28/22 14:30	98-95-3	
2-Nitrophenol	<0.0017	mg/L	0.0055	0.0017	1	06/27/22 08:05	06/28/22 14:30	88-75-5	
4-Nitrophenol	<0.0022	mg/L	0.0055	0.0022	1	06/27/22 08:05	06/28/22 14:30	100-02-7	
N-Nitroso-di-n-propylamine	<0.00090	mg/L	0.0055	0.00090	1	06/27/22 08:05	06/28/22 14:30	621-64-7	
N-Nitrosodiphenylamine	<0.00045	mg/L	0.0055	0.00045	1	06/27/22 08:05	06/28/22 14:30	86-30-6	
2,2'-Oxybis(1-chloropropane)	<0.00086	mg/L	0.0055	0.00086	1	06/27/22 08:05	06/28/22 14:30	108-60-1	CH
Pentachlorophenol	<0.0018	mg/L	0.0055	0.0018	1	06/27/22 08:05	06/28/22 14:30	87-86-5	
Phenol	<0.0011	mg/L	0.0055	0.0011	1	06/27/22 08:05	06/28/22 14:30	108-95-2	
1,2,4-Trichlorobenzene	<0.0026	mg/L	0.0055	0.0026	1	06/27/22 08:05	06/28/22 14:30	120-82-1	
2,4,5-Trichlorophenol	<0.0020	mg/L	0.0055	0.0020	1	06/27/22 08:05	06/28/22 14:30	95-95-4	
2,4,6-Trichlorophenol	<0.0022	mg/L	0.0055	0.0022	1	06/27/22 08:05	06/28/22 14:30	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	105	%	10-120		1	06/27/22 08:05	06/28/22 14:30	4165-60-0	
2-Fluorobiphenyl (S)	83	%	10-101		1	06/27/22 08:05	06/28/22 14:30	321-60-8	
Terphenyl-d14 (S)	107	%	36-138		1	06/27/22 08:05	06/28/22 14:30	1718-51-0	
Phenol-d6 (S)	44	%	10-130		1	06/27/22 08:05	06/28/22 14:30	13127-88-3	
2-Fluorophenol (S)	65	%	10-89		1	06/27/22 08:05	06/28/22 14:30	367-12-4	
2,4,6-Tribromophenol (S)	109	%	10-142		1	06/27/22 08:05	06/28/22 14:30	118-79-6	

8270E MSSV PAH

Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510
Pace Analytical Services - Green Bay

Acenaphthene	<0.000013	mg/L	0.000048	0.000013	1	06/27/22 08:10	06/28/22 11:07	83-32-9	
Acenaphthylene	<0.000012	mg/L	0.000048	0.000012	1	06/27/22 08:10	06/28/22 11:07	208-96-8	
Anthracene	<0.000018	mg/L	0.000048	0.000018	1	06/27/22 08:10	06/28/22 11:07	120-12-7	
Benzo(a)anthracene	<0.000013	mg/L	0.000048	0.000013	1	06/27/22 08:10	06/28/22 11:07	56-55-3	
Benzo(a)pyrene	<0.000012	mg/L	0.000048	0.000012	1	06/27/22 08:10	06/28/22 11:07	50-32-8	
Benzo(b)fluoranthene	<0.000008	mg/L	0.000048	0.000008	1	06/27/22 08:10	06/28/22 11:07	205-99-2	
	7			7					
Benzo(g,h,i)perylene	<0.000022	mg/L	0.000048	0.000022	1	06/27/22 08:10	06/28/22 11:07	191-24-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Sample: MW-15 Lab ID: **40247068005** Collected: 06/22/22 07:40 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Benzo(k)fluoranthene	<0.000021	mg/L	0.000048	0.000021	1	06/27/22 08:10	06/28/22 11:07	207-08-9	
Chrysene	<0.000012	mg/L	0.000048	0.000012	1	06/27/22 08:10	06/28/22 11:07	218-01-9	
Dibenz(a,h)anthracene	<0.000017	mg/L	0.000048	0.000017	1	06/27/22 08:10	06/28/22 11:07	53-70-3	
Fluoranthene	<0.000025	mg/L	0.000048	0.000025	1	06/27/22 08:10	06/28/22 11:07	206-44-0	
Fluorene	<0.000022	mg/L	0.000048	0.000022	1	06/27/22 08:10	06/28/22 11:07	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.000015	mg/L	0.000048	0.000015	1	06/27/22 08:10	06/28/22 11:07	193-39-5	
2-Methylnaphthalene	0.000017J	mg/L	0.000048	0.000013	1	06/27/22 08:10	06/28/22 11:07	91-57-6	
Naphthalene	0.000030J	mg/L	0.000048	0.000019	1	06/27/22 08:10	06/28/22 11:07	91-20-3	
Phenanthrene	<0.000024	mg/L	0.000048	0.000024	1	06/27/22 08:10	06/28/22 11:07	85-01-8	
Pyrene	<0.000022	mg/L	0.000048	0.000022	1	06/27/22 08:10	06/28/22 11:07	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	80	%	44-120		1	06/27/22 08:10	06/28/22 11:07	321-60-8	
Terphenyl-d14 (S)	85	%	49-120		1	06/27/22 08:10	06/28/22 11:07	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Acetone	<0.0086	mg/L	0.025	0.0086	1		06/24/22 13:20	67-64-1	
Benzene	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 13:20	71-43-2	
Bromodichloromethane	<0.00042	mg/L	0.0010	0.00042	1		06/24/22 13:20	75-27-4	
Bromoform	<0.0038	mg/L	0.0050	0.0038	1		06/24/22 13:20	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 13:20	74-83-9	
2-Butanone (MEK)	<0.0065	mg/L	0.025	0.0065	1		06/24/22 13:20	78-93-3	
Carbon disulfide	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 13:20	75-15-0	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		06/24/22 13:20	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		06/24/22 13:20	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		06/24/22 13:20	75-00-3	
Chloroform	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 13:20	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		06/24/22 13:20	74-87-3	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		06/24/22 13:20	124-48-1	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 13:20	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 13:20	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		06/24/22 13:20	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		06/24/22 13:20	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		06/24/22 13:20	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		06/24/22 13:20	78-87-5	
cis-1,3-Dichloropropene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 13:20	10061-01-5	
trans-1,3-Dichloropropene	<0.0035	mg/L	0.0050	0.0035	1		06/24/22 13:20	10061-02-6	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		06/24/22 13:20	100-41-4	
2-Hexanone	<0.0063	mg/L	0.025	0.0063	1		06/24/22 13:20	591-78-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		06/24/22 13:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.0060	mg/L	0.025	0.0060	1		06/24/22 13:20	108-10-1	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 13:20	1634-04-4	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 13:20	100-42-5	
1,1,2,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		06/24/22 13:20	79-34-5	
Tetrachloroethene	<0.00041	mg/L	0.0010	0.00041	1		06/24/22 13:20	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-15 **Lab ID: 40247068005** Collected: 06/22/22 07:40 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Toluene	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 13:20	108-88-3	
1,1,1-Trichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 13:20	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0050	0.00034	1		06/24/22 13:20	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		06/24/22 13:20	79-01-6	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		06/24/22 13:20	75-01-4	
Xylene (Total)	<0.0010	mg/L	0.0030	0.0010	1		06/24/22 13:20	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		06/24/22 13:20	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1		06/24/22 13:20	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		06/24/22 13:20	2037-26-5	
335.4 Cyanide, Total									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	<0.0069	mg/L	0.023	0.0069	1	06/29/22 09:45	06/29/22 12:46	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-07 **Lab ID: 40247068006** Collected: 06/22/22 08:30 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pest RV Waters									
Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Pace Analytical Services - Indianapolis									
Aldrin	<0.000046	mg/L	0.000050	0.000046	1	06/28/22 14:50	06/30/22 00:32	309-00-2	
alpha-BHC	<0.000035	mg/L	0.000050	0.000035	1	06/28/22 14:50	06/30/22 00:32	319-84-6	
beta-BHC	<0.000047	mg/L	0.000050	0.000047	1	06/28/22 14:50	06/30/22 00:32	319-85-7	
delta-BHC	<0.000045	mg/L	0.000050	0.000045	1	06/28/22 14:50	06/30/22 00:32	319-86-8	
gamma-BHC (Lindane)	<0.000038	mg/L	0.000050	0.000038	1	06/28/22 14:50	06/30/22 00:32	58-89-9	
Chlordane (Technical)	<0.0020	mg/L	0.0050	0.0020	1	06/28/22 14:50	06/30/22 00:32	57-74-9	
alpha-Chlordane	<0.000039	mg/L	0.00050	0.000039	1	06/28/22 14:50	06/30/22 00:32	5103-71-9	
gamma-Chlordane	<0.000049	mg/L	0.00050	0.000049	1	06/28/22 14:50	06/30/22 00:32	5103-74-2	
4,4'-DDD	<0.000096	mg/L	0.00010	0.000096	1	06/28/22 14:50	06/30/22 00:32	72-54-8	
4,4'-DDE	<0.000074	mg/L	0.00010	0.000074	1	06/28/22 14:50	06/30/22 00:32	72-55-9	
4,4'-DDT	<0.000085	mg/L	0.00010	0.000085	1	06/28/22 14:50	06/30/22 00:32	50-29-3	
Dieldrin	<0.000083	mg/L	0.00010	0.000083	1	06/28/22 14:50	06/30/22 00:32	60-57-1	
Endosulfan I	<0.000035	mg/L	0.000050	0.000035	1	06/28/22 14:50	06/30/22 00:32	959-98-8	
Endosulfan II	<0.000080	mg/L	0.00010	0.000080	1	06/28/22 14:50	06/30/22 00:32	33213-65-9	
Endosulfan sulfate	<0.000071	mg/L	0.00010	0.000071	1	06/28/22 14:50	06/30/22 00:32	1031-07-8	
Endrin	<0.000089	mg/L	0.00010	0.000089	1	06/28/22 14:50	06/30/22 00:32	72-20-8	
Endrin aldehyde	<0.000098	mg/L	0.00010	0.000098	1	06/28/22 14:50	06/30/22 00:32	7421-93-4	
Endrin ketone	<0.000080	mg/L	0.00010	0.000080	1	06/28/22 14:50	06/30/22 00:32	53494-70-5	
Heptachlor	<0.000042	mg/L	0.000050	0.000042	1	06/28/22 14:50	06/30/22 00:32	76-44-8	
Heptachlor epoxide	<0.000042	mg/L	0.000050	0.000042	1	06/28/22 14:50	06/30/22 00:32	1024-57-3	
Methoxychlor	<0.00042	mg/L	0.00050	0.00042	1	06/28/22 14:50	06/30/22 00:32	72-43-5	
Toxaphene	<0.0023	mg/L	0.0050	0.0023	1	06/28/22 14:50	06/30/22 00:32	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	88	%	10-135		1	06/28/22 14:50	06/30/22 00:32	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 16:47	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 16:47	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 16:47	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 16:47	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 16:47	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 16:47	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 16:47	11096-82-5	
PCB, Total	<0.00011	mg/L	0.00047	0.00011	1	06/24/22 08:02	06/27/22 16:47	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	91	%	17-141		1	06/24/22 08:02	06/27/22 16:47	877-09-8	
Decachlorobiphenyl (S)	65	%	10-113		1	06/24/22 08:02	06/27/22 16:47	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Aluminum	<0.036	mg/L	0.10	0.036	1	06/29/22 08:15	07/01/22 01:26	7429-90-5	
Antimony	<0.00063	mg/L	0.0010	0.00063	1	06/29/22 08:15	07/01/22 01:26	7440-36-0	
Arsenic	0.00064J	mg/L	0.0010	0.00020	1	06/29/22 08:15	07/01/22 01:26	7440-38-2	
Barium	0.13	mg/L	0.0010	0.00036	1	06/29/22 08:15	07/01/22 01:26	7440-39-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-07 **Lab ID: 40247068006** Collected: 06/22/22 08:30 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Beryllium	<0.00012	mg/L	0.0010	0.00012	1	06/29/22 08:15	07/01/22 01:26	7440-41-7	
Cadmium	<0.000080	mg/L	0.0010	0.000080	1	06/29/22 08:15	07/01/22 01:26	7440-43-9	
Calcium	81.1	mg/L	0.10	0.084	1	06/29/22 08:15	07/01/22 01:26	7440-70-2	
Chromium	<0.00062	mg/L	0.0010	0.00062	1	06/29/22 08:15	07/01/22 01:26	7440-47-3	
Cobalt	0.00030J	mg/L	0.0010	0.000060	1	06/29/22 08:15	07/01/22 01:26	7440-48-4	
Copper	0.00089J	mg/L	0.0030	0.00083	1	06/29/22 08:15	07/01/22 01:26	7440-50-8	
Iron	<0.049	mg/L	0.10	0.049	1	06/29/22 08:15	07/01/22 01:26	7439-89-6	
Lead	<0.000070	mg/L	0.0010	0.000070	1	06/29/22 08:15	07/01/22 01:26	7439-92-1	
Magnesium	8.9	mg/L	0.10	0.00060	1	06/29/22 08:15	07/01/22 01:26	7439-95-4	
Manganese	0.21	mg/L	0.0050	0.0045	1	06/29/22 08:15	07/01/22 01:26	7439-96-5	
Nickel	0.00089J	mg/L	0.0010	0.00056	1	06/29/22 08:15	07/01/22 01:26	7440-02-0	
Potassium	2.7	mg/L	0.10	0.085	1	06/29/22 08:15	07/01/22 01:26	7440-09-7	
Selenium	0.00068J	mg/L	0.0010	0.00037	1	06/29/22 08:15	07/01/22 01:26	7782-49-2	
Silver	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 01:26	7440-22-4	
Sodium	4.8	mg/L	0.10	0.078	1	06/29/22 08:15	07/01/22 01:26	7440-23-5	
Thallium	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 01:26	7440-28-0	
Vanadium	<0.0023	mg/L	0.0050	0.0023	1	06/29/22 08:15	07/01/22 01:26	7440-62-2	
Zinc	0.012	mg/L	0.010	0.0044	1	06/29/22 08:15	07/01/22 01:26	7440-66-6	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.000066	mg/L	0.00020	0.000066	1	07/05/22 09:55	07/06/22 07:45	7439-97-6	
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4-Bromophenylphenyl ether	<0.00089	mg/L	0.0050	0.00089	1	06/27/22 08:05	06/28/22 14:52	101-55-3	
Butylbenzylphthalate	<0.00070	mg/L	0.0050	0.00070	1	06/27/22 08:05	06/28/22 14:52	85-68-7	
Carbazole	<0.00023	mg/L	0.0050	0.00023	1	06/27/22 08:05	06/28/22 14:52	86-74-8	
4-Chloro-3-methylphenol	<0.00094	mg/L	0.0050	0.00094	1	06/27/22 08:05	06/28/22 14:52	59-50-7	
4-Chloroaniline	<0.00090	mg/L	0.0050	0.00090	1	06/27/22 08:05	06/28/22 14:52	106-47-8	2q
bis(2-Chloroethoxy)methane	<0.00043	mg/L	0.0050	0.00043	1	06/27/22 08:05	06/28/22 14:52	111-91-1	
bis(2-Chloroethyl) ether	<0.00069	mg/L	0.0050	0.00069	1	06/27/22 08:05	06/28/22 14:52	111-44-4	
2-Chloronaphthalene	<0.0012	mg/L	0.0050	0.0012	1	06/27/22 08:05	06/28/22 14:52	91-58-7	
2-Chlorophenol	<0.0026	mg/L	0.0050	0.0026	1	06/27/22 08:05	06/28/22 14:52	95-57-8	
4-Chlorophenylphenyl ether	<0.00061	mg/L	0.0050	0.00061	1	06/27/22 08:05	06/28/22 14:52	7005-72-3	
Dibenzofuran	<0.00093	mg/L	0.0050	0.00093	1	06/27/22 08:05	06/28/22 14:52	132-64-9	
1,2-Dichlorobenzene	<0.0020	mg/L	0.0050	0.0020	1	06/27/22 08:05	06/28/22 14:52	95-50-1	
1,3-Dichlorobenzene	<0.0022	mg/L	0.0050	0.0022	1	06/27/22 08:05	06/28/22 14:52	541-73-1	
1,4-Dichlorobenzene	<0.0018	mg/L	0.0050	0.0018	1	06/27/22 08:05	06/28/22 14:52	106-46-7	
3,3'-Dichlorobenzidine	<0.00055	mg/L	0.0050	0.00055	1	06/27/22 08:05	06/28/22 14:52	91-94-1	2q
2,4-Dichlorophenol	<0.0015	mg/L	0.0050	0.0015	1	06/27/22 08:05	06/28/22 14:52	120-83-2	
Diethylphthalate	<0.00060	mg/L	0.0050	0.00060	1	06/27/22 08:05	06/28/22 14:52	84-66-2	
2,4-Dimethylphenol	<0.00043	mg/L	0.0050	0.00043	1	06/27/22 08:05	06/28/22 14:52	105-67-9	
Dimethylphthalate	<0.00042	mg/L	0.0050	0.00042	1	06/27/22 08:05	06/28/22 14:52	131-11-3	
Di-n-butylphthalate	<0.00033	mg/L	0.0050	0.00033	1	06/27/22 08:05	06/28/22 14:52	84-74-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Sample: MW-07 **Lab ID: 40247068006** Collected: 06/22/22 08:30 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<0.0012	mg/L	0.0050	0.0012	1	06/27/22 08:05	06/28/22 14:52	534-52-1	
2,4-Dinitrophenol	<0.0026	mg/L	0.010	0.0026	1	06/27/22 08:05	06/28/22 14:52	51-28-5	
2,4-Dinitrotoluene	<0.00038	mg/L	0.0050	0.00038	1	06/27/22 08:05	06/28/22 14:52	121-14-2	
2,6-Dinitrotoluene	<0.00085	mg/L	0.0050	0.00085	1	06/27/22 08:05	06/28/22 14:52	606-20-2	
Di-n-octylphthalate	<0.00047	mg/L	0.010	0.00047	1	06/27/22 08:05	06/28/22 14:52	117-84-0	
bis(2-Ethylhexyl)phthalate	<0.00069	mg/L	0.0050	0.00069	1	06/27/22 08:05	06/28/22 14:52	117-81-7	
Hexachloro-1,3-butadiene	<0.0025	mg/L	0.010	0.0025	1	06/27/22 08:05	06/28/22 14:52	87-68-3	
Hexachlorobenzene	<0.0017	mg/L	0.0050	0.0017	1	06/27/22 08:05	06/28/22 14:52	118-74-1	
Hexachlorocyclopentadiene	<0.0019	mg/L	0.0050	0.0019	1	06/27/22 08:05	06/28/22 14:52	77-47-4	
Hexachloroethane	<0.0015	mg/L	0.0050	0.0015	1	06/27/22 08:05	06/28/22 14:52	67-72-1	
Isophorone	<0.00040	mg/L	0.0050	0.00040	1	06/27/22 08:05	06/28/22 14:52	78-59-1	
2-Methylphenol(o-Cresol)	<0.00078	mg/L	0.0050	0.00078	1	06/27/22 08:05	06/28/22 14:52	95-48-7	
3&4-Methylphenol(m&p Cresol)	<0.00060	mg/L	0.0050	0.00060	1	06/27/22 08:05	06/28/22 14:52		
2-Nitroaniline	<0.00092	mg/L	0.0050	0.00092	1	06/27/22 08:05	06/28/22 14:52	88-74-4	CH
3-Nitroaniline	<0.00072	mg/L	0.0050	0.00072	1	06/27/22 08:05	06/28/22 14:52	99-09-2	
4-Nitroaniline	<0.00045	mg/L	0.010	0.00045	1	06/27/22 08:05	06/28/22 14:52	100-01-6	
Nitrobenzene	<0.00051	mg/L	0.0050	0.00051	1	06/27/22 08:05	06/28/22 14:52	98-95-3	
2-Nitrophenol	<0.0015	mg/L	0.0050	0.0015	1	06/27/22 08:05	06/28/22 14:52	88-75-5	
4-Nitrophenol	<0.0020	mg/L	0.0050	0.0020	1	06/27/22 08:05	06/28/22 14:52	100-02-7	
N-Nitroso-di-n-propylamine	<0.00083	mg/L	0.0050	0.00083	1	06/27/22 08:05	06/28/22 14:52	621-64-7	
N-Nitrosodiphenylamine	<0.00041	mg/L	0.0050	0.00041	1	06/27/22 08:05	06/28/22 14:52	86-30-6	
2,2'-Oxybis(1-chloropropane)	<0.00079	mg/L	0.0050	0.00079	1	06/27/22 08:05	06/28/22 14:52	108-60-1	CH
Pentachlorophenol	<0.0016	mg/L	0.0050	0.0016	1	06/27/22 08:05	06/28/22 14:52	87-86-5	
Phenol	<0.00098	mg/L	0.0050	0.00098	1	06/27/22 08:05	06/28/22 14:52	108-95-2	
1,2,4-Trichlorobenzene	<0.0024	mg/L	0.0050	0.0024	1	06/27/22 08:05	06/28/22 14:52	120-82-1	
2,4,5-Trichlorophenol	<0.0018	mg/L	0.0050	0.0018	1	06/27/22 08:05	06/28/22 14:52	95-95-4	
2,4,6-Trichlorophenol	<0.0020	mg/L	0.0050	0.0020	1	06/27/22 08:05	06/28/22 14:52	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	100	%	10-120		1	06/27/22 08:05	06/28/22 14:52	4165-60-0	
2-Fluorobiphenyl (S)	73	%	10-101		1	06/27/22 08:05	06/28/22 14:52	321-60-8	
Terphenyl-d14 (S)	105	%	36-138		1	06/27/22 08:05	06/28/22 14:52	1718-51-0	
Phenol-d6 (S)	40	%	10-130		1	06/27/22 08:05	06/28/22 14:52	13127-88-3	
2-Fluorophenol (S)	58	%	10-89		1	06/27/22 08:05	06/28/22 14:52	367-12-4	
2,4,6-Tribromophenol (S)	94	%	10-142		1	06/27/22 08:05	06/28/22 14:52	118-79-6	

8270E MSSV PAH

Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510
Pace Analytical Services - Green Bay

Acenaphthene	<0.000015	mg/L	0.000054	0.000015	1	06/27/22 08:10	06/28/22 11:25	83-32-9	
Acenaphthylene	<0.000014	mg/L	0.000054	0.000014	1	06/27/22 08:10	06/28/22 11:25	208-96-8	
Anthracene	<0.000020	mg/L	0.000054	0.000020	1	06/27/22 08:10	06/28/22 11:25	120-12-7	
Benzo(a)anthracene	<0.000015	mg/L	0.000054	0.000015	1	06/27/22 08:10	06/28/22 11:25	56-55-3	
Benzo(a)pyrene	<0.000014	mg/L	0.000054	0.000014	1	06/27/22 08:10	06/28/22 11:25	50-32-8	
Benzo(b)fluoranthene	<0.000009	mg/L	0.000054	0.000009	1	06/27/22 08:10	06/28/22 11:25	205-99-2	
Benzo(g,h,i)perylene	<0.000025	mg/L	0.000054	0.000025	1	06/27/22 08:10	06/28/22 11:25	191-24-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Sample: MW-07 Lab ID: **40247068006** Collected: 06/22/22 08:30 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Benzo(k)fluoranthene	<0.000024	mg/L	0.000054	0.000024	1	06/27/22 08:10	06/28/22 11:25	207-08-9	
Chrysene	<0.000014	mg/L	0.000054	0.000014	1	06/27/22 08:10	06/28/22 11:25	218-01-9	
Dibenz(a,h)anthracene	<0.000019	mg/L	0.000054	0.000019	1	06/27/22 08:10	06/28/22 11:25	53-70-3	
Fluoranthene	<0.000028	mg/L	0.000054	0.000028	1	06/27/22 08:10	06/28/22 11:25	206-44-0	
Fluorene	<0.000025	mg/L	0.000054	0.000025	1	06/27/22 08:10	06/28/22 11:25	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.000017	mg/L	0.000054	0.000017	1	06/27/22 08:10	06/28/22 11:25	193-39-5	
2-Methylnaphthalene	<0.000015	mg/L	0.000054	0.000015	1	06/27/22 08:10	06/28/22 11:25	91-57-6	
Naphthalene	<0.000022	mg/L	0.000054	0.000022	1	06/27/22 08:10	06/28/22 11:25	91-20-3	
Phenanthrene	<0.000028	mg/L	0.000054	0.000028	1	06/27/22 08:10	06/28/22 11:25	85-01-8	
Pyrene	<0.000024	mg/L	0.000054	0.000024	1	06/27/22 08:10	06/28/22 11:25	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	83	%	44-120		1	06/27/22 08:10	06/28/22 11:25	321-60-8	
Terphenyl-d14 (S)	80	%	49-120		1	06/27/22 08:10	06/28/22 11:25	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Acetone	<0.0086	mg/L	0.025	0.0086	1		06/24/22 13:39	67-64-1	
Benzene	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 13:39	71-43-2	
Bromodichloromethane	<0.00042	mg/L	0.0010	0.00042	1		06/24/22 13:39	75-27-4	
Bromoform	<0.0038	mg/L	0.0050	0.0038	1		06/24/22 13:39	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 13:39	74-83-9	
2-Butanone (MEK)	<0.0065	mg/L	0.025	0.0065	1		06/24/22 13:39	78-93-3	
Carbon disulfide	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 13:39	75-15-0	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		06/24/22 13:39	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		06/24/22 13:39	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		06/24/22 13:39	75-00-3	
Chloroform	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 13:39	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		06/24/22 13:39	74-87-3	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		06/24/22 13:39	124-48-1	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 13:39	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 13:39	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		06/24/22 13:39	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		06/24/22 13:39	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		06/24/22 13:39	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		06/24/22 13:39	78-87-5	
cis-1,3-Dichloropropene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 13:39	10061-01-5	
trans-1,3-Dichloropropene	<0.0035	mg/L	0.0050	0.0035	1		06/24/22 13:39	10061-02-6	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		06/24/22 13:39	100-41-4	
2-Hexanone	<0.0063	mg/L	0.025	0.0063	1		06/24/22 13:39	591-78-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		06/24/22 13:39	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.0060	mg/L	0.025	0.0060	1		06/24/22 13:39	108-10-1	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 13:39	1634-04-4	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 13:39	100-42-5	
1,1,2,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		06/24/22 13:39	79-34-5	
Tetrachloroethene	<0.00041	mg/L	0.0010	0.00041	1		06/24/22 13:39	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Sample: MW-07 **Lab ID: 40247068006** Collected: 06/22/22 08:30 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Toluene	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 13:39	108-88-3	
1,1,1-Trichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 13:39	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0050	0.00034	1		06/24/22 13:39	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		06/24/22 13:39	79-01-6	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		06/24/22 13:39	75-01-4	
Xylene (Total)	<0.0010	mg/L	0.0030	0.0010	1		06/24/22 13:39	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		06/24/22 13:39	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1		06/24/22 13:39	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		06/24/22 13:39	2037-26-5	
335.4 Cyanide, Total									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	<0.0069	mg/L	0.023	0.0069	1	06/29/22 09:45	06/29/22 12:47	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-12 **Lab ID: 40247068007** Collected: 06/22/22 09:20 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pest RV Waters									
Analytical Method: EPA 8081 Preparation Method: EPA 3510 Pace Analytical Services - Indianapolis									
Aldrin	<0.000054	mg/L	0.000059	0.000054	1	06/27/22 11:14	06/29/22 02:22	309-00-2	
alpha-BHC	<0.000041	mg/L	0.000059	0.000041	1	06/27/22 11:14	06/29/22 02:22	319-84-6	
beta-BHC	<0.000055	mg/L	0.000059	0.000055	1	06/27/22 11:14	06/29/22 02:22	319-85-7	
delta-BHC	<0.000053	mg/L	0.000059	0.000053	1	06/27/22 11:14	06/29/22 02:22	319-86-8	
gamma-BHC (Lindane)	<0.000045	mg/L	0.000059	0.000045	1	06/27/22 11:14	06/29/22 02:22	58-89-9	
Chlordane (Technical)	<0.0024	mg/L	0.0059	0.0024	1	06/27/22 11:14	06/29/22 02:22	57-74-9	
alpha-Chlordane	<0.000046	mg/L	0.00059	0.000046	1	06/27/22 11:14	06/29/22 02:22	5103-71-9	
gamma-Chlordane	<0.000058	mg/L	0.00059	0.000058	1	06/27/22 11:14	06/29/22 02:22	5103-74-2	
4,4'-DDD	<0.00011	mg/L	0.00012	0.00011	1	06/27/22 11:14	06/29/22 02:22	72-54-8	
4,4'-DDE	<0.000087	mg/L	0.00012	0.000087	1	06/27/22 11:14	06/29/22 02:22	72-55-9	
4,4'-DDT	<0.00010	mg/L	0.00012	0.00010	1	06/27/22 11:14	06/29/22 02:22	50-29-3	
Dieldrin	<0.000098	mg/L	0.00012	0.000098	1	06/27/22 11:14	06/29/22 02:22	60-57-1	
Endosulfan I	<0.000041	mg/L	0.000059	0.000041	1	06/27/22 11:14	06/29/22 02:22	959-98-8	
Endosulfan II	<0.000094	mg/L	0.00012	0.000094	1	06/27/22 11:14	06/29/22 02:22	33213-65-9	
Endosulfan sulfate	<0.000084	mg/L	0.00012	0.000084	1	06/27/22 11:14	06/29/22 02:22	1031-07-8	
Endrin	<0.00010	mg/L	0.00012	0.00010	1	06/27/22 11:14	06/29/22 02:22	72-20-8	
Endrin aldehyde	<0.00012	mg/L	0.00012	0.00012	1	06/27/22 11:14	06/29/22 02:22	7421-93-4	
Endrin ketone	<0.000094	mg/L	0.00012	0.000094	1	06/27/22 11:14	06/29/22 02:22	53494-70-5	
Heptachlor	<0.000049	mg/L	0.000059	0.000049	1	06/27/22 11:14	06/29/22 02:22	76-44-8	
Heptachlor epoxide	<0.000049	mg/L	0.000059	0.000049	1	06/27/22 11:14	06/29/22 02:22	1024-57-3	
Methoxychlor	<0.00049	mg/L	0.00059	0.00049	1	06/27/22 11:14	06/29/22 02:22	72-43-5	
Toxaphene	<0.0027	mg/L	0.0059	0.0027	1	06/27/22 11:14	06/29/22 02:22	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	100	%	10-135		1	06/27/22 11:14	06/29/22 02:22	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 17:07	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 17:07	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 17:07	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 17:07	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 17:07	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 17:07	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 17:07	11096-82-5	
PCB, Total	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 17:07	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	92	%	17-141		1	06/24/22 08:02	06/27/22 17:07	877-09-8	
Decachlorobiphenyl (S)	70	%	10-113		1	06/24/22 08:02	06/27/22 17:07	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010 Pace Analytical Services - New Orleans									
Aluminum	<0.036	mg/L	0.10	0.036	1	06/29/22 08:15	07/01/22 01:32	7429-90-5	
Antimony	<0.00063	mg/L	0.0010	0.00063	1	06/29/22 08:15	07/01/22 01:32	7440-36-0	
Arsenic	0.00027J	mg/L	0.0010	0.00020	1	06/29/22 08:15	07/01/22 01:32	7440-38-2	
Barium	0.057	mg/L	0.0010	0.00036	1	06/29/22 08:15	07/01/22 01:32	7440-39-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-12 Lab ID: 40247068007 Collected: 06/22/22 09:20 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Beryllium	<0.00012	mg/L	0.0010	0.00012	1	06/29/22 08:15	07/01/22 01:32	7440-41-7	
Cadmium	<0.000080	mg/L	0.0010	0.000080	1	06/29/22 08:15	07/01/22 01:32	7440-43-9	
Calcium	72.9	mg/L	0.10	0.084	1	06/29/22 08:15	07/01/22 01:32	7440-70-2	
Chromium	<0.00062	mg/L	0.0010	0.00062	1	06/29/22 08:15	07/01/22 01:32	7440-47-3	
Cobalt	0.00014J	mg/L	0.0010	0.000060	1	06/29/22 08:15	07/01/22 01:32	7440-48-4	
Copper	<0.00083	mg/L	0.0030	0.00083	1	06/29/22 08:15	07/01/22 01:32	7440-50-8	
Iron	<0.049	mg/L	0.10	0.049	1	06/29/22 08:15	07/01/22 01:32	7439-89-6	
Lead	<0.000070	mg/L	0.0010	0.000070	1	06/29/22 08:15	07/01/22 01:32	7439-92-1	
Magnesium	27.3	mg/L	0.10	0.00060	1	06/29/22 08:15	07/01/22 01:32	7439-95-4	
Manganese	0.0056	mg/L	0.0050	0.0045	1	06/29/22 08:15	07/01/22 01:32	7439-96-5	
Nickel	<0.00056	mg/L	0.0010	0.00056	1	06/29/22 08:15	07/01/22 01:32	7440-02-0	
Potassium	2.1	mg/L	0.10	0.085	1	06/29/22 08:15	07/01/22 01:32	7440-09-7	
Selenium	0.00056J	mg/L	0.0010	0.00037	1	06/29/22 08:15	07/01/22 01:32	7782-49-2	
Silver	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 01:32	7440-22-4	
Sodium	12.1	mg/L	0.10	0.078	1	06/29/22 08:15	07/01/22 01:32	7440-23-5	
Thallium	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 01:32	7440-28-0	
Vanadium	<0.0023	mg/L	0.0050	0.0023	1	06/29/22 08:15	07/01/22 01:32	7440-62-2	
Zinc	<0.0044	mg/L	0.010	0.0044	1	06/29/22 08:15	07/01/22 01:32	7440-66-6	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.000066	mg/L	0.00020	0.000066	1	07/05/22 09:55	07/06/22 07:48	7439-97-6	
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4-Bromophenylphenyl ether	<0.00090	mg/L	0.0051	0.00090	1	06/27/22 08:05	06/28/22 15:13	101-55-3	
Butylbenzylphthalate	<0.00071	mg/L	0.0051	0.00071	1	06/27/22 08:05	06/28/22 15:13	85-68-7	
Carbazole	<0.00024	mg/L	0.0051	0.00024	1	06/27/22 08:05	06/28/22 15:13	86-74-8	
4-Chloro-3-methylphenol	<0.00095	mg/L	0.0051	0.00095	1	06/27/22 08:05	06/28/22 15:13	59-50-7	
4-Chloroaniline	<0.00091	mg/L	0.0051	0.00091	1	06/27/22 08:05	06/28/22 15:13	106-47-8	2q
bis(2-Chloroethoxy)methane	<0.00044	mg/L	0.0051	0.00044	1	06/27/22 08:05	06/28/22 15:13	111-91-1	
bis(2-Chloroethyl) ether	<0.00069	mg/L	0.0051	0.00069	1	06/27/22 08:05	06/28/22 15:13	111-44-4	
2-Chloronaphthalene	<0.0013	mg/L	0.0051	0.0013	1	06/27/22 08:05	06/28/22 15:13	91-58-7	
2-Chlorophenol	<0.0026	mg/L	0.0051	0.0026	1	06/27/22 08:05	06/28/22 15:13	95-57-8	
4-Chlorophenylphenyl ether	<0.00062	mg/L	0.0051	0.00062	1	06/27/22 08:05	06/28/22 15:13	7005-72-3	
Dibenzofuran	<0.00094	mg/L	0.0051	0.00094	1	06/27/22 08:05	06/28/22 15:13	132-64-9	
1,2-Dichlorobenzene	<0.0020	mg/L	0.0051	0.0020	1	06/27/22 08:05	06/28/22 15:13	95-50-1	
1,3-Dichlorobenzene	<0.0022	mg/L	0.0051	0.0022	1	06/27/22 08:05	06/28/22 15:13	541-73-1	
1,4-Dichlorobenzene	<0.0018	mg/L	0.0051	0.0018	1	06/27/22 08:05	06/28/22 15:13	106-46-7	
3,3'-Dichlorobenzidine	<0.00055	mg/L	0.0051	0.00055	1	06/27/22 08:05	06/28/22 15:13	91-94-1	2q
2,4-Dichlorophenol	<0.0015	mg/L	0.0051	0.0015	1	06/27/22 08:05	06/28/22 15:13	120-83-2	
Diethylphthalate	<0.00061	mg/L	0.0051	0.00061	1	06/27/22 08:05	06/28/22 15:13	84-66-2	
2,4-Dimethylphenol	<0.00043	mg/L	0.0051	0.00043	1	06/27/22 08:05	06/28/22 15:13	105-67-9	
Dimethylphthalate	<0.00042	mg/L	0.0051	0.00042	1	06/27/22 08:05	06/28/22 15:13	131-11-3	
Di-n-butylphthalate	<0.00033	mg/L	0.0051	0.00033	1	06/27/22 08:05	06/28/22 15:13	84-74-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Sample: MW-12 Lab ID: **40247068007** Collected: 06/22/22 09:20 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	-----	-----	----	----------	----------	---------	------

8270E MSSV Low Volume

Analytical Method: EPA 8270E Preparation Method: EPA 3510
Pace Analytical Services - Green Bay

4,6-Dinitro-2-methylphenol	<0.0012	mg/L	0.0051	0.0012	1	06/27/22 08:05	06/28/22 15:13	534-52-1	
2,4-Dinitrophenol	<0.0026	mg/L	0.010	0.0026	1	06/27/22 08:05	06/28/22 15:13	51-28-5	
2,4-Dinitrotoluene	<0.00038	mg/L	0.0051	0.00038	1	06/27/22 08:05	06/28/22 15:13	121-14-2	
2,6-Dinitrotoluene	<0.00086	mg/L	0.0051	0.00086	1	06/27/22 08:05	06/28/22 15:13	606-20-2	
Di-n-octylphthalate	<0.00047	mg/L	0.010	0.00047	1	06/27/22 08:05	06/28/22 15:13	117-84-0	
bis(2-Ethylhexyl)phthalate	<0.00070	mg/L	0.0051	0.00070	1	06/27/22 08:05	06/28/22 15:13	117-81-7	
Hexachloro-1,3-butadiene	<0.0026	mg/L	0.010	0.0026	1	06/27/22 08:05	06/28/22 15:13	87-68-3	
Hexachlorobenzene	<0.0017	mg/L	0.0051	0.0017	1	06/27/22 08:05	06/28/22 15:13	118-74-1	
Hexachlorocyclopentadiene	<0.0019	mg/L	0.0051	0.0019	1	06/27/22 08:05	06/28/22 15:13	77-47-4	
Hexachloroethane	<0.0015	mg/L	0.0051	0.0015	1	06/27/22 08:05	06/28/22 15:13	67-72-1	
Isophorone	<0.00040	mg/L	0.0051	0.00040	1	06/27/22 08:05	06/28/22 15:13	78-59-1	
2-Methylphenol(o-Cresol)	<0.00078	mg/L	0.0051	0.00078	1	06/27/22 08:05	06/28/22 15:13	95-48-7	
3&4-Methylphenol(m&p Cresol)	<0.00060	mg/L	0.0051	0.00060	1	06/27/22 08:05	06/28/22 15:13		
2-Nitroaniline	<0.00093	mg/L	0.0051	0.00093	1	06/27/22 08:05	06/28/22 15:13	88-74-4	CH
3-Nitroaniline	<0.00072	mg/L	0.0051	0.00072	1	06/27/22 08:05	06/28/22 15:13	99-09-2	
4-Nitroaniline	<0.00045	mg/L	0.010	0.00045	1	06/27/22 08:05	06/28/22 15:13	100-01-6	
Nitrobenzene	<0.00051	mg/L	0.0051	0.00051	1	06/27/22 08:05	06/28/22 15:13	98-95-3	
2-Nitrophenol	<0.0015	mg/L	0.0051	0.0015	1	06/27/22 08:05	06/28/22 15:13	88-75-5	
4-Nitrophenol	<0.0021	mg/L	0.0051	0.0021	1	06/27/22 08:05	06/28/22 15:13	100-02-7	
N-Nitroso-di-n-propylamine	<0.00084	mg/L	0.0051	0.00084	1	06/27/22 08:05	06/28/22 15:13	621-64-7	
N-Nitrosodiphenylamine	<0.00041	mg/L	0.0051	0.00041	1	06/27/22 08:05	06/28/22 15:13	86-30-6	
2,2'-Oxybis(1-chloropropane)	<0.00080	mg/L	0.0051	0.00080	1	06/27/22 08:05	06/28/22 15:13	108-60-1	CH
Pentachlorophenol	<0.0017	mg/L	0.0051	0.0017	1	06/27/22 08:05	06/28/22 15:13	87-86-5	
Phenol	<0.00099	mg/L	0.0051	0.00099	1	06/27/22 08:05	06/28/22 15:13	108-95-2	
1,2,4-Trichlorobenzene	<0.0024	mg/L	0.0051	0.0024	1	06/27/22 08:05	06/28/22 15:13	120-82-1	
2,4,5-Trichlorophenol	<0.0019	mg/L	0.0051	0.0019	1	06/27/22 08:05	06/28/22 15:13	95-95-4	
2,4,6-Trichlorophenol	<0.0020	mg/L	0.0051	0.0020	1	06/27/22 08:05	06/28/22 15:13	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	97	%	10-120		1	06/27/22 08:05	06/28/22 15:13	4165-60-0	
2-Fluorobiphenyl (S)	72	%	10-101		1	06/27/22 08:05	06/28/22 15:13	321-60-8	
Terphenyl-d14 (S)	102	%	36-138		1	06/27/22 08:05	06/28/22 15:13	1718-51-0	
Phenol-d6 (S)	38	%	10-130		1	06/27/22 08:05	06/28/22 15:13	13127-88-3	
2-Fluorophenol (S)	57	%	10-89		1	06/27/22 08:05	06/28/22 15:13	367-12-4	
2,4,6-Tribromophenol (S)	98	%	10-142		1	06/27/22 08:05	06/28/22 15:13	118-79-6	

8270E MSSV PAH

Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510
Pace Analytical Services - Green Bay

Acenaphthene	0.000019J	mg/L	0.000057	0.000016	1	06/27/22 08:10	06/28/22 11:44	83-32-9	
Acenaphthylene	<0.000014	mg/L	0.000057	0.000014	1	06/27/22 08:10	06/28/22 11:44	208-96-8	
Anthracene	0.000036J	mg/L	0.000057	0.000021	1	06/27/22 08:10	06/28/22 11:44	120-12-7	
Benzo(a)anthracene	<0.000016	mg/L	0.000057	0.000016	1	06/27/22 08:10	06/28/22 11:44	56-55-3	
Benzo(a)pyrene	<0.000015	mg/L	0.000057	0.000015	1	06/27/22 08:10	06/28/22 11:44	50-32-8	
Benzo(b)fluoranthene	0.000020J	mg/L	0.000057	0.000010	1	06/27/22 08:10	06/28/22 11:44	205-99-2	
Benzo(g,h,i)perylene	<0.000027	mg/L	0.000057	0.000027	1	06/27/22 08:10	06/28/22 11:44	191-24-2	
Benzo(k)fluoranthene	<0.000026	mg/L	0.000057	0.000026	1	06/27/22 08:10	06/28/22 11:44	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-12 **Lab ID: 40247068007** Collected: 06/22/22 09:20 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Chrysene	0.000049J	mg/L	0.000057	0.000014	1	06/27/22 08:10	06/28/22 11:44	218-01-9	
Dibenz(a,h)anthracene	<0.000020	mg/L	0.000057	0.000020	1	06/27/22 08:10	06/28/22 11:44	53-70-3	
Fluoranthene	0.000085	mg/L	0.000057	0.000030	1	06/27/22 08:10	06/28/22 11:44	206-44-0	
Fluorene	<0.000027	mg/L	0.000057	0.000027	1	06/27/22 08:10	06/28/22 11:44	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.000018	mg/L	0.000057	0.000018	1	06/27/22 08:10	06/28/22 11:44	193-39-5	
2-Methylnaphthalene	<0.000016	mg/L	0.000057	0.000016	1	06/27/22 08:10	06/28/22 11:44	91-57-6	
Naphthalene	<0.000023	mg/L	0.000057	0.000023	1	06/27/22 08:10	06/28/22 11:44	91-20-3	
Phenanthrene	0.000053J	mg/L	0.000057	0.000029	1	06/27/22 08:10	06/28/22 11:44	85-01-8	
Pyrene	0.000080	mg/L	0.000057	0.000026	1	06/27/22 08:10	06/28/22 11:44	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	84	%	44-120		1	06/27/22 08:10	06/28/22 11:44	321-60-8	
Terphenyl-d14 (S)	85	%	49-120		1	06/27/22 08:10	06/28/22 11:44	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Acetone	<0.0086	mg/L	0.025	0.0086	1		06/24/22 13:59	67-64-1	
Benzene	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 13:59	71-43-2	
Bromodichloromethane	<0.00042	mg/L	0.0010	0.00042	1		06/24/22 13:59	75-27-4	
Bromoform	<0.0038	mg/L	0.0050	0.0038	1		06/24/22 13:59	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 13:59	74-83-9	
2-Butanone (MEK)	<0.0065	mg/L	0.025	0.0065	1		06/24/22 13:59	78-93-3	
Carbon disulfide	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 13:59	75-15-0	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		06/24/22 13:59	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		06/24/22 13:59	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		06/24/22 13:59	75-00-3	
Chloroform	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 13:59	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		06/24/22 13:59	74-87-3	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		06/24/22 13:59	124-48-1	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 13:59	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 13:59	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		06/24/22 13:59	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		06/24/22 13:59	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		06/24/22 13:59	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		06/24/22 13:59	78-87-5	
cis-1,3-Dichloropropene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 13:59	10061-01-5	
trans-1,3-Dichloropropene	<0.0035	mg/L	0.0050	0.0035	1		06/24/22 13:59	10061-02-6	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		06/24/22 13:59	100-41-4	
2-Hexanone	<0.0063	mg/L	0.025	0.0063	1		06/24/22 13:59	591-78-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		06/24/22 13:59	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.0060	mg/L	0.025	0.0060	1		06/24/22 13:59	108-10-1	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 13:59	1634-04-4	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 13:59	100-42-5	
1,1,2,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		06/24/22 13:59	79-34-5	
Tetrachloroethene	<0.00041	mg/L	0.0010	0.00041	1		06/24/22 13:59	127-18-4	
Toluene	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 13:59	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-12 **Lab ID: 40247068007** Collected: 06/22/22 09:20 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 13:59	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0050	0.00034	1		06/24/22 13:59	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		06/24/22 13:59	79-01-6	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		06/24/22 13:59	75-01-4	
Xylene (Total)	<0.0010	mg/L	0.0030	0.0010	1		06/24/22 13:59	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		06/24/22 13:59	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		06/24/22 13:59	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		06/24/22 13:59	2037-26-5	
335.4 Cyanide, Total									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	<0.0069	mg/L	0.023	0.0069	1	06/29/22 09:45	06/29/22 12:47	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-13 **Lab ID: 40247068008** Collected: 06/22/22 10:00 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pest RV Waters									
Analytical Method: EPA 8081 Preparation Method: EPA 3510 Pace Analytical Services - Indianapolis									
Aldrin	<0.000051	mg/L	0.000056	0.000051	1	06/27/22 11:14	06/29/22 02:35	309-00-2	
alpha-BHC	<0.000039	mg/L	0.000056	0.000039	1	06/27/22 11:14	06/29/22 02:35	319-84-6	
beta-BHC	<0.000052	mg/L	0.000056	0.000052	1	06/27/22 11:14	06/29/22 02:35	319-85-7	
delta-BHC	<0.000050	mg/L	0.000056	0.000050	1	06/27/22 11:14	06/29/22 02:35	319-86-8	
gamma-BHC (Lindane)	<0.000042	mg/L	0.000056	0.000042	1	06/27/22 11:14	06/29/22 02:35	58-89-9	
Chlordane (Technical)	<0.0023	mg/L	0.0056	0.0023	1	06/27/22 11:14	06/29/22 02:35	57-74-9	
alpha-Chlordane	<0.000043	mg/L	0.00056	0.000043	1	06/27/22 11:14	06/29/22 02:35	5103-71-9	
gamma-Chlordane	<0.000054	mg/L	0.00056	0.000054	1	06/27/22 11:14	06/29/22 02:35	5103-74-2	
4,4'-DDD	<0.00011	mg/L	0.00011	0.00011	1	06/27/22 11:14	06/29/22 02:35	72-54-8	
4,4'-DDE	<0.000082	mg/L	0.00011	0.000082	1	06/27/22 11:14	06/29/22 02:35	72-55-9	
4,4'-DDT	<0.000094	mg/L	0.00011	0.000094	1	06/27/22 11:14	06/29/22 02:35	50-29-3	
Dieldrin	<0.000092	mg/L	0.00011	0.000092	1	06/27/22 11:14	06/29/22 02:35	60-57-1	
Endosulfan I	<0.000039	mg/L	0.000056	0.000039	1	06/27/22 11:14	06/29/22 02:35	959-98-8	
Endosulfan II	<0.000089	mg/L	0.00011	0.000089	1	06/27/22 11:14	06/29/22 02:35	33213-65-9	
Endosulfan sulfate	<0.000079	mg/L	0.00011	0.000079	1	06/27/22 11:14	06/29/22 02:35	1031-07-8	
Endrin	<0.000099	mg/L	0.00011	0.000099	1	06/27/22 11:14	06/29/22 02:35	72-20-8	
Endrin aldehyde	<0.00011	mg/L	0.00011	0.00011	1	06/27/22 11:14	06/29/22 02:35	7421-93-4	
Endrin ketone	<0.000089	mg/L	0.00011	0.000089	1	06/27/22 11:14	06/29/22 02:35	53494-70-5	
Heptachlor	<0.000047	mg/L	0.000056	0.000047	1	06/27/22 11:14	06/29/22 02:35	76-44-8	
Heptachlor epoxide	<0.000047	mg/L	0.000056	0.000047	1	06/27/22 11:14	06/29/22 02:35	1024-57-3	
Methoxychlor	<0.00047	mg/L	0.00056	0.00047	1	06/27/22 11:14	06/29/22 02:35	72-43-5	
Toxaphene	<0.0025	mg/L	0.0056	0.0025	1	06/27/22 11:14	06/29/22 02:35	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	46	%	10-135		1	06/27/22 11:14	06/29/22 02:35	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 17:27	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 17:27	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 17:27	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 17:27	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 17:27	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 17:27	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 17:27	11096-82-5	
PCB, Total	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 17:27	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	66	%	17-141		1	06/24/22 08:02	06/27/22 17:27	877-09-8	
Decachlorobiphenyl (S)	44	%	10-113		1	06/24/22 08:02	06/27/22 17:27	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010 Pace Analytical Services - New Orleans									
Aluminum	0.65	mg/L	0.10	0.036	1	06/29/22 08:15	07/01/22 01:38	7429-90-5	
Antimony	<0.00063	mg/L	0.0010	0.00063	1	06/29/22 08:15	07/01/22 01:38	7440-36-0	
Arsenic	0.0029	mg/L	0.0010	0.00020	1	06/29/22 08:15	07/01/22 01:38	7440-38-2	
Barium	0.13	mg/L	0.0010	0.00036	1	06/29/22 08:15	07/01/22 01:38	7440-39-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-13 Lab ID: 40247068008 Collected: 06/22/22 10:00 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Beryllium	<0.00012	mg/L	0.0010	0.00012	1	06/29/22 08:15	07/01/22 01:38	7440-41-7	
Cadmium	<0.000080	mg/L	0.0010	0.000080	1	06/29/22 08:15	07/01/22 01:38	7440-43-9	
Calcium	85.9	mg/L	0.10	0.084	1	06/29/22 08:15	07/01/22 01:38	7440-70-2	
Chromium	0.0021	mg/L	0.0010	0.00062	1	06/29/22 08:15	07/01/22 01:38	7440-47-3	
Cobalt	0.00084J	mg/L	0.0010	0.000060	1	06/29/22 08:15	07/01/22 01:38	7440-48-4	
Copper	0.0014J	mg/L	0.0030	0.00083	1	06/29/22 08:15	07/01/22 01:38	7440-50-8	
Iron	2.9	mg/L	0.10	0.049	1	06/29/22 08:15	07/01/22 01:38	7439-89-6	
Lead	0.0011	mg/L	0.0010	0.000070	1	06/29/22 08:15	07/01/22 01:38	7439-92-1	
Magnesium	27.1	mg/L	0.10	0.00060	1	06/29/22 08:15	07/01/22 01:38	7439-95-4	
Manganese	0.71	mg/L	0.050	0.045	10	06/29/22 08:15	07/01/22 16:25	7439-96-5	
Nickel	0.0015	mg/L	0.0010	0.00056	1	06/29/22 08:15	07/01/22 01:38	7440-02-0	
Potassium	1.4	mg/L	0.10	0.085	1	06/29/22 08:15	07/01/22 01:38	7440-09-7	
Selenium	<0.00037	mg/L	0.0010	0.00037	1	06/29/22 08:15	07/01/22 01:38	7782-49-2	
Silver	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 01:38	7440-22-4	
Sodium	26.3	mg/L	0.10	0.078	1	06/29/22 08:15	07/01/22 01:38	7440-23-5	
Thallium	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 01:38	7440-28-0	
Vanadium	<0.0023	mg/L	0.0050	0.0023	1	06/29/22 08:15	07/01/22 01:38	7440-62-2	
Zinc	0.013	mg/L	0.010	0.0044	1	06/29/22 08:15	07/01/22 01:38	7440-66-6	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.000066	mg/L	0.00020	0.000066	1	07/05/22 09:55	07/06/22 07:50	7439-97-6	
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4-Bromophenylphenyl ether	<0.00091	mg/L	0.0052	0.00091	1	06/27/22 08:05	06/28/22 15:35	101-55-3	
Butylbenzylphthalate	<0.00072	mg/L	0.0052	0.00072	1	06/27/22 08:05	06/28/22 15:35	85-68-7	
Carbazole	<0.00024	mg/L	0.0052	0.00024	1	06/27/22 08:05	06/28/22 15:35	86-74-8	
4-Chloro-3-methylphenol	<0.00097	mg/L	0.0052	0.00097	1	06/27/22 08:05	06/28/22 15:35	59-50-7	
4-Chloroaniline	<0.00092	mg/L	0.0052	0.00092	1	06/27/22 08:05	06/28/22 15:35	106-47-8	2q
bis(2-Chloroethoxy)methane	<0.00044	mg/L	0.0052	0.00044	1	06/27/22 08:05	06/28/22 15:35	111-91-1	
bis(2-Chloroethyl) ether	<0.00071	mg/L	0.0052	0.00071	1	06/27/22 08:05	06/28/22 15:35	111-44-4	
2-Chloronaphthalene	<0.0013	mg/L	0.0052	0.0013	1	06/27/22 08:05	06/28/22 15:35	91-58-7	
2-Chlorophenol	<0.0027	mg/L	0.0052	0.0027	1	06/27/22 08:05	06/28/22 15:35	95-57-8	
4-Chlorophenylphenyl ether	<0.00063	mg/L	0.0052	0.00063	1	06/27/22 08:05	06/28/22 15:35	7005-72-3	
Dibenzofuran	<0.00096	mg/L	0.0052	0.00096	1	06/27/22 08:05	06/28/22 15:35	132-64-9	
1,2-Dichlorobenzene	<0.0021	mg/L	0.0052	0.0021	1	06/27/22 08:05	06/28/22 15:35	95-50-1	
1,3-Dichlorobenzene	<0.0022	mg/L	0.0052	0.0022	1	06/27/22 08:05	06/28/22 15:35	541-73-1	
1,4-Dichlorobenzene	<0.0018	mg/L	0.0052	0.0018	1	06/27/22 08:05	06/28/22 15:35	106-46-7	
3,3'-Dichlorobenzidine	<0.00056	mg/L	0.0052	0.00056	1	06/27/22 08:05	06/28/22 15:35	91-94-1	2q
2,4-Dichlorophenol	<0.0016	mg/L	0.0052	0.0016	1	06/27/22 08:05	06/28/22 15:35	120-83-2	
Diethylphthalate	<0.00062	mg/L	0.0052	0.00062	1	06/27/22 08:05	06/28/22 15:35	84-66-2	
2,4-Dimethylphenol	<0.00044	mg/L	0.0052	0.00044	1	06/27/22 08:05	06/28/22 15:35	105-67-9	
Dimethylphthalate	<0.00043	mg/L	0.0052	0.00043	1	06/27/22 08:05	06/28/22 15:35	131-11-3	
Di-n-butylphthalate	<0.00034	mg/L	0.0052	0.00034	1	06/27/22 08:05	06/28/22 15:35	84-74-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Sample: MW-13 **Lab ID: 40247068008** Collected: 06/22/22 10:00 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	-----	-----	----	----------	----------	---------	------

8270E MSSV Low Volume

Analytical Method: EPA 8270E Preparation Method: EPA 3510
Pace Analytical Services - Green Bay

4,6-Dinitro-2-methylphenol	<0.0013	mg/L	0.0052	0.0013	1	06/27/22 08:05	06/28/22 15:35	534-52-1	
2,4-Dinitrophenol	<0.0027	mg/L	0.010	0.0027	1	06/27/22 08:05	06/28/22 15:35	51-28-5	
2,4-Dinitrotoluene	<0.00039	mg/L	0.0052	0.00039	1	06/27/22 08:05	06/28/22 15:35	121-14-2	
2,6-Dinitrotoluene	<0.00088	mg/L	0.0052	0.00088	1	06/27/22 08:05	06/28/22 15:35	606-20-2	
Di-n-octylphthalate	<0.00048	mg/L	0.010	0.00048	1	06/27/22 08:05	06/28/22 15:35	117-84-0	
bis(2-Ethylhexyl)phthalate	<0.00071	mg/L	0.0052	0.00071	1	06/27/22 08:05	06/28/22 15:35	117-81-7	
Hexachloro-1,3-butadiene	<0.0026	mg/L	0.010	0.0026	1	06/27/22 08:05	06/28/22 15:35	87-68-3	
Hexachlorobenzene	<0.0017	mg/L	0.0052	0.0017	1	06/27/22 08:05	06/28/22 15:35	118-74-1	
Hexachlorocyclopentadiene	<0.0020	mg/L	0.0052	0.0020	1	06/27/22 08:05	06/28/22 15:35	77-47-4	
Hexachloroethane	<0.0016	mg/L	0.0052	0.0016	1	06/27/22 08:05	06/28/22 15:35	67-72-1	
Isophorone	<0.00041	mg/L	0.0052	0.00041	1	06/27/22 08:05	06/28/22 15:35	78-59-1	
2-Methylphenol(o-Cresol)	<0.00080	mg/L	0.0052	0.00080	1	06/27/22 08:05	06/28/22 15:35	95-48-7	
3&4-Methylphenol(m&p Cresol)	<0.00062	mg/L	0.0052	0.00062	1	06/27/22 08:05	06/28/22 15:35		
2-Nitroaniline	<0.00095	mg/L	0.0052	0.00095	1	06/27/22 08:05	06/28/22 15:35	88-74-4	CH
3-Nitroaniline	<0.00074	mg/L	0.0052	0.00074	1	06/27/22 08:05	06/28/22 15:35	99-09-2	
4-Nitroaniline	<0.00046	mg/L	0.010	0.00046	1	06/27/22 08:05	06/28/22 15:35	100-01-6	
Nitrobenzene	<0.00052	mg/L	0.0052	0.00052	1	06/27/22 08:05	06/28/22 15:35	98-95-3	
2-Nitrophenol	<0.0016	mg/L	0.0052	0.0016	1	06/27/22 08:05	06/28/22 15:35	88-75-5	
4-Nitrophenol	<0.0021	mg/L	0.0052	0.0021	1	06/27/22 08:05	06/28/22 15:35	100-02-7	
N-Nitroso-di-n-propylamine	<0.00085	mg/L	0.0052	0.00085	1	06/27/22 08:05	06/28/22 15:35	621-64-7	
N-Nitrosodiphenylamine	<0.00042	mg/L	0.0052	0.00042	1	06/27/22 08:05	06/28/22 15:35	86-30-6	
2,2'-Oxybis(1-chloropropane)	<0.00081	mg/L	0.0052	0.00081	1	06/27/22 08:05	06/28/22 15:35	108-60-1	CH
Pentachlorophenol	<0.0017	mg/L	0.0052	0.0017	1	06/27/22 08:05	06/28/22 15:35	87-86-5	
Phenol	<0.0010	mg/L	0.0052	0.0010	1	06/27/22 08:05	06/28/22 15:35	108-95-2	
1,2,4-Trichlorobenzene	<0.0025	mg/L	0.0052	0.0025	1	06/27/22 08:05	06/28/22 15:35	120-82-1	
2,4,5-Trichlorophenol	<0.0019	mg/L	0.0052	0.0019	1	06/27/22 08:05	06/28/22 15:35	95-95-4	
2,4,6-Trichlorophenol	<0.0021	mg/L	0.0052	0.0021	1	06/27/22 08:05	06/28/22 15:35	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	101	%	10-120		1	06/27/22 08:05	06/28/22 15:35	4165-60-0	
2-Fluorobiphenyl (S)	73	%	10-101		1	06/27/22 08:05	06/28/22 15:35	321-60-8	
Terphenyl-d14 (S)	104	%	36-138		1	06/27/22 08:05	06/28/22 15:35	1718-51-0	
Phenol-d6 (S)	39	%	10-130		1	06/27/22 08:05	06/28/22 15:35	13127-88-3	
2-Fluorophenol (S)	58	%	10-89		1	06/27/22 08:05	06/28/22 15:35	367-12-4	
2,4,6-Tribromophenol (S)	100	%	10-142		1	06/27/22 08:05	06/28/22 15:35	118-79-6	

8270E MSSV PAH

Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510
Pace Analytical Services - Green Bay

Acenaphthene	0.0011	mg/L	0.00020	0.000056	4	06/27/22 08:10	06/28/22 12:02	83-32-9	
Acenaphthylene	0.000078J	mg/L	0.00020	0.000051	4	06/27/22 08:10	06/28/22 12:02	208-96-8	
Anthracene	<0.000075	mg/L	0.00020	0.000075	4	06/27/22 08:10	06/28/22 12:02	120-12-7	
Benzo(a)anthracene	<0.000055	mg/L	0.00020	0.000055	4	06/27/22 08:10	06/28/22 12:02	56-55-3	
Benzo(a)pyrene	0.00011J	mg/L	0.00020	0.000051	4	06/27/22 08:10	06/28/22 12:02	50-32-8	
Benzo(b)fluoranthene	0.000057J	mg/L	0.00020	0.000037	4	06/27/22 08:10	06/28/22 12:02	205-99-2	
Benzo(g,h,i)perylene	0.00019J	mg/L	0.00020	0.000094	4	06/27/22 08:10	06/28/22 12:02	191-24-2	
Benzo(k)fluoranthene	<0.000090	mg/L	0.00020	0.000090	4	06/27/22 08:10	06/28/22 12:02	207-08-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-13 **Lab ID: 40247068008** Collected: 06/22/22 10:00 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Chrysene	0.00080	mg/L	0.00020	0.000051	4	06/27/22 08:10	06/28/22 12:02	218-01-9	
Dibenz(a,h)anthracene	<0.000072	mg/L	0.00020	0.000072	4	06/27/22 08:10	06/28/22 12:02	53-70-3	
Fluoranthene	0.00030	mg/L	0.00020	0.00011	4	06/27/22 08:10	06/28/22 12:02	206-44-0	
Fluorene	0.00093	mg/L	0.00020	0.000095	4	06/27/22 08:10	06/28/22 12:02	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.000063	mg/L	0.00020	0.000063	4	06/27/22 08:10	06/28/22 12:02	193-39-5	
2-Methylnaphthalene	<0.000056	mg/L	0.00020	0.000056	4	06/27/22 08:10	06/28/22 12:02	91-57-6	
Naphthalene	0.00026	mg/L	0.00020	0.000081	4	06/27/22 08:10	06/28/22 12:02	91-20-3	D3
Phenanthrene	<0.00010	mg/L	0.00020	0.00010	4	06/27/22 08:10	06/28/22 12:02	85-01-8	
Pyrene	0.0022	mg/L	0.00020	0.000091	4	06/27/22 08:10	06/28/22 12:02	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	60	%	44-120		4	06/27/22 08:10	06/28/22 12:02	321-60-8	
Terphenyl-d14 (S)	59	%	49-120		4	06/27/22 08:10	06/28/22 12:02	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Acetone	<0.0086	mg/L	0.025	0.0086	1		06/24/22 15:17	67-64-1	
Benzene	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 15:17	71-43-2	
Bromodichloromethane	<0.00042	mg/L	0.0010	0.00042	1		06/24/22 15:17	75-27-4	
Bromoform	<0.0038	mg/L	0.0050	0.0038	1		06/24/22 15:17	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 15:17	74-83-9	
2-Butanone (MEK)	<0.0065	mg/L	0.025	0.0065	1		06/24/22 15:17	78-93-3	
Carbon disulfide	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 15:17	75-15-0	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		06/24/22 15:17	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		06/24/22 15:17	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		06/24/22 15:17	75-00-3	
Chloroform	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 15:17	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		06/24/22 15:17	74-87-3	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		06/24/22 15:17	124-48-1	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 15:17	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 15:17	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		06/24/22 15:17	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		06/24/22 15:17	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		06/24/22 15:17	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		06/24/22 15:17	78-87-5	
cis-1,3-Dichloropropene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 15:17	10061-01-5	
trans-1,3-Dichloropropene	<0.0035	mg/L	0.0050	0.0035	1		06/24/22 15:17	10061-02-6	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		06/24/22 15:17	100-41-4	
2-Hexanone	<0.0063	mg/L	0.025	0.0063	1		06/24/22 15:17	591-78-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		06/24/22 15:17	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.0060	mg/L	0.025	0.0060	1		06/24/22 15:17	108-10-1	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 15:17	1634-04-4	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 15:17	100-42-5	
1,1,2,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		06/24/22 15:17	79-34-5	
Tetrachloroethene	<0.00041	mg/L	0.0010	0.00041	1		06/24/22 15:17	127-18-4	
Toluene	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 15:17	108-88-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-13 **Lab ID: 40247068008** Collected: 06/22/22 10:00 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 15:17	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0050	0.00034	1		06/24/22 15:17	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		06/24/22 15:17	79-01-6	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		06/24/22 15:17	75-01-4	
Xylene (Total)	<0.0010	mg/L	0.0030	0.0010	1		06/24/22 15:17	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		06/24/22 15:17	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		06/24/22 15:17	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		06/24/22 15:17	2037-26-5	
335.4 Cyanide, Total									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	<0.0069	mg/L	0.023	0.0069	1	06/29/22 09:45	06/29/22 12:48	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-10 **Lab ID: 40247068009** Collected: 06/22/22 11:10 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pest RV Waters									
Analytical Method: EPA 8081 Preparation Method: EPA 3510 Pace Analytical Services - Indianapolis									
Aldrin	<0.000054	mg/L	0.000059	0.000054	1	06/27/22 11:14	06/29/22 02:48	309-00-2	
alpha-BHC	<0.000041	mg/L	0.000059	0.000041	1	06/27/22 11:14	06/29/22 02:48	319-84-6	
beta-BHC	<0.000055	mg/L	0.000059	0.000055	1	06/27/22 11:14	06/29/22 02:48	319-85-7	
delta-BHC	<0.000053	mg/L	0.000059	0.000053	1	06/27/22 11:14	06/29/22 02:48	319-86-8	
gamma-BHC (Lindane)	<0.000045	mg/L	0.000059	0.000045	1	06/27/22 11:14	06/29/22 02:48	58-89-9	
Chlordane (Technical)	<0.0024	mg/L	0.0059	0.0024	1	06/27/22 11:14	06/29/22 02:48	57-74-9	
alpha-Chlordane	<0.000046	mg/L	0.00059	0.000046	1	06/27/22 11:14	06/29/22 02:48	5103-71-9	
gamma-Chlordane	<0.000058	mg/L	0.00059	0.000058	1	06/27/22 11:14	06/29/22 02:48	5103-74-2	
4,4'-DDD	<0.00011	mg/L	0.00012	0.00011	1	06/27/22 11:14	06/29/22 02:48	72-54-8	
4,4'-DDE	<0.000087	mg/L	0.00012	0.000087	1	06/27/22 11:14	06/29/22 02:48	72-55-9	
4,4'-DDT	<0.00010	mg/L	0.00012	0.00010	1	06/27/22 11:14	06/29/22 02:48	50-29-3	
Dieldrin	<0.000098	mg/L	0.00012	0.000098	1	06/27/22 11:14	06/29/22 02:48	60-57-1	
Endosulfan I	<0.000041	mg/L	0.000059	0.000041	1	06/27/22 11:14	06/29/22 02:48	959-98-8	
Endosulfan II	<0.000094	mg/L	0.00012	0.000094	1	06/27/22 11:14	06/29/22 02:48	33213-65-9	
Endosulfan sulfate	<0.000084	mg/L	0.00012	0.000084	1	06/27/22 11:14	06/29/22 02:48	1031-07-8	
Endrin	<0.00010	mg/L	0.00012	0.00010	1	06/27/22 11:14	06/29/22 02:48	72-20-8	
Endrin aldehyde	<0.00012	mg/L	0.00012	0.00012	1	06/27/22 11:14	06/29/22 02:48	7421-93-4	
Endrin ketone	<0.000094	mg/L	0.00012	0.000094	1	06/27/22 11:14	06/29/22 02:48	53494-70-5	
Heptachlor	<0.000049	mg/L	0.000059	0.000049	1	06/27/22 11:14	06/29/22 02:48	76-44-8	
Heptachlor epoxide	<0.000049	mg/L	0.000059	0.000049	1	06/27/22 11:14	06/29/22 02:48	1024-57-3	
Methoxychlor	<0.00049	mg/L	0.00059	0.00049	1	06/27/22 11:14	06/29/22 02:48	72-43-5	
Toxaphene	<0.0027	mg/L	0.0059	0.0027	1	06/27/22 11:14	06/29/22 02:48	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	74	%	10-135		1	06/27/22 11:14	06/29/22 02:48	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.00012	mg/L	0.00052	0.00012	1	06/24/22 08:02	06/27/22 17:47	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.00012	mg/L	0.00052	0.00012	1	06/24/22 08:02	06/27/22 17:47	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.00012	mg/L	0.00052	0.00012	1	06/24/22 08:02	06/27/22 17:47	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.00012	mg/L	0.00052	0.00012	1	06/24/22 08:02	06/27/22 17:47	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.00012	mg/L	0.00052	0.00012	1	06/24/22 08:02	06/27/22 17:47	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.00012	mg/L	0.00052	0.00012	1	06/24/22 08:02	06/27/22 17:47	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.00012	mg/L	0.00052	0.00012	1	06/24/22 08:02	06/27/22 17:47	11096-82-5	
PCB, Total	<0.00012	mg/L	0.00052	0.00012	1	06/24/22 08:02	06/27/22 17:47	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	98	%	17-141		1	06/24/22 08:02	06/27/22 17:47	877-09-8	
Decachlorobiphenyl (S)	90	%	10-113		1	06/24/22 08:02	06/27/22 17:47	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010 Pace Analytical Services - New Orleans									
Aluminum	<0.036	mg/L	0.10	0.036	1	06/29/22 08:15	07/01/22 01:43	7429-90-5	
Antimony	<0.00063	mg/L	0.0010	0.00063	1	06/29/22 08:15	07/01/22 01:43	7440-36-0	
Arsenic	0.00023J	mg/L	0.0010	0.00020	1	06/29/22 08:15	07/01/22 01:43	7440-38-2	
Barium	0.076	mg/L	0.0010	0.00036	1	06/29/22 08:15	07/01/22 01:43	7440-39-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Sample: MW-10 Lab ID: **40247068009** Collected: 06/22/22 11:10 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Beryllium	<0.00012	mg/L	0.0010	0.00012	1	06/29/22 08:15	07/01/22 01:43	7440-41-7	
Cadmium	<0.000080	mg/L	0.0010	0.000080	1	06/29/22 08:15	07/01/22 01:43	7440-43-9	
Calcium	100	mg/L	0.10	0.084	1	06/29/22 08:15	07/01/22 01:43	7440-70-2	
Chromium	0.00068J	mg/L	0.0010	0.00062	1	06/29/22 08:15	07/01/22 01:43	7440-47-3	
Cobalt	0.00026J	mg/L	0.0010	0.000060	1	06/29/22 08:15	07/01/22 01:43	7440-48-4	
Copper	<0.00083	mg/L	0.0030	0.00083	1	06/29/22 08:15	07/01/22 01:43	7440-50-8	
Iron	<0.049	mg/L	0.10	0.049	1	06/29/22 08:15	07/01/22 01:43	7439-89-6	
Lead	<0.000070	mg/L	0.0010	0.000070	1	06/29/22 08:15	07/01/22 01:43	7439-92-1	
Magnesium	41.3	mg/L	0.10	0.00060	1	06/29/22 08:15	07/01/22 01:43	7439-95-4	
Manganese	0.034	mg/L	0.0050	0.0045	1	06/29/22 08:15	07/01/22 01:43	7439-96-5	
Nickel	0.00073J	mg/L	0.0010	0.00056	1	06/29/22 08:15	07/01/22 01:43	7440-02-0	
Potassium	0.33	mg/L	0.10	0.085	1	06/29/22 08:15	07/01/22 01:43	7440-09-7	
Selenium	0.0013	mg/L	0.0010	0.00037	1	06/29/22 08:15	07/01/22 01:43	7782-49-2	
Silver	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 01:43	7440-22-4	
Sodium	16.4	mg/L	0.10	0.078	1	06/29/22 08:15	07/01/22 01:43	7440-23-5	
Thallium	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 01:43	7440-28-0	
Vanadium	<0.0023	mg/L	0.0050	0.0023	1	06/29/22 08:15	07/01/22 01:43	7440-62-2	
Zinc	0.0046J	mg/L	0.010	0.0044	1	06/29/22 08:15	07/01/22 01:43	7440-66-6	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.000066	mg/L	0.00020	0.000066	1	07/05/22 09:55	07/06/22 07:52	7439-97-6	
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4-Bromophenylphenyl ether	<0.00091	mg/L	0.0051	0.00091	1	06/27/22 08:05	06/28/22 15:57	101-55-3	
Butylbenzylphthalate	<0.00071	mg/L	0.0051	0.00071	1	06/27/22 08:05	06/28/22 15:57	85-68-7	
Carbazole	<0.00024	mg/L	0.0051	0.00024	1	06/27/22 08:05	06/28/22 15:57	86-74-8	
4-Chloro-3-methylphenol	<0.00096	mg/L	0.0051	0.00096	1	06/27/22 08:05	06/28/22 15:57	59-50-7	
4-Chloroaniline	<0.00091	mg/L	0.0051	0.00091	1	06/27/22 08:05	06/28/22 15:57	106-47-8	2q
bis(2-Chloroethoxy)methane	<0.00044	mg/L	0.0051	0.00044	1	06/27/22 08:05	06/28/22 15:57	111-91-1	
bis(2-Chloroethyl) ether	<0.00070	mg/L	0.0051	0.00070	1	06/27/22 08:05	06/28/22 15:57	111-44-4	
2-Chloronaphthalene	<0.0013	mg/L	0.0051	0.0013	1	06/27/22 08:05	06/28/22 15:57	91-58-7	
2-Chlorophenol	<0.0026	mg/L	0.0051	0.0026	1	06/27/22 08:05	06/28/22 15:57	95-57-8	
4-Chlorophenylphenyl ether	<0.00063	mg/L	0.0051	0.00063	1	06/27/22 08:05	06/28/22 15:57	7005-72-3	
Dibenzofuran	<0.00095	mg/L	0.0051	0.00095	1	06/27/22 08:05	06/28/22 15:57	132-64-9	
1,2-Dichlorobenzene	<0.0021	mg/L	0.0051	0.0021	1	06/27/22 08:05	06/28/22 15:57	95-50-1	
1,3-Dichlorobenzene	<0.0022	mg/L	0.0051	0.0022	1	06/27/22 08:05	06/28/22 15:57	541-73-1	
1,4-Dichlorobenzene	<0.0018	mg/L	0.0051	0.0018	1	06/27/22 08:05	06/28/22 15:57	106-46-7	
3,3'-Dichlorobenzidine	<0.00056	mg/L	0.0051	0.00056	1	06/27/22 08:05	06/28/22 15:57	91-94-1	2q
2,4-Dichlorophenol	<0.0016	mg/L	0.0051	0.0016	1	06/27/22 08:05	06/28/22 15:57	120-83-2	
Diethylphthalate	<0.00062	mg/L	0.0051	0.00062	1	06/27/22 08:05	06/28/22 15:57	84-66-2	
2,4-Dimethylphenol	<0.00044	mg/L	0.0051	0.00044	1	06/27/22 08:05	06/28/22 15:57	105-67-9	
Dimethylphthalate	<0.00043	mg/L	0.0051	0.00043	1	06/27/22 08:05	06/28/22 15:57	131-11-3	
Di-n-butylphthalate	<0.00033	mg/L	0.0051	0.00033	1	06/27/22 08:05	06/28/22 15:57	84-74-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-10 **Lab ID: 40247068009** Collected: 06/22/22 11:10 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<0.0012	mg/L	0.0051	0.0012	1	06/27/22 08:05	06/28/22 15:57	534-52-1	
2,4-Dinitrophenol	<0.0027	mg/L	0.010	0.0027	1	06/27/22 08:05	06/28/22 15:57	51-28-5	
2,4-Dinitrotoluene	<0.00039	mg/L	0.0051	0.00039	1	06/27/22 08:05	06/28/22 15:57	121-14-2	
2,6-Dinitrotoluene	<0.00087	mg/L	0.0051	0.00087	1	06/27/22 08:05	06/28/22 15:57	606-20-2	
Di-n-octylphthalate	<0.00048	mg/L	0.010	0.00048	1	06/27/22 08:05	06/28/22 15:57	117-84-0	
bis(2-Ethylhexyl)phthalate	<0.00070	mg/L	0.0051	0.00070	1	06/27/22 08:05	06/28/22 15:57	117-81-7	
Hexachloro-1,3-butadiene	<0.0026	mg/L	0.010	0.0026	1	06/27/22 08:05	06/28/22 15:57	87-68-3	
Hexachlorobenzene	<0.0017	mg/L	0.0051	0.0017	1	06/27/22 08:05	06/28/22 15:57	118-74-1	
Hexachlorocyclopentadiene	<0.0020	mg/L	0.0051	0.0020	1	06/27/22 08:05	06/28/22 15:57	77-47-4	
Hexachloroethane	<0.0015	mg/L	0.0051	0.0015	1	06/27/22 08:05	06/28/22 15:57	67-72-1	
Isophorone	<0.00041	mg/L	0.0051	0.00041	1	06/27/22 08:05	06/28/22 15:57	78-59-1	
2-Methylphenol(o-Cresol)	<0.00079	mg/L	0.0051	0.00079	1	06/27/22 08:05	06/28/22 15:57	95-48-7	
3&4-Methylphenol(m&p Cresol)	<0.00061	mg/L	0.0051	0.00061	1	06/27/22 08:05	06/28/22 15:57		
2-Nitroaniline	<0.00094	mg/L	0.0051	0.00094	1	06/27/22 08:05	06/28/22 15:57	88-74-4	CH
3-Nitroaniline	<0.00073	mg/L	0.0051	0.00073	1	06/27/22 08:05	06/28/22 15:57	99-09-2	
4-Nitroaniline	<0.00046	mg/L	0.010	0.00046	1	06/27/22 08:05	06/28/22 15:57	100-01-6	
Nitrobenzene	<0.00052	mg/L	0.0051	0.00052	1	06/27/22 08:05	06/28/22 15:57	98-95-3	
2-Nitrophenol	<0.0015	mg/L	0.0051	0.0015	1	06/27/22 08:05	06/28/22 15:57	88-75-5	
4-Nitrophenol	<0.0021	mg/L	0.0051	0.0021	1	06/27/22 08:05	06/28/22 15:57	100-02-7	
N-Nitroso-di-n-propylamine	<0.00084	mg/L	0.0051	0.00084	1	06/27/22 08:05	06/28/22 15:57	621-64-7	
N-Nitrosodiphenylamine	<0.00042	mg/L	0.0051	0.00042	1	06/27/22 08:05	06/28/22 15:57	86-30-6	
2,2'-Oxybis(1-chloropropane)	<0.00080	mg/L	0.0051	0.00080	1	06/27/22 08:05	06/28/22 15:57	108-60-1	CH
Pentachlorophenol	<0.0017	mg/L	0.0051	0.0017	1	06/27/22 08:05	06/28/22 15:57	87-86-5	
Phenol	<0.0010	mg/L	0.0051	0.0010	1	06/27/22 08:05	06/28/22 15:57	108-95-2	
1,2,4-Trichlorobenzene	<0.0024	mg/L	0.0051	0.0024	1	06/27/22 08:05	06/28/22 15:57	120-82-1	
2,4,5-Trichlorophenol	<0.0019	mg/L	0.0051	0.0019	1	06/27/22 08:05	06/28/22 15:57	95-95-4	
2,4,6-Trichlorophenol	<0.0020	mg/L	0.0051	0.0020	1	06/27/22 08:05	06/28/22 15:57	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	104	%	10-120		1	06/27/22 08:05	06/28/22 15:57	4165-60-0	
2-Fluorobiphenyl (S)	68	%	10-101		1	06/27/22 08:05	06/28/22 15:57	321-60-8	
Terphenyl-d14 (S)	112	%	36-138		1	06/27/22 08:05	06/28/22 15:57	1718-51-0	
Phenol-d6 (S)	43	%	10-130		1	06/27/22 08:05	06/28/22 15:57	13127-88-3	
2-Fluorophenol (S)	62	%	10-89		1	06/27/22 08:05	06/28/22 15:57	367-12-4	
2,4,6-Tribromophenol (S)	99	%	10-142		1	06/27/22 08:05	06/28/22 15:57	118-79-6	

8270E MSSV PAH

Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510
Pace Analytical Services - Green Bay

Acenaphthene	<0.000014	mg/L	0.000051	0.000014	1	06/27/22 08:10	06/28/22 12:21	83-32-9	
Acenaphthylene	<0.000013	mg/L	0.000051	0.000013	1	06/27/22 08:10	06/28/22 12:21	208-96-8	
Anthracene	<0.000019	mg/L	0.000051	0.000019	1	06/27/22 08:10	06/28/22 12:21	120-12-7	
Benzo(a)anthracene	<0.000014	mg/L	0.000051	0.000014	1	06/27/22 08:10	06/28/22 12:21	56-55-3	
Benzo(a)pyrene	<0.000013	mg/L	0.000051	0.000013	1	06/27/22 08:10	06/28/22 12:21	50-32-8	
Benzo(b)fluoranthene	<0.000009	mg/L	0.000051	0.000009	1	06/27/22 08:10	06/28/22 12:21	205-99-2	
	3				3				
Benzo(g,h,i)perylene	<0.000024	mg/L	0.000051	0.000024	1	06/27/22 08:10	06/28/22 12:21	191-24-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-10 **Lab ID: 40247068009** Collected: 06/22/22 11:10 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Benzo(k)fluoranthene	<0.000023	mg/L	0.000051	0.000023	1	06/27/22 08:10	06/28/22 12:21	207-08-9	
Chrysene	<0.000013	mg/L	0.000051	0.000013	1	06/27/22 08:10	06/28/22 12:21	218-01-9	
Dibenz(a,h)anthracene	<0.000018	mg/L	0.000051	0.000018	1	06/27/22 08:10	06/28/22 12:21	53-70-3	
Fluoranthene	<0.000027	mg/L	0.000051	0.000027	1	06/27/22 08:10	06/28/22 12:21	206-44-0	
Fluorene	<0.000024	mg/L	0.000051	0.000024	1	06/27/22 08:10	06/28/22 12:21	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.000016	mg/L	0.000051	0.000016	1	06/27/22 08:10	06/28/22 12:21	193-39-5	
2-Methylnaphthalene	<0.000014	mg/L	0.000051	0.000014	1	06/27/22 08:10	06/28/22 12:21	91-57-6	
Naphthalene	<0.000020	mg/L	0.000051	0.000020	1	06/27/22 08:10	06/28/22 12:21	91-20-3	
Phenanthrene	<0.000026	mg/L	0.000051	0.000026	1	06/27/22 08:10	06/28/22 12:21	85-01-8	
Pyrene	<0.000023	mg/L	0.000051	0.000023	1	06/27/22 08:10	06/28/22 12:21	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	80	%	44-120		1	06/27/22 08:10	06/28/22 12:21	321-60-8	
Terphenyl-d14 (S)	82	%	49-120		1	06/27/22 08:10	06/28/22 12:21	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Acetone	<0.0086	mg/L	0.025	0.0086	1		06/24/22 14:18	67-64-1	
Benzene	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 14:18	71-43-2	
Bromodichloromethane	<0.00042	mg/L	0.0010	0.00042	1		06/24/22 14:18	75-27-4	
Bromoform	<0.0038	mg/L	0.0050	0.0038	1		06/24/22 14:18	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 14:18	74-83-9	
2-Butanone (MEK)	<0.0065	mg/L	0.025	0.0065	1		06/24/22 14:18	78-93-3	
Carbon disulfide	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 14:18	75-15-0	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		06/24/22 14:18	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		06/24/22 14:18	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		06/24/22 14:18	75-00-3	
Chloroform	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 14:18	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		06/24/22 14:18	74-87-3	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		06/24/22 14:18	124-48-1	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 14:18	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 14:18	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		06/24/22 14:18	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		06/24/22 14:18	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		06/24/22 14:18	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		06/24/22 14:18	78-87-5	
cis-1,3-Dichloropropene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 14:18	10061-01-5	
trans-1,3-Dichloropropene	<0.0035	mg/L	0.0050	0.0035	1		06/24/22 14:18	10061-02-6	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		06/24/22 14:18	100-41-4	
2-Hexanone	<0.0063	mg/L	0.025	0.0063	1		06/24/22 14:18	591-78-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		06/24/22 14:18	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.0060	mg/L	0.025	0.0060	1		06/24/22 14:18	108-10-1	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 14:18	1634-04-4	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 14:18	100-42-5	
1,1,2,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		06/24/22 14:18	79-34-5	
Tetrachloroethene	<0.00041	mg/L	0.0010	0.00041	1		06/24/22 14:18	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-10 **Lab ID: 40247068009** Collected: 06/22/22 11:10 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Toluene	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 14:18	108-88-3	
1,1,1-Trichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 14:18	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0050	0.00034	1		06/24/22 14:18	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		06/24/22 14:18	79-01-6	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		06/24/22 14:18	75-01-4	
Xylene (Total)	<0.0010	mg/L	0.0030	0.0010	1		06/24/22 14:18	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		06/24/22 14:18	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		06/24/22 14:18	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		06/24/22 14:18	2037-26-5	
335.4 Cyanide, Total									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	<0.0069	mg/L	0.023	0.0069	1	06/29/22 09:45	06/29/22 12:48	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-09 **Lab ID: 40247068010** Collected: 06/22/22 12:10 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pest RV Waters									
Analytical Method: EPA 8081 Preparation Method: EPA 3510 Pace Analytical Services - Indianapolis									
Aldrin	<0.000054	mg/L	0.000059	0.000054	1	06/27/22 11:14	06/29/22 03:00	309-00-2	
alpha-BHC	<0.000041	mg/L	0.000059	0.000041	1	06/27/22 11:14	06/29/22 03:00	319-84-6	
beta-BHC	<0.000055	mg/L	0.000059	0.000055	1	06/27/22 11:14	06/29/22 03:00	319-85-7	
delta-BHC	<0.000053	mg/L	0.000059	0.000053	1	06/27/22 11:14	06/29/22 03:00	319-86-8	
gamma-BHC (Lindane)	<0.000045	mg/L	0.000059	0.000045	1	06/27/22 11:14	06/29/22 03:00	58-89-9	
Chlordane (Technical)	<0.0024	mg/L	0.0059	0.0024	1	06/27/22 11:14	06/29/22 03:00	57-74-9	
alpha-Chlordane	<0.000046	mg/L	0.00059	0.000046	1	06/27/22 11:14	06/29/22 03:00	5103-71-9	
gamma-Chlordane	<0.000058	mg/L	0.00059	0.000058	1	06/27/22 11:14	06/29/22 03:00	5103-74-2	
4,4'-DDD	<0.00011	mg/L	0.00012	0.00011	1	06/27/22 11:14	06/29/22 03:00	72-54-8	
4,4'-DDE	<0.000087	mg/L	0.00012	0.000087	1	06/27/22 11:14	06/29/22 03:00	72-55-9	
4,4'-DDT	<0.00010	mg/L	0.00012	0.00010	1	06/27/22 11:14	06/29/22 03:00	50-29-3	
Dieldrin	<0.000098	mg/L	0.00012	0.000098	1	06/27/22 11:14	06/29/22 03:00	60-57-1	
Endosulfan I	<0.000041	mg/L	0.000059	0.000041	1	06/27/22 11:14	06/29/22 03:00	959-98-8	
Endosulfan II	<0.000094	mg/L	0.00012	0.000094	1	06/27/22 11:14	06/29/22 03:00	33213-65-9	
Endosulfan sulfate	<0.000084	mg/L	0.00012	0.000084	1	06/27/22 11:14	06/29/22 03:00	1031-07-8	
Endrin	<0.00010	mg/L	0.00012	0.00010	1	06/27/22 11:14	06/29/22 03:00	72-20-8	
Endrin aldehyde	<0.00012	mg/L	0.00012	0.00012	1	06/27/22 11:14	06/29/22 03:00	7421-93-4	
Endrin ketone	<0.000094	mg/L	0.00012	0.000094	1	06/27/22 11:14	06/29/22 03:00	53494-70-5	
Heptachlor	<0.000049	mg/L	0.000059	0.000049	1	06/27/22 11:14	06/29/22 03:00	76-44-8	
Heptachlor epoxide	<0.000049	mg/L	0.000059	0.000049	1	06/27/22 11:14	06/29/22 03:00	1024-57-3	
Methoxychlor	<0.00049	mg/L	0.00059	0.00049	1	06/27/22 11:14	06/29/22 03:00	72-43-5	
Toxaphene	<0.0027	mg/L	0.0059	0.0027	1	06/27/22 11:14	06/29/22 03:00	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	72	%	10-135		1	06/27/22 11:14	06/29/22 03:00	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.00011	mg/L	0.00050	0.00011	1	06/24/22 08:02	06/27/22 18:07	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.00011	mg/L	0.00050	0.00011	1	06/24/22 08:02	06/27/22 18:07	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.00011	mg/L	0.00050	0.00011	1	06/24/22 08:02	06/27/22 18:07	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.00011	mg/L	0.00050	0.00011	1	06/24/22 08:02	06/27/22 18:07	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.00011	mg/L	0.00050	0.00011	1	06/24/22 08:02	06/27/22 18:07	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.00011	mg/L	0.00050	0.00011	1	06/24/22 08:02	06/27/22 18:07	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.00011	mg/L	0.00050	0.00011	1	06/24/22 08:02	06/27/22 18:07	11096-82-5	
PCB, Total	<0.00011	mg/L	0.00050	0.00011	1	06/24/22 08:02	06/27/22 18:07	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	91	%	17-141		1	06/24/22 08:02	06/27/22 18:07	877-09-8	
Decachlorobiphenyl (S)	63	%	10-113		1	06/24/22 08:02	06/27/22 18:07	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010 Pace Analytical Services - New Orleans									
Aluminum	<0.036	mg/L	0.10	0.036	1	06/29/22 08:15	07/01/22 01:49	7429-90-5	
Antimony	<0.00063	mg/L	0.0010	0.00063	1	06/29/22 08:15	07/01/22 01:49	7440-36-0	
Arsenic	0.0031	mg/L	0.0010	0.00020	1	06/29/22 08:15	07/01/22 01:49	7440-38-2	
Barium	0.12	mg/L	0.0010	0.00036	1	06/29/22 08:15	07/01/22 01:49	7440-39-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-09 **Lab ID: 40247068010** Collected: 06/22/22 12:10 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Beryllium	<0.00012	mg/L	0.0010	0.00012	1	06/29/22 08:15	07/01/22 01:49	7440-41-7	
Cadmium	<0.000080	mg/L	0.0010	0.000080	1	06/29/22 08:15	07/01/22 01:49	7440-43-9	
Calcium	70.7	mg/L	0.10	0.084	1	06/29/22 08:15	07/01/22 01:49	7440-70-2	
Chromium	<0.00062	mg/L	0.0010	0.00062	1	06/29/22 08:15	07/01/22 01:49	7440-47-3	
Cobalt	0.00071J	mg/L	0.0010	0.000060	1	06/29/22 08:15	07/01/22 01:49	7440-48-4	
Copper	0.00083J	mg/L	0.0030	0.00083	1	06/29/22 08:15	07/01/22 01:49	7440-50-8	
Iron	0.11	mg/L	0.10	0.049	1	06/29/22 08:15	07/01/22 01:49	7439-89-6	
Lead	<0.000070	mg/L	0.0010	0.000070	1	06/29/22 08:15	07/01/22 01:49	7439-92-1	
Magnesium	26.7	mg/L	0.10	0.00060	1	06/29/22 08:15	07/01/22 01:49	7439-95-4	
Manganese	0.63	mg/L	0.050	0.045	10	06/29/22 08:15	07/01/22 16:31	7439-96-5	
Nickel	0.0012	mg/L	0.0010	0.00056	1	06/29/22 08:15	07/01/22 01:49	7440-02-0	
Potassium	4.3	mg/L	0.10	0.085	1	06/29/22 08:15	07/01/22 01:49	7440-09-7	
Selenium	0.00049J	mg/L	0.0010	0.00037	1	06/29/22 08:15	07/01/22 01:49	7782-49-2	
Silver	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 01:49	7440-22-4	
Sodium	11.7	mg/L	0.10	0.078	1	06/29/22 08:15	07/01/22 01:49	7440-23-5	
Thallium	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 01:49	7440-28-0	
Vanadium	<0.0023	mg/L	0.0050	0.0023	1	06/29/22 08:15	07/01/22 01:49	7440-62-2	
Zinc	0.012	mg/L	0.010	0.0044	1	06/29/22 08:15	07/01/22 01:49	7440-66-6	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.000066	mg/L	0.00020	0.000066	1	07/05/22 09:55	07/06/22 07:55	7439-97-6	
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4-Bromophenylphenyl ether	<0.00087	mg/L	0.0049	0.00087	1	06/27/22 08:05	06/28/22 16:18	101-55-3	
Butylbenzylphthalate	<0.00068	mg/L	0.0049	0.00068	1	06/27/22 08:05	06/28/22 16:18	85-68-7	
Carbazole	<0.00023	mg/L	0.0049	0.00023	1	06/27/22 08:05	06/28/22 16:18	86-74-8	
4-Chloro-3-methylphenol	<0.00092	mg/L	0.0049	0.00092	1	06/27/22 08:05	06/28/22 16:18	59-50-7	
4-Chloroaniline	<0.00087	mg/L	0.0049	0.00087	1	06/27/22 08:05	06/28/22 16:18	106-47-8	2q
bis(2-Chloroethoxy)methane	<0.00042	mg/L	0.0049	0.00042	1	06/27/22 08:05	06/28/22 16:18	111-91-1	
bis(2-Chloroethyl) ether	<0.00067	mg/L	0.0049	0.00067	1	06/27/22 08:05	06/28/22 16:18	111-44-4	
2-Chloronaphthalene	<0.0012	mg/L	0.0049	0.0012	1	06/27/22 08:05	06/28/22 16:18	91-58-7	
2-Chlorophenol	<0.0025	mg/L	0.0049	0.0025	1	06/27/22 08:05	06/28/22 16:18	95-57-8	
4-Chlorophenylphenyl ether	<0.00060	mg/L	0.0049	0.00060	1	06/27/22 08:05	06/28/22 16:18	7005-72-3	
Dibenzofuran	<0.00091	mg/L	0.0049	0.00091	1	06/27/22 08:05	06/28/22 16:18	132-64-9	
1,2-Dichlorobenzene	<0.0020	mg/L	0.0049	0.0020	1	06/27/22 08:05	06/28/22 16:18	95-50-1	
1,3-Dichlorobenzene	<0.0021	mg/L	0.0049	0.0021	1	06/27/22 08:05	06/28/22 16:18	541-73-1	
1,4-Dichlorobenzene	<0.0017	mg/L	0.0049	0.0017	1	06/27/22 08:05	06/28/22 16:18	106-46-7	
3,3'-Dichlorobenzidine	<0.00053	mg/L	0.0049	0.00053	1	06/27/22 08:05	06/28/22 16:18	91-94-1	2q
2,4-Dichlorophenol	<0.0015	mg/L	0.0049	0.0015	1	06/27/22 08:05	06/28/22 16:18	120-83-2	
Diethylphthalate	<0.00059	mg/L	0.0049	0.00059	1	06/27/22 08:05	06/28/22 16:18	84-66-2	
2,4-Dimethylphenol	<0.00042	mg/L	0.0049	0.00042	1	06/27/22 08:05	06/28/22 16:18	105-67-9	
Dimethylphthalate	<0.00041	mg/L	0.0049	0.00041	1	06/27/22 08:05	06/28/22 16:18	131-11-3	
Di-n-butylphthalate	<0.00032	mg/L	0.0049	0.00032	1	06/27/22 08:05	06/28/22 16:18	84-74-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Sample: MW-09 **Lab ID: 40247068010** Collected: 06/22/22 12:10 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<0.0012	mg/L	0.0049	0.0012	1	06/27/22 08:05	06/28/22 16:18	534-52-1	
2,4-Dinitrophenol	<0.0025	mg/L	0.0098	0.0025	1	06/27/22 08:05	06/28/22 16:18	51-28-5	
2,4-Dinitrotoluene	<0.00037	mg/L	0.0049	0.00037	1	06/27/22 08:05	06/28/22 16:18	121-14-2	
2,6-Dinitrotoluene	<0.00083	mg/L	0.0049	0.00083	1	06/27/22 08:05	06/28/22 16:18	606-20-2	
Di-n-octylphthalate	<0.00045	mg/L	0.0098	0.00045	1	06/27/22 08:05	06/28/22 16:18	117-84-0	
bis(2-Ethylhexyl)phthalate	<0.00067	mg/L	0.0049	0.00067	1	06/27/22 08:05	06/28/22 16:18	117-81-7	
Hexachloro-1,3-butadiene	<0.0025	mg/L	0.0098	0.0025	1	06/27/22 08:05	06/28/22 16:18	87-68-3	
Hexachlorobenzene	<0.0016	mg/L	0.0049	0.0016	1	06/27/22 08:05	06/28/22 16:18	118-74-1	
Hexachlorocyclopentadiene	<0.0019	mg/L	0.0049	0.0019	1	06/27/22 08:05	06/28/22 16:18	77-47-4	
Hexachloroethane	<0.0015	mg/L	0.0049	0.0015	1	06/27/22 08:05	06/28/22 16:18	67-72-1	
Isophorone	<0.00039	mg/L	0.0049	0.00039	1	06/27/22 08:05	06/28/22 16:18	78-59-1	
2-Methylphenol(o-Cresol)	<0.00076	mg/L	0.0049	0.00076	1	06/27/22 08:05	06/28/22 16:18	95-48-7	
3&4-Methylphenol(m&p Cresol)	<0.00058	mg/L	0.0049	0.00058	1	06/27/22 08:05	06/28/22 16:18		
2-Nitroaniline	<0.00090	mg/L	0.0049	0.00090	1	06/27/22 08:05	06/28/22 16:18	88-74-4	CH
3-Nitroaniline	<0.00070	mg/L	0.0049	0.00070	1	06/27/22 08:05	06/28/22 16:18	99-09-2	
4-Nitroaniline	<0.00044	mg/L	0.0098	0.00044	1	06/27/22 08:05	06/28/22 16:18	100-01-6	
Nitrobenzene	<0.00050	mg/L	0.0049	0.00050	1	06/27/22 08:05	06/28/22 16:18	98-95-3	
2-Nitrophenol	<0.0015	mg/L	0.0049	0.0015	1	06/27/22 08:05	06/28/22 16:18	88-75-5	
4-Nitrophenol	<0.0020	mg/L	0.0049	0.0020	1	06/27/22 08:05	06/28/22 16:18	100-02-7	
N-Nitroso-di-n-propylamine	<0.00081	mg/L	0.0049	0.00081	1	06/27/22 08:05	06/28/22 16:18	621-64-7	
N-Nitrosodiphenylamine	<0.00040	mg/L	0.0049	0.00040	1	06/27/22 08:05	06/28/22 16:18	86-30-6	
2,2'-Oxybis(1-chloropropane)	<0.00077	mg/L	0.0049	0.00077	1	06/27/22 08:05	06/28/22 16:18	108-60-1	CH
Pentachlorophenol	<0.0016	mg/L	0.0049	0.0016	1	06/27/22 08:05	06/28/22 16:18	87-86-5	
Phenol	<0.00096	mg/L	0.0049	0.00096	1	06/27/22 08:05	06/28/22 16:18	108-95-2	
1,2,4-Trichlorobenzene	<0.0023	mg/L	0.0049	0.0023	1	06/27/22 08:05	06/28/22 16:18	120-82-1	
2,4,5-Trichlorophenol	<0.0018	mg/L	0.0049	0.0018	1	06/27/22 08:05	06/28/22 16:18	95-95-4	
2,4,6-Trichlorophenol	<0.0020	mg/L	0.0049	0.0020	1	06/27/22 08:05	06/28/22 16:18	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	97	%	10-120		1	06/27/22 08:05	06/28/22 16:18	4165-60-0	
2-Fluorobiphenyl (S)	71	%	10-101		1	06/27/22 08:05	06/28/22 16:18	321-60-8	
Terphenyl-d14 (S)	104	%	36-138		1	06/27/22 08:05	06/28/22 16:18	1718-51-0	
Phenol-d6 (S)	35	%	10-130		1	06/27/22 08:05	06/28/22 16:18	13127-88-3	
2-Fluorophenol (S)	46	%	10-89		1	06/27/22 08:05	06/28/22 16:18	367-12-4	
2,4,6-Tribromophenol (S)	82	%	10-142		1	06/27/22 08:05	06/28/22 16:18	118-79-6	

8270E MSSV PAH

Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510
Pace Analytical Services - Green Bay

Acenaphthene	<0.000014	mg/L	0.000050	0.000014	1	06/27/22 08:10	06/28/22 12:39	83-32-9	
Acenaphthylene	<0.000013	mg/L	0.000050	0.000013	1	06/27/22 08:10	06/28/22 12:39	208-96-8	
Anthracene	<0.000018	mg/L	0.000050	0.000018	1	06/27/22 08:10	06/28/22 12:39	120-12-7	
Benzo(a)anthracene	<0.000014	mg/L	0.000050	0.000014	1	06/27/22 08:10	06/28/22 12:39	56-55-3	
Benzo(a)pyrene	<0.000013	mg/L	0.000050	0.000013	1	06/27/22 08:10	06/28/22 12:39	50-32-8	
Benzo(b)fluoranthene	<0.000009	mg/L	0.000050	0.000009	1	06/27/22 08:10	06/28/22 12:39	205-99-2	
	0			0					
Benzo(g,h,i)perylene	<0.000023	mg/L	0.000050	0.000023	1	06/27/22 08:10	06/28/22 12:39	191-24-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-09 **Lab ID: 40247068010** Collected: 06/22/22 12:10 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Benzo(k)fluoranthene	<0.000022	mg/L	0.000050	0.000022	1	06/27/22 08:10	06/28/22 12:39	207-08-9	
Chrysene	<0.000013	mg/L	0.000050	0.000013	1	06/27/22 08:10	06/28/22 12:39	218-01-9	
Dibenz(a,h)anthracene	<0.000018	mg/L	0.000050	0.000018	1	06/27/22 08:10	06/28/22 12:39	53-70-3	
Fluoranthene	<0.000026	mg/L	0.000050	0.000026	1	06/27/22 08:10	06/28/22 12:39	206-44-0	
Fluorene	<0.000023	mg/L	0.000050	0.000023	1	06/27/22 08:10	06/28/22 12:39	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.000015	mg/L	0.000050	0.000015	1	06/27/22 08:10	06/28/22 12:39	193-39-5	
2-Methylnaphthalene	<0.000014	mg/L	0.000050	0.000014	1	06/27/22 08:10	06/28/22 12:39	91-57-6	
Naphthalene	<0.000020	mg/L	0.000050	0.000020	1	06/27/22 08:10	06/28/22 12:39	91-20-3	
Phenanthrene	<0.000025	mg/L	0.000050	0.000025	1	06/27/22 08:10	06/28/22 12:39	85-01-8	
Pyrene	<0.000022	mg/L	0.000050	0.000022	1	06/27/22 08:10	06/28/22 12:39	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	83	%	44-120		1	06/27/22 08:10	06/28/22 12:39	321-60-8	
Terphenyl-d14 (S)	81	%	49-120		1	06/27/22 08:10	06/28/22 12:39	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Acetone	<0.0086	mg/L	0.025	0.0086	1		06/24/22 14:38	67-64-1	
Benzene	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 14:38	71-43-2	
Bromodichloromethane	<0.00042	mg/L	0.0010	0.00042	1		06/24/22 14:38	75-27-4	
Bromoform	<0.0038	mg/L	0.0050	0.0038	1		06/24/22 14:38	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 14:38	74-83-9	
2-Butanone (MEK)	<0.0065	mg/L	0.025	0.0065	1		06/24/22 14:38	78-93-3	
Carbon disulfide	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 14:38	75-15-0	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		06/24/22 14:38	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		06/24/22 14:38	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		06/24/22 14:38	75-00-3	
Chloroform	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 14:38	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		06/24/22 14:38	74-87-3	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		06/24/22 14:38	124-48-1	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 14:38	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 14:38	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		06/24/22 14:38	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		06/24/22 14:38	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		06/24/22 14:38	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		06/24/22 14:38	78-87-5	
cis-1,3-Dichloropropene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 14:38	10061-01-5	
trans-1,3-Dichloropropene	<0.0035	mg/L	0.0050	0.0035	1		06/24/22 14:38	10061-02-6	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		06/24/22 14:38	100-41-4	
2-Hexanone	<0.0063	mg/L	0.025	0.0063	1		06/24/22 14:38	591-78-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		06/24/22 14:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.0060	mg/L	0.025	0.0060	1		06/24/22 14:38	108-10-1	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 14:38	1634-04-4	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 14:38	100-42-5	
1,1,2,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		06/24/22 14:38	79-34-5	
Tetrachloroethene	<0.00041	mg/L	0.0010	0.00041	1		06/24/22 14:38	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-09 **Lab ID: 40247068010** Collected: 06/22/22 12:10 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Toluene	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 14:38	108-88-3	
1,1,1-Trichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 14:38	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0050	0.00034	1		06/24/22 14:38	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		06/24/22 14:38	79-01-6	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		06/24/22 14:38	75-01-4	
Xylene (Total)	<0.0010	mg/L	0.0030	0.0010	1		06/24/22 14:38	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		06/24/22 14:38	460-00-4	
1,2-Dichlorobenzene-d4 (S)	95	%	70-130		1		06/24/22 14:38	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		06/24/22 14:38	2037-26-5	
335.4 Cyanide, Total									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	<0.0069	mg/L	0.023	0.0069	1	06/29/22 09:45	06/29/22 12:50	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-08 **Lab ID: 40247068011** Collected: 06/22/22 13:40 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pest RV Waters									
Analytical Method: EPA 8081 Preparation Method: EPA 3510 Pace Analytical Services - Indianapolis									
Aldrin	<0.000051	mg/L	0.000056	0.000051	1	06/27/22 11:14	06/29/22 03:13	309-00-2	
alpha-BHC	<0.000039	mg/L	0.000056	0.000039	1	06/27/22 11:14	06/29/22 03:13	319-84-6	
beta-BHC	<0.000052	mg/L	0.000056	0.000052	1	06/27/22 11:14	06/29/22 03:13	319-85-7	
delta-BHC	<0.000050	mg/L	0.000056	0.000050	1	06/27/22 11:14	06/29/22 03:13	319-86-8	
gamma-BHC (Lindane)	<0.000042	mg/L	0.000056	0.000042	1	06/27/22 11:14	06/29/22 03:13	58-89-9	
Chlordane (Technical)	<0.0023	mg/L	0.0056	0.0023	1	06/27/22 11:14	06/29/22 03:13	57-74-9	
alpha-Chlordane	<0.000043	mg/L	0.00056	0.000043	1	06/27/22 11:14	06/29/22 03:13	5103-71-9	
gamma-Chlordane	<0.000054	mg/L	0.00056	0.000054	1	06/27/22 11:14	06/29/22 03:13	5103-74-2	
4,4'-DDD	<0.00011	mg/L	0.00011	0.00011	1	06/27/22 11:14	06/29/22 03:13	72-54-8	
4,4'-DDE	<0.000082	mg/L	0.00011	0.000082	1	06/27/22 11:14	06/29/22 03:13	72-55-9	
4,4'-DDT	<0.000094	mg/L	0.00011	0.000094	1	06/27/22 11:14	06/29/22 03:13	50-29-3	
Dieldrin	<0.000092	mg/L	0.00011	0.000092	1	06/27/22 11:14	06/29/22 03:13	60-57-1	
Endosulfan I	<0.000039	mg/L	0.000056	0.000039	1	06/27/22 11:14	06/29/22 03:13	959-98-8	
Endosulfan II	<0.000089	mg/L	0.00011	0.000089	1	06/27/22 11:14	06/29/22 03:13	33213-65-9	
Endosulfan sulfate	<0.000079	mg/L	0.00011	0.000079	1	06/27/22 11:14	06/29/22 03:13	1031-07-8	
Endrin	<0.000099	mg/L	0.00011	0.000099	1	06/27/22 11:14	06/29/22 03:13	72-20-8	
Endrin aldehyde	<0.00011	mg/L	0.00011	0.00011	1	06/27/22 11:14	06/29/22 03:13	7421-93-4	
Endrin ketone	<0.000089	mg/L	0.00011	0.000089	1	06/27/22 11:14	06/29/22 03:13	53494-70-5	
Heptachlor	<0.000047	mg/L	0.000056	0.000047	1	06/27/22 11:14	06/29/22 03:13	76-44-8	
Heptachlor epoxide	<0.000047	mg/L	0.000056	0.000047	1	06/27/22 11:14	06/29/22 03:13	1024-57-3	
Methoxychlor	<0.00047	mg/L	0.00056	0.00047	1	06/27/22 11:14	06/29/22 03:13	72-43-5	
Toxaphene	<0.0025	mg/L	0.0056	0.0025	1	06/27/22 11:14	06/29/22 03:13	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	47	%	10-135		1	06/27/22 11:14	06/29/22 03:13	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 18:28	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 18:28	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 18:28	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 18:28	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 18:28	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 18:28	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 18:28	11096-82-5	
PCB, Total	<0.00011	mg/L	0.00048	0.00011	1	06/24/22 08:02	06/27/22 18:28	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	98	%	17-141		1	06/24/22 08:02	06/27/22 18:28	877-09-8	
Decachlorobiphenyl (S)	75	%	10-113		1	06/24/22 08:02	06/27/22 18:28	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010 Pace Analytical Services - New Orleans									
Aluminum	<0.036	mg/L	0.10	0.036	1	06/29/22 08:15	07/01/22 01:55	7429-90-5	
Antimony	<0.00063	mg/L	0.0010	0.00063	1	06/29/22 08:15	07/01/22 01:55	7440-36-0	
Arsenic	0.00021J	mg/L	0.0010	0.00020	1	06/29/22 08:15	07/01/22 01:55	7440-38-2	
Barium	0.064	mg/L	0.0010	0.00036	1	06/29/22 08:15	07/01/22 01:55	7440-39-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-08 **Lab ID: 40247068011** Collected: 06/22/22 13:40 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Beryllium	<0.00012	mg/L	0.0010	0.00012	1	06/29/22 08:15	07/01/22 01:55	7440-41-7	
Cadmium	<0.000080	mg/L	0.0010	0.000080	1	06/29/22 08:15	07/01/22 01:55	7440-43-9	
Calcium	90.9	mg/L	0.10	0.084	1	06/29/22 08:15	07/01/22 01:55	7440-70-2	
Chromium	<0.00062	mg/L	0.0010	0.00062	1	06/29/22 08:15	07/01/22 01:55	7440-47-3	
Cobalt	0.00028J	mg/L	0.0010	0.000060	1	06/29/22 08:15	07/01/22 01:55	7440-48-4	
Copper	<0.00083	mg/L	0.0030	0.00083	1	06/29/22 08:15	07/01/22 01:55	7440-50-8	
Iron	<0.049	mg/L	0.10	0.049	1	06/29/22 08:15	07/01/22 01:55	7439-89-6	
Lead	<0.000070	mg/L	0.0010	0.000070	1	06/29/22 08:15	07/01/22 01:55	7439-92-1	
Magnesium	38.4	mg/L	0.10	0.00060	1	06/29/22 08:15	07/01/22 01:55	7439-95-4	
Manganese	0.11	mg/L	0.0050	0.0045	1	06/29/22 08:15	07/01/22 01:55	7439-96-5	
Nickel	0.0011	mg/L	0.0010	0.00056	1	06/29/22 08:15	07/01/22 01:55	7440-02-0	
Potassium	0.25	mg/L	0.10	0.085	1	06/29/22 08:15	07/01/22 01:55	7440-09-7	
Selenium	<0.00037	mg/L	0.0010	0.00037	1	06/29/22 08:15	07/01/22 01:55	7782-49-2	
Silver	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 01:55	7440-22-4	
Sodium	12.6	mg/L	0.10	0.078	1	06/29/22 08:15	07/01/22 01:55	7440-23-5	
Thallium	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 01:55	7440-28-0	
Vanadium	<0.0023	mg/L	0.0050	0.0023	1	06/29/22 08:15	07/01/22 01:55	7440-62-2	
Zinc	0.0088J	mg/L	0.010	0.0044	1	06/29/22 08:15	07/01/22 01:55	7440-66-6	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.000066	mg/L	0.00020	0.000066	1	07/05/22 09:55	07/06/22 07:57	7439-97-6	
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4-Bromophenylphenyl ether	<0.00095	mg/L	0.0053	0.00095	1	06/27/22 08:05	06/28/22 16:40	101-55-3	
Butylbenzylphthalate	<0.00074	mg/L	0.0053	0.00074	1	06/27/22 08:05	06/28/22 16:40	85-68-7	
Carbazole	<0.00025	mg/L	0.0053	0.00025	1	06/27/22 08:05	06/28/22 16:40	86-74-8	
4-Chloro-3-methylphenol	<0.0010	mg/L	0.0053	0.0010	1	06/27/22 08:05	06/28/22 16:40	59-50-7	
4-Chloroaniline	<0.00096	mg/L	0.0053	0.00096	1	06/27/22 08:05	06/28/22 16:40	106-47-8	2q
bis(2-Chloroethoxy)methane	<0.00046	mg/L	0.0053	0.00046	1	06/27/22 08:05	06/28/22 16:40	111-91-1	
bis(2-Chloroethyl) ether	<0.00073	mg/L	0.0053	0.00073	1	06/27/22 08:05	06/28/22 16:40	111-44-4	
2-Chloronaphthalene	<0.0013	mg/L	0.0053	0.0013	1	06/27/22 08:05	06/28/22 16:40	91-58-7	
2-Chlorophenol	<0.0028	mg/L	0.0053	0.0028	1	06/27/22 08:05	06/28/22 16:40	95-57-8	
4-Chlorophenylphenyl ether	<0.00065	mg/L	0.0053	0.00065	1	06/27/22 08:05	06/28/22 16:40	7005-72-3	
Dibenzofuran	<0.00099	mg/L	0.0053	0.00099	1	06/27/22 08:05	06/28/22 16:40	132-64-9	
1,2-Dichlorobenzene	<0.0022	mg/L	0.0053	0.0022	1	06/27/22 08:05	06/28/22 16:40	95-50-1	
1,3-Dichlorobenzene	<0.0023	mg/L	0.0053	0.0023	1	06/27/22 08:05	06/28/22 16:40	541-73-1	
1,4-Dichlorobenzene	<0.0019	mg/L	0.0053	0.0019	1	06/27/22 08:05	06/28/22 16:40	106-46-7	
3,3'-Dichlorobenzidine	<0.00058	mg/L	0.0053	0.00058	1	06/27/22 08:05	06/28/22 16:40	91-94-1	2q
2,4-Dichlorophenol	<0.0016	mg/L	0.0053	0.0016	1	06/27/22 08:05	06/28/22 16:40	120-83-2	
Diethylphthalate	<0.00064	mg/L	0.0053	0.00064	1	06/27/22 08:05	06/28/22 16:40	84-66-2	
2,4-Dimethylphenol	<0.00046	mg/L	0.0053	0.00046	1	06/27/22 08:05	06/28/22 16:40	105-67-9	
Dimethylphthalate	<0.00045	mg/L	0.0053	0.00045	1	06/27/22 08:05	06/28/22 16:40	131-11-3	
Di-n-butylphthalate	<0.00035	mg/L	0.0053	0.00035	1	06/27/22 08:05	06/28/22 16:40	84-74-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Sample: MW-08 **Lab ID: 40247068011** Collected: 06/22/22 13:40 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<0.0013	mg/L	0.0053	0.0013	1	06/27/22 08:05	06/28/22 16:40	534-52-1	
2,4-Dinitrophenol	<0.0028	mg/L	0.011	0.0028	1	06/27/22 08:05	06/28/22 16:40	51-28-5	
2,4-Dinitrotoluene	<0.00040	mg/L	0.0053	0.00040	1	06/27/22 08:05	06/28/22 16:40	121-14-2	
2,6-Dinitrotoluene	<0.00091	mg/L	0.0053	0.00091	1	06/27/22 08:05	06/28/22 16:40	606-20-2	
Di-n-octylphthalate	<0.00050	mg/L	0.011	0.00050	1	06/27/22 08:05	06/28/22 16:40	117-84-0	
bis(2-Ethylhexyl)phthalate	<0.00073	mg/L	0.0053	0.00073	1	06/27/22 08:05	06/28/22 16:40	117-81-7	
Hexachloro-1,3-butadiene	<0.0027	mg/L	0.011	0.0027	1	06/27/22 08:05	06/28/22 16:40	87-68-3	
Hexachlorobenzene	<0.0018	mg/L	0.0053	0.0018	1	06/27/22 08:05	06/28/22 16:40	118-74-1	
Hexachlorocyclopentadiene	<0.0020	mg/L	0.0053	0.0020	1	06/27/22 08:05	06/28/22 16:40	77-47-4	
Hexachloroethane	<0.0016	mg/L	0.0053	0.0016	1	06/27/22 08:05	06/28/22 16:40	67-72-1	
Isophorone	<0.00042	mg/L	0.0053	0.00042	1	06/27/22 08:05	06/28/22 16:40	78-59-1	
2-Methylphenol(o-Cresol)	<0.00083	mg/L	0.0053	0.00083	1	06/27/22 08:05	06/28/22 16:40	95-48-7	
3&4-Methylphenol(m&p Cresol)	<0.00064	mg/L	0.0053	0.00064	1	06/27/22 08:05	06/28/22 16:40		
2-Nitroaniline	<0.00098	mg/L	0.0053	0.00098	1	06/27/22 08:05	06/28/22 16:40	88-74-4	CH
3-Nitroaniline	<0.00076	mg/L	0.0053	0.00076	1	06/27/22 08:05	06/28/22 16:40	99-09-2	
4-Nitroaniline	<0.00048	mg/L	0.011	0.00048	1	06/27/22 08:05	06/28/22 16:40	100-01-6	
Nitrobenzene	<0.00054	mg/L	0.0053	0.00054	1	06/27/22 08:05	06/28/22 16:40	98-95-3	
2-Nitrophenol	<0.0016	mg/L	0.0053	0.0016	1	06/27/22 08:05	06/28/22 16:40	88-75-5	
4-Nitrophenol	<0.0022	mg/L	0.0053	0.0022	1	06/27/22 08:05	06/28/22 16:40	100-02-7	
N-Nitroso-di-n-propylamine	<0.00088	mg/L	0.0053	0.00088	1	06/27/22 08:05	06/28/22 16:40	621-64-7	
N-Nitrosodiphenylamine	<0.00043	mg/L	0.0053	0.00043	1	06/27/22 08:05	06/28/22 16:40	86-30-6	
2,2'-Oxybis(1-chloropropane)	<0.00084	mg/L	0.0053	0.00084	1	06/27/22 08:05	06/28/22 16:40	108-60-1	CH
Pentachlorophenol	<0.0017	mg/L	0.0053	0.0017	1	06/27/22 08:05	06/28/22 16:40	87-86-5	
Phenol	<0.0010	mg/L	0.0053	0.0010	1	06/27/22 08:05	06/28/22 16:40	108-95-2	
1,2,4-Trichlorobenzene	<0.0025	mg/L	0.0053	0.0025	1	06/27/22 08:05	06/28/22 16:40	120-82-1	
2,4,5-Trichlorophenol	<0.0020	mg/L	0.0053	0.0020	1	06/27/22 08:05	06/28/22 16:40	95-95-4	
2,4,6-Trichlorophenol	<0.0021	mg/L	0.0053	0.0021	1	06/27/22 08:05	06/28/22 16:40	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	106	%	10-120		1	06/27/22 08:05	06/28/22 16:40	4165-60-0	
2-Fluorobiphenyl (S)	82	%	10-101		1	06/27/22 08:05	06/28/22 16:40	321-60-8	
Terphenyl-d14 (S)	105	%	36-138		1	06/27/22 08:05	06/28/22 16:40	1718-51-0	
Phenol-d6 (S)	42	%	10-130		1	06/27/22 08:05	06/28/22 16:40	13127-88-3	
2-Fluorophenol (S)	58	%	10-89		1	06/27/22 08:05	06/28/22 16:40	367-12-4	
2,4,6-Tribromophenol (S)	97	%	10-142		1	06/27/22 08:05	06/28/22 16:40	118-79-6	

8270E MSSV PAH

Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510
Pace Analytical Services - Green Bay

Acenaphthene	<0.000014	mg/L	0.000049	0.000014	1	06/27/22 08:10	06/28/22 12:58	83-32-9	
Acenaphthylene	<0.000012	mg/L	0.000049	0.000012	1	06/27/22 08:10	06/28/22 12:58	208-96-8	
Anthracene	<0.000018	mg/L	0.000049	0.000018	1	06/27/22 08:10	06/28/22 12:58	120-12-7	
Benzo(a)anthracene	<0.000013	mg/L	0.000049	0.000013	1	06/27/22 08:10	06/28/22 12:58	56-55-3	
Benzo(a)pyrene	<0.000013	mg/L	0.000049	0.000013	1	06/27/22 08:10	06/28/22 12:58	50-32-8	
Benzo(b)fluoranthene	0.000012J	mg/L	0.000049	0.000009	1	06/27/22 08:10	06/28/22 12:58	205-99-2	
Benzo(g,h,i)perylene	<0.000023	mg/L	0.000049	0.000023	1	06/27/22 08:10	06/28/22 12:58	191-24-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-08 **Lab ID: 40247068011** Collected: 06/22/22 13:40 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Benzo(k)fluoranthene	<0.000022	mg/L	0.000049	0.000022	1	06/27/22 08:10	06/28/22 12:58	207-08-9	
Chrysene	0.000020J	mg/L	0.000049	0.000012	1	06/27/22 08:10	06/28/22 12:58	218-01-9	
Dibenz(a,h)anthracene	<0.000018	mg/L	0.000049	0.000018	1	06/27/22 08:10	06/28/22 12:58	53-70-3	
Fluoranthene	<0.000026	mg/L	0.000049	0.000026	1	06/27/22 08:10	06/28/22 12:58	206-44-0	
Fluorene	<0.000023	mg/L	0.000049	0.000023	1	06/27/22 08:10	06/28/22 12:58	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.000015	mg/L	0.000049	0.000015	1	06/27/22 08:10	06/28/22 12:58	193-39-5	
2-Methylnaphthalene	<0.000014	mg/L	0.000049	0.000014	1	06/27/22 08:10	06/28/22 12:58	91-57-6	
Naphthalene	<0.000020	mg/L	0.000049	0.000020	1	06/27/22 08:10	06/28/22 12:58	91-20-3	
Phenanthrene	<0.000025	mg/L	0.000049	0.000025	1	06/27/22 08:10	06/28/22 12:58	85-01-8	
Pyrene	<0.000022	mg/L	0.000049	0.000022	1	06/27/22 08:10	06/28/22 12:58	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	82	%	44-120		1	06/27/22 08:10	06/28/22 12:58	321-60-8	
Terphenyl-d14 (S)	77	%	49-120		1	06/27/22 08:10	06/28/22 12:58	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Acetone	<0.0086	mg/L	0.025	0.0086	1		06/24/22 14:57	67-64-1	
Benzene	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 14:57	71-43-2	
Bromodichloromethane	<0.00042	mg/L	0.0010	0.00042	1		06/24/22 14:57	75-27-4	
Bromoform	<0.0038	mg/L	0.0050	0.0038	1		06/24/22 14:57	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 14:57	74-83-9	
2-Butanone (MEK)	<0.0065	mg/L	0.025	0.0065	1		06/24/22 14:57	78-93-3	
Carbon disulfide	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 14:57	75-15-0	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		06/24/22 14:57	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		06/24/22 14:57	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		06/24/22 14:57	75-00-3	
Chloroform	<0.0012	mg/L	0.0050	0.0012	1		06/24/22 14:57	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		06/24/22 14:57	74-87-3	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		06/24/22 14:57	124-48-1	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 14:57	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 14:57	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		06/24/22 14:57	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		06/24/22 14:57	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		06/24/22 14:57	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		06/24/22 14:57	78-87-5	
cis-1,3-Dichloropropene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 14:57	10061-01-5	
trans-1,3-Dichloropropene	<0.0035	mg/L	0.0050	0.0035	1		06/24/22 14:57	10061-02-6	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		06/24/22 14:57	100-41-4	
2-Hexanone	<0.0063	mg/L	0.025	0.0063	1		06/24/22 14:57	591-78-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		06/24/22 14:57	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.0060	mg/L	0.025	0.0060	1		06/24/22 14:57	108-10-1	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		06/24/22 14:57	1634-04-4	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		06/24/22 14:57	100-42-5	
1,1,2,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		06/24/22 14:57	79-34-5	
Tetrachloroethene	<0.00041	mg/L	0.0010	0.00041	1		06/24/22 14:57	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Sample: MW-08 **Lab ID: 40247068011** Collected: 06/22/22 13:40 Received: 06/23/22 10:00 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Toluene	<0.00029	mg/L	0.0010	0.00029	1		06/24/22 14:57	108-88-3	
1,1,1-Trichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/24/22 14:57	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0050	0.00034	1		06/24/22 14:57	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		06/24/22 14:57	79-01-6	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		06/24/22 14:57	75-01-4	
Xylene (Total)	<0.0010	mg/L	0.0030	0.0010	1		06/24/22 14:57	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		06/24/22 14:57	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1		06/24/22 14:57	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		06/24/22 14:57	2037-26-5	
335.4 Cyanide, Total									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	<0.0069	mg/L	0.023	0.0069	1	06/29/22 09:45	06/29/22 12:51	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

QC Batch:	419994	Analysis Method:	EPA 7470
QC Batch Method:	EPA 7470	Analysis Description:	7470 Mercury
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40247068003, 40247068004, 40247068005, 40247068006, 40247068007, 40247068008, 40247068009, 40247068010, 40247068011

METHOD BLANK: 2418928 Matrix: Water
Associated Lab Samples: 40247068003, 40247068004, 40247068005, 40247068006, 40247068007, 40247068008, 40247068009, 40247068010, 40247068011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/L	<0.000066	0.00020	0.000066	07/06/22 07:18	

LABORATORY CONTROL SAMPLE: 2418929

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/L	0.005	0.0046	92	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2418930 2418931

Parameter	Units	40246905001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/L	<0.066 ug/L	0.005	0.005	0.0049	0.0049	97	97	85-115	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

QC Batch:	259340	Analysis Method:	EPA 6020A
QC Batch Method:	EPA 3010	Analysis Description:	6020 MET
		Laboratory:	Pace Analytical Services - New Orleans

Associated Lab Samples: 40247068003, 40247068004, 40247068005, 40247068006, 40247068007, 40247068008, 40247068009, 40247068010, 40247068011

METHOD BLANK: 1236863 Matrix: Water
Associated Lab Samples: 40247068003, 40247068004, 40247068005, 40247068006, 40247068007, 40247068008, 40247068009, 40247068010, 40247068011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Aluminum	mg/L	<0.036	0.10	0.036	06/30/22 15:59	
Antimony	mg/L	<0.00063	0.0010	0.00063	06/30/22 15:59	
Arsenic	mg/L	<0.00020	0.0010	0.00020	06/30/22 15:59	
Barium	mg/L	<0.00036	0.0010	0.00036	06/30/22 15:59	
Beryllium	mg/L	<0.00012	0.0010	0.00012	06/30/22 15:59	
Cadmium	mg/L	<0.000080	0.0010	0.000080	06/30/22 15:59	
Calcium	mg/L	<0.084	0.10	0.084	06/30/22 15:59	
Chromium	mg/L	<0.00062	0.0010	0.00062	06/30/22 15:59	
Cobalt	mg/L	<0.00060	0.0010	0.00060	06/30/22 15:59	
Copper	mg/L	<0.00083	0.0030	0.00083	06/30/22 15:59	
Iron	mg/L	<0.049	0.10	0.049	06/30/22 15:59	
Lead	mg/L	<0.000070	0.0010	0.000070	06/30/22 15:59	
Magnesium	mg/L	0.00096J	0.10	0.00060	06/30/22 15:59	
Manganese	mg/L	<0.0045	0.0050	0.0045	06/30/22 15:59	
Nickel	mg/L	<0.00056	0.0010	0.00056	06/30/22 15:59	
Potassium	mg/L	<0.085	0.10	0.085	06/30/22 15:59	
Selenium	mg/L	<0.00037	0.0010	0.00037	06/30/22 15:59	
Silver	mg/L	<0.000080	0.00050	0.000080	06/30/22 15:59	
Sodium	mg/L	<0.078	0.10	0.078	06/30/22 15:59	
Thallium	mg/L	<0.000080	0.00050	0.000080	06/30/22 15:59	
Vanadium	mg/L	<0.0023	0.0050	0.0023	06/30/22 15:59	
Zinc	mg/L	<0.0044	0.010	0.0044	06/30/22 15:59	

LABORATORY CONTROL SAMPLE: 1236864

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Aluminum	mg/L	6	6.0	100	85-115	
Antimony	mg/L	0.06	0.060	101	85-115	
Arsenic	mg/L	0.06	0.060	100	85-115	
Barium	mg/L	0.06	0.057	96	85-115	
Beryllium	mg/L	0.06	0.060	100	84-115	
Cadmium	mg/L	0.06	0.061	102	85-115	
Calcium	mg/L	6	6.0	101	85-115	
Chromium	mg/L	0.06	0.061	101	85-115	
Cobalt	mg/L	0.06	0.060	100	85-115	
Copper	mg/L	0.06	0.061	102	85-116	
Iron	mg/L	3	3.1	103	85-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

LABORATORY CONTROL SAMPLE: 1236864

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	mg/L	0.06	0.060	100	85-115	
Magnesium	mg/L	6	6.3	105	85-115	
Manganese	mg/L	0.06	0.061	102	85-115	
Nickel	mg/L	0.06	0.062	103	85-115	
Potassium	mg/L	6	5.7	96	76-124	
Selenium	mg/L	0.06	0.057	95	85-115	
Silver	mg/L	0.03	0.031	103	85-115	
Sodium	mg/L	6	6.3	105	84-117	
Thallium	mg/L	0.03	0.031	103	85-115	
Vanadium	mg/L	0.06	0.060	99	85-115	
Zinc	mg/L	0.06	0.058	97	85-121	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1236865 1236866

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40246997001 Result	Spike Conc.	Spike Conc.	MS Result							MSD Result
Aluminum	mg/L	<0.036	6	6	5.9	5.7	98	94	80-120	4	20	
Antimony	mg/L	<0.00063	0.06	0.06	0.062	0.060	103	100	80-120	3	20	
Arsenic	mg/L	0.00029J	0.06	0.06	0.058	0.056	95	93	80-120	3	20	
Barium	mg/L	0.073	0.06	0.06	0.13	0.13	95	89	80-120	3	20	
Beryllium	mg/L	<0.00012	0.06	0.06	0.059	0.057	99	95	80-120	3	20	
Cadmium	mg/L	<0.000080	0.06	0.06	0.061	0.059	101	99	80-120	2	20	
Calcium	mg/L	95.6	6	6	102	102	114	109	80-120	0	20	
Chromium	mg/L	0.00065J	0.06	0.06	0.062	0.059	102	97	80-120	5	20	
Cobalt	mg/L	0.00010J	0.06	0.06	0.060	0.058	99	96	80-120	3	20	
Copper	mg/L	0.00096J	0.06	0.06	0.061	0.059	100	96	80-120	4	20	
Iron	mg/L	<0.049	3	3	3.1	3.0	103	100	80-120	3	20	
Lead	mg/L	0.00011J	0.06	0.06	0.061	0.060	102	99	80-120	3	20	
Magnesium	mg/L	33.8	6	6	39.6	39.6	96	97	80-120	0	20	
Manganese	mg/L	0.043	0.06	0.06	0.11	0.10	103	100	80-120	2	20	
Nickel	mg/L	0.00063J	0.06	0.06	0.061	0.059	101	98	80-120	4	20	
Potassium	mg/L	0.37	6	6	6.0	5.8	94	91	75-125	3	20	
Selenium	mg/L	0.0039	0.06	0.06	0.057	0.057	88	88	80-120	0	20	
Silver	mg/L	<0.000080	0.03	0.03	0.031	0.030	102	100	80-120	3	20	
Sodium	mg/L	6.0	6	6	12.0	11.7	100	96	75-125	2	20	
Thallium	mg/L	<0.000080	0.03	0.03	0.032	0.031	105	102	80-120	3	20	
Vanadium	mg/L	<0.0023	0.06	0.06	0.061	0.059	100	98	80-120	2	20	
Zinc	mg/L	0.0053J	0.06	0.06	0.062	0.059	94	90	80-120	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

QC Batch:	419278	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40247068001, 40247068003, 40247068004, 40247068005, 40247068006, 40247068007, 40247068008, 40247068009, 40247068010, 40247068011

METHOD BLANK: 2414460 Matrix: Water
Associated Lab Samples: 40247068001, 40247068003, 40247068004, 40247068005, 40247068006, 40247068007, 40247068008, 40247068009, 40247068010, 40247068011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	mg/L	<0.00030	0.0010	0.00030	06/24/22 08:03	
1,1,2,2-Tetrachloroethane	mg/L	<0.00038	0.0010	0.00038	06/24/22 08:03	
1,1,2-Trichloroethane	mg/L	<0.00034	0.0050	0.00034	06/24/22 08:03	
1,1-Dichloroethane	mg/L	<0.00030	0.0010	0.00030	06/24/22 08:03	
1,1-Dichloroethene	mg/L	<0.00058	0.0010	0.00058	06/24/22 08:03	
1,2-Dichloroethane	mg/L	<0.00029	0.0010	0.00029	06/24/22 08:03	
1,2-Dichloropropane	mg/L	<0.00045	0.0010	0.00045	06/24/22 08:03	
2-Butanone (MEK)	mg/L	<0.0065	0.025	0.0065	06/24/22 08:03	
2-Hexanone	mg/L	<0.0063	0.025	0.0063	06/24/22 08:03	
4-Methyl-2-pentanone (MIBK)	mg/L	<0.0060	0.025	0.0060	06/24/22 08:03	
Acetone	mg/L	<0.0086	0.025	0.0086	06/24/22 08:03	
Benzene	mg/L	<0.00030	0.0010	0.00030	06/24/22 08:03	
Bromodichloromethane	mg/L	<0.00042	0.0010	0.00042	06/24/22 08:03	
Bromoform	mg/L	<0.0038	0.0050	0.0038	06/24/22 08:03	
Bromomethane	mg/L	<0.0012	0.0050	0.0012	06/24/22 08:03	
Carbon disulfide	mg/L	<0.0011	0.0050	0.0011	06/24/22 08:03	
Carbon tetrachloride	mg/L	<0.00037	0.0010	0.00037	06/24/22 08:03	
Chlorobenzene	mg/L	<0.00086	0.0010	0.00086	06/24/22 08:03	
Chloroethane	mg/L	<0.0014	0.0050	0.0014	06/24/22 08:03	
Chloroform	mg/L	<0.0012	0.0050	0.0012	06/24/22 08:03	
Chloromethane	mg/L	<0.0016	0.0050	0.0016	06/24/22 08:03	
cis-1,2-Dichloroethene	mg/L	<0.00047	0.0010	0.00047	06/24/22 08:03	
cis-1,3-Dichloropropene	mg/L	<0.00036	0.0010	0.00036	06/24/22 08:03	
Dibromochloromethane	mg/L	<0.0026	0.0050	0.0026	06/24/22 08:03	
Ethylbenzene	mg/L	<0.00033	0.0010	0.00033	06/24/22 08:03	
Methyl-tert-butyl ether	mg/L	<0.0011	0.0050	0.0011	06/24/22 08:03	
Methylene Chloride	mg/L	<0.00032	0.0050	0.00032	06/24/22 08:03	
Styrene	mg/L	<0.00036	0.0010	0.00036	06/24/22 08:03	
Tetrachloroethene	mg/L	<0.00041	0.0010	0.00041	06/24/22 08:03	
Toluene	mg/L	<0.00029	0.0010	0.00029	06/24/22 08:03	
trans-1,2-Dichloroethene	mg/L	<0.00053	0.0010	0.00053	06/24/22 08:03	
trans-1,3-Dichloropropene	mg/L	<0.0035	0.0050	0.0035	06/24/22 08:03	
Trichloroethene	mg/L	<0.00032	0.0010	0.00032	06/24/22 08:03	
Vinyl chloride	mg/L	<0.00017	0.0010	0.00017	06/24/22 08:03	
Xylene (Total)	mg/L	<0.0010	0.0030	0.0010	06/24/22 08:03	
1,2-Dichlorobenzene-d4 (S)	%	98	70-130		06/24/22 08:03	
4-Bromofluorobenzene (S)	%	98	70-130		06/24/22 08:03	
Toluene-d8 (S)	%	101	70-130		06/24/22 08:03	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

LABORATORY CONTROL SAMPLE: 2414461

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	mg/L	0.05	0.060	120	70-134	
1,1,2,2-Tetrachloroethane	mg/L	0.05	0.045	89	69-130	
1,1,2-Trichloroethane	mg/L	0.05	0.047	94	70-130	
1,1-Dichloroethane	mg/L	0.05	0.049	97	70-130	
1,1-Dichloroethene	mg/L	0.05	0.053	107	74-131	
1,2-Dichloroethane	mg/L	0.05	0.052	104	70-137	
1,2-Dichloropropane	mg/L	0.05	0.045	90	80-121	
Benzene	mg/L	0.05	0.048	97	70-130	
Bromodichloromethane	mg/L	0.05	0.053	106	70-130	
Bromoform	mg/L	0.05	0.054	109	70-130	
Bromomethane	mg/L	0.05	0.042	83	21-147	
Carbon disulfide	mg/L	0.05	0.050	101	70-130	
Carbon tetrachloride	mg/L	0.05	0.063	126	80-146	
Chlorobenzene	mg/L	0.05	0.051	103	70-130	
Chloroethane	mg/L	0.05	0.044	89	52-165	
Chloroform	mg/L	0.05	0.056	111	80-123	
Chloromethane	mg/L	0.05	0.040	81	51-122	
cis-1,2-Dichloroethene	mg/L	0.05	0.049	98	70-130	
cis-1,3-Dichloropropene	mg/L	0.05	0.051	102	70-130	
Dibromochloromethane	mg/L	0.05	0.054	107	70-130	
Ethylbenzene	mg/L	0.05	0.050	101	80-120	
Methyl-tert-butyl ether	mg/L	0.05	0.054	108	70-130	
Methylene Chloride	mg/L	0.05	0.052	105	70-130	
Styrene	mg/L	0.05	0.050	99	70-130	
Tetrachloroethene	mg/L	0.05	0.055	109	70-130	
Toluene	mg/L	0.05	0.048	97	80-120	
trans-1,2-Dichloroethene	mg/L	0.05	0.055	110	70-130	
trans-1,3-Dichloropropene	mg/L	0.05	0.050	99	70-130	
Trichloroethene	mg/L	0.05	0.054	109	70-130	
Vinyl chloride	mg/L	0.05	0.043	85	63-134	
Xylene (Total)	mg/L	0.15	0.15	100	70-130	
1,2-Dichlorobenzene-d4 (S)	%			96	70-130	
4-Bromofluorobenzene (S)	%			98	70-130	
Toluene-d8 (S)	%			99	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2414695 2414696

Parameter	Units	40247117001		MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.	Result	Result						
1,1,1-Trichloroethane	mg/L	<0.30 ug/L	0.05	0.05	0.060	0.062	120	124	70-134	3	20		
1,1,2,2-Tetrachloroethane	mg/L	<0.38 ug/L	0.05	0.05	0.044	0.046	88	93	61-135	5	20		
1,1,2-Trichloroethane	mg/L	<0.34 ug/L	0.05	0.05	0.048	0.050	95	101	70-130	6	20		
1,1-Dichloroethane	mg/L	<0.30 ug/L	0.05	0.05	0.049	0.052	98	104	70-130	6	20		
1,1-Dichloroethene	mg/L	<0.58 ug/L	0.05	0.05	0.053	0.057	106	113	71-130	7	20		
1,2-Dichloroethane	mg/L	<0.29 ug/L	0.05	0.05	0.053	0.056	106	111	70-137	5	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Parameter	Units	40247117001		2414695		2414696		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec							
1,2-Dichloropropane	mg/L	<0.45 ug/L	0.05	0.05	0.045	0.048	90	95	80-121	5	20			
Benzene	mg/L	<0.30 ug/L	0.05	0.05	0.048	0.050	96	101	70-130	5	20			
Bromodichloromethane	mg/L	<0.42 ug/L	0.05	0.05	0.050	0.054	101	109	70-130	7	20			
Bromoform	mg/L	<3.8 ug/L	0.05	0.05	0.055	0.059	109	117	70-133	7	20			
Bromomethane	mg/L	<1.2 ug/L	0.05	0.05	0.047	0.048	93	96	21-149	4	22			
Carbon disulfide	mg/L	<1.1 ug/L	0.05	0.05	0.050	0.053	100	106	70-130	6	20			
Carbon tetrachloride	mg/L	<0.37 ug/L	0.05	0.05	0.062	0.065	124	130	80-146	5	20			
Chlorobenzene	mg/L	<0.86 ug/L	0.05	0.05	0.052	0.053	104	106	70-130	2	20			
Chloroethane	mg/L	<1.4 ug/L	0.05	0.05	0.046	0.047	91	93	52-165	2	20			
Chloroform	mg/L	<1.2 ug/L	0.05	0.05	0.055	0.058	109	115	80-123	5	20			
Chloromethane	mg/L	<1.6 ug/L	0.05	0.05	0.040	0.042	81	85	42-125	5	20			
cis-1,2-Dichloroethene	mg/L	<0.47 ug/L	0.05	0.05	0.049	0.053	98	105	70-130	7	20			
cis-1,3-Dichloropropene	mg/L	<0.36 ug/L	0.05	0.05	0.050	0.054	101	108	70-130	7	20			
Dibromochloromethane	mg/L	<2.6 ug/L	0.05	0.05	0.053	0.056	107	113	70-130	6	20			
Ethylbenzene	mg/L	<0.33 ug/L	0.05	0.05	0.050	0.052	101	105	80-121	4	20			
Methyl-tert-butyl ether	mg/L	<1.1 ug/L	0.05	0.05	0.052	0.057	105	114	70-130	9	20			
Methylene Chloride	mg/L	<0.32 ug/L	0.05	0.05	0.053	0.056	106	111	70-130	5	20			
Styrene	mg/L	<0.36 ug/L	0.05	0.05	0.049	0.050	98	100	70-132	2	20			
Tetrachloroethene	mg/L	<0.41 ug/L	0.05	0.05	0.055	0.056	109	112	70-130	3	20			
Toluene	mg/L	<0.29 ug/L	0.05	0.05	0.049	0.051	99	101	80-120	2	20			
trans-1,2-Dichloroethene	mg/L	<0.53 ug/L	0.05	0.05	0.055	0.058	110	116	70-130	5	20			
trans-1,3-Dichloropropene	mg/L	<3.5 ug/L	0.05	0.05	0.049	0.053	98	107	70-130	8	20			
Trichloroethene	mg/L	<0.32 ug/L	0.05	0.05	0.053	0.056	106	112	70-130	5	20			
Vinyl chloride	mg/L	<0.17 ug/L	0.05	0.05	0.042	0.045	85	90	60-137	6	20			
Xylene (Total)	mg/L	<1.0 ug/L	0.15	0.15	0.15	0.16	100	104	70-130	4	20			
1,2-Dichlorobenzene-d4 (S)	%						97	97	70-130					
4-Bromofluorobenzene (S)	%						96	95	70-130					
Toluene-d8 (S)	%						100	99	70-130					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

QC Batch: 683578 Analysis Method: EPA 8081
QC Batch Method: EPA 3546 Analysis Description: 8081 GCS Pesticides
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 40247068002

METHOD BLANK: 3146278 Matrix: Solid
Associated Lab Samples: 40247068002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	mg/kg	<0.00095	0.0049	0.00095	06/28/22 23:38	
4,4'-DDE	mg/kg	<0.00080	0.0049	0.00080	06/28/22 23:38	
4,4'-DDT	mg/kg	<0.0016	0.0049	0.0016	06/28/22 23:38	
Aldrin	mg/kg	<0.00047	0.0024	0.00047	06/28/22 23:38	
alpha-BHC	mg/kg	<0.00051	0.0024	0.00051	06/28/22 23:38	
alpha-Chlordane	mg/kg	<0.00043	0.0024	0.00043	06/28/22 23:38	
beta-BHC	mg/kg	<0.00046	0.0024	0.00046	06/28/22 23:38	
Chlordane (Technical)	mg/kg	<0.010	0.049	0.010	06/28/22 23:38	
delta-BHC	mg/kg	<0.00064	0.0024	0.00064	06/28/22 23:38	
Dieldrin	mg/kg	<0.00085	0.0049	0.00085	06/28/22 23:38	
Endosulfan I	mg/kg	<0.00040	0.0024	0.00040	06/28/22 23:38	
Endosulfan II	mg/kg	<0.00080	0.0049	0.00080	06/28/22 23:38	
Endosulfan sulfate	mg/kg	<0.00094	0.0049	0.00094	06/28/22 23:38	
Endrin	mg/kg	<0.00085	0.0049	0.00085	06/28/22 23:38	
Endrin aldehyde	mg/kg	<0.0011	0.0049	0.0011	06/28/22 23:38	
Endrin ketone	mg/kg	<0.0012	0.0049	0.0012	06/28/22 23:38	
gamma-BHC (Lindane)	mg/kg	<0.00044	0.0024	0.00044	06/28/22 23:38	
gamma-Chlordane	mg/kg	<0.00051	0.0024	0.00051	06/28/22 23:38	
Heptachlor	mg/kg	<0.00043	0.0024	0.00043	06/28/22 23:38	
Heptachlor epoxide	mg/kg	<0.00041	0.0024	0.00041	06/28/22 23:38	
Methoxychlor	mg/kg	<0.0056	0.024	0.0056	06/28/22 23:38	
Toxaphene	mg/kg	<0.017	0.049	0.017	06/28/22 23:38	
Decachlorobiphenyl (S)	%	82	10-147		06/28/22 23:38	

LABORATORY CONTROL SAMPLE: 3146279

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	mg/kg	0.02	0.024	121	40-148	
4,4'-DDE	mg/kg	0.02	0.023	117	42-145	
4,4'-DDT	mg/kg	0.02	0.021	106	28-169	
Aldrin	mg/kg	0.0098	0.010	107	42-137	
alpha-BHC	mg/kg	0.0098	0.0096	98	40-141	
alpha-Chlordane	mg/kg	0.0098	0.011	113	38-141	
beta-BHC	mg/kg	0.0098	0.011	108	42-137	
delta-BHC	mg/kg	0.0098	0.0099	101	33-132	
Dieldrin	mg/kg	0.02	0.023	117	42-143	
Endosulfan I	mg/kg	0.0098	0.011	115	38-142	
Endosulfan II	mg/kg	0.02	0.023	118	42-153	
Endosulfan sulfate	mg/kg	0.02	0.022	110	36-133	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

LABORATORY CONTROL SAMPLE: 3146279

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endrin	mg/kg	0.02	0.023	118	43-145	
Endrin aldehyde	mg/kg	0.02	0.023	117	40-138	
Endrin ketone	mg/kg	0.02	0.022	114	35-154	
gamma-BHC (Lindane)	mg/kg	0.0098	0.010	102	42-142	
gamma-Chlordane	mg/kg	0.0098	0.012	124	44-148	
Heptachlor	mg/kg	0.0098	0.010	105	42-143	
Heptachlor epoxide	mg/kg	0.0098	0.011	109	41-136	
Methoxychlor	mg/kg	0.098	0.097	99	37-157	
Decachlorobiphenyl (S)	%			102	10-147	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3146280 3146281

Parameter	Units	60403327005		MS		MSD		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Conc.	Result	Result						
4,4'-DDD	mg/kg	ND	0.0233	0.0233	0.018	0.022	80	95	10-171	17	20		
4,4'-DDE	mg/kg	ND	0.0233	0.0233	0.019	0.023	84	99	10-146	17	20		
4,4'-DDT	mg/kg	ND	0.0233	0.0233	0.017	0.020	74	88	10-165	18	20		
Aldrin	mg/kg	ND	0.0114	0.0115	0.0096	0.011	84	99	12-141	17	20		
alpha-BHC	mg/kg	ND	0.0114	0.0115	0.0093	0.011	81	96	14-157	17	20		
alpha-Chlordane	mg/kg	ND	0.0114	0.0115	0.0092	0.011	81	95	10-153	17	20		
beta-BHC	mg/kg	ND	0.0114	0.0115	0.010	0.012	88	101	10-163	14	20		
delta-BHC	mg/kg	ND	0.0114	0.0115	0.0093	0.011	81	98	10-155	19	20		
Dieldrin	mg/kg	ND	0.0233	0.0233	0.019	0.023	84	99	14-141	17	20		
Endosulfan I	mg/kg	ND	0.0114	0.0115	0.0094	0.011	82	98	10-141	18	20		
Endosulfan II	mg/kg	ND	0.0233	0.0233	0.018	0.021	78	93	10-149	18	20		
Endosulfan sulfate	mg/kg	ND	0.0233	0.0233	0.016	0.019	69	82	10-126	17	20		
Endrin	mg/kg	ND	0.0233	0.0233	0.018	0.022	80	95	13-136	17	20		
Endrin aldehyde	mg/kg	ND	0.0233	0.0233	0.017	0.020	76	89	10-150	16	20		
Endrin ketone	mg/kg	ND	0.0233	0.0233	0.016	0.019	72	83	10-171	15	20		
gamma-BHC (Lindane)	mg/kg	ND	0.0114	0.0115	0.0095	0.011	83	99	18-152	18	20		
gamma-Chlordane	mg/kg	ND	0.0114	0.0115	0.011	0.012	93	108	10-159	16	20		
Heptachlor	mg/kg	ND	0.0114	0.0115	0.0095	0.011	83	99	10-162	18	20		
Heptachlor epoxide	mg/kg	ND	0.0114	0.0115	0.0093	0.011	81	96	15-142	18	20		
Methoxychlor	mg/kg	ND	0.114	0.115	0.079	0.092	69	80	10-178	15	20		
Decachlorobiphenyl (S)	%						64	73	10-147				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

QC Batch:	683571	Analysis Method:	EPA 8081
QC Batch Method:	EPA 3510	Analysis Description:	8081 GCS Pesticides
		Laboratory:	Pace Analytical Services - Indianapolis

Associated Lab Samples: 40247068003, 40247068004, 40247068005, 40247068007, 40247068008, 40247068009, 40247068010, 40247068011

METHOD BLANK: 3146260 Matrix: Water
Associated Lab Samples: 40247068003, 40247068004, 40247068005, 40247068007, 40247068008, 40247068009, 40247068010, 40247068011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	mg/L	<0.000096	0.00010	0.000096	06/28/22 18:48	
4,4'-DDE	mg/L	<0.000074	0.00010	0.000074	06/28/22 18:48	
4,4'-DDT	mg/L	<0.000085	0.00010	0.000085	06/28/22 18:48	
Aldrin	mg/L	<0.000046	0.000050	0.000046	06/28/22 18:48	
alpha-BHC	mg/L	<0.000035	0.000050	0.000035	06/28/22 18:48	
alpha-Chlordane	mg/L	<0.000039	0.000050	0.000039	06/28/22 18:48	
beta-BHC	mg/L	<0.000047	0.000050	0.000047	06/28/22 18:48	
Chlordane (Technical)	mg/L	<0.0020	0.0050	0.0020	06/28/22 18:48	
delta-BHC	mg/L	<0.000045	0.000050	0.000045	06/28/22 18:48	
Dieldrin	mg/L	<0.000083	0.00010	0.000083	06/28/22 18:48	
Endosulfan I	mg/L	<0.000035	0.000050	0.000035	06/28/22 18:48	
Endosulfan II	mg/L	<0.000080	0.00010	0.000080	06/28/22 18:48	
Endosulfan sulfate	mg/L	<0.000071	0.00010	0.000071	06/28/22 18:48	
Endrin	mg/L	<0.000089	0.00010	0.000089	06/28/22 18:48	
Endrin aldehyde	mg/L	<0.000098	0.00010	0.000098	06/28/22 18:48	
Endrin ketone	mg/L	<0.000080	0.00010	0.000080	06/28/22 18:48	
gamma-BHC (Lindane)	mg/L	<0.000038	0.000050	0.000038	06/28/22 18:48	
gamma-Chlordane	mg/L	<0.000049	0.00050	0.000049	06/28/22 18:48	
Heptachlor	mg/L	<0.000042	0.000050	0.000042	06/28/22 18:48	
Heptachlor epoxide	mg/L	<0.000042	0.000050	0.000042	06/28/22 18:48	
Methoxychlor	mg/L	<0.00042	0.00050	0.00042	06/28/22 18:48	
Toxaphene	mg/L	<0.0023	0.0050	0.0023	06/28/22 18:48	
Decachlorobiphenyl (S)	%	110	10-135		06/28/22 18:48	1q

LABORATORY CONTROL SAMPLE: 3146261

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	mg/L	0.002	0.0023	113	43-163	
4,4'-DDE	mg/L	0.002	0.0021	105	40-160	
4,4'-DDT	mg/L	0.002	0.0021	105	41-168	
Aldrin	mg/L	0.001	0.00071	71	21-146	
alpha-BHC	mg/L	0.001	0.00070	70	42-152	
alpha-Chlordane	mg/L	0.001	0.00097	97	42-147	
beta-BHC	mg/L	0.001	0.00095	95	41-149	
delta-BHC	mg/L	0.001	0.00096	96	32-144	
Dieldrin	mg/L	0.002	0.0022	109	41-159	
Endosulfan I	mg/L	0.001	0.0010	101	42-148	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

LABORATORY CONTROL SAMPLE: 3146261

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endosulfan II	mg/L	0.002	0.0022	112	45-166	
Endosulfan sulfate	mg/L	0.002	0.0021	103	41-141	
Endrin	mg/L	0.002	0.0021	107	44-159	
Endrin aldehyde	mg/L	0.002	0.0024	120	40-151	
Endrin ketone	mg/L	0.002	0.0022	108	40-161	
gamma-BHC (Lindane)	mg/L	0.001	0.00079	79	40-153	
gamma-Chlordane	mg/L	0.001	0.0011	110	43-163	
Heptachlor	mg/L	0.001	0.00077	77	29-152	
Heptachlor epoxide	mg/L	0.001	0.00096	96	43-146	
Methoxychlor	mg/L	0.01	0.010	105	40-170	
Decachlorobiphenyl (S)	%			109	10-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

QC Batch: 683837 Analysis Method: EPA 8081
QC Batch Method: EPA 3510 Analysis Description: 8081 GCS Pesticides
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 40247068006

METHOD BLANK: 3147200 Matrix: Water
Associated Lab Samples: 40247068006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	mg/L	<0.000096	0.00010	0.000096	06/30/22 00:06	
4,4'-DDE	mg/L	<0.000074	0.00010	0.000074	06/30/22 00:06	
4,4'-DDT	mg/L	<0.000085	0.00010	0.000085	06/30/22 00:06	
Aldrin	mg/L	<0.000046	0.000050	0.000046	06/30/22 00:06	
alpha-BHC	mg/L	<0.000035	0.000050	0.000035	06/30/22 00:06	
alpha-Chlordane	mg/L	<0.000039	0.00050	0.000039	06/30/22 00:06	
beta-BHC	mg/L	<0.000047	0.000050	0.000047	06/30/22 00:06	
Chlordane (Technical)	mg/L	<0.0020	0.0050	0.0020	06/30/22 00:06	
delta-BHC	mg/L	<0.000045	0.000050	0.000045	06/30/22 00:06	
Dieldrin	mg/L	<0.000083	0.00010	0.000083	06/30/22 00:06	
Endosulfan I	mg/L	<0.000035	0.000050	0.000035	06/30/22 00:06	
Endosulfan II	mg/L	<0.000080	0.00010	0.000080	06/30/22 00:06	
Endosulfan sulfate	mg/L	<0.000071	0.00010	0.000071	06/30/22 00:06	
Endrin	mg/L	<0.000089	0.00010	0.000089	06/30/22 00:06	
Endrin aldehyde	mg/L	<0.000098	0.00010	0.000098	06/30/22 00:06	
Endrin ketone	mg/L	<0.000080	0.00010	0.000080	06/30/22 00:06	
gamma-BHC (Lindane)	mg/L	<0.000038	0.000050	0.000038	06/30/22 00:06	
gamma-Chlordane	mg/L	<0.000049	0.00050	0.000049	06/30/22 00:06	
Heptachlor	mg/L	<0.000042	0.000050	0.000042	06/30/22 00:06	
Heptachlor epoxide	mg/L	<0.000042	0.000050	0.000042	06/30/22 00:06	
Methoxychlor	mg/L	<0.00042	0.00050	0.00042	06/30/22 00:06	
Toxaphene	mg/L	<0.0023	0.0050	0.0023	06/30/22 00:06	
Decachlorobiphenyl (S)	%	84	10-135		06/30/22 00:06	

LABORATORY CONTROL SAMPLE: 3147201

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	mg/L	0.002	0.0019	96	43-163	
4,4'-DDE	mg/L	0.002	0.0018	91	40-160	
4,4'-DDT	mg/L	0.002	0.0017	85	41-168	
Aldrin	mg/L	0.001	0.00031	31	21-146	
alpha-BHC	mg/L	0.001	0.00060	60	42-152	
alpha-Chlordane	mg/L	0.001	0.00082	82	42-147	
beta-BHC	mg/L	0.001	0.00078	78	41-149	
delta-BHC	mg/L	0.001	0.00076	76	32-144	
Dieldrin	mg/L	0.002	0.0019	93	41-159	
Endosulfan I	mg/L	0.001	0.00085	85	42-148	
Endosulfan II	mg/L	0.002	0.0018	92	45-166	
Endosulfan sulfate	mg/L	0.002	0.0017	87	41-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

LABORATORY CONTROL SAMPLE: 3147201

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endrin	mg/L	0.002	0.0018	92	44-159	
Endrin aldehyde	mg/L	0.002	0.0017	87	40-151	
Endrin ketone	mg/L	0.002	0.0018	90	40-161	
gamma-BHC (Lindane)	mg/L	0.001	0.00067	67	40-153	
gamma-Chlordane	mg/L	0.001	0.00090	90	43-163	
Heptachlor	mg/L	0.001	0.00051	51	29-152	
Heptachlor epoxide	mg/L	0.001	0.00080	80	43-146	
Methoxychlor	mg/L	0.01	0.0084	84	40-170	
Decachlorobiphenyl (S)	%			63	10-135	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3147202 3147203

Parameter	Units	60403814036		MS	MSD	3147202		3147203		% Rec Limits	Max RPD	Qual
		Result	Conc.	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec				
4,4'-DDD	mg/L	<0.096 ug/L	0.004	0.004	0.0041	<0.00019	103	4	40-153	20	M1	
4,4'-DDE	mg/L	<0.074 ug/L	0.004	0.004	0.0039	0.00016J	97	4	43-144	20	M1	
4,4'-DDT	mg/L	<0.085 ug/L	0.004	0.004	0.0032	<0.00017	80	3	33-159	20	M1	
Aldrin	mg/L	<0.046 ug/L	0.002	0.002	0.00098	<0.000092	49	2	10-139	20	M1	
alpha-BHC	mg/L	<0.035 ug/L	0.002	0.002	0.0014	<0.000070	71	2	34-143	20	M1	
alpha-Chlordane	mg/L	<0.039 ug/L	0.002	0.002	0.0017	<0.000078	87	4	38-138	20	M1	
beta-BHC	mg/L	<0.047 ug/L	0.002	0.002	0.0017	<0.000094	86	2	44-132	20	M1	
delta-BHC	mg/L	<0.045 ug/L	0.002	0.002	0.0017	<0.000090	83	2	37-123	20	M1	
Dieldrin	mg/L	<0.083 ug/L	0.004	0.004	0.0038	<0.00017	95	4	43-145	20	M1	
Endosulfan I	mg/L	<0.035 ug/L	0.002	0.002	0.0018	<0.000070	88	3	42-138	20	M1	
Endosulfan II	mg/L	<0.080 ug/L	0.004	0.004	0.0039	<0.00016	97	3	43-153	20	M1	
Endosulfan sulfate	mg/L	<0.071 ug/L	0.004	0.004	0.0036	<0.00014	90	3	45-132	20	M1	
Endrin	mg/L	<0.089 ug/L	0.004	0.004	0.0038	<0.00018	94	3	37-153	20	M1	
Endrin aldehyde	mg/L	<0.098 ug/L	0.004	0.004	0.0036	<0.00020	90	4	31-142	20	M1	
Endrin ketone	mg/L	<0.080 ug/L	0.004	0.004	0.0036	<0.00016	89	2	38-162	20	M1	
gamma-BHC (Lindane)	mg/L	<0.038 ug/L	0.002	0.002	0.0015	<0.000076	77	2	31-146	20	M1	
gamma-Chlordane	mg/L	<0.049 ug/L	0.002	0.002	0.0019	<0.000098	95	5	42-154	20	M1	
Heptachlor	mg/L	<0.042 ug/L	0.002	0.002	0.0013	<0.000084	64	3	17-143	20	M1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Parameter	Units	60403814036		3147202		3147203		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		MS	MSD	MS	MSD	MS	MSD							
Heptachlor epoxide	mg/L	<0.042 ug/L	0.002	0.002	0.0016	<0.0000 84	82	3	33-142			20	M1	
Methoxychlor	mg/L	<0.42 ug/L	0.02	0.02	0.015	<0.0008 4	75	3	32-162			20	M1	
Decachlorobiphenyl (S)	%						80	51	10-135					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

QC Batch:	419303	Analysis Method:	EPA 8082A
QC Batch Method:	EPA 3510	Analysis Description:	8082A GCS PCB
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40247068003, 40247068004, 40247068005, 40247068006, 40247068007, 40247068008, 40247068009, 40247068010, 40247068011

METHOD BLANK: 2414552 Matrix: Water
Associated Lab Samples: 40247068003, 40247068004, 40247068005, 40247068006, 40247068007, 40247068008, 40247068009, 40247068010, 40247068011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/L	<0.00011	0.00050	0.00011	06/27/22 10:51	
PCB-1221 (Aroclor 1221)	mg/L	<0.00011	0.00050	0.00011	06/27/22 10:51	
PCB-1232 (Aroclor 1232)	mg/L	<0.00011	0.00050	0.00011	06/27/22 10:51	
PCB-1242 (Aroclor 1242)	mg/L	<0.00011	0.00050	0.00011	06/27/22 10:51	
PCB-1248 (Aroclor 1248)	mg/L	<0.00011	0.00050	0.00011	06/27/22 10:51	
PCB-1254 (Aroclor 1254)	mg/L	<0.00011	0.00050	0.00011	06/27/22 10:51	
PCB-1260 (Aroclor 1260)	mg/L	<0.00011	0.00050	0.00011	06/27/22 10:51	
Decachlorobiphenyl (S)	%	69	10-113		06/27/22 10:51	
Tetrachloro-m-xylene (S)	%	88	17-141		06/27/22 10:51	

METHOD BLANK: 2414555 Matrix: Water
Associated Lab Samples: 40247068003, 40247068004, 40247068005, 40247068006, 40247068007, 40247068008, 40247068009, 40247068010, 40247068011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/L	<0.00056	0.0025	0.00056	06/27/22 12:04	
PCB-1221 (Aroclor 1221)	mg/L	<0.00056	0.0025	0.00056	06/27/22 12:04	
PCB-1232 (Aroclor 1232)	mg/L	<0.00056	0.0025	0.00056	06/27/22 12:04	
PCB-1242 (Aroclor 1242)	mg/L	<0.00056	0.0025	0.00056	06/27/22 12:04	
PCB-1248 (Aroclor 1248)	mg/L	<0.00056	0.0025	0.00056	06/27/22 12:04	
PCB-1254 (Aroclor 1254)	mg/L	<0.00056	0.0025	0.00056	06/27/22 12:04	
PCB-1260 (Aroclor 1260)	mg/L	<0.00056	0.0025	0.00056	06/27/22 12:04	
Decachlorobiphenyl (S)	%	79	10-113		06/27/22 12:04	
Tetrachloro-m-xylene (S)	%	91	17-141		06/27/22 12:04	

Parameter	Units	2414553		2414554		% Rec Limits	% Rec	% Rec	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCS Result	LCSD Result						
PCB-1016 (Aroclor 1016)	mg/L		<0.00011	<0.00011							20
PCB-1221 (Aroclor 1221)	mg/L		<0.00011	<0.00011							20
PCB-1232 (Aroclor 1232)	mg/L		<0.00011	<0.00011							20
PCB-1242 (Aroclor 1242)	mg/L		<0.00011	<0.00011							20
PCB-1248 (Aroclor 1248)	mg/L		<0.00011	<0.00011							20
PCB-1254 (Aroclor 1254)	mg/L		<0.00011	<0.00011							20
PCB-1260 (Aroclor 1260)	mg/L	0.005	0.0049	0.0049			99	98	67-110	1	20
Decachlorobiphenyl (S)	%						56	57	10-113		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

LABORATORY CONTROL SAMPLE & LCSD: 2414553		2414554									
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
Tetrachloro-m-xylene (S)	%				88	88	17-141				

MATRIX SPIKE SAMPLE: 2414556		40246907002									
Parameter	Units	Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers				
PCB-1016 (Aroclor 1016)	mg/L	<0.56 ug/L		<0.00056							
PCB-1221 (Aroclor 1221)	mg/L	<0.56 ug/L		<0.00056							
PCB-1232 (Aroclor 1232)	mg/L	<0.56 ug/L		<0.00056							
PCB-1242 (Aroclor 1242)	mg/L	<0.56 ug/L		<0.00056							
PCB-1248 (Aroclor 1248)	mg/L	<0.56 ug/L		<0.00056							
PCB-1254 (Aroclor 1254)	mg/L	<0.56 ug/L		<0.00056							
PCB-1260 (Aroclor 1260)	mg/L	<0.56 ug/L	0.025	0.023		92	29-131				
Decachlorobiphenyl (S)	%					75	10-113				
Tetrachloro-m-xylene (S)	%					91	17-141				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

QC Batch:	419426	Analysis Method:	EPA 8270E
QC Batch Method:	EPA 3510	Analysis Description:	8270E Water MSSV Low Volume
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40247068003, 40247068004, 40247068005, 40247068006, 40247068007, 40247068008, 40247068009, 40247068010, 40247068011

METHOD BLANK: 2415764 Matrix: Water
Associated Lab Samples: 40247068003, 40247068004, 40247068005, 40247068006, 40247068007, 40247068008, 40247068009, 40247068010, 40247068011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/L	<0.0024	0.0050	0.0024	06/28/22 10:10	
1,2-Dichlorobenzene	mg/L	<0.0020	0.0050	0.0020	06/28/22 10:10	
1,3-Dichlorobenzene	mg/L	<0.0022	0.0050	0.0022	06/28/22 10:10	
1,4-Dichlorobenzene	mg/L	<0.0018	0.0050	0.0018	06/28/22 10:10	
2,2'-Oxybis(1-chloropropane)	mg/L	<0.00079	0.0050	0.00079	06/28/22 10:10	CH
2,4,5-Trichlorophenol	mg/L	<0.0018	0.0050	0.0018	06/28/22 10:10	
2,4,6-Trichlorophenol	mg/L	<0.0020	0.0050	0.0020	06/28/22 10:10	
2,4-Dichlorophenol	mg/L	<0.0015	0.0050	0.0015	06/28/22 10:10	
2,4-Dimethylphenol	mg/L	<0.00043	0.0050	0.00043	06/28/22 10:10	
2,4-Dinitrophenol	mg/L	<0.0026	0.010	0.0026	06/28/22 10:10	
2,4-Dinitrotoluene	mg/L	<0.00038	0.0050	0.00038	06/28/22 10:10	
2,6-Dinitrotoluene	mg/L	<0.00085	0.0050	0.00085	06/28/22 10:10	
2-Chloronaphthalene	mg/L	<0.0012	0.0050	0.0012	06/28/22 10:10	
2-Chlorophenol	mg/L	<0.0026	0.0050	0.0026	06/28/22 10:10	
2-Methylphenol(o-Cresol)	mg/L	<0.00077	0.0050	0.00077	06/28/22 10:10	
2-Nitroaniline	mg/L	<0.00092	0.0050	0.00092	06/28/22 10:10	CH
2-Nitrophenol	mg/L	<0.0015	0.0050	0.0015	06/28/22 10:10	
3&4-Methylphenol(m&p Cresol)	mg/L	<0.00060	0.0050	0.00060	06/28/22 10:10	
3,3'-Dichlorobenzidine	mg/L	<0.00054	0.0050	0.00054	06/28/22 10:10	2q
3-Nitroaniline	mg/L	<0.00071	0.0050	0.00071	06/28/22 10:10	
4,6-Dinitro-2-methylphenol	mg/L	<0.0012	0.0050	0.0012	06/28/22 10:10	
4-Bromophenylphenyl ether	mg/L	<0.00088	0.0050	0.00088	06/28/22 10:10	
4-Chloro-3-methylphenol	mg/L	<0.00094	0.0050	0.00094	06/28/22 10:10	
4-Chloroaniline	mg/L	<0.00089	0.0050	0.00089	06/28/22 10:10	2q
4-Chlorophenylphenyl ether	mg/L	<0.00061	0.0050	0.00061	06/28/22 10:10	
4-Nitroaniline	mg/L	<0.00045	0.010	0.00045	06/28/22 10:10	
4-Nitrophenol	mg/L	<0.0020	0.0050	0.0020	06/28/22 10:10	
bis(2-Chloroethoxy)methane	mg/L	<0.00043	0.0050	0.00043	06/28/22 10:10	
bis(2-Chloroethyl) ether	mg/L	<0.00068	0.0050	0.00068	06/28/22 10:10	
bis(2-Ethylhexyl)phthalate	mg/L	<0.00069	0.0050	0.00069	06/28/22 10:10	
Butylbenzylphthalate	mg/L	<0.00069	0.0050	0.00069	06/28/22 10:10	
Carbazole	mg/L	<0.00023	0.0050	0.00023	06/28/22 10:10	
Di-n-butylphthalate	mg/L	<0.00033	0.0050	0.00033	06/28/22 10:10	
Di-n-octylphthalate	mg/L	<0.00046	0.010	0.00046	06/28/22 10:10	
Dibenzofuran	mg/L	<0.00093	0.0050	0.00093	06/28/22 10:10	
Diethylphthalate	mg/L	<0.00060	0.0050	0.00060	06/28/22 10:10	
Dimethylphthalate	mg/L	<0.00042	0.0050	0.00042	06/28/22 10:10	
Hexachloro-1,3-butadiene	mg/L	<0.0025	0.010	0.0025	06/28/22 10:10	
Hexachlorobenzene	mg/L	<0.0016	0.0050	0.0016	06/28/22 10:10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

METHOD BLANK: 2415764 Matrix: Water
Associated Lab Samples: 40247068003, 40247068004, 40247068005, 40247068006, 40247068007, 40247068008, 40247068009, 40247068010, 40247068011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Hexachlorocyclopentadiene	mg/L	<0.0019	0.0050	0.0019	06/28/22 10:10	
Hexachloroethane	mg/L	<0.0015	0.0050	0.0015	06/28/22 10:10	
Isophorone	mg/L	<0.00040	0.0050	0.00040	06/28/22 10:10	
N-Nitroso-di-n-propylamine	mg/L	<0.00082	0.0050	0.00082	06/28/22 10:10	
N-Nitrosodiphenylamine	mg/L	<0.00041	0.0050	0.00041	06/28/22 10:10	
Nitrobenzene	mg/L	<0.00051	0.0050	0.00051	06/28/22 10:10	
Pentachlorophenol	mg/L	<0.0016	0.0050	0.0016	06/28/22 10:10	
Phenol	mg/L	<0.00098	0.0050	0.00098	06/28/22 10:10	
2,4,6-Tribromophenol (S)	%	103	10-142		06/28/22 10:10	
2-Fluorobiphenyl (S)	%	69	10-101		06/28/22 10:10	
2-Fluorophenol (S)	%	63	10-89		06/28/22 10:10	
Nitrobenzene-d5 (S)	%	106	10-120		06/28/22 10:10	
Phenol-d6 (S)	%	44	10-130		06/28/22 10:10	
Terphenyl-d14 (S)	%	113	36-138		06/28/22 10:10	

LABORATORY CONTROL SAMPLE: 2415765

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/L	0.05	0.025	50	27-130	
1,2-Dichlorobenzene	mg/L	0.05	0.029	57	36-130	
1,3-Dichlorobenzene	mg/L	0.05	0.025	51	30-130	
1,4-Dichlorobenzene	mg/L	0.05	0.026	53	32-130	
2,2'-Oxybis(1-chloropropane)	mg/L	0.05	0.058	116	64-130	CH
2,4,5-Trichlorophenol	mg/L	0.05	0.052	103	40-115	
2,4,6-Trichlorophenol	mg/L	0.05	0.049	98	33-115	
2,4-Dichlorophenol	mg/L	0.05	0.048	96	47-109	
2,4-Dimethylphenol	mg/L	0.05	0.052	103	70-130	
2,4-Dinitrophenol	mg/L	0.05	0.037	74	17-79	
2,4-Dinitrotoluene	mg/L	0.05	0.051	102	61-130	
2,6-Dinitrotoluene	mg/L	0.05	0.055	110	64-130	
2-Chloronaphthalene	mg/L	0.05	0.035	70	37-130	
2-Chlorophenol	mg/L	0.05	0.046	91	51-130	
2-Methylphenol(o-Cresol)	mg/L	0.05	0.046	92	68-130	
2-Nitroaniline	mg/L	0.05	0.059	119	63-130	CH
2-Nitrophenol	mg/L	0.05	0.049	98	43-108	
3&4-Methylphenol(m&p Cresol)	mg/L	0.05	0.043	86	62-130	
3,3'-Dichlorobenzidine	mg/L	0.05	0.052	103	47-130	2q
3-Nitroaniline	mg/L	0.05	0.050	101	59-130	
4,6-Dinitro-2-methylphenol	mg/L	0.05	0.044	89	29-90	
4-Bromophenylphenyl ether	mg/L	0.05	0.045	91	64-130	
4-Chloro-3-methylphenol	mg/L	0.05	0.055	111	66-130	
4-Chloroaniline	mg/L	0.05	0.048	96	64-130	2q
4-Chlorophenylphenyl ether	mg/L	0.05	0.041	83	53-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

LABORATORY CONTROL SAMPLE: 2415765

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Nitroaniline	mg/L	0.05	0.049	99	61-130	
4-Nitrophenol	mg/L	0.05	0.031	63	15-130	
bis(2-Chloroethoxy)methane	mg/L	0.05	0.050	99	70-130	
bis(2-Chloroethyl) ether	mg/L	0.05	0.052	103	65-130	
bis(2-Ethylhexyl)phthalate	mg/L	0.05	0.054	109	59-130	
Butylbenzylphthalate	mg/L	0.05	0.057	113	63-130	
Carbazole	mg/L	0.05	0.052	104	70-130	
Di-n-butylphthalate	mg/L	0.05	0.056	113	65-130	
Di-n-octylphthalate	mg/L	0.05	0.057	115	50-130	
Dibenzofuran	mg/L	0.05	0.044	88	56-130	
Diethylphthalate	mg/L	0.05	0.054	108	70-130	
Dimethylphthalate	mg/L	0.05	0.052	103	70-130	
Hexachloro-1,3-butadiene	mg/L	0.05	0.021	41	10-70	
Hexachlorobenzene	mg/L	0.05	0.041	82	68-130	
Hexachlorocyclopentadiene	mg/L	0.05	0.014	28	10-130	
Hexachloroethane	mg/L	0.05	0.024	48	16-130	
Isophorone	mg/L	0.05	0.053	106	70-130	
N-Nitroso-di-n-propylamine	mg/L	0.05	0.052	104	70-130	
N-Nitrosodiphenylamine	mg/L	0.05	0.049	97	70-130	
Nitrobenzene	mg/L	0.05	0.053	107	70-130	
Pentachlorophenol	mg/L	0.05	0.034	67	32-93	
Phenol	mg/L	0.05	0.025	50	31-130	
2,4,6-Tribromophenol (S)	%			109	10-142	
2-Fluorobiphenyl (S)	%			81	10-101	
2-Fluorophenol (S)	%			74	10-89	
Nitrobenzene-d5 (S)	%			113	10-120	
Phenol-d6 (S)	%			51	10-130	
Terphenyl-d14 (S)	%			109	36-138	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2415766 2415767

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40247063001 Result	Spike Conc.	Spike Conc.	Result								
1,2,4-Trichlorobenzene	mg/L	<2.4 ug/L	0.05	0.05	0.020	0.022	40	44	27-130	8	20		
1,2-Dichlorobenzene	mg/L	<2.0 ug/L	0.05	0.05	0.021	0.022	42	44	36-130	5	20		
1,3-Dichlorobenzene	mg/L	<2.2 ug/L	0.05	0.05	0.020	0.021	39	43	30-130	7	20		
1,4-Dichlorobenzene	mg/L	<1.8 ug/L	0.05	0.05	0.021	0.021	41	43	32-130	4	20		
2,2'-Oxybis(1-chloropropane)	mg/L	<0.79 ug/L	0.05	0.05	0.041	0.044	82	88	64-130	8	20	CH	
2,4,5-Trichlorophenol	mg/L	<1.8 ug/L	0.05	0.05	0.046	0.046	92	91	40-115	0	36		
2,4,6-Trichlorophenol	mg/L	<2.0 ug/L	0.05	0.05	0.046	0.044	92	87	33-115	5	50		
2,4-Dichlorophenol	mg/L	<1.5 ug/L	0.05	0.05	0.044	0.042	88	85	47-109	4	38		
2,4-Dimethylphenol	mg/L	<0.43 ug/L	0.05	0.05	0.053	0.053	105	106	70-130	1	20		
2,4-Dinitrophenol	mg/L	<2.6 ug/L	0.05	0.05	0.040	0.038	81	77	17-79	5	50	M1	
2,4-Dinitrotoluene	mg/L	<0.38 ug/L	0.05	0.05	0.044	0.042	87	83	61-130	5	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

Parameter	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2415766				2415767				% Rec	% Rec	Limits	RPD	Max RPD	Qual
	Units	40247063001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec						
2,6-Dinitrotoluene	mg/L	<0.85 ug/L	0.05	0.05	0.048	0.046	97	92	64-130	5	20			
2-Chloronaphthalene	mg/L	<1.2 ug/L	0.05	0.05	0.028	0.029	56	58	37-130	5	21			
2-Chlorophenol	mg/L	<2.6 ug/L	0.05	0.05	0.019	0.022	39	43	51-130	11	36	M1		
2-Methylphenol(o-Cresol)	mg/L	124 ug/L	0.05	0.05	0.16	0.18	76	112	68-130	11	20			
2-Nitroaniline	mg/L	<0.92 ug/L	0.05	0.05	0.057	0.058	115	117	63-130	2	20	CH		
2-Nitrophenol	mg/L	<1.5 ug/L	0.05	0.05	0.039	0.040	79	80	43-108	1	45			
3&4-Methylphenol(m&p Cresol)	mg/L	21.0 ug/L	0.05	0.05	0.057	0.063	72	83	62-130	10	20			
3,3'-Dichlorobenzidine	mg/L	<0.54 ug/L	0.05	0.05	0.044	0.042	88	84	47-130	5	20	2q		
3-Nitroaniline	mg/L	<0.71 ug/L	0.05	0.05	0.050	0.049	100	98	59-130	2	20			
4,6-Dinitro-2-methylphenol	mg/L	<1.2 ug/L	0.05	0.05	0.042	0.040	83	80	29-90	5	50			
4-Bromophenylphenyl ether	mg/L	<0.88 ug/L	0.05	0.05	0.036	0.035	72	70	64-130	3	20			
4-Chloro-3-methylphenol	mg/L	<0.94 ug/L	0.05	0.05	0.057	0.056	115	111	66-130	3	20			
4-Chloroaniline	mg/L	<0.89 ug/L	0.05	0.05	0.036	0.040	71	80	64-130	12	20	2q		
4-Chlorophenylphenyl ether	mg/L	<0.61 ug/L	0.05	0.05	0.035	0.033	70	67	53-130	5	20			
4-Nitroaniline	mg/L	<0.45 ug/L	0.05	0.05	0.047	0.049	94	98	61-130	5	20			
4-Nitrophenol	mg/L	<2.0 ug/L	0.05	0.05	0.039	0.036	78	72	15-130	8	50			
bis(2-Chloroethoxy)methane	mg/L	<0.43 ug/L	0.05	0.05	0.038	0.040	76	80	70-130	5	20			
bis(2-Chloroethyl) ether	mg/L	<0.68 ug/L	0.05	0.05	0.045	0.048	89	97	65-130	8	20			
bis(2-Ethylhexyl)phthalate	mg/L	8.6 ug/L	0.05	0.05	0.048	0.047	79	76	59-130	4	20			
Butylbenzylphthalate	mg/L	<0.69 ug/L	0.05	0.05	0.048	0.047	96	94	63-130	3	20			
Carbazole	mg/L	<0.23 ug/L	0.05	0.05	0.043	0.043	86	85	70-130	1	20			
Di-n-butylphthalate	mg/L	<0.33 ug/L	0.05	0.05	0.045	0.043	90	86	65-130	4	20			
Di-n-octylphthalate	mg/L	<0.46 ug/L	0.05	0.05	0.048	0.048	97	96	50-130	1	20			
Dibenzofuran	mg/L	<0.93 ug/L	0.05	0.05	0.034	0.035	69	70	56-130	2	20			
Diethylphthalate	mg/L	248 ug/L	0.05	0.05	0.30	0.29	98	86	70-130	2	20			
Dimethylphthalate	mg/L	19.9 ug/L	0.05	0.05	0.067	0.063	93	87	70-130	5	20			
Hexachloro-1,3-butadiene	mg/L	<2.5 ug/L	0.05	0.05	0.018	0.019	35	38	10-70	7	29			
Hexachlorobenzene	mg/L	<1.6 ug/L	0.05	0.05	0.034	0.032	67	65	68-130	4	20	M1		
Hexachlorocyclopentadiene	mg/L	<1.9 ug/L	0.05	0.05	0.011	0.012	22	23	10-130	4	20			
Hexachloroethane	mg/L	<1.5 ug/L	0.05	0.05	0.017	0.021	34	42	16-130	21	20	R1		
Isophorone	mg/L	15.1 ug/L	0.05	0.05	0.056	0.057	81	83	70-130	2	20			
N-Nitroso-di-n-propylamine	mg/L	<0.82 ug/L	0.05	0.05	0.041	0.046	83	91	70-130	10	20			
N-Nitrosodiphenylamine	mg/L	<0.41 ug/L	0.05	0.05	0.039	0.038	79	77	70-130	3	20			
Nitrobenzene	mg/L	<0.51 ug/L	0.05	0.05	0.041	0.044	82	89	70-130	8	20			
Pentachlorophenol	mg/L	<1.6 ug/L	0.05	0.05	0.036	0.034	73	67	32-93	7	45			
Phenol	mg/L	<0.98 ug/L	0.05	0.05	0.0045J	0.0043J	9	9	31-130		26	M1		
2,4,6-Tribromophenol (S)	%						98	93	10-142					
2-Fluorobiphenyl (S)	%						65	66	10-101					
2-Fluorophenol (S)	%						57	63	10-89					
Nitrobenzene-d5 (S)	%						84	89	10-120					
Phenol-d6 (S)	%						7	8	10-130			S0		
Terphenyl-d14 (S)	%						84	85	36-138					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

QC Batch:	419424	Analysis Method:	EPA 8270E by SIM
QC Batch Method:	EPA 3510	Analysis Description:	8270E Water PAH
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40247068003, 40247068004, 40247068005, 40247068006, 40247068007, 40247068008, 40247068009, 40247068010, 40247068011

METHOD BLANK: 2415758 Matrix: Water
Associated Lab Samples: 40247068003, 40247068004, 40247068005, 40247068006, 40247068007, 40247068008, 40247068009, 40247068010, 40247068011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
2-Methylnaphthalene	mg/L	<0.000014	0.000050	0.000014	06/28/22 07:42	
Acenaphthene	mg/L	<0.000014	0.000050	0.000014	06/28/22 07:42	
Acenaphthylene	mg/L	<0.000013	0.000050	0.000013	06/28/22 07:42	
Anthracene	mg/L	<0.000018	0.000050	0.000018	06/28/22 07:42	
Benzo(a)anthracene	mg/L	<0.000014	0.000050	0.000014	06/28/22 07:42	
Benzo(a)pyrene	mg/L	<0.000013	0.000050	0.000013	06/28/22 07:42	
Benzo(b)fluoranthene	mg/L	<0.0000091	0.000050	0.0000091	06/28/22 07:42	
Benzo(g,h,i)perylene	mg/L	<0.000023	0.000050	0.000023	06/28/22 07:42	
Benzo(k)fluoranthene	mg/L	<0.000022	0.000050	0.000022	06/28/22 07:42	
Chrysene	mg/L	<0.000013	0.000050	0.000013	06/28/22 07:42	
Dibenz(a,h)anthracene	mg/L	<0.000018	0.000050	0.000018	06/28/22 07:42	
Fluoranthene	mg/L	<0.000026	0.000050	0.000026	06/28/22 07:42	
Fluorene	mg/L	<0.000024	0.000050	0.000024	06/28/22 07:42	
Indeno(1,2,3-cd)pyrene	mg/L	<0.000016	0.000050	0.000016	06/28/22 07:42	
Naphthalene	mg/L	<0.000020	0.000050	0.000020	06/28/22 07:42	
Phenanthrene	mg/L	<0.000026	0.000050	0.000026	06/28/22 07:42	
Pyrene	mg/L	<0.000023	0.000050	0.000023	06/28/22 07:42	
2-Fluorobiphenyl (S)	%	79	44-120		06/28/22 07:42	
Terphenyl-d14 (S)	%	83	49-120		06/28/22 07:42	

Parameter	Units	2415759		2415760		% Rec Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCS Result	LCS % Rec				
2-Methylnaphthalene	mg/L	0.002	0.0015	0.0013	77	63	50-120	19	20
Acenaphthene	mg/L	0.002	0.0018	0.0015	88	74	65-120	17	20
Acenaphthylene	mg/L	0.002	0.0017	0.0014	83	69	61-120	19	20
Anthracene	mg/L	0.002	0.0018	0.0015	90	73	61-104	20	20
Benzo(a)anthracene	mg/L	0.002	0.0013	0.0010	67	51	51-96	27	20 R1
Benzo(a)pyrene	mg/L	0.002	0.0019	0.0016	97	82	68-120	17	20
Benzo(b)fluoranthene	mg/L	0.002	0.0015	0.0013	75	63	55-97	16	20
Benzo(g,h,i)perylene	mg/L	0.002	0.0019	0.0016	97	82	69-120	16	20
Benzo(k)fluoranthene	mg/L	0.002	0.0021	0.0019	107	94	73-120	13	20
Chrysene	mg/L	0.002	0.0025	0.0022	124	110	72-126	11	20
Dibenz(a,h)anthracene	mg/L	0.002	0.0021	0.0018	107	92	57-115	15	20
Fluoranthene	mg/L	0.002	0.0017	0.0014	83	71	58-111	17	20
Fluorene	mg/L	0.002	0.0017	0.0015	86	75	62-120	15	20
Indeno(1,2,3-cd)pyrene	mg/L	0.002	0.0019	0.0017	97	85	66-120	13	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

LABORATORY CONTROL SAMPLE & LCSD: 2415759		2415760									
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
Naphthalene	mg/L	0.002	0.0016	0.0013	78	66	53-120	18	20		
Phenanthrene	mg/L	0.002	0.0015	0.0013	76	64	59-120	18	20		
Pyrene	mg/L	0.002	0.0018	0.0015	89	76	59-120	15	20		
2-Fluorobiphenyl (S)	%				84	71	44-120				
Terphenyl-d14 (S)	%				80	69	49-120				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

QC Batch: 419356

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40247068002

SAMPLE DUPLICATE: 2414971

Parameter	Units	40247090002 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	7.1	6.7	6	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

QC Batch:	419646	Analysis Method:	EPA 335.4
QC Batch Method:	EPA 335.4	Analysis Description:	335.4 Cyanide, Total
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40247068003, 40247068004, 40247068005, 40247068006, 40247068007, 40247068008, 40247068009, 40247068010, 40247068011

METHOD BLANK: 2416736 Matrix: Water
Associated Lab Samples: 40247068003, 40247068004, 40247068005, 40247068006, 40247068007, 40247068008, 40247068009, 40247068010, 40247068011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Cyanide	mg/L	<0.0069	0.023	0.0069	06/29/22 12:43	

LABORATORY CONTROL SAMPLE: 2416737

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/L	0.1	0.095	95	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2416738 2416739

Parameter	Units	40247068011 Result	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	MS Result	MSD Result	MSD Result						
Cyanide	mg/L	<0.0069	0.1	0.097	0.11	97	105	90-110	8	20		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2416740 2416741

Parameter	Units	40246952001 Result	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
			Spike Conc.	MS Result	MSD Result	MSD Result						
Cyanide	mg/L	<0.041	0.6	0.63	0.62	105	103	90-110	2	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247068

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: 419456

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

1q A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

2q The initial calibration verification for this compound was outside of method control limits.

CH The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

R1 RPD value was outside control limits.

S0 Surrogate recovery outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40247068002	BASEMENT-01	EPA 3546	683578	EPA 8081	683645
40247068003	20220622 DUP-01	EPA 3510	683571	EPA 8081	683706
40247068004	MW-14	EPA 3510	683571	EPA 8081	683706
40247068005	MW-15	EPA 3510	683571	EPA 8081	683706
40247068006	MW-07	EPA 3510	683837	EPA 8081	683893
40247068007	MW-12	EPA 3510	683571	EPA 8081	683706
40247068008	MW-13	EPA 3510	683571	EPA 8081	683706
40247068009	MW-10	EPA 3510	683571	EPA 8081	683706
40247068010	MW-09	EPA 3510	683571	EPA 8081	683706
40247068011	MW-08	EPA 3510	683571	EPA 8081	683706
40247068003	20220622 DUP-01	EPA 3510	419303	EPA 8082A	419358
40247068004	MW-14	EPA 3510	419303	EPA 8082A	419358
40247068005	MW-15	EPA 3510	419303	EPA 8082A	419358
40247068006	MW-07	EPA 3510	419303	EPA 8082A	419358
40247068007	MW-12	EPA 3510	419303	EPA 8082A	419358
40247068008	MW-13	EPA 3510	419303	EPA 8082A	419358
40247068009	MW-10	EPA 3510	419303	EPA 8082A	419358
40247068010	MW-09	EPA 3510	419303	EPA 8082A	419358
40247068011	MW-08	EPA 3510	419303	EPA 8082A	419358
40247068003	20220622 DUP-01	EPA 3010	259340	EPA 6020A	259359
40247068004	MW-14	EPA 3010	259340	EPA 6020A	259359
40247068005	MW-15	EPA 3010	259340	EPA 6020A	259359
40247068006	MW-07	EPA 3010	259340	EPA 6020A	259359
40247068007	MW-12	EPA 3010	259340	EPA 6020A	259359
40247068008	MW-13	EPA 3010	259340	EPA 6020A	259359
40247068009	MW-10	EPA 3010	259340	EPA 6020A	259359
40247068010	MW-09	EPA 3010	259340	EPA 6020A	259359
40247068011	MW-08	EPA 3010	259340	EPA 6020A	259359
40247068003	20220622 DUP-01	EPA 7470	419994	EPA 7470	420055
40247068004	MW-14	EPA 7470	419994	EPA 7470	420055
40247068005	MW-15	EPA 7470	419994	EPA 7470	420055
40247068006	MW-07	EPA 7470	419994	EPA 7470	420055
40247068007	MW-12	EPA 7470	419994	EPA 7470	420055
40247068008	MW-13	EPA 7470	419994	EPA 7470	420055
40247068009	MW-10	EPA 7470	419994	EPA 7470	420055
40247068010	MW-09	EPA 7470	419994	EPA 7470	420055
40247068011	MW-08	EPA 7470	419994	EPA 7470	420055
40247068003	20220622 DUP-01	EPA 3510	419426	EPA 8270E	419475
40247068004	MW-14	EPA 3510	419426	EPA 8270E	419475
40247068005	MW-15	EPA 3510	419426	EPA 8270E	419475
40247068006	MW-07	EPA 3510	419426	EPA 8270E	419475
40247068007	MW-12	EPA 3510	419426	EPA 8270E	419475
40247068008	MW-13	EPA 3510	419426	EPA 8270E	419475
40247068009	MW-10	EPA 3510	419426	EPA 8270E	419475
40247068010	MW-09	EPA 3510	419426	EPA 8270E	419475

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247068

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40247068011	MW-08	EPA 3510	419426	EPA 8270E	419475
40247068003	20220622 DUP-01	EPA 3510	419424	EPA 8270E by SIM	419456
40247068004	MW-14	EPA 3510	419424	EPA 8270E by SIM	419456
40247068005	MW-15	EPA 3510	419424	EPA 8270E by SIM	419456
40247068006	MW-07	EPA 3510	419424	EPA 8270E by SIM	419456
40247068007	MW-12	EPA 3510	419424	EPA 8270E by SIM	419456
40247068008	MW-13	EPA 3510	419424	EPA 8270E by SIM	419456
40247068009	MW-10	EPA 3510	419424	EPA 8270E by SIM	419456
40247068010	MW-09	EPA 3510	419424	EPA 8270E by SIM	419456
40247068011	MW-08	EPA 3510	419424	EPA 8270E by SIM	419456
40247068001	TB-02	EPA 8260	419278		
40247068003	20220622 DUP-01	EPA 8260	419278		
40247068004	MW-14	EPA 8260	419278		
40247068005	MW-15	EPA 8260	419278		
40247068006	MW-07	EPA 8260	419278		
40247068007	MW-12	EPA 8260	419278		
40247068008	MW-13	EPA 8260	419278		
40247068009	MW-10	EPA 8260	419278		
40247068010	MW-09	EPA 8260	419278		
40247068011	MW-08	EPA 8260	419278		
40247068002	BASEMENT-01	ASTM D2974-87	419356		
40247068003	20220622 DUP-01	EPA 335.4	419646	EPA 335.4	419696
40247068004	MW-14	EPA 335.4	419646	EPA 335.4	419696
40247068005	MW-15	EPA 335.4	419646	EPA 335.4	419696
40247068006	MW-07	EPA 335.4	419646	EPA 335.4	419696
40247068007	MW-12	EPA 335.4	419646	EPA 335.4	419696
40247068008	MW-13	EPA 335.4	419646	EPA 335.4	419696
40247068009	MW-10	EPA 335.4	419646	EPA 335.4	419696
40247068010	MW-09	EPA 335.4	419646	EPA 335.4	419696
40247068011	MW-08	EPA 335.4	419646	EPA 335.4	419696

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: Fehr Graham
 Branch/Location: Rockford, IL
 Project Contact: Tony Guajardo and Annie Ray
 Phone: (815) 394-4700
 Project Number: 22-521 PH01
 Project Name: Pillsbury
 Project State: IL
 Sampled By (Print): Tony Guajardo
 Sampled By (Sign): *[Signature]*
 PO #: 22-521 PH01 Regulatory Program:



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page 1 of 1
 (4 cooler)
 COC No. 40247068

CHAIN OF CUSTODY

*Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N	N	N	N
Pick Letter	B	A	D	A	A	G
Analyses Requested	VOCs	SVOCs	TAL Metals <i>+/g</i>	PCBS	Pesticides	Cyanide
	X					
					X	
	X	X	X	X	X	X
	X	X	X	X	X	X
	X	X	X	X	X	X
	X	X	X	X	X	X
	X	X	X	X	X	X
	X	X	X	X	X	X
	X	X	X	X	X	X
	X	X	X	X	X	X

Quote #:
 Mail To Contact: Tony Guajardo
 Mail To Company: Fehr Graham
 Mail To Address: 200 Prairie Street, Suite 208 Rockford, IL 61107
 Invoice To Contact: Annie Ray
 Invoice To Company: Fehr Graham
 Invoice To Address: 200 Prairie Street, Suite 208 Rockford, IL 61107
 Invoice To Phone: (815) 394-4700

CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	TB-02	6/22	1530	GW
002	Basement-01	6/22	1600	S
003	2022 06 22 Dup-01	6/22	—	GW
004	MW-14	6/22	0650	GW
005	MW-15	6/22	0710	GW
006	MW-07	6/22	0830	GW
007	MW-12	6/22	0920	GW
008	MW-13	6/22	1000	GW
009	MW-10	6/22	1110	GW
010	MW-09	6/22	1210	GW
011	MW-08	6/22	1340	GW

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed:	Relinquished By: <i>[Signature]</i> Date/Time: 6/22/22 / 1700	Received By: Date/Time:	PACE Project No. 40247068 Receipt Temp = °C Sample Receipt pH OK / Adjusted Cooler Custody Seal Present / Not Present Intact / Not Intact
Transmit Prelim Rush Results by (complete what you want):	Relinquished By: <i>[Signature]</i> Date/Time: 6/23/22 1000	Received By: <i>[Signature]</i> Date/Time: 6/23/22	
Email #1:	Relinquished By: Date/Time:	Received By: Date/Time:	
Email #2:	Relinquished By: Date/Time:	Received By: Date/Time:	
Telephone:	Relinquished By: Date/Time:	Received By: Date/Time:	
Fax:	Relinquished By: Date/Time:	Received By: Date/Time:	
Samples on HOLD are subject to special pricing and release of liability	Relinquished By: Date/Time:	Received By: Date/Time:	

Sample Condition Upon Receipt Form (SCUR)

Client Name: Fehr Graham

Project #:

WO#: 40247068

Courier: CS Logistics Fed Ex Speedee UPS Walco
 Client Pace Other:



① Tracking #: 1290E6F31398585557

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 111 Type of Ice: Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 3/21/1 Corr: 3/21/1

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 6/23/22 / Initials: SKC
 Labeled By Initials: MH

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. 1 - Expired 10-24-21
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1 - Expired 4-16-22
Pace Trip Blank Lot # (if purchased): <u>456 + 405</u>		<u>6/23/22 SKC</u>

Client Notification/ Resolution: If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____

Comments/ Resolution:
 ① 1290E6F31399542396
1290E6F31397561004
1290E6F31396025165

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample login

July 06, 2022

Annie Ray
Fehr Graham
200 Prairie St
Suite 208
Rockford, IL 61107

RE: Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

Dear Annie Ray:

Enclosed are the analytical results for sample(s) received by the laboratory on June 24, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay
- Pace Analytical Services - Indianapolis
- Pace Analytical Services - New Orleans

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Christopher Hyska
christopher.hyska@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

Pace Analytical Services New Orleans

Florida Department of Health (NELAC): E87595
Illinois Environmental Protection Agency: 0025721
Kansas Department of Health and Environment (NELAC):
E-10266
Louisiana Dept. of Environmental Quality (NELAC/LELAP):
02006

Texas Commission on Env. Quality (NELAC):
T104704405-09-TX
U.S. Dept. of Agriculture Foreign Soil Import: P330-10-
00119

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019

Michigan Drinking Water Laboratory #9050
Ohio VAP Certified Laboratory #: CL0065
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Wisconsin Laboratory #: 999788130
USDA Soil Permit #: P330-19-00257

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40247159001	TB-03	Water	06/23/22 09:30	06/24/22 10:20
40247159002	MW-03	Water	06/23/22 08:00	06/24/22 10:20
40247159003	MW-02	Water	06/23/22 06:50	06/24/22 10:20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40247159001	TB-03	EPA 8260	SMT	38	PASI-G
40247159002	MW-03	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020A	FC1	22	PASI-N
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	53	PASI-G
		EPA 8270E by SIM	RJN	19	PASI-G
		EPA 8260	SMT	38	PASI-G
		EPA 335.4	DAW	1	PASI-G
40247159003	MW-02	EPA 8081	KAV	23	PASI-I
		EPA 8082A	BLM	10	PASI-G
		EPA 6020A	FC1	22	PASI-N
		EPA 7470	AJT	1	PASI-G
		EPA 8270E	RJN	53	PASI-G
		EPA 8270E by SIM	RJN	19	PASI-G
		EPA 8260	SMT	38	PASI-G
		EPA 335.4	DAW	1	PASI-G

PASI-G = Pace Analytical Services - Green Bay
PASI-I = Pace Analytical Services - Indianapolis
PASI-N = Pace Analytical Services - New Orleans

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40247159002	MW-03					
EPA 6020A	Aluminum	1.4	mg/L	0.10	07/01/22 00:52	
EPA 6020A	Arsenic	0.00098J	mg/L	0.0010	07/01/22 00:52	
EPA 6020A	Barium	0.16	mg/L	0.0010	07/01/22 00:52	
EPA 6020A	Beryllium	0.00021J	mg/L	0.0010	07/01/22 00:52	
EPA 6020A	Calcium	99.8	mg/L	0.10	07/01/22 00:52	
EPA 6020A	Chromium	0.0015	mg/L	0.0010	07/01/22 00:52	
EPA 6020A	Cobalt	0.00039J	mg/L	0.0010	07/01/22 00:52	
EPA 6020A	Copper	0.0024J	mg/L	0.0030	07/01/22 00:52	
EPA 6020A	Iron	0.92	mg/L	0.10	07/01/22 00:52	
EPA 6020A	Lead	0.0016	mg/L	0.0010	07/01/22 00:52	
EPA 6020A	Magnesium	38.4	mg/L	0.10	07/01/22 00:52	
EPA 6020A	Manganese	0.055	mg/L	0.0050	07/01/22 00:52	
EPA 6020A	Nickel	0.0018	mg/L	0.0010	07/01/22 00:52	
EPA 6020A	Potassium	1.1	mg/L	0.10	07/01/22 00:52	
EPA 6020A	Selenium	0.0059	mg/L	0.0010	07/01/22 00:52	
EPA 6020A	Sodium	51.1	mg/L	0.10	07/01/22 00:52	
EPA 6020A	Zinc	0.017	mg/L	0.010	07/01/22 00:52	
EPA 8270E by SIM	Benzo(b)fluoranthene	0.0000097J	mg/L	0.000053	06/30/22 15:33	
EPA 8270E by SIM	Chrysene	0.000018J	mg/L	0.000053	06/30/22 15:33	
EPA 8260	Acetone	0.015J	mg/L	0.025	06/28/22 11:25	
40247159003	MW-02					
EPA 6020A	Arsenic	0.00033J	mg/L	0.0010	07/01/22 00:46	
EPA 6020A	Barium	0.093	mg/L	0.0010	07/01/22 00:46	
EPA 6020A	Calcium	113	mg/L	0.10	07/01/22 00:46	
EPA 6020A	Cobalt	0.00042J	mg/L	0.0010	07/01/22 00:46	
EPA 6020A	Magnesium	35.4	mg/L	0.10	07/01/22 00:46	
EPA 6020A	Manganese	0.096	mg/L	0.0050	07/01/22 00:46	
EPA 6020A	Nickel	0.0016	mg/L	0.0010	07/01/22 00:46	
EPA 6020A	Potassium	0.63	mg/L	0.10	07/01/22 00:46	
EPA 6020A	Selenium	0.0041	mg/L	0.0010	07/01/22 00:46	
EPA 6020A	Sodium	14.3	mg/L	0.10	07/01/22 00:46	
EPA 6020A	Zinc	0.0064J	mg/L	0.010	07/01/22 00:46	
EPA 8260	1,1,1-Trichloroethane	0.0031	mg/L	0.0010	06/28/22 11:42	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247159

Sample: TB-03 **Lab ID: 40247159001** Collected: 06/23/22 09:30 Received: 06/24/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Acetone	<0.0086	mg/L	0.025	0.0086	1		06/28/22 10:29	67-64-1	
Benzene	<0.00030	mg/L	0.0010	0.00030	1		06/28/22 10:29	71-43-2	
Bromodichloromethane	<0.00042	mg/L	0.0010	0.00042	1		06/28/22 10:29	75-27-4	
Bromoform	<0.0038	mg/L	0.0050	0.0038	1		06/28/22 10:29	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		06/28/22 10:29	74-83-9	
2-Butanone (MEK)	<0.0065	mg/L	0.025	0.0065	1		06/28/22 10:29	78-93-3	
Carbon disulfide	<0.0011	mg/L	0.0050	0.0011	1		06/28/22 10:29	75-15-0	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		06/28/22 10:29	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		06/28/22 10:29	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		06/28/22 10:29	75-00-3	
Chloroform	<0.0012	mg/L	0.0050	0.0012	1		06/28/22 10:29	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		06/28/22 10:29	74-87-3	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		06/28/22 10:29	124-48-1	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/28/22 10:29	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		06/28/22 10:29	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		06/28/22 10:29	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		06/28/22 10:29	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		06/28/22 10:29	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		06/28/22 10:29	78-87-5	
cis-1,3-Dichloropropene	<0.00036	mg/L	0.0010	0.00036	1		06/28/22 10:29	10061-01-5	
trans-1,3-Dichloropropene	<0.0035	mg/L	0.0050	0.0035	1		06/28/22 10:29	10061-02-6	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		06/28/22 10:29	100-41-4	
2-Hexanone	<0.0063	mg/L	0.025	0.0063	1		06/28/22 10:29	591-78-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		06/28/22 10:29	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.0060	mg/L	0.025	0.0060	1		06/28/22 10:29	108-10-1	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		06/28/22 10:29	1634-04-4	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		06/28/22 10:29	100-42-5	
1,1,2,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		06/28/22 10:29	79-34-5	
Tetrachloroethene	<0.00041	mg/L	0.0010	0.00041	1		06/28/22 10:29	127-18-4	
Toluene	<0.00029	mg/L	0.0010	0.00029	1		06/28/22 10:29	108-88-3	
1,1,1-Trichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/28/22 10:29	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0050	0.00034	1		06/28/22 10:29	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		06/28/22 10:29	79-01-6	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		06/28/22 10:29	75-01-4	
Xylene (Total)	<0.0010	mg/L	0.0030	0.0010	1		06/28/22 10:29	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		06/28/22 10:29	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		06/28/22 10:29	2199-69-1	
Toluene-d8 (S)	95	%	70-130		1		06/28/22 10:29	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247159

Sample: MW-03 **Lab ID: 40247159002** Collected: 06/23/22 08:00 Received: 06/24/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pest RV Waters									
Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Pace Analytical Services - Indianapolis									
Aldrin	<0.000051	mg/L	0.000056	0.000051	1	06/27/22 11:14	06/28/22 19:51	309-00-2	
alpha-BHC	<0.000039	mg/L	0.000056	0.000039	1	06/27/22 11:14	06/28/22 19:51	319-84-6	
beta-BHC	<0.000052	mg/L	0.000056	0.000052	1	06/27/22 11:14	06/28/22 19:51	319-85-7	
delta-BHC	<0.000050	mg/L	0.000056	0.000050	1	06/27/22 11:14	06/28/22 19:51	319-86-8	
gamma-BHC (Lindane)	<0.000042	mg/L	0.000056	0.000042	1	06/27/22 11:14	06/28/22 19:51	58-89-9	
Chlordane (Technical)	<0.0023	mg/L	0.0056	0.0023	1	06/27/22 11:14	06/28/22 19:51	57-74-9	
alpha-Chlordane	<0.000043	mg/L	0.00056	0.000043	1	06/27/22 11:14	06/28/22 19:51	5103-71-9	
gamma-Chlordane	<0.000054	mg/L	0.00056	0.000054	1	06/27/22 11:14	06/28/22 19:51	5103-74-2	
4,4'-DDD	<0.00011	mg/L	0.00011	0.00011	1	06/27/22 11:14	06/28/22 19:51	72-54-8	
4,4'-DDE	<0.000082	mg/L	0.00011	0.000082	1	06/27/22 11:14	06/28/22 19:51	72-55-9	
4,4'-DDT	<0.000094	mg/L	0.00011	0.000094	1	06/27/22 11:14	06/28/22 19:51	50-29-3	
Dieldrin	<0.000092	mg/L	0.00011	0.000092	1	06/27/22 11:14	06/28/22 19:51	60-57-1	
Endosulfan I	<0.000039	mg/L	0.000056	0.000039	1	06/27/22 11:14	06/28/22 19:51	959-98-8	
Endosulfan II	<0.000089	mg/L	0.00011	0.000089	1	06/27/22 11:14	06/28/22 19:51	33213-65-9	
Endosulfan sulfate	<0.000079	mg/L	0.00011	0.000079	1	06/27/22 11:14	06/28/22 19:51	1031-07-8	
Endrin	<0.000099	mg/L	0.00011	0.000099	1	06/27/22 11:14	06/28/22 19:51	72-20-8	
Endrin aldehyde	<0.00011	mg/L	0.00011	0.00011	1	06/27/22 11:14	06/28/22 19:51	7421-93-4	
Endrin ketone	<0.000089	mg/L	0.00011	0.000089	1	06/27/22 11:14	06/28/22 19:51	53494-70-5	
Heptachlor	<0.000047	mg/L	0.000056	0.000047	1	06/27/22 11:14	06/28/22 19:51	76-44-8	
Heptachlor epoxide	<0.000047	mg/L	0.000056	0.000047	1	06/27/22 11:14	06/28/22 19:51	1024-57-3	
Methoxychlor	<0.00047	mg/L	0.00056	0.00047	1	06/27/22 11:14	06/28/22 19:51	72-43-5	
Toxaphene	<0.0025	mg/L	0.0056	0.0025	1	06/27/22 11:14	06/28/22 19:51	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	90	%	10-135		1	06/27/22 11:14	06/28/22 19:51	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.00011	mg/L	0.00049	0.00011	1	07/01/22 13:46	07/05/22 23:20	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.00011	mg/L	0.00049	0.00011	1	07/01/22 13:46	07/05/22 23:20	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.00011	mg/L	0.00049	0.00011	1	07/01/22 13:46	07/05/22 23:20	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.00011	mg/L	0.00049	0.00011	1	07/01/22 13:46	07/05/22 23:20	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.00011	mg/L	0.00049	0.00011	1	07/01/22 13:46	07/05/22 23:20	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.00011	mg/L	0.00049	0.00011	1	07/01/22 13:46	07/05/22 23:20	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.00011	mg/L	0.00049	0.00011	1	07/01/22 13:46	07/05/22 23:20	11096-82-5	
PCB, Total	<0.00011	mg/L	0.00049	0.00011	1	07/01/22 13:46	07/05/22 23:20	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	95	%	17-141		1	07/01/22 13:46	07/05/22 23:20	877-09-8	
Decachlorobiphenyl (S)	77	%	10-113		1	07/01/22 13:46	07/05/22 23:20	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Aluminum	1.4	mg/L	0.10	0.036	1	06/29/22 08:15	07/01/22 00:52	7429-90-5	
Antimony	<0.00063	mg/L	0.0010	0.00063	1	06/29/22 08:15	07/01/22 00:52	7440-36-0	
Arsenic	0.00098J	mg/L	0.0010	0.00020	1	06/29/22 08:15	07/01/22 00:52	7440-38-2	
Barium	0.16	mg/L	0.0010	0.00036	1	06/29/22 08:15	07/01/22 00:52	7440-39-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

Sample: MW-03 **Lab ID: 40247159002** Collected: 06/23/22 08:00 Received: 06/24/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Beryllium	0.00021J	mg/L	0.0010	0.00012	1	06/29/22 08:15	07/01/22 00:52	7440-41-7	
Cadmium	<0.000080	mg/L	0.0010	0.000080	1	06/29/22 08:15	07/01/22 00:52	7440-43-9	
Calcium	99.8	mg/L	0.10	0.084	1	06/29/22 08:15	07/01/22 00:52	7440-70-2	
Chromium	0.0015	mg/L	0.0010	0.00062	1	06/29/22 08:15	07/01/22 00:52	7440-47-3	
Cobalt	0.00039J	mg/L	0.0010	0.000060	1	06/29/22 08:15	07/01/22 00:52	7440-48-4	
Copper	0.0024J	mg/L	0.0030	0.00083	1	06/29/22 08:15	07/01/22 00:52	7440-50-8	
Iron	0.92	mg/L	0.10	0.049	1	06/29/22 08:15	07/01/22 00:52	7439-89-6	
Lead	0.0016	mg/L	0.0010	0.000070	1	06/29/22 08:15	07/01/22 00:52	7439-92-1	
Magnesium	38.4	mg/L	0.10	0.00060	1	06/29/22 08:15	07/01/22 00:52	7439-95-4	
Manganese	0.055	mg/L	0.0050	0.0045	1	06/29/22 08:15	07/01/22 00:52	7439-96-5	
Nickel	0.0018	mg/L	0.0010	0.00056	1	06/29/22 08:15	07/01/22 00:52	7440-02-0	
Potassium	1.1	mg/L	0.10	0.085	1	06/29/22 08:15	07/01/22 00:52	7440-09-7	
Selenium	0.0059	mg/L	0.0010	0.00037	1	06/29/22 08:15	07/01/22 00:52	7782-49-2	
Silver	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 00:52	7440-22-4	
Sodium	51.1	mg/L	0.10	0.078	1	06/29/22 08:15	07/01/22 00:52	7440-23-5	
Thallium	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 00:52	7440-28-0	
Vanadium	<0.0023	mg/L	0.0050	0.0023	1	06/29/22 08:15	07/01/22 00:52	7440-62-2	
Zinc	0.017	mg/L	0.010	0.0044	1	06/29/22 08:15	07/01/22 00:52	7440-66-6	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.000066	mg/L	0.00020	0.000066	1	07/05/22 09:55	07/06/22 07:59	7439-97-6	
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4-Bromophenylphenyl ether	<0.00091	mg/L	0.0051	0.00091	1	06/28/22 08:18	06/29/22 09:43	101-55-3	
Butylbenzylphthalate	<0.00071	mg/L	0.0051	0.00071	1	06/28/22 08:18	06/29/22 09:43	85-68-7	
Carbazole	<0.00024	mg/L	0.0051	0.00024	1	06/28/22 08:18	06/29/22 09:43	86-74-8	
4-Chloro-3-methylphenol	<0.00096	mg/L	0.0051	0.00096	1	06/28/22 08:18	06/29/22 09:43	59-50-7	
4-Chloroaniline	<0.00092	mg/L	0.0051	0.00092	1	06/28/22 08:18	06/29/22 09:43	106-47-8	2q
bis(2-Chloroethoxy)methane	<0.00044	mg/L	0.0051	0.00044	1	06/28/22 08:18	06/29/22 09:43	111-91-1	
bis(2-Chloroethyl) ether	<0.00070	mg/L	0.0051	0.00070	1	06/28/22 08:18	06/29/22 09:43	111-44-4	
2-Chloronaphthalene	<0.0013	mg/L	0.0051	0.0013	1	06/28/22 08:18	06/29/22 09:43	91-58-7	
2-Chlorophenol	<0.0027	mg/L	0.0051	0.0027	1	06/28/22 08:18	06/29/22 09:43	95-57-8	
4-Chlorophenylphenyl ether	<0.00063	mg/L	0.0051	0.00063	1	06/28/22 08:18	06/29/22 09:43	7005-72-3	
Dibenzofuran	<0.00096	mg/L	0.0051	0.00096	1	06/28/22 08:18	06/29/22 09:43	132-64-9	
1,2-Dichlorobenzene	<0.0021	mg/L	0.0051	0.0021	1	06/28/22 08:18	06/29/22 09:43	95-50-1	
1,3-Dichlorobenzene	<0.0022	mg/L	0.0051	0.0022	1	06/28/22 08:18	06/29/22 09:43	541-73-1	
1,4-Dichlorobenzene	<0.0018	mg/L	0.0051	0.0018	1	06/28/22 08:18	06/29/22 09:43	106-46-7	
3,3'-Dichlorobenzidine	<0.00056	mg/L	0.0051	0.00056	1	06/28/22 08:18	06/29/22 09:43	91-94-1	2q
2,4-Dichlorophenol	<0.0016	mg/L	0.0051	0.0016	1	06/28/22 08:18	06/29/22 09:43	120-83-2	
Diethylphthalate	<0.00062	mg/L	0.0051	0.00062	1	06/28/22 08:18	06/29/22 09:43	84-66-2	
2,4-Dimethylphenol	<0.00044	mg/L	0.0051	0.00044	1	06/28/22 08:18	06/29/22 09:43	105-67-9	
Dimethylphthalate	<0.00043	mg/L	0.0051	0.00043	1	06/28/22 08:18	06/29/22 09:43	131-11-3	
Di-n-butylphthalate	<0.00034	mg/L	0.0051	0.00034	1	06/28/22 08:18	06/29/22 09:43	84-74-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247159

Sample: MW-03 Lab ID: 40247159002 Collected: 06/23/22 08:00 Received: 06/24/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<0.0013	mg/L	0.0051	0.0013	1	06/28/22 08:18	06/29/22 09:43	534-52-1	
2,4-Dinitrophenol	<0.0027	mg/L	0.010	0.0027	1	06/28/22 08:18	06/29/22 09:43	51-28-5	
2,4-Dinitrotoluene	<0.00039	mg/L	0.0051	0.00039	1	06/28/22 08:18	06/29/22 09:43	121-14-2	
2,6-Dinitrotoluene	<0.00087	mg/L	0.0051	0.00087	1	06/28/22 08:18	06/29/22 09:43	606-20-2	
Di-n-octylphthalate	<0.00048	mg/L	0.010	0.00048	1	06/28/22 08:18	06/29/22 09:43	117-84-0	
bis(2-Ethylhexyl)phthalate	<0.00071	mg/L	0.0051	0.00071	1	06/28/22 08:18	06/29/22 09:43	117-81-7	
Hexachloro-1,3-butadiene	<0.0026	mg/L	0.010	0.0026	1	06/28/22 08:18	06/29/22 09:43	87-68-3	
Hexachlorobenzene	<0.0017	mg/L	0.0051	0.0017	1	06/28/22 08:18	06/29/22 09:43	118-74-1	
Hexachlorocyclopentadiene	<0.0020	mg/L	0.0051	0.0020	1	06/28/22 08:18	06/29/22 09:43	77-47-4	
Hexachloroethane	<0.0016	mg/L	0.0051	0.0016	1	06/28/22 08:18	06/29/22 09:43	67-72-1	
Isophorone	<0.00041	mg/L	0.0051	0.00041	1	06/28/22 08:18	06/29/22 09:43	78-59-1	
2-Methylphenol(o-Cresol)	<0.00079	mg/L	0.0051	0.00079	1	06/28/22 08:18	06/29/22 09:43	95-48-7	
3&4-Methylphenol(m&p Cresol)	<0.00061	mg/L	0.0051	0.00061	1	06/28/22 08:18	06/29/22 09:43		
2-Nitroaniline	<0.00094	mg/L	0.0051	0.00094	1	06/28/22 08:18	06/29/22 09:43	88-74-4	CH
3-Nitroaniline	<0.00073	mg/L	0.0051	0.00073	1	06/28/22 08:18	06/29/22 09:43	99-09-2	
4-Nitroaniline	<0.00046	mg/L	0.010	0.00046	1	06/28/22 08:18	06/29/22 09:43	100-01-6	
Nitrobenzene	<0.00052	mg/L	0.0051	0.00052	1	06/28/22 08:18	06/29/22 09:43	98-95-3	
2-Nitrophenol	<0.0016	mg/L	0.0051	0.0016	1	06/28/22 08:18	06/29/22 09:43	88-75-5	
4-Nitrophenol	<0.0021	mg/L	0.0051	0.0021	1	06/28/22 08:18	06/29/22 09:43	100-02-7	
N-Nitroso-di-n-propylamine	<0.00085	mg/L	0.0051	0.00085	1	06/28/22 08:18	06/29/22 09:43	621-64-7	
N-Nitrosodiphenylamine	<0.00042	mg/L	0.0051	0.00042	1	06/28/22 08:18	06/29/22 09:43	86-30-6	
2,2'-Oxybis(1-chloropropane)	<0.00081	mg/L	0.0051	0.00081	1	06/28/22 08:18	06/29/22 09:43	108-60-1	CH
Pentachlorophenol	<0.0017	mg/L	0.0051	0.0017	1	06/28/22 08:18	06/29/22 09:43	87-86-5	
Phenol	<0.0010	mg/L	0.0051	0.0010	1	06/28/22 08:18	06/29/22 09:43	108-95-2	
1,2,4-Trichlorobenzene	<0.0024	mg/L	0.0051	0.0024	1	06/28/22 08:18	06/29/22 09:43	120-82-1	
2,4,5-Trichlorophenol	<0.0019	mg/L	0.0051	0.0019	1	06/28/22 08:18	06/29/22 09:43	95-95-4	
2,4,6-Trichlorophenol	<0.0021	mg/L	0.0051	0.0021	1	06/28/22 08:18	06/29/22 09:43	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	95	%	10-120		1	06/28/22 08:18	06/29/22 09:43	4165-60-0	
2-Fluorobiphenyl (S)	73	%	10-101		1	06/28/22 08:18	06/29/22 09:43	321-60-8	
Terphenyl-d14 (S)	97	%	36-138		1	06/28/22 08:18	06/29/22 09:43	1718-51-0	
Phenol-d6 (S)	37	%	10-130		1	06/28/22 08:18	06/29/22 09:43	13127-88-3	
2-Fluorophenol (S)	50	%	10-89		1	06/28/22 08:18	06/29/22 09:43	367-12-4	
2,4,6-Tribromophenol (S)	83	%	10-142		1	06/28/22 08:18	06/29/22 09:43	118-79-6	

8270E MSSV PAH

Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510
Pace Analytical Services - Green Bay

Acenaphthene	<0.000015	mg/L	0.000053	0.000015	1	06/30/22 08:31	06/30/22 15:33	83-32-9	
Acenaphthylene	<0.000013	mg/L	0.000053	0.000013	1	06/30/22 08:31	06/30/22 15:33	208-96-8	
Anthracene	<0.000020	mg/L	0.000053	0.000020	1	06/30/22 08:31	06/30/22 15:33	120-12-7	
Benzo(a)anthracene	<0.000014	mg/L	0.000053	0.000014	1	06/30/22 08:31	06/30/22 15:33	56-55-3	
Benzo(a)pyrene	<0.000014	mg/L	0.000053	0.000014	1	06/30/22 08:31	06/30/22 15:33	50-32-8	
Benzo(b)fluoranthene	0.0000097	mg/L	0.000053	0.000009	1	06/30/22 08:31	06/30/22 15:33	205-99-2	
	J			7					
Benzo(g,h,i)perylene	<0.000025	mg/L	0.000053	0.000025	1	06/30/22 08:31	06/30/22 15:33	191-24-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247159

Sample: MW-03 Lab ID: 40247159002 Collected: 06/23/22 08:00 Received: 06/24/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Benzo(k)fluoranthene	<0.000024	mg/L	0.000053	0.000024	1	06/30/22 08:31	06/30/22 15:33	207-08-9	
Chrysene	0.000018J	mg/L	0.000053	0.000013	1	06/30/22 08:31	06/30/22 15:33	218-01-9	
Dibenz(a,h)anthracene	<0.000019	mg/L	0.000053	0.000019	1	06/30/22 08:31	06/30/22 15:33	53-70-3	
Fluoranthene	<0.000028	mg/L	0.000053	0.000028	1	06/30/22 08:31	06/30/22 15:33	206-44-0	
Fluorene	<0.000025	mg/L	0.000053	0.000025	1	06/30/22 08:31	06/30/22 15:33	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.000016	mg/L	0.000053	0.000016	1	06/30/22 08:31	06/30/22 15:33	193-39-5	
2-Methylnaphthalene	<0.000015	mg/L	0.000053	0.000015	1	06/30/22 08:31	06/30/22 15:33	91-57-6	
Naphthalene	<0.000021	mg/L	0.000053	0.000021	1	06/30/22 08:31	06/30/22 15:33	91-20-3	
Phenanthrene	<0.000027	mg/L	0.000053	0.000027	1	06/30/22 08:31	06/30/22 15:33	85-01-8	
Pyrene	<0.000024	mg/L	0.000053	0.000024	1	06/30/22 08:31	06/30/22 15:33	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	97	%	44-120		1	06/30/22 08:31	06/30/22 15:33	321-60-8	
Terphenyl-d14 (S)	95	%	49-120		1	06/30/22 08:31	06/30/22 15:33	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Acetone	0.015J	mg/L	0.025	0.0086	1		06/28/22 11:25	67-64-1	
Benzene	<0.00030	mg/L	0.0010	0.00030	1		06/28/22 11:25	71-43-2	
Bromodichloromethane	<0.00042	mg/L	0.0010	0.00042	1		06/28/22 11:25	75-27-4	
Bromoform	<0.0038	mg/L	0.0050	0.0038	1		06/28/22 11:25	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		06/28/22 11:25	74-83-9	
2-Butanone (MEK)	<0.0065	mg/L	0.025	0.0065	1		06/28/22 11:25	78-93-3	
Carbon disulfide	<0.0011	mg/L	0.0050	0.0011	1		06/28/22 11:25	75-15-0	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		06/28/22 11:25	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		06/28/22 11:25	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		06/28/22 11:25	75-00-3	
Chloroform	<0.0012	mg/L	0.0050	0.0012	1		06/28/22 11:25	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		06/28/22 11:25	74-87-3	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		06/28/22 11:25	124-48-1	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/28/22 11:25	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		06/28/22 11:25	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		06/28/22 11:25	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		06/28/22 11:25	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		06/28/22 11:25	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		06/28/22 11:25	78-87-5	
cis-1,3-Dichloropropene	<0.00036	mg/L	0.0010	0.00036	1		06/28/22 11:25	10061-01-5	
trans-1,3-Dichloropropene	<0.0035	mg/L	0.0050	0.0035	1		06/28/22 11:25	10061-02-6	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		06/28/22 11:25	100-41-4	
2-Hexanone	<0.0063	mg/L	0.025	0.0063	1		06/28/22 11:25	591-78-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		06/28/22 11:25	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.0060	mg/L	0.025	0.0060	1		06/28/22 11:25	108-10-1	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		06/28/22 11:25	1634-04-4	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		06/28/22 11:25	100-42-5	
1,1,2,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		06/28/22 11:25	79-34-5	
Tetrachloroethene	<0.00041	mg/L	0.0010	0.00041	1		06/28/22 11:25	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

Sample: MW-03 **Lab ID: 40247159002** Collected: 06/23/22 08:00 Received: 06/24/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Toluene	<0.00029	mg/L	0.0010	0.00029	1		06/28/22 11:25	108-88-3	
1,1,1-Trichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/28/22 11:25	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0050	0.00034	1		06/28/22 11:25	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		06/28/22 11:25	79-01-6	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		06/28/22 11:25	75-01-4	
Xylene (Total)	<0.0010	mg/L	0.0030	0.0010	1		06/28/22 11:25	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		06/28/22 11:25	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		06/28/22 11:25	2199-69-1	
Toluene-d8 (S)	95	%	70-130		1		06/28/22 11:25	2037-26-5	
335.4 Cyanide, Total									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	<0.0069	mg/L	0.023	0.0069	1	06/29/22 09:45	06/29/22 12:56	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

Sample: MW-02 **Lab ID: 40247159003** Collected: 06/23/22 06:50 Received: 06/24/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pest RV Waters									
Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Pace Analytical Services - Indianapolis									
Aldrin	<0.000042	mg/L	0.000045	0.000042	1	06/28/22 14:50	06/30/22 00:44	309-00-2	
alpha-BHC	<0.000032	mg/L	0.000045	0.000032	1	06/28/22 14:50	06/30/22 00:44	319-84-6	
beta-BHC	<0.000043	mg/L	0.000045	0.000043	1	06/28/22 14:50	06/30/22 00:44	319-85-7	
delta-BHC	<0.000041	mg/L	0.000045	0.000041	1	06/28/22 14:50	06/30/22 00:44	319-86-8	
gamma-BHC (Lindane)	<0.000035	mg/L	0.000045	0.000035	1	06/28/22 14:50	06/30/22 00:44	58-89-9	
Chlordane (Technical)	<0.0019	mg/L	0.0045	0.0019	1	06/28/22 14:50	06/30/22 00:44	57-74-9	
alpha-Chlordane	<0.000035	mg/L	0.00045	0.000035	1	06/28/22 14:50	06/30/22 00:44	5103-71-9	
gamma-Chlordane	<0.000045	mg/L	0.00045	0.000045	1	06/28/22 14:50	06/30/22 00:44	5103-74-2	
4,4'-DDD	<0.000087	mg/L	0.000091	0.000087	1	06/28/22 14:50	06/30/22 00:44	72-54-8	
4,4'-DDE	<0.000067	mg/L	0.000091	0.000067	1	06/28/22 14:50	06/30/22 00:44	72-55-9	
4,4'-DDT	<0.000077	mg/L	0.000091	0.000077	1	06/28/22 14:50	06/30/22 00:44	50-29-3	
Dieldrin	<0.000075	mg/L	0.000091	0.000075	1	06/28/22 14:50	06/30/22 00:44	60-57-1	
Endosulfan I	<0.000032	mg/L	0.000045	0.000032	1	06/28/22 14:50	06/30/22 00:44	959-98-8	
Endosulfan II	<0.000073	mg/L	0.000091	0.000073	1	06/28/22 14:50	06/30/22 00:44	33213-65-9	
Endosulfan sulfate	<0.000065	mg/L	0.000091	0.000065	1	06/28/22 14:50	06/30/22 00:44	1031-07-8	
Endrin	<0.000081	mg/L	0.000091	0.000081	1	06/28/22 14:50	06/30/22 00:44	72-20-8	
Endrin aldehyde	<0.000089	mg/L	0.000091	0.000089	1	06/28/22 14:50	06/30/22 00:44	7421-93-4	
Endrin ketone	<0.000073	mg/L	0.000091	0.000073	1	06/28/22 14:50	06/30/22 00:44	53494-70-5	
Heptachlor	<0.000038	mg/L	0.000045	0.000038	1	06/28/22 14:50	06/30/22 00:44	76-44-8	
Heptachlor epoxide	<0.000038	mg/L	0.000045	0.000038	1	06/28/22 14:50	06/30/22 00:44	1024-57-3	
Methoxychlor	<0.00038	mg/L	0.00045	0.00038	1	06/28/22 14:50	06/30/22 00:44	72-43-5	
Toxaphene	<0.0021	mg/L	0.0045	0.0021	1	06/28/22 14:50	06/30/22 00:44	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	61	%	10-135		1	06/28/22 14:50	06/30/22 00:44	2051-24-3	
8082A GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
PCB-1016 (Aroclor 1016)	<0.00011	mg/L	0.00048	0.00011	1	07/01/22 13:46	07/05/22 23:44	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.00011	mg/L	0.00048	0.00011	1	07/01/22 13:46	07/05/22 23:44	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.00011	mg/L	0.00048	0.00011	1	07/01/22 13:46	07/05/22 23:44	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.00011	mg/L	0.00048	0.00011	1	07/01/22 13:46	07/05/22 23:44	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.00011	mg/L	0.00048	0.00011	1	07/01/22 13:46	07/05/22 23:44	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.00011	mg/L	0.00048	0.00011	1	07/01/22 13:46	07/05/22 23:44	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.00011	mg/L	0.00048	0.00011	1	07/01/22 13:46	07/05/22 23:44	11096-82-5	
PCB, Total	<0.00011	mg/L	0.00048	0.00011	1	07/01/22 13:46	07/05/22 23:44	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	96	%	17-141		1	07/01/22 13:46	07/05/22 23:44	877-09-8	
Decachlorobiphenyl (S)	65	%	10-113		1	07/01/22 13:46	07/05/22 23:44	2051-24-3	
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Aluminum	<0.036	mg/L	0.10	0.036	1	06/29/22 08:15	07/01/22 00:46	7429-90-5	
Antimony	<0.00063	mg/L	0.0010	0.00063	1	06/29/22 08:15	07/01/22 00:46	7440-36-0	
Arsenic	0.00033J	mg/L	0.0010	0.00020	1	06/29/22 08:15	07/01/22 00:46	7440-38-2	
Barium	0.093	mg/L	0.0010	0.00036	1	06/29/22 08:15	07/01/22 00:46	7440-39-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

Sample: MW-02 Lab ID: 40247159003 Collected: 06/23/22 06:50 Received: 06/24/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS									
Analytical Method: EPA 6020A Preparation Method: EPA 3010									
Pace Analytical Services - New Orleans									
Beryllium	<0.00012	mg/L	0.0010	0.00012	1	06/29/22 08:15	07/01/22 00:46	7440-41-7	
Cadmium	<0.000080	mg/L	0.0010	0.000080	1	06/29/22 08:15	07/01/22 00:46	7440-43-9	
Calcium	113	mg/L	0.10	0.084	1	06/29/22 08:15	07/01/22 00:46	7440-70-2	
Chromium	<0.00062	mg/L	0.0010	0.00062	1	06/29/22 08:15	07/01/22 00:46	7440-47-3	
Cobalt	0.00042J	mg/L	0.0010	0.000060	1	06/29/22 08:15	07/01/22 00:46	7440-48-4	
Copper	<0.00083	mg/L	0.0030	0.00083	1	06/29/22 08:15	07/01/22 00:46	7440-50-8	
Iron	<0.049	mg/L	0.10	0.049	1	06/29/22 08:15	07/01/22 00:46	7439-89-6	
Lead	<0.000070	mg/L	0.0010	0.000070	1	06/29/22 08:15	07/01/22 00:46	7439-92-1	
Magnesium	35.4	mg/L	0.10	0.00060	1	06/29/22 08:15	07/01/22 00:46	7439-95-4	
Manganese	0.096	mg/L	0.0050	0.0045	1	06/29/22 08:15	07/01/22 00:46	7439-96-5	
Nickel	0.0016	mg/L	0.0010	0.00056	1	06/29/22 08:15	07/01/22 00:46	7440-02-0	
Potassium	0.63	mg/L	0.10	0.085	1	06/29/22 08:15	07/01/22 00:46	7440-09-7	
Selenium	0.0041	mg/L	0.0010	0.00037	1	06/29/22 08:15	07/01/22 00:46	7782-49-2	
Silver	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 00:46	7440-22-4	
Sodium	14.3	mg/L	0.10	0.078	1	06/29/22 08:15	07/01/22 00:46	7440-23-5	
Thallium	<0.000080	mg/L	0.00050	0.000080	1	06/29/22 08:15	07/01/22 00:46	7440-28-0	
Vanadium	<0.0023	mg/L	0.0050	0.0023	1	06/29/22 08:15	07/01/22 00:46	7440-62-2	
Zinc	0.0064J	mg/L	0.010	0.0044	1	06/29/22 08:15	07/01/22 00:46	7440-66-6	
7470 Mercury									
Analytical Method: EPA 7470 Preparation Method: EPA 7470									
Pace Analytical Services - Green Bay									
Mercury	<0.000066	mg/L	0.00020	0.000066	1	07/05/22 09:55	07/06/22 08:01	7439-97-6	
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4-Bromophenylphenyl ether	<0.00087	mg/L	0.0049	0.00087	1	06/28/22 08:18	06/29/22 10:05	101-55-3	
Butylbenzylphthalate	<0.00069	mg/L	0.0049	0.00069	1	06/28/22 08:18	06/29/22 10:05	85-68-7	
Carbazole	<0.00023	mg/L	0.0049	0.00023	1	06/28/22 08:18	06/29/22 10:05	86-74-8	
4-Chloro-3-methylphenol	<0.00093	mg/L	0.0049	0.00093	1	06/28/22 08:18	06/29/22 10:05	59-50-7	
4-Chloroaniline	<0.00088	mg/L	0.0049	0.00088	1	06/28/22 08:18	06/29/22 10:05	106-47-8	2q
bis(2-Chloroethoxy)methane	<0.00043	mg/L	0.0049	0.00043	1	06/28/22 08:18	06/29/22 10:05	111-91-1	
bis(2-Chloroethyl) ether	<0.00068	mg/L	0.0049	0.00068	1	06/28/22 08:18	06/29/22 10:05	111-44-4	
2-Chloronaphthalene	<0.0012	mg/L	0.0049	0.0012	1	06/28/22 08:18	06/29/22 10:05	91-58-7	
2-Chlorophenol	<0.0026	mg/L	0.0049	0.0026	1	06/28/22 08:18	06/29/22 10:05	95-57-8	
4-Chlorophenylphenyl ether	<0.00061	mg/L	0.0049	0.00061	1	06/28/22 08:18	06/29/22 10:05	7005-72-3	
Dibenzofuran	<0.00092	mg/L	0.0049	0.00092	1	06/28/22 08:18	06/29/22 10:05	132-64-9	
1,2-Dichlorobenzene	<0.0020	mg/L	0.0049	0.0020	1	06/28/22 08:18	06/29/22 10:05	95-50-1	
1,3-Dichlorobenzene	<0.0021	mg/L	0.0049	0.0021	1	06/28/22 08:18	06/29/22 10:05	541-73-1	
1,4-Dichlorobenzene	<0.0018	mg/L	0.0049	0.0018	1	06/28/22 08:18	06/29/22 10:05	106-46-7	
3,3'-Dichlorobenzidine	<0.00054	mg/L	0.0049	0.00054	1	06/28/22 08:18	06/29/22 10:05	91-94-1	2q
2,4-Dichlorophenol	<0.0015	mg/L	0.0049	0.0015	1	06/28/22 08:18	06/29/22 10:05	120-83-2	
Diethylphthalate	<0.00060	mg/L	0.0049	0.00060	1	06/28/22 08:18	06/29/22 10:05	84-66-2	
2,4-Dimethylphenol	<0.00042	mg/L	0.0049	0.00042	1	06/28/22 08:18	06/29/22 10:05	105-67-9	
Dimethylphthalate	<0.00041	mg/L	0.0049	0.00041	1	06/28/22 08:18	06/29/22 10:05	131-11-3	
Di-n-butylphthalate	<0.00032	mg/L	0.0049	0.00032	1	06/28/22 08:18	06/29/22 10:05	84-74-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247159

Sample: MW-02 **Lab ID: 40247159003** Collected: 06/23/22 06:50 Received: 06/24/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV Low Volume									
Analytical Method: EPA 8270E Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
4,6-Dinitro-2-methylphenol	<0.0012	mg/L	0.0049	0.0012	1	06/28/22 08:18	06/29/22 10:05	534-52-1	
2,4-Dinitrophenol	<0.0026	mg/L	0.0099	0.0026	1	06/28/22 08:18	06/29/22 10:05	51-28-5	
2,4-Dinitrotoluene	<0.00037	mg/L	0.0049	0.00037	1	06/28/22 08:18	06/29/22 10:05	121-14-2	
2,6-Dinitrotoluene	<0.00084	mg/L	0.0049	0.00084	1	06/28/22 08:18	06/29/22 10:05	606-20-2	
Di-n-octylphthalate	<0.00046	mg/L	0.0099	0.00046	1	06/28/22 08:18	06/29/22 10:05	117-84-0	
bis(2-Ethylhexyl)phthalate	<0.00068	mg/L	0.0049	0.00068	1	06/28/22 08:18	06/29/22 10:05	117-81-7	
Hexachloro-1,3-butadiene	<0.0025	mg/L	0.0099	0.0025	1	06/28/22 08:18	06/29/22 10:05	87-68-3	
Hexachlorobenzene	<0.0016	mg/L	0.0049	0.0016	1	06/28/22 08:18	06/29/22 10:05	118-74-1	
Hexachlorocyclopentadiene	<0.0019	mg/L	0.0049	0.0019	1	06/28/22 08:18	06/29/22 10:05	77-47-4	
Hexachloroethane	<0.0015	mg/L	0.0049	0.0015	1	06/28/22 08:18	06/29/22 10:05	67-72-1	
Isophorone	<0.00039	mg/L	0.0049	0.00039	1	06/28/22 08:18	06/29/22 10:05	78-59-1	
2-Methylphenol(o-Cresol)	<0.00076	mg/L	0.0049	0.00076	1	06/28/22 08:18	06/29/22 10:05	95-48-7	
3&4-Methylphenol(m&p Cresol)	<0.00059	mg/L	0.0049	0.00059	1	06/28/22 08:18	06/29/22 10:05		
2-Nitroaniline	<0.00091	mg/L	0.0049	0.00091	1	06/28/22 08:18	06/29/22 10:05	88-74-4	CH
3-Nitroaniline	<0.00070	mg/L	0.0049	0.00070	1	06/28/22 08:18	06/29/22 10:05	99-09-2	
4-Nitroaniline	<0.00044	mg/L	0.0099	0.00044	1	06/28/22 08:18	06/29/22 10:05	100-01-6	
Nitrobenzene	<0.00050	mg/L	0.0049	0.00050	1	06/28/22 08:18	06/29/22 10:05	98-95-3	
2-Nitrophenol	<0.0015	mg/L	0.0049	0.0015	1	06/28/22 08:18	06/29/22 10:05	88-75-5	
4-Nitrophenol	<0.0020	mg/L	0.0049	0.0020	1	06/28/22 08:18	06/29/22 10:05	100-02-7	
N-Nitroso-di-n-propylamine	<0.00081	mg/L	0.0049	0.00081	1	06/28/22 08:18	06/29/22 10:05	621-64-7	
N-Nitrosodiphenylamine	<0.00040	mg/L	0.0049	0.00040	1	06/28/22 08:18	06/29/22 10:05	86-30-6	
2,2'-Oxybis(1-chloropropane)	<0.00078	mg/L	0.0049	0.00078	1	06/28/22 08:18	06/29/22 10:05	108-60-1	CH
Pentachlorophenol	<0.0016	mg/L	0.0049	0.0016	1	06/28/22 08:18	06/29/22 10:05	87-86-5	
Phenol	<0.00097	mg/L	0.0049	0.00097	1	06/28/22 08:18	06/29/22 10:05	108-95-2	
1,2,4-Trichlorobenzene	<0.0023	mg/L	0.0049	0.0023	1	06/28/22 08:18	06/29/22 10:05	120-82-1	
2,4,5-Trichlorophenol	<0.0018	mg/L	0.0049	0.0018	1	06/28/22 08:18	06/29/22 10:05	95-95-4	
2,4,6-Trichlorophenol	<0.0020	mg/L	0.0049	0.0020	1	06/28/22 08:18	06/29/22 10:05	88-06-2	
Surrogates									
Nitrobenzene-d5 (S)	96	%	10-120		1	06/28/22 08:18	06/29/22 10:05	4165-60-0	
2-Fluorobiphenyl (S)	68	%	10-101		1	06/28/22 08:18	06/29/22 10:05	321-60-8	
Terphenyl-d14 (S)	97	%	36-138		1	06/28/22 08:18	06/29/22 10:05	1718-51-0	
Phenol-d6 (S)	39	%	10-130		1	06/28/22 08:18	06/29/22 10:05	13127-88-3	
2-Fluorophenol (S)	57	%	10-89		1	06/28/22 08:18	06/29/22 10:05	367-12-4	
2,4,6-Tribromophenol (S)	90	%	10-142		1	06/28/22 08:18	06/29/22 10:05	118-79-6	

8270E MSSV PAH

Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510
Pace Analytical Services - Green Bay

Acenaphthene	<0.000013	mg/L	0.000048	0.000013	1	06/30/22 08:31	06/30/22 15:51	83-32-9	
Acenaphthylene	<0.000012	mg/L	0.000048	0.000012	1	06/30/22 08:31	06/30/22 15:51	208-96-8	
Anthracene	<0.000018	mg/L	0.000048	0.000018	1	06/30/22 08:31	06/30/22 15:51	120-12-7	
Benzo(a)anthracene	<0.000013	mg/L	0.000048	0.000013	1	06/30/22 08:31	06/30/22 15:51	56-55-3	
Benzo(a)pyrene	<0.000012	mg/L	0.000048	0.000012	1	06/30/22 08:31	06/30/22 15:51	50-32-8	
Benzo(b)fluoranthene	<0.000008	mg/L	0.000048	0.000008	1	06/30/22 08:31	06/30/22 15:51	205-99-2	
	7			7					
Benzo(g,h,i)perylene	<0.000022	mg/L	0.000048	0.000022	1	06/30/22 08:31	06/30/22 15:51	191-24-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

Sample: MW-02 Lab ID: 40247159003 Collected: 06/23/22 06:50 Received: 06/24/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Benzo(k)fluoranthene	<0.000021	mg/L	0.000048	0.000021	1	06/30/22 08:31	06/30/22 15:51	207-08-9	
Chrysene	<0.000012	mg/L	0.000048	0.000012	1	06/30/22 08:31	06/30/22 15:51	218-01-9	
Dibenz(a,h)anthracene	<0.000017	mg/L	0.000048	0.000017	1	06/30/22 08:31	06/30/22 15:51	53-70-3	
Fluoranthene	<0.000025	mg/L	0.000048	0.000025	1	06/30/22 08:31	06/30/22 15:51	206-44-0	
Fluorene	<0.000022	mg/L	0.000048	0.000022	1	06/30/22 08:31	06/30/22 15:51	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.000015	mg/L	0.000048	0.000015	1	06/30/22 08:31	06/30/22 15:51	193-39-5	
2-Methylnaphthalene	<0.000013	mg/L	0.000048	0.000013	1	06/30/22 08:31	06/30/22 15:51	91-57-6	
Naphthalene	<0.000019	mg/L	0.000048	0.000019	1	06/30/22 08:31	06/30/22 15:51	91-20-3	
Phenanthrene	<0.000024	mg/L	0.000048	0.000024	1	06/30/22 08:31	06/30/22 15:51	85-01-8	
Pyrene	<0.000022	mg/L	0.000048	0.000022	1	06/30/22 08:31	06/30/22 15:51	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	83	%	44-120		1	06/30/22 08:31	06/30/22 15:51	321-60-8	
Terphenyl-d14 (S)	81	%	49-120		1	06/30/22 08:31	06/30/22 15:51	1718-51-0	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Acetone	<0.0086	mg/L	0.025	0.0086	1		06/28/22 11:42	67-64-1	
Benzene	<0.00030	mg/L	0.0010	0.00030	1		06/28/22 11:42	71-43-2	
Bromodichloromethane	<0.00042	mg/L	0.0010	0.00042	1		06/28/22 11:42	75-27-4	
Bromoform	<0.0038	mg/L	0.0050	0.0038	1		06/28/22 11:42	75-25-2	
Bromomethane	<0.0012	mg/L	0.0050	0.0012	1		06/28/22 11:42	74-83-9	
2-Butanone (MEK)	<0.0065	mg/L	0.025	0.0065	1		06/28/22 11:42	78-93-3	
Carbon disulfide	<0.0011	mg/L	0.0050	0.0011	1		06/28/22 11:42	75-15-0	
Carbon tetrachloride	<0.00037	mg/L	0.0010	0.00037	1		06/28/22 11:42	56-23-5	
Chlorobenzene	<0.00086	mg/L	0.0010	0.00086	1		06/28/22 11:42	108-90-7	
Chloroethane	<0.0014	mg/L	0.0050	0.0014	1		06/28/22 11:42	75-00-3	
Chloroform	<0.0012	mg/L	0.0050	0.0012	1		06/28/22 11:42	67-66-3	
Chloromethane	<0.0016	mg/L	0.0050	0.0016	1		06/28/22 11:42	74-87-3	
Dibromochloromethane	<0.0026	mg/L	0.0050	0.0026	1		06/28/22 11:42	124-48-1	
1,1-Dichloroethane	<0.00030	mg/L	0.0010	0.00030	1		06/28/22 11:42	75-34-3	
1,2-Dichloroethane	<0.00029	mg/L	0.0010	0.00029	1		06/28/22 11:42	107-06-2	
1,1-Dichloroethene	<0.00058	mg/L	0.0010	0.00058	1		06/28/22 11:42	75-35-4	
cis-1,2-Dichloroethene	<0.00047	mg/L	0.0010	0.00047	1		06/28/22 11:42	156-59-2	
trans-1,2-Dichloroethene	<0.00053	mg/L	0.0010	0.00053	1		06/28/22 11:42	156-60-5	
1,2-Dichloropropane	<0.00045	mg/L	0.0010	0.00045	1		06/28/22 11:42	78-87-5	
cis-1,3-Dichloropropene	<0.00036	mg/L	0.0010	0.00036	1		06/28/22 11:42	10061-01-5	
trans-1,3-Dichloropropene	<0.0035	mg/L	0.0050	0.0035	1		06/28/22 11:42	10061-02-6	
Ethylbenzene	<0.00033	mg/L	0.0010	0.00033	1		06/28/22 11:42	100-41-4	
2-Hexanone	<0.0063	mg/L	0.025	0.0063	1		06/28/22 11:42	591-78-6	
Methylene Chloride	<0.00032	mg/L	0.0050	0.00032	1		06/28/22 11:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.0060	mg/L	0.025	0.0060	1		06/28/22 11:42	108-10-1	
Methyl-tert-butyl ether	<0.0011	mg/L	0.0050	0.0011	1		06/28/22 11:42	1634-04-4	
Styrene	<0.00036	mg/L	0.0010	0.00036	1		06/28/22 11:42	100-42-5	
1,1,2,2-Tetrachloroethane	<0.00038	mg/L	0.0010	0.00038	1		06/28/22 11:42	79-34-5	
Tetrachloroethene	<0.00041	mg/L	0.0010	0.00041	1		06/28/22 11:42	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247159

Sample: MW-02 **Lab ID: 40247159003** Collected: 06/23/22 06:50 Received: 06/24/22 10:20 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Toluene	<0.00029	mg/L	0.0010	0.00029	1		06/28/22 11:42	108-88-3	
1,1,1-Trichloroethane	0.0031	mg/L	0.0010	0.00030	1		06/28/22 11:42	71-55-6	
1,1,2-Trichloroethane	<0.00034	mg/L	0.0050	0.00034	1		06/28/22 11:42	79-00-5	
Trichloroethene	<0.00032	mg/L	0.0010	0.00032	1		06/28/22 11:42	79-01-6	
Vinyl chloride	<0.00017	mg/L	0.0010	0.00017	1		06/28/22 11:42	75-01-4	
Xylene (Total)	<0.0010	mg/L	0.0030	0.0010	1		06/28/22 11:42	1330-20-7	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		06/28/22 11:42	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		06/28/22 11:42	2199-69-1	
Toluene-d8 (S)	96	%	70-130		1		06/28/22 11:42	2037-26-5	
335.4 Cyanide, Total									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	<0.0069	mg/L	0.023	0.0069	1	06/29/22 09:45	06/29/22 12:58	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

QC Batch: 419994 Analysis Method: EPA 7470
QC Batch Method: EPA 7470 Analysis Description: 7470 Mercury
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40247159002, 40247159003

METHOD BLANK: 2418928 Matrix: Water
Associated Lab Samples: 40247159002, 40247159003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/L	<0.000066	0.00020	0.000066	07/06/22 07:18	

LABORATORY CONTROL SAMPLE: 2418929

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/L	0.005	0.0046	92	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2418930 2418931

Parameter	Units	40246905001		2418931		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.							
Mercury	mg/L	<0.066 ug/L	0.005	0.005	0.0049	0.0049	97	97	85-115	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

QC Batch: 259340 Analysis Method: EPA 6020A
QC Batch Method: EPA 3010 Analysis Description: 6020 MET
Laboratory: Pace Analytical Services - New Orleans

Associated Lab Samples: 40247159002, 40247159003

METHOD BLANK: 1236863 Matrix: Water
Associated Lab Samples: 40247159002, 40247159003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Aluminum	mg/L	<0.036	0.10	0.036	06/30/22 15:59	
Antimony	mg/L	<0.00063	0.0010	0.00063	06/30/22 15:59	
Arsenic	mg/L	<0.00020	0.0010	0.00020	06/30/22 15:59	
Barium	mg/L	<0.00036	0.0010	0.00036	06/30/22 15:59	
Beryllium	mg/L	<0.00012	0.0010	0.00012	06/30/22 15:59	
Cadmium	mg/L	<0.00080	0.0010	0.00080	06/30/22 15:59	
Calcium	mg/L	<0.084	0.10	0.084	06/30/22 15:59	
Chromium	mg/L	<0.00062	0.0010	0.00062	06/30/22 15:59	
Cobalt	mg/L	<0.000060	0.0010	0.000060	06/30/22 15:59	
Copper	mg/L	<0.00083	0.0030	0.00083	06/30/22 15:59	
Iron	mg/L	<0.049	0.10	0.049	06/30/22 15:59	
Lead	mg/L	<0.000070	0.0010	0.000070	06/30/22 15:59	
Magnesium	mg/L	0.00096J	0.10	0.00060	06/30/22 15:59	
Manganese	mg/L	<0.0045	0.0050	0.0045	06/30/22 15:59	
Nickel	mg/L	<0.00056	0.0010	0.00056	06/30/22 15:59	
Potassium	mg/L	<0.085	0.10	0.085	06/30/22 15:59	
Selenium	mg/L	<0.00037	0.0010	0.00037	06/30/22 15:59	
Silver	mg/L	<0.000080	0.00050	0.000080	06/30/22 15:59	
Sodium	mg/L	<0.078	0.10	0.078	06/30/22 15:59	
Thallium	mg/L	<0.000080	0.00050	0.000080	06/30/22 15:59	
Vanadium	mg/L	<0.0023	0.0050	0.0023	06/30/22 15:59	
Zinc	mg/L	<0.0044	0.010	0.0044	06/30/22 15:59	

LABORATORY CONTROL SAMPLE: 1236864

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Aluminum	mg/L	6	6.0	100	85-115	
Antimony	mg/L	0.06	0.060	101	85-115	
Arsenic	mg/L	0.06	0.060	100	85-115	
Barium	mg/L	0.06	0.057	96	85-115	
Beryllium	mg/L	0.06	0.060	100	84-115	
Cadmium	mg/L	0.06	0.061	102	85-115	
Calcium	mg/L	6	6.0	101	85-115	
Chromium	mg/L	0.06	0.061	101	85-115	
Cobalt	mg/L	0.06	0.060	100	85-115	
Copper	mg/L	0.06	0.061	102	85-116	
Iron	mg/L	3	3.1	103	85-115	
Lead	mg/L	0.06	0.060	100	85-115	
Magnesium	mg/L	6	6.3	105	85-115	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

LABORATORY CONTROL SAMPLE: 1236864

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Manganese	mg/L	0.06	0.061	102	85-115	
Nickel	mg/L	0.06	0.062	103	85-115	
Potassium	mg/L	6	5.7	96	76-124	
Selenium	mg/L	0.06	0.057	95	85-115	
Silver	mg/L	0.03	0.031	103	85-115	
Sodium	mg/L	6	6.3	105	84-117	
Thallium	mg/L	0.03	0.031	103	85-115	
Vanadium	mg/L	0.06	0.060	99	85-115	
Zinc	mg/L	0.06	0.058	97	85-121	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1236865 1236866

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40246997001 Result	Spike Conc.	Spike Conc.	MS Result						
Aluminum	mg/L	<0.036	6	6	5.9	5.7	98	94	80-120	4	20
Antimony	mg/L	<0.00063	0.06	0.06	0.062	0.060	103	100	80-120	3	20
Arsenic	mg/L	0.00029J	0.06	0.06	0.058	0.056	95	93	80-120	3	20
Barium	mg/L	0.073	0.06	0.06	0.13	0.13	95	89	80-120	3	20
Beryllium	mg/L	<0.00012	0.06	0.06	0.059	0.057	99	95	80-120	3	20
Cadmium	mg/L	<0.000080	0.06	0.06	0.061	0.059	101	99	80-120	2	20
Calcium	mg/L	95.6	6	6	102	102	114	109	80-120	0	20
Chromium	mg/L	0.00065J	0.06	0.06	0.062	0.059	102	97	80-120	5	20
Cobalt	mg/L	0.00010J	0.06	0.06	0.060	0.058	99	96	80-120	3	20
Copper	mg/L	0.00096J	0.06	0.06	0.061	0.059	100	96	80-120	4	20
Iron	mg/L	<0.049	3	3	3.1	3.0	103	100	80-120	3	20
Lead	mg/L	0.00011J	0.06	0.06	0.061	0.060	102	99	80-120	3	20
Magnesium	mg/L	33.8	6	6	39.6	39.6	96	97	80-120	0	20
Manganese	mg/L	0.043	0.06	0.06	0.11	0.10	103	100	80-120	2	20
Nickel	mg/L	0.00063J	0.06	0.06	0.061	0.059	101	98	80-120	4	20
Potassium	mg/L	0.37	6	6	6.0	5.8	94	91	75-125	3	20
Selenium	mg/L	0.0039	0.06	0.06	0.057	0.057	88	88	80-120	0	20
Silver	mg/L	<0.000080	0.03	0.03	0.031	0.030	102	100	80-120	3	20
Sodium	mg/L	6.0	6	6	12.0	11.7	100	96	75-125	2	20
Thallium	mg/L	<0.000080	0.03	0.03	0.032	0.031	105	102	80-120	3	20
Vanadium	mg/L	<0.0023	0.06	0.06	0.061	0.059	100	98	80-120	2	20
Zinc	mg/L	0.0053J	0.06	0.06	0.062	0.059	94	90	80-120	5	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

QC Batch: 419407 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40247159001, 40247159002, 40247159003

METHOD BLANK: 2415692 Matrix: Water

Associated Lab Samples: 40247159001, 40247159002, 40247159003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	mg/L	<0.00030	0.0010	0.00030	06/28/22 08:47	
1,1,2,2-Tetrachloroethane	mg/L	<0.00038	0.0010	0.00038	06/28/22 08:47	
1,1,2-Trichloroethane	mg/L	<0.00034	0.0050	0.00034	06/28/22 08:47	
1,1-Dichloroethane	mg/L	<0.00030	0.0010	0.00030	06/28/22 08:47	
1,1-Dichloroethene	mg/L	<0.00058	0.0010	0.00058	06/28/22 08:47	
1,2-Dichloroethane	mg/L	<0.00029	0.0010	0.00029	06/28/22 08:47	
1,2-Dichloropropane	mg/L	<0.00045	0.0010	0.00045	06/28/22 08:47	
2-Butanone (MEK)	mg/L	<0.0065	0.025	0.0065	06/28/22 08:47	
2-Hexanone	mg/L	<0.0063	0.025	0.0063	06/28/22 08:47	
4-Methyl-2-pentanone (MIBK)	mg/L	<0.0060	0.025	0.0060	06/28/22 08:47	
Acetone	mg/L	<0.0086	0.025	0.0086	06/28/22 08:47	
Benzene	mg/L	<0.00030	0.0010	0.00030	06/28/22 08:47	
Bromodichloromethane	mg/L	<0.00042	0.0010	0.00042	06/28/22 08:47	
Bromoform	mg/L	<0.0038	0.0050	0.0038	06/28/22 08:47	
Bromomethane	mg/L	<0.0012	0.0050	0.0012	06/28/22 08:47	
Carbon disulfide	mg/L	<0.0011	0.0050	0.0011	06/28/22 08:47	
Carbon tetrachloride	mg/L	<0.00037	0.0010	0.00037	06/28/22 08:47	
Chlorobenzene	mg/L	<0.00086	0.0010	0.00086	06/28/22 08:47	
Chloroethane	mg/L	<0.0014	0.0050	0.0014	06/28/22 08:47	
Chloroform	mg/L	<0.0012	0.0050	0.0012	06/28/22 08:47	
Chloromethane	mg/L	<0.0016	0.0050	0.0016	06/28/22 08:47	
cis-1,2-Dichloroethene	mg/L	<0.00047	0.0010	0.00047	06/28/22 08:47	
cis-1,3-Dichloropropene	mg/L	<0.00036	0.0010	0.00036	06/28/22 08:47	
Dibromochloromethane	mg/L	<0.0026	0.0050	0.0026	06/28/22 08:47	
Ethylbenzene	mg/L	<0.00033	0.0010	0.00033	06/28/22 08:47	
Methyl-tert-butyl ether	mg/L	<0.0011	0.0050	0.0011	06/28/22 08:47	
Methylene Chloride	mg/L	<0.00032	0.0050	0.00032	06/28/22 08:47	
Styrene	mg/L	<0.00036	0.0010	0.00036	06/28/22 08:47	
Tetrachloroethene	mg/L	<0.00041	0.0010	0.00041	06/28/22 08:47	
Toluene	mg/L	<0.00029	0.0010	0.00029	06/28/22 08:47	
trans-1,2-Dichloroethene	mg/L	<0.00053	0.0010	0.00053	06/28/22 08:47	
trans-1,3-Dichloropropene	mg/L	<0.0035	0.0050	0.0035	06/28/22 08:47	
Trichloroethene	mg/L	<0.00032	0.0010	0.00032	06/28/22 08:47	
Vinyl chloride	mg/L	<0.00017	0.0010	0.00017	06/28/22 08:47	
Xylene (Total)	mg/L	<0.0010	0.0030	0.0010	06/28/22 08:47	
1,2-Dichlorobenzene-d4 (S)	%	102	70-130		06/28/22 08:47	
4-Bromofluorobenzene (S)	%	95	70-130		06/28/22 08:47	
Toluene-d8 (S)	%	96	70-130		06/28/22 08:47	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

LABORATORY CONTROL SAMPLE: 2415693

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	mg/L	0.05	0.065	130	70-134	
1,1,2,2-Tetrachloroethane	mg/L	0.05	0.045	91	69-130	
1,1,2-Trichloroethane	mg/L	0.05	0.049	97	70-130	
1,1-Dichloroethane	mg/L	0.05	0.051	102	70-130	
1,1-Dichloroethene	mg/L	0.05	0.058	116	74-131	
1,2-Dichloroethane	mg/L	0.05	0.060	119	70-137	
1,2-Dichloropropane	mg/L	0.05	0.047	93	80-121	
Benzene	mg/L	0.05	0.053	107	70-130	
Bromodichloromethane	mg/L	0.05	0.055	110	70-130	
Bromoform	mg/L	0.05	0.057	114	70-130	
Bromomethane	mg/L	0.05	0.050	100	21-147	
Carbon disulfide	mg/L	0.05	0.056	112	70-130	
Carbon tetrachloride	mg/L	0.05	0.068	135	80-146	
Chlorobenzene	mg/L	0.05	0.054	109	70-130	
Chloroethane	mg/L	0.05	0.050	101	52-165	
Chloroform	mg/L	0.05	0.057	113	80-123	
Chloromethane	mg/L	0.05	0.038	76	51-122	
cis-1,2-Dichloroethene	mg/L	0.05	0.051	102	70-130	
cis-1,3-Dichloropropene	mg/L	0.05	0.052	103	70-130	
Dibromochloromethane	mg/L	0.05	0.055	110	70-130	
Ethylbenzene	mg/L	0.05	0.055	110	80-120	
Methyl-tert-butyl ether	mg/L	0.05	0.060	120	70-130	
Methylene Chloride	mg/L	0.05	0.056	112	70-130	
Styrene	mg/L	0.05	0.058	116	70-130	
Tetrachloroethene	mg/L	0.05	0.057	114	70-130	
Toluene	mg/L	0.05	0.053	105	80-120	
trans-1,2-Dichloroethene	mg/L	0.05	0.058	115	70-130	
trans-1,3-Dichloropropene	mg/L	0.05	0.054	107	70-130	
Trichloroethene	mg/L	0.05	0.057	114	70-130	
Vinyl chloride	mg/L	0.05	0.043	86	63-134	
Xylene (Total)	mg/L	0.15	0.17	115	70-130	
1,2-Dichlorobenzene-d4 (S)	%			101	70-130	
4-Bromofluorobenzene (S)	%			100	70-130	
Toluene-d8 (S)	%			98	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2416257 2416258

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40247051016 Result	Spike Conc.	Spike Conc.	MSD Result								
1,1,1-Trichloroethane	mg/L	<0.30 ug/L	0.05	0.05	0.064	0.064	128	128	70-134	0	20		
1,1,2,2-Tetrachloroethane	mg/L	<0.38 ug/L	0.05	0.05	0.047	0.044	94	88	61-135	6	20		
1,1,2-Trichloroethane	mg/L	<0.34 ug/L	0.05	0.05	0.049	0.047	99	93	70-130	6	20		
1,1-Dichloroethane	mg/L	0.82J ug/L	0.05	0.05	0.052	0.052	102	103	70-130	1	20		
1,1-Dichloroethene	mg/L	<0.58 ug/L	0.05	0.05	0.059	0.059	118	117	71-130	1	20		
1,2-Dichloroethane	mg/L	0.42J ug/L	0.05	0.05	0.060	0.060	119	119	70-137	0	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2416257		2416258		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40247051016 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,2-Dichloropropane	mg/L	<0.45 ug/L	0.05	0.05	0.046	0.047	92	95	80-121	3	20		
Benzene	mg/L	<0.30 ug/L	0.05	0.05	0.054	0.053	107	106	70-130	1	20		
Bromodichloromethane	mg/L	<0.42 ug/L	0.05	0.05	0.056	0.056	112	112	70-130	0	20		
Bromoform	mg/L	<3.8 ug/L	0.05	0.05	0.057	0.056	114	112	70-133	2	20		
Bromomethane	mg/L	<1.2 ug/L	0.05	0.05	0.053	0.053	106	106	21-149	0	22		
Carbon disulfide	mg/L	<1.1 ug/L	0.05	0.05	0.057	0.056	115	112	70-130	2	20		
Carbon tetrachloride	mg/L	<0.37 ug/L	0.05	0.05	0.067	0.067	134	135	80-146	1	20		
Chlorobenzene	mg/L	<0.86 ug/L	0.05	0.05	0.055	0.054	109	108	70-130	1	20		
Chloroethane	mg/L	<1.4 ug/L	0.05	0.05	0.050	0.050	100	100	52-165	0	20		
Chloroform	mg/L	<1.2 ug/L	0.05	0.05	0.057	0.057	115	114	80-123	0	20		
Chloromethane	mg/L	<1.6 ug/L	0.05	0.05	0.039	0.039	78	78	42-125	0	20		
cis-1,2-Dichloroethene	mg/L	<0.47 ug/L	0.05	0.05	0.052	0.051	105	102	70-130	3	20		
cis-1,3-Dichloropropene	mg/L	<0.36 ug/L	0.05	0.05	0.053	0.053	106	105	70-130	1	20		
Dibromochloromethane	mg/L	<2.6 ug/L	0.05	0.05	0.056	0.054	113	107	70-130	5	20		
Ethylbenzene	mg/L	<0.33 ug/L	0.05	0.05	0.055	0.054	110	108	80-121	2	20		
Methyl-tert-butyl ether	mg/L	<1.1 ug/L	0.05	0.05	0.055	0.055	111	110	70-130	0	20		
Methylene Chloride	mg/L	<0.32 ug/L	0.05	0.05	0.058	0.058	116	116	70-130	0	20		
Styrene	mg/L	<0.36 ug/L	0.05	0.05	0.058	0.057	116	113	70-132	3	20		
Tetrachloroethene	mg/L	<0.41 ug/L	0.05	0.05	0.057	0.057	114	113	70-130	1	20		
Toluene	mg/L	<0.29 ug/L	0.05	0.05	0.052	0.051	105	102	80-120	3	20		
trans-1,2-Dichloroethene	mg/L	<0.53 ug/L	0.05	0.05	0.056	0.057	113	114	70-130	1	20		
trans-1,3-Dichloropropene	mg/L	<3.5 ug/L	0.05	0.05	0.054	0.052	108	104	70-130	4	20		
Trichloroethene	mg/L	<0.32 ug/L	0.05	0.05	0.059	0.057	117	115	70-130	2	20		
Vinyl chloride	mg/L	<0.17 ug/L	0.05	0.05	0.044	0.044	89	88	60-137	1	20		
Xylene (Total)	mg/L	<1.0 ug/L	0.15	0.15	0.17	0.17	114	114	70-130	1	20		
1,2-Dichlorobenzene-d4 (S)	%						100	100	70-130				
4-Bromofluorobenzene (S)	%						100	100	70-130				
Toluene-d8 (S)	%						97	96	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

QC Batch: 683571 Analysis Method: EPA 8081
QC Batch Method: EPA 3510 Analysis Description: 8081 GCS Pesticides
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 40247159002

METHOD BLANK: 3146260 Matrix: Water
Associated Lab Samples: 40247159002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	mg/L	<0.000096	0.00010	0.000096	06/28/22 18:48	
4,4'-DDE	mg/L	<0.000074	0.00010	0.000074	06/28/22 18:48	
4,4'-DDT	mg/L	<0.000085	0.00010	0.000085	06/28/22 18:48	
Aldrin	mg/L	<0.000046	0.000050	0.000046	06/28/22 18:48	
alpha-BHC	mg/L	<0.000035	0.000050	0.000035	06/28/22 18:48	
alpha-Chlordane	mg/L	<0.000039	0.00050	0.000039	06/28/22 18:48	
beta-BHC	mg/L	<0.000047	0.000050	0.000047	06/28/22 18:48	
Chlordane (Technical)	mg/L	<0.0020	0.0050	0.0020	06/28/22 18:48	
delta-BHC	mg/L	<0.000045	0.000050	0.000045	06/28/22 18:48	
Dieldrin	mg/L	<0.000083	0.00010	0.000083	06/28/22 18:48	
Endosulfan I	mg/L	<0.000035	0.000050	0.000035	06/28/22 18:48	
Endosulfan II	mg/L	<0.000080	0.00010	0.000080	06/28/22 18:48	
Endosulfan sulfate	mg/L	<0.000071	0.00010	0.000071	06/28/22 18:48	
Endrin	mg/L	<0.000089	0.00010	0.000089	06/28/22 18:48	
Endrin aldehyde	mg/L	<0.000098	0.00010	0.000098	06/28/22 18:48	
Endrin ketone	mg/L	<0.000080	0.00010	0.000080	06/28/22 18:48	
gamma-BHC (Lindane)	mg/L	<0.000038	0.000050	0.000038	06/28/22 18:48	
gamma-Chlordane	mg/L	<0.000049	0.00050	0.000049	06/28/22 18:48	
Heptachlor	mg/L	<0.000042	0.000050	0.000042	06/28/22 18:48	
Heptachlor epoxide	mg/L	<0.000042	0.000050	0.000042	06/28/22 18:48	
Methoxychlor	mg/L	<0.00042	0.00050	0.00042	06/28/22 18:48	
Toxaphene	mg/L	<0.0023	0.0050	0.0023	06/28/22 18:48	
Decachlorobiphenyl (S)	%	110	10-135		06/28/22 18:48	1q

LABORATORY CONTROL SAMPLE: 3146261

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	mg/L	0.002	0.0023	113	43-163	
4,4'-DDE	mg/L	0.002	0.0021	105	40-160	
4,4'-DDT	mg/L	0.002	0.0021	105	41-168	
Aldrin	mg/L	0.001	0.00071	71	21-146	
alpha-BHC	mg/L	0.001	0.00070	70	42-152	
alpha-Chlordane	mg/L	0.001	0.00097	97	42-147	
beta-BHC	mg/L	0.001	0.00095	95	41-149	
delta-BHC	mg/L	0.001	0.00096	96	32-144	
Dieldrin	mg/L	0.002	0.0022	109	41-159	
Endosulfan I	mg/L	0.001	0.0010	101	42-148	
Endosulfan II	mg/L	0.002	0.0022	112	45-166	
Endosulfan sulfate	mg/L	0.002	0.0021	103	41-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247159

LABORATORY CONTROL SAMPLE: 3146261

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endrin	mg/L	0.002	0.0021	107	44-159	
Endrin aldehyde	mg/L	0.002	0.0024	120	40-151	
Endrin ketone	mg/L	0.002	0.0022	108	40-161	
gamma-BHC (Lindane)	mg/L	0.001	0.00079	79	40-153	
gamma-Chlordane	mg/L	0.001	0.0011	110	43-163	
Heptachlor	mg/L	0.001	0.00077	77	29-152	
Heptachlor epoxide	mg/L	0.001	0.00096	96	43-146	
Methoxychlor	mg/L	0.01	0.010	105	40-170	
Decachlorobiphenyl (S)	%			109	10-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

QC Batch: 683837 Analysis Method: EPA 8081
QC Batch Method: EPA 3510 Analysis Description: 8081 GCS Pesticides
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 40247159003

METHOD BLANK: 3147200 Matrix: Water
Associated Lab Samples: 40247159003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
4,4'-DDD	mg/L	<0.000096	0.00010	0.000096	06/30/22 00:06	
4,4'-DDE	mg/L	<0.000074	0.00010	0.000074	06/30/22 00:06	
4,4'-DDT	mg/L	<0.000085	0.00010	0.000085	06/30/22 00:06	
Aldrin	mg/L	<0.000046	0.000050	0.000046	06/30/22 00:06	
alpha-BHC	mg/L	<0.000035	0.000050	0.000035	06/30/22 00:06	
alpha-Chlordane	mg/L	<0.000039	0.00050	0.000039	06/30/22 00:06	
beta-BHC	mg/L	<0.000047	0.000050	0.000047	06/30/22 00:06	
Chlordane (Technical)	mg/L	<0.0020	0.0050	0.0020	06/30/22 00:06	
delta-BHC	mg/L	<0.000045	0.000050	0.000045	06/30/22 00:06	
Dieldrin	mg/L	<0.000083	0.00010	0.000083	06/30/22 00:06	
Endosulfan I	mg/L	<0.000035	0.000050	0.000035	06/30/22 00:06	
Endosulfan II	mg/L	<0.000080	0.00010	0.000080	06/30/22 00:06	
Endosulfan sulfate	mg/L	<0.000071	0.00010	0.000071	06/30/22 00:06	
Endrin	mg/L	<0.000089	0.00010	0.000089	06/30/22 00:06	
Endrin aldehyde	mg/L	<0.000098	0.00010	0.000098	06/30/22 00:06	
Endrin ketone	mg/L	<0.000080	0.00010	0.000080	06/30/22 00:06	
gamma-BHC (Lindane)	mg/L	<0.000038	0.000050	0.000038	06/30/22 00:06	
gamma-Chlordane	mg/L	<0.000049	0.00050	0.000049	06/30/22 00:06	
Heptachlor	mg/L	<0.000042	0.000050	0.000042	06/30/22 00:06	
Heptachlor epoxide	mg/L	<0.000042	0.000050	0.000042	06/30/22 00:06	
Methoxychlor	mg/L	<0.00042	0.00050	0.00042	06/30/22 00:06	
Toxaphene	mg/L	<0.0023	0.0050	0.0023	06/30/22 00:06	
Decachlorobiphenyl (S)	%	84	10-135		06/30/22 00:06	

LABORATORY CONTROL SAMPLE: 3147201

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	mg/L	0.002	0.0019	96	43-163	
4,4'-DDE	mg/L	0.002	0.0018	91	40-160	
4,4'-DDT	mg/L	0.002	0.0017	85	41-168	
Aldrin	mg/L	0.001	0.00031	31	21-146	
alpha-BHC	mg/L	0.001	0.00060	60	42-152	
alpha-Chlordane	mg/L	0.001	0.00082	82	42-147	
beta-BHC	mg/L	0.001	0.00078	78	41-149	
delta-BHC	mg/L	0.001	0.00076	76	32-144	
Dieldrin	mg/L	0.002	0.0019	93	41-159	
Endosulfan I	mg/L	0.001	0.00085	85	42-148	
Endosulfan II	mg/L	0.002	0.0018	92	45-166	
Endosulfan sulfate	mg/L	0.002	0.0017	87	41-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

LABORATORY CONTROL SAMPLE: 3147201

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endrin	mg/L	0.002	0.0018	92	44-159	
Endrin aldehyde	mg/L	0.002	0.0017	87	40-151	
Endrin ketone	mg/L	0.002	0.0018	90	40-161	
gamma-BHC (Lindane)	mg/L	0.001	0.00067	67	40-153	
gamma-Chlordane	mg/L	0.001	0.00090	90	43-163	
Heptachlor	mg/L	0.001	0.00051	51	29-152	
Heptachlor epoxide	mg/L	0.001	0.00080	80	43-146	
Methoxychlor	mg/L	0.01	0.0084	84	40-170	
Decachlorobiphenyl (S)	%			63	10-135	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3147202 3147203

Parameter	Units	60403814036		MS	MSD	3147202		3147203		% Rec Limits	Max RPD	Qual
		Result	Conc.	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec				
4,4'-DDD	mg/L	<0.096 ug/L	0.004	0.004	0.0041	<0.00019	103	4	40-153	20	M1	
4,4'-DDE	mg/L	<0.074 ug/L	0.004	0.004	0.0039	0.00016J	97	4	43-144	20	M1	
4,4'-DDT	mg/L	<0.085 ug/L	0.004	0.004	0.0032	<0.00017	80	3	33-159	20	M1	
Aldrin	mg/L	<0.046 ug/L	0.002	0.002	0.00098	<0.000092	49	2	10-139	20	M1	
alpha-BHC	mg/L	<0.035 ug/L	0.002	0.002	0.0014	<0.000070	71	2	34-143	20	M1	
alpha-Chlordane	mg/L	<0.039 ug/L	0.002	0.002	0.0017	<0.000078	87	4	38-138	20	M1	
beta-BHC	mg/L	<0.047 ug/L	0.002	0.002	0.0017	<0.000094	86	2	44-132	20	M1	
delta-BHC	mg/L	<0.045 ug/L	0.002	0.002	0.0017	<0.000090	83	2	37-123	20	M1	
Dieldrin	mg/L	<0.083 ug/L	0.004	0.004	0.0038	<0.00017	95	4	43-145	20	M1	
Endosulfan I	mg/L	<0.035 ug/L	0.002	0.002	0.0018	<0.000070	88	3	42-138	20	M1	
Endosulfan II	mg/L	<0.080 ug/L	0.004	0.004	0.0039	<0.00016	97	3	43-153	20	M1	
Endosulfan sulfate	mg/L	<0.071 ug/L	0.004	0.004	0.0036	<0.00014	90	3	45-132	20	M1	
Endrin	mg/L	<0.089 ug/L	0.004	0.004	0.0038	<0.00018	94	3	37-153	20	M1	
Endrin aldehyde	mg/L	<0.098 ug/L	0.004	0.004	0.0036	<0.00020	90	4	31-142	20	M1	
Endrin ketone	mg/L	<0.080 ug/L	0.004	0.004	0.0036	<0.00016	89	2	38-162	20	M1	
gamma-BHC (Lindane)	mg/L	<0.038 ug/L	0.002	0.002	0.0015	<0.000076	77	2	31-146	20	M1	
gamma-Chlordane	mg/L	<0.049 ug/L	0.002	0.002	0.0019	<0.000098	95	5	42-154	20	M1	
Heptachlor	mg/L	<0.042 ug/L	0.002	0.002	0.0013	<0.000084	64	3	17-143	20	M1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247159

Parameter	Units	60403814036		3147202		3147203		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		MS	MSD	MS	MSD	MS	MSD							
Heptachlor epoxide	mg/L	<0.042 ug/L	0.002	0.002	0.0016	<0.000084	82	3	33-142			20	M1	
Methoxychlor	mg/L	<0.42 ug/L	0.02	0.02	0.015	<0.00084	75	3	32-162			20	M1	
Decachlorobiphenyl (S)	%						80	51	10-135					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

QC Batch: 419909 Analysis Method: EPA 8082A
QC Batch Method: EPA 3510 Analysis Description: 8082A GCS PCB
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40247159002, 40247159003

METHOD BLANK: 2418243 Matrix: Water

Associated Lab Samples: 40247159002, 40247159003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	mg/L	<0.00011	0.00050	0.00011	07/05/22 20:55	
PCB-1221 (Aroclor 1221)	mg/L	<0.00011	0.00050	0.00011	07/05/22 20:55	
PCB-1232 (Aroclor 1232)	mg/L	<0.00011	0.00050	0.00011	07/05/22 20:55	
PCB-1242 (Aroclor 1242)	mg/L	<0.00011	0.00050	0.00011	07/05/22 20:55	
PCB-1248 (Aroclor 1248)	mg/L	<0.00011	0.00050	0.00011	07/05/22 20:55	
PCB-1254 (Aroclor 1254)	mg/L	<0.00011	0.00050	0.00011	07/05/22 20:55	
PCB-1260 (Aroclor 1260)	mg/L	<0.00011	0.00050	0.00011	07/05/22 20:55	
Decachlorobiphenyl (S)	%	60	10-113		07/05/22 20:55	
Tetrachloro-m-xylene (S)	%	89	17-141		07/05/22 20:55	

LABORATORY CONTROL SAMPLE & LCSD: 2418244 2418245

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
PCB-1016 (Aroclor 1016)	mg/L		<0.00011	<0.00011					20	
PCB-1221 (Aroclor 1221)	mg/L		<0.00011	<0.00011					20	
PCB-1232 (Aroclor 1232)	mg/L		<0.00011	<0.00011					20	
PCB-1242 (Aroclor 1242)	mg/L		<0.00011	<0.00011					20	
PCB-1248 (Aroclor 1248)	mg/L		<0.00011	<0.00011					20	
PCB-1254 (Aroclor 1254)	mg/L		<0.00011	<0.00011					20	
PCB-1260 (Aroclor 1260)	mg/L	0.005	0.0049	0.0049	99	98	67-110	1	20	
Decachlorobiphenyl (S)	%				56	51	10-113			
Tetrachloro-m-xylene (S)	%				89	96	17-141			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

QC Batch: 419538 Analysis Method: EPA 8270E
QC Batch Method: EPA 3510 Analysis Description: 8270E Water MSSV Low Volume
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40247159002, 40247159003

METHOD BLANK: 2416251 Matrix: Water
Associated Lab Samples: 40247159002, 40247159003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	mg/L	<0.0024	0.0050	0.0024	06/28/22 13:03	
1,2-Dichlorobenzene	mg/L	<0.0020	0.0050	0.0020	06/28/22 13:03	
1,3-Dichlorobenzene	mg/L	<0.0022	0.0050	0.0022	06/28/22 13:03	
1,4-Dichlorobenzene	mg/L	<0.0018	0.0050	0.0018	06/28/22 13:03	
2,2'-Oxybis(1-chloropropane)	mg/L	<0.00079	0.0050	0.00079	06/28/22 13:03	CH
2,4,5-Trichlorophenol	mg/L	<0.0018	0.0050	0.0018	06/28/22 13:03	
2,4,6-Trichlorophenol	mg/L	<0.0020	0.0050	0.0020	06/28/22 13:03	
2,4-Dichlorophenol	mg/L	<0.0015	0.0050	0.0015	06/28/22 13:03	
2,4-Dimethylphenol	mg/L	<0.00043	0.0050	0.00043	06/28/22 13:03	
2,4-Dinitrophenol	mg/L	<0.0026	0.010	0.0026	06/28/22 13:03	
2,4-Dinitrotoluene	mg/L	<0.00038	0.0050	0.00038	06/28/22 13:03	
2,6-Dinitrotoluene	mg/L	<0.00085	0.0050	0.00085	06/28/22 13:03	
2-Chloronaphthalene	mg/L	<0.0012	0.0050	0.0012	06/28/22 13:03	
2-Chlorophenol	mg/L	<0.0026	0.0050	0.0026	06/28/22 13:03	
2-Methylphenol(o-Cresol)	mg/L	<0.00077	0.0050	0.00077	06/28/22 13:03	
2-Nitroaniline	mg/L	<0.00092	0.0050	0.00092	06/28/22 13:03	CH
2-Nitrophenol	mg/L	<0.0015	0.0050	0.0015	06/28/22 13:03	
3&4-Methylphenol(m&p Cresol)	mg/L	<0.00060	0.0050	0.00060	06/28/22 13:03	
3,3'-Dichlorobenzidine	mg/L	<0.00054	0.0050	0.00054	06/28/22 13:03	2q
3-Nitroaniline	mg/L	<0.00071	0.0050	0.00071	06/28/22 13:03	
4,6-Dinitro-2-methylphenol	mg/L	<0.0012	0.0050	0.0012	06/28/22 13:03	
4-Bromophenylphenyl ether	mg/L	<0.00088	0.0050	0.00088	06/28/22 13:03	
4-Chloro-3-methylphenol	mg/L	<0.00094	0.0050	0.00094	06/28/22 13:03	
4-Chloroaniline	mg/L	<0.00089	0.0050	0.00089	06/28/22 13:03	2q
4-Chlorophenylphenyl ether	mg/L	<0.00061	0.0050	0.00061	06/28/22 13:03	
4-Nitroaniline	mg/L	<0.00045	0.010	0.00045	06/28/22 13:03	
4-Nitrophenol	mg/L	<0.0020	0.0050	0.0020	06/28/22 13:03	
bis(2-Chloroethoxy)methane	mg/L	<0.00043	0.0050	0.00043	06/28/22 13:03	
bis(2-Chloroethyl) ether	mg/L	<0.00068	0.0050	0.00068	06/28/22 13:03	
bis(2-Ethylhexyl)phthalate	mg/L	<0.00069	0.0050	0.00069	06/28/22 13:03	
Butylbenzylphthalate	mg/L	<0.00069	0.0050	0.00069	06/28/22 13:03	
Carbazole	mg/L	<0.00023	0.0050	0.00023	06/28/22 13:03	
Di-n-butylphthalate	mg/L	<0.00033	0.0050	0.00033	06/28/22 13:03	
Di-n-octylphthalate	mg/L	<0.00046	0.010	0.00046	06/28/22 13:03	
Dibenzofuran	mg/L	<0.00093	0.0050	0.00093	06/28/22 13:03	
Diethylphthalate	mg/L	<0.00060	0.0050	0.00060	06/28/22 13:03	
Dimethylphthalate	mg/L	<0.00042	0.0050	0.00042	06/28/22 13:03	
Hexachloro-1,3-butadiene	mg/L	<0.0025	0.010	0.0025	06/28/22 13:03	
Hexachlorobenzene	mg/L	<0.0016	0.0050	0.0016	06/28/22 13:03	
Hexachlorocyclopentadiene	mg/L	<0.0019	0.0050	0.0019	06/28/22 13:03	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247159

METHOD BLANK: 2416251

Matrix: Water

Associated Lab Samples: 40247159002, 40247159003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Hexachloroethane	mg/L	<0.0015	0.0050	0.0015	06/28/22 13:03	
Isophorone	mg/L	<0.00040	0.0050	0.00040	06/28/22 13:03	
N-Nitroso-di-n-propylamine	mg/L	<0.00082	0.0050	0.00082	06/28/22 13:03	
N-Nitrosodiphenylamine	mg/L	<0.00041	0.0050	0.00041	06/28/22 13:03	
Nitrobenzene	mg/L	<0.00051	0.0050	0.00051	06/28/22 13:03	
Pentachlorophenol	mg/L	<0.0016	0.0050	0.0016	06/28/22 13:03	
Phenol	mg/L	<0.00098	0.0050	0.00098	06/28/22 13:03	
2,4,6-Tribromophenol (S)	%	83	10-142		06/28/22 13:03	
2-Fluorobiphenyl (S)	%	49	10-101		06/28/22 13:03	
2-Fluorophenol (S)	%	55	10-89		06/28/22 13:03	
Nitrobenzene-d5 (S)	%	88	10-120		06/28/22 13:03	
Phenol-d6 (S)	%	38	10-130		06/28/22 13:03	
Terphenyl-d14 (S)	%	96	36-138		06/28/22 13:03	

LABORATORY CONTROL SAMPLE: 2416252

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	mg/L	0.05	0.023	46	27-130	
1,2-Dichlorobenzene	mg/L	0.05	0.026	52	36-130	
1,3-Dichlorobenzene	mg/L	0.05	0.024	48	30-130	
1,4-Dichlorobenzene	mg/L	0.05	0.024	49	32-130	
2,2'-Oxybis(1-chloropropane)	mg/L	0.05	0.050	101	64-130	CH
2,4,5-Trichlorophenol	mg/L	0.05	0.042	84	40-115	
2,4,6-Trichlorophenol	mg/L	0.05	0.042	85	33-115	
2,4-Dichlorophenol	mg/L	0.05	0.041	83	47-109	
2,4-Dimethylphenol	mg/L	0.05	0.045	91	70-130	
2,4-Dinitrophenol	mg/L	0.05	0.024	48	17-79	
2,4-Dinitrotoluene	mg/L	0.05	0.041	82	61-130	
2,6-Dinitrotoluene	mg/L	0.05	0.044	89	64-130	
2-Chloronaphthalene	mg/L	0.05	0.027	55	37-130	
2-Chlorophenol	mg/L	0.05	0.039	78	51-130	
2-Methylphenol(o-Cresol)	mg/L	0.05	0.040	79	68-130	
2-Nitroaniline	mg/L	0.05	0.050	100	63-130	CH
2-Nitrophenol	mg/L	0.05	0.041	82	43-108	
3&4-Methylphenol(m&p Cresol)	mg/L	0.05	0.037	74	62-130	
3,3'-Dichlorobenzidine	mg/L	0.05	0.044	89	47-130	2q
3-Nitroaniline	mg/L	0.05	0.043	85	59-130	
4,6-Dinitro-2-methylphenol	mg/L	0.05	0.035	69	29-90	
4-Bromophenylphenyl ether	mg/L	0.05	0.036	72	64-130	
4-Chloro-3-methylphenol	mg/L	0.05	0.046	92	66-130	
4-Chloroaniline	mg/L	0.05	0.040	80	64-130	2q
4-Chlorophenylphenyl ether	mg/L	0.05	0.033	67	53-130	
4-Nitroaniline	mg/L	0.05	0.038	76	61-130	
4-Nitrophenol	mg/L	0.05	0.026	52	15-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247159

LABORATORY CONTROL SAMPLE: 2416252

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
bis(2-Chloroethoxy)methane	mg/L	0.05	0.043	87	70-130	
bis(2-Chloroethyl) ether	mg/L	0.05	0.044	87	65-130	
bis(2-Ethylhexyl)phthalate	mg/L	0.05	0.047	94	59-130	
Butylbenzylphthalate	mg/L	0.05	0.050	100	63-130	
Carbazole	mg/L	0.05	0.043	86	70-130	
Di-n-butylphthalate	mg/L	0.05	0.046	92	65-130	
Di-n-octylphthalate	mg/L	0.05	0.048	96	50-130	
Dibenzofuran	mg/L	0.05	0.035	70	56-130	
Diethylphthalate	mg/L	0.05	0.046	93	70-130	
Dimethylphthalate	mg/L	0.05	0.044	88	70-130	
Hexachloro-1,3-butadiene	mg/L	0.05	0.019	39	10-70	
Hexachlorobenzene	mg/L	0.05	0.036	72	68-130	
Hexachlorocyclopentadiene	mg/L	0.05	0.012	24	10-130	
Hexachloroethane	mg/L	0.05	0.021	41	16-130	
Isophorone	mg/L	0.05	0.045	91	70-130	
N-Nitroso-di-n-propylamine	mg/L	0.05	0.046	92	70-130	
N-Nitrosodiphenylamine	mg/L	0.05	0.040	80	70-130	
Nitrobenzene	mg/L	0.05	0.046	91	70-130	
Pentachlorophenol	mg/L	0.05	0.027	54	32-93	
Phenol	mg/L	0.05	0.022	44	31-130	
2,4,6-Tribromophenol (S)	%			88	10-142	
2-Fluorobiphenyl (S)	%			61	10-101	
2-Fluorophenol (S)	%			62	10-89	
Nitrobenzene-d5 (S)	%			92	10-120	
Phenol-d6 (S)	%			43	10-130	
Terphenyl-d14 (S)	%			94	36-138	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2416253 2416254

Parameter	Units	2416253		2416254		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Nitrobenzene-d5 (S)	%					100	102	10-120			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

QC Batch: 419804 Analysis Method: EPA 8270E by SIM
QC Batch Method: EPA 3510 Analysis Description: 8270E Water PAH
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40247159002, 40247159003

METHOD BLANK: 2417479 Matrix: Water
Associated Lab Samples: 40247159002, 40247159003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
2-Methylnaphthalene	mg/L	<0.000014	0.000050	0.000014	06/30/22 12:28	
Acenaphthene	mg/L	<0.000014	0.000050	0.000014	06/30/22 12:28	
Acenaphthylene	mg/L	<0.000013	0.000050	0.000013	06/30/22 12:28	
Anthracene	mg/L	<0.000018	0.000050	0.000018	06/30/22 12:28	
Benzo(a)anthracene	mg/L	<0.000014	0.000050	0.000014	06/30/22 12:28	
Benzo(a)pyrene	mg/L	<0.000013	0.000050	0.000013	06/30/22 12:28	
Benzo(b)fluoranthene	mg/L	<0.000091	0.000050	0.000091	06/30/22 12:28	
Benzo(g,h,i)perylene	mg/L	<0.000023	0.000050	0.000023	06/30/22 12:28	
Benzo(k)fluoranthene	mg/L	<0.000022	0.000050	0.000022	06/30/22 12:28	
Chrysene	mg/L	<0.000013	0.000050	0.000013	06/30/22 12:28	
Dibenz(a,h)anthracene	mg/L	<0.000018	0.000050	0.000018	06/30/22 12:28	
Fluoranthene	mg/L	<0.000026	0.000050	0.000026	06/30/22 12:28	
Fluorene	mg/L	<0.000024	0.000050	0.000024	06/30/22 12:28	
Indeno(1,2,3-cd)pyrene	mg/L	<0.000016	0.000050	0.000016	06/30/22 12:28	
Naphthalene	mg/L	<0.000020	0.000050	0.000020	06/30/22 12:28	
Phenanthrene	mg/L	<0.000026	0.000050	0.000026	06/30/22 12:28	
Pyrene	mg/L	<0.000023	0.000050	0.000023	06/30/22 12:28	
2-Fluorobiphenyl (S)	%	73	44-120		06/30/22 12:28	
Terphenyl-d14 (S)	%	69	49-120		06/30/22 12:28	

LABORATORY CONTROL SAMPLE & LCSD: 2417480

Parameter	Units	Spike Conc.	2417481		LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
			LCS Result	LCSD Result						
2-Methylnaphthalene	mg/L	0.002	0.0015	0.0015	76	73	50-120	5	20	
Acenaphthene	mg/L	0.002	0.0017	0.0017	86	83	65-120	3	20	
Acenaphthylene	mg/L	0.002	0.0016	0.0016	82	78	61-120	5	20	
Anthracene	mg/L	0.002	0.0017	0.0017	87	86	61-104	1	20	
Benzo(a)anthracene	mg/L	0.002	0.0017	0.0017	85	87	51-96	2	20	
Benzo(a)pyrene	mg/L	0.002	0.0018	0.0018	90	90	68-120	0	20	
Benzo(b)fluoranthene	mg/L	0.002	0.0017	0.0017	86	85	55-97	1	20	
Benzo(g,h,i)perylene	mg/L	0.002	0.0018	0.0017	89	87	69-120	2	20	
Benzo(k)fluoranthene	mg/L	0.002	0.0019	0.0020	97	99	73-120	2	20	
Chrysene	mg/L	0.002	0.0021	0.0021	107	104	72-126	3	20	
Dibenz(a,h)anthracene	mg/L	0.002	0.0018	0.0019	90	93	57-115	4	20	
Fluoranthene	mg/L	0.002	0.0017	0.0017	86	86	58-111	0	20	
Fluorene	mg/L	0.002	0.0017	0.0017	85	83	62-120	2	20	
Indeno(1,2,3-cd)pyrene	mg/L	0.002	0.0018	0.0018	89	88	66-120	1	20	
Naphthalene	mg/L	0.002	0.0015	0.0015	75	73	53-120	3	20	
Phenanthrene	mg/L	0.002	0.0016	0.0016	79	79	59-120	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247159

Parameter	Units	2417480		2417481		% Rec	LCS	LCS	% Rec	Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCS Result	LCS % Rec								
Pyrene	mg/L	0.002	0.0017	0.0017	85	85	59-120	0	20				
2-Fluorobiphenyl (S)	%				81	88	44-120						
Terphenyl-d14 (S)	%				76	81	49-120						

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

QC Batch: 419646 Analysis Method: EPA 335.4
QC Batch Method: EPA 335.4 Analysis Description: 335.4 Cyanide, Total
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40247159002, 40247159003

METHOD BLANK: 2416736 Matrix: Water
Associated Lab Samples: 40247159002, 40247159003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Cyanide	mg/L	<0.0069	0.023	0.0069	06/29/22 12:43	

LABORATORY CONTROL SAMPLE: 2416737

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/L	0.1	0.095	95	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2416738 2416739

Parameter	Units	40247068011		2416739		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Cyanide	mg/L	<0.0069	0.1	0.1	0.097	0.11	97	105	90-110	8	20

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2416740 2416741

Parameter	Units	40246952001		2416741		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Cyanide	mg/L	<0.041	0.6	0.6	0.63	0.62	105	103	90-110	2	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 22-521 PH01 PILLSBURY

Pace Project No.: 40247159

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: 419833

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: 419958

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

1q A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

2q The initial calibration verification for this compound was outside of method control limits.

CH The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22-521 PH01 PILLSBURY
Pace Project No.: 40247159

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40247159002	MW-03	EPA 3510	683571	EPA 8081	683706
40247159003	MW-02	EPA 3510	683837	EPA 8081	683893
40247159002	MW-03	EPA 3510	419909	EPA 8082A	419958
40247159003	MW-02	EPA 3510	419909	EPA 8082A	419958
40247159002	MW-03	EPA 3010	259340	EPA 6020A	259359
40247159003	MW-02	EPA 3010	259340	EPA 6020A	259359
40247159002	MW-03	EPA 7470	419994	EPA 7470	420055
40247159003	MW-02	EPA 7470	419994	EPA 7470	420055
40247159002	MW-03	EPA 3510	419538	EPA 8270E	419601
40247159003	MW-02	EPA 3510	419538	EPA 8270E	419601
40247159002	MW-03	EPA 3510	419804	EPA 8270E by SIM	419833
40247159003	MW-02	EPA 3510	419804	EPA 8270E by SIM	419833
40247159001	TB-03	EPA 8260	419407		
40247159002	MW-03	EPA 8260	419407		
40247159003	MW-02	EPA 8260	419407		
40247159002	MW-03	EPA 335.4	419646	EPA 335.4	419696
40247159003	MW-02	EPA 335.4	419646	EPA 335.4	419696

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: Fehr Graham
 Branch/Location: Rockford, IL
 Project Contact: Tony Guajardo and Annie Ray
 Phone: (815) 394-4700
 Project Number: 22-521 PH01
 Project Name: Pillsbury
 Project State: IL
 Sampled By (Print): Tony Guajardo
 Sampled By (Sign): *TG*
 PO #: 22-521 PH01 Regulatory Program:



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

Page 1 of 1

COC No. 402471509

CHAIN OF CUSTODY

*Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N	N	N	N		
Pick Letter	B	A	D	A	A	G		
Analyses Requested	VOCs	SVOCs	TAL Metals <i>++g</i>	PCBs	Pesticides	Cyanide		
	X							
	X	X	X	X	X	X		
	X	X	X	X	X	X		

Quote #:
 Mail To Contact: Tony Guajardo
 Mail To Company: Fehr Graham
 Mail To Address: 200 Prairie Street, Suite 208 Rockford, IL 61107
 Invoice To Contact: Annie Ray
 Invoice To Company: Fehr Graham
 Invoice To Address: 200 Prairie Street, Suite 208 Rockford, IL 61107
 Invoice To Phone: (815) 394-4700
 CLIENT COMMENTS
 LAB COMMENTS (Lab Use Only)
 Profile #

Data Package Options (billable)
 EPA Level III
 EPA Level IV
 MS/MSD
 On your sample (billable)
 NOT needed on your sample
 Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	TB-03	6/23	0930	GW
002	MW-03	6/23	0800	GW
003	MW-02	6/23	0650	GW

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed:
 Relinquished By: *[Signature]* Date/Time: 6/23/22 1600
 Received By: _____ Date/Time: _____
 Transmit Prelim Rush Results by (complete what you want):
 Relinquished By: *UPS* Date/Time: 6/24/22 1020
 Received By: *[Signature]* Date/Time: 6/24/22 1020
 Email #1: _____
 Email #2: _____
 Telephone: _____
 Fax: _____
 Samples on HOLD are subject to special pricing and release of liability
 Relinquished By: _____ Date/Time: _____
 Received By: _____ Date/Time: _____
 PACE Project No. 402471509
 Receipt Temp = 2 °C
 Sample Receipt pH OK / Adjusted
 Cooler Custody Seal Present / Not Present Intact / Not Intact

Sample Condition Upon Receipt Form (SCUR)

Client Name: Fehr Graham

Project #:

WO#: 40247159

Courier: CS Logistics Fed Ex Speedee UPS Walco
 Client Pace Other: _____



Tracking #: 1Z9DE6F31396167584

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 98 Type of Ice: Wet Blue Dry None

Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 2 /Corr: 2

Temp Blank Present: yes no

Biological Tissue is Frozen: yes no

Person examining contents:

Date: 6/24/22 /Initials: NK

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Labeled By Initials: mtt

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>465</u>		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample login

FEHR GRAHAM
ENGINEERING & ENVIRONMENTAL

www.fehr-graham.com